

GRUM

ASSAY RESULTS

for

Ag, Pb, Zn, Cu

Tag series: 6000, 7000, 8000, 9000, 10000,
11000, 12000, 91000

018817



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4270 12

Date July 22, 1981

Van Gorda

I hereby certify that the following are the results of assays made by us upon the herein described Rotary Samples samples

<i>Kral No.</i>	<i>Marked</i>	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
203	2137	54	2.10	.15	.03					
204	2152	8	.17	.62	.04					
205	2181	4	.02	.29	.06					
206	2182	4	.02	.28	.05					
207	2244	6	.23	.26	.08					
208	2245	7	.30	.32	.11					
209	2317	4	.06	.33	.01					
210	2319	4	.07	.37	.03					
211	2341	4	.17	.12	.04					
212	6001	5	.10	.76	.04					
213	6002	5	.05	.59	.03					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4070 3

Date May 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Gram Drill Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
41	2494A	3	.08	.21	.13	.29			
42	2495	2	.06	.17	.11	.23			
43	2496	10	.10	.39	.31	.49			
44	2497	6	.06	.51	.19	.57			
45	2498	50	1.91	2.74	.33	4.65			
46	2499	147	11.90	19.80	.19				
47	2500A	42	3.26	6.94	.04				
48	6051A	60	4.99	6.63	.08				
49	6052	37	2.71	4.79	.03				
50	6053A	26	1.76	3.69	.02				
51	6054A	45	5.03	1.78	.05				
52	6055	23	2.01	1.21	.05				
53	6056	18	1.37	2.81	.06				
54	6057	37	2.54	6.17	.09				
55	6058	2	.13	.38	.01				
56	6059	27	1.81	3.76	.10				
57	6060A	21	1.66	2.70	.01				
58	6061	27	1.86	4.43	.03				
59	6062	29	1.76	4.72	.04				
60	6063A	53	2.93	5.80	.04				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4070 4

Date May 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Drill Coresamples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
61	6064A	41	1.80	3.92	.03					
62	6065	57	3.13	6.14	.04					
63	6066	36	1.86	4.10	.06					
64	6067	22	1.27	3.21	.04					
65	6068	38	2.74	5.24	.08					
66	6069	31	1.78	3.77	.03					
67	6070A	21	1.14	3.68	.02					
68	6071	59	3.03	6.44	.11					
69	6072	46	3.17	5.24	.05					
70	6073A	64	3.94	3.02	.04					
71	6074A	40	2.55	5.24	.06					
72	6075	48	2.81	5.02	.03					
73	6076	19	.56	2.68	.05					
74	6077	24	.77	1.22	.14					
75	6078	52	3.69	3.64	.10					
76	6079	82	5.60	8.60	.06					
77	6080A	17	1.00	4.57	.06					
78	6081	75	4.52	8.75	.03					
79	6082	49	2.93	6.59	.02					
80	6083A	118	6.96	10.20	.07					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4070 5

Date May 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Drill Coresamples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
81	6084A	127	7.19	16.00	.05				
82	6085	66	4.17	7.32	.02				
83	6086	136	7.13	12.20	.06				
84	6087	123	6.92	12.50	.06				
85	6088	28	1.81	3.83	.03				
86	6089	109	6.38	11.60	.04				
87	6090A	110	5.27	11.40	.12				
88	6091	140	7.97	15.40	.04				
89	6092	118	2.52	10.50	.24				
90	6093A	65	2.98	7.29	.04				
91	6094A	126	6.63	10.50	.20				
92	6095	84	5.43	4.58	.21				
93	6096	123	5.96	11.80	.07				
94	6097	170	8.19	16.70	.11				
95	6098	54	1.66	3.53	.11				
96	6099	92	5.65	7.00	.16				
97	6100A	141	7.53	11.90	.25				
98	6101	59	3.33	5.98	.08				
99	6102	15	.78	1.16	.07				
100	6103	6	.16	.51	.02				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4070 6

Date May 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Gram Drill Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
101	6104A FAGA 056	4	.15	.50	.09					
102	6105	6	.08	.25	.13					
103	6106	6	.03	.88	.15					
104	6107	4	.05	.34	.09					
105	6108	6	.05	2.31	.10					
106	6109	68	4.48	7.88	.09					
107	6110A	20	1.14	1.98	.10					
108	6111	32	1.48	1.86	.26					
109	6112	85	4.49	5.47	.10					
110	6113A	105	5.23	6.05	.25					
111	6114A FAGU019	75	4.55	3.23	.16					
112	6115	39	1.60	1.50	.16					
113	6116	33	1.74	1.88	.12					
114	6117	78	4.24	5.38	.25					
115	6118	47	2.33	1.69	.13					
116	6119	91	5.39	5.11	.13					
117	6120A	114	6.60	6.42	.15					
118	6121	140	8.37	8.95	.06					
119	6122	54	3.64	1.94	.14					
120	6123A	68	4.51	4.25	.13					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4070 7

Date May 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Drill Coresamples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
121	6124A FAGU019	126	7.83	6.86	.08				
122	6125	127	6.84	8.29	.07				
123	6126	90	5.30	7.36	.05				
124	6127	75	5.22	4.13	.17				
125	6128	39	2.60	2.07	1.04				
126	6129 FAGA 095	75	4.99	8.99	.05				
127	6130A	160	11.20	20.00	.06				
128	6131	44	2.41	4.48	.02				
129	6132	36	2.20	3.17	.02				
130	6133A	98	5.24	8.75	.12				
131	6134A	52	3.43	6.66	.04				
132	6135	75	4.46	8.18	.10				
133	6136 FAGU014	105	7.56	5.45	.17				
134	6137	33	.56	.50	.35				
135	6138	31	.35	.16	.32				
136	6139	80	5.01	5.36	.16				
137	6140A	35	.52	.36	.38				
138	6141	92	5.95	6.33	.12				
139	6142	150	10.17	7.42	.06				
140	6143A	22	1.44	1.74	.12				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4070 8

Date May 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Drill Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
141	6144A FAG0614	20	1.40	1.70	.13				
142	6145	27	1.80	1.61	.15				
143	6146	22	1.48	1.89	.21				
144	6147	117	7.68	7.18	.07				
145	6148	105	6.36	7.59	.04				
146	6149	111	6.42	7.97	.04				
147	6150A	100	6.22	7.34	.11				
148	6151	45	2.53	1.82	.20				
149	6152 FAG004	30	2.29	1.92	.03				
150	<u>6153A</u>	22	1.56	2.38	<u>.11</u>				
151	6154A	19	1.87	.41	.06				
152	6155	17	1.77	.39	.08				
153	6157	142	8.42	15.00	.04				
154	6158	171	11.00	21.00	.02				
155	6159	153	8.44	15.50	.18				
156	6160A	12	1.05	.82	.13				
157	6161	34	2.67	2.66	.20				
158	6162	122	9.19	6.51	.08				
159	<u>6163</u>	33	2.36	1.69	<u>.33</u>				
160	6164 FAG006	32	1.91	4.11	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4070 9

Date May 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Drill Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
161	6165A	34	1.98	3.96	.03				
162	6166	45	3.07	6.05	.08				
163	6167	36	2.90	3.81	.04				
164	6168	39	2.70	6.33	.02				
165	6169	76	3.92	6.59	.02				
166	6170A	78	3.90	7.37	.02				
167	6171	203	12.66	23.40	.05				
168	6172	197	10.44	21.50	.09				
169	6173	65	3.29	7.40	.01				
170	6174A	163	8.76	18.60	.01				
171	6175A	189	9.56	18.50	.01				
172	6176	147	8.15	15.20	.02				
173	6177A	151	8.04	16.00	.02				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

330 - 355 Burrard Street

Vancouver, B.C. V6C 2G8


Certificate No. K-4115

Date June 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Drill Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent	Pb/Zn %			
1	6178A	37	2.93	3.90	.05	6.83			
2	6179	71	6.00	5.74	.07	11.74			
3	6180A	64	5.35	6.93	.07	12.28			
4	6181	63	4.99	8.36	.04	13.35			
5	6182 FAGU021	42	3.19	5.95	.08	9.14			
6	6183	242	16.26	21.30	.25	37.56			
7	6184	114	7.53	11.94	.07	19.47			
8	6185	40	2.57	4.90	.02	7.47			
9	6186	156	9.22	18.94	.11	28.16			
10	6187A	6	.54	.80	.03	1.34			
11	6188A	7	.58	.55	.06	1.13			
12	6189	105	7.56	6.88	.12	14.44			
13	6190A	113	11.21	5.98	.12	17.19			
14	6191	24	1.99	1.33	.16	3.32			
15	6192	46	3.80	2.40	.17	6.20			
16	6193	19	1.57	1.15	.12	2.72			
17	6194	22	1.49	2.50	.04	3.99			
18	6195 FAGA060	83	5.05	6.34	.08	11.39			
19	6196	122	6.83	8.76	.02	15.59			
20	6197A	50	1.85	2.15	.11	4.00			

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.
330 - 355 Burrard Street
Vancouver, B.C. V6C 2G8

Certificate No. K-4115

Date June 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Drill Core ^{Gram} samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
1	6178A	37	2.93	3.90	.05					
2	6179	71	6.00	5.74	.07					
3	6180A	64	5.35	6.93	.07					
4	6181	63	4.99	8.36	.04					
5	6182	42	3.19	5.95	.08					
6	6183	242	16.26	21.30	.25					
7	6184	114	7.53	11.94	.07					
8	6185	40	2.57	4.90	.02					
9	6186	156	9.22	18.94	.11					
10	6187A	6	.54	.80	.03					
11	6188A	7	.58	.55	.06					
12	6189	105	7.56	6.88	.12					
13	6190A	113	11.21	5.98	.12					
14	6191	24	1.99	1.33	.16					
15	6192	46	3.80	2.40	.17					
16	6193	19	1.57	1.15	.12					
17	6194	22	1.49	2.50	.04					
18	6195	83	5.05	6.34	.08					
19	6196	122	6.83	8.76	.02					
20	6197A	50	1.85	2.15	.11					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4115 2


Date June 11, 1981

Grun
Drill Core samples

I hereby certify that the following are the results of assays made by us upon the herein described

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent	Pb/Zn %			
21	6198A	5	.12	.17	.05	.29			
22	6199	13	.69	.29	.05	.98			
23	6200A	112	6.88	8.36	.06	15.24			
24	6201	107	7.19	7.38	.06	14.57			
25	6202	7	.31	.43	.06	.74			
26	6203	41*	3.22	2.45	.15	5.67			
27	6204	97	6.27	7.60	.04	13.87			
28	6205	74*	4.17	4.21	.21	8.38			
29	6207 <i>FAQA060</i>	8	.55	.50	.10	1.05			
30	6208A	1	.04	.05	.02	.09			
31	6209A	8	.51	.63	.08	1.14			
32	6210A	1	.04	.04	.01	.08			
33	6211	6	.14	.14	.11	.28			
34	6212	61	3.25	3.32	.24	6.57			
35	6213	74	4.97	4.16	.22	9.13			
36	6214	61	4.81	4.79	.12	9.60			
37	6215	10*	.80	.97	.06	1.77			
38	6216	207*	11.40	16.86	.13	28.26			
39	6217.	27	1.50	2.09	.12	3.59			
40	6218A	30	.90	1.17	.21	2.07			

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4115 2

Date June 11, 1981

Grum
Drill Core samples

I hereby certify that the following are the results of assays made by us upon the herein described

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
21	6198A	5	.12	.17	.05				
22	6199	13	.69	.29	.05				
23	6200A	112	6.88	8.36	.06				
24	6201	107	7.19	7.38	.06				
25	6202	7	.31	.43	.06				
26	6203	41	3.22	2.45	.15				
27	6204	97	6.27	7.60	.04				
28	6205	74	4.17	4.21	.21				
29	6207	8	.55	.50	.10				
30	6208A	1	.04	.05	.02				
31	6209A	8	.51	.63	.08				
32	6210A	1	.04	.04	.01				
33	6211	6	.14	.14	.11				
34	6212	61	3.25	3.32	.24				
35	6213	74	4.97	4.16	.22				
36	6214	61	4.81	4.79	.12				
37	6215	10	.80	.97	.06				
38	6216	207	11.40	16.86	.13				
39	6217	27	1.50	2.09	.12				
40	6218A	30	.90	1.17	.21				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4115 3

Date June 11, 1981

Grum _____

I hereby certify that the following are the results of assays made by us upon the herein described Drill Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu	Pb/Zn				
		grams per tonne	percent	percent	percent	%				
41	6219A	6*	.36	.45	.04	.81				
42	6220A	5*	.12	.36	.03	.48				
43	6221	2	.07	.03	.02	.10				
44	6222	1	.02	.02	.05	.04				
45	6223	2	.02	.06	.06	.08				
46	6224	2*	.01	.05	.05	.06				
47	6225	7	.21	.19	.05	.40				
48	6226	3	.10	.03	.07	.13				
49	6227	10	.42	.36	.06	.78				
50	6228A FAGAD66	29*	1.70	1.90	.20	3.60				
51	6229A	13	.62	.53	.04	1.15				
52	6230A	50	3.33	2.69	.14	6.02				
53	6231	41*	2.23	2.48	.13	4.71				
54	6232	25	1.57	2.06	.12	3.63				
55	6233	19	.85	.76	.10	1.61				
56	6234	50	3.41	2.72	.11	6.13				
57	6235	35*	1.40	.84	.28	2.24				
58	6236	12	.44	.40	.05	.84				
59	6237	12*	.28	.22	.06	.50				
60	6238A	21	.84	.40	.05	1.24				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4115 3

Date June 11, 1981

Gram

I hereby certify that the following are the results of assays made by us upon the herein described Drill Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
41	6219A	6	.36	.45	.04				
42	6220A	5	.12	.36	.03				
43	6221	2	.07	.03	.02				
44	6222	1	.02	.02	.05				
45	6223	2	.02	.06	.06				
46	6224	2	.01	.05	.05				
47	6225	7	.21	.19	.05				
48	6226	3	.10	.03	.07				
49	6227	10	.42	.36	.06				
50	6228A	29	1.70	1.90	.20				
51	6229A	13	.62	.53	.04				
52	6230A	50	3.33	2.69	.14				
53	6231	41	2.23	2.48	.13				
54	6232	25	1.57	2.06	.12				
55	6233	19	.85	.76	.10				
56	6234	50	3.41	2.72	.11				
57	6235	35	1.40	.84	.28				
58	6236	12	.44	.40	.05				
59	6237	12	.28	.22	.06				
60	6238A	21	.84	.40	.05				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY - KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYER
GEOCHEMICAL ANALYSIS
METALLURGISTS

70 Cyprus Anvil Mining Corporation Ltd.

330 - 355 Burrard Street

Vancouver, B.C. V6C 2G8

Certificate No. K-4115

Date June 29, 1981

REVISED

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kref No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent			
61	FA9 A-060 6239A	3	.05	.12	.02			
62	6240A	7	.05	.03	.01			
63	6241	2	.02	.02	.01			
64	FA9 U-002 6242	79	4.74	8.16	.08			
65	6243	59	3.15	5.90	.05			
66	6244	83	5.09	8.48	.02			
67	6245	99	4.89	9.75	.03			
68	6246	42	1.72	5.90	.02			
69	6247	45	2.40	6.43	.02			
70	6248A	158	6.60	20.04	.10			
71	FA9 U-002 6249A	17	.69	1.38	.05			
72	FA9 U-008 6250A	15	.65	1.28	.03			
73	6251	24	.99	2.00	.08			
74	6252	26	1.79	3.07	.04			
75	6253	31	2.04	3.25	.03			
76	6254	58	3.46	6.90	.05			
77	6255	37	1.70	4.36	.04			
78	6256	38	1.99	3.98	.04			
79	6257	112	7.10	13.67	.16			
80	FA9 U-008 6258A	104	6.18	12.76	.06			

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for P&S
Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4115 4

Date June 11, 1981

Grum

I hereby certify that the following are the results of assays made by us upon the herein described Drill Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu	Pb/Zn			
		grams per tonne	percent	percent	percent	%			
61	6239A	3	.05	.12	.02	.17			
62	6240A FAGAD60	7	.05	.03	.01	.08			
63	6241	2	.02	.02	.01	.04			
64	6242	79	4.74	8.16	.08	12.90			
65	6243	59	3.15	5.90	.05	9.05			
66	5244 FAG0002	83	5.09	8.48	.02	13.57			
67	5245	99	4.89	9.75	.03	14.64			
68	5246	42	1.72	5.90	.02	7.62			
69	5247	45	2.40	6.43	.02	8.83			
70	5248A	158	6.60	20.04	.10	26.64			
71	5249A FAG0008P	17	.69	1.38	.05	2.07			
72	5250A	15	.65	1.28	.03	1.93			
73	5251	24	.99	2.00	.08	2.99			
74	5252	26	1.79	3.07	.04	4.86			
75	5253	31	2.04	3.25	.03	5.29			
76	5254	58	3.46	6.90	.05	10.36			
77	5255	37	1.70	4.36	.04	6.06			
78	5256	38	1.99	3.98	.04	5.97			
79	5257	112	7.10	13.67	.16	20.77			
80	5258A	104	6.18	12.76	.06	18.94			

are these supposed to be 6.15

yes.

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.



[Signature]

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.
330 - 355 Burrard Street
Vancouver, B.C. V6C 2G8

Certificate No. K-4115 4

Date June 29, 1981

REVISED

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
61	6239A	3	.05	.12	.02				
62	6240A	7	.05	.03	.01				
63	6241	2	.02	.02	.01				
64	6242	79	4.74	8.16	.08				
65	6243	59	3.15	5.90	.05				
66	6244	83	5.09	8.48	.02				
67	6245	99	4.89	9.75	.03				
68	6246	42	1.72	5.90	.02				
69	6247	45	2.40	6.43	.02				
70	6248A	158	6.60	20.04	.10				
71	6249A	17	.69	1.38	.05				
72	6250A	15	.65	1.28	.03				
73	6251	24	.99	2.00	.08				
74	6252	26	1.79	3.07	.04				
75	6253	31	2.04	3.25	.03				
76	6254	58	3.46	6.90	.05				
77	6255	37	1.70	4.36	.04				
78	6256	38	1.99	3.98	.04				
79	6257	112	7.10	13.67	.16				
80	6258A	104	6.18	12.76	.06				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for BCB
Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

330 - 355 Burrard Street

Vancouver, B.C. V6C 2G8

Certificate No. K-4134

Date June 17, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent	Pb/Zn %				
1	6259A	16	.67	.68	.14	1.35				
2	6260A	31	1.81	1.65	.19	3.46				
3	6261	47	2.80	1.63	.18	4.43				
4	6262	59	1.96	2.70	.54	4.66				
5	6263	46	3.50	3.00	.11	6.50				
6	not found 6264	19	.74	.64	.14	1.38				
7	6265	33	2.30	1.99	.18	4.29				
8	Jan 29, 82 6266	23	1.22	1.12	.12	2.34				
9	6267	22	.66	.68	.23	1.34				
10	6268A	3	.06	.06	.03	.12				
11	6269A	4	.11	.14	.05	.25				
12	6270A	34	1.54	1.12	.16	1.66				
13	6271	13	.63	.58	.13	1.21				
14	6272	42	3.30	3.40	.13	6.70				
15	6273	31	1.52	1.21	.16	2.73				
16	6274	38	1.72	1.26	.25	2.98				
17	6275	9	.31	.22	.09	.53				
18	6276	4	.08	.04	.03	.12				
19	6277	TR	.01	.01	.02	.02				
20	6278A	1	.02	.07	.02	.09				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.
330 - 355 Burrard Street
Vancouver, B.C. V6C 2G8

Certificate No. K-4134

Date June 17, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
1	6259A	16	.67	.68	.14				
2	6260A	31	1.81	1.65	.19				
3	6261	47	2.80	1.63	.18				
4	6262	59	1.96	2.70	.54				
5	6263	46	3.50	3.00	.11				
6	6264	19	.74	.64	.14				
7	6265	33	2.30	1.99	.18				
8	6266	23	1.22	1.12	.12				
9	6267	22	.66	.68	.23				
10	6268A	3	.06	.06	.03				
11	6269A	4	.11	.14	.05				
12	6270A	34	1.54	1.12	.16				
13	6271	13	.63	.58	.13				
14	6272	42	3.30	3.40	.13				
15	6273	31	1.52	1.21	.16				
16	6274	38	1.72	1.26	.25				
17	6275	9	.31	.22	.09				
18	6276	4	.08	.04	.03				
19	6277	TR	.01	.01	.02				
20	6278A	1	.02	.07	.02				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4134 2

Date June 17, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent	Pb/Zn %				
21	N.P. Jan 29, 82	6279A	9	.50	.60	.05	1.10			
22		6280A	18	.58	.18	.13	.76			
23		6281	26	1.97	2.07	.12	4.04			
24		6282	25	1.93	2.04	.12	3.97			
25		6283	23	1.80	1.93	.10	3.73			
26		6284	29	2.30	2.80	.20	5.10			
27		6285	23	1.84	1.50	.11	3.34			
28		6286	8	.67	.75	.10	1.42			
29		6287	26	2.06	2.50	.15	4.56			
30		6288A	32	2.60	2.90	.16	5.50			
31	6289A	18	1.60	1.50	.09	3.10				
32	6290A	20 ^p	1.36	1.46	.11	2.82				
33	6291	7	.06	.03	.02	.09				
34	6292	5	.14	.23	.05	.37				
35	6293	59	3.30	1.40	.12	4.70				
36	6294	53	3.70	3.60	.08	7.30				
37	6295	26	1.48	1.17	.15	2.65				
38	6296	9	.41	.08	.13	.49				
39	6297	36	2.30	1.95	.18	4.25				
40	6298A	51	3.50	3.30	.15	6.80				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4134 2

Date June 17, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
21	6279A	9	.50	.60	.05				
22	6280A	18	.58	.18	.13				
23	6281	26	1.97	2.07	.12				
24	6282	25	1.93	2.04	.12				
25	6283	23	1.80	1.93	.10				
26	6284	29	2.30	2.80	.20				
27	6285	23	1.84	1.50	.11				
28	6286	8	.67	.75	.10				
29	6287	26	2.06	2.50	.15				
30	6288A	32	2.60	2.90	.16				
31	6289A	18	1.60	1.50	.09				
32	6290A	20	1.36	1.46	.11				
33	6291	7	.06	.03	.02				
34	6292	5	.14	.23	.05				
35	6293	59	3.30	1.40	.12				
36	6294	53	3.70	3.60	.08				
37	6295	26	1.48	1.17	.15				
38	6296	9	.41	.08	.13				
39	6297	36	2.30	1.95	.18				
40	6298A	51	3.50	3.30	.15				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4134 3

Date June 17, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent	Pb/Zn %				
41	n.f. Jan 29 82 6299A	39	1.95	.86	.15	2.81				
42	6300A	53	3.00	.50	.12	3.50				
43	6301 FAGA077	5	.09	.10	.04	.19				
44	6302	5	.06	.02	.01	.68				
45	6303	2*	.03	.02	.01	.05				
46	6304	5*	.06	.02	.01	.08				
47	6305	5	.07	.03	.01	.10				
48	6306	13*	1.09	1.67	.03	2.76				
49	6307	25	2.20	2.20	.02	4.40				
50	6308A	12*	1.11	2.60	.01	3.71				
51	6309A	28	1.90	2.70	.02	4.60				
52	6310A	19	1.37	1.41	.02	2.78				
53	6311 FAGU005	14	.86	1.26	.04	2.12				
54	6312	14*	.87	1.61	.08	2.48				
55	6313	8*	.57	.45	.04	1.02				
56	6314	39*	2.90	.83	.03	3.73				
57	6315	85*	6.20	11.90	.23	18.10				
58	6316	80*	4.90	10.50	.14	15.40				
59	6317	21	.55	.98	.05	1.53				
60	6318A	88*	4.20	9.70	.14	13.90				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4134 3

Date June 17, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
41	6299A	39	1.95	.86	.15				
42	6300A	53	3.00	.50	.12				
43	6301	5	.09	.10	.04				
44	6302	5	.06	.02	.01				
45	6303	2	.03	.02	.01				
46	6304	5	.06	.02	.01				
47	6305	5	.07	.03	.01				
48	6306	13	1.09	1.67	.03				
49	6307	25	2.20	2.20	.02				
50	6308A	12	1.11	2.60	.01				
51	6309A	28	1.90	2.70	.02				
52	6310A	19	1.37	1.41	.02				
53	6311	14	.86	1.26	.04				
54	6312	14	.87	1.61	.08				
55	6313	8	.57	.45	.04				
56	6314	39	2.90	.83	.03				
57	6315	85	6.20	11.90	.23				
58	6316	80	4.90	10.50	.14				
59	6317	21	.55	.98	.05				
60	6318A	88	4.20	9.70	.14				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4134 4

Date June 17, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu	Pb/Zn				
		grams per tonne	percent	percent	percent	%				
61	6319A	56	3.00	7.40	.05	10.40				
62	6320A	53	2.50	5.60	.03	8.10				
63	6321	57	5.20	8.60	.04	13.80				
64	6322	36*	2.40	5.80	.02	8.20				
65	6323	51	2.80	6.20	.02	9.00				
66	6324	66*	3.60	7.10	.05	10.70				
67	6325	138*	3.80	6.40	.23	10.20				
68	6326	50	2.50	4.80	.04	7.30				
69	6327	80	4.60	11.20	.06	15.80				
70	6328A	65	3.40	8.40	.03	11.80				
71	6329A	67*	3.50	8.40	.05	11.90				
72	6330A	130	7.50	16.60	.09	24.10				
73	6331	44	2.50	3.10	.16	5.60				
74	6332	122	5.50	11.40	.37	16.90				
75	6333	68*	4.40	7.00	.24	11.40				
76	6334	19*	.63	.88	.22	1.51				
77	6335	136	7.80	16.40	.35	24.20				
78	6336	131	7.40	16.30	.31	23.70				
79	6337	69	4.40	8.10	.18	12.50				
80	6338A	65	3.70	4.70	.24	8.40				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4134 4

Date June 17, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
61	6319A	56	3.00	7.40	.05				
62	6320A	53	2.50	5.60	.03				
63	6321	57	5.20	8.60	.04				
64	6322	36	2.40	5.80	.02				
65	6323	51	2.80	6.20	.02				
66	6324	66	3.60	7.10	.05				
67	6325	138	3.80	6.40	.23				
68	6326	50	2.50	4.80	.04				
69	6327	80	4.60	11.20	.06				
70	6328A	65	3.40	8.40	.03				
71	6329A	67	3.50	8.40	.05				
72	6330A	130	7.50	16.60	.09				
73	6331	44	2.50	3.10	.16				
74	6332	122	5.50	11.40	.37				
75	6333	68	4.40	7.00	.24				
76	6334	19	.63	.88	.22				
77	6335	136	7.80	16.40	.35				
78	6336	131	7.40	16.30	.31				
79	6337	69	4.40	8.10	.18				
80	6338A	65	3.70	4.70	.24				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4134 5

Date June 17, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent	Pb/Zn %				
81	6339A	126	7.10	19.10	.12	26.20				
82	6340A FAGU005	102	7.70	11.60	.07	19.30				
83	6341	89	5.80	8.60	.04	14.40				
84	6342	12	1.21	3.40	.22	4.61				
85	6360A FAGA077	2	.03	.03	.01	.66				
	not found Jan 29, 82									

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4134 5

Date June 17, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
81	6339A	126	7.10	19.10	.12				
82	6340A	102	7.70	11.60	.07				
83	6341	89	5.80	8.60	.04				
84	6342	12	1.21	3.40	.22				
85	6360A	2	.03	.03	.01				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.
330 - 355 Burrard Street
Vancouver, B.C. V6C 2G8

Certificate No. K-4148

Date June 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent	Pb/Zn %			
1	✓ 6343A	13	.80	2.60	.15	3.40			
2	6344 FAGU005	14	.37	.81	.22	1.18			
3	6345	18	.26	.40	.29	.66			
4	6346	11	.22	.23	.19	.45			
5	6347	178	10.40	13.50	.04	23.90			
6	6348	116	6.40	8.90	.09	15.30			
7	6349	91	5.10	7.30	.08	12.40			
8	6350A FAGA112	128	7.20	9.90	.11	17.10			
9	6351	37	2.20	4.30	.06	6.50			
10	6352A	33	1.94	1.73	.11	3.67			
11	6353A	92	5.20	5.80	.06	11.00			
12	6354	16	.72	1.36	.09	2.08			
13	6355	20	1.08	1.45	.11	2.53			
14	6356	39	2.20	2.02	.13	4.22			
15	6357	135	7.30	14.80	.12	22.10			
16	6358	12*	.74	1.23	.05	1.97			
17	6359A	21*	1.24	3.90	.03	5.14			
18	6361A	86	3.90	8.80	.03	12.70			
19	6362 FAGUD10	46	2.10	4.60	.03	6.70			
20	6363A	67	3.30	8.00	.03	11.30			

not found
Jan 29, 82

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.
330 - 355 Burrard Street
Vancouver, B.C. V6C 2G8

Certificate No. K-4148

Date June 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
1	6343A	13	.80	2.60	.15				
2	6344	14	.37	.81	.22				
3	6345	18	.26	.40	.29				
4	6346	11	.22	.23	.19				
5	6347	178	10.40	13.50	.04				
6	6348	116	6.40	8.90	.09				
7	6349	91	5.10	7.30	.08				
8	6350A	128	7.20	9.90	.11				
9	6351	37	2.20	4.30	.06				
10	6352A	33	1.94	1.73	.11				
11	6353A	92	5.20	5.80	.06				
12	6354	16	.72	1.36	.09				
13	6355	20	1.08	1.45	.11				
14	6356	39	2.20	2.02	.13				
15	6357	135	7.30	14.80	.12				
16	6358	12	.74	1.23	.05				
17	6359A	21	1.24	3.90	.03				
18	6361A	86	3.90	8.80	.03				
19	6362	46	2.10	4.60	.03				
20	6363A	67	3.30	8.00	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4148 2

Date June 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent	Pb/Zn %			
21	6364A	54	3.00	7.40	.07	10.40			
22	6365	71	3.90	5.10	.08	9.00			
23	6366	166	8.70	11.90	.12	20.60			
24	6367	5	.28	.22	.02	.50			
25	6368	14	.88	2.90	.01	3.78			
26	6369	7	.41	1.14	.01	1.55			
27	6370A	14*	1.00	2.02	.02	3.02			
28	6371	35*	2.40	4.60	.01	7.00			
29	6372	83	5.10	7.70	.05	12.80			
30	6373	49*	2.90	5.80	.03	8.70			
31	6374A	19*	.99	1.63	.04	2.62			
32	6375	47*	2.60	4.30	.05	6.90			
33	6376	69*	3.80	8.20	.02	12.00			
34	6377	133	7.80	14.30	.08	22.10			
35	6378	13*	.79	1.52	.03	2.31			
36	6379	80	3.81	13.60	.01	17.41			
37	6380A	35	1.70	5.00	.01	6.70			
38	6381	32	1.34	2.90	.01	4.24			
39	6382	29	1.15	4.10	.03	5.25			
40	6383A	21*	.78	2.15	.01	2.93			

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.
330 - 355 Burrard Street
Vancouver, B.C. V6C 2G8

Certificate No. K-4148 3

Date June 29, 1981

REVISED

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Krai No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
41	FAG 0025 6384A	49	2.90	5.00	.04				
42	6385	12	.77	2.10	.02				
43	6386	39	2.50	4.80	.02				
44	0025 6387	29	1.29	3.10	.04				
45	6388	47	3.20	3.80	.07				
46	6389	118	7.30	14.20	.15				
47	FAG 0025 6390A	158	9.90	18.50	.12				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for RLS
Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.
330 - 355 Burrard Street
Vancouver, B.C. V6C 2G8

REVISED

Certificate No. K-4148 3

Date June 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
41	6384A	49	2.90	5.00	.04				
42	6385	12	.77	2.10	.02				
43	6386	39	2.50	4.80	.02				
44	6387	29	1.29	3.10	.04				
45	6388	47	3.20	3.80	.07				
46	6389	118	7.30	14.20	.15				
47	6390A	158	9.90	18.50	.12				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

WAS for RB

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4148 3

Date June 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	<u>Cu</u> percent	Pb/Zn %				
41	6384A	49	2.90	5.00	.04	7.90				
42	6385	12	.77	2.10	.02	2.87				
43	6386	39	2.50	4.80	.02	7.30				
44	6387	29	1.29	3.10	.04	4.39				
45	6388	47	3.20	3.80	.07	7.00				
46	6389	118	7.30	14.20	.15	21.50				
47	6390A	158	9.90	18.50	.12	28.40				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4148 3

Date June 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Fe percent				
41	6384A	49	2.90	5.00	.04				
42	6385	12	.77	2.10	.02				
43	6386	39	2.50	4.80	.02				
44	6387	29	1.29	3.10	.04				
45	6388	47	3.20	3.80	.07				
46	6389	118	7.30	14.20	.15				
47	6390A	158	9.90	18.50	.12				

*old
now revised*

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

330 - 355 Burrard Street

Vancouver, B.C. V6C 2G8

Certificate No. K-4175

Date June 30, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
1	FA9 U-026 6391A	8	.55	.48	.11				
2	6392	4	.22	2.91	.05				
3	6393	14	1.27	4.07	.05				
4	6394	40	3.35	7.67	.02				
5	6395	17	2.01	4.28	.03				
6	6396	11	1.71	3.72	.02				
7	6397	15	1.80	4.12	.03				
8	6398	42	3.29	7.55	.06				
9	6399	40	3.54	8.22	.04				
10	6400A	42	3.27	7.95	.06				
11	6401A	37	3.44	6.82	.03				
12	6402	10	1.82	5.36	.03				
13	6403	41	3.55	7.00	.09				
14	6404	45	3.67	6.23	.08				
15	6405	13	1.30	3.62	.07				
16	6406	4	1.16	3.34	.03				
17	6407	4	1.16	1.41	.01				
18	6408	23	2.26	1.93	.07				
19	<u>6409</u> ✓	17	<u>1.74</u>	4.15	.10				
20	6410A	23	1.82	4.09	.11				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

David J. Pelt

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.
330 - 355 Burrard Street
Vancouver, B.C. V6C 2G8


Certificate No. K-4175

Date June 30, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
1	6391A	8	.55	.48	.11				
2	6392	4	.22	2.91	.05				
3	6393	14	1.27	4.07	.05				
4	6394	40	3.35	7.67	.02				
5	6395	17	2.01	4.28	.03				
6	6396	11	1.71	3.72	.02				
7	6397	15	1.80	4.12	.03				
8	6398	42	3.29	7.55	.06				
9	6399	40	3.54	8.22	.04				
10	6400A	42	3.27	7.95	.06				
11	6401A	37	3.44	6.82	.03				
12	6402	10	1.82	5.36	.03				
13	6403	41	3.55	7.00	.09				
14	6404	45	3.67	6.23	.08				
15	6405	13	1.30	3.62	.07				
16	6406	4	1.16	3.34	.03				
17	6407	4	1.16	1.41	.01				
18	6408	23	2.26	1.93	.07				
19	6409	17	1.74	4.15	.10				
20	6410A	23	1.82	4.09	.11				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4175 2

Date June 30, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
21	6411A	17	2.05	1.94	.06					
22	6412	4	.92	1.85	.03					
23	6413	5	1.09	2.14	.07					
24	6414	51	2.83	4.30	.04					
25	6415	58	3.57	8.56	.07					
26	6416	58	3.46	8.05	.03					
27	6417	60	3.22	8.37	.02					
28	6418	49	3.72	6.43	.04					
29	6419	66	4.66	9.00	.08					
30	6420A	58	1.22	4.14	.04					
31	6421A	22	1.43	1.35	.05					
32	FAC U-026 6422	58	4.27	6.93	.06					
33	FAC U-013 6434A	18	.89	.69	.26					
34	6435	21	.93	.96	.21					
35	6436	7	.15	1.39	.19					
36	6437	42	2.76	3.28	.18					
37	6438	162	11.30	18.30	.16					
38	6439	10	.42	.60	.06					
39	6440A	20	1.01	.86	.20					
40	6441A	10	.77	.84	.08					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB *ORB*

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4175 2

Date June 30, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
21	6411A	17	2.05	1.94	.06				
22	6412	4	.92	1.85	.03				
23	6413	5	1.09	2.14	.07				
24	6414	51	2.83	4.30	.04				
25	6415	58	3.57	8.56	.07				
26	6416	58	3.46	8.05	.03				
27	6417	60	3.22	8.37	.02				
28	6418	49	3.72	6.43	.04				
29	6419	66	4.66	9.00	.08				
30	6420A	58	1.22	4.14	.04				
31	6421A	22	1.43	1.35	.05				
32	6422	58	4.27	6.93	.06				
33	6434A	18	.89	.69	.26				
34	6435	21	.93	.96	.21				
35	6436	7	.15	1.39	.19				
36	6437	42	2.76	3.28	.18				
37	6438	162	11.30	18.30	.16				
38	6439	10	.42	.60	.06				
39	6440A	20	1.01	.86	.20				
40	6441A	10	.77	.84	.08				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4175 3

Date June 30, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
41	6442A	15	1.35	1.36	.06				
42	6443	9	.78	.81	.03				
43	6444	30	2.59	2.63	.06				
44	6445	49	4.04	3.67	.23				
45	<u>6446</u>	56	<u>4.40</u>	3.61	.07				
46	6447	33	1.56	.86	.22				
47	6448	46	2.66	.45	.15				
48	FAG U-013 6449	32	1.36	.36	.20				
49	FAG U-020 6450A	150	7.87	13.80	.21				
50	6451A	15	1.06	1.73	.04				
51	6452A	123	7.23	11.60	.24				
52	6453	14	.79	1.26	.11				
53	6454	17	.60	.95	.07				
54	6455	22	.82	.78	.10				
55	6456	19	.73	.88	.06				
56	6457	88	5.34	7.13	.09				
57	FAG U-020 6458	97	5.94	7.03	.14				
58	FAG U-027 6459	116	7.44	1.30	.03				
59	6460A	61	3.62	6.61	.10				
60	<u>6461A</u>	54	2.92	<u>3.76</u>	.10				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


 Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4175 3

Date June 30, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
41	6442A	15	1.35	1.36	.06				
42	6443	9	.78	.81	.03				
43	6444	30	2.59	2.63	.06				
44	6445	49	4.04	3.67	.23				
45	6446	56	4.40	3.61	.07				
46	6447	33	1.56	.86	.22				
47	6448	46	2.66	.45	.15				
48	6449	32	1.36	.36	.20				
49	6450A	150	7.87	13.80	.21				
50	6451A	15	1.06	1.73	.04				
51	6452A	123	7.23	11.60	.24				
52	6453	14	.79	1.26	.11				
53	6454	17	.60	.95	.07				
54	6455	22	.82	.78	.10				
55	6456	19	.73	.88	.06				
56	6457	88	5.34	7.13	.09				
57	6458	97	5.94	7.03	.14				
58	6459	116	7.44	1.30	.03				
59	6460A	61	3.62	6.61	.10				
60	6461A	54	2.92	3.76	.10				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


 Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4175 4

Date June 30, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
61	6462A	54	2.74	1.86	.07					
62	6463	38	.69	.68	.14					
63	6464	62	2.02	2.34	.10					
64	6465	47	1.97	4.80	.03					
65	6466	44	2.03	3.06	.03					
66	6467	36	.88	1.97	.05					
67	6468	52	3.10	4.90	.07					
68	6469	35	1.01	2.53	.05					
69	6470A	58	3.88	5.57	.02					
70	6471A	98	7.05	5.32	.06					
71	6472A	122	7.28	8.02	.04					
72	6473	47	1.59	4.84	.03					
73	6474	49	1.93	4.31	.04					
74	6475	35	1.03	2.49	.02					
75	6476	59	2.07	6.18	.03					
76	6477	59	2.69	5.07	.04					
77	6478	40	1.57	4.38	.03					
78	6479	37	1.22	2.35	.02					
79	6480A	52	1.92	3.79	.05					
80	6481A	53	1.72	6.22	.07					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for RLB

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4175 4

Date June 30, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
61	6462A	54	2.74	1.86	.07				
62	6463	38	.69	.68	.14				
63	6464	62	2.02	2.34	.10				
64	6465	47	1.97	4.80	.03				
65	6466	44	2.03	3.06	.03				
66	6467	36	.88	1.97	.05				
67	6468	52	3.10	4.90	.07				
68	6469	35	1.01	2.53	.05				
69	6470A	58	3.88	5.57	.02				
70	6471A	98	7.05	5.32	.06				
71	6472A	122	7.28	8.02	.04				
72	6473	47	1.59	4.84	.03				
73	6474	49	1.93	4.31	.04				
74	6475	35	1.03	2.49	.02				
75	6476	59	2.07	6.18	.03				
76	6477	59	2.69	5.07	.04				
77	6478	40	1.57	4.38	.03				
78	6479	37	1.22	2.35	.02				
79	6480A	52	1.92	3.79	.05				
80	6481A	53	1.72	6.22	.07				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

[Signature]
Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

VIS 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4175 5

Date June 30, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
81	6482A	84	4.10	6.76	.04					
82	6483	45	1.40	4.06	.13					
83	6484	44	1.34	3.19	.12					
84	6485	39	1.22	2.44	.06					
85	6486	55	3.30	6.77	.07					
86	6487	43	2.40	5.95	.05					
87	6488	67	4.03	7.26	.05					
88	6489	38	1.96	3.81	.09					
89	6490	33	1.41	2.38	.11					
90	6491A	34	1.75	2.74	.08					
91	6492A	37	2.12	4.00	.07					
92	6493	66	4.22	6.62	.05					
93	6494	88	5.14	10.40	.05					
94	6495	62	3.49	8.61	.04					
95	6496	13	.46	5.30	.08					
96	6497	133	7.69	14.10	.06					
97	6498	99	6.17	11.60	.05					
98	6499	66	3.59	7.61	.11					
99	6500A	71	4.40	8.93	.05					
100	6501A	95	4.69	8.70	.04					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for PGB
Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4175 5

Date June 30, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
81	6482A	84	4.10	6.76	.04				
82	6483	45	1.40	4.06	.13				
83	6484	44	1.34	3.19	.12				
84	6485	39	1.22	2.44	.06				
85	6486	55	3.30	6.77	.07				
86	6487	43	2.40	5.95	.05				
87	6488	67	4.03	7.26	.05				
88	6489	38	1.96	3.81	.09				
89	6490	33	1.41	2.38	.11				
90	6491A	34	1.75	2.74	.08				
91	6492A	37	2.12	4.00	.07				
92	6493	66	4.22	6.62	.05				
93	6494	88	5.14	10.40	.05				
94	6495	62	3.49	8.61	.04				
95	6496	13	.46	5.30	.08				
96	6497	133	7.69	14.10	.06				
97	6498	99	6.17	11.60	.05				
98	6499	66	3.59	7.61	.11				
99	6500A	71	4.40	8.93	.05				
100	6501A	95	4.69	8.70	.04				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


 Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4175 6

Date June 30, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
101	6502A	47	1.50	4.23	.04					
102	6503	121	5.79	8.82	.04					
103	6504	109	4.75	17.20	.06					
104	6505	87	3.94	10.10	.05					
105	6506	113	5.21	9.36	.13					
106	6507	44	1.89	3.90	.02					
107	6508	62	3.49	5.09	.03					
108	6510A	76	3.67	9.42	.06					
109	6511A	47	2.87	6.23	.01					
110	6512A	83	3.98	17.60	.06					
111	6513A	143	6.93	22.50	.04					
112	6514	67	2.75	8.72	.04					
113	6515	49	3.52	4.44	.09					
114	6516	74	4.80	7.07	.03					
115	6517	59	3.50	8.12	.05					
116	6518	122	6.91	12.80	.01					
117	6519	146	7.69	11.90	.07					
118	6520A	129	6.56	12.40	.12					
119	6521	184	8.64	15.20	.08					
120	6522A	134	6.83	15.40	.07					

FAU V-080
FAU U-011

FAU U-011
FAU U-084

FILES NOT
FOUND
Jan 25, 82

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DRAP for JRS

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4175 6

Date June 30, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
101	6502A	47	1.50	4.23	.04					
102	6503	121	5.79	8.82	.04					
103	6504	109	4.75	17.20	.06					
104	6505	87	3.94	10.10	.05					
105	6506	113	5.21	9.36	.13					
106	6507	44	1.89	3.90	.02					
107	6508	62	3.49	5.09	.03					
108	6510A	76	3.67	9.42	.06					
109	6511A	47	2.87	6.23	.01					
110	6512A	83	3.98	17.60	.06					
111	6513A	143	6.93	22.50	.04					
112	6514	67	2.75	8.72	.04					
113	6515	49	3.52	4.44	.09					
114	6516	74	4.80	7.07	.03					
115	6517	59	3.50	8.12	.05					
116	6518	122	6.91	12.80	.01					
117	6519	146	7.69	11.90	.07					
118	6520A	129	6.56	12.40	.12					
119	6521	184	8.64	15.20	.08					
120	6522A	134	6.83	15.40	.07					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4175 7

Date June 30, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
121	6523A	84	3.13	7.84	.10					
122	6524	42	2.54	2.54	.04					
123	6525	114	7.18	9.89	.21					
124	6526	103	6.61	17.50	.04					
125	6527	79	4.88	11.80	.04					
126	6528	70	4.03	9.05	.05					
127	6529	94	5.62	10.70	.12					
128	6530A	84	4.38	6.99	.12					
129	6531	103	7.37	9.92	.28					
130	6532A	99	5.39	9.63	.14					
131	6533	55	3.12	4.71	.11					
132	6534	23	1.46	2.50	.09					
133	6535	8	.28	.39	.07					
134	6536	6	.16	.16	.06					
135	6537	14	1.26	1.62	.04					
136	6538	46	1.80	5.52	.06					
137	6539	17	.38	1.09	.32					
138	6540A	13	.15	1.65	.25					
139	6541	13	.11	.62	.25					
140	6542A	13	.05	.16	.35					

n.f.
Jan 25, 82

FAG V-054
FAG A-019

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for ASB

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4175 7

Date June 30, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
121	6523A	84	3.13	7.84	.10				
122	6524	42	2.54	2.54	.04				
123	6525	114	7.18	9.89	.21				
124	6526	103	6.61	17.50	.04				
125	6527	79	4.88	11.80	.04				
126	6528	70	4.03	9.05	.05				
127	6529	94	5.62	10.70	.12				
128	6530A	84	4.38	6.99	.12				
129	6531	103	7.37	9.92	.28				
130	6532A	99	5.39	9.63	.14				
131	6533	55	3.12	4.71	.11				
132	6534	23	1.46	2.50	.09				
133	6535	8	.28	.39	.07				
134	6536	6	.16	.16	.06				
135	6537	14	1.26	1.62	.04				
136	6538	46	1.80	5.52	.06				
137	6539	17	.38	1.09	.32				
138	6540A	13	.15	1.65	.25				
139	6541	13	.11	.62	.25				
140	6542A	13	.05	.16	.35				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

[Signature]
Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4175 8

Date June 30, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
141	6543A	10	.13	.13	.35					
142	6544	37	2.74	4.53	.12					
143	6545	12	.16	.71	.31					
144	6546	12	.09	4.02	.21					
145	6547	12	.07	3.24	.38					
146	6548A	34	1.60	2.09	.27					

FRAG A-019

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for JGB
Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4175 8

Date June 30, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
141	6543A	10	.13	.13	.35				
142	6544	37	2.74	4.53	.12				
143	6545	12	.16	.71	.31				
144	6546	12	.09	4.02	.21				
145	6547	12	.07	3.24	.38				
146	6548A	34	1.60	2.09	.27				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

330 - 355 Burrard Street

Vancouver, B.C. V6C 2G8

Certificate No. K-4180

Date June 30, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
1	FA9 U-013 . 6423A	61	4.01	5.65	.12				
2	6424	117	6.14	1.26	.15				
3	6425	121	7.06	8.56	.16				
4	6426	70	3.79	4.53	.15				
5	6427	61	4.06	6.04	.16				
6	6428	99	4.95	7.57	.14				
7	6429	141	10.30	18.20	.04				
8	6430	89	5.67	8.46	.16				
9	6431	73	4.30	6.11	.28				
10	6432A	21	1.34	3.39	.05				
11	FA9 U-013 6433A	74	4.79	3.91	.11				
12	FA9 A-129 6549A	32	1.84	3.10	.05				
13	6550	32	1.94	3.20	.06				
14	FA9 U-027 6551	25	1.25	2.19	.02				
15	6552	13	.49	1.08	.01				
16	6553	78	3.72	8.29	.05				
17	6554	104	6.18	8.10	.05				
18	6555	40	2.31	4.35	.05				
19	6556	20	.81	1.31	.03				
20	6557	26	1.47	4.37	.02				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

James for [Signature]

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.
330 - 355 Burrard Street
Vancouver, B.C. V6C 2G8


Certificate No. K-4180

Date June 30, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
1	6423A	61	4.01	5.65	.12					
2	6424	117	6.14	1.26	.15					
3	6425	121	7.06	8.56	.16					
4	6426	70	3.79	4.53	.15					
5	6427	61	4.06	6.04	.16					
6	6428	99	4.95	7.57	.14					
7	6429	141	10.30	18.20	.04					
8	6430	89	5.67	8.46	.16					
9	6431	73	4.30	6.11	.28					
10	6432A	21	1.34	3.39	.05					
11	6433A	74	4.79	3.91	.11					
12	6549A	32	1.84	3.10	.05					
13	6550	32	1.94	3.20	.06					
14	6551	25	1.25	2.19	.02					
15	6552	13	.49	1.08	.01					
16	6553	78	3.72	8.29	.05					
17	6554	104	6.18	8.10	.05					
18	6555	40	2.31	4.35	.05					
19	6556	20	.81	1.31	.03					
20	6557	26	1.47	4.37	.02					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4180 2

Date June 30, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
21	FAG U-027 6558A	110	6.45	10.30	.07				
22	FAG U-012 6559	90	5.63	11.10	.11				
23	6560	86	4.57	6.96	.14				
24	6561	100	5.52	7.54	.15				
25	6562	21	.60	3.37	.02				
26	6563	84	4.49	6.53	.15				
27	6564	95	5.41	10.50	.20				
28	6565	80	5.10	9.46	.08				
29	6566	57	3.92	4.65	.09				
30	6567A	23	1.36	3.70	.01				
31	6568A	68	3.57	5.98	.09				
32	6569	133	6.59	5.70	.51				
33	6570	106	5.64	10.30	.21				
34	6571	90	6.01	10.90	.15				
35	6572	69	4.18	7.62	.20				
36	6573	14	.54	.81	.35				
37	6574	31	1.25	.91	.09				
38	6575	10	.12	.30	.29				
39	6576	56	2.61	3.71	.26				
40	6577A	79	5.15	6.36	.13				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAS for Res

Registered Assayer Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4180 2

Date June 30, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
21	6558A	110	6.45	10.30	.07				
22	6559	90	5.63	11.10	.11				
23	6560	86	4.57	6.96	.14				
24	6561	100	5.52	7.54	.15				
25	6562	21	.60	3.37	.02				
26	6563	84	4.49	6.53	.15				
27	6564	95	5.41	10.50	.20				
28	6565	80	5.10	9.46	.08				
29	6566	57	3.92	4.65	.09				
30	6567A	23	1.36	3.70	.01				
31	6568A	68	3.57	5.98	.09				
32	6569	133	6.59	5.70	.51				
33	6570	106	5.64	10.30	.21				
34	6571	90	6.01	10.90	.15				
35	6572	69	4.18	7.62	.20				
36	6573	16	.54	.81	.35				
37	6574	31	1.25	.91	.09				
38	6575	10	.12	.30	.29				
39	6576	56	2.61	3.71	.26				
40	6577A	78	5.15	6.36	.13				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

[Signature]
Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4180 3

Date June 30, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
41	6578A	18	.48	1.35	.21					
42	6579	13	.18	1.25	.18					
43	6580	41	1.57	2.29	.19					
44	6581	12	.27	7.78	.11					
45	6582	20	.36	2.40	.20					
46	FAG U-012 6583	21	.37	1.86	.21					
47	FAG A-132 6584	54	2.68	4.49	.08					
48	6585	28	1.83	3.40	.03					
49	6586	26	1.31	4.93	.01					
50	6587A	49	2.98	6.56	.03					
51	6588A	59	3.67	6.96	.03					
52	6589	32	1.46	2.09	.06					
53	6590	44	1.99	2.58	.06					
54	6591	33	1.32	1.94	.05					
55	6592	33	1.69	3.35	.02					
56	6593	121	7.04	9.47	.03					
57	6594	110	6.35	11.80	.06					
58	6595	115	6.27	13.10	.14					
59	6596	53	2.61	6.68	.05					
60	6597A	50	2.88	4.67	.06					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

QAB for P&B
Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4180 3

Date June 30, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
41	6578A	18	.48	1.35	.21				
42	6579	13	.18	1.25	.18				
43	6580	41	1.57	2.29	.19				
44	6581	12	.27	7.78	.11				
45	6582	20	.36	2.40	.20				
46	6583	21	.37	1.86	.21				
47	6584	54	2.68	4.49	.08				
48	6585	28	1.83	3.40	.03				
49	6586	26	1.31	4.93	.01				
50	6587A	49	2.98	6.56	.03				
51	6588A	59	3.67	6.96	.03				
52	6589	32	1.46	2.09	.06				
53	6590	44	1.99	2.58	.06				
54	6591	33	1.32	1.94	.05				
55	6592	33	1.69	3.35	.02				
56	6593	121	7.04	9.47	.03				
57	6594	110	6.35	11.80	.06				
58	6595	115	6.27	13.10	.14				
59	6596	53	2.61	6.68	.05				
60	6597A	50	2.88	4.67	.06				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

[Signature]
Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4180 4

Date June 30, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
61	FAG A-132 6598A	41	1.67	3.03	.06					
62	FAG A-132 6599	25	.91	2.47	.06					
63	FAG A-135 6600	35	1.28	3.20	.09					
64	FAG A-129 6601	48	2.94	2.85	.10					
65	6602	17	.72	1.93	.07					
66	6603	115	6.64	13.90	.05					
67	FAG A-129 6604	3	.21	.39	.04					
68	FAG U-018 6605	152	9.45	17.40	.15					
69	6606	91	5.34	9.06	.11					
70	6607A	142	11.70	15.80	.11					
71	6608A	94	7.01	12.20	.24					
72	6609	92	5.65	12.70	.28					
73	6610	84	4.96	11.20	.26					
74	6611	88	4.24	6.86	.17					
75	6612	11	.40	1.19	.02					
76	6613	47	1.70	2.85	.06					
77	6614	47	2.66	4.99	.05					
78	6615	70	4.68	11.20	.32					
79	6616	115	8.03	17.10	.27					
80	6617A	69	3.63	7.92	.14					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for PAB

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4180 4

Date June 30, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
61	6598A	41	1.67	3.03	.06					
62	6599	25	.91	2.47	.06					
63	6600	35	1.28	3.20	.09					
64	6601	48	2.94	2.85	.10					
65	6602	17	.72	1.93	.07					
66	6603	115	6.64	13.90	.05					
67	6604	3	.21	.39	.04					
68	6605	152	9.45	17.40	.15					
69	6606	91	5.34	9.06	.11					
70	6607A	142	11.70	15.80	.11					
71	6608A	94	7.01	12.20	.24					
72	6609	92	5.65	12.70	.28					
73	6610	84	4.96	11.20	.26					
74	6611	88	4.24	6.86	.17					
75	6612	11	.40	1.19	.02					
76	6613	47	1.70	2.85	.06					
77	6614	47	2.66	4.99	.05					
78	6615	70	4.68	11.20	.32					
79	6616	115	8.03	17.10	.27					
80	6617A	69	3.63	7.92	.14					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4180 5

Date June 30, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
81	6618A	65	2.80	5.95	.14				
82	6619	80	4.13	7.43	.18				
83	6620	78	2.08	4.59	.19				
84	6621	42	1.95	5.46	.01				
85	6622	52	2.07	3.55	.02				
86	6623	38	1.79	3.68	.02				
87	6624	49	1.91	5.01	.08				
88	6625	51	1.80	3.73	.06				
89	6626	98	7.09	17.40	.01				
90	6627A	49	2.04	5.72	.04				
91	6628A	76	4.50	10.90	.03				
92	6629	68	3.00	6.77	.04				
93	6630	69	3.81	9.50	.05				
94	6631	63	3.84	5.82	.24				
95	6632	39	1.33	2.47	.11				
96	6633	77	3.70	6.29	.18				
97	6634	105	6.28	11.50	.02				
98	6635	16	.46	.88	.07				
99	6636	19	.72	.99	.08				
100	6637	20	.07	.14	.10				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

VIS 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4180 6

Date June 30, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
101	FAG U-018 6638A	18	.10	.27	.08					
102	FAG U-016 6639	13	.60	2.58	.04					
103	6640	15	.24	.44	.14					
104	6641	122	9.57	18.60	.08					
105	6642	116	6.81	12.60	.11					
106	6643	128	6.40	14.40	.15					
107	6644	54	2.47	8.75	.05					
108	6645	52	1.46	5.08	.06					
109	6646	65	4.49	10.20	.07					
110	6647A	18	.63	1.00	.10					
	FAG U-016									
111	FAG U-009 6648A	23	1.03	4.11	.11					
112	6649	48	3.14	3.50	.03					
113	6650	37	1.71	3.93	.07					
114	FAG A-132 6651	22	.99	2.40	.03					
115	6652	28	1.21	2.73	.02					
116	6653	38	1.43	4.27	.01					
117	6654	37	1.29	3.93	.01					
118	6655	36	1.15	3.44	.02					
119	6656	44	1.80	5.21	.02					
120	6657	52	2.09	4.75	.01					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAS for PERS
Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4180 6

Date June 30, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
101	6638A	18	.10	.27	.08					
102	6639	13	.60	2.58	.04					
103	6640	15	.24	.44	.14					
104	6641	122	9.57	18.60	.08					
105	6642	116	6.81	12.60	.11					
106	6643	128	6.40	14.40	.15					
107	6644	54	2.47	8.75	.05					
108	6645	52	1.46	5.08	.06					
109	6646	65	4.49	10.20	.07					
110	6647A	18	.63	1.00	.10					
111	6648A	23	1.03	4.11	.11					
112	6649	48	3.14	3.50	.03					
113	6650	37	1.71	3.93	.07					
114	6651	22	.99	2.40	.03					
115	6652	28	1.21	2.73	.02					
116	6653	38	1.43	4.27	.01					
117	6654	37	1.29	3.93	.01					
118	6655	36	1.15	3.44	.02					
119	6656	44	1.80	5.21	.02					
120	6657	52	2.09	4.75	.01					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4180 7

Date June 30, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
121	6658A	30	.80	2.70	.01					
122	<u>6659</u>	168	9.92	1.77	<u>.01</u>					
123	6660	89	6.66	1.31	.04					
124	FAG 1A-132	6661	120	5.95	1.47	.04				
125	FAG U-009	6701A	54	4.67	3.55	.06				
126		6702	59	5.64	3.44	.05				
127		6703	44	3.34	6.84	.03				
128		6704	55	3.79	5.44	.09				
129		6705	37	2.09	3.99	.02				
130		6706A	52	3.21	7.04	.01				
131		6707A	26	1.72	4.31	.01				
132		6708	18	.74	2.75	.01				
133		6709	71	4.17	9.58	.02				
134	FAG U-009	6710A	119	7.36	17.30	.10				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAS for RAB
Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4180 7

Date June 30, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
121	6658A	30	.80	2.70	.01				
122	6659	168	9.92	1.77	.01				
123	6660	89	6.66	1.31	.04				
124	6661	120	5.95	1.47	.04				
125	6701A	54	4.67	3.55	.06				
126	6702	59	5.64	3.44	.05				
127	6703	44	3.34	6.84	.03				
128	6704	55	3.79	5.44	.09				
129	6705	37	2.09	3.99	.02				
130	6706A	52	3.21	7.04	.01				
131	6707A	26	1.72	4.31	.01				
132	6708	18	.74	2.75	.01				
133	6709	71	4.17	9.58	.02				
134	6710A	119	7.36	17.30	.10				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

330 - 355 Burrard Street

Vancouver, B.C. V6C 2G8

Certificate No. K-4208

Date July 8, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
1	FAG A-132	6662A	9	.39	1.05	.01			
2		6663	47	2.40	5.70	.01			
3	FAG A-162	6664	20	1.09	1.10	.27			
4		6665	33	2.60	2.60	.16			
5		6666	45	3.40	1.60	.10			
6		6667	19	.27	.49	.24			
7		6668	8	.16	.25	.11			
8		6669	9	.08	.21	.10			
9		6670A	20	.10	.22	.30			
10		6671A	14	.11	.21	.19			
11	FAG A-162	6672A	11	.14	.29	.13			
12	FAG U-009	6711A	126	9.20	12.30	.07			
13		6712	116	5.50	7.00	.07			
14		6713	207	7.20	16.70	.24			
15		6714	44	3.20	5.60	.07			
16		6715	73	4.10	6.90	.12			
17		6716	115	7.90	12.90	.03			
18		6717	120	6.70	11.90	.06			
19		6718	161	8.40	11.90	.03			
20		6719A	93	4.60	9.10	.08			

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB/for REUB
Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.
330 - 355 Burrard Street
Vancouver, B.C. V6C 2G8

Certificate No. K-4208

Date July 8, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
1	6662A	9	.39	1.05	.01				
2	6663	47	2.40	5.70	.01				
3	6664	20	1.09	1.10	.27				
4	6665	33	2.60	2.60	.16				
5	6666	45	3.40	1.60	.10				
6	6667	19	.27	.49	.24				
7	6668	8	.16	.25	.11				
8	6669	9	.08	.21	.10				
9	6670A	20	.10	.22	.30				
10	6671A	14	.11	.21	.19				
11	6672A	11	.14	.29	.13				
12	6711A	126	9.20	12.30	.07				
13	6712	116	5.50	7.00	.07				
14	6713	207	7.20	16.70	.24				
15	6714	44	3.20	5.60	.07				
16	6715	73	4.10	6.90	.12				
17	6716	115	7.90	12.90	.03				
18	6717	120	6.70	11.90	.06				
19	6718	161	8.40	11.90	.03				
20	6719A	93	4.60	9.10	.08				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DARS for PERS
Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 27

Date October 27, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
521	12247 A	31	1.81	2.20	.04					
522	12248	43	2.04	.34	.08					
523	12249 A	112	6.00	11.30	.08					
524	6673 A	11	.18	.26	.13					
525	6674	51	2.09	1.08	.12					
526	6675	12	.17	.26	.17					
527	6676	18	.47	1.69	.21					
528	6677 A	100	6.50	7.80	.21					

L means "Less than"

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

330 - 355 Burrard Street

Vancouver, B.C. V6C 2G8 ATTENTION: MR. GLEN SIMPSON

Certificate No. K-4270

Date July 22, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
1	6678A	75	4.10	5.20	.11					
2	6679	19	.70	.40	.12					
3	6680A	18	.65	.41	.14					
4	6681	8	.17	.41	.02					
5	6682	29	1.42	1.90	.06					
6	6683	9	.24	.39	.03					
7	6684	9	.29	.51	.08					
8	6685	27	1.51	3.20	.10					
9	6686	18	1.19	2.10	.07					
10	6687	33	2.60	5.00	.02					
11	6688A	77	4.60	8.70	.07					
12	6689	125	9.50	15.70	.02					
13	6690A	46	2.70	6.00	.03					
14	6691	63	3.20	6.70	.06					
15	6692	112	6.70	15.80	.05					
16	6693	75	4.60	7.00	.27					
17	6694	91	5.80	7.90	.27					
18	6695	111	5.60	13.80	.12					
19	6696	100	6.00	8.80	.29					
20	6697A	73	4.80	9.60	.07					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4208 2

Date July 8, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
21	6720A	101	4.80	8.10	.15				
22	6721	67	5.40	8.10	.17				
23	6722	90	6.00	8.90	.20				
24	FAG U-009 6723	28	1.87	3.80	.05				
25	FAG U-007 6724	43	4.00	2.10	.10				
26	6725	37	3.30	2.80	.07				
27	6726	36	2.30	3.50	.05				
28	FAG U-023 6727	23	1.74	2.90	.01				
29	6728	14	1.20	2.40	.02				
30	6729A	11	.92	2.50	.03				
31	6730A	21	1.39	.49	.03				
32	6731	68	3.30	4.90	.14				
33	6732	63	3.20	5.80	.14				
34	6733	104	4.80	9.40	.17				
35	6734	93	4.70	8.60	.09				
36	6735	32	1.43	3.40	.03				
37	6736	80	4.30	6.60	.19				
38	6737	85	3.30	4.40	.34				
39	6738	55	2.40	3.40	.29				
40	6739A	53	2.60	4.00	.20				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for RAB
Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

VIS 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4208 2

Date July 8, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
21	6720A	101	4.80	8.10	.15					
22	6721	67	5.40	8.10	.17					
23	6722	90	6.00	8.90	.20					
24	6723	28	1.87	3.80	.05					
25	6724	43	4.00	2.10	.10					
26	6725	37	3.30	2.80	.07					
27	6726	36	2.30	3.50	.05					
28	6727	23	1.74	2.90	.01					
29	6728	14	1.20	2.40	.02					
30	6729A	11	.92	2.50	.03					
31	6730A	21	1.39	.49	.03					
32	6731	68	3.30	4.90	.14					
33	6732	63	3.20	5.80	.14					
34	6733	104	4.80	9.40	.17					
35	6734	93	4.70	8.60	.09					
36	6735	32	1.43	3.40	.03					
37	6736	80	4.30	6.60	.19					
38	6737	85	3.30	4.40	.34					
39	6738	55	2.40	3.40	.29					
40	6739A	53	2.60	4.00	.20					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for PAB
Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4208 3

Date July 8, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
41	6740A	23	.89	1.34	.23					
42	<u>6741</u>	30	1.23	<u>1.57</u>	.25					
43	6742	63	2.25	2.80	.27					
44	6743	143	7.50	13.50	.08					
45	6744	20	.82	1.31	.11					
46	6745	10	.33	.44	.07					
47	6746	10	.41	.50	.07					
48	6747	21	1.18	1.32	.09					
49	6748	16	.08	.21	.13					
50	6749A	100	5.80	10.40	.05					
51	FAG U-023 6750A	29	.66	1.08	.18					
52	FAG U-017 <u>6752</u>	39	1.65	<u>2.80</u>	.10					
53	6753	85	3.60	7.40	.09					
54	6754	57	2.80	4.50	.06					
55	6755	67	3.40	5.40	.11					
56	6756	130	7.00	13.20	.16					
57	6757	76	4.00	7.20	.15					
58	6758	91	4.00	7.60	.06					
59	6759	40	.64	.98	.04					
60	6760A	38	4.90	10.40	.11					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for OGB
Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4208 3

Date July 8, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
41	6740A	23	.89	1.34	.23				
42	6741	30	1.23	1.57	.25				
43	6742	63	2.25	2.80	.27				
44	6743	143	7.50	13.50	.08				
45	6744	20	.82	1.31	.11				
46	6745	10	.33	.44	.07				
47	6746	10	.41	.50	.07				
48	6747	21	1.18	1.32	.09				
49	6748	16	.08	.21	.13				
50	6749A	100	5.80	10.40	.05				
51	6750A	29	.66	1.08	.18				
52	6752	39	1.65	2.80	.10				
53	6753	85	3.60	7.40	.09				
54	6754	57	2.80	4.50	.06				
55	6755	67	3.40	5.40	.11				
56	6756	130	7.00	13.20	.16				
57	6757	76	4.00	7.20	.15				
58	6758	91	4.00	7.60	.06				
59	6759	40	.64	.98	.04				
60	6760A	98	4.90	10.40	.11				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for P&S

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4208 4

Date July 8, 1981

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
61	6761A	51	2.40	6.20	.02				
62	6762	87	4.10	8.10	.05				
63	6763	96	3.40	6.80	.14				
64	6764	71	4.40	4.80	.21				
65	<u>6765</u>	131	<u>7.40</u>	14.00	.14				
66	6766	35	1.47	2.40	.10				
67	6767	50	2.80	4.00	.11				
68	6768	18	.61	1.20	.11				
69	6769	15	.69	1.27	.06				
70	6770A	19	.95	1.52	.06				
71	6771	12	.51	.95	.06				
72	6772	8	.08	.11	.07				
73	6773	7	.13	.51	.12				
74	6774	13	.07	.27	.24				
75	6775	15	.07	1.13	.51				
76	6776	9	.07	.51	.08				
77	6777	35	1.34	1.58	.22				
78	6778	91	5.70	11.50	.07				
79	6779	47	3.30	5.90	.07				
80	6780A	6	.12	.57	.02				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DARS for R&S
Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4208 4

Date July 8, 1981

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
61	6761A	51	2.40	6.20	.02				
62	6762	87	4.10	8.10	.05				
63	6763	96	3.40	6.80	.14				
64	6764	71	4.40	4.80	.21				
65	6765	131	7.40	14.00	.14				
66	6766	35	1.47	2.40	.10				
67	6767	50	2.80	4.00	.11				
68	6768	18	.61	1.20	.11				
69	6769	15	.69	1.27	.06				
70	6770A	19	.95	1.52	.06				
71	6771	12	.51	.95	.06				
72	6772	8	.08	.11	.07				
73	6773	7	.13	.51	.12				
74	6774	13	.07	.27	.24				
75	6775	15	.07	1.13	.51				
76	6776	9	.07	.51	.08				
77	6777	35	1.34	1.58	.22				
78	6778	91	5.70	11.50	.07				
79	6779	47	3.30	5.90	.07				
80	6780A	6	.12	.57	.02				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

[Signature]
Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4270 2

Date July 22, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
21	6698A	68	4.70	9.10	.03					
22	6699	86	5.60	7.80	.22					
23	6700A	132	6.30	14.80	.08					
24	6751A	120	6.30	14.30	.08					
25	6790A	25	1.00	.92	.17					
26	6791	10	.20	.10	.08					
27	6792	6	.07	.29	.14					
28	6793	6	.10	.05	.01					
29	6794	8	.14	.18	.02					
30	6795	26	1.13	1.39	.08					
31	6796A	34	1.73	1.90	.11					
32	6797	23	1.10	1.44	.05					
33	6798	20	1.07	1.10	.03					
34	6799	65	3.51	7.10	.03					
35	6800A	25	1.30	3.00	.10					
36	6824A	129	7.20	12.00	.44					
37	6825	73	4.10	6.10	.32					
38	6826	116	8.30	9.10	.20					
39	6827	110	6.60	7.20	.14					
40	6828A	14	.73	.56	.07					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4208 5

Date July 8, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
81	FAG U-017 6781A	52	3.40	7.60	.05				
82	FAG A-083 6782	19	1.21	1.50	.14				
83	6783	29	1.70	3.60	.05				
84	6784	39	2.15	2.90	.19				
85	6785	51	3.50	4.20	.21				
86	6786	18	1.10	.95	.20				
87	6787	10	.15	.20	.15				
88	6788	13	.48	.25	.16				
89	FAG A-083 6789	20	1.49	1.47	.14				
90	FAG U-022 6801A	21	1.41	2.02	.10				
91	6802A	34	1.95	.37	.08				
92	6803	32	1.76	.39	.14				
93	6804	20	1.49	1.67	.06				
94	6805	29	1.91	1.81	.07				
95	6806	24	1.99	1.17	.03				
96	6807	24	2.20	.59	.06				
97	6808	9	.40	.24	.07				
98	6809	15	.63	.82	.09				
99	6810	21	1.23	1.76	.12				
100	FAG U-022 6811A	33	2.30	1.87	.04				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAS for PGB

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4208 5

Date July 8, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
81	6781A	52	3.40	7.60	.05				
82	6782	19	1.21	1.50	.14				
83	6783	29	1.70	3.60	.05				
84	6784	39	2.15	2.90	.19				
85	6785	51	3.50	4.20	.21				
86	6786	18	1.10	.95	.20				
87	6787	10	.15	.20	.15				
88	6788	13	.48	.25	.16				
89	6789	20	1.49	1.47	.14				
90	6801A	21	1.41	2.02	.10				
91	6802A	34	1.95	.37	.08				
92	6803	32	1.76	.39	.14				
93	6804	20	1.49	1.67	.06				
94	6805	29	1.91	1.81	.07				
95	6806	24	1.99	1.17	.03				
96	6807	24	2.20	.59	.06				
97	6808	9	.40	.24	.07				
98	6809	15	.63	.82	.09				
99	6810	21	1.23	1.76	.12				
100	6811A	33	2.30	1.87	.04				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for PAB
Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4208 6

Date July 9, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
101	FAG U-022 6812A	59	3.80	5.50	.09				
102	6813	35	1.98	2.70	.15				
103	6814	49	2.20	4.40	.31				
104	6815 ✓	132	9.70	11.00	.08				
105	6816	220	10.70	15.10	.08				
106	6817	127	7.90	15.20	.21				
107	6818	101	6.10	11.00	.15				
108	6819	40	2.50	4.90	.12				
109	6820	27	1.55	2.30	.06				
110	6821A	71	3.90	8.50	.15				
111	6822A	89	4.80	8.00	.17				
112	FAG U-022 6823A	123	7.90	6.40	.38				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


 Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4208 6

Date July 9, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
101	6812A	59	3.80	5.50	.09				
102	6813	35	1.98	2.70	.15				
103	6814	49	2.20	4.40	.31				
104	6815	132	9.70	11.00	.08				
105	6816	220	10.70	15.10	.08				
106	6817	127	7.90	15.20	.21				
107	6818	101	6.10	11.00	.15				
108	6819	40	2.50	4.90	.12				
109	6820	27	1.55	2.30	.06				
110	6821A	71	3.90	8.50	.15				
111	6822A	89	4.80	8.00	.17				
112	6823A	123	7.90	6.40	.38				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for PEB
Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.
330 - 355 Burrard Street
Vancouver, B.C. V6C 2G8

ATTENTION: MR. GLEN SIMPSON


Certificate No. K-4270A

Date July 27, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
1	6830	93	5.87	8.16	.15				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.



 Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4270 3

Date July 22, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
41	6829A	94	4.90	3.60	.43				
42	6831A	90	5.30	5.60	.16				
43	6832	95	5.10	4.70	.23				
44	6833	59	3.30	2.20	.18				
45	6834	112	6.40	5.10	.28				
46	6835	62	3.60	4.20	.13				
47	6836	82	5.10	10.10	.04				
48	6837	69	3.20	6.10	.11				
49	6838	71	4.40	8.00	.07				
50	6839	82	4.80	12.70	.06				
51	6840A	84	5.00	11.50	.03				
52	6841	79	4.70	8.80	.07				
53	6842	60	3.20	8.10	.05				
54	6843	35	1.69	4.20	.05				
55	6844	38	1.63	3.80	.06				
56	6845	35	1.62	4.30	.03				
57	6846	36	1.90	4.10	.11				
58	6847	56	2.90	6.90	.08				
59	6848	25	.66	1.07	.31				
60	6849A	25	.83	1.56	.27				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4270 4

Date July 22, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
61	6850A	69	3.80	7.60	.13				
62	6851	36	1.82	1.78	.25				
63	6852	103	6.00	9.30	.28				
64	6853	122	5.70	7.40	.20				
65	6854	185	11.50	19.60	.07				
66	6855	162	8.00	15.30	.25				
67	6856	113	6.30	13.00	.13				
68	6857	52	2.30	2.60	.08				
69	6858	115	6.10	7.70	.25				
70	6859	16	.70	.61	.05				
71	6860A	136	7.00	9.40	.29				
72	6861	19	.89	1.58	.05				
73	6862	102	6.30	10.80	.15				
74	6863	89	6.10	8.50	.35				
75	6864	137	10.50	16.00	.30				
76	6865	113	7.20	10.80	.09				
77	6866	216	11.50	22.20	.09				
78	6867	36	2.30	4.50	.06				
79	6868	37	2.20	3.90	.03				
80	6869	34	2.10	3.60	.03				

*duplicate I.D.
numbers on
next page*

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4343 15

Date August 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
281	6866A	62	4.70	5.80	.04				
282	6867	6	.12	.15	.07				
283	FAG U 151 6868A	7	.09	.08	.01				
<i>duplicate I.D. numbers on previous page</i>									

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4343 15

Date August 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
281	6866A	62	4.70	5.80	.04				
282	6867	6	.12	.15	.07				
283	6868A	7	.09	.08	.01				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.



Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4270 5

Date July 22, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
81	6870A	44	2.50	4.40	.03				
82	6871	56	2.90	6.50	.13				
83	6872	75	4.20	8.30	.15				
84	6873	151	9.70	10.90	.22				
85	6874	92	5.50	6.00	.20				
86	6875	57	3.50	3.60	.33				
87	6876	134	9.00	8.40	.13				
88	6877	39	2.20	1.27	.22				
89	6878	182	10.70	11.10	.05				
90	6879	57	3.90	3.40	.17				
91	6880A	177	13.40	12.30	.15				
92	6881	137	7.60	6.20	.65				
93	6882	145	11.10	10.10	.19				
94	6883	87	6.60	4.80	.33				
95	6884	58	4.80	4.30	.10				
96	6885	14	.88	1.55	.03				
97	6886	14	.89	1.32	.05				
98	6887	10	.43	.61	.04				
99	6888	89	4.70	4.40	.10				
100	6889A	67	4.10	4.80	.12				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4270 6

Date July 22, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
101	6890A	137	9.50	6.10	.10				
102	6891	62	3.40	5.90	.13				
103	6892	53	3.00	4.30	.18				
104	6893	50	3.10	3.70	.23				
105	6894	94	5.70	7.10	.08				
106	6895	65	3.70	6.80	.02				
107	6896	79	4.30	7.30	.03				
108	6897	83	4.30	8.30	.04				
109	6898	79	4.10	3.00	.24				
110	6899	28	1.04	.42	.28				
111	6900A	18	.38	.20	.24				
112	6901	11	.36	.56	.03				
113	6902	24	1.25	1.94	.05				
114	6903	19	.79	1.49	.06				
115	6904	25	1.17	2.70	.07				
116	6905	59	3.20	6.80	.01				
117	6906	121	7.30	1.48	.03				
118	6907	89	4.10	9.70	.01				
119	6908	123	4.00	13.30	.05				
120	6909A	20	.70	1.23	.16				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4270 7

Date July 22, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
121	6910A	19	.80	2.00	.09					
122	6911	16	.64	1.37	.08					
123	6912	44	2.60	6.70	.05					
124	6913	79	4.40	9.00	.01					
125	6914	127	6.90	7.80	.15					
126	6915	142	7.70	20.80	.13					
127	6916	119	6.40	15.20	.13					
128	6917	109	5.80	13.00	.02					
129	6918	64	3.70	8.40	.03					
130	6919	65	4.50	2.80	.27					
131	6920A	64	3.00	2.70	.23					
132	6921	86	6.50	6.20	.14					
133	6922	105	7.60	6.30	.22					
134	6923	158	11.40	7.00	.12					
135	6924	39	3.00	2.80	.25					
136	6925	97	5.30	8.10	.13					
137	6926	9	.55	1.38	.07					
138	6927	130	7.10	10.90	.19					
139	6928	134	6.60	9.10	.13					
140	6929A	119	6.50	7.90	.33					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4270 8

Date July 22, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Gram samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
141	6930A	43	1.65	2.60	.33				
142	6931	74	4.30	7.80	.30				
143	6932	43	2.20	2.80	.40				
144	6933	46	2.30	2.80	.37				
145	6934	56	3.00	6.40	.42				
146	6935	66	3.40	4.90	.40				
147	6936	30	1.60	1.57	.27				
148	6937	56	3.00	6.10	.50				
149	6938	32	1.39	3.40	.26				
150	6939	23	.50	.53	.15				
151	6940A	39	2.80	2.90	.07				
152	6941	55	4.80	4.10	.05				
153	6942	44	2.50	2.90	.30				
154	6943	41	2.90	3.20	.34				
155	6944	41	3.00	2.80	.22				
156	6945	38	3.00	2.10	.13				
157	6946	42	2.50	2.10	.14				
158	6947	20	.54	1.03	.08				
159	6948	39	2.10	2.00	.25				
160	6949A	177	8.70	17.90	.26				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4270 9

Date July 22, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
161	6950A	41	2.70	3.10	.26				
162	6951	59	4.80	7.40	.28				
163	6952	105	6.40	9.30	.27				
164	6953	163	7.20	12.70	.17				
165	6954	99	7.50	12.40	.07				
166	6955	2	.18	.31	.01				
167	6956	7	.66	1.05	.03				
168	6957	36	1.77	3.30	.07				
169	6958	3	.43	.59	.06				
170	6959	80	3.90	7.10	.16				
171	6960A	6	.62	1.31	.04				
172	6961	139	9.60	19.80	.28				
173	6962	86	5.80	15.90	.25				
174	6963	87	5.80	15.50	.41				
175	6964	120	7.40	18.00	.17				
176	6965	8	.76	.80	.11				
177	6966	72	6.80	3.50	.20				
178	6967	97	8.00	3.40	.21				
179	6968	21	.55	.40	.34				
180	6969	19	.52	.64	.31				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.



Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4270 10

Date July 22, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
181	6970A	78	4.70	4.30	.15				
182	6971	47	1.88	1.11	.20				
183	6972	59	3.20	1.60	.20				
184	7001A	10	.32	.16	.31				
185	7002	3	.06	.06	.04				
186	7003	3	.10	.09	.24				
187	7004	7	.22	.39	.33				
188	7005	9	.27	.34	.33				
189	7006	15	.59	.34	.36				
190	7007A	47	3.00	1.69	.20				
191	7008A	9	.61	.90	.28				
192	7009	3	.25	.79	.17				
193	7010A	10	.59	.94	.05				
194	7011	11	.71	1.15	.10				
195	7012	11	.34	.84	.29				
196	7013	8	.32	.50	.08				
197	7014	5	.11	.26	.03				
198	7015	62	2.90	3.40	.10				
199	7016	82	3.60	2.50	.21				
200	7017A	20	.23	.15	.24				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

330 - 355 Burrard Street

Vancouver, B.C. V6C 2G8

Certificate No. K-4313

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
1	FAR U-058 6973A	14	.29	.18	.15				
2	6974	92	5.93	7.20	.08				
3	FAR A-001 6975	23	.98	.96	.23				
4	6976	26	1.77	2.52	.13				
5	FAR A-014 6977	38	1.64	1.53	.21				
6	6978	16	.46	.35	.16				
7	FAGA 030 6979	150	8.80	17.90	.10				
8	6980A	11	.41	.79	.03				
9	6981	41	2.24	5.28	.03				
10	6982	38	1.51	1.14	.08				
11	6983	14	.52	1.25	.04				
12	6984	14	.66	1.28	.06				
13	6985	24	1.53	1.42	.08				
14	6986	26	1.97	2.13	.06				
15	6987	24	1.41	2.67	.05				
16	6988	3	.06	.16	.01				
17	6989	44	2.45	5.36	.05				
18	6990A	5	.26	1.38	.02				
19	6991	19	.96	2.64	.02				
20	6992	2	.13	.31	.01				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.
330 - 355 Burrard Street
Vancouver, B.C. V6C 2G8



Certificate No. K-4313

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
1	6973A	14	.29	.18	.15				
2	6974	92	5.93	7.20	.08				
3	6975	23	.98	.96	.23				
4	6976	26	1.77	2.52	.13				
5	6977	38	1.64	1.53	.21				
6	6978	16	.46	.35	.16				
7	6979	150	8.80	17.90	.10				
8	6980A	11	.41	.79	.03				
9	6981	41	2.24	5.28	.03				
10	6982	38	1.51	1.14	.08				
11	6983	14	.52	1.25	.04				
12	6984	14	.66	1.28	.06				
13	6985	24	1.53	1.42	.08				
14	6986	26	1.97	2.13	.06				
15	6987	24	1.41	2.67	.05				
16	6988	3	.06	.16	.01				
17	6989	44	2.45	5.36	.05				
18	6990A	5	.26	1.38	.02				
19	6991	19	.96	2.64	.02				
20	6992	2	.13	.31	.01				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 2

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
21	6993A	L1	.06	.09	.02				
22	6994	L1	.06	.18	.02				
23	6995	50	3.02	6.99	.01				
24	6996	92	5.14	8.18	.03				
25	6997	50	2.79	4.90	.02				
26	6998	60	3.40	6.58	.02				
27	6999	59	3.15	5.62	.04				
28	FAGA 030 7000A	44	2.34	4.33	.03				
29	FAGA -004 7020A	53	3.14	3.12	.19				
30	7021	30	1.27	1.64	.22				
31	7022	10	.15	.40	.14				
32	7023	15	.37	.74	.18				
33	7024	82	4.60	6.60	.10				
34	7025	18	.65	.96	.10				
35	7026	16	.41	.50	.06				
36	7027	7	.12	.91	.01				
37	FAGA -004 7028	9	.08	.26	.06				
38	FAGA -122 7029	74	4.30	8.90	.09				
39	7030A	133	5.90	7.60	.22				
40	7031	12	.18	.36	.10				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia

7000

- Also contains 6993A → 6999



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4364 2

Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
21	7394A	100	5.47	10.40	.08				
22	FAGU 128 7395	102	6.84	10.50	.11				
23	FAGU U-134 7396	12	.67	1.45	.10				
24	7397	12	1.12	.70	.03				
25	7398	1	.14	.44	.02				
26	7399	84	4.85	2.90	.04				
27	FAGU U-134 7400A	37	2.64	1.17	.06				
28	FAGU U-114 7411A	20	1.61	1.21	.05	} different values see ref. 4313			
29	7412	21	1.59	2.20	.05				
30	7413A	44	3.90	3.80	.03				
31	FAGU U-114 7414A	91	5.30	8.90	.10				
32	FAGU U-061 7415	18	1.27	1.85	.03				
33	FAGU 063 7696A	101	7.40	11.60	.13				
34	7697	139	10.00	4.90	.01				
35	7698	67	4.40	20.20	.09				
36	7699	29	1.15	3.50	.10				
37	7700A	4	.19	1.95	.02				
38	7801A	1	.08	.78	.01				
39	7802	58	6.00	4.20	.27				
40	7803A	60	5.90	3.90	.33				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4270 10

Date July 22, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
181	6970A	78	4.70	4.30	.15					
182	6971	47	1.88	1.11	.20					
183	6972	59	3.20	1.60	.20					
184	7001A	10	.32	.16	.31					
185	7002	3	.06	.06	.04					
186	7003	3	.10	.09	.24					
187	7004	7	.22	.39	.33					
188	7005	9	.27	.34	.33					
189	7006	15	.59	.34	.36					
190	7007A	47	3.00	1.69	.20					
191	7008A	9	.61	.90	.28					
192	7009	3	.25	.79	.17					
193	7010A	10	.59	.94	.05					
194	7011	11	.71	1.15	.10					
195	7012	11	.34	.84	.29					
196	7013	8	.32	.50	.08					
197	7014	5	.11	.26	.03					
198	7015	62	2.90	3.40	.10					
199	7016	82	3.60	2.50	.21					
200	7017A	20	.23	.15	.24					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4270 11

Date July 22, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
201	7018A	38	.75	.47	.29				
202	7019	8	.17	.15	.02				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 2

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
21	6993A	L1	.06	.09	.02					
22	6994	L1	.06	.18	.02					
23	6995	50	3.02	6.99	.01					
24	6996	92	5.14	8.18	.03					
25	6997	50	2.79	4.90	.02					
26	6998	60	3.40	6.58	.02					
27	6999	59	3.15	5.62	.04					
28	FAGA 030 7000A	44	2.34	4.33	.03					
29	FAGA -004 7020A	53	3.14	3.12	.19					
30	7021	30	1.27	1.64	.22					
31	7022	10	.15	.40	.14					
32	7023	15	.37	.74	.18					
33	7024	82	4.60	6.60	.10					
34	7025	18	.65	.96	.10					
35	7026	16	.41	.50	.06					
36	7027	7	.12	.91	.01					
37	FAGA -004 7028	9	.08	.26	.06					
38	FAGA -122 7029	74	4.30	8.90	.09					
39	7030A	133	5.90	7.60	.22					
40	7031	12	.18	.36	.10					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 2

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
21	6993A	L1	.06	.09	.02				
22	6994	L1	.06	.18	.02				
23	6995	50	3.02	6.99	.01				
24	6996	92	5.14	8.18	.03				
25	6997	50	2.79	4.90	.02				
26	6998	60	3.40	6.58	.02				
27	6999	59	3.15	5.62	.04				
28	7000A	44	2.34	4.33	.03				
29	7020A	53	3.14	3.12	.19				
30	7021	30	1.27	1.64	.22				
31	7022	10	.15	.40	.14				
32	7023	15	.37	.74	.18				
33	7024	82	4.60	6.60	.10				
34	7025	18	.65	.96	.10				
35	7026	16	.41	.50	.06				
36	7027	7	.12	.91	.01				
37	7028	9	.08	.26	.06				
38	7029	74	4.30	8.90	.09				
39	7030A	133	5.90	7.60	.22				
40	7031	12	.18	.36	.10				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 3

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
41	7032A	16	.70	1.12	.11				
42	7033	27	.75	.70	.29				
43	7034	9	.09	.16	.12				
44	7035	7	.15	.23	.05				
45	7036	10	.20	.19	.08				
46	7037	8	.19	.60	.13				
47	7038	4	.03	.03	.05				
48	7039	4	.04	.13	.02				
49	7040A	4	.03	.02	.01				
50	7041	4	.01	.01	.03				
51	7042	6	.13	.12	.06				
52	7043	73	4.60	5.50	.11				
53	7044	5	.10	.07	.09				
54	7045	43	3.15	2.78	.25				
55	7046	41	2.70	1.91	.27				
56	7047	37	2.62	2.02	.27				
57	7048	3	.07	.03	.03				
58	7049	12	.55	.23	.10				
59	7050A	38	2.02	1.94	.14				
60	7051	55	3.97	3.10	.21				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE. (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 4

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
61	7052A	33	1.68	1.35	.17				
62	7053	9	.30	.21	.09				
63	7054	56	3.50	5.10	.07				
64	7055	43	1.85	6.90	.15				
65	7056	16	.73	2.06	.07				
66	7057	14	.62	1.28	.11				
67	7058	38	2.08	4.20	.02				
68	7059	32	1.64	3.70	.03				
69	7060A	14	.75	1.14	.05				
70	7061	20	1.00	1.10	.08				
71	7062	31	1.57	2.30	.05				
72	7063	32	.41	2.01	.03				
73	7064	26	1.74	4.60	.02				
74	7065	39	2.03	4.80	.02				
75	7066	27	1.43	2.80	.03				
76	7067	127	8.70	16.00	.18				
77	7068	158	7.70	15.40	.13				
78	7069	145	7.60	17.20	.02				
79	7070A	165	10.00	22.00	.07				
80	7071	32	1.86	5.90	.11				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 4

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
61	7052A	33	1.68	1.35	.17				
62	7053	9	.30	.21	.09				
63	7054	56	3.50	5.10	.07				
64	7055	43	1.85	6.90	.15				
65	7056	16	.73	2.06	.07				
66	7057	14	.62	1.28	.11				
67	7058	38	2.08	4.20	.02				
68	7059	32	1.64	3.70	.03				
69	7060A	14	.75	1.14	.05				
70	7061	20	1.00	1.10	.08				
71	7062	31	1.57	2.30	.05				
72	7063	32	.41	2.01	.03				
73	7064	26	1.74	4.60	.02				
74	7065	39	2.03	4.80	.02				
75	7066	27	1.43	2.80	.03				
76	7067	127	8.70	16.00	.18				
77	7068	158	7.70	15.40	.13				
78	7069	145	7.60	17.20	.02				
79	7070A	165	10.00	22.00	.07				
80	7071	32	1.86	5.90	.11				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 5

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
81	7072A	155	8.50	16.60	.10					
82	7073	14	.53	1.12	.02					
83	FAG U-089 7074	170	8.70	12.80	.12					
84	FAG A-069 7075	85	4.80	7.50	.04					
85	7076	51	2.40	6.00	.05					
86	7077	81	4.50	8.50	.08					
87	7078	15	.42	.35	.01					
88	7079	12	.31	.33	.02					
89	FAG M-009 7080A	8	.11	.13	.01					
90	FAG N-059 7081	74	4.50	11.10	.05					
91	7082	55	2.90	6.20	.04					
92	7083	73	4.20	8.10	.06					
93	7084	68	3.70	8.20	.06					
94	7085	98	5.80	13.50	.03					
95	7086	165	9.50	16.90	.10					
96	7087	175	10.40	18.40	.35					
97	7088	158	9.20	18.40	.14					
98	7089	191	11.80	18.00	.10					
99	7090A	92	6.40	7.00	.21					
100	7091	167	11.00	18.60	.07					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 5

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
81	7072A	155	8.50	16.60	.10				
82	7073	14	.53	1.12	.02				
83	7074	170	8.70	12.80	.12				
84	7075	85	4.80	7.50	.04				
85	7076	51	2.40	6.00	.05				
86	7077	81	4.50	8.50	.08				
87	7078	15	.42	.35	.01				
88	7079	12	.31	.33	.02				
89	7080A	8	.11	.13	.01				
90	7081	74	4.50	11.10	.05				
91	7082	55	2.90	6.20	.04				
92	7083	73	4.20	8.10	.06				
93	7084	68	3.70	8.20	.06				
94	7085	98	5.80	13.50	.03				
95	7086	165	9.50	16.90	.10				
96	7087	175	10.40	18.40	.35				
97	7088	158	9.20	18.40	.14				
98	7089	191	11.80	18.00	.10				
99	7090A	92	6.40	7.00	.21				
100	7991	167	11.00	18.60	.07				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 6

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Gram samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
101	7092A	156	10.00	17.20	.09				
102	7093	110	6.30	10.00	.10				
103	7094	123	6.90	10.50	.22				
104	7095	112	6.80	11.00	.22				
105	7096	133	6.50	10.50	.24				
106	7097	143	8.30	12.50	.16				
107	7098	124	6.60	10.00	.27				
108	7099	150	9.60	15.90	.18				
109	FAG U-059 7100A	157	11.00	15.10	.22				
110	FAGA 030 7101	59	3.40	3.30	.05				
111	7102	49	2.90	4.20	.03				
112	7103	29	1.56	4.30	.02				
113	7104	21	1.25	3.20	.01				
114	7105	12	.61	2.00	.02				
115	7106	19	1.03	2.10	.02				
116	7107	45	2.13	4.40	.05				
117	7108	54	3.00	4.70	.04				
118	7109	46	2.40	.05	.07				
119	7110A	70	3.60	1.87	.09				
120	7111	22	.91	1.62	.08				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 6

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
101	7092A	156	10.00	17.20	.09					
102	7093	110	6.30	10.00	.10					
103	7094	123	6.90	10.50	.22					
104	7095	112	6.80	11.00	.22					
105	7096	133	6.50	10.50	.24					
106	7097	143	8.30	12.50	.16					
107	7098	124	6.60	10.00	.27					
108	7099	150	9.60	15.90	.18					
109	7100A	157	11.00	15.10	.22					
110	7101	59	3.40	3.30	.05					
111	7102	49	2.90	4.20	.03					
112	7103	29	1.56	4.30	.02					
113	7104	21	1.25	3.20	.01					
114	7105	12	.61	2.00	.02					
115	7106	19	1.03	2.10	.02					
116	7107	45	2.13	4.40	.05					
117	7108	54	3.00	4.70	.04					
118	7109	46	2.40	.05	.07					
119	7110A	70	3.60	1.87	.09					
120	7111	22	.91	1.62	.08					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 7

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
121	7112A	31	2.08	.76	.08					
122	7113	83	4.80	6.70	.03					
123	7114	83	4.70	10.90	.03					
124	7115	115	6.50	13.60	.04					
125	7116	65	3.20	6.80	.04					
126	7117	4	.21	1.21	.02					
127	7118	110	6.50	10.00	.06					
128	7119	158	9.40	16.40	.03					
129	7120A	111	7.40	11.90	.08					
130	7121	30	1.75	2.40	.11					
131	7122	8	.43	.91	.02					
132	7123	10	.75	1.00	.01					
133	7124	58	3.10	6.70	.12					
134	7125	86	5.50	10.20	.07					
135	7126	17	.88	1.36	.08					
136	7127	68	4.80	5.60	.07					
137	7128	15	.56	1.15	.08					
138	7129	13	.34	.96	.10					
139	7130A	15	.72	1.32	.10					
140	7131	20	.73	1.31	.17					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 7

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
121	7112A	31	2.08	.76	.08				
122	7113	83	4.80	6.70	.03				
123	7114	83	4.70	10.90	.03				
124	7115	115	6.50	13.60	.04				
125	7116	65	3.20	6.80	.04				
126	7117	4	.21	1.21	.02				
127	7118	110	6.50	10.00	.06				
128	7119	158	9.40	16.40	.03				
129	7120A	111	7.40	11.90	.08				
130	7121	30	1.75	2.40	.11				
131	7122	8	.43	.91	.02				
132	7123	10	.75	1.00	.01				
133	7124	58	3.10	6.70	.12				
134	7125	86	5.50	10.20	.07				
135	7126	17	.88	1.36	.08				
136	7127	68	4.80	5.60	.07				
137	7128	15	.56	1.15	.08				
138	7129	13	.34	.96	.10				
139	7130A	15	.72	1.32	.10				
140	7131	20	.73	1.31	.17				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 8

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
141	7132A	7	.17	.44	.08					
142	7133	70	5.10	11.50	.09					
143	7134	21	1.46	1.10	.26					
144	7135	85	5.40	7.50	.11					
145	7136	4	.14	.16	.05					
146	FAGA 030 7137	56	3.50	3.80	.13					
147	FAGU-173 7138	32	1.38	3.60	.35					
148	7139	6	.21	.45	.15					
149	7140A	8	.53	.81	.06					
150	7141	7	.27	.45	.05					
151	7142	2	.01	.02	.01					
152	7143	8	.32	.72	.11					
153	7144	2	.05	.38	.19					
154	7145	6	.18	.27	.21					
155	7146	3	.06	.06	.07					
156	7147	2	.02	.01	.01					
157	7148	20	.97	.23	.09					
158	7149	50	.04	.02	.07					
159	7150A	27	1.58	1.75	.11					
160	7151	3	.01	.03	.03					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 8

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
141	7132A	7	.17	.44	.08				
142	7133	70	5.10	11.50	.09				
143	7134	21	1.46	1.10	.26				
144	7135	85	5.40	7.50	.11				
145	7136	4	.14	.16	.05				
146	7137	56	3.50	3.80	.13				
147	7138	32	1.38	3.60	.35				
148	7139	6	.21	.45	.15				
149	7140A	8	.53	.81	.06				
150	7141	7	.27	.45	.05				
151	7142	2	.01	.02	.01				
152	7143	8	.32	.72	.11				
153	7144	2	.05	.38	.19				
154	7145	6	.18	.27	.21				
155	7146	3	.06	.06	.07				
156	7147	2	.02	.01	.01				
157	7148	20	.97	.23	.09				
158	7149	50	.04	.02	.07				
159	7150A	27	1.58	1.75	.11				
160	7151	3	.01	.03	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 9

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
161	7152A	12	.16	.20	.20					
162	7153	16	.45	.39	.10					
163	7154	35	1.39	1.37	.18					
164	7155	20	.50	.39	.10					
165	7156	23	1.04	1.23	.18					
166	7157	9	.19	.46	.09					
167	7158	7	.14	.24	.09					
168	FAU-173 7159	4	.03	.08	.02					
169	FAU-169 7160A	11	.02	.64	.25					
170	7161	12	.26	.43	.15					
171	7162	10	.04	.40	.21					
172	7163	10	.04	.66	.12					
173	7164	10	.04	.20	.19					
174	7165	14	.11	.32	.17					
175	7166	7	.04	.17	.13					
176	7167	10	.13	.18	.15					
177	7168	6	.05	.16	.07					
178	7169	5	.02	.13	.08					
179	7170A	5	.01	.16	.06					
180	7171	7	.01	.23	.13					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 9

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
161	7152A	12	.16	.20	.20				
162	7153	16	.45	.39	.10				
163	7154	35	1.39	1.37	.18				
164	7155	20	.50	.39	.10				
165	7156	23	1.04	1.23	.18				
166	7157	9	.19	.46	.09				
167	7158	7	.14	.24	.09				
168	7159	4	.03	.08	.02				
169	7160A	11	.02	.64	.25				
170	7161	12	.26	.43	.15				
171	7162	10	.04	.40	.21				
172	7163	10	.04	.66	.12				
173	7164	10	.04	.20	.19				
174	7165	14	.11	.32	.17				
175	7166	7	.04	.17	.13				
176	7167	10	.13	.18	.15				
177	7168	6	.05	.16	.07				
178	7169	5	.02	.13	.08				
179	7170A	5	.01	.16	.06				
180	7171	7	.01	.23	.13				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320.

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

330 - 355 Burrard Street

Vancouver, B.C. V6C 2G8

Certificate No. K-4343

Date August 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
1	FAGU-177	7175A	110	.13	.30	.43				
2		7176	20	1.00	1.17	.19				
3		7177	19	.84	1.00	.18				
4		7178	12	.28	.75	.20				
5		7179	9	.16	.51	.17				
6		7180A	6	.06	.50	.14				
7		7181	20	.61	.82	.16				
8		7182	9	.07	.26	.21				
9		7183	12	.07	.15	.31				
10		7184	12	.06	.30	.29				
11		7185A	6	.09	.27	.13				
12		7186	9	.13	.38	.10				
13		7187	8	.14	.25	.12				
14		7188	7	.26	.34	.07				
15		7189	23	1.62	2.70	.04				
16		7190A	6	.14	.34	.10				
17		7191	3	.03	.14	.10				
18		7192	4	.09	.14	.10				
19		7193	13	.54	.69	.16				
20		7194	6	.10	.12	.19				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.
330 - 355 Burrard Street
Vancouver, B.C. V6C 2G8

Certificate No. K-4343

Date August 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
1	7175A	110	.13	.30	.43				
2	7176	20	1.00	1.17	.19				
3	7177	19	.84	1.00	.18				
4	7178	12	.28	.75	.20				
5	7179	9	.16	.51	.17				
6	7180A	6	.06	.50	.14				
7	7181	20	.61	.82	.16				
8	7182	9	.07	.26	.21				
9	7183	12	.07	.15	.31				
10	7184	12	.06	.30	.29				
11	7185A	6	.09	.27	.13				
12	7186	9	.13	.38	.10				
13	7187	8	.14	.25	.12				
14	7188	7	.26	.34	.07				
15	7189	23	1.62	2.70	.04				
16	7190A	6	.14	.34	.10				
17	7191	3	.03	.14	.10				
18	7192	4	.09	.14	.10				
19	7193	13	.54	.69	.16				
20	7194	6	.10	.12	.19				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 10

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
181	7172A	6	.01	.16	.11					
182	7173	6	.01	.13	.11					
183	FA9 U -169 7174A	5	.02	.24	.12					
184	FA9 U -059 7201A	112	6.50	10.00	.19					
185	7202	101	6.50	10.20	.16					
186	7203	90	6.90	10.20	.09					
187	7204	101	6.40	10.30	.18					
188	7205	115	6.90	11.40	.10					
189	7206	120	7.00	13.40	.12					
190	7207	180	9.40	13.80	.35					
191	7208	138	8.40	20.70	.20					
192	7209	108	7.70	13.60	.27					
193	7210A	30	1.17	.76	.28					
194	7211	21	.47	.51	.29					
195	7212	107	6.50	11.20	.12					
196	7213	23	1.26	2.50	.06					
197	7214	38	2.50	2.80	.21					
198	7215	26	1.65	2.03	.21					
199	7216	6	.19	.45	.13					
200	7217	8	.20	.42	.18					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 10

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
181	7172A	6	.01	.16	.11				
182	7173	6	.01	.13	.11				
183	7174A	5	.02	.24	.12				
184	7201A	112	6.50	10.00	.19				
185	7202	101	6.50	10.20	.16				
186	7203	90	6.90	10.20	.09				
187	7204	101	6.40	10.30	.18				
188	7205	115	6.90	11.40	.10				
189	7206	120	7.00	13.40	.12				
190	7207	180	9.40	13.80	.35				
191	7208	138	8.40	20.70	.20				
192	7209	108	7.70	13.60	.27				
193	7210A	30	1.17	.76	.28				
194	7211	21	.47	.51	.29				
195	7212	107	6.50	11.20	.12				
196	7213	23	1.26	2.50	.06				
197	7214	38	2.50	2.80	.21				
198	7215	26	1.65	2.03	.21				
199	7216	6	.19	.45	.13				
200	7217	8	.20	.42	.18				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 11

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
201	FA6 U-059 7218A	35	2.30	2.50	.16					
202	FA6 U-062 7219	107	6.40	9.60	.13					
203	7220A	78	4.60	4.60	.17					
204	7221	79	5.30	5.50	.16					
205	7222	23	1.16	1.92	.02					
206	7223	135	6.70	9.30	.24					
207	7224	122	5.20	9.20	.23					
208	7225	89	3.70	6.70	.17					
209	7226	111	6.20	12.10	.23					
210	7227	84	5.90	11.50	.05					
211	7228	111	5.00	8.20	.21					
212	7229	121	7.40	10.60	.19					
213	7230A	107	4.40	7.70	.22					
214	FA6 U-062 7231	114	5.10	8.80	.23					
215	FA6 U-142 7232	183	9.10	15.90	.24					
216	7233	26	1.08	1.79	.05					
217	7234	163	8.60	11.40	.07					
218	7235	21	.72	2.04	.01					
219	7236	38	1.79	2.30	.02					
220	<u>7237</u>	<u>142</u>	<u>6.20</u>	<u>13.00</u>	<u>.13</u>					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4313 11

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
201	7218A	35	2.30	2.50	.16				
202	7219	107	6.40	9.60	.13				
203	7220A	78	4.60	4.60	.17				
204	7221	79	5.30	5.50	.16				
205	7222	23	1.16	1.92	.02				
206	7223	135	6.70	9.30	.24				
207	7224	122	5.20	9.20	.23				
208	7225	89	3.70	6.70	.17				
209	7226	111	6.20	12.10	.23				
210	7227	84	5.90	11.50	.05				
211	7228	111	5.00	8.20	.21				
212	7229	121	7.40	10.60	.19				
213	7230A	107	4.40	7.70	.22				
214	7231	114	5.10	8.80	.23				
215	7232	183	9.10	15.90	.24				
216	7233	26	1.08	1.79	.05				
217	7234	163	8.60	11.40	.07				
218	7235	21	.72	2.04	.01				
219	7236	38	1.79	2.30	.02				
220	7237	142	6.20	13.00	.13				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4313 12

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
221	7238	53	3.00	6.50	.04					
222	7239	72	4.20	7.50	.01					
223	7240A	96	5.00	9.70	.02					
224	7241	27	1.48	3.40	.01					
225	7242	10	.21	.15	L.01					
226	7243	13	.25	.19	L.01					
227	7244	60	3.70	8.50	.02					
228	7245	33	1.94	6.00	L.01					
229	7246	167	7.60	18.00	.10					
230	7247	28	1.15	2.30	.01					
231	7248	20	.68	1.10	.04					
232	7249	17	.52	.58	.03					
233	7250A	28	.88	1.27	.06					
234	7251	16	.37	.32	.04					
235	7252	14	.31	.16	.03					
236	7253	12	.21	.40	.04					
237	7254	12	.21	.69	.02					
238	7255	190	9.60	18.80	.06					
239	7256	45	2.14	5.30	.02					
240	7257	81	4.60	10.40	.03					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 12

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
221	7238	53	3.00	6.50	.04				
222	7239	72	4.20	7.50	.01				
223	7240A	96	5.00	9.70	.02				
224	7241	27	1.48	3.40	.01				
225	7242	10	.21	.15	L.01				
226	7243	13	.25	.19	L.01				
227	7244	60	3.70	8.50	.02				
228	7245	33	1.94	6.00	L.01				
229	7246	167	7.60	18.00	.10				
230	7247	28	1.15	2.30	.01				
231	7248	20	.68	1.10	.04				
232	7249	17	.52	.58	.03				
233	7250A	28	.88	1.27	.06				
234	7251	16	.37	.32	.04				
235	7252	14	.31	.16	.03				
236	7253	12	.21	.40	.04				
237	7254	12	.21	.69	.02				
238	7255	190	9.60	18.80	.06				
239	7256	45	2.14	5.30	.02				
240	7257	81	4.60	10.40	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 13

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Gram samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
241	7258A	62	3.70	9.10	.03					
242	7259	95	5.50	12.40	.02					
243	7260A	208	10.30	24.20	.09					
244	7261	20	.68	2.05	.01					
245	7262	31	1.37	4.30	.01					
246	7263	120	4.90	15.90	.09					
247	7264	81	4.40	9.50	.02					
248	7265	100	5.60	13.60	.14					
249	7266	160	7.60	18.30	.21					
250	7267	133	7.80	10.00	.04					
251	7268	8	.35	.13	.02					
252	7269	42	2.30	2.60	.07					
253	7270A	30	1.30	3.10	.03					
254	7271	60	3.10	5.60	.05					
255	7272	31	1.75	3.70	.02					
256	7273	10	.46	.68	.08					
257	7274	24	1.28	2.10	.15					
258	7275	16	.43	1.03	.12					
259	7276	20	.67	1.61	.13					
260	7277	40	2.96	1.72	.06					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 13

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Gram samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
241	7258A	62	3.70	9.10	.03					
242	7259	95	5.50	12.40	.02					
243	7260A	208	10.30	24.20	.09					
244	7261	20	.68	2.05	.01					
245	7262	31	1.37	4.30	.01					
246	7263	120	4.90	15.90	.09					
247	7264	81	4.40	9.50	.02					
248	7265	100	5.60	13.60	.14					
249	7266	160	7.60	18.30	.21					
250	7267	133	7.80	10.00	.04					
251	7268	8	.35	.13	.02					
252	7269	42	2.30	2.60	.07					
253	7270A	30	1.30	3.10	.03					
254	7271	60	3.10	5.60	.05					
255	7272	31	1.75	3.70	.02					
256	7273	10	.46	.68	.08					
257	7274	24	1.28	2.10	.15					
258	7275	16	.43	1.03	.12					
259	7276	20	.67	1.61	.13					
260	7277	40	2.96	1.72	.06					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 14

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
261	7278A	32	1.73	1.21	.07					
262	7279	26	.05	.20	.20					
263	7280A	30	.06	.30	.26					
264	7281	21	.48	.93	.11					
265	7282	34	2.33	3.19	.03					
266	7283	13	.06	.20	.10					
267	7284	15	.10	.23	.16					
268	7285	91	4.70	8.10	.14					
269	7286	23	1.35	4.00	.03					
270	7287	64	3.00	5.40	.17					
271	7288	100	5.70	11.00	.18					
272	7289	70	3.80	7.80	.14					
273	FAGU-142 7290A	65	3.30	8.10	.04					
274	FAGU-110 7291	38	1.96	3.50	.01					
275	7292	65	3.60	4.60	.06					
276	7293	37	1.82	2.70	.08					
277	FAGU-110 7294	12	1.06	2.02	.02					
278	FAGU-114 7295	64	3.80	8.90	.02					
279	7296	70	4.20	8.90	.02					
280	7297	47	3.00	4.80	.03					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 14

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
261	7278A	32	1.73	1.21	.07				
262	7279	26	.05	.20	.20				
263	7280A	30	.06	.30	.26				
264	7281	21	.48	.93	.11				
265	7282	34	2.33	3.19	.03				
266	7283	13	.06	.20	.10				
267	7284	15	.10	.23	.16				
268	7285	91	4.70	8.10	.14				
269	7286	23	1.35	4.00	.03				
270	7287	64	3.00	5.40	.17				
271	7288	100	5.70	11.00	.18				
272	7289	70	3.80	7.80	.14				
273	7290A	65	3.30	8.10	.04				
274	7291	38	1.96	3.50	.01				
275	7292	65	3.60	4.60	.06				
276	7293	37	1.82	2.70	.08				
277	7294	12	1.06	2.02	.02				
278	7295	64	3.80	8.90	.02				
279	7296	70	4.20	8.90	.02				
280	7297	47	3.00	4.80	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4343 2

Date August 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
21	7195A	44	2.80	3.60	.13					
22	7196	7	.06	.09	.13					
23	7197	10	.06	.08	.08					
24	7198	12	.08	.11	.05					
25	7199	13	.05	.06	.03					
26	FAGU-177 FAGU-073	7200A	41	2.50	6.10	.02				
27		7301A	41	2.40	4.30	.03				
28		7302	40	2.30	4.20	.04				
29		7303	35	2.20	4.60	.05				
30		7304	51	3.20	5.00	.09				
31		7305A	40	2.40	5.20	.04				
32		7306	39	1.90	5.40	.03				
33		7307	23	1.15	2.80	.06				
34		7308	31	1.85	4.30	.07				
35		7309	97	6.40	8.10	.04				
36	FAGU-073	7310A	65	4.20	5.80	.16				
37	FAGU-087	7311	33	1.31	3.60	.11				
38	FAGU 138	7312	16	.88	1.72	.02				
39		7313	37	2.40	2.90	.02				
40		3714	27	2.10	1.51	.04				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4343 2

Date August 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
21	7195A	44	2.80	3.60	.13				
22	7196	7	.06	.09	.13				
23	7197	10	.06	.08	.08				
24	7198	12	.08	.11	.05				
25	7199	13	.05	.06	.03				
26	7200A	41	2.50	6.10	.02				
27	7301A	41	2.40	4.30	.03				
28	7302	40	2.30	4.20	.04				
29	7303	35	2.20	4.60	.05				
30	7304	51	3.20	5.00	.09				
31	7305A	40	2.40	5.20	.04				
32	7306	39	1.90	5.40	.03				
33	7307	23	1.15	2.80	.06				
34	7308	31	1.85	4.30	.07				
35	7309	97	6.40	8.10	.04				
36	7310A	65	4.20	5.80	.16				
37	7311	33	1.31	3.60	.11				
38	7312	16	.88	1.72	.02				
39	7313	37	2.40	2.90	.02				
40	7314	27	2.10	1.51	.04				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4343 3

Date August 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
41	7315A	9	.60	.43	.06				
42	7316	22	1.32	2.40	.10				
43	7317	26	1.82	4.30	.05				
44	7318	56	4.00	2.70	.06				
45	7319	25	1.58	.70	.09				
46	7320A	5	.23	.44	.05				
47	7321	15	1.04	.60	.03				
48	7322	53	4.80	1.00	.04				
49	7323	19	1.26	1.33	.02				
50	7324	21	1.18	1.91	.02				
51	7325A	9	.60	1.41	.02				
52	7326	29	2.40	.68	.04				
53	7327	18	1.18	.90	.04				
54	7328	30	1.61	2.60	.06				
55	7329	22	1.10	1.15	.06				
56	7330A	8	.49	.57	.03				
57	7331	10	.42	.96	.04				
58	7332	29	1.54	2.70	.06				
59	7333	28	.07	.16	.13				
60	7334	19	.80	.68	.05				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4343 4

Date August 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
61	7335A	43	2.70	4.30	.06				
62	7336	12	.31	.49	.06				
63	7337	64	4.70	9.00	.03				
64	7338	17	.67	.97	.07				
65	7339	21	1.02	1.86	.07				
66	7340A	19	1.03	2.40	.06				
67	7341	16	.93	1.54	.08				
68	FAGU 138 7342	17	1.25	2.16	.05				
69	FAGU-167 7343	9	.21	.75	.25				
70	7344	19	.28	1.03	.28				
71	7345A	33	1.37	2.30	.28				
72	7346	84	5.10	6.00	.26				
73	7347	76	5.00	8.60	.15				
74	7348	68	4.40	6.60	.12				
75	7349	60	3.90	4.60	.14				
76	7350A	87	4.40	6.60	.20				
77	7351	77	4.20	7.10	.11				
78	7352	60	2.80	3.80	.10				
79	7353	102	5.70	10.70	.13				
80	7354	79	5.10	7.20	.24				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4343 4

Date August 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
61	7335A	43	2.70	4.30	.06				
62	7336	12	.31	.49	.06				
63	7337	64	4.70	9.00	.03				
64	7338	17	.67	.97	.07				
65	7339	21	1.02	1.86	.07				
66	7340A	19	1.03	2.40	.06				
67	7341	16	.93	1.54	.08				
68	7342	17	1.25	2.16	.05				
69	7343	9	.21	.75	.25				
70	7344	19	.28	1.03	.28				
71	7345A	33	1.37	2.30	.28				
72	7346	84	5.10	6.00	.26				
73	7347	76	5.00	8.60	.15				
74	7348	68	4.40	6.60	.12				
75	7349	60	3.90	4.60	.14				
76	7350A	87	4.40	6.60	.20				
77	7351	77	4.20	7.10	.11				
78	7352	60	2.80	3.80	.10				
79	7353	102	5.70	10.70	.13				
80	7354	79	5.10	7.20	.24				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4343 5

Date August 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
81	7355A	139	8.10	12.70	.11				
82	7356	149	9.00	14.10	.11				
83	FAQ U-167 7357	101	6.10	12.60	.24				
84	FAQ U-165 7358	47	3.30	4.90	.24				
85	7359	24	1.48	2.05	.21				
86	7360A	10	.13	.75	.25				
87	7361	11	.08	.53	.26				
88	not found 7362	30	.91	1.40	.27				
89	7363	27	.67	.82	.27				
90	Jan 26, 82 7364	31	.14	.65	.35				
91	7365A	14	.12	1.17	.34				
92	7366	46	1.57	1.63	.22				
93	7367	20	.12	.72	.51				
94	7368	12	.07	.42	.22				
95	7369	30	.03	.34	1.09				
96	7370A	17	.07	.53	.51				
97	7371	37	1.25	2.02	.43				
98	7372	36	1.46	2.60	.31				
99	FAQ U-165 7373A	31	1.00	1.09	.32				
100	FAQ U-132 7630A	30	1.21	2.03	.04				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.



Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4343 5

Date August 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
81	7355A	139	8.10	12.70	.11					
82	7356	149	9.00	14.10	.11					
83	7357	101	6.10	12.60	.24					
84	7358	47	3.30	4.90	.24					
85	7359	24	1.48	2.05	.21					
86	7360A	10	.13	.75	.25					
87	7361	11	.08	.53	.26					
88	7362	30	.91	1.40	.27					
89	7363	27	.67	.82	.27					
90	7364	31	.14	.65	.35					
91	7365A	14	.12	1.17	.34					
92	7366	46	1.57	1.63	.22					
93	7367	20	.12	.72	.51					
94	7368	12	.07	.42	.22					
95	7369	30	.03	.34	1.09					
96	7370A	17	.07	.53	.51					
97	7371	37	1.25	2.02	.43					
98	7372	36	1.46	2.60	.31					
99	7373A	31	1.00	1.09	.32					
100	7630A	30	1.21	2.03	.04					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.
330 - 355 Burrard Street
Vancouver, B.C. V6C 2G8

Certificate No. K-4364

Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
1	FAQ U 128 7374A	27	1.92	2.20	.04					
2	7375	55	2.95	4.30	.08					
3	7376	55	2.96	5.67	.09					
4	7377	32	1.92	4.00	.05					
5	7378	37	2.18	3.80	.07					
6	7379	40	2.53	4.10	.06					
7	7380A	25	1.87	3.10	.03					
8	7381	26	1.89	4.00	.03					
9	7382	30	1.40	4.40	.03					
10	7383A	128	7.78	9.10	.05					
11	7384A	53	4.53	3.80	.06					
12	7385	48	2.75	3.60	.16					
13	7386	92	4.64	8.40	.06					
14	7387	97	6.42	10.20	.10					
15	7388	76	4.32	4.50	.11					
16	7389	103	7.26	9.60	.10					
17	7390A	90	6.21	10.10	.09					
18	7391	87	5.47	9.90	.08					
19	7392	48	3.06	3.70	.03					
20	7393A	92	5.26	10.70	.09					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.
330 - 355 Burrard Street
Vancouver, B.C. V6C 2G8

Certificate No. K-4364

Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
1	7374A	27	1.92	2.20	.04				
2	7375	55	2.95	4.30	.08				
3	7376	55	2.96	5.67	.09				
4	7377	32	1.92	4.00	.05				
5	7378	37	2.18	3.80	.07				
6	7379	40	2.53	4.10	.06				
7	7380A	25	1.87	3.10	.03				
8	7381	26	1.89	4.00	.03				
9	7382	30	1.40	4.40	.03				
10	7383A	128	7.78	9.10	.05				
11	7384A	53	4.53	3.80	.06				
12	7385	48	2.75	3.60	.16				
13	7386	92	4.64	8.40	.06				
14	7387	97	6.42	10.20	.10				
15	7388	76	4.32	4.50	.11				
16	7389	103	7.26	9.60	.10				
17	7390A	90	6.21	10.10	.09				
18	7391	87	5.47	9.90	.08				
19	7392	48	3.06	3.70	.03				
20	7393A	92	5.26	10.70	.09				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4364 2

Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
21	7394A	100	5.47	10.40	.08				
22	7395	102	6.84	10.50	.11				
23	7396	12	.67	1.45	.10				
24	7397	12	1.12	.70	.03				
25	7398	1	.14	.44	.02				
26	7399	84	4.85	2.90	.04				
27	7400A	37	2.64	1.17	.06				
28	7411A	20	1.61	1.21	.05				
29	7412	21	1.59	2.20	.05				
30	7413A	44	3.90	3.80	.03				
31	7414A	91	5.30	8.90	.10				
32	7415	18	1.27	1.85	.03				
33	7696A	101	7.40	11.60	.13				
34	7697	139	10.00	4.90	.01				
35	7698	67	4.40	20.20	.09				
36	7699	29	1.15	3.50	.10				
37	7700A	4	.19	1.95	.02				
38	7801A	1	.08	.78	.01				
39	7802	58	6.00	4.20	.27				
40	7803A	60	5.90	3.90	.33				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 15

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
281	7298A	70	4.10	5.80	.02					
282	7299	36	1.12	2.03	.04					
283	7300A	11	.43	.63	.03					
284	7401A	76	4.30	9.00	.05					
285	7402	58	2.90	5.80	.07					
286	7403	45	1.87	4.10	.08					
287	7404	44	1.88	4.60	.05					
288	7405	42	1.96	4.20	.03					
289	7406	22	.81	1.79	.01					
290	7407	38	1.56	3.70	.03					
291	7408	56	2.93	5.10	.02					
292	7409	70	3.84	6.80	.04					
293	7410A	60	3.17	4.70	.05					
294	7411	52	2.77	4.20	.08					
295	7412	33	1.73	4.10	.05					
296	7413	31	1.59	4.10	.05					
297	FAQU-114 7414	29	1.86	3.10	.09					
298	FAQU-061 7415	38	3.10	5.30	.05					
299	7416	32	2.40	3.80	.07					
300	7417A	48	3.60	5.20	.05					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4313 15

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
281	7298A	70	4.10	5.80	.02				
282	7299	36	1.12	2.03	.04				
283	7300A	11	.43	.63	.03				
284	7401A	76	4.30	9.00	.05				
285	7402	58	2.90	5.80	.07				
286	7403	45	1.87	4.10	.08				
287	7404	44	1.88	4.60	.05				
288	7405	42	1.96	4.20	.03				
289	7406	22	.81	1.79	.01				
290	7407	38	1.56	3.70	.03				
291	7408	56	2.93	5.10	.02				
292	7409	70	3.84	6.80	.04				
293	7410A	60	3.17	4.70	.05				
294	7411	52	2.77	4.20	.08				
295	7412	33	1.73	4.10	.05				
296	7413	31	1.59	4.10	.05				
297	7414	29	1.86	3.10	.09				
298	7415	38	3.10	5.30	.05				
299	7416	32	2.40	3.80	.07				
300	7417A	48	3.60	5.20	.05				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.



Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 16

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
301	7418A	62	3.80	5.10	.06					
302	7419	13	.31	1.03	.17					
303	7420A	35	.65	.35	.24					
304	7421	31	.82	1.55	.11					
305	7422	38	2.03	4.20	.06					
306	7423	29	.46	.55	.16					
307	7424	15	.14	.38	.20					
308	7425	11	.08	.32	.19					
309	7426	13	.11	.30	.33					
310	7427	141	8.30	10.00	.20					
311	7428	58	3.30	3.20	.24					
312	7429	147	9.70	7.10	.15					
313	7430A	137	8.60	4.40	.14					
314	7431	28	.77	.35	.34					
315	7432	115	7.60	9.30	.16					
316	7433	100	5.90	7.80	.20					
317	7434	92	5.00	7.40	.15					
318	7435	136	6.80	10.70	.18					
319	7436	45	2.10	2.50	.10					
320	7437	37	2.20	2.50	.16					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4313 16

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
301	7418A	62	3.80	5.10	.06				
302	7419	13	.31	1.03	.17				
303	7420A	35	.65	.35	.24				
304	7421	31	.82	1.55	.11				
305	7422	38	2.03	4.20	.06				
306	7423	29	.46	.55	.16				
307	7424	15	.14	.38	.20				
308	7425	11	.08	.32	.19				
309	7426	13	.11	.30	.33				
310	7427	141	8.30	10.00	.20				
311	7428	58	3.30	3.20	.24				
312	7429	147	9.70	7.10	.15				
313	7430A	137	8.60	4.40	.14				
314	7431	28	.77	.35	.34				
315	7432	115	7.60	9.30	.16				
316	7433	100	5.90	7.80	.20				
317	7434	92	5.00	7.40	.15				
318	7435	136	6.80	10.70	.18				
319	7436	45	2.10	2.50	.10				
320	7437	37	2.20	2.50	.16				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.



Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 17

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
321	7438A	24	1.14	1.15	.16				
322	7439	23	1.12	2.30	.03				
323	7440A	24	.99	1.40	.11				
324	7441	14	.56	.74	.08				
325	7442	115	6.90	14.50	.10				
326	FAQU-061 7443	121	7.00	14.70	.10				
327	FAQU-060 7444	35	3.20	4.10	.04				
328	7445	33	2.90	5.00	.05				
329	7446	33	2.70	3.40	.05				
330	7447	40	3.20	3.70	.04				
331	7448	12	.53	1.95	.02				
332	7449	49	3.80	4.10	.03				
333	7450A	19	1.18	.85	.04				
334	7451	22	1.14	1.30	.06				
335	7452	31	1.58	2.02	.10				
336	7453	24	1.08	1.21	.08				
337	7454	19	.84	1.24	.08				
338	7455	39	2.02	3.90	.13				
339	7456	28	1.58	2.03	.12				
340	7457	42	2.63	3.50	.08				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 17

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
321	7438A	24	1.14	1.15	.16				
322	7439	23	1.12	2.30	.03				
323	7440A	24	.99	1.40	.11				
324	7441	14	.56	.74	.08				
325	7442	115	6.90	14.50	.10				
326	7443	121	7.00	14.70	.10				
327	7444	35	3.20	4.10	.04				
328	7445	33	2.90	5.00	.05				
329	7446	33	2.70	3.40	.05				
330	7447	40	3.20	3.70	.04				
331	7448	12	.53	1.95	.02				
332	7449	49	3.80	4.10	.03				
333	7450A	19	1.18	.85	.04				
334	7451	22	1.14	1.30	.06				
335	7452	31	1.58	2.02	.10				
336	7453	24	1.08	1.21	.08				
337	7454	19	.84	1.24	.08				
338	7455	39	2.02	3.90	.13				
339	7456	28	1.58	2.03	.12				
340	7457	42	2.63	3.50	.08				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 18

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
341	7458A	16	.35	.63	.19					
342	7459	14	.16	1.41	.34					
343	7460A	91	5.50	9.30	.23					
344	7461	18	.46	1.20	.17					
345	7462	143	9.00	9.10	.14					
346	7463	91	4.70	7.80	.18					
347	7464	61	4.20	5.40	.13					
348	7465	107	6.00	10.70	.13					
349	7466	74	2.70	3.80	.05					
350	7467	102	6.10	10.70	.04					
351	7468	23	1.20	2.50	.07					
352	7469	152	8.60	13.50	.11					
353	7470A	67	3.30	5.00	.30					
354	7471	82	4.30	7.40	.37					
355	7472	31	.86	2.50	.59					
356	FAG U-060 7473	82	4.40	7.10	.18					
357	FAG A-155 7474	41	1.96	3.90	.09					
358	7475	47	2.83	5.60	.02					
359	7476	71	4.00	9.60	.05					
360	7477	48	2.82	5.80	.06					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 18

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
341	7458A	16	.35	.63	.19				
342	7459	14	.16	1.41	.34				
343	7460A	91	5.50	9.30	.23				
344	7461	18	.46	1.20	.17				
345	7462	143	9.00	9.10	.14				
346	7463	91	4.70	7.80	.18				
347	7464	61	4.20	5.40	.13				
348	7465	107	6.00	10.70	.13				
349	7466	74	2.70	3.80	.05				
350	7467	102	6.10	10.70	.04				
351	7468	23	1.20	2.50	.07				
352	7469	152	8.60	13.50	.11				
353	7470A	67	3.30	5.00	.30				
354	7471	82	4.30	7.40	.37				
355	7472	31	.86	2.50	.59				
356	7473	82	4.40	7.10	.18				
357	7474	41	1.96	3.90	.09				
358	7475	47	2.83	5.60	.02				
359	7476	71	4.00	9.60	.05				
360	7477	48	2.82	5.80	.06				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 19

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
361	7478A	56	3.50	6.20	.04				
362	7479	43	2.65	5.30	.04				
363	7480A	44	2.50	6.10	.03				
364	7481	168	10.10	1.98	.02				
365	7482	61	3.70	7.40	.04				
366	7483	56	2.80	6.80	.12				
367	7484	79	4.80	6.20	.05				
368	7485	62	3.60	6.60	.04				
369	7486	41	2.40	3.70	.04				
370	7487	35	2.00	2.70	.04				
371	7488	45	2.50	3.80	.05				
372	7489	22	1.20	1.24	.04				
373	7490A	22	.87	1.55	.06				
374	7491	24	.82	1.82	.05				
375	7492	57	3.40	4.50	.04				
376	7493	15	.48	.63	.04				
377	7494	1	.07	.44	.02				
378	7495	41	3.81	2.06	.05				
379	7496	116	7.20	12.60	.09				
380	7497	84	5.50	6.90	.05				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 20

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
381	7498A	182	10.70	17.20	.05					
382	7499	11	.50	.64	.01					
383	7500A	43	1.86	4.00	.02					
384	7501	2	.16	1.86	.02					
385	FAGU A-155 7502	53	2.75	6.30	.03					
386	FAGU 130 7503	45	2.80	1.60	.04					
387	7504	36	1.81	3.90	.04					
388	7505	47	2.99	5.10	.04					
389	7506	43	2.84	5.60	.02					
390	7507	68	4.00	7.70	.03					
391	7508	63	3.80	7.30	.09					
392	7509	47	2.53	5.00	.09					
393	7510A	2	.08	.13	.01					
394	7511	35	2.33	2.88	.03					
395	7512	74	4.60	3.70	.04					
396	7513	49	3.00	3.60	.03					
397	7514	27	1.49	2.70	.04					
398	7515	22	1.34	2.02	.05					
399	7516	19	1.40	1.47	.02					
400	7517	39	1.74	3.10	.03					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 20

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Gram samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
381	7498A	182	10.70	17.20	.05				
382	7499	11	.50	.64	.01				
383	7500A	43	1.86	4.00	.02				
384	7501	2	.16	1.86	.02				
385	7502	53	2.75	6.30	.03				
386	7503	45	2.80	1.60	.04				
387	7504	36	1.81	3.90	.04				
388	7505	47	2.99	5.10	.04				
389	7506	43	2.84	5.60	.02				
390	7507	68	4.00	7.70	.03				
391	7508	63	3.80	7.30	.09				
392	7509	47	2.53	5.00	.09				
393	7510A	2	.08	.13	.01				
394	7511	35	2.33	2.88	.03				
395	7512	74	4.60	3.70	.04				
396	7513	49	3.00	3.60	.03				
397	7514	27	1.49	2.70	.04				
398	7515	22	1.34	2.02	.05				
399	7516	19	1.40	1.47	.02				
400	7517	39	1.74	3.10	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 21

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
401	FAGU 130 7518A	80	4.50	8.70	.09				
402	FAGU-065 7519	96	5.60	10.70	.23				
403	7520A	140	7.30	10.90	.24				
404	7521	125	5.90	9.60	.15				
405	7522	144	8.10	15.50	.15				
406	7523	133	8.08	15.20	.11				
407	7524	138	7.95	18.40	.01				
408	7525	59	2.84	7.70	.03				
409	7526	82	4.01	11.30	.01				
410	7527	93	4.96	6.20	.09				
411	7528	177	10.70	17.90	.07				
412	7529	21	1.15	2.25	.03				
413	7530A	13	.55	.88	.05				
414	7531	29	1.75	2.24	.13				
415	7532	161	12.40	10.10	.10				
416	7533	178	14.40	9.60	.05				
417	7534	131	9.60	8.10	.12				
418	7535	36	1.98	2.05	.15				
419	7536	64	3.83	4.90	.03				
420	FAGU-129 7537	79	4.60	5.70	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 21

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
401	7518A	80	4.50	8.70	.09				
402	7519	96	5.60	10.70	.23				
403	7520A	140	7.30	10.90	.24				
404	7521	125	5.90	9.60	.15				
405	7522	144	8.10	15.50	.15				
406	7523	133	8.08	15.20	.11				
407	7524	138	7.95	18.40	.01				
408	7525	59	2.84	7.70	.03				
409	7526	82	4.01	11.30	.01				
410	7527	93	4.96	6.20	.09				
411	7528	177	10.70	17.90	.07				
412	7529	21	1.15	2.25	.03				
413	7530A	13	.55	.88	.05				
414	7531	29	1.75	2.24	.13				
415	7532	161	12.40	10.10	.10				
416	7533	178	14.40	9.60	.05				
417	7534	131	9.60	8.10	.12				
418	7535	36	1.98	2.05	.15				
419	7536	64	3.83	4.90	.03				
420	7537	79	4.60	5.70	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 22

Date August 12, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
421	7538A	44	2.99	2.70	.03				
422	7539	35	2.03	1.75	.03				
423	7540A	22	1.02	.63	.05				
424	7541	29	1.57	1.28	.06				
425	7542	43	2.96	1.23	.07				
426	7543	28	2.30	2.40	.02				
427	7544	28	2.41	1.58	.02				
428	7545	26	1.66	2.03	.02				
429	7546	20	1.26	1.86	.02				
430	7547	14	.81	1.68	.01				
431	7548	11	.49	.85	.05				
432	7549	21	1.04	1.92	.07				
433	7550A	7	.17	.54	.09				
434	7551	27	1.29	2.90	.08				
435	7552	27	1.36	2.20	.07				
436	7553	22	.48	.80	.17				
437	7554	99	3.70	5.30	.34				
438	7555	46	2.60	3.00	.06				
439	7556	53	4.13	7.40	.14				
440	7557	41	2.20	5.90	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 22

Date August 12, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Gram samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
421	7538A	44	2.99	2.70	.03				
422	7539	35	2.03	1.75	.03				
423	7540A	22	1.02	.63	.05				
424	7541	29	1.57	1.28	.06				
425	7542	43	2.96	1.23	.07				
426	7543	28	2.30	2.40	.02				
427	7544	28	2.41	1.58	.02				
428	7545	26	1.66	2.03	.02				
429	7546	20	1.26	1.86	.02				
430	7547	14	.81	1.68	.01				
431	7548	11	.49	.85	.05				
432	7549	21	1.04	1.92	.07				
433	7550A	7	.17	.54	.09				
434	7551	27	1.29	2.90	.08				
435	7552	27	1.36	2.20	.07				
436	7553	22	.48	.80	.17				
437	7554	99	3.70	5.30	.34				
438	7555	46	2.60	3.00	.06				
439	7556	53	4.13	7.40	.14				
440	7557	41	2.20	5.90	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 23

Date August 12, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
441	7558A	26	1.20	4.60	.02					
442	7559	48	3.10	6.10	.06					
443	7560A	48	2.70	6.00	.13					
444	7561	75	3.70	7.50	.16					
445	7562	72	4.41	6.60	.19					
446	7563	45	2.25	5.20	.03					
447	7564	64	2.70	3.80	.04					
448	7565	87	5.70	8.70	.14					
449	7566	200	12.50	18.30	.07					
450	7567	44	2.80	4.00	.28					
451	7568	76	5.20	8.40	.26					
452	7569	74	4.00	7.70	.16					
453	7570A	38	1.66	3.40	.33					
454	7571	44	1.72	2.40	.43					
455	7572	40	1.41	2.30	.53					
456	7573	78	4.30	6.20	.35					
457	7574	34	1.48	3.00	.27					
458	7575	51	3.70	4.00	.13					
459	FHGU 129	7576	114	8.60	13.00	.08				
460	FHGU-116	7577	80	4.30	9.10	.02				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 23

Date August 12, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
441	7558A	26	1.20	4.60	.02				
442	7559	48	3.10	6.10	.06				
443	7560A	48	2.70	6.00	.13				
444	7561	75	3.70	7.50	.16				
445	7562	72	4.41	6.60	.19				
446	7563	45	2.25	5.20	.03				
447	7564	64	2.70	3.80	.04				
448	7565	87	5.70	8.70	.14				
449	7566	200	12.50	18.30	.07				
450	7567	44	2.80	4.00	.28				
451	7568	76	5.20	8.40	.26				
452	7569	74	4.00	7.70	.16				
453	7570A	38	1.66	3.40	.33				
454	7571	44	1.72	2.40	.43				
455	7572	40	1.41	2.30	.53				
456	7573	78	4.30	6.20	.35				
457	7574	34	1.48	3.00	.27				
458	7575	51	3.70	4.00	.13				
459	7576	114	8.60	13.00	.08				
460	7577	80	4.30	9.10	.02				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 24

Date August 12, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
461	7578A	63	2.50	5.40	.02					
462	7579	11	.18	.43	.01					
463	7580A	28	.74	1.81	.07					
464	7581	70	3.80	5.80	.04					
465	7582	67	3.80	5.40	.04					
466	7583	35	1.61	3.40	.05					
467	7584	25	1.16	2.40	.07					
468	7585	62	3.80	6.90	.07					
469	7586	66	3.90	5.70	.16					
470	7587	16	.70	1.71	.04					
471	7588	61	3.70	7.60	.08					
472	7589	52	2.90	6.00	.04					
473	7590A	31	1.51	3.30	.11					
474	7591	29	1.86	3.60	.07					
475	7592	21	1.30	1.97	.05					
476	7593	25	2.20	2.50	.03					
477	7594	18	1.60	1.31	.04					
478	7595	38	2.40	4.80	.04					
479	7596	50	3.00	4.40	.10					
480	FAG U-116 7597	141	8.10	17.10	.09					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 24

Date August 12, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
461	7578A	63	2.50	5.40	.02				
462	7579	11	.18	.43	.01				
463	7580A	28	.74	1.81	.07				
464	7581	70	3.80	5.80	.04				
465	7582	67	3.80	5.40	.04				
466	7583	35	1.61	3.40	.05				
467	7584	25	1.16	2.40	.07				
468	7585	62	3.80	6.90	.07				
469	7586	66	3.90	5.70	.16				
470	7587	16	.70	1.71	.04				
471	7588	61	3.70	7.60	.08				
472	7589	52	2.90	6.00	.04				
473	7590A	31	1.51	3.30	.11				
474	7591	29	1.86	3.60	.07				
475	7592	21	1.30	1.97	.05				
476	7593	25	2.20	2.50	.03				
477	7594	18	1.60	1.31	.04				
478	7595	38	2.40	4.80	.04				
479	7596	50	3.00	4.40	.10				
480	7597	141	8.10	17.10	.09				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 25

Date August 12, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
481	<u>FK1U-118</u> 7598A	17	.43	1.04	.05				
482	7599	93	5.60	10.70	.03				
483	7600A	51	2.30	6.80	.03				
484	7601	42	2.40	6.10	.01				
485	7602	128	5.50	12.40	.05				
486	<u>7603</u>	<u>250</u>	10.10	19.60	.11				
487	7604	60	3.50	4.60	.02				
488	7605	90	4.40	9.70	.01				
489	7606	30	1.21	3.30	.06				
490	7607	44	2.40	5.50	.05				
491	7608	118	6.20	8.00	.18				
492	7609	118	6.60	13.60	.08				
493	7610A	36	2.00	2.50	.06				
494	7611	8	.14	.54	.17				
495	7612	66	4.30	7.90	.08				
496	7613	58	3.80	8.50	.09				
497	7614	23	.95	1.87	.19				
498	7615	38	1.71	3.90	.08				
499	7616	23	1.05	2.90	.07				
500	7617	45	3.40	3.50	.04				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 25

Date August 12, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Gram samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
481	7598A	17	.43	1.04	.05				
482	7599	93	5.60	10.70	.03				
483	7600A	51	2.30	6.80	.03				
484	7601	42	2.40	6.10	.01				
485	7602	128	5.50	12.40	.05				
486	7603	250	10.10	19.60	.11				
487	7604	60	3.50	4.60	.02				
488	7605	90	4.40	9.70	.01				
489	7606	30	1.21	3.30	.06				
490	7607	44	2.40	5.50	.05				
491	7608	118	6.20	8.00	.18				
492	7609	118	6.60	13.60	.08				
493	7610A	36	2.00	2.50	.06				
494	7611	8	.14	.54	.17				
495	7612	66	4.30	7.90	.08				
496	7613	58	3.80	8.50	.09				
497	7614	23	.95	1.87	.19				
498	7615	38	1.71	3.90	.08				
499	7616	23	1.05	2.90	.07				
500	7617	45	3.40	3.50	.04				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 26

Date August 12, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
501	7618A	26	1.56	2.80	.08				
502	7619	26	1.66	1.65	.04				
503	7620A	31	1.28	2.70	.14				
504	FAG U-118 7621	117	6.80	14.30	.19				
505	FAG U132 7622	90	1.79	10.20	.02				
506	7623	33	.69	3.50	.03				
507	7624	59	3.10	7.10	.03				
508	7625	76	3.90	6.50	.13				
509	7626	24	1.35	2.30	.04				
510	7627	13	1.09	1.31	.02				
511	7628	13	1.05	1.37	.02				
512	FAG U132 7629A	72	3.90	6.60	.10				
	L means "Less than"								

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 26

Date August 12, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
501	7618A	26	1.56	2.80	.08					
502	7619	26	1.66	1.65	.04					
503	7620A	31	1.28	2.70	.14					
504	7621	117	6.80	14.30	.19					
505	7622	90	1.79	10.20	.02					
506	7623	33	.69	3.50	.03					
507	7624	59	3.10	7.10	.03					
508	7625	76	3.90	6.50	.13					
509	7626	24	1.35	2.30	.04					
510	7627	13	1.09	1.31	.02					
511	7628	13	1.05	1.37	.02					
512	7629A	72	3.90	6.60	.10					

L means "Less than"

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4343 6

Date August 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Gram samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
101	7631A	10	.38	1.01	.03				
102	7632	48	2.50	4.00	.05				
103	7633	33	1.31	4.00	.09				
104	7634	61	3.00	6.50	.05				
105	7635	15	.72	1.67	.03				
106	7636	62	3.20	4.90	.03				
107	7637	42	2.40	3.50	.04				
108	7638	30	1.65	3.40	.03				
109	7639	47	2.80	3.80	.05				
110	7640A	39	2.00	2.70	.03				
111	7641A	54	3.00	4.90	.06				
112	7642	47	2.60	2.80	.04				
113	7643	37	1.73	4.60	.02				
114	7644	7	.28	1.44	.02				
115	7645	30	1.36	2.80	.02				
116	7646	15	.14	1.55	.20				
117	7647	12	.20	1.31	.23				
118	7648	17	.33	.92	.25				
119	7649	39	1.54	2.50	.24				
120	7650A	53	3.50	2.80	.09				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4343 6

Date August 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Gram samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
101	7631A	10	.38	1.01	.03				
102	7632	48	2.50	4.00	.05				
103	7633	33	1.31	4.00	.09				
104	7634	61	3.00	6.50	.05				
105	7635	15	.72	1.67	.03				
106	7636	62	3.20	4.90	.03				
107	7637	42	2.40	3.50	.04				
108	7638	30	1.65	3.40	.03				
109	7639	47	2.80	3.80	.05				
110	7640A	39	2.00	2.70	.03				
111	7641A	54	3.00	4.90	.06				
112	7642	47	2.60	2.80	.04				
113	7643	37	1.73	4.60	.02				
114	7644	7	.28	1.44	.02				
115	7645	30	1.36	2.80	.02				
116	7646	15	.14	1.55	.20				
117	7647	12	.20	1.31	.23				
118	7648	17	.33	.92	.25				
119	7649	39	1.54	2.50	.24				
120	7650A	53	3.50	2.80	.09				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4343 7

Date August 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
121	7651A	102	5.40	9.10	.17					
122	7652	71	3.90	7.70	.16					
123	7653	27	1.09	.60	.27					
124	7654	46	3.20	2.50	.13					
125	FAQ U-163 7655	28	1.60	1.56	.29					
126	FAQ U-124 7656	25	1.55	1.79	.50					
127	7657	38	2.08	4.50	.05					
128	7658	19	1.08	3.60	.03					
129	7659	25	1.62	3.60	.02					
130	7660A	26	1.83	3.90	.02					
131	7661A	40	2.60	5.10	.05					
132	7662	51	3.00	6.50	.01					
133	7663	74	5.20	7.90	.06					
134	7664	86	5.30	9.10	.06					
135	7665	82	5.40	7.80	.04					
136	7666	21	.97	2.60	.08					
137	7667	43	1.65	3.20	.18					
138	7668	63	2.70	4.30	.16					
139	7669	5	.09	.21	.03					
140	7670A	40	1.46	1.70	.09					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4343 7

Date August 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
121	7651A	102	5.40	9.10	.17				
122	7652	71	3.90	7.70	.16				
123	7653	27	1.09	.60	.27				
124	7654	46	3.20	2.50	.13				
125	7655	28	1.60	1.56	.29				
126	7656	25	1.55	1.79	.50				
127	7657	38	2.08	4.50	.05				
128	7658	19	1.08	3.60	.03				
129	7659	25	1.62	3.60	.02				
130	7660A	26	1.83	3.90	.02				
131	7661A	40	2.60	5.10	.05				
132	7662	51	3.00	6.50	.01				
133	7663	74	5.20	7.90	.06				
134	7664	86	5.30	9.10	.06				
135	7665	82	5.40	7.80	.04				
136	7666	21	.97	2.60	.08				
137	7667	43	1.65	3.20	.18				
138	7668	63	2.70	4.30	.16				
139	7669	5	.09	.21	.03				
140	7670A	40	1.46	1.70	.09				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.



Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4343 8

Date August 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
141	7671A	51	2.60	3.60	.11					
142	7672	59	3.20	5.90	.09					
143	7673	59	3.30	4.30	.13					
144	7674	36	2.70	8.00	.20					
145	7675	254	15.50	27.00	.10					
146	7676	22	1.17	.27	.02					
147	7677	108	5.60	17.70	.10					
148	7678	41	2.60	3.70	.09					
149	7679	115	8.40	6.20	.09					
150	7680A	57	4.30	5.60	.09					
151	FAC J-124 7681A	16	1.03	2.40	.06					
152	FAC J-081 7682	56	4.00	3.50	.06					
153	7683	7	.38	.50	.03					
154	7684	68	4.40	7.30	.02					
155	7685	79	4.80	5.90	.07					
156	7686	52	3.60	3.30	.07					
157	7687	11	.97	.58	.03					
158	7688	21	1.66	1.53	.02					
159	7689	26	1.91	1.17	.02					
160	7690A	19	1.32	..70	.02					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4343 8

Date August 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
141	7671A	51	2.60	3.60	.11				
142	7672	59	3.20	5.90	.09				
143	7673	59	3.30	4.30	.13				
144	7674	36	2.70	8.00	.20				
145	7675	254	15.50	27.00	.10				
146	7676	22	1.17	.27	.02				
147	7677	108	5.60	17.70	.10				
148	7678	41	2.60	3.70	.09				
149	7679	115	8.40	6.20	.09				
150	7680A	57	4.30	5.60	.09				
151	7681A	16	1.03	2.40	.06				
152	7682	56	4.00	3.50	.06				
153	7683	7	.38	.50	.03				
154	7684	68	4.40	7.30	.02				
155	7685	79	4.80	5.90	.07				
156	7686	52	3.60	3.30	.07				
157	7687	11	.97	.58	.03				
158	7688	21	1.66	1.53	.02				
159	7689	26	1.91	1.17	.02				
160	7690A	19	1.32	.70	.02				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4343 9

Date August 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
161		7691A	26	1.76	.85	.02			
162	FAG U-081	7692	34	2.70	2.40	.01			
163	FAG U-063	7693	86	7.40	10.80	.10			
164		7694	135	5.90	8.70	.23			
165		7695A	105	5.10	10.40	.10			
166	FAG U-064	7701A	73	4.80	9.30	.15			
167		7702	126	7.50	12.30	.23			
168		7703	139	5.70	9.20	.18			
169		7704	138	5.80	10.00	.18			
170		7705A	162	7.80	13.40	.13			
171		7706A	182	10.10	17.60	.02			
172		7707	100	5.10	4.70	.13			
173		7708	66	4.20	4.10	.14			
174		7709	95	5.30	12.30	.13			
175	FAG U-064	7710A	19	1.13	2.70	.03			
176		7711	99	2.90	6.10	.13			
177	FAG A-068	7712	48	2.90	4.70	.05			
178		7713	16	.62	.80	.02			
179		7714	11	.49	1.23	.02			
180		7715A	36	2.16	3.30	.01			

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4343 9

Date August 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
161	7691A	26	1.76	.85	.02					
162	7692	34	2.70	2.40	.01					
163	7693	86	7.40	10.80	.10					
164	7694	135	5.90	8.70	.23					
165	7695A	105	5.10	10.40	.10					
166	7701A	73	4.80	9.30	.15					
167	7702	126	7.50	12.30	.23					
168	7703	139	5.70	9.20	.18					
169	7704	138	5.80	10.00	.18					
170	7705A	162	7.80	13.40	.13					
171	7706A	182	10.10	17.60	.02					
172	7707	100	5.10	4.70	.13					
173	7708	66	4.20	4.10	.14					
174	7709	95	5.30	12.30	.13					
175	7710A	19	1.13	2.70	.03					
176	7711	99	2.90	6.10	.13					
177	7712	48	2.90	4.70	.05					
178	7713	16	.62	.80	.02					
179	7714	11	.49	1.23	.02					
180	7715A	36	2.16	3.30	.01					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4343 10

Date August 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples:

Kral No.	Marked	Ag. grams per tonne	Pb percent	Zn percent	Cu percent					
181	7716A	60	3.20	6.20	.03					
182	7717	9	.43	1.32	.01					
183	7718	27	1.34	2.80	.02					
184	7719	27	1.67	2.20	.02					
185	7720A	53	4.60	4.10	.02					
186	7721	31	2.90	2.30	.02					
187	7722	34	3.30	.92	.06					
188	7723	31	1.80	2.30	.04					
189	7724	51	3.30	5.90	.07					
190	7725A	10	.33	1.70	.03					
191	7726A	15	.39	.56	.11					
192	7727	43	2.30	3.50	.16					
193	7728	8	.50	.71	.02					
194	7729	62	.42	7.60	.05					
195	7730A	96	7.00	14.80	.02					
196	7731	57	3.40	7.70	.04					
197	7732	33	1.98	3.60	.02					
198	7733	39	1.96	3.90	.17					
199	7734	26	1.58	3.70	.05					
200	7735A	21	1.23	2.09	.06					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4343 10

Date August 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
181	7716A	60	3.20	6.20	.03				
182	7717	9	.43	1.32	.01				
183	7718	27	1.34	2.80	.02				
184	7719	27	1.67	2.20	.02				
185	7720A	53	4.60	4.10	.02				
186	7721	31	2.90	2.30	.02				
187	7722	34	3.30	.92	.06				
188	7723	31	1.80	2.30	.04				
189	7724	51	3.30	5.90	.07				
190	7725A	10	.33	1.70	.03				
191	7726A	15	.39	.56	.11				
192	7727	43	2.30	3.50	.16				
193	7728	8	.50	.71	.02				
194	7729	62	.42	7.60	.05				
195	7730A	96	7.00	14.80	.02				
196	7731	57	3.40	7.70	.04				
197	7732	33	1.98	3.60	.02				
198	7733	39	1.96	3.90	.17				
199	7734	26	1.58	3.70	.05				
200	7735A	21	1.23	2.09	.06				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4343 11

Date August 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
201	7736A	32	1.96	3.80	.06					
202	7737	25	1.45	2.40	.04					
203	7738	21	1.48	3.00	.04					
204	7739	43	2.80	5.40	.03					
205	7740A	53	3.00	5.40	.06					
206	7741	25	1.43	4.00	.04					
207	7742	31	2.19	3.90	.05					
208	7743	21	1.25	4.10	.03					
209	7744	40	1.77	3.60	.02					
210	7745A	42	1.91	5.30	.03					
211	7746A	74	5.00	6.40	.06					
212	7747	53	4.00	2.16	.10					
213	7748	95	6.30	13.50	.02					
214	7749	75	4.60	10.60	.02					
215	7750A	22	1.00	3.50	.03					
216	7751	71	5.20	5.50	.06					
217	7752	14	.47	1.07	.18					
218	7753	30	1.93	2.17	.12					
219	7754	5	.04	.07	.01					
220	7755	39	2.70	2.90	.11					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4343 11

Date August 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
201	7736A	32	1.96	3.80	.06				
202	7737	25	1.45	2.40	.04				
203	7738	21	1.48	3.00	.04				
204	7739	43	2.80	5.40	.03				
205	7740A	53	3.00	5.40	.06				
206	7741	25	1.43	4.00	.04				
207	7742	31	2.19	3.90	.05				
208	7743	21	1.25	4.10	.03				
209	7744	40	1.77	3.60	.02				
210	7745A	42	1.91	5.30	.03				
211	7746A	74	5.00	6.40	.06				
212	7747	53	4.00	2.16	.10				
213	7748	95	6.30	13.50	.02				
214	7749	75	4.60	10.60	.02				
215	7750A	22	1.00	3.50	.03				
216	7751	71	5.20	5.50	.06				
217	7752	14	.47	1.07	.18				
218	7753	30	1.93	2.17	.12				
219	7754	5	.04	.07	.01				
220	7755	39	2.70	2.90	.11				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4343 12

Date August 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
221	7756A	42	1.51	3.30	.22					
222	7757	31	1.23	3.40	.14					
223	7758	66	3.30	6.80	.08					
224	7759	90	5.00	8.50	.03					
225	7760A	62	4.20	5.00	.12					
226	7761	26	1.98	2.60	.08					
227	7762	25	1.12	1.55	.09					
228	7763	17	.93	1.39	.08					
229	7764	32	.30	.78	.24					
230	7765A	5	.04	.11	.01					
231	7766A	21	.55	.61	.24					
232	7767	50	4.10	5.40	.30					
233	7768	19	1.11	1.92	.10					
234	7769	48	4.70	4.20	.22					
235	7770A	7	.34	.42	.05					
236	7771	26	2.70	2.50	.15					
237	7772	85	5.50	7.40	.10					
238	7773	69	3.90	5.70	.13					
239	7774	94	5.00	7.10	.18					
240	FAG 17-D6B 7775A	34	2.20	2.60	.22					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4343 12

Date August 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
221	7756A	42	1.51	3.30	.22				
222	7757	31	1.23	3.40	.14				
223	7758	66	3.30	6.80	.08				
224	7759	90	5.00	8.50	.03				
225	7760A	62	4.20	5.00	.12				
226	7761	26	1.98	2.60	.08				
227	7762	25	1.12	1.55	.09				
228	7763	17	.93	1.39	.08				
229	7764	32	.30	.78	.24				
230	7765A	5	.04	.11	.01				
231	7766A	21	.55	.61	.24				
232	7767	50	4.10	5.40	.30				
233	7768	19	1.11	1.92	.10				
234	7769	48	4.70	4.20	.22				
235	7770A	7	.34	.42	.05				
236	7771	26	2.70	2.50	.15				
237	7772	85	5.50	7.40	.10				
238	7773	69	3.90	5.70	.13				
239	7774	94	5.00	7.10	.18				
240	7775A	34	2.20	2.60	.22				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4343 13

Date August 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples.

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
241	FAG A-053	7776A	99	6.00	11.40	.09			
242		7777	126	6.60	15.00	.06			
243		7778	60	3.50	6.90	.26			
244		7779	68	3.60	8.20	.09			
245		7780A	45	2.40	7.30	.05			
246		7781	146	7.90	17.80	.18			
247		7782	24	1.56	4.10	.02			
248		7783	28	2.03	3.30	.02			
249		7784	42	3.20	4.80	.05			
250		7785A	27	1.84	1.56	.09			
251		7786A	26	1.30	3.30	.02			
252		7787	17	.60	1.83	.08			
253		7788	15	.45	.91	.10			
254		7789	46	2.70	5.70	.06			
255		7790A	17	.46	.59	.09			
256		7791	72	4.00	5.80	.16			
257		7792	78	4.20	7.40	.10			
258		7793	37	2.80	2.00	.14			
259		7794	33	1.62	1.51	.26			
260		7795A	53	2.18	3.20	.21			

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4343 13

Date August 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
241	7776A	99	6.00	11.40	.09					
242	7777	126	6.60	15.00	.06					
243	7778	60	3.50	6.90	.26					
244	7779	68	3.60	8.20	.09					
245	7780A	45	2.40	7.30	.05					
246	7781	146	7.90	17.80	.18					
247	7782	24	1.56	4.10	.02					
248	7783	28	2.03	3.30	.02					
249	7784	42	3.20	4.80	.05					
250	7785A	27	1.84	1.56	.09					
251	7786A	26	1.30	3.30	.02					
252	7787	17	.60	1.83	.08					
253	7788	15	.45	.91	.10					
254	7789	46	2.70	5.70	.06					
255	7790A	17	.46	.59	.09					
256	7791	72	4.00	5.80	.16					
257	7792	78	4.20	7.40	.10					
258	7793	37	2.80	2.00	.14					
259	7794	33	1.62	1.51	.26					
260	7795A	53	2.18	3.20	.21					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4343 14

Date August 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
261	7796A	115	5.60	10.70	.15				
262	7797	66	4.20	7.40	.13				
263	7798	72	4.40	7.10	.13				
264	7799	85	4.60	7.60	.13				
265	7800A	108	7.10	12.40	.03				
266	7851A	21	.62	1.09	.09				
267	7852	22	1.03	2.29	.07				
268	7853	51	3.80	7.20	.12				
269	7854	51	2.80	5.30	.10				
270	7855A	54	2.80	4.50	.12				
271	7856A	132	7.40	17.10	.31				
272	7857	56	3.70	7.20	.13				
273	7858	69	4.60	6.70	.10				
274	7859	22	.44	.49	.24				
275	7860A	17	.14	.49	.30				
276	7861	24	.18	1.20	.28				
277	7862	38	.09	.64	.39				
278	7863	49	.72	1.14	.34				
279	7864	54	4.00	4.30	.22				
280	7865A	43	3.90	3.70	.21				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4364 3

Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
41	7804A	83	5.30	5.80	.08					
42	7805	41	2.70	2.80	.25					
43	7806	14	.69	1.17	.08					
44	7807	95	5.50	8.40	.16					
45	7808	117	7.00	8.40	.05					
46	FAU U063 7809	211	12.90	12.10	.03					
47	FAU U-043 7810A	177	9.90	17.60	.04					
48	7814A	58	4.50	4.70	.05					
49	7817A	174	10.40	19.10	.01					
50	7818A	178	9.50	17.40	.01					
51	7819A	202	12.60	32.40	.10					
52	7820A	144	8.40	14.60	.01					
53	7821	109	6.80	13.10	.01					
54	7822	136	7.50	14.20	.08					
55	FAU U-043 7823	128	7.50	14.90	.07					
56	FAU U-047 7824	119	7.30	8.70	.20					
57	7825	80	6.10	4.60	.07					
58	7826	31	2.80	1.71	.12					
59	7827	47	3.50	3.10	.07					
60	7828A	2	.21	.04	.05					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4364 3

Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
41	7804A	83	5.30	5.80	.08				
42	7805	41	2.70	2.80	.25				
43	7806	14	.69	1.17	.08				
44	7807	95	5.50	8.40	.16				
45	7808	117	7.00	8.40	.05				
46	7809	211	12.90	12.10	.03				
47	7810A	177	9.90	17.60	.04				
48	7814A	58	4.50	4.70	.05				
49	7817A	174	10.40	19.10	.01				
50	7818A	178	9.50	17.40	.01				
51	7819A	202	12.60	32.40	.10				
52	7820A	144	8.40	14.60	.01				
53	7821	109	6.80	13.10	.01				
54	7822	136	7.50	14.20	.08				
55	7823	128	7.50	14.90	.07				
56	7824	119	7.30	8.70	.20				
57	7825	80	6.10	4.60	.07				
58	7826	31	2.80	1.71	.12				
59	7827	47	3.50	3.10	.07				
60	7828A	2	.21	.04	.05				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

330 - 355 Burrard Street

Vancouver, B.C. V6C 2G8 ATTENTION: MR. GLEN SIMPSON


Certificate No. K-4364

Date May 31, 1982

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
1	7811A	16	1.37	1.10	.05				
2	7812	21	1.53	2.24	.06				
3	7813	50	4.05	4.35	.04				
4	7815	77	4.32	9.1	.10				
5	7816A	183	11.21	19.6	.04				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4364 4

Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
61	7829A	9	.64	.90	.03					
62	7830A	42	3.70	2.25	.08					
63	7831	62	3.60	6.10	.08					
64	7832	53	3.00	4.70	.02					
65	7833	132	7.40	13.50	.03					
66	7834	94	5.40	8.60	.08					
67	7835	176	8.00	24.00	.12					
68	7836	107	7.50	16.90	.02					
69	7837	207	11.60	26.90	.08					
70	7838A	94	5.10	9.20	.11					
71	7839A	81	4.10	9.00	.08					
72	7840A	83	4.70	8.60	.05					
73	7841	62	3.90	5.00	.10					
74	7842	88	5.20	8.30	.14					
75	7843	78	3.90	4.60	.14					
76	7844 ✓	92	5.40	8.30	.20					
77	7845	97	5.60	10.70	.16					
78	FACU-047 7846A	24	1.56	2.60	.09					
79	FACU-147 7869A	14	.48	1.54	.06					
80	7870A	18	.31	.81	.21					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4364 4

Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
61	7829A	9	.64	.90	.03				
62	7830A	42	3.70	2.25	.08				
63	7831	62	3.60	6.10	.08				
64	7832	53	3.00	4.70	.02				
65	7833	132	7.40	13.50	.03				
66	7834	94	5.40	8.60	.08				
67	7835	176	8.00	24.00	.12				
68	7836	107	7.50	16.90	.02				
69	7837	207	11.60	26.90	.08				
70	7838A	94	5.10	9.20	.11				
71	7839A	81	4.10	9.00	.08				
72	7840A	83	4.70	8.60	.05				
73	7841	62	3.90	5.00	.10				
74	7842	88	5.20	8.30	.14				
75	7843	78	3.90	4.60	.14				
76	7844	92	5.40	8.30	.20				
77	7845	97	5.60	10.70	.16				
78	7846A	24	1.56	2.60	.09				
79	7869A	14	.48	1.54	.06				
80	7870A	18	.31	.81	.21				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4364 5

Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
81	7871A	19	.33	1.19	.25					
82	7872	15	.27	1.04	.16					
83	7873	19	.29	.95	.27					
84	7874	18	.26	.86	.13					
85	7875	17	.21	.69	.17					
86	7876	63	3.40	4.60	.13					
87	7877	102	6.50	15.80	.21					
88	7878	122	7.50	14.40	.24					
89	7879	93	5.30	10.40	.19					
90	7880A	103	4.60	11.90	.14					
91	7881A	82	3.30	6.10	.27					
92	7882	88	4.70	9.70	.12					
93	<u>7883</u>	89	5.70	10.70	<u>.13</u>					
94	7884	5	.17	3.50	.02					
95	7885	91	3.90	8.20	.26					
96	7886	63	3.60	8.10	.07					
97	<u>7887</u>	87	<u>4.90</u>	<u>10.10</u>	.11					
98	7888	27	1.99	3.70	.30					
99	7889	36	.51	1.28	.39					
100	7890A	13	.12	.57	.40					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4364 5

Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
81	7871A	19	.33	1.19	.25				
82	7872	15	.27	1.04	.16				
83	7873	19	.29	.95	.27				
84	7874	18	.26	.86	.13				
85	7875	17	.21	.69	.17				
86	7876	63	3.40	4.60	.13				
87	7877	102	6.50	15.80	.21				
88	7878	122	7.50	14.40	.24				
89	7879	93	5.30	10.40	.19				
90	7880A	103	4.60	11.90	.14				
91	7881A	82	3.30	6.10	.27				
92	7882	88	4.70	9.70	.12				
93	7883	89	5.70	10.70	.13				
94	7884	5	.17	3.50	.02				
95	7885	91	3.90	8.20	.26				
96	7886	63	3.60	8.10	.07				
97	7887	87	4.90	10.10	.11				
98	7888	27	1.99	3.70	.30				
99	7889	36	.51	1.28	.39				
100	7890A	13	.12	.57	.40				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4343 14

Date August 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
261	7796A	115	5.60	10.70	.15					
262	7797	66	4.20	7.40	.13					
263	7798	72	4.40	7.10	.13					
264	7799	85	4.60	7.60	.13					
265	7800A	108	7.10	12.40	.03					
266	7851A	21	.62	1.09	.09					
267	7852	22	1.03	2.29	.07					
268	7853	51	3.80	7.20	.12					
269	7854	51	2.80	5.30	.10					
270	7855A	54	2.80	4.50	.12					
271	7856A	132	7.40	17.10	.31					
272	7857	56	3.70	7.20	.13					
273	7858	69	4.60	6.70	.10					
274	7859	22	.44	.49	.24					
275	7860A	17	.14	.49	.30					
276	7861	24	.18	1.20	.28					
277	7862	38	.09	.64	.39					
278	7863	49	.72	1.14	.34					
279	7864	54	4.00	4.30	.22					
280	FACN A-053 7865A	43	3.90	3.70	.21					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4364 6

Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
101		15	.16	.65	.48					
102	FAG U-147	13	.36	.51	.34					
103	FAG U-126	25	1.37	1.74	.04					
104		30	1.62	4.20	.06					
105		47	2.70	3.00	.11					
106		28	1.53	2.70	.07					
107		36	1.62	4.20	.09					
108		44	<u>2.90</u>	5.80	.07					
109		34	<u>1.70</u>	4.90	.06					
110		33	1.81	4.70	.02					
111	8001A	62	3.80	5.70	.05					
112	8002	104	8.40	4.80	.10					
113	8003	55	5.00	3.30	.08					
114	8004	40	3.60	3.20	.18					
115	8005 ✓	95	<u>7.30</u>	4.10	.16					
116	8006	83	5.60	8.40	.10					
117	8007	83	5.10	9.70	.06					
118	8008	80	4.90	10.20	.05					
119	8009 ✓	75	3.90	8.20	.05					
120	<u>8010A</u> ✓	75	4.20	<u>8.40</u>	.05					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

330 - 355 Burrard Street

Vancouver, B.C. V6C 2G8

Certificate No. K-4407

Date September 29, 1981

300

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
1	7901A	9	.07	.38	.07				
2	7902	44	2.60	5.10	.06				
3	7903	56	2.60	6.20	.04				
4	7904	115	5.10	12.00	.06				
5	7905	69	3.70	7.80	.09				
6	7906	33	2.30	6.50	.04				
7	7907	26	1.34	3.80	.01				
8	7908	72	4.30	8.20	.02				
9	7909	60	3.10	7.30	.06				
10	7910A	13	.37	2.40	.03				
11	7911A	77	4.80	10.10	.03				
12	7912	152	9.10	13.10	.06				
13	7913	83	5.30	13.10	.11				
14	7914	73	4.40	7.20	.12				
15	7915	18	.71	1.21	.07				
16	7916	8	.51	1.83	.03				
17	7917	11	.50	2.10	.03				
18	7918	18	1.25	2.80	.09				
19	7919	24	.89	1.47	.15				
20	7920A	157	7.20	14.80	.24				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4407 2

Date September 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
21	7921A	70	3.10	5.50	.28				
22	7922	104	4.70	9.00	.20				
23	7923	120	6.40	8.70	.16				
24	7924	86	4.90	9.60	.13				
25	7925	6	.13	.20	.04				
26	7926	180	10.20	18.90	.06				
27	7927	66	4.10	8.20	.26				
28	7928	124	5.70	11.50	.22				
29	7929	36	2.20	2.30	.10				
30	7930A	11	.13	.06	.10				
31	7931A	13	.65	1.13	.06				
32	7932	13	.69	.84	.09				
33	7933	9	.32	.58	.09				
34	7934	8	.15	.55	.13				
35	7935	40	2.90	1.66	.32				
36	7936	33	2.60	2.30	.18				
37	7937	28	2.20	1.04	.13				
38	7938	19	.82	1.38	.24				
39	7939	8	.15	.17	.20				
40	7940A	10	.19	.20	.21				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4407 3

Date September 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
41	7941A	11	.14	.36	.32					
42	7942	106	7.80	9.20	.14					
43	7943	81	6.30	4.80	.08					
44	7944	11	.31	.66	.27					
45	7945	10	.19	.27	.19					
46	7946	13	.30	.35	.17					
47	7947	7	.09	.43	.21					
48	7948	30	2.50	3.60	.12					
49	7949	17	.27	.55	.28					
50	7950A	17	.78	1.86	.21					
51	7970A	15	.41	.49	.09					
52	7971	33	2.40	2.60	.17					
53	7972	32	2.50	2.20	.14					
54	7973	34	1.81	2.60	.08					
55	7974	94	4.90	9.60	.11					
56	7975	35	2.01	2.70	.06					
57	7976	81	4.40	7.30	.10					
58	7977	9	.30	.85	.03					
59	7978	81	5.00	9.10	.05					
60	7979A	19	1.02	4.10	.04					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.
330 - 355 Burrard Street
Vancouver, B.C. V6C 2G8

Certificate No. K-4380

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Gram samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
1	FAG U-150	7847 A	73	5.50	8.17	.06			
2		7848	36	2.40	3.66	.04			
3		7849	24	1.57	.69	.05			
4	FAG U-150	7850 A	30	1.41	.38	.06			
5	FAG A-069	7951 A	52	2.90	5.00	.03			
6		7952	20	.69	2.20	.02			
7		7953	35	2.60	6.60	.02			
8		7954	21	1.32	2.70	.02			
9		7955	51	3.10	4.90	.11			
10		7956	64	3.70	5.20	.15			
11		7957 A	8	.42	1.75	.01			
12		7958	23	1.40	2.50	.08			
13		7959	17	.66	1.11	.07			
14		7960 A	91	5.10	10.40	.15			
15		7961	56	3.10	3.70	.31			
16		7962	95	5.40	7.50	.18			
17		7963	57	4.00	3.40	.18			
18		7964	117	7.70	8.40	.25			
19		7965	78	4.90	5.90	.26			
20		7966	72	3.60	4.10	.17			

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.
330 - 355 Burrard Street
Vancouver, B.C. V6C 2G8

Certificate No. K-4380

Date September 25, 1981

605

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
1	7847 A	73	5.50	8.17	.06					
2	7848	36	2.40	3.66	.04					
3	7849	24	1.57	.69	.05					
4	7850 A	30	1.41	.38	.06					
5	7951 A	52	2.90	5.00	.03					
6	7952	20	.69	2.20	.02					
7	7953	35	2.60	6.60	.02					
8	7954	21	1.32	2.70	.02					
9	7955	51	3.10	4.90	.11					
10	7956	64	3.70	5.20	.15					
11	7957 A	8	.42	1.75	.01					
12	7958	23	1.40	2.50	.08					
13	7959	17	.66	1.11	.07					
14	7960 A	91	5.10	10.40	.15					
15	7961	56	3.10	3.70	.31					
16	7962	95	5.40	7.50	.18					
17	7963	57	4.00	3.40	.18					
18	7964	117	7.70	8.40	.25					
19	7965	78	4.90	5.90	.26					
20	7966	72	3.60	4.10	.17					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 2

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
21	7967 A	40	2.60	3.50	.07					
22	7968	41	2.70	3.40	.06					
23	7969 A	26	1.01	1.15	.10					
24	8051 A	29	1.02	2.12	.18					
25	8052	75	5.00	9.45	.11					
26	8053	34	1.24	2.80	.40					
27	8054	27	.40	1.24	.25					
28	8055	73	.06	.58	.30					
29	8056	13	.16	.44	.23					
30	8057	32	1.42	2.09	.36					
31	8058 A	25	1.31	3.30	.08					
32	8059	28	1.59	3.20	.05					
33	8060 A	33	2.30	4.40	.04					
34	8061	21	.97	2.20	.07					
35	8062	17	.59	.72	.07					
36	8063	58	3.00	3.60	.06					
37	8064	57	3.60	6.40	.10					
38	8065	59	3.40	5.60	.21					
39	8066	38	3.00	5.80	.18					
40	8067	95	4.60	6.30	.21					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4407 4

Date September 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
61	7980A	98	6.10	10.60	.01					
62	7981	76	4.40	9.50	.03					
63	7982	15	.59	3.80	.02					
64	7983	3	.13	.21	.02					
65	7984	80	4.90	6.40	.05					
66	7985	10	.22	.29	.02					
67	7986	52	3.20	3.90	.08					
68	7987	73	4.30	3.80	.10					
69	7988	67	4.10	4.10	.15					
70	7989A	90	5.70	10.10	.09					
71	7990A	124	8.40	13.70	.04					
72	7991	117	7.10	11.90	.15					
73	7992	75	3.20	5.40	.17					
74	7993	77	4.80	9.20	.10					
75	7994	76	4.50	8.30	.08					
76	7995	71	4.20	8.30	.05					
77	7996	102	6.30	12.80	.11					
78	7997	45	3.50	4.10	.06					
79	7998	13	1.01	.20	.05					
80	7999A	17	1.27	1.53	.03					

FAG U-046

FAG U-034

not found
Jan 27, 82

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4407 4





Date September 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
61	7980A	98	6.10	10.60	.01				
62	7981	76	4.40	9.50	.03				
63	7982	15	.59	3.80	.02				
64	7983	3	.13	.21	.02				
65	7984	80	4.90	6.40	.05				
66	7985	10	.22	.29	.02				
67	7986	52	3.20	3.90	.08				
68	7987	73	4.30	3.80	.10				
69	7988	67	4.10	4.10	.15				
70	7989A	90	5.70	10.10	.09				
71	7990A	124	8.40	13.70	.04				
72	7991	117	7.10	11.90	.15				
73	7992	75	3.20	5.40	.17				
74	7993	77	4.80	9.20	.10				
75	7994	76	4.50	8.30	.08				
76	7995	71	4.20	8.30	.05				
77	7996	102	6.30	12.80	.11				
78	7997	45	3.50	4.10	.06				
79	7998	13	1.01	.20	.05				
80	7999A	17	1.27	1.53	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia





KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4364 6

Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
101	7891A	15	.16	.65	.48				
102	7892	13	.36	.51	.34				
103	7893	25	1.37	1.74	.04				
104	7894	30	1.62	4.20	.06				
105	7895	47	2.70	3.00	.11				
106	7896	28	1.53	2.70	.07				
107	7897	36	1.62	4.20	.09				
108	7898	44	2.90	5.80	.07				
109	7899	34	1.70	4.90	.06				
110	7900A	33	1.81	4.70	.02				
111	8001A	62	3.80	5.70	.05				
112	8002	104	8.40	4.80	.10				
113	8003	55	5.00	3.30	.08				
114	8004	40	3.60	3.20	.18				
115	8005	95	7.30	4.10	.16				
116	8006	83	5.60	8.40	.10				
117	8007	83	5.10	9.70	.06				
118	8008	80	4.90	10.20	.05				
119	8009	75	3.90	8.20	.05				
120	8010A	75	4.20	8.40	.05				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4364 7

Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
121	8011A	78	4.30	7.60	.03				
122	8012	74	4.30	7.00	.03				
123	8013	81	5.10	8.90	.05				
124	8014	85	4.60	10.10	.05				
125	8015	90	5.30	9.10	.05				
126	8016	85	5.00	8.10	.03				
127	8017	62	3.30	5.10	.04				
128	8018	84	5.20	10.50	.04				
129	8019	96	6.80	8.90	.04				
130	8020A	48	3.30	2.80	.11				
131	8021A	6	.55	2.19	.01				
132	8022	9	.53	1.53	.03				
133	8023	8	.58	1.96	.05				
134	8024	20	1.42	3.10	.04				
135	8025	9	.56	1.16	.07				
136	8026	18	.84	2.09	.13				
137	8027	88	4.80	9.00	.16				
138	8028	74	4.00	7.60	.11				
139	8029	26	1.65	2.80	.09				
140	8030A	37	2.97	5.40	.04				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.



Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4364 8

Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
141	8031A	11	.44	.61	.14				
142	8032	43	3.00	5.20	.05				
143	8033	94	5.40	9.30	.11				
144	8034	54	3.60	5.00	.07				
145	8035	21	1.33	.91	.26				
146	8036	49	2.70	3.70	.28				
147	8037	115	5.40	9.90	.15				
148	8038	65	3.40	11.40	.08				
149	8039	32	2.30	6.00	.12				
150	8040A	115	6.20	9.80	.16				
151	8041A	36	6.10	7.10	.17				
152	8042	75	4.20	3.30	.18				
153	8043	45	3.40	2.60	.20				
154	8044	34	2.40	3.80	.07				
155	8045	25	1.00	1.12	.35				
156	8046	83	4.30	5.10	.11				
157	8047	70	4.00	7.20	.13				
158	8048	44	3.20	5.30	.13				
159	8049	73	4.00	7.60	.20				
160	8050A	49	3.40	5.40	.23				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 2

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
21	7967 A	40	2.60	3.50	.07				
22	7968	41	2.70	3.40	.06				
23	7969 A	26	1.01	1.15	.10				
24	8051 A	29	1.02	2.12	.18				
25	8052	75	5.00	9.45	.11				
26	8053	34	1.24	2.80	.40				
27	8054	27	.40	1.24	.25				
28	8055	73	.06	.58	.30				
29	8056	13	.16	.44	.23				
30	8057	32	1.42	2.09	.36				
31	8058 A	25	1.31	3.30	.08				
32	8059	28	1.59	3.20	.05				
33	8060 A	33	2.30	4.40	.04				
34	8061	21	.97	2.20	.07				
35	8062	17	.59	.72	.07				
36	8063	58	3.00	3.60	.06				
37	8064	57	3.60	6.40	.10				
38	8065	59	3.40	5.60	.21				
39	8066	38	3.00	5.80	.18				
40	8067	95	4.60	6.30	.21				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4407 5

Date September 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
81	8000A	32	2.30	3.90	.04				
82	8082A	65	3.80	7.10	.02				
83	8083	123	7.60	20.00	.05				
84	8084	61	3.60	4.50	.11				
85	8085	152	7.70	14.70	.07				
86	8086	33	1.55	4.40	.04				
87	8087	35	1.56	3.50	.05				
88	8088	10	.34	.56	.05				
89	8089	93	6.10	7.30	.09				
90	8090A	9	.24	.29	.14				
91	8091A	24	1.13	2.04	.21				
92	8092A	20	.79	1.55	.12				
93	8132A	39	1.88	3.10	.16				
94	8133	125	6.50	11.60	.10				
95	8134	11	.15	.50	.22				
96	8135	12	.30	.45	.13				
97	8136	6	.10	.09	.12				
98	8137	3	.05	.34	.07				
99	8138A	5	.03	.23	.10				
100	8143A	29	1.84	3.60	.05				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 3

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Ph percent	Zn percent	Cu percent					
41	8068 A	39	2.80	2.70	.23					
42	8069	95	6.00	9.70	.14					
43	8070 A	106	6.30	11.40	.17					
44	8071	101	6.00	13.20	.02					
45	8072	129	6.00	12.00	.20					
46	8073	36	1.73	3.37	.15					
47	8074	143	7.50	17.20	.19					
48	8075	37	1.88	4.50	.10					
49	8076	32	1.91	2.60	.09					
50	8077	11	.54	1.25	.05					
51	8078 A	15	.86	1.73	.03					
52	8079	42	3.10	3.37	.08					
53	8080 A	26	1.12	2.39	.12					
54	8081 A	58	4.00	6.00	.07					
55	8093 A	19	.92	1.22	.14					
56	8094	28	1.57	2.90	.20					
57	8095	7	.07	.11	.05					
58	8096	34	1.80	1.25	.19					
59	8097	131	7.30	7.20	.14					
60	8098	77	4.80	4.10	.02					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4364 9

Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
161	8101A	30	2.30	1.14	.07				
162	8102	18	1.71	1.08	.07				
163	8103	14	1.36	.71	.08				
164	8104	18	.94	.73	.05				
165	8105	33	3.20	1.26	.02				
166	8106	25	2.39	2.40	.02				
167	8107	7	.54	.76	.01				
168	8108	4	.32	.41	.02				
169	8109	10	.64	.76	.01				
170	8110A	12	.77	1.45	L.01				
171	8111A	12	.86	1.32	.02				
172	8112	20	1.28	1.64	L.01				
173	8113	12	.93	1.43	.02				
174	8114	29	1.53	2.20	.08				
175	8115	29	1.56	2.00	.06				
176	8116	71	4.90	5.10	.12				
177	8117	61	3.90	6.80	.05				
178	8118	74	4.40	7.00	.15				
179	8119	52	3.70	6.30	.05				
180	8120A	14	.32	1.11	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4364 10

Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
181	8121A	12	.76	2.40	.03				
182	8122	103	6.70	9.00	.10				
183	8123A	32	1.76	1.61	.22				
184	8139A	11	.04	.33	.48				
185	8140A	8	.03	.40	.47				
186	8141	30	2.21	3.00	.05				
187	8142A	133	6.80	9.20	.28				
188	8151A	54	3.90	5.30	.12				
189	8152	87	6.30	6.20	.13				
190	8153A	29	1.74	2.90	.13				
191	8154A	13	.70	1.87	.19				
192	8155	58	4.40	3.70	.19				
193	8156	45	2.70	2.00	.16				
194	8157	2	.18	.12	.01				
195	8158	13	.80	1.89	.14				
196	8159	17	.65	1.49	.16				
197	8160A	79	5.10	4.80	.10				
198	8161	108	9.50	8.00	.10				
199	8162	73	4.60	10.70	.10				
200	8163A	82	5.90	6.10	.15				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.



Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 4

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
61	8099 A	142	10.80	11.10	.15				
62	8100 A	35	1.55	3.00	.12				
63	8124 A	19	.15	.60	.44				
64	8125	10	.08	.75	.31				
65	8126	13	.06	.53	.43				
66	8127	13	.06	.50	.26				
67	8128	5	.02	.16	.07				
68	8129	7	.07	.20	.18				
69	8130 A	5	.03	.15	.19				
70	8131 A	4	.04	.26	.15				
71	8185 A	38	1.87	1.87	.22				
72	8186	32	1.57	1.84	.25				
73	8187	45	3.28	3.10	.20				
74	8188	34	1.46	1.48	.17				
75	8189	36	1.53	3.90	.01				
76	8190 A	42	2.77	4.30	.03				
77	8191	38	2.01	3.10	.02				
78	8192	36	1.85	3.90	.02				
79	8193	29	1.34	3.30	.02				
80	8194	35	1.85	4.10	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4364 10

Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
181	8121A	12	.76	2.40	.03					
182	8122	103	6.70	9.00	.10					
183	FAG U-13A	32	1.76	1.61	.22					
184	FAG U-171	11	.04	.33	.48					
185	8140A	8	.03	.40	.47					
186	8141	30	2.21	3.00	.05					
187	FAG U-171	133	6.80	9.20	.28					
188	FAG A-038	54	3.90	5.30	.12					
189	8152	87	6.30	6.20	.13					
190	8153A	29	1.74	2.90	.13					
191	8154A	13	.70	1.87	.19					
192	8155	58	4.40	3.70	.19					
193	8156	45	2.70	2.00	.16					
194	8157	2	.18	.12	.01					
195	8158	13	.80	1.89	.14					
196	8159	17	.65	1.49	.16					
197	8160A	79	5.10	4.80	.10					
198	8161	108	9.50	8.00	.10					
199	8162	73	4.60	10.70	.10					
200	8163A	82	5.90	6.10	.15					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4364 11

Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
201	8164A	19	1.23	1.48	.16				
202	8165	122	9.90	4.90	.14				
203	8166	51	3.20	.85	.07				
204	8167	28	1.54	.90	.06				
205	8168	73	4.50	6.70	.12				
206	8169	11	.54	.39	.24				
207	8170A	110	7.40	9.70	.17				
208	8171	10	.55	.24	.21				
209	8172	32	1.72	1.93	.19				
210	8173A	29	1.73	.88	.09				
211	8174A	13	.49	.17	.02				
212	8175	26	1.43	.80	.10				
213	8176	20	.79	1.13	.09				
214	8177	39	3.10	2.05	.13				
215	8178	29	1.88	2.30	.13				
216	8179	46	2.70	2.10	.21				
217	8180A	30	1.96	1.68	.21				
218	8181	14	.69	.82	.15				
219	8182	32	2.01	1.94	.18				
220	8183A	6	.40	.34	.11				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4364 12

Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
221	8184A L means "Less than"	8	.59	.34	.12				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


 Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 5

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
81	8195 A	42	2.26	5.10	.04				
82	8196	106	8.20	7.30	.12				
83	8197	68	5.13	5.40	.14				
84	8198	75	5.95	7.30	.08				
85	8199	54	4.20	6.40	.06				
86	8200 A	58	4.00	6.10	.08				
87	8201	20	.57	.31	.08				
88	8202	20	.54	.28	.14				
89	8203	13	.19	.28	.02				
90	8204	17	.43	.86	.05				
91	8205 A	31	1.46	2.50	.10				
92	8206	24	.82	1.29	.08				
93	8207	18	.56	.72	.04				
94	8208	39	2.77	3.10	.03				
95	8209	33	1.70	3.00	.05				
96	8210 A	28	1.19	2.20	.09				
97	8211	70	4.82	7.00	.08				
98	8212	36	.84	.61	.30				
99	8213	80	4.51	4.90	.26				
100	8214	90	4.61	10.40	.07				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 6

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
101	8215 A	41	2.26	4.80	.02				
102	8216	103	6.04	9.30	.12				
103	8217	165	10.30	20.70	.04				
104	8218	52	3.70	7.20	.05				
105	8219	37	2.20	6.30	.07				
106	8220 A	9	.64	.89	.04				
107	8221	14	1.46	.86	.03				
108	8222	14	1.04	1.74	.04				
109	8223	12	.77	1.35	.04				
110	8224	14	.78	2.60	.01				
111	8225 A	13	.73	1.94	.01				
112	8226	31	1.68	5.10	.05				
113	8227	23	.77	2.80	.03				
114	8228	35	1.48	4.00	.04				
115	8229	55	3.00	5.40	.05				
116	8230 A	84	4.10	9.40	.05				
117	8231	77	4.60	7.70	.04				
118	8233	28	1.82	1.45	.07				
119	8234	126	6.90	12.70	.06				
120	8235	64	3.80	6.50	.06				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4407 6

Date September 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
101	8144A	9	.40	.50	.02				
102	8145	21	1.35	1.96	.27				
103	8146	81	6.30	7.20	.09				
104	8147	33	1.65	1.85	.02				
105	8148	71	4.80	7.60	.03				
106	8149	76	5.20	7.80	.03				
107	8150A	18	.56	1.60	.02				
108	8266A	16	.47	.33	.20				
109	8267	13	.37	.36	.22				
110	8268A	21	.83	1.04	.26				
111	8269A	19	.48	.42	.28				
112	8270A	13	.46	.27	.20				
113	8271	12	.27	.14	.13				
114	8272	3	.04	.03	.03				
115	8273	18	.40	.45	.34				
116	8274	77	6.10	8.00	.14				
117	8275A	28	1.45	1.16	.09				
118	8288A	23	1.84	3.60	.04				
119	8289	26	1.23	2.40	.04				
120	8290A	33	2.30	4.00	.04				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 7

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
121	8236 A	28	1.61	2.50	.05				
122	8237	30	1.65	3.40	.09				
123	8238	115	5.60	8.70	.29				
124	8239	44	2.90	3.90	.17				
125	8240 A	40	2.90	3.30	.16				
126	8241	50	3.00	1.79	.23				
127	8242	75	4.40	7.40	.12				
128	8244	43	2.80	3.20	.14				
129	8246	71	3.90	5.90	.09				
130	8247	60	3.20	5.60	.13				
131	8248 A	94	4.70	8.00	.16				
132	8249	32	1.56	2.70	.15				
133	8250 A	10	.43	.78	.08				
134	8251	27	1.05	1.68	.09				
135	8252	124	6.30	11.60	.18				
136	8253	33	1.35	2.05	.10				
137	8254	28	1.97	3.00	.04				
138	8255	20	.35	.47	.12				
139	8256	75	5.00	9.90	.09				
140	8257	30	1.24	3.30	.33				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 8

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
141	8258 A	37	1.44	3.90	.32				
142	8259	25	.67	.90	.26				
143	8260 A	42	2.40	3.30	.32				
144	8261	63	4.40	4.80	.15				
145	8262	19	.56	.50	.21				
146	8263	16	.55	.28	.20				
147	8264	40	1.91	1.34	.16				
148	8265 A	141	8.90	12.30	.03				
149	8276 A	11	.37	.49	.19				
150	8277	43	2.20	1.69	.23				
151	8278 A	15	.49	.52	.08				
152	8279	25	1.56	1.45	.22				
153	8280 A	65	3.70	4.20	.13				
154	8281	32	1.30	1.18	.18				
155	8282	54	2.70	3.60	.12				
156	8283	20	.70	.27	.25				
157	8284	10	.17	.18	.05				
158	8285	18	.53	.33	.17				
159	8286	9	.05	.07	.06				
160	8287 A	28	1.60	1.48	.23				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4407 7

Date September 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
121	8291A	35	2.60	2.80	.05				
122	8292	30	1.99	2.30	.04				
123	8293	175	9.60	14.20	.06				
124	8294	44	1.76	3.80	.04				
125	8295	52	2.40	6.20	.02				
126	8296	32	1.42	2.30	.08				
127	8297	30	1.53	1.58	.04				
128	8298	138	8.80	14.10	.16				
129	8299A	19	.74	1.36	.02				
130	8428A	94	5.10	8.40	.14				
131	8429A	38	1.58	1.91	.20				
132	8430A	69	3.20	5.30	.20				
133	8474A	39	2.70	2.30	.05				
134	8475	40	3.60	4.50	.02				
135	8476	34	1.67	3.50	.03				
136	8477	37	1.47	4.90	.02				
137	8478	36	1.68	3.60	.03				
138	8479	36	1.91	4.40	.03				
139	8480A	31	1.92	3.60	.02				
140	8588A	9	.06	.07	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 9

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
161	8300 A	61	3.40	2.50	.18				
162	8301	130	5.60	8.70	.12				
163	8302	65	3.00	4.60	.03				
164	8303	70	3.30	8.20	.02				
165	8304	46	3.00	4.00	.19				
166	8305	120	4.90	7.70	.19				
167	8306	36	1.72	3.20	.05				
168	8307	82	4.70	5.40	.28				
169	8308	20	.67	.92	.13				
170	8309	25	1.11	1.22	.22				
171	8310 A	20	.93	1.28	.15				
172	8311	10	.16	.36	.14				
173	8312	33	1.72	1.74	.21				
174	8313	23	.85	.76	.15				
175	8314	16	.32	.79	.18				
176	8315	24	1.24	1.59	.19				
177	8316	32	1.73	2.06	.19				
178	8317	10	.11	.33	.18				
179	8318	13	.17	.31	.14				
180	8319	10	.11	.40	.14				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 10

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
181	8320 A	9	.11	.22	.17				
182	8321	8	.12	.34	.17				
183	8322	8	.11	.33	.11				
184	8323	9	.12	.68	.14				
185	8324	10	.15	.71	.15				
186	8325	14	.20	.24	.16				
187	8326	10	.13	.63	.15				
188	8327	9	.17	.58	.12				
189	8328	9	.10	.14	.23				
190	8329	16	.69	1.01	.14				
191	8330 A	17	.73	1.07	.06				
192	8331	27	1.16	1.04	.13				
193	8332	29	1.39	3.10	.01				
194	8333	39	1.56	5.00	.01				
195	8334	47	2.07	5.70	.01				
196	8335	43	2.50	5.70	.03				
197	8336	50	2.80	4.80	.04				
198	8337	80	4.10	9.40	.02				
199	8338	65	3.90	5.40	.04				
200	8339	19	.94	1.22	.07				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 11

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
201	8340 A	20	1.08	1.71	.04				
202	8341	19	.99	1.11	.05				
203	8342	18	.73	.88	.04				
204	8343	28	1.70	5.10	.02				
205	8344	17	1.01	2.30	.02				
206	8345	30	1.81	4.00	.02				
207	8346	34	1.97	5.20	.06				
208	8347	27	1.38	3.20	.02				
209	8348	35	1.84	2.90	.05				
210	8349	12	.47	1.02	.05				
211	8350 A	10	.60	.49	.04				
212	8351	12	.51	.77	.08				
213	8352	25	1.85	3.80	.03				
214	8353	58	2.90	6.50	.08				
215	8354	60	3.30	5.00	.10				
216	8355	55	3.20	5.70	.05				
217	8356	33	1.98	4.60	.03				
218	8359	24	.77	1.05	.19				
219	8360 A	13	.35	.37	.15				
220	8361	100	6.30	5.10	.24				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 12

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
221	8362 A	23	.47	.55	.25				
222	8363	28	1.07	1.54	.11				
223	8364	68	3.90	6.00	.08				
224	8365	45	2.50	4.90	.19				
225	8366	27	1.10	1.90	.11				
226	8367	37	1.98	3.50	.04				
227	8368	6	.32	.60	.02				
228	8369	11	.69	.48	.03				
229	8370 A	8	.59	.59	.04				
230	8371	18	.94	1.79	.03				
231	8372 A	28	1.62	2.00	.04				
232	8373	9	.39	1.26	.23				
233	8374	20	.80	1.70	.13				
234	8375	6	.25	.48	.09				
235	8376	8	.41	.90	.09				
236	8377	23	1.44	5.70	.02				
237	8378	34	1.84	4.60	.04				
238	8379	9	.46	1.03	.05				
239	8380 A	39	2.40	4.40	.10				
240	8381	29	1.74	1.90	.10				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 13

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
241	8382 A	22	1.14	1.87	.06				
242	8383	38	1.95	4.80	.02				
243	8384	28	1.46	3.00	.03				
244	8385	25	1.41	2.60	.02				
245	8386	21	1.36	2.05	.02				
246	8387	6	.45	1.17	.03				
247	8388	31	1.84	3.10	.04				
248	8389	36	1.71	4.00	.03				
249	8390 A	28	1.74	3.30	.02				
250	8391	18	1.05	2.02	.02				
251	8392 A	24	1.32	2.80	.02				
252	8393	32	1.77	3.60	.03				
253	8394	30	1.39	3.10	.03				
254	8395	23	1.14	3.70	.02				
255	8396	29	1.38	3.30	.02				
256	8397	23	.61	1.83	.03				
257	8398	32	.94	2.90	.02				
258	8399	32	1.55	2.30	.05				
259	8400 A	81	4.60	8.90	.04				
260	8401	36	2.40	3.00	.08				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 14

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
261	8402 A	12	.69	.99	.01				
262	8403	17	1.02	1.90	.05				
263	8404	24	1.31	1.57	.05				
264	8405	41	2.09	1.72	.08				
265	8406	7	.29	.38	.09				
266	8407	42	2.60	3.40	.27				
267	8408	36	1.14	1.20	.18				
268	8409	58	3.30	4.90	.21				
269	8410 A	87	6.80	7.80	.23				
270	8411	96	5.10	7.70	.30				
271	8412 A	82	4.50	8.40	.15				
272	8413	97	4.70	7.30	.25				
273	8415	41	2.70	6.00	.05				
274	8416	50	3.10	5.10	.07				
275	8417	96	5.30	10.90	.17				
276	8418	161	9.60	15.30	.01				
277	8419	51	3.00	6.60	.05				
278	8420 A	31	1.58	3.80	.02				
279	8421	41	2.40	5.60	.03				
280	8422	58	3.30	6.80	.07				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 15

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
281	8423 A	74	4.40	11.10	.10				
282	8424	25	.82	2.70	.10				
283	8425	75	4.10	8.70	.09				
284	8426	6	.26	.16	.01				
285	8427	47	2.50	5.40	.03				
286	8431	42	2.60	5.90	.01				
287	8432	61	3.60	7.80	.05				
288	8433	72	4.10	6.10	.07				
289	8434	96	5.70	7.30	.05				
290	8435	32	1.89	3.50	.02				
291	8436 A	70	4.10	7.80	.02				
292	8437	159	5.90	11.30	.17				
293	8438	83	5.00	7.80	.06				
294	8439	12	.17	.14	.05				
295	8440 A	22	.19	.09	.09				
296	8441	66	3.40	5.00	.06				
297	8442	55	3.20	4.70	.04				
298	8443	77	3.60	6.80	.04				
299	8444	72	3.90	5.50	.09				
300	8445 A	19	1.19	2.05	.05				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 16

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
301	8446 A	13	.90	1.90	.04				
302	8447	19	1.19	1.68	.08				
303	8448	6	.26	.46	.03				
304	8449	20	1.08	2.60	.03				
305	8450 A	7	.46	.86	.02				
306	8451	6	.53	1.50	.04				
307	8452	22	1.22	1.67	.06				
308	8453	85	4.40	7.60	.18				
309	8454	6	.29	.55	.06				
310	8455	8	.32	.54	.08				
311	8456 A	90	6.00	7.90	.10				
312	8457	68	3.80	6.70	.09				
313	8458	31	1.64	3.70	.12				
314	8459	2	.09	.16	.09				
315	8460 A	8	.47	.69	.14				
316	8461	37	2.20	3.90	.07				
317	8462	21	1.03	1.31	.10				
318	8463	34	2.50	3.90	.05				
319	8464	91	5.40	8.40	.12				
320	8465	35	2.80	3.00	.22				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 17

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
321	8466 A	27	1.81	2.40	.25				
322	8467	26	2.70	1.83	.20				
323	8468	45	2.90	2.60	.27				
324	8469	86	6.40	8.30	.14				
325	8470 A	25	1.11	.46	.24				
326	8471	72	5.70	4.20	.16				
327	8472	32	1.83	1.96	.40				
328	8473	28	1.63	1.69	.07				
329	8481 A	45	3.70	6.80	.04				
330	8482	47	3.00	5.70	.04				
331	8483 A	24	1.69	3.60	.04				
332	8484	55	3.30	7.00	.02				
333	8485	33	1.86	4.90	.02				
334	8486	20	.83	1.81	.02				
335	8487	139	7.80	1.54	.08				
336	8488	31	1.29	3.70	.02				
337	8489	27	1.21	3.30	.02				
338	8490 A	68	3.70	9.80	.12				
339	8491	21	1.08	2.90	.02				
340	8492	34	1.74	3.30	.05				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 18

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
341	8493 A	18	.92	1.25	.04				
342	8494	19	.91	1.40	.04				
343	8495	53	3.20	4.70	.06				
344	8496	14	.52	.97	.03				
345	8497	9	.35	.71	.02				
346	8498	148	8.60	20.40	.09				
347	8499	28	1.44	4.20	.05				
348	8500 A	41	2.60	4.70	.07				
349	8501	30	1.36	2.64	.06				
350	8502	26	.92	1.51	.08				
351	8503 A	26	.98	1.43	.05				
352	8504	28	1.13	1.86	.05				
353	8505	43	2.90	4.50	.05				
354	8506	39	2.70	4.50	.04				
355	8507	69	4.40	5.90	.07				
356	8508	143	8.10	13.10	.06				
357	8509	54	3.40	3.50	.13				
358	8510 A	37	1.72	3.50	.16				
359	8511	29	1.25	2.30	.15				
360	8512	32	1.05	.55	.25				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 19

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
361	8513 A	111	6.50	9.50	.20				
362	8514	27	1.85	2.60	.11				
363	8515	42	2.70	2.40	.16				
364	8516	13	.19	.30	.20				
365	8517	8	.27	.65	.05				
366	8518	18	.45	.44	.41				
367	8519	76	5.50	6.60	.43				
368	8520 A	179	13.60	11.80	.12				
369	8521	31	1.72	1.96	.28				
370	8522	19	1.08	.87	.19				
371	8523 A	126	9.40	10.30	.18				
372	8524	77	5.70	7.40	.19				
373	8525	6	.15	.19	.01				
374	8526	122	8.80	8.40	.32				
375	8527	27	1.26	1.63	.15				
376	8528	32	1.99	2.40	.16				
377	8529	29	1.88	2.10	.12				
378	8530 A	21	1.17	1.58	.08				
379	8531	32	2.06	2.80	.12				
380	8532	32	2.09	2.30	.10				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 20

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
381	8533 A	25	1.85	2.40	.07				
382	8534	23	1.67	1.84	.08				
383	8535	29	1.86	2.50	.12				
384	8536	26	1.60	1.67	.28				
385	8537	16	.28	1.03	.43				
386	8538	5	.24	.51	.03				
387	8539	39	2.00	3.20	.24				
388	8540 A	76	5.70	6.60	.13				
389	8541	115	7.50	11.10	.19				
390	8542	152	9.60	21.60	.07				
391	8543 A	165	9.60	22.40	.06				
392	8544	67	4.30	9.80	.05				
393	8545	19	1.02	2.90	.03				
394	8546	31	2.60	6.50	.02				
395	8547	60	3.30	4.60	.15				
396	8548	382	3.30	3.50	.17				
397	8549	52	3.80	3.90	.20				
398	8550 A	32	1.89	4.50	.02				
399	8551	32	2.05	4.00	.08				
400	8552	13	.96	2.40	.16				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 21

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
401	8553 A	30	2.70	2.80	.06				
402	8554	39	3.20	3.80	.07				
403	8555	15	.91	1.14	.05				
404	8556	4	.24	.58	.04				
405	8557	7	.38	.55	.04				
406	8558	52	3.50	6.80	.02				
407	8559	24	1.50	2.90	.03				
408	8560 A	34	2.08	4.70	.08				
409	8565	26	1.40	2.50	.03				
410	8566	15	.49	1.87	.06				
411	8567 A	25	1.25	4.00	.04				
412	8568	28	1.18	3.20	.08				
413	8569	28	1.25	3.80	.02				
414	8570 A	39	1.71	3.00	.03				
415	8571	31	1.97	3.70	.05				
416	8572	23	1.09	2.20	.04				
417	8573	26	1.23	2.30	.07				
418	8574	16	.72	1.13	.05				
419	8575	6	.19	.19	.01				
420	8576	5	.14	.11	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 22

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
421	8577 A	27	2.40	2.10	.03				
422	8578	60	5.50	6.50	.04				
423	8579	42	3.30	6.50	.04				
424	8580 A	72	3.70	3.10	.16				
425	8581	25	.65	.21	.15				
426	8582	98	5.60	4.80	.16				
427	8583	128	8.10	7.50	.11				
428	8584	21	1.19	1.16	.11				
429	8585	18	1.08	1.21	.10				
430	8586	18	1.26	1.37	.07				
431	8587 A	18	1.06	1.24	.11				
432	8593 A	95	7.60	6.00	.13				
433	8594	75	4.80	6.30	.10				
434	8595	43	2.02	4.60	.04				
435	8596	123	7.10	8.40	.14				
436	8597	87	6.20	8.00	.03				
437	8598	26	.93	1.65	.24				
438	8599	75	6.20	4.30	.15				
439	8600 A	27	.95	.66	.19				
440	8601	23	1.07	1.48	.08				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 23

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
441	8602 A	6	.11	.11	.05				
442	8603	14	.54	.86	.12				
443	8604	8	.38	.67	.04				
444	8605	15	.65	1.06	.05				
445	8606	12	.56	1.14	.04				
446	8607	14	.78	2.40	.09				
447	8608	11	.54	1.51	.06				
448	8609	23	1.09	1.98	.16				
449	8610 A	34	1.73	2.60	.09				
450	8611	63	3.90	10.00	.03				
451	8612 A	32	1.70	3.80	.06				
452	8613	19	1.03	2.30	.01				
453	8614	7	.45	1.26	L.01				
454	8615	25	1.30	3.60	.01				
455	8616	39	2.03	5.10	.02				
456	8617	5	.26	.65	L.01				
457	8618	14	.37	.77	.15				
458	8619	36	1.50	2.50	.37				
459	8620 A	38	2.80	2.40	.10				
460	8621	39	3.10	2.30	.09				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 24

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
461	8622 A	43	3.40	3.30	.07				
462	8623	18	.59	.90	.13				
463	8624	41	2.12	2.60	.08				
464	8625	40	3.20	2.90	.06				
465	8626	41	3.30	3.00	.05				
466	8627	19	.97	1.19	.07				
467	8628	15	.89	.83	.06				
468	8629	34	2.11	3.60	.05				
469	8630 A	40	3.00	4.10	.04				
470	8631	14	.69	1.07	.09				
471	8632 A	12	.38	.86	.11				
472	8633	8	.17	.41	.12				
473	8634	100	4.90	8.00	.10				
474	8635	64	4.10	7.00	.08				
475	8636	6	.19	.45	.01				
476	8637	43	1.99	2.30	.07				
477	8638	44	2.06	2.90	.08				
478	8639	3	.03	.05	L.01				
479	8640 A	23	1.35	1.40	.01				
480	8641	49	2.60	5.10	.04				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 25

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
481	8642 A	94	4.70	10.00	.07				
482	8643	82	5.50	8.10	.17				
483	8651 A	19	.46	1.31	.29				
484	8652	10	.13	.79	.26				
485	8653	13	.21	1.28	.15				
486	8654	7	.04	.59	.23				
487	8655	5	.08	.52	.22				
488	8656	11	.06	.79	.28				
489	8657	2	.02	1.71	.16				
490	8658	5	.03	1.28	.24				
491	8659 A	L1	.02	1.15	.04				
492	8660 A	2	.02	.94	.16				
493	8661	68	3.40	3.60	.24				
494	8662	19	1.64	2.20	.26				
495	8663	8	.37	.69	.05				
496	8664	15	.70	1.00	.02				
497	8665	109	6.30	11.20	.18				
498	8666	121	6.10	9.20	.23				
499	8667	19	1.18	.87	.04				
500	8668	115	5.90	8.50	.22				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4407 8

Date September 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
141	8589A	16	.58	.91	.11				
142	8590A	34	1.82	1.82	.10				
143	8591	51	3.30	2.80	.30				
144	8592A	58	4.10	3.20	.23				
145	8678A	20	.22	.28	.26				
146	8679	24	.73	1.02	.19				
147	8680A	12	.35	.55	.09				
148	8681	23	.77	1.00	.14				
149	8682	32	1.97	1.73	.26				
150	8683A	39	1.94	1.79	.36				
151	8684A	34	1.76	1.75	.16				
152	8685	62	4.70	3.80	.17				
153	8686	22	1.29	.78	.25				
154	8687	20	.77	.40	.23				
155	8688	34	2.00	1.03	.19				
156	8689	45	3.40	2.03	.29				
157	8690A	37	2.70	3.70	.18				
158	8691	19	1.18	1.26	.26				
159	8692	15	.94	.90	.19				
160	8693A	18	.94	.79	.17				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 26

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
501	8669 A	110	6.10	10.00	.05				
502	8670 A	12	.73	1.40	.03				
503	8671	13	.70	1.49	.06				
504	8672	7	.27	.47	.06				
505	8673	17	.97	1.64	.05				
506	8674	20	.90	1.40	.08				
507	8675	19	.65	.97	.12				
508	8676	7	.33	.56	.12				
509	8677 A	11	.57	.78	.13				
510	8701 A	35	.98	.26	.12				
511	8702 A	72	4.20	4.00	.22				
512	8703	63	4.20	4.00	.14				
513	8704	58	3.90	4.30	.13				
514	8705	21	1.31	1.78	.11				
515	8706	72	5.20	5.20	.13				
516	8707	14	.88	1.03	.17				
517	8708	19	1.21	1.77	.10				
518	8709	9	.36	.34	.18				
519	8710 A	20	1.05	.78	.14				
520	8711	31	1.76	1.88	.19				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 27

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
521	8712 A	17	.61	.52	.23				
522	8713	9	.26	.52	.14				
523	8714	8	.99	.68	.09				
524	8715	9	.51	.37	.15				
525	8716	20	1.22	2.10	.16				
526	8717	43	2.90	3.30	.29				
527	8718	20	1.20	1.90	.09				
528	8719	10	.47	1.16	.07				
529	8720 A	18	.90	1.73	.05				
530	8721	47	3.70	3.70	.11				
531	8722 A	45	3.20	3.70	.15				
532	8723	20	1.13	1.59	.14				
533	8724	9	.49	.54	.10				
534	8725	8	.16	.54	.27				
535	8726	8	.13	.78	.14				
536	8727	5	.15	.24	.14				
537	8728	54	3.60	4.00	.10				
538	8729	11	.21	.71	.20				
539	8730 A	8	.16	.28	.10				
540	8731	37	1.72	2.07	.19				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 28

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
541	8732 A	29	.99	1.02	.32				
542	8733	54	2.90	7.80	.04				
543	8734	60	3.10	6.40	.03				
544	8735	44	2.20	5.00	.04				
545	8736	33	1.82	3.90	.04				
546	8737	29	1.60	2.70	.05				
547	8738	41	2.60	2.60	.03				
548	8739	71	3.50	5.70	.03				
549	8740 A	23	1.20	4.70	.04				
550	8741	30	1.78	4.30	.03				
551	8742 A	25	1.34	4.20	.03				
552	8743	2	.06	.12	.01				
553	8744	18	1.09	1.84	.05				
554	8745	15	.93	1.72	.05				
555	8746	15	.74	1.18	.05				
556	8747	45	2.50	4.70	.08				
557	8748	33	1.71	3.10	.05				
558	8749	158	8.70	16.30	.09				
559	8750 A	47	1.91	4.10	.03				
560	8751	35	1.24	3.90	.02				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 29

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
561	8752 A	33	1.30	3.70	.03				
562	8753	46	2.40	6.20	.04				
563	8754	35	1.36	3.00	.06				
564	8755	75	4.40	7.30	.01				
565	8756	71	4.30	7.20	.01				
566	8757	10	.52	1.20	.07				
567	8758	101	6.80	6.90	.01				
568	8759	5	.13	.13	.04				
569	8792 A	159	8.90	17.10	.12				
570	8793	94	4.70	5.10	.20				
571	8794 A	102	6.10	7.80	.07				
572	8795	127	8.10	10.00	.17				
573	8796	77	5.00	7.30	.08				
574	8797	80	6.00	6.60	.10				
575	8798	40	2.40	1.30	.13				
576	8799	23	.78	1.02	.16				
577	8800 A	133	.15	1.54	.36				
578	8801	12	.59	.66	.03				
579	8802	21	1.11	2.08	.03				
580	8803	11	.52	.55	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.
330 - 355 Burrard Street
Vancouver, B.C. V6C 2G8

Certificate No. K-4380A

Date September 30, 1981

32

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
1	8760A	100	6.00	11.10	.02				
2	8761	8	.18	.21	.02				
3	8762	66	3.70	9.70	.06				
4	8763	36	1.66	1.81	.21				
5	8764	76	4.80	8.10	.17				
6	8765	13	.57	1.56	.02				
7	8766	117	7.40	14.80	.09				
8	8767	65	3.80	9.50	.06				
9	8768	37	1.62	2.50	.05				
10	8769A	26	1.26	3.60	.02				
11	8770A	26	1.34	3.50	.01				
12	8771	40	2.90	4.60	.03				
13	8772	10	.43	.46	.07				
14	8773	44	2.90	2.40	.21				
15	8774	105	5.00	8.50	.22				
16	8775	51	3.50	4.20	.26				
17	8776	13	.33	.41	.12				
18	8777	22	1.00	.87	.12				
19	8778	13	.57	1.37	.08				
20	8779A	14	.68	1.21	.05				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380A 2

Date September 30, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
21	8780A	41	2.60	2.05	.16				
22	8781	88	5.70	6.70	.25				
23	8782	107	7.00	10.20	.07				
24	8783	15	.74	1.18	.01				
25	8784	70	3.80	8.70	.05				
26	8785	103	6.20	15.90	.08				
27	8786	110	6.00	11.70	.22				
28	8787	133	7.80	13.50	.14				
29	8788	158	8.70	20.30	.16				
30	8789A	123	8.00	16.10	.02				
31	8790A	146	9.10	13.40	.22				
32	8791	172	10.20	17.60	.15				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4407 9

Date September 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
161	8694A	63	3.00	8.90	.03				
162	8695	120	7.90	7.50	.04				
163	8696	90	7.80	3.90	.10				
164	8697	53	4.40	3.70	.09				
165	8698	40	2.50	4.90	.05				
166	8699	20	1.33	2.90	.03				
167	8700A	40	2.10	3.20	.06				
168	8822A	42	2.40	5.00	.09				
169	8823	49	2.40	7.30	.07				
170	8824A	20	1.29	2.20	.04				
171	8825A	10	1.34	.35	.05				
172	8828A	13	.85	1.25	.14				
173	8829	7	.17	.27	.19				
174	8830A	7	.17	.21	.24				
175	8831	5	.13	.17	.20				
176	8832	3	.17	.18	.19				
177	8833	32	1.18	.98	.27				
178	8834	45	3.80	3.00	.30				
179	8835	18	1.50	1.51	.08				
180	8836	21	.46	.50	.26				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 30

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
581	8804 A	64	4.80	5.10	.05				
582	8805	55	3.40	7.10	.03				
583	8806	76	5.00	7.60	.06				
584	8807	19	1.00	2.20	.03				
585	8808	37	2.40	5.10	.03				
586	8809	18	1.00	1.74	.07				
587	8810 A	29	1.80	3.70	.05				
588	8811	19	1.09	1.83	.06				
589	8812	41	2.30	3.50	.05				
590	8813	118	7.00	14.40	.02				
591	8814 A	97	5.50	11.90	.06				
592	8815	164	9.00	17.70	.09				
593	8816	24	1.42	3.20	.03				
594	8817	29	1.64	3.70	.03				
595	8818	38	2.10	3.90	.08				
596	8819	16	.96	3.70	.02				
597	8820 A	25	1.54	3.20	.06				
598	8821	38	2.20	3.60	.10				
599	8851 A	28	1.58	.79	.25				
600	8852	29	1.80	1.03	.11				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 31

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
601	8853 A	20	.63	.74	.16					
602	8854	20	.32	.49	.31					
603	8855	14	.20	.14	.32					
604	8856	16	.05	.06	.69					
605	8857 A	11	.08	.15	.21					
L means "Less than"										

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4407 10

Date September 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
181	8837A	11	.16	.26	.29				
182	8838	7	.06	.31	.32				
183	8839	11	.05	.25	.36				
184	8840A	12	.21	.37	.35				
185	8841	48	3.40	5.60	.16				
186	8842	12	.60	1.04	.10				
187	8843	22	1.40	1.17	.25				
188	8844	62	5.40	6.00	.14				
189	8845	11	.35	.29	.15				
190	8846A	10	.08	.10	.16				
191	8847A	35	2.04	2.30	.15				
192	8848	36	2.40	2.10	.23				
193	8849	38	2.40	2.20	.25				
194	8850A	19	.66	.65	.52				
195	8858A	90	5.70	9.10	.05				
196	8859	69	5.90	4.60	.11				
197	8860A	64	4.20	5.00	.08				
198	8861	90	5.50	10.20	.07				
199	8862	11	.53	.51	.05				
200	8863A	47	2.70	6.00	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4407 11

Date September 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
201	8864A	5	.16	.29	.02				
202	8865	86	6.50	9.30	.03				
203	8866	44	2.05	6.40	.05				
204	8867	107	6.20	15.10	.05				
205	8868	86	5.00	5.60	.18				
206	8869	36	2.06	4.80	.03				
207	8870A	52	3.20	5.60	.10				
208	8871	76	5.60	5.60	.14				
209	8872	68	4.70	5.50	.08				
210	8873A	117	8.10	14.50	.10				
211	8874A	72	4.50	6.80	.12				
212	8875	88	5.90	9.30	.06				
213	8876	107	7.50	11.90	.15				
214	8877	80	2.80	5.10	.28				
215	8878	35	1.44	2.90	.11				
216	8879	15	.33	.85	.06				
217	8880A	11	.52	.65	.07				
218	8881	24	1.48	1.86	.06				
219	8882	29	2.02	3.20	.06				
220	8883A	52	4.30	5.60	.05				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.
330 - 355 Burrard Street
Vancouver, B.C. V6C 2G8

Certificate No. K-4462

Date October 5, 1981

957

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
1	8357 A	23	1.50	3.90	.03				
2	8358 A	46	3.20	5.60	.07				
3	8561 A	65	3.50	7.70	.22				
4	8562	38	1.88	4.30	.17				
5	8563	65	3.60	4.50	.20				
6	8564 A	20	.39	.91	.28				
7	8644 A	51	3.20	4.90	.31				
8	8645	37	2.07	3.90	.43				
9	8646	49	2.80	3.40	.26				
10	8647 A	50	2.70	5.50	.23				
11	8648 A	102	6.20	9.80	.12				
12	8649	12	.47	.78	.17				
13	8650 A	70	4.70	7.90	.17				
14	8826 A	12	.18	.46	.29				
15	8827 A	10	.21	.39	.19				
16	8891 A	41	1.92	3.90	.03				
17	8892	35	1.74	3.50	.03				
18	8893	15	.81	1.90	.03				
19	8894	20	1.19	3.00	.04				
20	8895 A	31	1.65	4.30	.07				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 2

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
21	8896 A	28	1.74	4.60	.05				
22	8897	22	1.41	3.30	.03				
23	8898	35	1.81	.55	.04				
24	8899	38	1.95	6.30	.05				
25	8900 A	30	1.85	3.40	.03				
26	8917 A	8	.14	.42	.18				
27	8918	11	.25	.52	.17				
28	8919	27	1.03	2.30	.07				
29	8920 A	33	1.48	1.83	.06				
30	8921 A	35	1.87	5.00	.03				
31	8922 A	101	7.10	7.90	.14				
32	8923	36	2.50	3.80	.03				
33	8924	19	.85	2.30	.03				
34	8925	52	4.60	3.90	.21				
35	8926	22	1.11	1.36	.33				
36	8927	19	.80	1.00	.32				
37	8928	21	1.35	1.23	.25				
38	8929	25	1.31	1.60	.37				
39	8930 A	6	.26	.41	.18				
40	8931 A	18	1.41	1.20	.19				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4407 12

Date September 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
221	8884A	47	3.80	6.90	.04				
222	8885	32	1.56	3.20	.05				
223	8886	100	6.30	8.90	.08				
224	8887	185	10.60	17.50	.07				
225	8888	114	7.30	14.80	.09				
226	8889	21	.95	.98	.19				
227	8890A	34	2.50	3.40	.12				
228	8901A	49	2.40	6.90	.03				
229	8902	32	.93	2.90	.06				
230	8903A	96	7.90	7.00	.12				
231	8904A	73	5.10	4.90	.13				
232	8905	25	.82	1.12	.13				
233	8906	29	.99	2.40	.05				
234	8907	133	8.30	15.70	.04				
235	8908	17	.51	1.29	.10				
236	8909	11	.16	.27	.24				
237	8910A	10	.10	.19	.22				
238	8911	13	.11	.18	.27				
239	8912	7	.08	.19	.15				
240	8913A	11	.12	.14	.20				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 3

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
41	8932 A	31	1.70	2.40	.23				
42	8933	10	.38	.48	.08				
43	8934	11	.32	.64	.07				
44	8935	8	.40	1.23	.04				
45	8936	11	.47	.49	.09				
46	8937	8	.30	.38	.08				
47	8938 A	29	1.70	.67	.04				
48	8948 A	18	1.14	1.70	.04				
49	8949	29	1.76	1.74	.08				
50	8950 A	17	1.01	.65	.06				
51	9001 A	18	.63	.37	.42				
52	9002	21	.93	.45	.15				
53	9003	29	1.28	2.70	.22				
54	9004	10	.19	.54	.20				
55	9005	12	.21	.27	.20				
56	9006	39	2.30	4.60	.06				
57	9007	74	4.20	6.90	.07				
58	9008	30	1.71	2.90	.06				
59	9009	31	1.54	3.50	.05				
60	9010 A	29	1.20	2.60	.04				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4407 13

Date September 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
241	8914A	9	.05	.05	.40				
242	8915	7	.11	.18	.07				
243	8916A	26	1.76	3.20	.08				
244	8939A	24	1.86	3.60	.04				
245	8940A	10	.13	.39	.14				
246	8941	23	1.70	1.00	.04				
247	8942	81	4.90	6.80	.20				
248	8943	120	7.10	12.00	.15				
249	8944	23	1.66	3.60	.03				
250	8945A	36	2.80	4.50	.05				
251	8946A	11	.29	.48	.10				
252	8947A	10	.26	.47	.11				
253	8951A	80	4.70	9.80	.06				
254	8952	33	2.50	3.90	.09				
255	8953	10	.30	.72	.07				
256	8954	10	.23	.63	.06				
257	8955	32	1.76	2.80	.08				
258	8956	166	7.90	13.60	.19				
259	8957	97	2.10	3.70	.13				
260	8958A	10	1.00	1.02	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4407 14

Date September 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
261	8959A	93	5.20	7.70	.26				
262	8960A	64	4.00	6.80	.14				
263	8961	52	2.60	6.00	.10				
264	8962	54	3.30	6.70	.08				
265	8963	68	4.70	8.90	.15				
266	8964	60	3.50	5.40	.16				
267	8965	100	5.70	8.70	.14				
268	8966	44	2.40	6.70	.07				
269	8967	80	4.80	8.40	.11				
270	8968A	4	.16	.31	.02				
271	8969A	103	7.80	11.40	.04				
272	8970A	50	2.80	5.20	.05				
273	8971	63	3.50	6.80	.08				
274	8972	50	3.30	4.50	.13				
275	8973	69	4.00	7.20	.14				
276	8974	46	3.10	4.20	.14				
277	8975	89	5.60	10.50	.22				
278	8976	72	5.40	7.00	.25				
279	8977	66	4.40	7.00	.21				
280	8978A	69	3.80	6.20	.24				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4407 15

Date September 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
281	8979A	45	2.90	5.90	.18				
282	8980A	115	8.00	11.40	.15				
283	8981	66	4.30	5.80	.22				
284	8982	58	3.50	6.60	.28				
285	8983	60	4.00	7.30	.12				
286	8984	80	6.40	8.30	.09				
287	8985	15	.37	.35	.28				
288	8986	17	.21	1.46	.33				
289	8987	9	.07	1.22	.22				
290	8988A	15	.36	.49	.26				
291	8989A	32	1.37	1.32	.27				
292	8990A	39	1.90	2.70	.24				
293	8991	94	4.80	9.00	.07				
294	8992	96	6.90	4.60	.15				
295	8993	110	6.40	8.30	.07				
296	8994	35	2.05	2.90	.14				
297	8995	38	1.77	1.34	.18				
298	8996	12	.65	.58	.10				
299	8997	35	1.91	2.40	.30				
300	8998A	30	1.53	1.83	.25				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4407 16

Date September 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
301	8999A	58	3.60	3.70	.17				
302	FAG A-011 9000A	13	.42	.76	.19				
303	FAG A-065 9057A	198	8.50	16.40	.12				
304	9058	151	8.40	11.30	.09				
305	9059	65	4.10	5.00	.26				
306	9060A	77	4.40	9.50	.12				
307	9061	19	.26	.63	.28				
308	9062	44	<u>1.67</u>	2.40	.14				
309	FAG A-065 9063	30	.81	.97	.13				
310	FAG A-149 9064A	7	.15	.39	.24				
311	9065A	76	6.50	6.60	.08				
312	9066	27	1.55	3.20	.08				
313	9067	87	6.70	6.50	.19				
314	9068	77	6.10	5.80	.09				
315	9069	84	6.50	7.30	.08				
316	9070A	14	.38	.38	.22				
317	9071	8	.11	.18	.32				
318	9072	7	.09	.16	.19				
319	9073	13	.28	.46	.34				
320	FAG A-149 9074A	27	1.54	.59	.25				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4407 16

Date September 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
301	8999A	58	3.60	3.70	.17				
302	9000A	13	.42	.76	.19				
303	9057A	198	8.50	16.40	.12				
304	9058	151	8.40	11.30	.09				
305	9059	65	4.10	5.00	.26				
306	9060A	77	4.40	9.50	.12				
307	9061	19	.26	.63	.28				
308	9062	44	1.67	2.40	.14				
309	9063	30	.81	.97	.13				
310	9064A	7	.15	.39	.24				
311	9065A	76	6.50	6.60	.08				
312	9066	27	1.55	3.20	.08				
313	9067	87	6.70	6.50	.19				
314	9068	77	6.10	5.80	.09				
315	9069	84	6.50	7.30	.08				
316	9070A	14	.38	.38	.22				
317	9071	8	.11	.18	.32				
318	9072	7	.09	.16	.19				
319	9073	13	.28	.46	.34				
320	9074A	27	1.54	.59	.25				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 3

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
41	8932 A	31	1.70	2.40	.23					
42	8933	10	.38	.48	.08					
43	8934	11	.32	.64	.07					
44	8935	8	.40	1.23	.04					
45	8936	11	.47	.49	.09					
46	8937	8	.30	.38	.08					
47	8938 A	29	1.70	.67	.04					
48	8948 A	18	1.14	1.70	.04					
49	8949	29	1.76	1.74	.08					
50	8950 A	17	1.01	.65	.06					
51	9001 A	18	.63	.37	.42					
52	9002	21	.93	.45	.15					
53	9003	29	1.28	2.70	.22					
54	9004	10	.19	.54	.20					
55	9005	12	.21	.27	.20					
56	9006	39	2.30	4.60	.06					
57	9007	74	4.20	6.90	.07					
58	9008	30	1.71	2.90	.06					
59	9009	31	1.54	3.50	.05					
60	9010 A	29	1.20	2.60	.04					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 4

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
61	9011 A	18	.62	.97	.04				
62	9012	24	1.11	1.89	.04				
63	9013	19	.73	1.04	.03				
64	9014	27	1.17	2.50	.05				
65	9015	33	1.48	4.00	.05				
66	9016	46	2.90	3.80	.06				
67	9017	25	1.54	3.20	.05				
68	9018	60	3.60	4.90	.04				
69	9019	104	6.90	10.30	.04				
70	9020 A	92	5.10	8.00	.09				
71	9021 A	91	5.00	7.20	.09				
72	9022	69	3.50	5.10	.11				
73	9023	172	16.20	10.30	.10				
74	9024	54	4.10	4.50	.09				
75	9025	13	.17	.33	.38				
76	9026	13	.51	1.22	.12				
77	9027	11	.15	.21	.24				
78	9028	4	.09	.29	.22				
79	9029	10	.18	.21	.12				
80	9030 A	41	1.81	4.60	.06				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 5

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
81	9031 A	43	2.00	4.40	.04				
82	9032	34	1.71	4.00	.04				
83	9033	49	2.70	6.90	.07				
84	9034	43	1.86	5.80	.07				
85	9035	28	1.49	4.80	.04				
86	9036	47	2.60	5.40	.05				
87	9037	28	1.51	3.30	.04				
88	9038	45	2.30	6.00	.04				
89	9039	46	2.70	6.20	.06				
90	9040 A	10	.48	.62	.03				
91	9041 A	40	2.20	5.20	.03				
92	9042	8	.16	.68	.03				
93	9043	30	1.93	2.50	.06				
94	9044	29	2.30	1.45	.05				
95	9045	20	1.40	2.70	.06				
96	9046	38	2.30	4.60	.04				
97	9047	35	1.85	4.70	.03				
98	9048	36	2.20	4.60	.05				
99	9049	124	7.20	13.50	.13				
100	9050 A	23	.87	2.70	.05				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
VIS 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4407 16

Date September 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
301	8999A	58	3.60	3.70	.17					
302	9000A	13	.42	.76	.19					
303	9057A	198	8.50	16.40	.12					
304	9058	151	8.40	11.30	.09					
305	9059	65	4.10	5.00	.26					
306	9060A	77	4.40	9.50	.12					
307	9061	19	.26	.63	.28					
308	9062	44	1.67	2.40	.14					
309	9063	30	.81	.97	.13					
310	9064A	7	.15	.39	.24					
311	9065A	76	6.50	6.60	.08					
312	9066	27	1.55	3.20	.08					
313	9067	87	6.70	6.50	.19					
314	9068	77	6.10	5.80	.09					
315	9069	84	6.50	7.30	.08					
316	9070A	14	.38	.38	.22					
317	9071	8	.11	.18	.32					
318	9072	7	.09	.16	.19					
319	9073	13	.28	.46	.34					
320	9074A	27	1.54	.59	.25					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 6

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
101	9051 A	32	1.03	1.02	.19				
102	9052	7	.12	.31	.07				
103	9053	18	.42	.45	.17				
104	9054	15	.36	.43	.13				
105	9055	60	3.80	5.90	.06				
106	9056 A	70	5.00	8.80	.10				
107	9075 A	41	2.80	2.30	.23				
108	9076	12	.50	.70	.24				
109	9077	7	.23	.38	.18				
110	9078 A	11	.37	1.03	.18				
111	9079 A	125	7.30	15.60	.06				
112	9080 A	61	3.70	7.80	.02				
113	9081	57	3.40	6.40	.04				
114	9082	24	1.42	2.60	.06				
115	9083	22	1.34	2.90	.04				
116	9084	21	1.15	2.20	.06				
117	9085	24	1.22	2.30	.07				
118	9086	43	3.24	4.90	.03				
119	9087	16	.73	2.40	.02				
120	9088 A	23	1.22	1.70	.07				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 7

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
121	9089 A	28	1.23	2.70	.07				
122	9090 A	33	1.46	1.85	.08				
123	9091	10	.30	.90	.04				
124	9092	26	.93	1.58	.07				
125	9093	21	.71	1.04	.07				
126	9094	38	2.30	2.20	.07				
127	9095	24	1.45	.92	.08				
128	9096	45	2.80	1.15	.07				
129	9097	37	2.50	1.28	.08				
130	9098 A	38	2.60	2.03	.06				
131	9099 A	36	2.30	1.94	.08				
132	9100 A	28	2.01	1.19	.08				
133	9101	28	1.79	1.50	.09				
134	9102	10	.38	.69	.09				
135	9103	8	.35	.21	.06				
136	9104	27	1.76	2.90	.04				
137	9105	16	1.02	1.36	.06				
138	9106	16	1.43	.65	.04				
139	9107	19	1.59	2.50	.03				
140	9108 A	17	1.44	1.84	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 8

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
141	9109 A	28	2.50	2.03	.05				
142	9110 A	27	2.60	.93	.07				
143	9111	8	.33	.44	.09				
144	9112	7	.27	.61	.08				
145	9113	5	.13	.36	.11				
146	9114	5	.08	.24	.09				
147	9115	8	.29	1.00	.08				
148	9116	25	1.47	2.70	.09				
149	9117	50	2.60	3.00	.08				
150	9118	7	.09	.36	.10				
151	9119 A	76	5.40	9.60	.19				
152	9120 A	97	5.50	8.10	.19				
153	9121	87	2.60	4.70	.18				
154	9122	69	3.40	5.20	.14				
155	9123	59	2.80	5.00	.05				
156	9124	92	5.10	8.90	.09				
157	9125	64	2.90	3.70	.13				
158	9126	63	3.40	6.10	.10				
159	9127	85	3.80	6.80	.15				
160	9128 A	105	3.50	6.30	.26				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia

9000



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 9

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
161	9129 A	114	4.70	7.80	.21					
162	9130 A	122	4.70	7.30	.16					
163	9131	19	.67	1.25	.11					
164	9132	8	.16	.94	.12					
165	9133	15	.26	2.00	.23					
166	9134	44	1.69	3.10	.33					
167	9135	16	.47	2.30	.07					
168	9136	17	.79	1.98	.11					
169	9137	6	.09	.56	.10					
170	9138 A	8	.16	.99	.09					
171	9139 A	79	4.10	11.40	.07					
172	9140 A	72	4.20	5.00	.17					
173	9141	18	.38	.40	.41					
174	9142	10	.53	.34	.05					
175	9143	8	.37	.39	.03					
176	9144	30	.64	.19	.21					
177	9145	87	6.60	4.30	.19					
178	9146	106	7.40	7.10	.16					
179	9147	61	4.10	4.60	.40					
180	9148 A	136	9.70	8.30	.07					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 10

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
181	9149 A	170	15.80	10.00	.07					
182	9150 A	65	4.70	3.90	.16					
183	9151	52	3.40	5.70	.08					
184	9152	39	2.60	5.20	.03					
185	9153	12	.63	3.40	.02					
186	9154	60	3.60	7.10	.05					
187	9155	15	.82	2.60	.01					
188	9156	47	3.10	5.50	.02					
189	9157	17	1.04	2.60	.02					
190	9158 A	15	.92	1.52	.02					
191	9159 A	15	1.05	1.76	.02					
192	9160 A	9	.58	1.07	.02					
193	9161	24	1.65	1.68	.01					
194	9162	11	.54	.80	.07					
195	9163	14	.66	.73	.10					
196	9164	10	.52	.65	.08					
197	9165	9	.43	.53	.10					
198	9166	14	.64	.57	.12					
199	9167	26	1.77	1.29	.03					
200	9168 A	47	1.88	6.10	.04					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 11

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
201	9169 A	40	1.65	5.30	.04				
202	9170 A	46	2.40	5.50	.05				
203	9171	36	2.02	5.20	.03				
204	9172	64	1.74	4.20	.05				
205	9173	35	1.89	2.60	.04				
206	9174	45	3.20	3.30	.06				
207	9175	81	4.60	8.60	.03				
208	9176	43	2.40	4.40	.09				
209	9177	32	1.55	4.60	.04				
210	9178 A	30	2.05	2.74	.06				
211	9179 A	15	.93	1.31	.07				
212	9180 A	23	2.70	.96	.06				
213	9181	33	3.10	2.94	.07				
214	9182	53	3.20	4.32	.12				
215	9183	35	1.62	3.04	.12				
216	9184	5	.27	.30	.03				
217	9185	100	5.50	9.60	.15				
218	9186	27	1.92	3.20	.05				
219	9187	18	1.50	2.80	.06				
220	9188 A	19	1.38	1.80	.09				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4462 12

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
221	9189 A	28	1.05	3.60	.04				
222	9190 A	37	1.71	4.80	.07				
223	9191	6	.10	.60	.03				
224	9192	25	1.32	2.80	.11				
225	9193	61	4.20	7.50	.05				
226	9194	28	.68	1.58	.07				
227	9195	88	3.50	6.50	.04				
228	9196	32	.90	1.15	.12				
229	9197	80	4.70	10.20	.03				
230	9198 A	115	7.20	14.60	.10				
231	9199 A	119	7.90	14.20	.09				
232	9200 A	90	5.50	9.80	.16				
233	9201	59	3.50	7.90	.06				
234	9202	51	3.20	6.20	.03				
235	9203	52	3.00	6.20	.04				
236	9204	32	1.25	3.30	.08				
237	9205	49	2.40	4.80	.07				
238	9206	42	1.77	3.80	.08				
239	9207	44	1.95	4.20	.05				
240	9208	41	1.92	4.80	.02				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 13

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
241	9209 A	6	.18	1.15	.05				
242	9210 A	18	.96	2.94	L.01				
243	9211	42	2.06	4.60	.03				
244	9212	33	1.14	3.50	.03				
245	9213	46	2.40	5.10	.05				
246	9214	66	4.00	5.20	.06				
247	9215	94	4.80	10.10	.04				
248	9216	97	4.70	12.20	.01				
249	9217	36	1.94	3.80	.04				
250	9218 A	50	3.20	3.60	.12				
251	9219 A	26	1.48	1.40	.08				
252	9220 A	33	1.72	1.86	.07				
253	9221	166	7.10	12.30	.21				
254	9222	130	7.60	12.90	.11				
255	9223	36	3.10	4.10	.04				
256	9224	65	3.90	6.00	.16				
257	9225	61	3.10	4.90	.15				
258	9226	42	2.60	4.40	.04				
259	9227	12	.51	.78	.08				
260	9228	4	.06	.22	.07				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 14

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
261	9229 A	5	.05	.10	.07				
262	9230 A	5	.05	.11	.16				
263	9231	64	4.40	8.80	.14				
264	9232	4	.06	.11	.08				
265	9233	10	.82	.98	.08				
266	9234	31	2.80	2.90	.27				
267	9235	31	2.80	3.40	.20				
268	9236	10	.61	1.63	.02				
269	9237	59	3.30	5.50	.03				
270	9238 A	34	1.75	3.80	.02				
271	9239 A	28	1.17	1.67	.32				
272	9240 A	22	.43	.28	.34				
273	9241	16	.85	.70	.32				
274	9242	58	5.20	4.00	.18				
275	9243	12	.32	.73	.29				
276	9244	26	1.42	1.06	.30				
277	9245	21	.61	.77	.33				
278	9246	8	.14	.21	.08				
279	9247	4	.05	.07	.21				
280	9248 A	13	.53	.77	.13				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 15

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
281	9249 A	40	1.84	2.80	.02				
282	9257 A	56	3.70	4.20	.04				
283	9258	135	10.10	12.80	.04				
284	9259	92	5.90	9.60	.04				
285	9260 A	123	8.10	14.30	.18				
286	9261	79	4.80	7.60	.05				
287	9262	50	3.00	2.80	.14				
288	9263	173	11.50	10.10	.22				
289	9264	36	1.31	1.72	.05				
290	9266 A	23	1.03	.55	.03				
291	9267 A	31	1.64	3.60	.06				
292	9268	25	1.33	3.20	.04				
293	9269	29	1.38	3.20	.06				
294	9270 A	29	1.35	3.20	.05				
295	9271	27	1.42	3.10	.04				
296	9272	30	1.38	5.00	.02				
297	9273	154	5.60	12.60	.35				
298	9274	27	1.00	3.00	.04				
299	9275	17	.55	.84	.02				
300	9276 A	166	12.30	18.70	.18				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4462 16

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
301	9277 A	88	5.80	9.10	.06				
302	9278	53	3.50	5.10	.06				
303	9279	42	1.85	4.50	.03				
304	9280 A	40	1.83	4.60	.02				
305	9281	20	1.25	1.62	.02				
306	9282	66	4.70	8.30	.05				
307	9283	170	10.40	17.10	.04				
308	9284	146	8.40	14.80	.05				
309	9285	97	6.40	9.90	.08				
310	9286 A	90	5.30	9.40	.04				
311	9287 A	59	3.40	4.80	.05				
312	9288	61	3.50	3.00	.06				
313	9289	178	9.60	13.80	.07				
314	9290 A	100	5.40	8.50	.03				
315	9291	161	8.00	10.80	.05				
316	9292	100	6.30	8.80	.15				
317	9293	87	5.10	8.10	.11				
318	9294	58	3.40	7.40	.04				
319	9295	18	.59	3.10	.04				
320	9296 A	62	3.90	3.20	.15				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.



Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 17

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
321	9297 A	45	2.50	2.30	.07				
322	9299	25	1.07	1.10	.25				
323	9300 A	34	2.30	.77	.15				
324	9301	146	7.80	12.30	.15				
325	9302	125	6.70	11.10	.23				
326	9303	112	7.20	13.00	.21				
327	9304	110	5.90	11.10	.31				
328	9305	49	2.60	5.20	.04				
329	9306	41	2.00	4.50	.04				
330	9307 A	8	.12	1.20	.01				
331	9308 A	38	1.85	4.30	.07				
332	9309	23	.89	3.40	.02				
333	9310 A	38	1.96	5.00	.02				
334	9311	30	1.45	4.10	.02				
335	9312	40	2.02	4.50	.10				
336	9313	30	1.49	4.30	.02				
337	9314	24	1.13	3.20	.04				
338	9315	22	.97	1.80	.02				
339	9316	24	.95	1.81	.03				
340	9317 A	17	.81	.58	.02				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4462 18

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
341	9318 A	55	3.48	6.20	.02				
342	9319	21	.88	1.35	.02				
343	9320 A	107	6.80	7.90	.15				
344	9321	51	3.40	5.40	.08				
345	9322	6	.15	4.90	.01				
346	9323	41	2.50	5.10	.04				
347	9324	34	1.70	3.90	.02				
348	9325	51	3.20	6.20	.03				
349	9326	16	.86	1.87	.02				
350	9327 A	47	2.90	3.30	.07				
351	9328 A	42	2.40	3.00	.05				
352	9329	73	5.00	6.10	.10				
353	9330 A	60	3.60	6.20	.02				
354	9331	8	.40	.50	.02				
355	9332	61	4.00	4.80	.03				
356	9333	59	3.00	3.80	.11				
357	9334	42	2.90	3.70	.03				
358	9335	10	.43	1.47	.01				
359	9336	49	2.90	5.40	.06				
360	9337	31	1.94	4.10	.09				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.



Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 19

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
361	9338 A	72	5.00	8.60	.06				
362	9339	90	5.80	12.90	.03				
363	9340 A	67	3.80	5.00	.04				
364	9341	37	2.70	4.40	.05				
365	9342	103	7.30	12.10	.07				
366	9343	39	2.50	3.00	.02				
367	9344	65	4.90	9.30	.02				
368	9345	26	1.78	3.60	.01				
369	9346	27	1.47	2.80	.07				
370	9347 A	72	5.30	5.90	.06				
371	9348 A	62	4.20	5.90	.14				
372	9349	18	.80	.63	.07				
373	9350 A	49	2.90	3.70	.11				
374	9351	131	11.90	6.00	.08				
375	9352	79	6.10	3.70	.29				
376	9353	62	3.90	5.30	.20				
377	9354	30	2.10	1.52	.04				
378	9355	8	.41	.90	.05				
379	9356	33	2.10	1.52	.15				
380	9357 A	17	1.38	.32	.04				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 20

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
381	9358 A	29	2.00	2.90	.03				
382	9359	25	1.33	2.50	.07				
383	9360 A	29	1.84	2.06	.03				
384	9361	8	.40	1.20	.02				
385	9362	25	1.70	3.00	.03				
386	9363	33	2.37	4.80	.04				
387	9364	12	.77	1.56	.03				
388	9365	14	1.53	.88	.04				
389	9366	26	1.97	2.90	.03				
390	9367 A	22	1.71	1.27	.03				
391	9368 A	10	.54	1.03	.03				
392	9369	13	.45	1.50	.05				
393	9370 A	116	7.50	14.70	.16				
394	9371	28	1.30	2.90	.01				
395	9372	88	4.70	7.10	.11				
396	9373	81	5.10	9.20	.20				
397	9374	74	6.80	12.10	.26				
398	9375	62	4.10	6.30	.19				
399	9376	69	3.80	7.70	.14				
400	9377 A	74	4.10	7.60	.22				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 21

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
401	9378 A	25	1.18	2.90	.11				
402	9379	42	2.90	4.10	.22				
403	9380 A	41	2.30	2.90	.15				
404	9381	66	3.20	3.00	.21				
405	9382	47	3.00	3.50	.15				
406	9383	67	4.40	7.60	.05				
407	9384	46	2.40	5.90	.04				
408	9385	47	2.50	5.10	.05				
409	9386	86	3.10	6.80	.16				
410	9387 A	49	3.30	6.80	.05				
411	9388 A	151	8.70	18.00	.03				
412	9389	77	5.20	8.40	.29				
413	9390 A	105	6.70	12.30	.31				
414	9391	63	4.70	8.20	.20				
415	9392	49	2.70	4.90	.21				
416	9393	29	1.10	2.20	.28				
417	9394	58	3.50	4.40	.31				
418	9395	37	2.40	1.35	.21				
419	9396	68	4.40	10.54	.14				
420	9397 A	29	1.60	3.08	.05				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4462 22

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
421	9398 A	27	1.50	3.18	.03				
422	9399	70	4.30	8.02	.17				
423	9400 A	105	7.10	11.12	.06				
424	9401	31	1.20	2.50	.04				
425	9402	32	1.80	3.86	.03				
426	9403	20	1.00	3.00	.03				
427	9404	31	1.70	3.90	.04				
428	9405	100	5.60	11.50	.18				
429	9406	210	12.30	19.60	.14				
430	9407 A	171	8.70	19.00	.06				
431	9408 A	206	9.90	19.60	.13				
432	9409	104	6.00	8.50	.22				
433	9410 A	103	5.90	10.90	.18				
434	9411	76	3.50	7.30	.05				
435	9412	102	4.70	8.60	.18				
436	9413	102	5.10	8.70	.24				
437	9414	86	4.50	6.50	.18				
438	9415	70	4.20	4.90	.13				
439	9416	63	3.70	6.00	.22				
440	9417 A	42	.82	1.59	.27				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 23

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
441	9418 A	30	1.20	1.26	.20				
442	9419	81	5.30	5.90	.14				
443	9420 A	101	6.40	11.90	.15				
444	9421	35	1.71	3.00	.04				
445	9422	32	1.37	3.00	.09				
446	9423	23	.95	2.30	.09				
447	9424	45	2.05	3.00	.05				
448	9425	25	1.17	3.10	.08				
449	9426	79	4.90	9.50	.07				
450	9427 A	101	6.10	14.10	.07				
451	9428 A	81	5.90	7.90	.12				
452	9429	83	5.20	5.00	.18				
453	9430 A	16	.38	.93	.12				
454	9431	18	.46	1.07	.14				
455	9432	3	.13	2.60	.03				
456	9433	18	.58	1.31	.10				
457	9434	25	1.00	1.00	.10				
458	9435	10	.35	3.50	.07				
459	9436	11	.46	1.68	.08				
460	9437 A	6	.21	.29	.10				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 24

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
461	9438 A	10	.16	.48	.09				
462	9439	31	1.88	3.40	.10				
463	9440 A	68	5.00	7.10	.23				
464	9441	22	.30	1.24	.14				
465	9442	8	.05	3.40	.05				
466	9443	6	.06	.38	.07				
467	9444	128	7.20	9.70	.13				
468	9445	101	5.30	6.80	.27				
469	9446	42	2.60	2.50	.10				
470	9447 A	15	.43	.86	.08				
471	9448 A	10	.30	.65	.08				
472	9449	20	.45	.67	.25				
473	9450 A	143	12.40	20.90	.21				
474	9451	37	2.50	2.70	.30				
475	9452	11	.69	.91	.07				
476	9453	23	.93	.61	.40				
477	9454	15	.17	.28	.35				
478	9455	12	.13	.19	.27				
479	9456	12	.13	.17	.13				
480	9457 A	12	.15	.16	.13				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 25

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
481	9458 A	17	.21	.44	.40				
482	9459	15	.14	.21	.42				
483	9460 A	16	.14	.22	.37				
484	9461	40	1.82	3.50	.17				
485	9462	100	7.60	7.20	.20				
486	9463	150	12.40	10.90	.19				
487	9464	30	1.61	1.26	.35				
488	9465	26	.59	1.94	.18				
489	9466	25	.37	1.58	.26				
490	9467 A	24	.58	.91	.15				
491	9468 A	18	.43	1.42	.14				
492	9469	66	4.50	7.00	.15				
493	9470 A	103	7.40	12.70	.15				
494	9471	118	7.80	12.30	.08				
495	9472	98	5.00	6.50	.07				
496	9473	96	7.00	13.70	.05				
497	9474	68	3.70	7.90	.17				
498	9475	130	8.30	12.90	.12				
499	9476	39	1.95	12.80	.19				
500	9477 A	95	7.30	6.40	.12				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 26

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
501	9478 A	93	6.30	6.80	.32				
502	9479	98	6.10	4.60	.17				
503	9480 A	46	2.60	1.40	.39				
504	9481	125	7.60	10.70	.21				
505	9482	93	5.20	8.40	.17				
506	9483	76	4.00	8.20	.05				
507	9484	16	.54	1.91	.11				
508	9485	13	.36	.76	.12				
509	9486	21	.69	1.58	.16				
510	9487 A	27	1.57	2.31	.13				
511	9488 A	29	1.34	1.39	.17				
512	9489	18	.53	1.44	.16				
513	9490 A	6	.10	.24	.15				
514	9491	15	.11	1.58	.24				
515	9492	12	.11	.78	.24				
516	9493	12	.09	.42	.19				
517	9494	186	5.50	1.13	.15				
518	9495	40	1.18	.22	.22				
519	9496	80	.26	.17	.11				
520	9497 A	25	.22	.20	.16				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 27

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
521	9498 A	18	.14	.31	.32				
522	9499	7	.04	1.52	.08				
523	9500 A	14	.04	.33	.12				
524	9501	129	8.40	14.41	.10				
525	9502	120	7.10	12.18	.17				
526	9503	17	.64	1.73	.12				
527	9504	36	1.83	3.00	.06				
528	9505	13	.49	1.05	.02				
529	9506	85	6.60	8.00	.05				
530	9507 A	18	.62	.58	.35				
531	9508 A	21	1.02	.91	.38				
532	9509	20	.75	1.16	.24				
533	9510 A	13	.38	.15	.14				
534	9511	54	3.40	4.80	.11				
535	9512	28	1.35	1.58	.23				
536	9513	40	3.10	1.05	.39				
537	9514	12	4.70	.56	.14				
538	9515	19	9.70	1.00	.18				
539	9516	13	.45	1.15	.18				
540	9517 A	31	1.58	1.71	.35				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 28

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
541	9518 A	98	7.10	7.20	.10					
542	9519	48	2.70	3.00	.13					
543	9520 A	27	1.01	1.60	.23					
544	9521	43	1.83	1.69	.43					
545	9522	32	.72	.68	.64					
546	9523	56	2.40	4.20	.13					
547	9524	15	.24	.52	.09					
548	9525	20	.08	1.05	.17					
549	9526	41	1.00	.22	.12					
550	9527 A	16	.34	.59	.10					
551	9528 A	73	4.30	7.80	.09					
552	9529	127	7.10	11.60	.20					
553	9530 A	139	8.00	16.10	.19					
554	9531	31	1.39	2.90	.12					
555	9532	77	5.10	7.30	.09					
556	9533	26	.92	3.20	.20					
557	9534	59	2.80	2.80	.19					
558	9535	23	1.27	3.20	.08					
559	9536	69	4.00	6.50	.13					
560	9537 A	23	1.35	3.50	.08					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 29

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
561	9538 A	29	2.00	5.50	.16				
562	9539	10	.40	.79	.11				
563	9540 A	15	.58	1.09	.18				
564	9541	43	2.05	3.20	.15				
565	9542	18	.70	2.90	.09				
566	9543	24	1.91	5.20	.02				
567	9544	35	2.60	5.70	.04				
568	9545	52	3.30	8.30	.06				
569	9546	12	.54	1.05	.07				
570	9547 A	10	.19	.83	.15				
571	9548 A	8	.12	.59	.16				
572	9549	10	.35	.85	.10				
573	9550 A	16	1.05	2.50	.14				
574	9551	41	2.08	2.60	.13				
575	9552	30	1.53	1.86	.26				
576	9553	76	5.00	4.10	.06				
577	9554	80	5.70	8.30	.08				
578	9555	47	3.10	3.50	.11				
579	9556	47	2.70	1.11	.23				
580	9557 A	63	3.90	3.70	.16				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 30

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
581	9558 A	106	6.40	11.60	.10				
582	9559	113	7.30	16.20	.14				
583	9560 A	114	6.40	11.60	.19				
584	9561	124	6.20	10.40	.06				
585	9562	123	7.20	9.70	.10				
586	9563	87	5.40	8.10	.07				
587	9564	104	6.50	9.80	.06				
588	9565	44	2.90	2.40	.06				
589	9566	37	2.40	3.60	.08				
590	9567 A	43	2.80	3.40	.09				
591	9568 A	49	3.50	5.80	.09				
592	9569	29	2.60	3.70	.10				
593	9570 A	30	2.05	3.40	.19				
594	9571	10	.10	.87	.33				
595	9572	15	.14	.36	.25				
596	9573	16	.26	.96	.32				
597	9574	17	.50	1.08	.28				
598	9575	86	5.20	3.90	.15				
599	9576	64	4.20	4.50	.15				
600	9577 A	24	1.71	3.60	.05				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 31

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
601	9578 A	93	6.70	8.00	.07				
602	9585 A	42	1.88	4.50	.03				
603	9586	33	1.50	3.10	.02				
604	9587	39	1.71	3.60	.04				
605	9588	37	1.57	3.50	.04				
606	9589	56	2.90	6.70	.03				
607	9590 A	52	2.40	4.50	.10				
608	9591	29	2.20	3.60	.04				
609	9592	33	1.67	3.00	.05				
610	9593 A	25	1.02	1.62	.08				
611	9594 A	44	2.40	6.50	.04				
612	9595	45	2.90	4.80	.05				
613	9596	62	3.90	8.60	.03				
614	9597	73	4.50	9.00	.03				
615	9598	55	3.20	8.00	.04				
616	9599	69	3.90	9.40	.13				
617	9600 A	116	6.90	13.20	.19				
618	9601	106	6.20	13.50	.05				
619	9602	85	5.40	10.00	.06				
620	9603 A	61	3.60	8.60	.02				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 32

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
621	9604 A	141	8.30	16.70	.06					
622	9605	58	3.20	7.30	.04					
623	9606	52	3.20	5.20	.08					
624	9607	10	.34	1.61	.10					
625	9608	17	1.07	1.44	.11					
626	9609	18	.82	1.25	.20					
627	9610 A	26	1.65	3.10	.22					
628	9611	48	3.40	7.90	.04					
629	9612	46	2.80	5.10	.05					
630	9613 A	52	3.30	8.90	.06					
631	9614 A	54	3.20	5.00	.03					
632	9615	40	2.70	3.50	.03					
633	9616	24	1.93	1.21	.05					
634	9617	20	1.34	1.31	.07					
635	9618	21	1.75	2.60	.03					
636	9619	39	2.80	5.40	.02					
637	9620 A	44	3.50	6.10	.01					
638	9621	33	2.30	5.40	.02					
639	9622	31	2.40	4.70	.05					
640	9623 A	3	.22	5.60	.01					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4462 33

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
641	9624 A	77	4.50	6.90	.14				
642	9625	56	2.90	7.00	.07				
643	9626	27	1.68	2.20	.04				
644	9627	46	2.30	4.80	.04				
645	9628	29	1.76	3.40	.05				
646	9629	40	2.20	3.70	.05				
647	9630 A	77	3.20	9.70	.03				
648	9631	82	3.60	8.00	.02				
649	9632	84	3.80	10.00	.02				
650	9633 A	14	.56	5.90	.01				
651	9634 A	10	.55	1.88	.03				
652	9635	35	1.85	8.10	.03				
653	9636	20	1.37	2.80	.04				
654	9637	8	.10	.94	.19				
655	9638	6	.03	1.25	.12				
656	9639	8	.09	.53	.18				
657	9640 A	13	.30	1.08	.10				
658	9641	7	.09	1.45	.16				
659	9642	11	.15	.69	.21				
660	9643 A	21	.25	.60	.40				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 34

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
661	9644 A	6	.06	.42	.20				
662	9645	5	.06	.44	.11				
663	9646	10	.23	.84	.14				
664	9647	6	.04	.33	.20				
665	9648	6	.04	.40	.10				
666	9649	3	.03	.26	.07				
667	9650 A	4	.03	.33	.09				
668	9651	6	.04	.39	.09				
669	9652	7	.08	.24	.10				
670	9653 A	6	.04	.28	.09				
671	9654 A	7	.05	.29	.12				
672	9655	6	.05	.33	.13				
673	9656	8	.04	.30	.22				
674	9657	10	.03	.75	.28				
675	9658	28	1.21	3.30	.19				
676	9659	35	1.65	3.70	.27				
677	9660 A	45	2.50	3.20	.04				
678	9661	8	.32	.60	.02				
679	9662	43	2.60	4.60	.03				
680	9663 A	69	4.30	7.30	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 35

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
681	9664 A	51	2.60	4.00	.03				
682	9665	28	1.47	2.50	.06				
683	9666	19	.71	1.32	.03				
684	9667	32	1.87	1.95	.23				
685	9668	31	2.04	1.00	.20				
686	9669	32	1.40	2.80	.27				
687	9670 A	14	.40	.26	.09				
688	9671	44	1.97	3.60	.31				
689	9672	70	3.90	8.40	.11				
690	9673 A	4	.23	.27	.04				
691	9674 A	5	.14	.53	.10				
692	9675	6	.12	.54	.12				
693	9676	5	.12	.30	.12				
694	9677	8	.16	.49	.21				
695	9678	4	.07	.22	.12				
696	9679	4	.05	.15	.15				
697	9680 A	52	.10	.33	.47				
698	9681	14	.08	.16	.48				
699	9682	7	.18	.53	.11				
700	9683 A	8	.22	.77	.15				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 36

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
701	9684 A	11	.23	.18	.32				
702	9685	6	.14	.13	.10				
703	9686	4	.04	.24	.05				
704	9687	14	.52	.51	.04				
705	9688	5	.14	.31	.06				
706	9689	4	.08	.35	.07				
707	9690 A	11	.34	.49	.08				
708	9691	6	.04	.27	.08				
709	9692	8	.22	.91	.04				
710	9693 A	4	.06	.62	.06				
711	9694 A	3	.13	.12	.06				
712	9695	3	.03	.16	.10				
713	9696	6	.07	.67	.08				
714	9697	3	.02	.36	.14				
715	9698	2	.01	.13	.10				
716	9699	3	.01	.04	.11				
717	9700 A	2	.03	.09	.08				
718	9701	13	.15	.63	.28				
719	9702	7	.11	.45	.16				
720	9703 A	5	.03	1.34	.26				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 37

Date October 6, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
721	9704 A	4	.03	.27	.19				
722	9705	6	.03	.07	.31				
723	9706	4	.04	.32	.15				
724	9707	5	.05	.23	.14				
725	9708	5	.09	.37	.09				
726	9709	22	.65	1.98	.25				
727	9710 A	37	1.41	2.93	.42				
728	9711	93	2.70	3.15	.23				
729	9712	120	6.00	9.98	.09				
730	9713 A	113	6.30	9.44	.23				
731	9714 A	50	3.20	2.06	.34				
732	9715	57	3.50	3.90	.29				
733	9716	15	.49	.77	.15				
734	9718	6	.14	.61	.09				
735	9719	11	.11	.49	.14				
736	9720 A	21	.57	1.39	.21				
737	9721	20	.90	1.77	.19				
738	9722	20	.87	1.45	.14				
739	9723	15	.43	1.04	.18				
740	9724 A	8	.14	.70	.20				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 38

Date October 6, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
741	9725 A	10	.15	.63	.23				
742	9726	7	.09	.90	.19				
743	9727	5	.05	.35	.14				
744	9728	7	.08	.50	.22				
745	9729	10	.19	.58	.26				
746	9730 A	11	.43	1.29	.16				
747	9731	13	.62	1.17	.09				
748	9732	9	.19	.68	.32				
749	9733	14	.05	.50	1.00				
750	9734 A	10	.04	.43	.50				
751	9735 A	16	.05	.93	.56				
752	9736	12	.06	1.14	.42				
753	9737	18	.26	2.97	.35				
754	9738	16	.13	1.27	.55				
755	9739	18	.14	1.47	.31				
756	9740 A	26	.53	1.77	.25				
757	9741	22	.20	1.05	.65				
758	9742	21	.18	1.59	.55				
759	9743	15	.21	.51	.24				
760	9744 A	96	5.59	8.37	.18				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 39

Date October 6, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
761	9745 A	26	.52	.96	.33					
762	9746	22	1.08	2.44	.05					
763	9747	47	2.92	3.70	.05					
764	9748	49	3.12	5.70	.09					
765	9749	19	.92	6.90	.02					
766	9750 A	47	2.20	5.80	.02					
767	9751	24	.81	1.45	.12					
768	9752	64	2.29	2.97	.17					
769	9753	11	.52	1.18	.02					
770	9754 A	64	5.68	4.20	.16					
771	9755 A	67	5.59	4.20	.17					
772	9756	54	3.60	3.60	.14					
773	9757	15	.51	.92	.24					
774	9758	21	.62	.87	.48					
775	9759	37	2.16	3.30	.26					
776	9760 A	34	1.87	1.38	.27					
777	9761	35	2.21	1.50	.22					
778	9762	86	4.60	8.70	.11					
779	9763	46	2.13	4.90	.16					
780	9764 A	13	.46	.55	.33					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4462 40

Date October 6, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
781	9765 A	16	.41	.56	.47				
782	9766	15	.42	.67	.44				
783	9767	20	.71	1.00	.30				
784	9768	14	.47	.21	.23				
785	9769	8	.43	.78	.32				
786	9770 A	18	.83	.64	.47				
787	9771	11	.38	.48	.39				
788	9772	7	.27	.69	.18				
789	9773	6	.18	.55	.30				
790	9774 A	5	.18	.30	.17				
791	9775 A	3	.28	.44	.06				
792	9776	4	.32	1.00	.03				
793	9777	7	.23	.73	.11				
794	9778	3	.07	.15	.10				
795	9779	5	.21	.71	.04				
796	9780 A	36	2.93	4.30	.03				
797	9781	47	2.93	4.10	.09				
798	9782	22	1.06	2.20	.05				
799	9783	62	4.80	5.90	.12				
800	9784 A	3	.21	.20	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 41

Date October 6, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
801	9785 A	35	3.60	5.00	.02				
802	9786	28	2.61	5.70	.03				
803	9787	83	5.30	7.00	.04				
804	9788	23	1.40	2.10	.04				
805	9789	106	8.40	8.10	.13				
806	9790 A	25	.96	1.25	.39				
807	9791	1	.09	.09	.05				
808	9792	1	.03	.06	.04				
809	9793	11	.49	.32	.03				
810	9794 A	72	5.11	4.70	.32				
811	9795 A	122	8.50	7.10	.14				
812	9796	124	9.90	5.50	.12				
813	9797	15	.70	.88	.09				
814	9798	113	6.40	11.80	.07				
815	9799	100	5.70	11.50	.23				
816	9800 A	13	.64	1.35	.03				
817	9801	46	1.86	4.60	.03				
818	9802	93	4.30	8.30	.11				
819	9803	95	5.10	10.30	.10				
820	9804 A	99	5.00	9.20	.17				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 42

Date October 6, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
821	9805 A	106	5.20	11.70	.18				
822	9806	50	3.00	5.50	.12				
823	9807	17	.28	.75	.35				
824	9808	10	.29	.58	.22				
825	9809	20	.14	.56	.31				
826	9810 A	19	.23	1.51	.48				
827	9811	18	.36	1.50	.19				
828	9812	10	.53	.76	.07				
829	9813	16	1.19	1.35	.14				
830	9814 A	61	7.20	8.50	.12				
831	9815 A	3	.22	.30	.04				
832	9816	2	.13	.20	.04				
833	9817	4	.09	.11	.06				
834	9818	48	3.00	3.80	.23				
835	9819	19	.90	1.37	.27				
836	9820 A	37	1.83	.98	.22				
837	9821	77	5.21	4.90	.21				
838	9822	44	2.70	3.00	.32				
839	9823	17	.81	1.65	.16				
840	9824 A	36	2.80	1.15	.22				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 43

Date October 6, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
841	9825 A	14	.53	.67	.15					
842	9827	33	1.61	2.60	.11					
843	9828	51	3.40	6.10	.09					
844	9830 A	30	1.58	3.70	.04					
845	9831	5	.15	.31	.02					
846	9832	18	.94	1.38	.05					
847	9833	32	1.50	4.30	.04					
848	9834	34	1.60	4.50	.04					
849	9835	41	2.30	5.70	.04					
850	9836 A	30	1.24	.83	.06					
851	9837 A	28	1.44	3.50	.03					
852	9839	27	1.10	2.90	.06					
853	9840 A	21	.99	3.60	.06					
854	9841	22	1.04	2.60	.06					
855	9842	9	.47	.75	.02					
856	9843	131	7.80	16.00	.14					
857	9844	59	4.00	10.20	.14					
858	9845	12	.43	5.30	.01					
859	9846	39	2.06	5.10	.03					
860	9847 A	83	6.30	17.00	.10					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 44

Date October 6, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
861	9848 A	43	3.00	9.70	.04				
862	9849	63	3.50	8.40	.08				
863	9850 A	73	4.60	12.50	.11				
864	9851	59	3.80	8.20	.04				
865	9852	47	2.60	5.90	.08				
866	9853	35	1.64	6.00	.07				
867	9854	64	3.30	10.70	.03				
868	9855	50	3.00	5.80	.05				
869	9856	37	2.01	4.40	.03				
870	9857 A	97	4.80	13.50	.05				
871	9858 A	121	5.90	11.10	.20				
872	9859	123	8.70	13.00	.20				
873	9860 A	189	9.40	16.30	.18				
874	9861	127	7.60	18.20	.12				
875	9862	106	6.50	16.40	.05				
876	9863	150	7.40	24.00	.21				
877	9864	111	6.20	14.10	.05				
878	9865	201	11.80	10.00	.10				
879	9866	188	11.30	9.70	.10				
880	9867 A	43	2.60	3.70	.07				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 45

Date October 6, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
881	9868 A	259	17.30	12.20	.04				
882	9869	18	.98	1.20	.04				
883	9870 A	53	3.20	5.40	.07				
884	9871	180	10.80	10.50	.04				
885	9872	240	14.10	13.80	.05				
886	9873	80	5.20	8.40	.03				
887	9874	42	2.30	3.90	.05				
888	9875	12	.60	.94	.03				
889	9876	104	6.30	6.10	.08				
890	9877 A	39	2.30	3.30	.08				
891	9878 A	68	4.50	6.30	.06				
892	9879	102	7.60	7.50	.06				
893	9880 A	84	4.30	7.00	.15				
894	9881	65	3.90	7.40	.06				
895	9882	118	8.60	6.90	.19				
896	9883	145	11.60	5.10	.17				
897	9884	22	1.03	1.11	.19				
898	9885	12	.47	.58	.19				
899	9886	12	.21	.34	.26				
900	9887 A	8	.06	.04	.29				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

Robert Feb 9/1981

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4501


P.O. Box 1000

Date October 21, 1981

Faro, Yukon Territories, YOB IKO ATTENTION: MR. ROBIN TOLBERT

I hereby certify that the following are the results of assays made by us upon the herein described GRUM CORE samples

Kral No.	Marked	Ag ^(AA) gm/t	Pb Percent	Zn Percent	Cu Percent					
AGU 133	1 9898 A	85	4.6	8.3	.19					
	2 9899	87	4.3	8.8	.07					
	3 9900 A	73	3.9	7.9	.11					
AGU 123	4 9921 A	58	3.0	6.9	.10					
	5 9922	96	4.5	8.5	.18					
	6 9923	32	1.29	1.59	.10					
	7 9924	39	1.84	1.84	.07					
	8 9925	107	4.3	5.0	.19					
AGU 123	9 9926	61	3.0	3.1	.06					
	10 9927 A	80	4.7	8.2	.09					
	11 9952 A	148	8.7	18.7	.06					
AGU 119	12 9953	125	7.4	12.6	.09					
	13 9954	96	6.7	14.8	.19					
	14 9955	156	10.8	20.3	.04					
	15 9956	61	4.3	10.0	.01					
	16 9957	150	8.0	17.2	.09					
	17 9958	27	.57	1.68	.30					
	18 9959	17	.22	1.31	.28					
	19 9960	15	.17	.26	.27					
	20 9961	21	.93	1.34	.19					
	21 9962 A	24	.89	.78	.20					
AGU 119	22 11020 A	114	6.0	12.3	.13					
	23 11021	91	4.8	8.3	.11					



NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

[Handwritten signature]



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

330 - 355 Burrard Street

Vancouver, B.C. V6C 2G8

Certificate No. K-4470

Date October 9, 1981

#201

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
1	9909 A	19	.97	3.10	.03				
2	9910 A	21	.95	2.40	.03				
3	9911	23	1.03	3.70	.04				
4	9912	29	1.22	4.70	.05				
5	9913	42	1.54	5.60	.04				
6	9914	81	3.50	8.00	.23				
7	9915	82	3.90	8.80	.07				
8	9916	62	3.50	7.60	.10				
9	9917	94	5.60	8.80	.17				
10	9918 A	60	2.70	6.40	.08				
11	9919 A	38	1.70	6.20	.02				
12	9920 A	55	2.00	6.50	.08				
13	9928 A	32	1.71	4.10	.04				
14	9929	182	10.90	20.20	.06				
15	9930 A	155	10.30	21.10	.07				
16	9931	79	5.80	11.60	.08				
17	9932	88	4.90	9.80	.18				
18	9933	20	.38	1.01	.10				
19	9934	19	.17	.24	.09				
20	9935	13	.14	.70	.12				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4470 2

Date October 9, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
21	9936 A	18	.32	.80	.13					
22	9937	42	1.81	3.80	.16					
23	9938	65	4.50	6.60	.17					
24	9939	24	.79	1.27	.11					
25	9940 A	17	.59	1.06	.16					
26	9941	11	.14	.64	.22					
27	9942	7	.14	.33	.12					
28	9943	8	.12	.63	.19					
29	9944	9	.12	.43	.23					
30	9945 A	7	.09	.84	.22					
31	9946 A	36	1.52	3.20	.21					
32	9947 A	78	4.30	7.90	.11					
33	11001 A	35	4.60	1.68	.21					
34	11002	89	8.40	4.80	.16					
35	11003	20	.85	.62	.42					
36	11004	15	.24	.14	.35					
37	11005	18	.25	.18	.43					
38	11006	17	.18	.15	.32					
39	11007	24	1.08	2.40	.19					
40	11008 A	119	8.50	10.10	.17					

FIG U-123

0090

(not found)
Jan 28, 82

OK account
to add
10/9

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 46

Date October 6, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
901	9888 A	12	.12	.19	.61				
902	9889	11	.30	.28	.14				
903	9890 A	13	.48	.50	.20				
904	9891	19	.59	.96	.41				
905	9892	8	.20	.22	.20				
906	9893	7	.10	.10	.40				
907	9894 A	9	.27	.47	.30				
908	9901 A	94	5.00	6.60	.10				
909	9902	116	7.70	9.20	.07				
910	9903 A	35	2.30	5.30	.04				
911	9904 A	31	1.80	4.40	.04				
912	9905	30	1.62	3.50	.06				
913	9906	26	1.46	3.40	.04				
914	9907	23	1.16	2.40	.04				
915	9908 A	22	.92	1.74	.04				
916	9948 A	65	3.90	6.30	.07				
917	9949	77	4.60	5.70	.10				
918	9950 A	33	1.87	2.00	.34				
919	9951 A	109	6.60	12.50	.19				
920	9963 A	10	.21	.52	.19				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 47

Date October 6, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
921	9964 A	16	.25	.25	.12				
922	9965	9	.15	.39	.16				
923	9966	11	.23	.92	.18				
924	9967	13	.32	.77	.23				
925	9968	13	.11	.50	.30				
926	9969	19	.59	1.20	.24				
927	9970 A	22	.61	1.02	.28				
928	9971	11	.07	.25	.20				
929	9972	11	.06	.40	.18				
930	9973 A	16	.08	.43	.27				
931	9974 A	10	.05	.45	.13				
932	9975	13	.10	.46	.34				
933	9976	12	.10	.25	.28				
934	9977	9	.06	.18	.18				
935	9978	5	.03	.16	.24				
936	9979	7	.05	.13	.22				
937	9980 A	5	.04	.08	.15				
938	9981	3	.08	.26	.12				
939	9982	13	.77	.34	.17				
940	9983 A	22	.88	1.15	.36				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 48

Date October 6, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
941	9984 A	26	1.27	1.82	.28				
942	9985	55	2.17	4.40	.20				
943	9986	15	.44	.56	.23				
944	9987	180	10.80	15.60	.06				
945	9988	30	1.60	2.50	.14				
946	9989	73	4.90	6.00	.05				
947	9990 A	14	.82	.43	.13				
948	9991	9	.51	.21	.12				
949	9992	39	3.70	3.69	.22				
950	9993 A	162	8.70	19.50	.01				
951	9994 A	136	7.70	19.10	.03				
952	9995	83	4.90	14.90	.03				
953	9996	140	7.90	17.70	.04				
954	9997	177	9.20	17.20	.17				
955	9998	161	9.90	16.10	.08				
956	9999	148	9.10	15.50	.19				
957	10000 A	27	1.48	1.65	.13				

L means "Less than"

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia

10001



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 48

Date October 6, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
941	9984 A	26	1.27	1.82	.28					
942	9985	55	2.17	4.40	.20					
943	9986	15	.44	.56	.23					
944	9987	180	10.80	15.60	.06					
945	9988	30	1.60	2.50	.14					
946	9989	73	4.90	6.00	.05					
947	9990 A	14	.82	.43	.13					
948	9991	9	.51	.21	.12					
949	9992	39	3.70	3.69	.22					
950	9993 A	162	8.70	19.50	.01					
951	9994 A	136	7.70	19.10	.03					
952	9995	83	4.90	14.90	.03					
953	9996	140	7.90	17.70	.04					
954	9997	177	9.20	17.20	.17					
955	9998	161	9.90	16.10	.08					
956	9999	148	9.10	15.50	.19					
957	10000 A	27	1.48	1.65	.13					

L means "Less than"

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia

11000



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4470 2

Date October 9, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
21	9936 A	18	.32	.80	.13					
22	9937	42	1.81	3.80	.16					
23	9938	65	4.50	6.60	.17					
24	9939	24	.79	1.27	.11					
25	9940 A	17	.59	1.06	.16					
26	9941	11	.14	.64	.22					
27	9942	7	.14	.33	.12					
28	9943	8	.12	.63	.19					
29	9944	9	.12	.43	.23					
30	9945 A	7	.09	.84	.22					
31	9946 A	36	1.52	3.20	.21					
32	9947 A	78	4.30	7.90	.11					
33	11001 A	35	4.60	1.68	.21					
34	11002	89	8.40	4.80	.16					
35	11003	20	.85	.62	.42					
36	11004	15	.24	.14	.35					
37	11005	18	.25	.18	.43					
38	11006	17	.18	.15	.32					
39	11007	24	1.08	2.40	.19					
40	11008 A	119	8.50	10.10	.17					


FIGU-123

11001 A
11002
11003
11004
11005
11006
11007
11008 A

not found
Jan 28, 82

OK according to data should be on FIGU 123.
on 11009

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4470 2

Date October 9, 1981


I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
21	9936 A	18	.32	.80	.13				
22	9937	42	1.81	3.80	.16				
23	9938	65	4.50	6.60	.17				
24	9939	24	.79	1.27	.11				
25	9940 A	17	.59	1.06	.16				
26	9941	11	.14	.64	.22				
27	9942	7	.14	.33	.12				
28	9943	8	.12	.63	.19				
29	9944	9	.12	.43	.23				
30	9945 A	7	.09	.84	.22				
31	9946 A	36	1.52	3.20	.21				
32	9947 A	78	4.30	7.90	.11				
33	11001 A	35	4.60	1.68	.21				
34	11002	89	8.40	4.80	.16				
35	11003	20	.85	.62	.42				
36	11004	15	.24	.14	.35				
37	11005	18	.25	.18	.43				
38	11006	17	.18	.15	.32				
39	11007	24	1.08	2.40	.19				
40	11008 A	119	8.50	10.10	.17				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia

*



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

Booked Feb 9/81
RL

TO Cyprus Anvil Mining Corporation Ltd.

P.O. Box 1000

Faro, Yukon Territories, Y0B IK0 ATTENTION: MR. ROBIN TOLBERT

Certificate No. K-4501

Date October 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described GRUM CORE samples

Kral No.	Marked	Ag (AA)	Pb	Zn	Cu				
		gm/t	Percent	Percent	Percent				
FAGU 133	1	9898 A	85	4.6	8.3	.19			
	2	9899	87	4.3	8.8	.07			
	3	9900 A	73	3.9	7.9	.11			
FAGU 123	4	9921 A	58	3.0	6.9	.10			
	5	9922	96	4.5	8.5	.18			
	6	9923	32	1.29	1.59	.10			
	7	9924	39	1.84	1.84	.07			
	8	9925	107	4.3	5.0	.19			
	9	9926	61	3.0	3.1	.06			
	10	9927 A	80	4.7	8.2	.09			
FAGU 107	11	9952 A	148	8.7	18.7	.06			
	12	9953	125	7.4	12.6	.09			
	13	9954	96	6.7	14.8	.19			
	14	9955	156	10.8	20.3	.04			
	15	9956	61	4.3	10.0	.01			
	16	9957	150	8.0	17.2	.09			
	17	9958	27	.57	1.68	.30			
	18	9959	17	.22	1.31	.28			
	19	9960	15	.17	.26	.27			
	20	9961	21	.93	1.34	.19			
FAGU 119	21	9962 A	24	.89	.78	.20			
	22	11020 A	114	6.0	12.3	.13			
	23	11021	91	4.8	8.3	.11			

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

[Signature]

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4470 3

Date October 9, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
41	FA 2U-090	11009 A	138	9.20	19.70	.22				
42		11010 A	121	7.20	13.20	.11				
43		11011	113	6.60	10.90	.25				
44	not found Jan 28, 82	11012	62	2.90	4.00	.16				
45		11013	61	3.30	5.40	.13				
46		11014	52	2.50	4.10	.12				
47		11015	4	.06	.07	.01				
48		11016	166	7.70	10.30	.05				
49		11017	12	.35	.41	.02				
50		11018 A	41	2.90	3.60	.06				
51	FA 2U-090	11019 A	48	3.60	3.80	.12				
52	FA 2A-063	11034 A	31	1.60	1.38	.19				
53		11035	30	1.77	2.40	.11				
54		11036	15	.50	.50	.09				
55		11037	14	.38	.27	.19				
56	not found Jan 28, 82	11038	13	.17	.12	.18				
57		11039	16	.26	.19	.19				
58		11040 A	10	.12	.16	.18				
59		11041	12	.21	.33	.20				
60		11042 A	12	.13	.27	.20				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4470 3

Date October 9, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
41	11009 A	138	9.20	19.70	.22					
42	11010 A	121	7.20	13.20	.11					
43	11011	113	6.60	10.90	.25					
44	11012	62	2.90	4.00	.16					
45	11013	61	3.30	5.40	.13					
46	11014	52	2.50	4.10	.12					
47	11015	4	.06	.07	.01					
48	11016	166	7.70	10.30	.05					
49	11017	12	.35	.41	.02					
50	11018 A	41	2.90	3.60	.06					
51	11019 A	48	3.60	3.80	.12					
52	11034 A	31	1.60	1.38	.19					
53	11035	30	1.77	2.40	.11					
54	11036	15	.50	.50	.09					
55	11037	14	.38	.27	.19					
56	11038	13	.17	.12	.18					
57	11039	16	.26	.19	.19					
58	11040 A	10	.12	.16	.18					
59	11041	12	.21	.33	.20					
60	11042 A	12	.13	.27	.20					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4470 4

Date October 9, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
61	11043 A	15	.36	.72	.30				
62	11044	75	5.10	7.20	.40				
63	11045	79	5.30	6.70	.32				
64	11046	74	3.80	6.80	.09				
65	11047	72	4.10	6.80	.06				
66	11048	70	4.40	6.00	.06				
67	11049	71	4.30	6.30	.16				
68	11050 A	18	.64	1.18	.04				
69	11051	79	4.90	8.70	.13				
70	11052 A	51	3.80	6.60	.04				
71	11053 A	54	4.00	6.80	.06				
72	11054	25	1.68	2.90	.19				
73	11055	14	.23	.57	.43				
74	11056	10	.16	.38	.33				
75	11057	10	.16	.42	.19				
76	11058	14	.30	.87	.31				
77	11059	20	1.05	2.40	.19				
78	11060 A	20	.92	1.90	.15				
79	11061	11	.08	.31	.32				
80	11062 A	11	.07	.26	.26				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia

CTA



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

Booked Feb 9/82

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4501

P.O. Box 1000

Date October 21, 1981

Faro, Yukon Territories, YOB IKO ATTENTION: MR. ROBIN TOLBERT

I hereby certify that the following are the results of assays made by us upon the herein described GRUM CORE samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		gm/t	Percent	Percent	Percent				
FAGU 133	1	9898 A	85	4.6	8.3	.19			
	2	9899	87	4.3	8.8	.07			
	3	9900 A	73	3.9	7.9	.11			
FAGU 123	4	9921 A	58	3.0	6.9	.10			
	5	9922	96	4.5	8.5	.18			
	6	9923	32	1.29	1.59	.10			
	7	9924	39	1.84	1.84	.07			
	8	9925	107	4.3	5.0	.19			
	9	9926	61	3.0	3.1	.06			
	10	9927 A	80	4.7	8.2	.09			
FAGU 107	11	9952 A	148	8.7	18.7	.06			
	12	9953	125	7.4	12.6	.09			
	13	9954	96	6.7	14.8	.19			
	14	9955	156	10.8	20.3	.04			
	15	9956	61	4.3	10.0	.01			
	16	9957	150	8.0	17.2	.09			
	17	9958	27	.57	1.68	.30			
	18	9959	17	.22	1.31	.28			
	19	9960	15	.17	.26	.27			
	20	9961	21	.93	1.34	.19			
FAGU 119	21	9962 A	24	.89	.78	.20			
	22	11020 A	114	6.0	12.3	.13			
		11021	91	4.8	8.3	.11			

NOTE:

Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.
P.O. Box 1000
Faro, Yukon Territories, Y0B IK0

Certificate No. K-4501

Date October 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described GRUM CORE samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		gm/t	Percent	Percent	Percent				
24	11022	91	4.7	9.2	.11				
25	11023	96	5.4	9.8	.17				
26	11024	50	2.9	4.3	.28				
27	11025 A	15	.10	.41	.22				
28	11026 A	120	7.2	11.3	.20				
29	11027	43	2.4	3.0	.27				
30	11028	46	2.5	3.2	.16				
31	11029	31	1.13	.64	.28				
32	11030	16	.23	1.70	.17				
33	11031	16	.14	.67	.46				
34	11032	17	.18	.74	.32				
35	11033	81	5.8	7.4	.13				
36	11081	25	.98	1.14	.16				
37	11082	32	1.67	1.34	.32				
38	11083	33	1.19	1.40	.17				
39	11084	31	1.30	1.48	.28				
40	11085	29	1.49	1.42	.24				
41	11086	17	.35	.37	.23				
42	11087	64	4.9	6.1	.16				
43	11088	38	2.6	3.1	.14				
44	11089	13	.13	.19	.39				
45	11090	45	3.3	4.0	.26				
46	11091	20	.66	1.30	.36				

FAGU 1A
FAGA-063

not found
Jan 28, 82

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4470 5

Date October 9, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
81	11063 A	11	.05	.29	.19					
82	11064	11	.09	.32	.30					
83	11065	10	.07	.23	.36					
84	11066	34	2.40	4.20	.25					
85	11067	27	2.20	4.30	.04					
86	11068	62	4.40	7.20	.15					
87	11069	74	5.80	7.00	.08					
88	11070 A	16	1.20	1.60	.16					
89	11071	15	.97	1.15	.10					
90	11072 A	38	4.30	3.30	.08					
91	11073 A	9	.14	.14	.19					
92	11074	10	.13	.19	.15					
93	11075	11	.17	.29	.02					
94	11076	8	.05	.12	.36					
95	11077	13	.43	.54	.17					
96	11078	33	2.30	1.76	.25					
97	11079	35	1.59	2.04	.10					
98	11080 A	9	.16	.29	.19					
99	11093 A	10	.12	.29	.18					
100	11094 A	10	.04	.08	.22					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4470 5

Date October 9, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
81	11063 A	11	.05	.29	.19				
82	11064	11	.09	.32	.30				
83	11065	10	.07	.23	.36				
84	11066	34	2.40	4.20	.25				
85	11067	27	2.20	4.30	.04				
86	11068	62	4.40	7.20	.15				
87	11069	74	5.80	7.00	.08				
88	11070 A	16	1.20	1.60	.16				
89	11071	15	.97	1.15	.10				
90	11072 A	38	4.30	3.30	.08				
91	11073 A	9	.14	.14	.19				
92	11074	10	.13	.19	.15				
93	11075	11	.17	.29	.02				
94	11076	8	.05	.12	.36				
95	11077	13	.43	.54	.17				
96	11078	33	2.30	1.76	.25				
97	11079	35	1.59	2.04	.10				
98	11080 A	9	.16	.29	.19				
99	11093 A	10	.12	.29	.18				
100	11094 A	10	.04	.08	.22				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.
P.O. Box 1000

Certificate No. K-4501

Date October 21, 1981

Faro, Yukon Territories ATTENTION: MR. ROBIN TOLBERT

I hereby certify ^{YOB IKO} that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		gm/t	Percent	Percent	Percent				
FAGA-063 47	11092	29	1.35	1.80	.22				
FAGU-133 48	11101	84	4.7	9.1	.08				
49	11102	116	5.9	9.7	.14				
50	11103	94	5.3	8.9	.15				
51	11104	70	2.3	4.4	.14				
52	11105	63	3.4	7.5	.08				
53	11106	113	4.8	6.7	.26				
54	11107 A	152	10.0	19.0	.08				
55	11108	151	9.2	17.7	.06				
56	11109	131	8.2	14.6	.08				
57	11110	89	5.0	5.7	.26				
58	11111	45	2.3	4.9	.23				
59	11112	68	4.1	8.6	.08				
60	11113	23	1.00	2.5	.21				
61	11114	12	.17	1.12	.16				
62	11115	27	1.66	2.5	.13				
63	11116	19	.14	.87	.43				
64	11117	16	.18	.80	.20				
65	11118	23	.26	2.6	.48				
66	11119	106	6.2	8.4	.18				
FAGU-133 67	11120	41	2.8	3.1	.21				
FAGU-121 68	11121	62	2.9	5.4	.02				
69	11122	27	1.44	1.60	.06				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4470 6

Date October 9, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
FAQA-063101	11095 A	13	.06	.15	.11					
FAQU131 102	11096	80	3.80	6.70	.09					
103	11097	89	4.70	9.40	.11					
104	11098	105	4.40	8.40	.08					
105	11099	109	5.70	10.50	.22					
FAQU131 106	11100 A	89	5.10	7.50	.17					
107	FAQU-115 11124 A	156	6.00	9.60	.14					
108	11125	93	4.40	9.10	.10					
109	11126	99	5.00	12.50	.07					
110	N.F. Jan 28, 82 11127 A	51	2.90	4.60	.15					
111	11128 A	105	5.40	9.70	.11					
112	11129	45	2.60	4.20	.09					
113	11130 A	25	.93	.93	.09					
114	FAQU-115 11131	42	2.60	4.90	.08					
115	11132	128	8.00	16.20	.02					
116	11133	166	9.40	13.50	.17					
117	11134	123	8.40	12.70	.05					
118	FAQU092 11135	139	9.10	15.10	.01					
119	11136	113	8.00	14.60	.02					
120	11137	126	10.00	18.30	.06					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4470 6

Date October 9, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
101	11095 A	13	.06	.15	.11				
102	11096	80	3.80	6.70	.09				
103	11097	89	4.70	9.40	.11				
104	11098	105	4.40	8.40	.08				
105	11099	109	5.70	10.50	.22				
106	11100 A	89	5.10	7.50	.17				
107	11124 A	156	6.00	9.60	.14				
108	11125	93	4.40	9.10	.10				
109	11126	99	5.00	12.50	.07				
110	11127 A	51	2.90	4.60	.15				
111	11128 A	105	5.40	9.70	.11				
112	11129	45	2.60	4.20	.09				
113	11130 A	25	.93	.93	.09				
114	11131	42	2.60	4.90	.08				
115	11132	128	8.00	16.20	.02				
116	11133	166	9.40	13.50	.17				
117	11134	123	8.40	12.70	.05				
118	11135	139	9.10	15.10	.01				
119	11136	113	8.00	14.60	.02				
120	11137	126	10.00	18.30	.06				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4470 7

Date October 13, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
121 *	11138 A	35	1.53	7.60	.07				
122	11139	15	.46	10.90	.03				
123	11140 A	38	1.58	10.60	.12				
124	11142	31	1.56	6.30	.03				
125	11143	109	7.70	16.00	.15				
126	11144	107	7.30	12.30	.10				
127	11145	39	2.20	6.60	.22				
128	11146	53	2.80	6.30	.08				
129	11147	24	1.01	4.40	.11				
130	11148 A	29	1.11	4.00	.09				
131	11149 A	49	3.00	5.30	.09				
132	11150 A	52	3.10	5.60	.16				
133	11165 A	121	7.80	12.60	.12				
134	11166	143	9.50	17.90	.12				
135	11167	27	1.62	2.80	.04				
136	11168	15	.70	1.09	.05				
137	11169	117	7.10	12.40	.21				
138	11170 A	86	5.60	13.70	.30				
139	11171	74	5.50	8.20	.26				
140	11172 A	38	1.61	12.70	.04				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4470 8

Date October 13, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
141	11173 A	104	4.80	10.20	.10				
142	11174	88	6.30	12.20	.11				
143	11175	74	4.90	10.00	.22				
144	11176	60	4.40	8.90	.29				
145	11177	99	5.30	10.80	.21				
146	11178	106	6.00	13.50	.25				
147	11179	48	2.20	2.70	.14				
148	11180 A	31	.62	1.84	.45				
149	11181	19	.37	.95	.15				
150	11182 A	65	4.20	6.70	.05				
151	11183 A	25	1.27	1.11	.09				
152	11184	9	.22	.54	.11				
153	11185	10	.42	.75	.05				
154	11186	253	14.20	25.00	.36				
155	11187	63	5.60	5.60	.06				
156	11188	94	10.50	10.50	.13				
157	11189	106	6.60	16.00	.09				
158	11190 A	122	7.90	18.00	.04				
159	11191	132	12.10	12.10	.12				
160	11192 A	86	6.40	16.40	.01				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

P.O. Box 1000

Faro, B.C. Yukon Territories, YOB IKO ATTENTION: MR. ROBIN TOLBERT

Certificate No. K-4501

Date October 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described GRUM CORE samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		gm/t	Percent	Percent	Percent					
FAQU-121 70	11123	23	1.16	1.95	.06					
FAQU-09271	11141	22	.80	6.1	.02					
FAQU-136 72	11151	41	2.9	2.3	.22					
73	11152	80	5.3	5.8	.09					
74	11153	57	2.7	2.04	.20					
75	11154	71	4.4	3.7	.23					
76	11155	98	6.3	7.7	.08					
77	11156	110	6.6	6.8	.10					
78	11157	125	7.3	7.6	.06					
79	11158	90	5.6	6.6	.12					
80	11159	101	6.2	6.6	.11					
81	11160 A	66	4.3	3.6	.24					
82	11161	30	1.57	1.25	.13					
83	11162	33	1.67	1.15	.18					
84	11163	47	2.4	1.35	.53					
FAQU-136 85	11164	44	1.49	1.33	.29					
FAQU-111 86	11195	69	3.4	4.1	.06					
87	11196	186	8.1	11.6	.23					
88	11197	53	2.3	3.3	.09					
MISSING all assay 89	11198	41	2.3	3.0	.06					
90	11199	134	8.4	10.0	.12					
91	11200	48	3.6	2.9	.21					
92	11201	94	5.4	7.1	.08					

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4470 9

Date October 13, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
161		11193 A	108	5.00	8.40	.15				
162	FA G0111	11194	144	9.30	9.90	.19				
163	FA GJ088	11225 A	91	6.90	11.10	.06				
164		11226	108	4.70	8.40	.13				
165		11227	83	4.90	11.30	.05				
166		11228	41	1.69	4.20	.06				
167		11229	119	6.10	15.30	.10				
168		11230 A	94	4.10	7.90	.15				
169		11231	107	7.60	17.30	.04				
170		11232 A	94	6.10	9.40	.09				
171		11233 A	107	6.10	7.00	.18				
172		11234	133	7.70	12.20	.21				
173		11235	110	6.70	11.40	.14				
174		11236	39	1.88	3.10	.08				
175		11237	12	.36	.33	.06				
176		11238	26	1.23	1.83	.07				
177		11239	86	5.40	8.70	.12				
178		11240 A	111	6.70	8.60	.10				
179		11241	89	6.20	9.70	.03				
180		11242 A	95	8.60	11.20	.17				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4470 9

Date October 13, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
161	11193 A	108	5.00	8.40	.15				
162	11194	144	9.30	9.90	.19				
163	11225 A	91	6.90	11.10	.06				
164	11226	108	4.70	8.40	.13				
165	11227	83	4.90	11.30	.05				
166	11228	41	1.69	4.20	.06				
167	11229	119	6.10	15.30	.10				
168	11230 A	94	4.10	7.90	.15				
169	11231	107	7.60	17.30	.04				
170	11232 A	94	6.10	9.40	.09				
171	11233 A	107	6.10	7.00	.18				
172	11234	133	7.70	12.20	.21				
173	11235	110	6.70	11.40	.14				
174	11236	39	1.88	3.10	.08				
175	11237	12	.36	.33	.06				
176	11238	26	1.23	1.83	.07				
177	11239	86	5.40	8.70	.12				
178	11240 A	111	6.70	8.60	.10				
179	11241	89	6.20	9.70	.03				
180	11242 A	95	8.60	11.20	.17				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

P.O. Box 1000

Certificate No. K-4501


Date October 21, 1981

Faro, Yukon Territories, YOB IKO ATTENTION: MR. ROBIN TOLBERT

I hereby certify that the following are the results of assays made by us upon the herein described GRUM CORE samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		gm/t	Percent	Percent	Percent				
93	11202	60	3.5	5.4	.07				
94	11203	29	1.04	1.58	.23				
95	11204	23	.54	.67	.44				
96	11205	13	.28	.38	.24				
97	11206	17	.29	.34	.20				
98	11207	38	2.5	3.6	.17				
99	11208	19	.64	1.05	.38				
100	11209	16	.45	.73	.30				
101	11210	15	.74	.48	.30				
102	11211	9	.25	.48	.15				
103	11212	9	.27	.32	.27				
104	11213	7	.12	.30	.18				
105	11214	7	.24	.40	.20				
106	11215	107	7.2	7.3	.16				
107	11216	30	1.06	2.5	.20				
108	11217 A	66	4.0	3.9	.14				
109	11219	113	8.7	7.6	.06				
110	11220	20	1.26	1.25	.20				
111	11221	17	1.43	1.64	.12				
112	11222	26	1.32	1.43	.17				
113	11223	71	4.9	4.6	.21				
114	11224	25	1.51	.84	.20				
115	11251	46	3.3	5.3	.08				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

P.O. Box 1000

Faro, Yukon Territories, YOB IKO

ATTENTION: MR. ROBIN TOLBERT

Certificate No. K-4501

Date October 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described GRUM CORE samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		gm/t	Percent	Percent	Percent				
116	11252	53	3.1	7.8	.11				
117	11253	66	4.0	7.1	.29				
118	11254	46	2.8	5.8	.25				
119	11255	21	.63	1.37	.12				
120	11256	113	7.1	9.5	.03				
121	11257	103	6.5	8.3	.09				
122	11258	94	5.4	8.3	.10				
123	11259	95	5.7	8.3	.09				
124	11260	88	6.2	7.0	.12				
125	11261	24	.89	1.27	.16				
126	11262	58	4.3	5.8	.10				
127	11263	37	3.4	3.6	.10				
128	11264	27	1.35	1.35	.24				
129	11265	26	.99	1.40	.30				
130	11266	13	.17	.60	.30				
131	11267	18	.43	.77	.38				
132	11268	58	4.3	1.88	.19				
133	11269	23	.68	.98	.17				
134	11270 A	67	4.0	4.8	.19				
135	11271 A	18	.80	.79	.08				
136	11272	54	3.3	4.0	.19				
137	11273	37	2.4	2.1	.15				
138	11274	28	2.2	1.92	.11				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

P.O. Box 1000

Faro, Yukon Territories, YOB IKO ATTENTION: MR. ROBIN TOLBERT

Certificate No. K-4501

Date October 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described GRUM CORE samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		gm/t	Percent	Percent	Percent				
139	11275	37	2.3	1.92	.29				
140	11276	104	5.7	7.4	.19				
FAG A-159 141	11277	30	1.32	1.43	.14				
142	11278	114	7.5	15.6	.17				
143	11279	112	7.4	15.2	.05				
FAGU-104 144	11280	103	7.4	16.2	.04				
145	11281	154	10.6	19.0	.13				
146	11282	166	11.8	19.9	.04				
147	11283	133	7.8	14.0	.17				
FAGU-113 148	11284	29	1.27	3.2	.02				
149	11285	50	3.7	5.3	.04				
150	11286	77	5.6	4.5	.02				
151	11287	118	9.9	6.4	.10				
152	11288	74	5.4	9.0	.03				
153	11289	69	4.8	4.1	.13				
154	11290	142	12.6	7.3	.08				
155	11291	109	9.2	8.5	.12				
156	11292	134	13.5	6.8	.36				
157	11293	39	2.8	2.8	.13				
158	11294	43	2.8	3.6	.28				
159	11295	65	5.1	5.3	.23				
160	11296	64	4.5	5.6	.21				
161	11297 A	72	4.7	8.7	.05				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

P.O. Box 1000

Faro, Yukon Territories, Y0B IK0 ATTENTION: MR. ROBIN TOLBERT

Certificate No. K-4501

Date October 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described GRUM CORE samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		gm/t	Percent	Percent	Percent					
162	11298 A	60	3.3	8.0	.04					
163	11299	54	3.4	5.7	.04					
FAGU-113 164	11300	30	1.76	2.1	.12					
FAGU-125 165	11314	141	13.2	26.8	.23					
166	11315	113	6.5	11.4	.18					
167	11316	95	4.7	8.3	.14					
168	11317	110	5.0	8.6	.16					
169	11318	92	5.5	12.2	.06					
170	11319	83	4.6	11.5	.05					
171	11320	133	7.6	17.7	.03					
172	11321	160	8.8	16.4	.18					
173	11322	153	8.6	23.0	.04					
174	11323	166	10.0	25.4	.03					
175	11324	169	10.4	17.5	.20					
176	11325	54	3.3	8.7	.03					
177	11326	121	6.7	15.7	.11					
178	11327	120	6.0	12.9	.10					
179	11328	168	9.4	17.5	.06					
180	11329	185	10.6	20.6	.06					
181	11330	100	5.2	12.0	.06					
182	11331	48	3.0	7.2	.03					
183	11332	70	5.3	8.9	.15					
184	11333	92	6.1	9.8	.20					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4470 10

Date October 13, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Gram samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
181	11243 A	80	5.90	6.50	.10				
182	11244	114	8.20	9.60	.08				
183	11245	36	2.40	1.55	.18				
184	11246	40	2.10	2.20	.27				
185	11247	80	5.00	6.20	.11				
186	FA GU088 11248	44	2.60	5.50	.09				
187	11249	117	5.80	12.00	.03				
188	FA GU-115 11250 A	60	3.00	7.30	.05				
189	FA GU092 11301 A	52	2.50	3.00	.24				
190	11302 A	32	.93	2.90	.18				
191	11303 A	43	2.00	4.00	.14				
192	11304	16	.40	1.31	.13				
193	11305	43	2.30	4.10	.21				
194	11306	56	3.40	5.90	.20				
195	11307	50	2.30	3.30	.20				
196	11308	46	2.40	2.90	.10				
197	11309	35	1.62	2.90	.06				
198	11310 A	24	.71	1.64	.08				
199	11311	32	.86	3.50	.10				
200	11312 A	34	2.70	6.00	.01				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4470 10

Date October 13, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
181	11243 A	80	5.90	6.50	.10				
182	11244	114	8.20	9.60	.08				
183	11245	36	2.40	1.55	.18				
184	11246	40	2.10	2.20	.27				
185	11247	80	5.00	6.20	.11				
186	11248	44	2.60	5.50	.09				
187	11249	117	5.80	12.00	.03				
188	11250 A	60	3.00	7.30	.05				
189	11301 A	52	2.50	3.00	.24				
190	11302 A	32	.93	2.90	.18				
191	11303 A	43	2.00	4.00	.14				
192	11304	16	.40	1.31	.13				
193	11305	43	2.30	4.10	.21				
194	11306	56	3.40	5.90	.20				
195	11307	50	2.30	3.30	.20				
196	11308	46	2.40	2.90	.10				
197	11309	35	1.62	2.90	.06				
198	11310 A	24	.71	1.64	.08				
199	11311	32	.86	3.50	.10				
200	11312 A	34	2.70	6.00	.01				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4470 11

Date October 13, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
201	11313	50	4.00	5.20	.02				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


 Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

P.O. Box 1000

Faro, Yukon Territories, Y0B IK0 ATTENTION: MR. ROBIN TOLBERT


Certificate No. K-4501

Date October 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described GRUM CORE samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		gm/t	Percent	Percent	Percent				
185	11334	77	3.8	7.7	.09				
186	11335	88	5.1	10.7	.07				
187	11336	8	.56	1.56	.06				
188	11337	114	6.4	11.1	.18				
189	11338 A	97	5.3	9.9	.13				
190	11339	91	5.1	7.6	.22				
191	11340	98	5.8	8.3	.15				
192	11341	125	6.5	12.0	.22				
193	11342	82	5.6	8.5	.08				
194	11343	31	1.40	2.32	.11				
195	11344	34	1.68	3.0	.10				
196	11345	20	.37	1.02	.14				
197	11346	21	.54	.86	.12				
198	11347	16	.40	.86	.10				
199	11348	100	5.3	10.6	.18				
200	11349	52	3.1	7.1	.17				
201	11350	43	2.4	4.9	.10				
202	11351	114	6.1	17.5	.10				
203	11352	182	10.2	20.6	.06				
204	11353	27	1.9	6.5	.01				
205	11354	116	4.5	13.7	.07				
206	11355	138	7.9	18.2	.14				
207	11356	140	8.6	20.5	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

P.O. Box 1000

Faro, Yukon Territories, YO8 IK0 ATTENTION: MR. ROBIN TOLBERT

Certificate No. K-4501

Date October 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described GRUM CORE samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		gm/t	Percent	Percent	Percent				
FAGU-125 208	11357	52	3.3	2.4	.25				
FAGU-100 209	11358	121	6.1	11.6	.14				
210	11359	137	9.0	17.6	.06				
211	11360	132	8.2	15.9	.03				
212	11361	101	6.5	13.5	.04				
213	11362	98	5.9	11.6	.05				
214	11363	49	3.1	6.5	.07				
215	11364	81	5.5	9.8	.08				
216	11365 A	42	2.4	6.5	.07				
217	11366	30	.89	4.8	.27				
218	11367	44	2.6	4.3	.13				
219	11368	39	1.87	4.8	.12				
220	11369	33	1.77	2.7	.07				
221	11371	31	1.71	3.9	.04				
222	11372	23	1.22	2.6	.03				
223	11373	37	1.91	4.8	.07				
224	11374	54	3.3	6.2	.05				
225	11375	32	3.2	5.2	.02				
226	11376	24	1.53	3.4	.01				
227	11377	16	1.04	3.3	.03				
228	11378	36	2.3	6.1	.03				
229	11379	63	3.3	8.4	.05				
230	11380	44	2.4	3.7	.10				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4501

P.O. Box 1000

Date October 21, 1981

Faro, Yukon Territories, YOB IKO ATTENTION: MR. ROBIN TOLBERT

I hereby certify that the following are the results of assays made by us upon the herein described GRUM CORE samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		gm/t	Percent	Percent	Percent				
231	11381	51	3.0	2.5	.12				
232	11382	6	.16	.19	.02				
233	11383	20	.94	2.3	.03				
234	11385	28	1.28	3.4	.05				
235	11386	13	.54	1.83	.03				
236	11387	35	2.04	4.0	.03				
FAC10-100 237	11388	60	3.0	6.0	.09				
FAC10-102 238	11389	147	9.1	16.7	.09				
239	11390	133	7.6	15.8	.03				
240	11391	134	7.9	17.0	.04				
241	11392 A	132	9.4	18.3	.09				
242	11393	26	1.37	2.5	.07				
243	11394	65	4.5	7.1	.07				
244	11395	61	3.7	8.2	.05				
245	11396	9	.35	1.14	.02				
246	11397	67	4.7	4.7	.06				
247	11398	10	.33	.61	.04				
248	11399	132	6.5	12.0	.11				
FAC10-102 249	11400	21	.89	1.78	.11				
FAC10-0916 250	11401	105	5.3	12.2	.21				
251	11402	52	4.1	12.9	.06				
252	11403	64	4.5	15.1	.11				
253	11404	73	3.9	12.1	.12				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

P.O. Box 1000

Faro, Yukon Territories YOB IKO ATTENTION: MR. ROBIN TOLBERT

Certificate No. K-4501

Date October 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described GRUM CORE samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		gm/t	Percent	Percent	Percent					
254	11405	126	8.5	16.2	.07					
255	11406	105	6.2	13.7	.26					
256	11407	117	7.5	15.8	.02					
257	11408	108	7.1	12.9	.06					
258	11409	70	4.3	11.1	.03					
259	11410	90	5.5	11.2	.05					
260	11411	22	.61	4.3	.09					
261	11412	48	1.82	5.1	.14					
262	11413	23	.95	2.8	.11					
263	11414	32	1.72	2.7	.08					
264	11415	24	.85	2.5	.09					
265	11416	25	.97	3.3	.04					
266	11417	13	.42	.88	.02					
267	11418	23	1.18	3.2	.03					
268	11419 A	48	2.9	5.5	.11					
269	11420	48	3.3	3.9	.10					
270	11421	25	1.01	.95	.12					
271	11422	39	2.4	3.0	.10					
272	11423	19	1.26	3.3	.02					
273	11424	29	1.89	3.7	.01					
274	11425	11	.49	.93						
275	11426	34	1.93	3.9						
276	11427	36	1.72	3.3						

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

P.O. Box 1000

Faro, Yukon Territories YOB IKO ATTENTION: MR. ROBIN TOLBERT

Certificate No. K-4501

Date October 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described GRUM CORE samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		gm/t	Percent	Percent	Percent					
277	11428	12	.56	.47						
278	11429	22	1.01	1.86						
279	11430	35	1.31	2.3						
280	11431	17	.66	1.09						
281	11432	34	1.42	3.2						
282	11433	16	.60	1.62						
283	11434	19	1.38	1.65						
284	11435	22	1.29	1.86						
285	11436	11	.50	1.52						
286	11437	12	.55	1.13						
287	11438	10	.21	.36						
288	11439	48	3.3	2.4						
289	11441 ← 11440	139	8.3	16.0						
290	11442	122	8.1	17.7						
291	11443	130	7.7	16.7						
292	11444	47	2.9	6.3						
293	11445	136	9.0	20.2						
294	11446 A	50	2.9	6.5	.05					
295	11447	110	3.9	6.6	.20					
296	11448	127	7.6	14.2	.10					
297	11449	32	1.19	1.59	.09					
298	11450	24	.91	1.71	.10					
299	11451	26	.98	1.93	.17					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

P.O. Box 1000

Faro, Yukon Territories YOB IKO ATTENTION: MR. ROBIN TOLBERT

Certificate No. K-4501

Date October 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described GRUM CORE samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		gm/t	Percent	Percent	Percent					
FACU-113 300	11452	15	.41	.52	.23					
301	11453	190	10.3	11.3	.06					
FACIA-100 302	11454	183	10.5	12.6	.03					
303	11455	52	3.5	5.4	.02					
304	11456	195	12.9	13.5	.03					
305	11457	86	4.2	6.6	.06					
306	11458	184	11.1	11.5	.12					
307	11459	99	5.9	8.7	.05					
308	11460	131	9.0	8.3	.06					
309	11461	114	7.0	9.1	.07					
310	11462	132	9.4	8.4	.08					
311	11463	50	3.1	3.6	.15					
312	11464	9	.45	.73	.05					
313	11465	103	6.4	10.8	.03					
314	11466	119	7.0	10.7	.11					
315	11467	53	2.8	4.4	.08					
316	11468	66	3.9	5.9	.09					
317	11469	54	3.4	6.1	.06					
318	11470	45	2.5	4.0	.04					
319	11471	76	4.7	7.4	.03					
320	11472	7	.37	.69	.02					
FACIA-100 321	11473 A	7	.36	.31	.03					
FACU-067 322	11490	85	5.7	22.0	.09					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.
330 - 355 Burrard Street
Vancouver, B.C. V6C 2G8

Certificate No. K-4565

Date October 26, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
1	11474 A	25	1.57	1.53	.09				
2	11475	24	1.67	1.78	.07				
3	11476	34	2.60	4.60	.03				
4	11477	48	4.30	5.00	.03				
5	11478	37	2.90	4.00	.04				
6	11479	23	.73	1.93	.03				
7	11480 A	15	.48	1.85	.03				
8	11481	45	2.09	3.20	.06				
9	11482	56	3.60	8.40	.11				
10	11483 A	140	9.70	14.50	.14				
11	FAGV067 11484 A	134	11.10	16.10	.23				
12	11485	75	3.60	8.20	.08				
13	11486	112	5.70	13.40	.06				
14	11487	95	5.90	13.20	.12				
15	11488	45	3.20	19.50	.12				
16	11489 A	83	5.80	24.00	.10				
17	(P) 11691 A	3	.08	.22	.02				
FAGAD18	11700 A	30	1.39	2.40	.04				
19	11701	27	1.20	.86	.23				
20	FAGACBA 11702	25	.98	1.02	.19				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

↑
have to look at this.

Registered Assayer Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

330 - 355 Burrard Street

Vancouver, B.C. V6C 2G8

Certificate No. K-4565

Date October 26, 1981

#528

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
1	11474 A	25	1.57	1.53	.09				
2	11475	24	1.67	1.78	.07				
3	11476	34	2.60	4.60	.03				
4	11477	48	4.30	5.00	.03				
5	11478	37	2.90	4.00	.04				
6	11479	23	.73	1.93	.03				
7	11480 A	15	.48	1.85	.03				
8	11481	45	2.09	3.20	.06				
9	11482	56	3.60	8.40	.11				
10	11483 A	140	9.70	14.50	.14				
11	11484 A	134	11.10	16.10	.23				
12	11485	75	3.60	8.20	.08				
13	11486	112	5.70	13.40	.06				
14	11487	95	5.90	13.20	.12				
15	11488	45	3.20	19.50	.12				
16	11489 A	83	5.80	24.00	.10				
17	11691 A ?	3	.08	.22	.02				
18	11700 A	30	1.39	2.40	.04				
19	11701	27	1.20	.86	.23				
20	11702	25	.98	1.02	.19				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

P.O. BOX 1000

Faro, Yukon Territories YOB IKO ATTENTION: MR. ROBIN TOLBERT

Certificate No. K-4501

Date October 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described GRUM CORE CORE samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		gm/t	Percent	Percent	Percent					
FACIO-067 323	11491	140	5.3	16.4	.21					
324	11492	119	7.9	12.2	.18					
FACIO-067 325	11493	178	10.6	18.9	.11					
326	11494	50	3.0	5.7	.07					
327	11495	45	2.6	6.9	.06					
328	11496	15	1.08	1.10	.06					
329	11497	21	1.62	1.85	.04					
330	11498	17	1.17	2.3	.04					
331	11499	31	1.72	3.6	.021					
332	11500 A	21	1.10	4.2	.02					
333	11501	52	3.3	4.7	.05					
334	11502	16	.82	1.55	.03					
335	11503	32	1.73	4.3	.03					
336	11504	10	.59	.90	.02					
337	11505	35	2.02	3.6	.03					
338	11506	36	1.95	3.5	.09					
339	11507	34	2.17	3.1	.04					
340	11508	26	1.37	2.3	.04					
341	11509	31	1.66	3.0	.06					
342	11510	25	1.50	2.7	.04					
343	11511	39	1.76	2.9	.02					
344	11512	15	.71	2.4	.02					
345	11513	13	.52	1.62	.04					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

P.O. Box 1000

Faro, Yukon Territories Y0B 1K0 ATTENTION: MR. ROBIN TOLBERT

Certificate No. K-4501

Date October 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described GRUM CORE samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		gm/t	Percent	Percent	Percent				
346	11514	47	2.3	5.6	.07				
347	11515	41	1.33	4.5	.01				
348	11516	55	1.69	4.1	.02				
349	11517	62	2.3	5.7	.02				
350	11518	98	4.4	11.0	.03				
351	11519	67	3.5	7.3	.03				
352	11520	64	2.7	4.4	.10				
353	11521	84	5.2	7.6	.07				
354	11522	67	3.6	7.8	.08				
355	11523	16	.53	1.72	L .01				
356	11524	22	1.16	1.84	L .01				
357	11525	44	2.3	4.3	.01				
358	11526	21	.72	2.5	.01				
359	11527 A	28	1.45	2.9	.01				
360	11528	111	5.4	7.5	.02				
361	11529	142	7.3	12.2	.14				
362	11530	69	4.4	4.4	.08				
363	11531	53	3.6	4.3	.07				
364	11532	10	.59	1.04	.03				
365	11533	14	.74	1.60	.06				
366	11534	6	.47	.67	.02				
367	11535	18	2.2	1.73	.01				
368	11536	8	.77	.42	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

P.O. Box 1000

Faro, Yukon Territories YOB IKO ATTENTION: MR. ROBIN TOLBERT


Certificate No. K-4501

Date October 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described GRUM CORE samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		gm/t	Percent	Percent	Percent					
369	11537	95	5.2	7.8	.20					
370	11538	31	1.89	2.5	.07					
371	11539	12	.57	.77	.06					
372	11540	13	.48	1.38	.11					
373	11541	3	.14	.47	.01					
374	11542	5	.29	.77	.05					
375	11543	24	1.61	1.95	.20					
376	11544	14	.81	1.26	.26					
377	11545	23	1.51	3.1	.05					
378	11546	61	3.1	4.7	.13					
379	11547	17	1.10	2.09	.03					
380	11548	23	1.13	1.92	.07					
381	11549	55	3.1	4.9	.06					
382	11550	91	5.2	7.9	.09					
383	11551	66	4.6	7.4	.09					
384	11552	48	3.6	2.4	.21					
385	11553 A	92	4.8	.98	.21					
386	11554	17	.70	.58	.23					
387	11555	7	.20	.16	.10					
388	11556	13	.29	.28	.20					
FAGA-067 389	11557	8	.20	.28	.20					
FAGA-214 390	11558	44	2.7	3.5	.03					
391	11559	69	3.9	6.3	.02					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

P.O. Box 1000

Faro, Yukon Territories YOB IKO ATTENTION: MR. ROBIN TOLBERT

Certificate No. K-4501

Date October 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described GRUM CORE samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		gm/t	Percent	Percent	Percent					
392	11560	59	2.9	3.3	.05					
393	11561	62	4.0	7.7	.03					
394	11562	29	1.61	2.5	.07					
395	11563	23	1.56	1.9	.09					
396	11564	62	5.7	4.7	.09					
397	11565	200	11.1	20.2	.08					
398	11566	18	.83	1.75	.01					
399	11567	135	7.3	14.4	.02					
400	11568	56	3.0	6.4	.02					
401	11569	115	5.9	13.7	.02					
402	11570	153	8.5	15.7	.08					
403	11571	4	.22	.38	.02					
404	11572	111	5.5	14.3	.04					
405	11573	82	4.3	11.5	.02					
406	11574	58	3.0	9.4	.03					
407	11575	104	5.2	11.6	.02					
408	11576	55	2.9	7.7	.02					
409	11577	3	.11	.30	L .01					
410	11578	22	1.65	6.7	L .01					
411	11579	63	3.9	11.7	L .01					
412	11580 A	3	.08	.17	L .01					
413	11581 A	16	.71	1.46	.01					
414	11582	22	1.12	3.3	.01					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

P.O. Box 1000

Faro, Yukon Territories YOB IKO ATTENTION: MR. ROBIN TOLBERT

Certificate No. K-4501

Date October 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described GRUM CORE samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		gm/t	Percent	Percent	Percent					
415	11583	3	.03	.08	.01					
416	11584	3	.05	.09	.01					
417	11585	3	.05	.11	.01					
FACIA 214 418	11586	1	.02	.04	.01					
419	11587	10	.42	.42	.05					
FAGU-071 420	11588	5	.11	.13	.01					
421	11589	32	1.91	1.13	.08					
422	11590	42	3.4	4.5	.05					
423	11591	23	1.15	2.7	.02					
424	11592	44	2.11	4.9	.06					
425	11593	43	2.5	5.6	.04					
426	11594	209	13.5	23.0	.02					
427	11595	166	9.8	19.6	.14					
428	11596	37	2.2	4.5	.07					
429	11597	56	3.3	7.6	.03					
430	11598	103	5.8	13.2	.05					
431	11599	53	2.8	5.8	.05					
432	11600	97	5.4	15.1	.06					
433	11601	133	7.5	17.8	.04					
434	11602	83	5.4	9.7	.06					
435	11603	126	7.9	12.4	.12					
436	11604	150	12.1	20.1	.03					
FAGU-071 437	11605	35	1.86	3.7	.03					

NOTE:

Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

P.O. Box 1000

Faro, Yukon Territories, YOB IKO ATTENTION: MR. ROBIN TOLBERT

Certificate No. K-4051

Date October 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described GRUM CORE samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		gm/t	Percent	Percent	Percent					
438	11606	47	1.93	4.8	.04					
439	11607	117	6.2	12.9	.16					
440	11608	55	2.8	5.2	.08					
441	11609	23	.67	.72	.18					
442	11610	53	2.06	3.5	.17					
443	11611	51	2.9	3.5	.19					
444	11612	104	6.5	12.0	.03					
445	11613	114	6.9	16.7	.13					
446	11614	62	3.6	9.3	.02					
447	11615	26	1.08	2.7	.16					
448	11616	65	3.4	6.3	.10					
449	11617	140	8.3	14.7	.20					
450	11618	130	8.5	15.6	.12					
451	11619	67	4.5	9.6	.10					
452	11620	29	1.41	3.2	.03					
453	11621	25	1.44	4.1	.01					
454	11622	31	2.4	5.0	.02					
455	11623	40	3.2	5.4	.02					
456	11624	56	4.8	6.1	.08					
457	11625	30	2.8	5.5	.04					
458	11626	58	6.0	1.65	.05					
459	11627	63	6.3	2.11	.08					
460	11628	22	1.33	.60	.06					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

P.O. Box 1000

Faro, Yukon Territories YOB IKO ATTENTION: MR. ROBIN TOLBERT


Certificate No. K-4051

Date October 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described GRUM CORE samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		gm/t	Percent	Percent	Percent					
461	11629	16	.66	.39	.06					
462	11630	7	.33	.50	.08					
463	11631	6	.14	.14	.10					
464	11632	16	1.01	.82	.11					
465	11633	9	.43	.25	.06					
466	11634 A	7	.27	.47	.06					
467	11635 A	6	.11	.54	.02					
468	11636	13	.50	1.27	.05					
469	11637	8	.29	.90	.05					
470	11638	10	.46	.95	.05					
471	11639	18	.86	1.50	.07					
472	11640	37	1.87	3.2						
473	11641	19	.25	1.04						
474	11642	43	2.6	4.6						
475	11643	36	1.64	2.5						
476	11644	15	.33	.84						
477	11645	13	.30	.70						
478	11646	14	.36	.53						
479	11647	37	1.86	3.6						
480	11648	36	1.68	3.2						
481	11649	19	.14	1.07						
482	11650	59	2.7	3.1						
483	11651	137	8.7	12.6						

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

P.O. Box 1000

Faro, Yukon Territories YOB IKO ATTENTION: MR. ROBIN TOLBERT

Certificate No. K-4501

Date October 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described GRUM CORE samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		gm/t	Percent	Percent	Percent				
484	11652	93	5.6	11.3					
485	11653	100	4.7	7.9					
486	11654	115	5.6	8.6					
487	11655	59	2.7	5.4					
488	11656	91	4.8	8.0					
489	11657	138	3.8	5.8					
490	11658	37	1.11	2.9					
491	11659	180	5.7	12.1					
492	11660	76	3.6	7.1					
493	11661 A	49	3.4	10.8					
494	11662 A	50	2.8	5.5	.04				
495	11663	91	4.2	15.5	.12				
496	11664	96	5.3	9.6	.12				
497	11665	109	6.7	9.7	.22				
498	11666	77	4.1	7.6	.12				
499	11667	59	3.8	5.8	.08				
FAGA-010 500	11668	18	.69 ✓	.74	.10 ✓				
FAGA-072 501	11669	89	5.8	12.9	.04				
502	11670	34	1.58	3.0	.07				
503	11671	26	.88	1.43	.05				
504	11672	32	1.33	3.0	.02				
505	11673	35	2.6	.35	.07				
506	11674	26	1.44	.40	.05				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia

CTA



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

P.O. Box 1000

Faro, Yukon Territories YOB IKO ATTENTION: MR. ROBIN TOLBERT

Certificate No. K-4051

Date October 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described GRUM CORE samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		gm/t	Percent	Percent	Percent					
507	11675	9	.37	.80	.03					
508	11676	14	.50	1.18	.05					
509	11677	21	1.11	1.89	.06					
510	11678	14	.60	1.58	.03					
511	11679	20	.97	2.6	.05					
512	11680	20	1.18	2.2	.05					
513	11681	26	1.77	1.66	.04					
514	11682	36	1.74	4.0	.03					
515	11683	20	1.00	2.5	.03					
516	11684	44	2.9	4.0	.08					
517	11685	12	.64	1.30	.06					
518	11686	10	.41	.87	.06					
519	11687	10	.45	1.09	.05					
520	11688 A	45	2.7	3.4	.11					
521	11689 A	27	1.19	2.6	.06					
522	11690 A	54	2.7	5.7	.04					

L means "Less than"

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

522
351
172

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 2

Date October 26, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
21	11703 A	40	1.53	1.68	.29				
22	11704	72	6.90	8.20	.05				
23	11705	13	.35	.40	.08				
24	11706	14	.43	2.70	.04				
25	11709	9	.39	.73	.02				
26	11712	37	1.67	2.70	.15				
27	11713	7	.14	.22	.13				
28	11714	27	1.12	1.25	.11				
29	11715	26	1.38	1.37	.14				
30	11716 A	24	.81	.65	.10				
31	11717 A	43	1.79	2.20	.08				
32	11718	24	1.11	1.05	.09				
33	11719	27	1.21	1.26	.10				
34	11720	17	.27	.12	.10				
35	11721	7	.20	.10	.09				
36	11722	18	.51	.36	.10				
37	11723	6	.07	.31	.01				
38	11724	4	.08	.47	.05				
39	11725	13	.22	.19	.12				
40	11726 A	15	.66	1.24	.06				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 3

Date October 26, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
41	11727 A	7	.07	.27	.16				
42	11728	42	3.20	2.70	.13				
43	11729	40	2.70	1.59	.16				
44	11730	39	2.70	1.86	.13				
45	11734	14	.46	.56	.06				
46	11735	26	1.51	.89	.08				
47	11736	28	2.50	1.40	.05				
48	11737	28	2.80	3.70	.01				
49	11738	29	1.96	4.70	.03				
50	11739 A	51	3.70	7.50	.06				
51	11740 A	131	8.90	17.30	.13				
52	11741	159	9.20	15.50	.26				
53	11742	149	8.50	16.30	.18				
54	11743	91	4.50	11.50	.06				
55	11744	78	4.50	7.10	.09				
56	11745	68	3.60	4.60	.03				
57	11746	15	.55	1.52	.03				
58	11747	32	2.40	1.03	.06				
59	11748	38	2.40	3.70	.03				
60	11749 A	120	8.00	11.70	.08				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 4

Date October 26, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
61	11750 A	124	8.00	13.60	.06				
62	11751	136	9.40	19.60	.17				
63	11752	131	10.00	17.60	.21				
64	11753	138	7.90	15.60	.10				
65	11754	9	.30	1.72	.01				
66	11755	45	3.00	6.10	.11				
67	11756	66	4.10	7.30	.06				
68	11757	120	6.90	12.70	.11				
69	11758	125	6.70	17.20	.14				
70	11759 A	11	.50	.60	.08				
71	11760 A	21	1.70	1.35	.07				
72	11761	40	2.60	4.60	.05				
73	11762	41	2.00	4.20	.04				
74	11763	70	4.00	7.70	.15				
75	11764	139	7.10	14.50	.33				
76	11765	130	6.80	14.00	.26				
77	11766	40	1.81	4.60	.07				
78	11767	16	.52	.75	.14				
79	11768	65	4.00	9.20	.05				
80	11769 A	99	5.60	12.60	.01				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 5

Date October 26, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
81	11770 A	80	4.60	11.90	.02				
82	11771	90	5.10	11.40	.02				
83	11772	124	7.00	11.00	.10				
84	11773	119	6.40	10.50	.13				
85	11774	156	7.10	14.40	.19				
86	11775	134	5.60	12.50	.43				
87	11776	150	9.60	12.40	.25				
88	11777	25	1.23	2.50	.04				
89	11778	6	.60	.74	.02				
90	11779 A	40	2.10	3.20	.03				
91	11780 A	44	2.20	3.90	.07				
92	11781	33	1.75	1.46	.02				
93	11782	27	1.72	2.40	.03				
94	11783	35	2.30	4.10	.03				
95	11784	10	.48	.77	.07				
96	11785	62	3.20	4.80	.11				
97	11786	38	2.10	3.10	.06				
98	11787	30	1.81	4.10	.11				
99	11788	49	3.00	4.30	.07				
100	11789 A	47	3.20	4.20	.11				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 6

Date October 26, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
101	11790 A	74	5.20	6.70	.06				
102	11791	84	5.50	7.60	.08				
103	11792	55	3.30	3.80	.06				
104	11793	26	1.47	3.20	.02				
105	11794	25	1.44	3.40	.02				
106	11795	31	1.83	2.90	.03				
107	11796	55	2.60	3.60	.04				
108	11797	59	3.10	5.60	.02				
109	11798	63	3.30	7.00	.05				
110	11799 A	57	2.80	5.30	.03				
111	11800 A	56	3.20	5.20	.06				
112	11801	33	1.95	3.30	.03				
113	11802	31	1.87	3.40	.04				
114	11803	30	2.20	1.30	.10				
115	11804	29	1.85	.68	.11				
116	11805	45	3.00	.80	.12				
117	11806	20	1.00	.47	.12				
118	11807	18	.90	.73	.10				
119	11808	10	.58	.91	.10				
120	11809 A	9	.33	.54	.06				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 7

Date October 26, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
121	11810 A	7	.24	.36	.08				
122	11811	7	.26	.55	.12				
123	11812	20	.85	1.78	.11				
124	11813	26	1.73	2.00	.09				
125	11814	53	2.60	3.50	.28				
126	11815	29	.65	1.28	.21				
127	11816	37	2.20	3.20	.08				
128	11817	41	2.03	3.10	.23				
129	11818	46	1.57	2.60	.08				
130	11819 A	26	1.38	1.06	.02				
131	11820 A	69	3.00	5.20	.15				
132	11821	27	1.45	2.30	.06				
133	11822	43	3.10	3.40	.13				
134	11823	27	1.68	2.50	.14				
135	11824	14	.70	.98	.09				
136	11825	23	1.34	1.68	.16				
137	11826	45	2.90	2.90	.26				
138	11827	9	.50	1.15	.03				
139	11828	16	.92	1.39	.09				
140	11829 A	13	.76	1.71	.10				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 8

Date October 26, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
141	11830 A	21	.90	1.52	.06					
142	11831	36	1.48	1.72	.07					
143	11832	19	1.00	1.69	.03					
144	11833	126	7.20	12.70	.16					
145	11834	5	2.50	.71	.05					
146	11835	159	9.00	19.60	.03					
147	11836	115	7.30	15.70	.10					
148	11837	38	1.45	3.10	.03					
149	11838	54	2.30	5.50	.04					
150	11839 A	141	8.80	14.20	.11					
151	11840 A	156	10.00	14.50	.04					
152	11841	21	1.30	.91	.08					
153	11842	11	.47	.24	.06					
154	11843	44	3.70	3.20	.04					
155	11845	31	2.70	2.40	.02					
156	11846	31	3.10	1.05	.03					
157	11847	28	2.40	.65	.04					
158	11848	27	.95	.42	.06					
159	11849	19	.90	.52	.10					
160	11850 A	41	3.30	5.70	.11					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 9

Date October 26, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
161	11851 A	33	2.60	1.37	.09				
162	11852	51	3.80	5.30	.14				
163	11853	25	1.66	.45	.07				
164	11854	50	3.90	4.30	.08				
165	11855	40	2.50	3.60	.08				
166	11856	96	5.10	5.00	.16				
167	11857	70	3.70	4.30	.14				
168	11858	34	1.83	3.20	.22				
169	11859	64	3.80	5.00	.31				
170	11860 A	97	4.30	10.00	.28				
171	<u>11861</u> A	65	4.50	<u>7.70</u>	.08				
172	11862	100	6.30	11.10	.23				
173	11863	145	8.80	12.50	.25				
174	11864	106	5.40	8.00	.15				
175	11865	117	4.90	8.10	.26				
176	11866	113	4.60	6.70	.21				
177	FA 6U079 11867	127	5.80	9.80	.14				
178	11868	39	1.98	3.20	.08				
179	FA 6A161 11869	26	1.23	2.80	.03				
180	11870 A	36	1.68	3.30	.05				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 9

Date October 26, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
161	11851 A	33	2.60	1.37	.09				
162	11852	51	3.80	5.30	.14				
163	11853	25	1.66	.45	.07				
164	11854	50	3.90	4.30	.08				
165	11855	40	2.50	3.60	.08				
166	11856	96	5.10	5.00	.16				
167	11857	70	3.70	4.30	.14				
168	11858	34	1.83	3.20	.22				
169	11859	64	3.80	5.00	.31				
170	11860 A	97	4.30	10.00	.28				
171	11861 A	65	4.50	7.70	.08				
172	11862	100	6.30	11.10	.23				
173	11863	145	8.80	12.50	.25				
174	11864	106	5.40	8.00	.15				
175	11865	117	4.90	8.10	.26				
176	11866	113	4.60	6.70	.21				
177	11867	127	5.80	9.80	.14				
178	11868	39	1.98	3.20	.08				
179	11869	26	1.23	2.80	.03				
180	11870 A	36	1.68	3.30	.05				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5
PHONE: (604) 372-2784 — TELEX: 048-8320

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

330 - 355 Burrard Street

Vancouver, B.C. V6C 2G8 ATTENTION: DR. GLEN SIMPSON


Certificate No. K-4565

Date June 1, 1982

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
1	11844	34	3.17	2.60	.02				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.



 Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 10

Date October 26, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
181	11871 A	53	2.80	5.90	.02	✓				
182	11872	23	.90	1.93	.09					
183	11873	4	.30	.54	.02					
184	11874	12	.61	1.09	.05					
185	11875	22	1.13	2.20	.05					
186	11876	23	1.01	2.90	.10					
187	11877	34	1.59	3.90	.07					
188	11878	37	1.97	2.80	.04					
189	11879	40	1.88	4.30	.04					
190	11880 A	24	1.22	1.39	.05					
191	11881 A	41	2.70	1.49	.04					
192	11883	46	1.96	4.30	.07					
193	11884	29	1.34	3.70	.06					
194	11885	10	.54	1.07	.04					
195	11886	11	.58	1.35	.07					
196	11887	32	1.95	3.40	.03					
197	11888	32	1.70	3.00	.02					
198	FA GVA 161 11889	54	3.20	4.20	.03					
199	11890	7	.55	.38	.04					
200	FA GVB 77 11891 A	19	1.30	2.30	.06					

NOTE:

Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 10

Date October 26, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
181	11871 A	53	2.80	5.90	.02				
182	11872	23	.90	1.93	.09				
183	11873	4	.30	.54	.02				
184	11874	12	.61	1.09	.05				
185	11875	22	1.13	2.20	.05				
186	11876	23	1.01	2.90	.10				
187	11877	34	1.59	3.90	.07				
188	11878	37	1.97	2.80	.04				
189	11879	40	1.88	4.30	.04				
190	11880 A	24	1.22	1.39	.05				
191	11881 A	41	2.70	1.49	.04				
192	11883	46	1.96	4.30	.07				
193	11884	29	1.34	3.70	.06				
194	11885	10	.54	1.07	.04				
195	11886	11	.58	1.35	.07				
196	11887	32	1.95	3.40	.03				
197	11888	32	1.70	3.00	.02				
198	11889	54	3.20	4.20	.03				
199	11890	7	.55	.38	.04				
200	11891 A	19	1.30	2.30	.06				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 11

Date October 26, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
201	11892 A	20	1.45	2.50	.01				
202	11893	16	.53	.92	.10				
203	11894	35	2.40	3.00	.04				
204	11895	25	.15	5.70	.41				
205	11896	130	7.90	12.60	.16				
206	11897	20	.65	.85	.24				
207	11898	10	.06	.41	.21				
208	11899	27	.69	1.03	.34				
209	11900	15	.28	.49	.26				
210	11901 A	79	3.80	5.30	.14				
211	11902 A	26	1.47	2.60	.06				
212	11903	17	1.04	1.34	.06				
213	11904	18	.79	1.05	.10				
214	11905	20	1.05	1.58	.07				
215	11906	18	.85	1.04	.06				
216	11907	21	1.16	1.59	.05				
217	11908	40	2.90	5.20	.03				
218	11909	16	.52	1.05	.15				
219	11910	82	4.80	5.90	.24				
220	11911 A	97	5.30	6.50	.30				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 12

Date October 27, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
221	11912 A	88	4.70	2.70	.18				
222	11913	83	5.40	5.90	.11				
223	11914	84	4.80	7.50	.10				
224	11915	46	2.70	4.40	.07				
225	11916	40	2.50	2.10	.21				
226	11917	94	7.50	10.00	.11				
227	11918	19	1.10	3.50	.12				
228	11919	10	.13	.91	.20				
229	11920	57	4.20	5.10	.08				
230	11921 A	129	6.90	10.80	.06				
231	11922 A	54	3.00	5.80	.02				
232	11923	49	2.20	5.50	.01				
233	11924	53	2.60	6.50	.02				
234	11925	51	2.50	6.90	.01				
235	11926	40	1.98	6.00	.02				
236	11927	39	2.10	4.80	.03				
237	11928	4	.13	.33	.01				
238	11929	43	2.20	4.50	.03				
239	11930	28	1.29	4.30	.03				
240	11931 A	29	1.03	4.40	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 13

Date October 27, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
241	11932 A	92	4.60	6.00	.18				
242	11933	158	7.50	12.20	.22				
243	11934	42	2.20	3.70	.03				
244	11935	52	3.30	5.40	.04				
245	11936	55	3.10	4.80	.11				
246	11937	83	4.30	8.40	.09				
247	11938	96	4.90	9.50	.04				
248	11939	29	1.89	4.40	.03				
249	11940	26	1.17	1.41	.13				
250	11941 A	12	1.02	1.34	.03				
251	11942 A	15	1.16	1.77	.03				
252	11943	31	2.30	2.90	.02				
253	11944	7	.34	.80	.03				
254	11945	14	1.07	.21	.03				
255	11946	4	.24	.30	.05				
256	11947	10	.37	1.00	.09				
257	11948	41	2.01	2.80	.09				
258	11949	16	.14	.39	.25				
259	11950	107	4.80	8.40	.18				
260	11951 A	25	1.34	.98	.02				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd

Certificate No. K-4565 14

Date October 27, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
261	11952 A	58	2.90	5.00	.20					
262	11953	73	3.30	4.70	.17					
263	11954	30	1.52	3.70	.02					
264	11955	156	9.00	10.10	.16					
265	11956	95	5.20	8.90	.09					
266	11957	96	4.40	8.80	.15					
267	11958	94	2.10	4.00	.07					
268	11959	79	3.50	7.20	.13					
269	11960	80	4.50	7.60	.10					
270	11961 A	84	4.30	7.70	.13					
271	11962 A	83	4.70	10.80	.04					
272	11963	50	2.60	4.60	.35					
273	11964	34	1.22	2.50	.37					
274	11965	14	.60	.76	.16					
275	11966	23	1.66	1.59	.11					
276	11967	10	.51	1.55	.04					
277	11968	20	1.01	2.00	.04					
278	11969	18	.98	1.84	.03					
279	11970	46	1.94	2.70	.09					
280	11971 A	28	1.13	2.60	.04					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 15

Date October 27, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
281	11972 A	45	2.00	3.70	.03				
282	11973	33	1.68	3.10	.02				
283	11974	39	2.10	3.30	.04				
284	11975	35	2.10	4.30	.03				
285	11976	20	1.24	2.40	.02				
286	11977	8	.46	1.27	.03				
287	11978	54	3.30	4.20	.06				
288	11979	26	1.60	3.40	.02				
289	11980	24	1.57	3.40	.02				
290	11981 A	10	.55	.62	.02				
291	11982 A	18	1.08	2.30	.03				
292	11983	32	1.83	1.76	.07				
293	11984	25	1.30	1.06	.07				
294	11985	10	.58	1.72	.03				
295	11986	23	1.31	1.71	.03				
296	11987	30	1.34	2.70	.07				
297	11988	48	3.00	4.90	.22				
298	11989	39	2.10	3.90	.13				
299	11990	16	.69	1.03	.04				
300	11991 A	3	.64	.63	.04				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 16

Date October 27, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
301	11992 A	16	.64	1.20	.07					
302	11993	16	.66	.92	.08					
303	11994	12	.45	.85	.07					
304	11995	9	.70	1.84	.08					
305	11996	35	3.10	1.43	.03					
306	11997	11	.61	.88	.04					
307	11998	3	.46	.57	.04					
308	11999 A	30	2.10	3.00	.10					
309	12035 A	37	1.53	2.90	.11					
310	12036 A	55	2.80	5.00	.05					
311	12037 A	47	2.10	4.10	.12					
312	12038	49	2.80	4.20	.05					
313	12039	46	2.70	3.90	.05					
314	12040	28	1.74	3.00	.07					
315	12041	16	1.25	3.10	.03					
316	12042	26	1.27	3.50	.04					
317	12043	26	1.57	3.30	.03					
318	12044	27	1.70	3.30	.06					
319	12045	24	1.12	1.15	.08					
320	12046 A	27	1.54	2.50	.05					

NOTE:
Samples retained three weeks.
Assays retained three months
unless otherwise arranged.

12000



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 16

Date October 27, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
301	11992 A	16	.64	1.20	.07				
302	11993	16	.66	.92	.08				
303	11994	12	.45	.85	.07				
304	11995	9	.70	1.84	.08				
305	11996	35	3.10	1.43	.03				
306	11997	11	.61	.88	.04				
307	11998	3	.46	.57	.04				
308	11999 A	30	2.10	3.00	.10				
309	12035 A	37	1.53	2.90	.11				
310	12036 A	55	2.80	5.00	.05				
311	12037 A	47	2.10	4.10	.12				
312	12038	49	2.80	4.20	.05				
313	12039	46	2.70	3.90	.05				
314	12040	28	1.74	3.00	.07				
315	12041	16	1.25	3.10	.03				
316	12042	26	1.27	3.50	.04				
317	12043	26	1.57	3.30	.03				
318	12044	27	1.70	3.30	.06				
319	12045	24	1.12	1.15	.08				
320	12046 A	27	1.54	2.50	.05				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 17

Date October 27, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
321	12047 A	26	1.57	1.88	.06				
322	12048	48	3.20	5.70	.07				
323	12049	35	2.03	3.90	.05				
324	12050	34	2.15	5.40	.02				
325	12051	23	1.00	2.60	.03				
326	12052	10	.70	1.55	.09				
327	12053	12	.53	1.00	.07				
328	12054	21	1.67	1.21	.05				
329	12055	28	1.10	2.80	.03				
330	12056 A	30	1.45	2.60	.05				
331	12057 A	37	2.05	4.70	.09				
332	12058	67	3.70	6.60	.10				
333	12059	108	7.10	13.50	.14				
334	12060	68	3.20	6.00	.04				
335	12061	60	3.30	4.80	.07				
336	12062	50	2.90	3.60	.04				
337	12063	44	1.90	4.30	.03				
338	12064	30	1.10	2.80	.02				
339	12065	28	1.29	2.90	.03				
340	12066	29	1.19	4.60	.02				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 18

Date October 27, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
341	12067 A	26	.85	4.00	.02				
342	12068	35	2.30	5.00	.02				
343	12069	40	1.87	6.10	.02				
344	12070	30	1.10	4.40	.02				
345	12071	32	1.14	3.90	.02				
346	12072	55	2.10	5.80	.02				
347	12073	40	1.51	3.20	.02				
348	12074	67	2.60	5.40	.03				
349	12075	44	1.80	4.20	.02				
350	12076 A	62	3.00	5.80	.01				
351	12077 A	47	2.02	3.90	.02				
352	12078	55	2.40	6.10	.02				
353	12079	71	3.30	6.50	.03				
354	12080	74	4.10	12.90	.05				
355	12081	30	1.11	2.90	.11				
356	12082	35	1.94	4.00	.12				
357	12083	136	9.30	14.80	.24				
358	12084	98	7.20	17.00	.18				
359	12085	69	4.30	8.00	.24				
360	12086 A	76	6.60	10.90	.20				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 19

Date October 27, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
361	12087 A	121	6.20	9.40	.21				
362	12088	117	5.70	9.90	.16				
363	12089	83	3.90	8.70	.10				
364	12090	122	6.70	10.90	.14				
365	12091	34	1.30	2.50	.07				
366	12092	49	2.90	4.10	.09				
367	12093	8	.38	.59	.04				
368	12094	126	9.00	12.70	.10				
369	12095	117	8.40	17.50	.12				
370	12096 A	98	5.60	9.70	.19				
371	12097 A	109	6.80	19.40	.20				
372	12098	72	4.40	4.50	.18				
373	12099	32	1.40	1.37	.10				
374	12100	37	2.50	1.93	.18				
375	12101	49	2.01	.48	.30				
376	12102	22	.53	.19	.08				
377	12103	62	2.40	3.10	.12				
378	12104	105	5.70	6.20	.11				
379	12105	91	6.00	8.10	.06				
380	12106 A	117	6.80	7.10	.13				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 20

Date October 27, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
381	12107 A	30	1.00	.74	.23				
382	12108	95	3.90	3.90	.12				
383	12109	41	1.90	.86	.21				
384	12110	80	6.20	6.50	.10				
385	12111	39	.35	.46	.75				
386	12112	100	5.70	8.70	.06				
387	12113	105	6.40	7.60	.05				
388	12114	23	.91	.85	.08				
389	12115	108	5.90	8.50	.06				
390	12116 A	94	5.60	7.90	.04				
391	12117 A	52	2.30	5.50	.03				
392	12118	166	9.50	17.60	.08				
393	12119	57	2.80	3.60	.07				
394	12120	57	3.80	3.30	.06				
395	12121	56	3.30	3.70	.05				
396	12122	73	4.40	5.30	.04				
397	12123	38	2.30	3.60	.03				
398	12124	25	.97	2.50	.02				
399	12125	53	3.10	3.60	.04				
400	12126 A	31	1.57	2.30	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 21

Date October 27, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
401	12127 A	10	.55	1.89	.01				
402	12128	20	.84	2.30	.01				
403	12129	36	1.66	3.70	.01				
404	12130	19	.87	1.98	.01				
405	12131	11	.55	.64	.01				
406	12132	32	1.59	2.80	.03				
407	12133	1	.04	.07	.01				
408	12134	19	.77	1.26	.01				
409	12135	30	1.39	2.60	.04				
410	12136 A	3	.09	.12	.01				
411	12137 A	11	.61	.90	.01				
412	12138	130	6.80	12.40	.15				
413	12139	4	.10	.18	.07				
414	12140	5	.03	.05	.10				
415	12141	2	.04	.11	.07				
416	12142	14	.73	1.52	.06				
417	12143	5	.05	.10	.12				
418	12144	5	.07	.22	.12				
419	12145	3	.03	.07	.01				
420	12146 A	36	1.95	3.20	.06				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 22

Date October 27, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
421	12147 A	63	3.40	7.50	.05				
422	12148	26	1.26	3.00	.02				
423	12149	97	5.20	9.40	.02				
424	12150	34	1.96	3.90	.02				
425	12151	42	1.91	3.60	.02				
426	12152	63	4.00	8.70	.02				
427	12153	84	3.20	8.40	.08				
428	12154	38	1.97	4.50	.02				
429	12155	96	4.80	9.00	.13				
430	12156 A	95	5.10	7.20	.18				
431	12157 A	102	5.20	8.50	.16				
432	12158	45	2.90	3.50	.08				
433	12159	23	1.25	2.60	.09				
434	12160	20	.50	.62	.15				
435	12161	14	.15	.41	.13				
436	12162	14	.40	.48	.11				
437	12163	11	.11	.48	.13				
438	12164	13	.24	.61	.19				
439	12165	15	.21	.43	.28				
440	12166 A	23	1.18	.94	.13				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 23

Date October 27, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
441	12167 A	78	3.70	4.80	.10				
442	12168	55	3.20	4.30	.06				
443	12169	72	3.80	4.90	.06				
444	12170	48	2.40	5.20	.04				
445	12171	34	1.60	4.00	.04				
446	12172	72	3.90	7.30	.04				
447	12173	138	6.90	11.50	.02				
448	12174	33	1.47	3.20	.04				
449	12175	38	1.74	3.60	.06				
450	12176 A	10	.36	.62	.02				
451	12177 A	116	6.30	10.00	.03				
452	12178	105	6.50	9.10	.03				
453	12179	8	.27	.29	.01				
454	12180	58	2.80	8.60	.05				
455	12181	12	.33	1.00	L.01				
456	12182	40	1.84	6.30	.01				
457	12183	18	.83	1.85	.01				
458	12184	94	5.40	13.90	.04				
459	12185	94	5.40	12.80	.08				
460	12186	78	4.80	7.20	.08				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 24

Date October 27, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
461	12187 A	50	3.00	4.00	.15				
462	12188	50	2.80	4.20	.10				
463	12189	43	2.70	3.20	.05				
464	12190	10	.16	.40	.08				
465	12191	35	1.57	2.30	.05				
466	12192	103	5.90	8.30	.20				
467	12193	95	4.40	5.10	.18				
468	12194	14	.52	1.25	.02				
469	12195	21	.67	1.36	.01				
470	12196 A	44	1.66	4.60	.02				
471	12197 A	128	4.80	12.20	.02				
472	12198	89	4.80	8.80	.05				
473	12199	50	2.40	4.10	.10				
474	12200	52	2.70	3.50	.10				
475	12201	34	1.77	4.20	.02				
476	12202	11	.26	.38	.01				
477	12203	53	2.80	4.80	.12				
478	12204	113	5.50	11.00	.16				
479	12205	36	1.22	2.50	.06				
480	12206 A	47	2.80	2.40	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 25

Date October 27, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
481	12207 A	8	.03	.28	.01				
482	12208	37	1.71	3.80	.03				
483	12209	49	2.20	4.20	.06				
484	12210	8	.06	.38	.01				
485	12211	38	2.10	1.50	.09				
486	12212	29	1.67	1.30	.06				
487	12213	52	3.80	7.40	.03				
488	12214	52	4.30	5.20	.05				
489	12215	39	2.70	4.00	.05				
490	12216 A	14	.38	.81	.02				
491	12217 A	34	1.13	2.90	.02				
492	12218	51	2.60	5.00	.02				
493	12219	52	2.90	8.60	.03				
494	12220	51	2.90	7.70	.03				
495	12221	53	3.00	7.40	.03				
496	12222	113	5.60	11.80	.15				
497	12223	131	7.30	11.80	.14				
498	12224	119	6.20	11.90	.14				
499	12225	151	10.60	21.30	.08				
500	12226 A	153	8.50	15.40	.15				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 26

Date October 27, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
501	12227 A	30	1.12	2.40	.02				
502	12228	156	6.90	11.40	.17				
503	12229	21	1.14	2.70	.06				
504	12230	37	1.67	3.40	.03				
505	12231	33	1.42	2.80	.05				
506	12232	38	1.51	3.20	.06				
507	12233	24	.83	2.20	.08				
508	12234	33	1.42	2.20	.06				
509	12235	50	2.80	4.20	.05				
510	12236 A	56	3.60	4.90	.07				
511	12237 A	52	2.70	5.20	.05				
512	12238	101	5.70	11.80	.05				
513	12239	86	4.80	8.80	.09				
514	12240	58	3.20	8.10	.06				
515	12241	52	3.00	5.20	.04				
516	12242	11	.51	.93	.05				
517	12243	144	7.70	15.30	.09				
518	12244	18	.58	1.60	.14				
519	12245	35	1.89	2.30	.05				
520	12246 A	30	1.56	2.80	.02				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 26

Date October 27, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
501	12227 A	30	1.12	2.40	.02				
502	FA 90073 12228	156	6.90	11.40	.17				
503	FA 90109 12229	21	1.14	2.70	.06				
504	12230	37	1.67	3.40	.03				
505	FA 90107 12231	33	1.42	2.80	.05				
506	12232	38	1.51	3.20	.06				
507	12233	24	.83	2.20	.08				
508	12234	33	1.42	2.20	.06				
509	12235	50	2.80	4.20	.05				
510	12236 A	56	3.60	4.90	.07				
511	12237 A	52	2.70	5.20	.05				
512	12238	101	5.70	11.80	.05				
513	12239	86	4.80	8.80	.09				
514	12240	58	3.20	8.10	.06				
515	12241	52	3.00	5.20	.04				
516	12242	11	.51	.93	.05				
517	12243	144	7.70	15.30	.09				
518	12244	18	.58	1.60	.14				
519	12245	35	1.89	2.30	.05				
520	12246 A	30	1.56	2.80	.02				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 27

Date October 27, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
521	12247 A	31	1.81	2.20	.04				
522	12248	43	2.04	.34	.08				
523	12249 A	112	6.00	11.30	.08				
524	6673 A	11	.18	.26	.13				
525	6674	51	2.09	1.08	.12				
526	6675	12	.17	.26	.17				
527	6676	18	.47	1.69	.21				
528	6677 A	100	6.50	7.80	.21				
L means "Less than"									

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 27


Date October 27, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
521	12247 A	31	1.81	2.20	.04					
522	12248	43	2.04	.34	.08					
523	12249 A	112	6.00	11.30	.08					
524	6673 A	11	.18	.26	.13					
525	6674	51	2.09	1.08	.12					
526	6675	12	.17	.26	.17					
527	6676	18	.47	1.69	.21					
528	6677 A	100	6.50	7.80	.21					

L means "Less than"

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.
330 - 355 Burrard Street
Vancouver, B.C. V6C 2G8

Certificate No. K-4639
Date November 24, 1981
#123

I hereby certify that the following are the results of assays made by us upon the herein described GRUM samples

Kral No.	Marked	Ag <i>ounces</i> per tonne	Pb percent	Zn percent	Cu percent				
1	12251	3	.04	.09	L.01	<i>5 cents as .01</i>			
2	12252	1	.01	.05	L.01				
3	12253	5	.20	.41	L.01				
4	12254	3	.06	.55	L.01				
5	12255	1	.01	.10	L.01				
6	12256	1	.01	.06	L.01				
7	12257	11	.52	.77	.01				
8	12258	34	1.97	7.50	.01				
9	12259	29	1.88	3.40	.01				
10	12260	94	4.60	9.70	.04				
11	12261	57	2.31	9.60	.04				
12	12262	39	1.94	3.30	.08				
13	12263	23	.94	3.40	.03				
14	12264	42	2.40	6.10	.02				
15	12265	20	.84	5.40	.02				
16	12266	5	.04	.33	.01				
17	12267	6	.01	.20	L.01				
18	12268	64	4.00	6.50	.08				
19	12269	15	.82	1.53	.05				
20	12270	47	3.50	6.90	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4639 2

Date November 24, 1981

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Ag ounces per tonne	Pb percent	Zn percent	Cu percent				
21	12271	36	2.50	5.40	.01				
22	12272	40	2.32	4.20	.02				
23	12273	15	.74	3.30	.03				
24	12274	35	1.93	3.70	.04				
25	12275	13	.66	1.49	.02				
26	12276	18	.95	1.42	.07				
27	12277	23	1.18	1.51	.04				
28	12278	36	2.12	3.40	.05				
29	12279	21	1.01	1.95	.02				
30	12280	155	10.80	16.90	.05				
31	12281	30	1.62	3.00	.04				
32	12282	10	.14	.82	.07				
33	12283	50	2.18	4.50	.06				
34	12284	46	2.92	7.50	.06				
35	12285	106	6.61	12.70	.07				
36	12286	63	3.94	7.70	.05				
37	12287	24	1.32	2.80	.07				
38	12288	36	1.92	2.70	.03				
39	12289	4	.07	.14	.01				
40	12290	3	.01	.04	.01				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4639 3

Date November 24, 1981

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		ounces per tonne	percent	percent	percent				
41	12291	15	.64	2.20	.02				
42	12292	27	1.55	4.70	.02				
43	12293	3	.01	.05	.01				
44	12294	10	.46	.73	.02				
45	12295	133	6.60	9.90	.13				
46	12296	161	12.30	22.00	.16				
47	12297	18	1.04	2.70	.02				
48	12298	90	4.90	11.70	.06				
49	12299	118	6.80	14.50	.07				
50	12300	93	4.90	10.10	.06				
51	12301	70	4.10	8.00	.08				
52	12302	52	2.90	5.60	.05				
53	12303	104	5.70	10.10	.08				
54	12304	79	4.60	8.30	.06				
55	12305	80	6.00	5.70	.16				
56	12306	19	.97	1.06	.02				
57	12309	44	3.30	3.50	.08				
58	12310	50	5.90	4.30	.11				
59	12311	14	.43	.71	.19				
60	12312	16	.51	.46	.18				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4639 4

Date November 24, 1981

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		ounces per tonne	percent	percent	percent				
61	12313	42	3.40	3.50	.12				
62	12314	80	5.20	6.80	.10				
63	12315	95	5.90	8.20	.15				
64	12316	35	2.60	3.20	.15				
65	12317	33	1.52	2.40	.31				
66	12318	18	.56	.69	.24				
67	12319	13	.53	1.02	.19				
68	12320	21	1.00	2.70	.25				
69	12321	16	.48	1.42	.23				
70	12322	17	.70	2.60	.20				
71	12323	14	.42	.83	.37				
72	12324	13	.60	.71	.26				
73	12325	15	.84	1.76	.16				
74	12326	13	.43	.70	.21				
75	12327	12	.37	.70	.27				
76	12328	11	.19	.33	.21				
77	12329	13	.13	.38	.49				
78	12330	6	.01	.01	.01				
79	12331	27	1.23	.99	.28				
80	12332	22	1.17	.68	.26				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4639 5

Date November 24, 1981

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Ag ounces per tonne	Pb percent	Zn percent	Cu percent				
81	12333	15	.49	.51	.07				
82	12334	26	1.16	.93	.30				
83	12335	31	2.13	2.60	.30				
84	12336	46	3.30	3.10	.36				
85	12337	37	2.50	2.90	.23				
86	12338	22	.88	.70	.32				
87	12339	10	.21	.14	.08				
88	12340	29	1.44	1.41	.25				
89	12341	19	1.11	1.10	.22				
90	12342	34	2.80	2.40	.19				
91	12343	20	1.21	.71	.14				
92	12344	8	.21	.26	.17				
93	12345	25	1.45	1.45	.18				
94	12346	28	1.96	1.71	.17				
95	12347	43	3.30	3.20	.17				
96	12348	25	1.47	1.20	.34				
97	12349	18	.80	.56	.35				
98	12350	19	1.10	.80	.25				
99	12351	18	.96	.58	.21				
100	12352	15	.80	.52	.34				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4639 6

Date November 24, 1981

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Ag ounces per tonne	Pb percent	Zn percent	Cu percent				
101	12353	16	.92	.38	.24				
102	12354	21	1.24	1.17	.21				
103	12355	10	.33	.36	.14				
104	12356	7	.26	.33	.22				
105	12357 & 12358	36	2.01	1.75	.25				
106	12359	45	2.80	4.10	.26				
107	12360	19	1.08	1.17	.21				
108	12361	94	6.50	6.40	.13				
109	12362	9	.31	.27	.24				
110	12363	17	1.21	1.13	.16				
111	12364	7	.16	.22	.19				
112	12365	33	2.13	2.80	.14				
113	12366	14	.36	.26	.14				
114	12367	32	1.55	.41	.22				
115	12368	22	1.18	.87	.20				
116	12369	18	.76	.73	.22				
117	12370	12	.58	.61	.13				
118	12371	4	.02	.03	.01				
119	12372	4	.01	.03	L.01				
120	12373	5	.01	.01	L.01				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4639 7

Date November 24, 1981

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Ag ounces per tonne	Pb percent	Zn percent	Cu percent				
121	12374	4	.01	.02	.01				
122	12375	5	.19	.40	.03				
123	12376	4	.01	.03	.01				
L means "Less than"									

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

14419-420) A012

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

330 - 355 Burrard Street

Vancouver, B.C. V6C 2G8 ATTENTION: DR. GLEN SIMPSON

Certificate No. K-5080

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
1	A } 12401A B } 12402 (A19) } 12403	44	2.34	6.5	.03				
2		43	2.25	6.3	.01				
3		37	2.09	5.7	.01				
4		12404	25	1.25	1.64	.29			
5	A008 ✓ } 12405	22	1.71	2.88	.03				
6		12406	20	1.49	2.02	.03			
7	A225 } 12415	73	4.67	9.1	.17				
8		12416	16	1.05	1.62	.09			
9		12417	7	.34	.62	.03			
10		12418 A	NO SAMPLE		NO SAMPLE				
11	A225 ✓ } 12419 A	4	.02	.06	.04				
12		12420	4	.04	.07	.06			
13		12421	6	.13	.56	.06			
14		12422	4	.03	.07	.03			
15		12423	7	.19	.67	.09			
16		12424	56	3.28	11.1	.06			
17		12425	38	2.88	5.00	.20			
18	A225 } 12499	10	.42	.32	.22				
19		12500	38	2.80	2.54	.23			
20		FAGA087 } 12501A	27	1.54	3.07	.03			

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5
PHONE: (604) 372-2784 — TELEX: 048-8320

+ 12
[Signature]
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

CERTIFICATE OF ASSAY

GRUM.

CK

TAGA 227.

TO Cyprus Anvil Mining Corporation Ltd.

330 - 355 Burrard Street

Vancouver, B.C. V6C 2G8 ATTENTION: DR. GLEN SIMPSON

Certificate No. K-4947

Date July 13, 1982

I hereby certify that the following are the results of assays made by us upon the herein described GRUM samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
	<i>TAGA 227</i>								
1	<i>57.9 60.4 12426</i>	38	1.79	3.47	.06	<i>4A0</i>			
2	<i>60.4 62.9 12427</i>	24	1.17	1.83	.04				
3	<i>62.9 64.1 12428</i>	24	1.24	3.09	.02				
4	<i>64.1 65.5 12429</i>	82	4.67	8.77	.04	<i>405/4</i>			
5	<i>65.5 66.9 12430</i>	103	6.35	11.0	.08				
6	<i>66.9 70.0 12431</i>	22	1.15	2.00	.08	<i>- 4A0</i>			
7	<i>70.0 71.4 12433</i>	18	.94	.19	.08	<i>4A/5A</i>			
8	<i>71.4 73.3 12434</i>	6	.22	.47	.02				
9	<i>73.3 75.6 12435</i>	72	3.64	6.62	.04	<i>4AE/4</i>			
10	<i>75.6 77.6 12436</i>	188	8.82	18.7	.08				
11	<i>131.4 132.1 12437</i>	82	4.48	11.7	.04	<i>- 4A4</i>			
12	<i>134.7 137.1 12438</i>	22	1.26	1.80	.04	<i>- 4A0</i>			

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

[Signature]

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

EMC 1/27/82

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

CK

TO Cyprus Anvil Mining Corporation Ltd.

330 - 355 Burrard Street

Vancouver, B.C. V6C 2G8

Certificate No. K-4957

Date July 19, 1982

I hereby certify that the following are the results of assays made by us upon the herein described GIRUM samples

Kral No.	Marked	Ag <i>g/t</i>	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
1	A225	12407	67	6.23	8.26	.17			
2		12408	36	2.11	2.70	.03			
3		12409	3	.08	.23	.02			
4		12410	5	.27	.53	.02			
5		12411	4	.12	3.23	.01			
6		12412	184	12.5	20.5	.28			
7		12413	148	7.11	10.9	.22			
8		12414	114	6.03	9.0	.18			
9		12439	40	2.03	5.77	.02			
10		12440	46	1.82	6.55	.04			
11	A220	12441	41	2.08	5.77	.02			
12		12442	46	3.24	6.48	.05			
13		12443	45	3.52	2.41	.08			
14		12444	38	2.96	3.17	.04			
15		12445	40	2.65	5.36	.05			
16		12446	24	1.42	3.24	.07			
17		12447	20	1.11	2.65	.05			
18		12448	17	.88	2.64	.04			
19		12449	18	1.21	2.51	.05			
20		12450	9	.37	.73	.02			

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

CK

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4957 2

Date July 19, 1982

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
21	A228	33	1.58	2.76	.02				
22		86	3.86	6.6	.03				
23		35	1.89	2.15	.02				
24		59	2.76	4.26	.02				
25		369	12.9	22.7	.06				
26		117	6.34	9.12	.10				
27		105	7.36	7.26	.06				
28		78	4.69	10.3	.04				
29		54	2.79	6.63	.03				
30		12460	67	3.16	6.79	.03			
31	A229	42	2.14	5.13	.03				
32		86	3.83	8.50	.03				
33		32	1.45	3.32	.02				
34		42	2.45	4.99	.03				
35		29	1.74	4.19	.03				
36		29	1.39	5.40	.01				
37		15	.73	2.73	.01				
38		18	.88	2.34	.02				
39		14	.83	1.55	.02				
40		A230	12470	21	.78	2.92	.02		

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

CK

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4957 3

Date July 19, 1982

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
41	12471	30	2.50	10.2	.02				
42	12472	42	2.61	6.3	.02				
43	12473	58	3.47	6.5	.05				
44	12474	43	2.22	5.5	.12				
45	12475	28	1.47	3.82	.03				
46	12476	48	2.61	5.28	.04				
47	12477	35	2.25	3.85	.03				
48	12478	25	1.58	4.68	.02				
49	12479	10	.41	2.03	.02				
50	12480	70	4.62	6.17	.03				
51	12481	48	3.22	5.98	.04				
52	12482	29	2.33	4.89	.03				
53	12483	64	3.67	7.80	.03				
54	12484	25	1.55	5.29	.01				
55	12485	83	3.83	9.84	.03				
56	12486	44	2.06	6.01	.01				
57	12487	90	4.76	11.3	.01				
58	12488	28	1.39	4.21	.01				
59	12489	17	1.03	2.16	.03				

A230

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 2

Date September 21, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
21	A087 ✓ 12502A	17	1.04	1.22	.06				
22		12503	10	.45	.80	.08			
23		12504	12	.60	1.06	.12			
24		12505	22	1.28	1.95	.08			
25		12506	26	1.41	2.05	.05			
26		12507	28	1.81	2.57	.08			
27		12508	21	1.58	1.58	.05			
28		12509	25	1.32	1.66	.09			
29		12510	19	1.22	.93	.04			
30		12511A	12	.88	.63	.02			
31		12512A	14	.96	.87	.03			
32		12513	17	1.07	1.86	.03			
33		12514	28	1.50	3.30	.04			
34		12515	22	1.17	2.28	.02			
35	12516	23	1.32	2.34	.04				
36	12517	23	1.33	2.82	.04				
37	12518	21	1.24	2.87	.03				
38	12519	29	1.52	3.44	.03				
39	12520	21	1.08	1.83	.03				
40	12521A	28	1.39	3.06	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 3

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
41	12522A	15	.38	1.77	.07				
42	12523	68	3.82	4.28	.06				
43	12524	21	1.29	2.03	.07				
44	12525	100	6.0	11.1	.06				
45	12526	14	.66	.82	.16				
46	12527	33	1.20	2.00	.14				
47	12528	47	1.73	2.87	.53				
48	12529	44	3.09	2.72	.18				
49	12530	55	6.1	8.9	.16				
50	12531	33	2.12	4.64	.04				
51	12532	48	2.51	5.5	.03				
52	12533	48	2.75	6.0	.04				
53	12534	47	2.76	4.26	.12				
54	12535	16	.85	1.88	.05				
55	12536	23	1.12	2.58	.10				
56	12537	25	1.41	2.81	.08				
57	12538	170	7.5	14.8	.05				
58	12539	90	5.5	8.8	.09				
59	12540	37	2.15	2.26	.04				
60	12543	27	1.71	2.43	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 4

Date September 21, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
61	12544A	22	1.32	2.69	.03				
62	12545	57	3.54	5.9	.06				
63	12546	18	1.03	1.55	.03				
64	12547	48	2.84	4.77	.08				
65	12548	35	1.98	4.67	.02				
66	12549	44	2.71	3.06	.04				
67	12550	32	1.64	3.19	.05				
68	12551	28	1.68	3.38	.03				
69	12552	61	2.86	4.25	.17				
70	12553	52	3.92	3.79	.10				
71	12554	55	3.80	6.0	.06				
72	12555	10	.44	1.18	.04				
73	12556	26	1.59	2.53	.02				
74	12557	20	1.33	1.62	.03				
75	12558	47	2.97	5.3	.05				
76	12559	66	3.49	7.4	.19				
77	12560	86	3.61	6.6	.04				
78	12561	34	2.64	3.99	.08				
79	12562	95	5.7	9.0	.09				
80	12563	50	2.69	7.1	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 5

Date September 21, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
81	12564A	67	3.50	7.6	.02				
82	12565	46	2.66	6.9	.01				
83	12566	19	.96	3.40	.01				
84	12567	50	3.60	4.08	.05				
85	12568	36	2.64	2.56	.05				
86	12569	21	1.40	1.17	.05				
87	12570	100	6.3	8.9	.08				
88	12571	66	3.87	4.87	.21				
89	12572	46	2.65	4.50	.01				
90	12573	54	3.00	3.56	.15				
91	12574	43	3.45	3.79	.03				
92	12575	40	3.76	3.09	.14				
93	12576	42	4.40	3.93	.17				
94	12577	31	2.64	2.08	.22				
95	12578	27	1.81	1.64	.29				
96	12579	43	2.42	4.86	.04				
97	12580	16	.81	1.66	.07				
98	12581	33	1.85	3.80	.05				
99	12582	15	.78	1.64	.05				
100	12583	24	1.32	2.62	.06				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 6

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
101	<div style="display: flex; align-items: center;"> } A005 ✓ </div> 12584A 12585 12586 12587 12588 12589 12590 12591 12592 12593	23	1.34	1.60	.03				
102		24	1.33	1.63	.04				
103		13	.52	.65	.11				
104		17	1.07	1.83	.03				
105		29	1.73	2.32	.09				
106		48	2.98	2.77	.05				
107		28	2.11	.55	.04				
108		31	2.46	2.21	.02				
109		21	1.31	3.27	.01				
110		14	1.00	1.59	.02				
111	12594	23	1.45	1.60	.05				
112	12595	35	2.26	3.20	.04				
113	12596	26	1.32	2.70	.08				
114	12597	9	.63	1.63	.02				
115	12598	22	.88	1.15	.12				
116	12599	15	.77	1.06	.08				
117	12600	19	1.12	1.42	.07				
118	12601	11	.13	.36	.22				
119	12602	131	6.9	12.7	.10				
120	12603	43	2.56	3.00	.33				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

CK

TO Cyprus Anvil Mining Corporation Ltd.

330 - 355 Burrard Street

Vancouver, B.C. V6C 2G8

Certificate No. K-4977

Date July 29, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
1	A224 { 12490A	8	.26	.50	.06				
2		22	.92	.96	.16				
3		11	.45	.32	.19				
4	A218 { 12493	2	.04	.07	.02				
5		2	.04	.10	.03				
6		19	1.01	.77	.05				
7		102	7.55	8.86	.16				
8		38	2.56	2.45	.21				
9		56	3.12	7.88	.03				
10		116	5.13	11.85	.03				
11	A231 { 12610	81	3.60	8.48	.03				
12		71	2.96	7.88	.02				
13		59	2.85	9.62	.02				
14		60	3.04	6.59	.02				
15		46	2.08	6.65	.02				
16		38	1.56	5.66	.02				
17		39	1.59	6.29	.01				
18		16	.82	3.55	.01				
19		45	2.16	3.85	.03				
20		34	1.12	3.02	.01				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

[Handwritten Signature]

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

CK

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4977 2

Date July 29, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Gram samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
21	A231 { 12620A	46	1.75	6.71	.01				
22		31	2.16	2.15	.05				
23		22	1.18	2.19	.02				
24		12630A	20	1.00	1.82	.02			
25		12631	19	.98	2.53	.02			
26		12632	35	1.53	2.94	.03			
27		12633	45	2.00	3.81	.02			
28		12634	18	.99	2.76	.01			
29		12635	12	.59	1.78	.01			
30		12636A	37	1.14	6.41	.02			
31	A232 { 12637A	43	1.77	6.41	.01				
32		12638	63	3.04	10.00	.01			
33		12639	23	1.64	8.00	.01			
34		12640A	34	1.64	6.35	.01			
35		12641	31	1.48	5.04	.02			
36		12642	53	2.67	7.00	.01			
37		12643	54	2.40	5.70	.01			
38		12644	48	2.10	5.35	.01			
39		12645	28	1.41	3.89	.01			
40		12646A	31	1.82	5.00	.01			

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DRB for RB3

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

CK

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4977 3

Date July 29, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
41	12647A	42	2.22	6.24	.01				
42	12648	39	1.75	4.09	.01				
43	12649	21	1.01	3.39	.02				
44	12650A	44	2.12	5.83	.02				
45	12651	30	1.51	4.09	.02				
46	12652	30	2.12	2.73	.04				
47	12653	39	2.30	5.26	.02				
48	12654	26	1.36	2.62	.04				
49	12655	22	1.05	3.08	.03				
50	12656A	25	1.42	3.31	.03				
51	12657A	39	2.12	3.42	.02				
52	12658	34	1.46	3.85	.02				
53	12659	33	1.75	2.58	.02				
54	12660A	31	1.61	2.35	.02				
55	12661	33	1.82	3.15	.07				
56	12662	65	3.78	6.67	.06				
57	12663	14	.84	2.46	.02				
58	12664	18	1.06	3.54	.01				
59	12665	18	.86	2.81	.01				
60	12666A	11	.61	.90	.01				

A232

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAS for PGB

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

CK

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4977 4

Date July 29, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
61	12667A	23	1.14	3.92	.02				
62	12668	33	2.30	5.17	.02				
63	12669	23	.99	3.85	.02				
64	12670A	23	.96	3.46	.01				
65	12671	13	.96	2.26	.01				
66	12672	28	1.44	2.94	.03				
67	12673	64	3.98	8.61	.05				
68	12674	71	4.47	3.96	.07				
69	12675	55	3.60	5.11	.03				
70	12676A	44	2.37	3.36	.04				
71	12677A	33	1.89	4.31	.01				
72	12678	60	3.04	6.12	.03				
73	12679	138	8.50	10.3	.07				
74	12680A	89	6.77	10.0	.07				
75	12681	46	2.28	6.94	.02				
76	12682	14	.28	1.59	.01				
77	12683	209	11.27	16.5	.04				
78	12684	133	7.20	12.1	.05				
79	12685	36	1.83	4.58	.02				
80	12686A	25	1.42	3.70	.02				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

WMB for P. B. B.
Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

CK

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4977 5

Date July 29, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
81	A233 12687A 12688 12689 12690A 12691 12692 12693 12694 12695 12696A	87	4.18	5.51	.05				
82		128	5.36	8.96	.08				
83		15	.85	1.45	.01				
84		29	1.66	5.42	.01				
85		57	3.70	7.91	.03				
86		17	.84	1.62	.02				
87		18	.94	1.55	.02				
88		134	7.64	13.5	.06				
89		116	5.16	9.30	.03				
90		58	3.90	5.07	.09				
91	A234 12697A 12698 12699 12700A 12701 12702 12703 12704 12705 12706A	128	8.10	15.2	.10				
92		30	1.90	4.98	.02				
93		152	7.42	11.0	.06				
94		31	1.66	2.91	.02				
95		16	.64	1.24	.02				
96		33	3.13	2.91	.02				
97		37	1.51	4.67	.02				
98		22	.80	3.17	.02				
99		49	1.59	4.62	.05				
100		44	2.48	4.13	.02				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

D. J. P. P. B.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 7

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Gram samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
121	A225 } 12604A 12605 12606 12607	55	2.53	2.74	.36				
122		148	7.7	17.5	.10				
123		150	8.0	12.4	.11				
124		20	1.25	1.27	.10				
125	A225 } 12621 12622 12623 12624 12625 12627	25	1.74	1.89	.17				
126		31	2.31	2.52	.37				
127		62	5.25	6.2	.28				
128		18	1.32	.95	.19				
129		9	.58	.62	.12				
130		28	2.10	2.97	.14				
131		A225 } 12717 12718 12719	17	.97	2.85	.02			
132	20		.83	3.12	.02				
133	9		.40	.40	.04				
134	39		1.93	3.08	.04				
135	A226 } 12720 12721 12722 12723 12724 12725 12726	11	.44	.69	.04				
136		19	1.08	1.62	.03				
137		32	1.80	3.92	.03				
138		22	1.18	3.20	.03				
139		22	1.25	2.91	.03				
140		29	1.89	3.83	.05				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

CK

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4977 6

Date July 29, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Gram samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
101	A235 { 12707A 12708 12709 12710A 12711 12712 12713 12714 12715 12716A	48	2.80	5.78	.04				
102		15	.92	1.23	.06				
103		29	1.82	1.90	.04				
104		16	.98	1.50	.05				
105		47	2.72	9.8	.03				
106		94	4.26	6.06	.02				
107		43	2.32	4.76	.04				
108		23	1.10	1.60	.04				
109		40	1.80	3.62	.02				
110		20	1.04	2.15	.02				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Wass for Rem

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 8

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
141	12727	32	2.29	4.22	.05				
142	12728	28	1.60	4.18	.02				
143	12729	25	1.62	2.81	.02				
144	12730	20	1.08	3.24	.02				
145	12731	24	1.30	3.08	.02				
146	12732	46	2.69	5.8	.02				
147	12733	36	2.15	3.15	.06				
148	12734	33	1.70	3.09	.05				
149	12735	61	3.01	7.6	.04				
150	12736	44	2.37	5.1	.04				
151	12737	32	1.78	4.28	.04				
152	12738	36	1.94	4.31	.04				
153	12739	36	2.42	4.87	.03				
154	12740	27	1.59	3.58	.03				
155	12741	50	3.23	6.5	.04				
156	12742	67	3.33	8.1	.05				
157	12743	17	.30	1.42	.01				
158	12744	25	1.63	2.25	.05				
159	12745	36	2.14	3.23	.04				
160	12746	33	2.13	3.68	.04				

A236

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 9

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
161	12747	43	3.02	2.60	.05				
162	12748	29	1.78	2.60	.15				
163	12749	71	4.03	4.88	.03				
164	12750	40	2.40	4.29	.04				
165	12751	52	3.04	6.3	.02				
166	12752	39	1.94	4.94	.02				
167	12753	24	1.48	1.75	.02				
168	12754	15	1.25	2.21	.15				
169	12755	44	2.24	3.78	.02				
170	12756	13	.70	2.20	.03				
171	12757	24	1.43	2.32	.05				
172	12758	14	.80	1.02	.03				
173	12759	30	1.62	3.13	.05				
174	12760	43	2.54	4.43	.03				
175	12761	36	2.21	5.11	.04				
176	12762	97	4.82	9.3	.12				
177	12763	54	3.91	5.2	.09				
178	12764	89	6.2	6.6	.15				
179	12765	24	1.66	1.25	.24				
180	12766	13	.68	.47	.12				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 10

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
181	✓ A236 12767A	66	5.2	5.9	.11				
182		22	1.26	1.87	.27				
183		12769	17	.76	1.85	.37			
184	✓ A221 12811A	118	6.3	10.9	.19				
185		12812	109	5.4	12.1	.22			
186		12813	115	7.2	9.6	.14			
187		12814	23	1.32	3.20	.16			
188		12815	25	1.49	1.26	.22			
189	12847	27	1.75	3.01	.02				
190	12848A	32	1.91	3.25	.04				
191	12849A	40	2.35	4.72	.04				
192	12850	50	3.07	5.30	.05				
193	12851	48	2.73	4.87	.02				
194	✓ A120 12852	29	1.69	3.59	.02				
195		12853	52	3.50	6.43	.11			
196		12854	13	.92	1.11	.09			
197		12855	24	1.52	2.69	.04			
198		12856	31	2.71	2.61	.12			
199		12857	20	2.20	3.53	.05			
200		12858A	43	3.05	6.3	.03			

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



14643-14653.
14697-14702

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

*Contains A110: 114 - 60W
ddn not processed as yet*

TO Cyprus Anvil Mining Corporation Ltd.

330 - 355 Burrard Street

Vancouver, B.C. V6C 2G8

ATTENTION: DR. GLEN SIMPSON

Certificate No. K-5112

Date October 5, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
1	12770A	8	.24	.33	.01				
2	12771	20	.82	1.95	.06				
3	12772	16	.61	1.60	.08				
4	12773	16	.56	1.63	.09				
5	12774	17	.54	1.89	.07				
6	12775	21	1.00	1.97	.06				
7	12776	6	.20	.31	.03				
8	12777	16	.77	1.45	.08				
9	12778	13	.62	.88	.05				
10	12779A	14	.68	.85	.04				
11	12780A	130	5.5	10.1	.14				
12	12781	46	2.35	4.79	.01				
13	12782	47	2.87	6.5	.05				
14	12783	18	.88	1.66	.03				
15	12784	17	1.02	2.09	.03				
16	12785	43	2.36	4.93	.02				
17	12786	37	2.70	5.1	.04				
18	12787	39	2.01	4.69	.02				
19	12788	17	.76	2.07	.01				
20	12789A	26	1.16	4.76	.01				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5
PHONE: (604) 372-2784 — TELEX: 048-8320

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5112 2

Date October 5, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
21	12790A	38	2.25	4.22	.01				
22	12791	82	5.2	9.1	.08				
23	12792	50	3.83	4.77	.08				
24	12793	7	.23	.49	.07				
25	12794	25	1.25	2.11	.06				
26	12795	12	.56	1.33	.05				
27	12796	18	.99	1.68	.04				
28	12797	20	1.18	1.77	.04				
29	12798	16	.69	1.47	.05				
30	12799A	26	1.23	2.63	.07				
31	12800A	22	1.06	2.64	.05				
32	12801	36	1.80	4.48	.05				
33	12802	50	2.53	6.7	.05				
34	12803	50	2.26	6.9	.03				
35	12804	29	1.29	3.51	.05				
36	12805	19	1.00	2.14	.03				
37	12806	29	1.82	4.11	.04				
38	12807	55	2.61	5.9	.03				
39	12808	20	.93	2.82	.02				
40	12809A	64	3.08	8.9	.02				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5112 3

Date October 5, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams/tonne	percent	percent	percent					
41	A237 12810A	24	1.25	2.63	.02					
42	12816	21	.86	1.56	.04					
43	12817	70	4.00	7.8	.09					
44	12818	56	4.13	7.8	.08					
45	12819	81	5.7	10.1	.09					
46	12820	36	1.82	4.05	.04					
47	12822	31	1.54	3.77	.09					
48	12823	31	1.42	3.10	.06					
49	12824	30	1.53	3.12	.07					
50	A240 12825A	24	1.34	2.09	.04					
51	12826A	22	1.17	2.71	.05					
52	12827	20	1.00	2.50	.06					
53	12828	16	.93	2.11	.03					
54	12829	39	1.54	3.83	.06					
55	12830	27	1.25	3.22	.04					
56	12831	28	1.23	2.94	.06					
57	12832	29	1.48	3.42	.04					
58	12833	29	1.20	3.73	.03					
59	12834	33	1.55	4.98	.03					
60	12835A	26	1.00	4.85	.05					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5112 4

Date October 5, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams/tonne	percent	percent	percent					
61	A290	12836A	78	4.58	9.7	.06				
62		12837	49	2.58	8.0	.09				
63		12838	52	3.18	7.5	.08				
64		12839	22	.73	2.58	.11				
65		12840	92	5.1	9.4	.12				
66		12841	31	1.11	2.89	.13				
67	A239	12842	29	1.53	4.82	.02				
68		12843	62	3.08	6.7	.03				
69		12844	153	8.20	12.6	.14				
70		12845A	12	.66	2.60	.03				
71		12846A	22	1.18	3.88	.02				
72	A113	14426	92	4.65	10.5	.08				
73		14427	24	1.03	2.00	.06				
74		14428	19	.90	1.78	.06				
75		14429	10	.47	.71	.07				
76		14430	15	.76	1.02	.07				
77		14431	83	4.55	7.8	.04				
78		14432	20	1.12	1.04	.06				
79		14433	29	1.86	3.29	.04				
80		14434A	18	.95	2.26	.04				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 11

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
201	12859A	71	4.13	7.4	.16				
202	12860	32	2.87	6.0	.03				
203	12861	61	4.53	7.3	.05				
204	12862	42	2.59	4.50	.03				
205	12863	42	2.82	4.58	.04				
206	12864	38	2.62	5.5	.04				
207	12865	28	1.75	3.18	.03				
208	12866	32	2.15	4.77	.01				
209	12867	24	1.37	1.93	.05				
210	12868A	22	1.25	1.88	.04				
211	12869A	32	1.84	2.98	.06				
212	12870	40	2.29	3.76	.06				
213	12871	42	2.53	3.77	.05				
214	12872	38	2.19	6.2	.06				
215	12873	28	1.58	4.71	.03				
216	12874	37	1.75	3.67	.04				
217	12875	42	3.17	5.6	.03				
218	12876	52	2.73	6.9	.02				
219	12877	74	4.52	6.9	.09				
220	12878A	73	4.42	3.50	.19				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 12

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
221	12879A	61	3.06	7.5	.04				
222	12880	34	2.44	3.35	.04				
223	12881	90	5.2	8.2	.03				
224	12882	75	4.61	6.7	.23				
225	12883	13	.56	1.33	.02				
226	12884	126	7.4	16.0	.05				
227	12885	93	5.2	10.1	.06				
228	12886	87	5.8	9.7	.08				
229	12887	95	6.2	10.1	.03				
230	12888A	65	4.72	3.99	.05				
231	(12889A)	< 11	.59	1.09	.03				
232	12890	85	4.81	5.5	.08				
233	12891	75	4.08	7.1	.04				
234	12892	71	4.00	6.1	.04				
235	12893	70	3.57	5.7	.09				
236	12894	70	4.04	6.3	.05				
237	12895	69	3.39	5.0	.12				
238	12896	10	.15	.17	.23				
239	12897	5	.04	.07	.15				
240	12898A	77	5.2	11.1	.14				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 13

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
241	A120 { 12899A 12900 12901 12902 12903 12904 12905 12906 12907 12908A	3	.05	.10	.11				
242		5	.11	.13	.10				
243		30	1.43	1.73	.11				
244		4	.06	.05	.09				
245		45	2.56	3.91	.10				
246		75	5.01	7.90	.08				
247		27	1.17	1.16	.35				
248		65	4.57	6.70	.16				
249		41	2.19	4.41	.04				
250		35	2.03	3.66	.03				
251	A124 { 12909A 12910 12911 12912 12913 12914 12915 12916 12917 12918A	40	2.16	4.99	.01				
252		27	1.35	2.96	.01				
253		39	1.91	4.95	.02				
254		40	1.98	4.64	.02				
255		57	2.96	7.65	.04				
256		44	2.58	4.82	.03				
257		42	2.71	4.76	.05				
258		35	2.16	4.85	.02				
259		45	2.83	4.71	.03				
260		39	2.06	5.73	.02				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 14

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
261	12919A	34	2.03	4.11	.01				
262	12920	27	1.64	2.40	.06				
263	12921	41	2.58	3.76	.07				
264	12922	26	1.79	2.61	.04				
265	12923	26	1.91	3.47	.03				
266	12924	28	1.93	4.76	.03				
267	12925	25	1.46	3.90	.01				
268	12926	25	1.44	4.10	.01				
269	12927	19	1.00	2.46	.02				
270	12928A	19	1.10	2.12	.03				
271	12929A	46	2.18	3.50	.04				
272	12930	65	3.46	5.89	.06				
273	12931	51	2.62	4.47	.03				
274	12932	53	2.80	6.20	.02				
275	12933	47	2.57	4.93	.01				
276	12934	77	4.47	6.74	.10				
277	12935	34	2.51	4.67	.03				
278	12936	63	3.09	5.61	.02				
279	12937	27	2.10	2.80	.01				
280	12938A	21	1.09	1.94	.02				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 15

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
281	12939A	20	.94	1.83	.07				
282	12940	50	3.49	3.85	.15				
283	12941	39	2.99	2.43	.28				
284	12942	17	.93	1.91	.32				
285	12943	14	.50	.67	.43				
286	12944	21	.86	.96	.33				
287	12945	15	.72	1.42	.25				
288	12946	16	.83	1.69	.32				
289	12947	18	.75	.76	.48				
290	12948A	12	.52	.65	.27				
291	12949A	68	3.48	6.5	L.01				
292	12950	154	6.8	16.4	.04				
293	12951	66	2.72	4.46	.01				
294	12952	73	3.65	12.5	L.01				
295	12953	142	7.1	14.0	.04				
296	12954	121	6.4	6.8	.01				
297	12955	67	3.87	6.0	.02				
298	12956	59	3.12	7.1	L.01				
299	12957	70	3.68	4.10	.02				
300	12958A	35	1.72	8.7	.04				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

12942-992-417

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-5080 16

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
301	12959A	61	3.35	5.60	L.01				
302	12960	43	2.22	4.05	L.01				
303	12961	31	1.80	9.1	L.01				
304	12962	78	4.24	7.9	L.01				
305	12963	69	3.43	8.4	.01				
306	12964	57	2.84	7.0	.03				
307	12965	58	2.76	5.00	.07				
308	12966	22	.94	1.38	.05				
309	12967	81	5.1	7.0	.05				
310	12968A	105	6.8	10.1	.06				
311	12969A	71	4.06	8.8	.03				
312	12970	53	2.73	6.5	.02				
313	12971	87	4.83	8.6	.03				
314	12972	39	2.03	3.74	.03				
315	12973	12	.48	1.27	.06				
316	12974	16	.68	1.82	.05				
317	12975	6	.30	.63	.02				
318	12976	8	.31	.44	.10				
319	12977	51	3.03	3.96	.12				
320	12978A	44	2.89	3.70	.10				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 17

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
321	12979A	40	1.91	2.11	.12				
322	12980	23	.48	.66	.16				
323	12981	43	3.59	3.78	.07				
324	12982	29	1.61	2.77	.13				
325	12983	49	2.75	2.93	.14				
326	12984	25	1.11	2.19	.14				
327	12985	19	.83	1.16	.09				
328	12986	41	2.67	.84	.11				
329	12987	22	.35	.62	.20				
330	12988A	172	9.7	15.5	.14				
331	12989A	107	3.52	6.7	.26				
332	12990	49	2.61	2.68	.14				
333	12991	52	2.24	2.16	.18				
334	12992	74	4.16	8.7	.17				
335	12993	14	.86	1.69	.04				
336	12994	13	.94	1.61	.05				
337	12995	21	1.67	1.81	.04				
338	12996	34	2.55	2.29	.02				
339	12997	30	2.29	1.81	.02				
340	12998A	26	2.08	2.38	.19				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 18

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams/tonne	Pb percent	Zn percent	Cu percent				
341	J u/190 12999A	27	1.81	3.30	.01				
342	13000	19	1.40	2.75	.03				
343	14001	138	5.8	16.1	.13				
344	14002	53	2.84	8.8	.10				
345	14003	74	4.03	9.4	.02				
346	14004	54	2.99	8.3	.02				
347	14005	98	5.2	13.4	.01				
348	14006	84	4.41	9.4	.01				
349	14007	71	3.74	6.8	.02				
350	14008A	59	2.58	4.24	.09				
351	u/168 14009A	7	.34	.16	.03				
352	14010	7	.23	.17	.08				
353	14011	14	.53	.35	.07				
354	14012	6	.16	.27	.03				
355	14013	20	.84	.98	.11				
356	14014	90	4.42	8.0	.18				
357	14015	92	5.2	9.6	.05				
358	14016	103	5.3	9.0	.18				
359	14017	103	4.03	6.5	.26				
360	14018A	46	2.47	2.45	.32				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia

14000



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 18

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
341	✓ u190 12999A	27	1.81	3.30	.01				
342	13000	19	1.40	2.75	.03				
343	14001	138	5.8	16.1	.13				
344	14002	53	2.84	8.8	.10				
345	14003	74	4.03	9.4	.02				
346	14004	54	2.99	8.3	.02				
347	14005	98	5.2	13.4	.01				
348	14006	84	4.41	9.4	.01				
349	14007	71	3.74	6.8	.02				
350	14008A	59	2.58	4.24	.09				
351	u168 14009A	7	.34	.16	.03				
352	14010	7	.23	.17	.08				
353	14011	14	.53	.35	.07				
354	14012	6	.16	.27	.03				
355	14013	20	.84	.98	.11				
356	14014	90	4.42	8.0	.18				
357	14015	92	5.2	9.6	.05				
358	14016	103	5.3	9.0	.18				
359	14017	103	4.03	6.5	.26				
360	14018A	46	2.47	2.45	.32				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 19

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
361	14019A	62	2.40	3.57	.26				
362	14020	85	4.03	8.33	.15				
363	14021	84	4.67	9.0	.15				
364	14022	94	5.7	9.0	.15				
365	14023	45	2.48	4.32	.06				
366	14024	11	.25	.67	.06				
367	14025	9	.12	.17	.06				
368	14026	22	.84	1.41	.10				
369	14027	57	3.25	5.7	.28				
370	14028A	81	3.94	8.6	.21				
371	14029A	81	4.80	6.6	.18				
372	14031	30	1.97	.68	.05				
373	14032	14	.66	.31	.06				
374	14033	24	1.41	1.15	.07				
375	14034	24	1.30	1.22	.07				
376	14035	17	.87	.78	.06				
377	14036	16	.86	1.39	.05				
378	14037	20	1.16	2.41	.05				
379	14038	19	.93	2.28	.13				
380	14039A	40	2.19	3.68	.07				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 20

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
381	14040A	86	3.94	5.9	.21				
382	14041	84	3.79	7.9	.02				
383	14042	128	6.1	11.8	.03				
384	14043	131	7.4	15.1	.16				
385	14044	143	6.8	13.1	.07				
386	14045	30	2.01	2.85	.18				
387	14046	33	1.85	3.19	.32				
388	14047	26	1.34	2.02	.30				
389	14048	32	1.76	2.50	.12				
390	14049A	14	.59	.69	.23				
391	14050A	19	1.14	1.70	.03				
392	14052	80	3.83	6.6	.04				
393	14053	37	1.89	3.69	.05				
394	14054	17	.80	2.24	.01				
395	14055	77	4.36	7.2	.15				
396	14056	69	3.62	6.2	.06				
397	14057	36	2.26	2.22	.04				
398	14058	20	.93	1.61	.05				
399	14059	19	.92	1.85	.04				
400	14060A	55	2.71	4.75	.08				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 21

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
401	14061A	60	2.98	4.13	.18				
402	14062	56	2.56	3.45	.21				
403	14063	71	2.96	4.75	.16				
404	14064	20	1.03	1.60	.08				
405	14065	9	.35	.60	.06				
406	14066	25	1.19	2.06	.12				
407	14067	12	.49	.84	.05				
408	14068	30	1.51	2.11	.15				
409	14069	80	5.0	7.6	.10				
410	14070A	55	3.44	4.32	.24				
411	14071A	20	.57	.85	.40				
412	14072	22	.51	.59	.42				
413	14073	34	1.48	.88	.14				
414	14074	61	3.89	5.2	.12				
415	14075	50	2.73	5.4	.03				
416	14076	53	2.91	5.0	.10				
417	14077	118	6.1	7.9	.21				
418	14078	140	8.4	15.1	.03				
419	14079	86	5.2	11.3	.01				
420	14080A	44	2.11	4.16	.02				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 22

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
421	14081A	58	3.40	5.5	.09				
422	14082	64	3.45	8.5	.10				
423	14083	32	1.48	2.73	.05				
424	14085	27	1.78	1.83	.16				
425	14087	14	.74	.97	.08				
426	14088	102	5.6	6.3	.15				
427	14089	7	.31	.20	.03				
428	14090	13	.67	.57	.09				
429	14091	7	.19	.16	.14				
430	14092A	15	.76	.67	.07				
431	14094A	51	3.27	5.3	.05				
432	14095	75	4.16	8.9	.03				
433	14096	43	1.29	1.10	.41				
434	14097	55	2.87	4.16	.24				
435	14098	141	8.33	11.8	.09				
436	14099	45	2.67	5.1	.07				
437	14100	68	3.78	4.91	.06				
438	14101	155	8.0	15.5	.09				
439	14102	112	4.91	10.8	.15				
440	14103A	114	7.1	6.6	.09				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 23

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
441	14104A	18	1.02	1.79	.06				
442	14105	14	.85	2.15	.08				
443	14106	11	.67	2.06	.04				
444	14107	10	.49	.71	.05				
445	14108	6	.24	.35	.05				
446	14109	8	.24	.38	.06				
447	14110	13	.73	1.68	.05				
448	14111	34	1.91	3.57	.02				
449	14112	40	2.44	4.42	.04				
450	14113A	47	2.83	5.2	.02				
451	14114A	27	1.47	3.62	.01				
452	14115	42	2.60	4.7	.04				
453	14116	7	.29	.62	.08				
454	14117	14	.69	1.11	.06				
455	14118	10	.37	.69	.08				
456	14119	15	.48	1.04	.12				
457	14120	20	.47	.99	.06				
458	14121	18	.53	1.68	.08				
459	14122	11	.52	1.11	.03				
460	14123A	36	1.84	4.1	.02				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 24

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
461	✓ 14124A	14	.69	1.00	.05				
462	14125	19	1.01	.47	.03				
463	14126	17	1.05	1.71	.02				
464	14127	16	.88	1.88	.05				
465	14128	6	.15	.19	.04				
466	14129	8	.30	.70	.04				
467	14130	9	.30	1.07	.05				
468	14131	10	.43	.52	.04				
469	14132	35	1.82	4.06	.12				
470	14133A	31	1.45	3.46	.10				
471	14134A	63	4.26	8.5	.06				
472	14135	32	1.16	1.47	.17				
473	14136	25	.62	1.25	.24				
474	14137	28	.82	1.34	.21				
475	14138	23	.58	.89	.18				
476	14139	84	4.65	5.9	.20				
477	14140	77	4.43	7.0	.26				
478	14141	119	9.0	11.1	.22				
479	14142	36	1.88	1.47	.30				
480	14143A	97	6.2	10.1	.16				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 25

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
481	C1190	85	4.63	9.7	.22				
482		32	1.89	2.08	.16				
483		70	5.0	10.1	.15				
484		102	6.2	10.6	.22				
485		81	4.3	6.9	.22				
486		94	5.7	8.7	.16				
487		39	2.6	3.10	.04				
488		111	7.2	10.3	.23				
489		119	5.7	8.9	.26				
490		14153A	41	3.28	3.37	.10			
491	C1160	33	2.95	2.28	.06				
492		33	2.54	5.1	.03				
493		22	1.14	2.19	.03				
494		38	2.02	4.23	.05				
495		75	4.73	8.8	.10				
496		52	3.42	5.4	.10				
497		87	5.7	9.8	.17				
498		70	4.42	6.5	.18				
499		190	11.0	17.0	.06				
500		14163A	31	1.71	4.19	.14			

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 26

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
501	<div style="display: flex; align-items: center;"> } 4160 </div> 14164A	34	1.76	3.99	.12				
502		14165	66	3.65	6.8	.15			
503		14166	41	2.40	4.61	.12			
504		14167	70	3.68	5.7	.13			
505		14168	76	4.19	8.0	.19			
506		14169	34	2.44	5.6	.03			
507		14170	92	4.88	8.5	.14			
508		14171	82	4.92	7.2	.18			
509		14172	96	5.14	9.1	.13			
510		14173A	109	6.7	11.8	.23			
511	<div style="display: flex; align-items: center;"> } 4160 </div> 14174A	174	10.0	17.1	.18				
512		14175	50	2.04	2.79	.12			
513		14176	35	1.65	2.79	.09			
514		14177	26	1.00	1.91	.06			
515		14178	117	7.0	11.2	.22			
516		14179	122	5.6	10.4	.16			
517		14180	102	5.8	10.5	.10			
518		14181	89	5.5	9.4	.10			
519		14182	90	5.5	10.6	.07			
520		14183A	105	6.0	10.2	.10			

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 27

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
521	4160 14184A	132	6.2	10.6	.25				
522		99	7.2	8.8	.19				
523		110	5.5	7.6	.08				
524		14187	63	5.9	4.77	.04			
525		14188	17	1.02	1.21	.10			
526		14189	16	.78	.72	.12			
527		14190	11	.45	.48	.09			
528		14191	11	.57	.54	.06			
529		14192	15	.79	.69	.09			
530		14193A	62	2.75	2.50	.14			
531	4165 14194A	93	6.3	5.2	.15				
532		14195	15	.61	1.39	.14			
533		14196	29	1.85	2.79	.17			
534		14197	12	.63	1.47	.05			
535		14198	24	1.22	1.68	.06			
536		14199	29	1.57	1.60	.16			
537		14200	13	.49	.53	.13			
538		14201	18	.87	.65	.14			
539		14202	11	.45	.44	.13			
540		14203A	9	.25	.44	.30			

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 28

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
541	14204A	12	.54	.55	.12				
542	14205	20	1.12	1.08	.09				
543	14206	24	1.92	1.72	.09				
544	14207	35	2.22	2.29	.14				
545	14208	29	1.74	1.65	.14				
546	14209	22	1.26	1.36	.14				
547	14210	8	.21	.32	.18				
548	14211	9	.41	.55	.11				
549	14212	43	3.17	4.84	.18				
550	14213A	26	1.56	2.00	.21				
551	14214A	46	2.14	3.72	.04				
552	14215	70	3.92	7.3	.03				
553	14216	50	2.10	3.40	.05				
554	14217	59	2.80	5.6	.06				
555	14218	15	.88	1.30	.02				
556	14219	29	1.76	2.44	.03				
557	14220	80	3.39	3.27	.02				
558	14221	36	1.83	4.11	.02				
559	14222	94	3.52	3.66	.02				
560	14223A	19	.91	3.06	.02				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 29

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
561	14224A	9	.46	1.31	.01				
562	14225	7	.30	.83	.03				
563	14226	24	1.44	2.31	.02				
564	14227	16	.79	1.27	.03				
565	14228	29	1.41	3.56	.04				
566	14229	83	4.01	8.8	.05				
567	14230	120	6.8	12.4	.06				
568	14231	75	3.95	9.1	.06				
569	14232	81	4.98	5.7	.04				
570	14233A	59	3.35	7.5	.05				
571	14234A	46	2.22	4.32	.01				
572	14235	134	6.3	9.6	.14				
573	14236	80	4.82	7.0	.06				
574	14237	40	1.94	3.1	.06				
575	14238	73	4.80	6.5	.05				
576	14239	52	3.31	3.91	.06				
577	14240	49	2.77	5.7	.06				
578	14241	12	.55	.73	.05				
579	14242	6	.28	.66	.03				
580	14243A	11	.62	1.16	.04				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 30

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
581	14244A	13	.78	.70	.06				
582	14245	4	.20	.46	.07				
583	14246	4	.15	.49	.07				
584	14247	8	.40	.71	.10				
585	14248	8	.41	.82	.11				
586	14249	6	.27	.58	.06				
587	14250	8	.44	.70	.10				
588	14251	12	.58	1.55	.10				
589	14252	9	.43	.97	.08				
590	14253A	9	.44	.88	.05				
591	14254A	33	1.51	4.17	.04				
592	14255	21	1.65	2.53	.02				
593	14256	8	.37	.62	.05				
594	14257	21	1.20	1.68	.07				
595	14258	17	1.17	2.04	.03				
596	14259	12	.64	1.82	.03				
597	14260	15	.61	1.91	.07				
598	14261	30	1.41	2.72	.11				
599	14262	39	1.99	3.08	.12				
600	14263A	13	.42	.78	.05				

A012

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 31

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
601	17012	14264A	10	.43	.35	.09			
602		14265	3	.06	.17	.05			
603		14266	18	1.16	1.18	.08			
604		14267	17	.56	.80	.15			
605		14268	30	1.72	2.54	.09			
606		14269	25	.51	.42	.19			
607		14270	24	.63	.37	.19			
608		14271	25	1.19	1.19	.09			
609		14272	27	1.30	2.21	.10			
610		14273A	8	.39	.27	.05			
611	17012	14274A	18	.85	1.15	.13			
612		14275	17	.99	1.06	.09			
613		14276	41	1.78	.41	.14			
614		14277	26	1.00	.18	.14			
615		14278	25	.94	.67	.09			
616		14279	20	.34	.30	.15			
617		14280	16	.07	.31	.18			
618		14281	12	.12	.23	.12			
619		14282	12	.04	.23	.16			
620		14283A	102	4.95	7.9	.24			

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 32

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
621	<div style="display: flex; align-items: center;"> <div style="margin-right: 10px;"> <p style="font-size: 2em; font-weight: bold;">A012</p> <p style="font-size: 2em; font-weight: bold;">4180</p> <p style="font-size: 2em; font-weight: bold;">4178</p> </div> <div style="border-left: 1px solid black; border-right: 1px solid black; padding: 0 5px;"> <p>14284A</p> <p>14285</p> <p>14286</p> <p>14287</p> <p>14288</p> <p>14289</p> <p>14290</p> <p>14291</p> <p>14292</p> <p>14293A</p> <p>14294A</p> <p>14295</p> <p>14296</p> <p>14297</p> <p>14298</p> <p>14299</p> <p>14300</p> <p>14301</p> <p>14302</p> <p>14303A</p> </div> </div>	70	3.80	5.5	.18				
622		91	6.0	10.7	.07				
623		10	.63	.66	.11				
624		10	.48	.87	.16				
625		6	.29	.73	.08				
626		8	.29	.55	.08				
627		11	.63	1.06	.04				
628		7	.35	1.16	.06				
629		13	.35	.64	.08				
630		27	1.48	2.88	.05				
631	28	1.44	2.05	.07					
632	51	2.81	4.02	.17					
633	64	4.25	5.4	.13					
634	63	4.06	7.3	.03					
635	35	1.71	4.40	.02					
636	47	2.85	5.8	.03					
637	90	4.95	9.6	.07					
638	36	2.32	3.09	.04					
639	13	.42	.36	.12					
640	39	3.29	1.07	.04					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 33

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
641	14304A	36	3.09	1.22	.07				
642	14305	35	2.65	2.38	.04				
643	14306	19	1.16	1.55	.04				
644	14307	24	1.49	2.42	.02				
645	14308	43	2.50	3.83	.01				
646	14309	26	1.33	2.56	.01				
647	14310	11	.88	1.32	.06				
648	14311	27	1.99	2.02	.03				
649	14312	50	3.04	6.0	.05				
650	14313A	32	2.37	1.97	.04				
651	14314A	16	.88	1.78	.01				
652	14315	47	2.17	4.80	.09				
653	14316	26	1.82	3.39	.03				
654	14317	15	.87	1.70	.03				
655	14318	10	.63	1.29	.05				
656	14319	16	.89	1.00	.08				
657	14320A	13	.71	.99	.07				
658	14321	74	4.55	7.43	.03				
659	14322	8	.30	.43	.06				
660	14323A	25	.99	1.78	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 34

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
661	✓ 1020 14324A	32	1.62	3.66	.02				
662		65	2.92	5.2	.04				
663		67	4.41	5.9	.05				
664		77	4.95	4.65	.09				
665		39	2.11	3.15	.03				
666		36	2.20	2.59	.04				
667	✓ 421K 14330	48	2.45	4.25	.04				
668		66	4.46	5.1	.03				
669		23	1.49	2.2	.03				
670		63	3.76	8.5	.05				
671	✓ 4196 14334A	66	3.95	9.3	.02				
672		9	.36	.49	.08				
673		25	1.44	1.74	.06				
674		12	.50	1.14	.06				
675		14	.63	1.38	.06				
676	✓ 4176 14339	41	2.12	4.22	.07				
677		74	3.89	8.3	.01				
678	✓ 4176 14341	78	3.20	7.4	.06				
679		77	4.77	8.4	.05				
680		39	1.74	3.42	.08				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 35

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
681	14344A	16	.59	.85	.07				
682	14345	20	.87	.99	.08				
683	14346	24	.70	.62	.14				
684	14347	77	5.0	8.0	.17				
685	14348	78	4.44	7.2	.09				
686	14349	119	6.4	9.5	.36				
687	14350	50	3.1	3.85	.29				
688	14351	38	1.82	3.09	.30				
689	14352	75	4.28	8.3	.08				
690	14353A	17	.78	1.45	.09				
691	14354A	13	.58	1.72	.14				
692	14355	12	.61	.70	.14				
693	14356	15	.71	1.46	.08				
694	14357	15	.73	1.31	.05				
695	14358	58	3.43	6.8	.05				
696	14359	38	2.52	4.38	.07				
697	14360	28	1.77	2.44	.07				
698	14361	22	1.31	2.64	.05				
699	14362	11	.56	1.08	.05				
700	14363A	15	.71	.96	.06				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 36

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
701	14364A	10	.44	1.22	.05				
702	14365	13	.67	1.09	.07				
703	14366	15	.82	1.42	.04				
704	14367	11	.56	.83	.03				
705	14368	14	.70	1.08	.05				
706	14369	14	.68	1.42	.06				
707	14370	10	.50	1.05	.05				
708	14371	19	.81	1.04	.05				
709	14372	19	.43	.36	.11				
710	14373A	95	6.35	8.80	.06				
711	14374A	73	4.30	10.5	.08				
712	14375	75	4.56	9.6	.16				
713	14376	80	5.0	5.5	.13				
714	14377	125	7.2	14.3	.12				
715	14378	148	11.0	16.4	.06				
716	14379	104	7.1	9.8	.08				
717	14380	79	1.67	2.44	.12				
718	14381	28	1.85	2.37	.08				
719	14382	13	.75	.94	.16				
720	14383A	18	.83	1.02	.29				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 37

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
721	14384A	48	2.60	4.08	.25				
722	14385	28	1.37	1.65	.47				
723	14386	4	.28	.20	.16				
724	14387	12	.66	.95	.17				
725	14388	30	1.69	3.18	.08				
726	14389	23	1.30	1.75	.17				
727	14390	29	1.76	2.18	.22				
728	14391	11	.52	.69	.14				
729	14392	9	.10	.17	.16				
730	14393A	10	.15	.12	.15				
731	14394A	10	.10	.20	.26				
732	14395	17	.70	1.04	.18				
733	14396	57	4.07	5.4	.16				
734	14397	13	.42	.72	.20				
735	14398	59	4.34	5.7	.19				
736	14399	82	5.7	7.3	.30				
737	14400	20	.98	1.67	.03				
738	14401	9	.46	1.09	.13				
739	14402	11	.55	.75	.10				
740	14403A	76	4.16	4.81	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-5080 38

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
741	14404A	31	1.79	3.34	.02				
742	14405	54	3.19	6.6	.02				
743	14406	13	.65	1.56	.06				
744	14407	11	.51	1.20	.09				
745	14408	16	1.01	2.21	.04				
746	14409	34	1.67	2.62	.07				
747	14410	24	1.08	1.65	.05				
748	14411	120	5.3	11.1	.08				
749	14412	95	4.69	9.13	.04				
750	14413A	119	6.9	13.9	.17				
751	14414A	113	6.6	12.7	.24				
752	14415	104	4.83	8.2	.20				
753	14416	80	4.47	5.6	.26				
754	14417	116	7.3	13.0	.14				
755	14418	91	5.2	8.3	.10				
756	14419	60	4.19	5.6	.19				
757	14420	69	4.38	4.49	.23				
758	14421	79	4.51	8.5	.08				
759	14422	41	1.88	4.02	.04				
760	14423	54	1.90	6.2	.12				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


 Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 39

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
761	✓ 14424A	65	3.40	9.1	.12				
762	✓ 14425A	33	1.85	1.45	.20				
	L means "Less than"								

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5112 4

Date October 5, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
61	12836A	78	4.58	9.7	.06				
62	12837	49	2.58	8.0	.09				
63	12838	52	3.18	7.5	.08				
64	12839	22	.73	2.58	.11				
65	12840	92	5.1	9.4	.12				
66	12841	31	1.11	2.89	.13				
67	12842	29	1.53	4.82	.02				
68	12843	62	3.08	6.7	.03				
69	12844	153	8.20	12.6	.14				
70	12845A	12	.66	2.60	.03				
71	12846A	22	1.18	3.88	.02				
72	14426	92	4.65	10.5	.08				
73	14427	24	1.03	2.00	.06				
74	14428	19	.90	1.78	.06				
75	14429	10	.47	.71	.07				
76	14430	15	.76	1.02	.07				
77	14431	83	4.55	7.8	.04				
78	14432	20	1.12	1.04	.06				
79	14433	29	1.86	3.29	.04				
80	14434A	18	.95	2.26	.04				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5112 5

Date October 5, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Gram samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
81	A113 { 14435A 14436 14437 14438 14439 14440 14441 14442 14443 14444A	48	2.66	4.59	.13				
82		9	.30	.45	.09				
83		11	.32	.79	.07				
84		9	.29	.25	.06				
85		62	3.32	6.3	.08				
86		15	.37	.87	.15				
87		81	4.06	8.00	.10				
88		18	1.04	2.29	.01				
89		92	4.84	8.6	.13				
90		46	2.40	5.9	.04				
91	A154 { 14445A 14446 14447 14448 14449 14450 14451 14452 14453 14454A	82	3.98	7.6	.07				
92		43	2.13	3.13	.08				
93		8	.26	.32	.08				
94		7	.29	.21	.06				
95		11	.46	.96	.06				
96		10	.84	.08	.09				
97		10	.12	.10	.13				
98		12	.83	1.22	.01				
99		28	2.22	1.85	.02				
100		21	.97	1.95	.02				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5112 6

Date October 5, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
101	14455A	23	1.21	2.46	.02				
102	14456	39	2.00	3.36	.01				
103	14457	92	4.85	14.5	.02				
104	14458	47	2.41	4.68	.02				
105	14459	20	.49	.24	.27				
106	14460	27	1.33	.86	.26				
107	14461	19	.97	.83	.23				
108	14462	26	1.28	1.09	.32				
109	14463	26	1.34	1.32	.24				
110	14464A	20	.84	.34	.23				
111	14465A	27	.95	.61	.21				
112	14466	21	.98	.88	.22				
113	14467	23	1.26	1.38	.28				
114	14468	32	1.99	1.13	.27				
115	14469	7	.36	.35	.10				
116	14470	17	.89	.80	.21				
117	14471	28	1.59	1.72	.30				
118	14472	26	1.51	1.12	.26				
119	14473	26	1.42	1.20	.33				
120	14474A	23	.84	.60	.50				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5112 7

Date October 5, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams/tonne	percent	percent	percent					
121	A114 60W	14475A	23	.86	.60	.37				
122		14476	23	.92	.51	.34				
123		14477	24	1.19	.76	.19				
124		14478	42	2.46	2.58	.21				
125		14479	44	2.77	3.32	.19				
126		14480	11	.54	.38	.11				
127		14481	43	3.49	3.67	.07				
128		14482	21	.70	1.35	.27				
129		14483	41	2.01	2.79	.15				
130		14484A	25	1.26	1.42	.23				
131		14485A	26	1.10	.75	.31				
132	A115	14486	18	.81	.60	.10				
133		14487	30	1.50	.99	.23				
134		14488	132	5.7	7.6	.12				
135		14489	16	.68	1.17	.08				
136		14490	21	1.04	.66	.08				
137		14491	17	.61	.48	.15				
138		14492	53	2.71	3.39	.19				
139		14493	11	.19	.34	.21				
140		14494A	28	1.43	2.04	.21				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5112 8

Date October 5, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
141	14495A	9	.17	.17	.19				
142	14496	8	.15	.19	.16				
143	14497	14	.37	.24	.17				
144	14498	13	.15	.58	.15				
145	14499	9	.27	.19	.12				
146	14500	13	.35	.29	.24				
147	14501	66	3.71	4.53	.47				
148	14502	13	.50	.92	.19				
149	14503	7	.26	.39	.15				
150	14504A	17	1.06	1.00	.22				
151	14505A	53	4.19	6.12	.19				
152	14506	29	2.01	3.62	.05				
153	14507	3	.18	.32	.02				
154	14508	26	2.03	5.27	.08				
155	14509	19	1.30	2.54	.05				
156	14510	22	2.50	.80	.07				
157	14511	27	1.76	2.31	.16				
158	14512	56	4.86	7.12	.18				
159	14513	44	3.65	6.83	.12				
160	14514A	20	1.04	1.28	.22				

A115

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5112 9

Date October 5, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Gram samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
161	A115	14515A 34	2.05	2.19	.23				
162		14516 14	.53	.95	.15				
163		14517 21	.70	1.00	.11				
164		14518 21	1.33	1.24	.06				
165		14519 29	1.76	1.31	.21				
166		14520 21	1.43	1.57	.17				
167		14521 117	6.44	18.6	.11				
168		14522 73	2.36	4.66	.09				
169		14523 80	3.46	8.24	.07				
170		14524A 30	1.61	2.57	.05				
171	A111	14525A 23	1.31	1.57	.04				
172		14526 18	1.08	1.74	.06				
173		14527 30	1.91	3.66	.02				
174		14528 35	2.27	3.74	.02				
175		14529 35	2.15	4.57	.02				
176		14530 66	4.14	8.44	.13				
177		14531 63	4.54	4.93	.19				
178		14532 58	3.80	6.76	.12				
179		14533 64	4.06	5.53	.21				
180		14534A 113	6.14	8.38	.13				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
 V2C 5P5
 PHONE: (604) 372-2784 — TELEX: 048-8320

**B.C. LICENSED ASSAYERS
 GEOCHEMICAL ANALYSTS
 METALLURGISTS**

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5112 10

Date October 5, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
181	A111	14535A	142	6.39	11.0	.14			
182		14536	122	7.18	14.1	.13			
183		14537	115	6.54	13.8	.12			
184		14538	158	9.37	13.6	.09			
185		14539	105	5.58	9.1	.19			
186		14540	112	6.86	10.1	.21			
187		14541	199	12.9	20.0	.12			
188		14542	94	5.97	8.4	.11			
189		14543	26	1.40	2.46	.03			
190		A110	14544A	113	6.49	18.6	.01		
191	A110	14545A	52	3.08	8.74	.01			
192		14546	40	2.68	4.74	.03			
193		14547	43	3.23	5.60	.05			
194		14548	19	1.45	3.76	.01			
195		14549	30	2.54	3.45	.03			
196		14550	13	1.03	1.22	.01			
197		14551	16	1.25	1.23	.05			
198		14552	12	.71	.62	.05			
199		14553	41	3.02	1.07	.06			
200		14554	10	.54	.52	.11			

NOTE:
 Rejects retained three weeks.
 Pulps retained three months
 unless otherwise arranged.

 Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5112 11

Date October 5, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
201	14555A	52	3.45	5.9	.04				
202	14556	19	1.04	2.86	.02				
203	14557	44	2.97	2.95	.09				
204	14558	57	4.14	3.93	.06				
205	14559	72	4.10	6.45	.11				
206	14560	107	6.06	10.1	.09				
207	14561	56	3.35	6.5	.03				
208	14562	40	2.06	3.47	.03				
209	14563	26	1.43	2.81	.03				
210	14564A	25	.91	1.41	.05				
211	14565A	21	.48	.73	.05				
212	14566	17	.71	1.09	.03				
213	14567	70	4.46	4.41	.07				
214	14568	17	1.00	1.01	.09				
215	14569	8	.59	1.19	.03				
216	14570	22	1.19	1.44	.08				
217	14571	57	3.03	3.44	.17				
218	14572	27	1.60	3.11	.13				
219	14573	24	1.31	2.57	.05				
220	14574A	1	.02	.05	.01				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5112 12

Date October 5, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
221	A118	14575A	1	.03	.07	.01			
222		14576	1	.01	.04	.01			
223		14577	77	4.04	6.71	.10			
224		14578	63	3.34	3.92	.06			
225		14579	66	3.75	3.53	.17			
226		14580	37	1.48	3.18	.11			
227		14581	34	1.57	3.03	.09			
228		14582	54	2.81	3.92	.24			
229		14583	62	3.29	5.96	.25			
230		14589A	56	3.60	4.38	.19			
231	A110 60W	14590A	5	.12	.13	.06			
232		14591	20	.84	1.19	.07			
233		14592	30	1.40	.68	.13			
234		14593	23	1.15	1.70	.13			
235		14594	18	.86	.70	.21			
236		14595	14	.75	.83	.20			
237		14596	26	1.60	1.20	.18			
238		14597	32	2.09	2.13	.19			
239		14598	35	2.21	2.09	.13			
240		14599A	53	2.44	2.19	.41			

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5112 13

Date October 5, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
241	14600A	8	.15	.14	.14				
242	14601	17	.30	.40	.20				
243	14602	15	.26	.41	.21				
244	14603	11	.27	.64	.26				
245	14604	46	3.82	7.4	.02				
246	14605	58	3.88	7.4	.10				
247	14606	45	2.47	2.2	.03				
248	14607	53	4.01	8.0	.07				
249	14608	77	4.96	7.8	.14				
250	14609A	18	1.13	1.68	.04				
251	14610A	41	2.89	2.96	.19				
252	14611	21	1.00	1.75	.16				
253	14612	18	.65	.50	.24				
254	14613	9	.10	.05	.01				
255	14614	40	2.31	4.25	.05				
256	14615	36	1.93	4.25	.03				
257	14616	34	2.01	3.64	.08				
258	14617	71	4.30	6.8	.04				
259	14618	43	2.62	4.11	.04				
260	14619A	19	1.07	2.43	.03				

A110
Gowd

A104

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5
PHONE: (604) 372-2784 — TELEX: 048-8320

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-5112 14

Date October 5, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
261	14620A	23	1.53	3.08	.03				
262	14621	27	1.87	3.31	.05				
263	14622	14	.95	2.46	.02				
264	14623	38	1.60	3.93	.15				
265	14624	30	2.06	5.1	.04				
266	14625	40	2.64	6.4	.02				
267	14626	52	2.79	7.3	.02				
268	14627	36	2.04	4.22	.04				
269	14628	53	3.09	7.7	.14				
270	14629A	45	3.17	4.32	.05				
271	14630A	67	4.01	5.7	.09				
272	14631	43	2.91	5.3	.02				
273	14632	36	2.18	5.6	.04				
274	14633	18	.93	3.04	.02				
275	14634	14	.70	1.53	.03				
276	14635	27	1.53	1.64	.10				
277	14636	31	1.95	3.40	.05				
278	14637	27	1.81	3.07	.03				
279	14638	45	2.22	2.68	.29				
280	14639A	37	2.66	4.19	.07				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.



Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5112 15

Date October 5, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
281	A104 14640A 14641 14642 14643 14644 14645 14646 14647 14648 14649A	49	3.00	5.2	.03				
282		35	2.08	4.85	.02				
283		23	1.72	2.18	.02				
284		85	5.1	8.8	.05				
285		44	3.10	4.41	.05				
286		29	2.02	4.52	.02				
287		11	.48	.67	.09				
288		7	.28	.42	.10				
289		22	1.32	1.99	.14				
290		92	5.1	8.5	.16				
291	104 14650A 14651 14652 14653 14654 14655 14656 14657 14658 14659A	26	1.46	2.82	.07				
292		28	2.00	2.18	.17				
293		36	2.18	2.86	.37				
294		69	3.99	5.2	.12				
295		46	2.98	5.0	.04				
296		32	1.92	3.14	.10				
297		30	1.75	3.84	.06				
298		18	1.37	2.56	.01				
299		29	1.69	2.95	.05				
300		24	1.27	2.89	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5112 16

Date October 5, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Gram samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams/tonne	percent	percent	percent					
301	14660A	24	1.39	2.28	.03					
302	14661	61	3.74	5.1	.03					
303	14662	67	3.45	7.2	.04					
304	14663	31	1.88	4.30	.04					
305	14664	29	1.41	2.91	.03					
306	14665	61	4.16	5.9	.10					
307	14666	55	3.65	4.32	.09					
308	14667	51	2.97	4.34	.05					
309	14668	65	4.02	6.4	.06					
310	14669A	53	3.34	5.7	.03					
311	14670A	32	2.24	3.83	.03					
312	14671	31	2.22	3.29	.03					
313	14672	39	2.29	6.3	.04					
314	14673	37	2.26	5.3	.02					
315	14674	42	2.37	6.2	.01					
316	14675	33	2.01	3.05	.05					
317	14676	41	2.73	1.83	.02					
318	14677	51	3.31	5.2	.03					
319	14678	39	2.70	3.92	.04					
320	14679A	50	2.68	4.60	.04					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5112 17

Date October 5, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
321	14680A	31	1.57	3.39	.03				
322	14681	28	1.29	2.20	.04				
323	14682	27	1.38	3.01	.03				
324	14683	27	1.47	1.43	.03				
325	14684	31	2.12	2.59	.02				
326	14685	24	1.21	1.57	.04				
327	14687	36	2.09	5.2	.06				
328	14688	25	1.24	2.56	.05				
329	14689	77	3.33	11.2	.02				
330	14690A	72	3.44	8.9	.04				
331	14691A	29	1.80	2.97	.03				
332	14692	31	1.86	2.93	.04				
333	14693	61	3.45	4.57	.02				
334	14694	49	2.70	5.3	.02				
335	14695	31	1.88	3.15	.05				
336	14696	24	1.70	3.17	.03				
337	14697	7	.09	.20	.12				
338	14698	3	.06	.08	.08				
339	14699	34	2.16	4.01	.02				
340	14700A	43	3.09	3.64	.16				

A156

A241

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5112 18

Date October 5, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
341	14701A	98	8.0	8.2	.19				
342	14702A	100	7.2	8.1	.16				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

Posted Jan 14/82

TO Cyprus Anvil Mining Corporation
330 - 355 Burrard St.
Vancouver, B.C. V6C 2G8

Certificate No. K-2946

Date July 28, 1980

I hereby certify that the following are the results of assays made by us upon the herein described gram drill samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1	1647- <i>use # in Red - Now 91074</i>		164	13.00	20.80	.12				
2	1648- <i>91075</i>		101	6.47	12.70	.22				
3	1649- <i>91076</i>		33	1.83	2.25	.11				
4	1650- <i>91077</i>		37	2.67	4.50	.06				
5	5001-		9	.25	.22	.25				
6	5002-		16	.86	.52	.25				
7	5003-		32	2.13	2.35	.22				
8	5004-		43	2.83	1.02	.20				
9	5005-		17	.40	.30	.24				
10	5006-		14	.14	.22	.33				
11	5007-		21	.66	.34	.40				
12	5008-		8	.11	.13	.38				
13	5009-		11	.09	.18	.57				
14	5010-		11	.10	.22	.40				
15	5011-		11	.14	.40	.52				
16	5012-		10	.10	.40	.25				
17	5013-		7	.12	.51	.13				
18	5014-		15	.75	.61	.20				
19	5015-		30	2.15	2.37	.26				
20	5016-		43	3.27	3.34	.22				

A023

A074

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

S. S. S. S.

Registered Assayer, Province of British Columbia