

018820

COPY

Green
4-9
6c(1)


John Carrington

W. M. Sirola

GRUM PROJECT - CHECK ANALYSES

9th June 1976

cc: D.A. Lowrie - M.D. Rowswell



In the light of Bud Rowswell's concern over some recent high drilling results, we sent 15 sample pulps to Loring Laboratories in Calgary. A copy of these results, together with the corresponding Whitehorse Lab results, is enclosed.

These results are summarised as follows:

	<u>% Pb</u>	<u>% Zn</u>	<u>Gms/MT</u>
Loring	6.58	10.80	102.66
Whitehorse	6.83	10.98	98.59

The silver assays bounce around quite a bit, but the average is 4 gms per metric ton lower in the Whitehorse Lab, and I would sooner see it this way than the other way around. The discrepancies in lead and zinc contents are negligible.


These comparisons are consistent with previous check analyses made at the Loring Labs.

Bill
W. M. Sirola

WMS:1mp

enc:

To: KERR-ADDISON MINES LIMITED,
 405, 1112 W. Pender Street,
 Vancouver, B.C.
 ATTN: Mr. W. Sirola



File No. 11427

Date May 27, 1976

Samples Control Pulps

cc: Kerr-Addison Faro Y.T.
 Kerr-Addison Toronto
 Whitehorse Assay Office

RECEIVED

JUN-8 1976
 KERR ADDISON MINES LTD.

Certificate of
 ASSAY of
 LORING LABORATORIES LTD.

PER _____

SAMPLE No.	GRAMS PER METRIC TON SILVER		% Pb	% Zn
<u>CONTROL ANALYSIS</u>				
9459-70 2187	111.09	113.0	8.33	13.80
9459-70 2191	77.83	106.0	4.98	10.85
9459-70 2198	23.57	81.0	5.15	5.05
9459-70 2206	69.40	71.0	4.98	9.08
9459-70 2210	123.50	162.0	11.26	19.08
9465-34 2364	79.20	77.0	4.58	10.20
9465-34 2365	75.77	79.0	4.38	4.70
9465-34 2371	188.57	183.0	15.28	8.98
9468-49 2430	65.09	100.0	3.03	8.12
9468-49 2435	80.57	84.0	5.95	22.18
9472-40 2444	50.00	76.0	3.55	5.83
9472-40 2447	133.03	128.0	10.01	19.40
9472-40 2450	105.94	101.0	6.77	13.07
9472-40 2457	66.57	59.0	4.25	6.62
9472-40 2458	130.97	120.0	9.15	16.26
TOTALS	1278.88	1540.0	102.52	160.63
AVERAGE	98.59	102.66	6.83	10.80
<p>I Hereby Certify THAT THE ABOVE RESULTS ARE THOSE ASSAYS MADE BY ME UPON THE HEREIN DESCRIBED SAMPLES</p>				

Rejects Retained one month.
 Pulps Retained one month
 unless specific arrangements
 made in advance.

[Signature]
 Licensed Assayer of British Columbia

X-RAY ASSAY LABORATORIES

LIMITED

45 LESMILL ROAD

DON MILLS ONTARIO M3B 2T8

445-5755

Certificate of Analysis

DEC 10 1975

NO. 2348 PAGE 1 of 1

TO. Kerr Addison Mines Limited,
P.O. Box 91,
Commerce Court West,
TORONTO, Ontario. M5L 1C7

Attn: E.C. Jacka

RECEIVED Nov. 24, 1975

INVOICE NO. 2348

SAMPLE(S) OF 1 w. core SUBMITTED TO US SHOW RESULTS AS FOLLOWS:

<u>Sample</u>	<u>%SiO₂</u>	<u>%CaO</u>	<u>%MgO</u>	<u>%Fe₂O₃</u>	<u>%CO₂</u>
879	50.3	13.3	2.49	4.48	10.6

*amaceous
phyllites.*

file - Gunn

X-RAY ASSAY LABORATORIES LIMITED


DATE Dec. 9, 1975

CERTIFIED BY

D. Hevenor

To: KERR-ADDISON MINES LIMITED,
 405, 1112 West Pender St.,
 Vancouver, B.C.
 ATTN: W. Sirola

C.C. J. Paxton
 Kerr-Addison (Toronto)
 Whitehorse Assay Office



File No. 11080
 Date February 24, 1976
 Samples Sample Pulps

Certificate of
 ASSAY of

LORING LABORATORIES LTD.

7-9
 6 c (1)

L.S.
 T.M.
 J.C.
 D.M.
 G.M.
 E.
 W.A.
 F.M.
 S.P.
 G.R.
 M.D.
 J.R.
 C.K.W.

PAGE # 1

SAMPLE No.	gms/METRIC TON SILVER	% Pb	% Zn
<u>CONTROL ANALYSIS</u>			
U-1106	156.00	8.67	14.77
U-1108	150.50	8.01	17.25
U-1110	119.00	7.86	15.11
U-1114	132.50	6.59	14.77
U-1129	158.00	9.48	19.21
U-1148	132.25	7.96	20.59
U-1151	148.00	9.78	17.84
U-1152	152.50	9.43	17.54
U-1160	211.00	13.01	25.70
U-1161	177.00	10.78	22.46
U-1165	147.25	8.01	15.78
U-1169	135.75	7.04	12.84

I Hereby Certify THAT THE ABOVE RESULTS ARE THOSE
 ASSAYS MADE BY ME UPON THE HEREIN DESCRIBED SAMPLES

Rejects Retained one month.
 Pulps Retained one month
 unless specific arrangements
 made in advance.

C. L. M. Isaac

Licensed Assayer of British Columbia

KERR ADDISON MINES LIMITED

SUITE 405 - 1112 WEST PENDER STREET
VANCOUVER 1, B.C.
PHONE 682-7401

4-9
6 c(1)

12th February 1976

I.D.B.
T.W.B.
J.K.C.
D.M.H.
G.M.H.
<u>E.C.J.</u>
W.J.
B.M.N.
S.P.
G.R.

J.B.S.
C.K.W.

TO: JOHN CARRINGTON
 FROM: W. M. SIROLA
 CC: G.M. HOGG - M.D. ROWSWELL
 SUBJECT: GRUM DEPOSIT - CHECK ANALYSES

In response to your question regarding the need for sending samples to the Loring Laboratories for additional check analyses, I have the following comments:

1. A total of 70 samples assayed in the Whitehorse lab were sent to Loring in 1975, for check analyses. The results were as follows:

	<u>Whitehorse</u>	<u>Loring</u>
% Pb	4.20	4.07
% Zn	6.09	5.58
Oz Ag	1.72	1.91


The average analysis of the 70 samples by Whitehorse was 0.13 higher in Pb and 0.51 higher in Zn, and 0.19 oz lower in Ag.

2. Of the total of 70 samples submitted to Loring, 25 samples, or 35.7% were in excess of 10% combined PbZn. These were totalled and averaged with the following results:

	<u>Whitehorse</u>	<u>Loring</u>
%Pb	6.52	6.29
%Zn	9.64	9.26
Oz Ag	2.65	2.81

In this range then, the Whitehorse average analyses were 0.23 higher in Pb, 0.38 higher in Zn and 0.16 lower in Ag. Please note that these figures are simply subtractions of one average from another, and not percentage variations as such.

3. Since the Whitehorse lab appears, as usual, to be doing very good work, it should only be necessary to submit a few samples from time to time. I would suggest that you send to Loring a total of perhaps 10 samples which would be in the 10, 12, 14, 16, 18 and 20 per cent ranges, in as much as this would be the spectrum in which first production (if any) would occur.


W. M. Sirola

WMS:Imp

enc:

LORING

Whorse lab.

Assay Comparison

Pb	Zn	Ag
5.01	6.05	2.28
4.95	6.48	2.44
4.85	10.09	2.46
5.15	9.72	2.38
3.85	6.50	1.58
5.94	7.90	2.52
2.71	8.30	1.78
7.11	12.50	3.10
10.32	5.64	3.26
4.20	6.07	2.64
3.51	9.98	1.57
5.01	8.17	2.38
4.95	5.94	2.11
12.10	8.59	3.49
8.75	14.45	4.10
7.10	7.58	2.44
11.88	10.05	4.50
3.39	9.27	2.10
8.85	13.92	4.17
9.21	12.43	4.73
3.90	8.57	2.04
7.79	13.44	4.60
7.97	14.26	3.36
4.71	9.66	2.63
4.02	6.21	1.73
<u>157.43</u>	<u>231.71</u>	<u>70.33</u>

Pb	Zn	Ag
4.92	6.35	2.12
5.25	6.96	1.91
4.65	10.27	2.79
5.03	9.84	2.35
3.75	6.76	1.50
5.78	8.10	2.12
2.93	8.52	1.71
7.50	12.32	2.94
10.80	5.88	3.15
4.43	6.21	2.27
3.60	10.82	1.47
4.99	8.76	2.06
4.95	6.36	1.73
12.75	9.23	5.00
8.72	14.83	3.68
7.21	8.22	2.18
12.52	10.53	4.18
3.60	9.54	1.94
8.86	14.93	3.74
9.34	13.23	4.12
3.90	9.08	1.88
8.70	13.84	4.23
8.84	14.83	3.09
5.45	9.85	2.38
4.55	6.00	1.71
<u>163.02</u>	<u>241.06</u>	<u>66.25</u>

25 Samples

Averages

6.29	9.76	2.81	6.52	9.64	2.65
------	------	------	------	------	------

Whorse Av. Analysis 0.23% higher in Pb; 0.38% higher in Zn & 0.16% lower in Ag.

Ann. Silvio
Feb. 11, 1976

OCT 20 1975 ^{4.9}/_{19/5} (1)

I.D.B.
 T.W.B.
 J.K.C.
 D.M.H.
 G.M.H.
 E.C.J.
 W.J.
 B.M.N.
 S.P.
 G.R.
 M.D.R.
 J.B.S.
 C.K.W.

DATE. OCTOBER 20, 1975
 FILE NO. MIXED LOTS

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
 BOX 4518 WHITEHORSE Y. T.
 PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR- ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD OXIDE %				
<u>9039-55</u> : 1737			.24				
1754			.10				
<u>9050-40</u> : 1782			.07				
1789			.17				
2058			.18				
2086			.15				
<u>9071-55</u> : 1832			.10				
1838			.06				
2070			.19				
2073			.16				
2095			.22				

ASSAYER. K. Hoyland Jr
 GEO. SPALDING

DATE. OCTOBER 19, 1975

ASSAY CERTIFICATE

FILE NO. 9379-8

OCT 20 1975

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.

PHONE 667 2694

SAMPLE RECEIVED FROM

KERR-ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC			
A		3.27	9.83	10.65			4.9 6c(1)
B		4.06	10.58	10.83			
C		2.88	6.95	6.97			
D		3.33	7.68	8.57			
F		2.35	6.43	4.02			
G		1.03	2.57	2.70			
H		1.56	3.30	2.64			
I		* 1.68	5.11	2.94			
		* Checked Twice					

GEO. SPALDING

ASSAYER. *K. Hayward for*

OCT 6 1975

KERR ADDISON MINES LIMITED
405 - 1112 WEST PENDER STREET
VANCOUVER, B.C. V6E 2S1

COPY

A. H. Cross - Comptroller

W. M. Sirola

Loring Labs Invoice #9985 - \$682.00

2nd October 1975

cc: Mr. G. M. Hogg
Mr. I. D. Bayer

7.9
6c(1)


I.D.B.
T.W.B.
J.K.C.
D.M.H.
G.M.H.
<u>E.C.J.</u>
W.J.
<u>R.M.N.</u>
S.P.
G.R.
M.D.R.
J.B.S.
C.K.W.

Your letter of September 29 to Loring Laboratories states that "unfortunately we have no record of same being forwarded to Toronto from our Vancouver office."

Because this invoice, dated July 1, 1975 pertained solely to the Grum Project, it was sent by Peter Stym's secretary to Ian Bayer for payment, on July 14, 1975. On September 22, 1975 we received a letter from Loring which drew our attention to the fact that the invoice was overdue. Mrs. Peters then forwarded that letter to your attention, the same day.


Copies of both the original invoice and Loring's letter of September 19 are enclosed.

We do try, within the limits of our ability, to process accounts as soon as they are received.


W. M. Sirola

WMS:1mp

enc:



629 Beaverdam Rd. N.E.
Calgary 67, Alberta

LORING LABORATORIES LTD.

Phone 274-2777

September 19, 1975

Kerr Addison Mines,
405-1112 West Pender St.,
Vancouver, B.C.

ATTENTION: Accounts Payable Department.

Dear Sirs:

We wish to draw your attention to the following account (s)
which is (are) now overdue:

<u>INVOICE</u>	<u>DATE</u>	<u>AMOUNT</u>
9985	July 1, 1975	\$682.00

If this amount is not correct, please furnish us with a
detailed statement of the differences.

Your co-operation in this matter will be appreciated.

If payment has already been forwarded, please disregard
this notice.

Yours truly,

LORING LABORATORIES LTD.

Elinor Medinski

(Mrs.) Elinor Medinski
Accounts Receivable Dept.

To: Mr. A. Cross

RE: GRUM JOINT VENTURE

RECEIVED

SEP 22 1975
KERR ADDISON LTD.

PER

Sent to Toronto
22 Sep. 75

GRUM PROJECT - YUKON TERRITORY

ASSAY CONTROL

7.9
6e(1)

<u>Sample</u>	<u>Whitehorse Assay</u>			<u>Loring</u>		
	<u>% Pb</u>	<u>% Zn</u>	<u>oz Ag</u>	<u>% Pb</u>	<u>% Zn</u>	<u>oz Ag</u>
1191	3.60	2.40	0.83	3.25	2.41	0.92
1286	8.70	13.84	4.23	7.79	13.44*	4.60
1300	8.84	14.83	3.09	7.97	14.26*	3.36
1301	1.35	2.58	0.47	1.26	2.63	0.50
1321	1.73	2.52	1.09	1.67	2.56	1.13
1331	3.23	3.72	1.00	2.80	3.76	1.06
1336	2.40	2.70	0.73	2.23	2.63	0.72
1411	4.55	6.00	1.71	4.02	6.21	1.73
Average:	4.42	6.07	1.64	3.87	5.98	1.765
Difference:	<u>+0.55</u>	<u>+0.09</u>	<u>-0.125</u>			

Whitehorse 14% higher - Pb

Y. 9
bc(1)

I.D.B.
T.W.B.
J.K.C.
D.M.H.
G.M.H.
L.C.J.
W.J.
E.M.N.
S.P.
G.R.
M.D.R.
J.B.S.
C.K.W.

DATE. AUGUST 28, 1975

FILE NO. MIXED LOTS

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR ADDISON MINES


SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD OXIDE				
9039- 55:							
1737			.24				
1754			.10				
9050- 40:							
1782			.05				
1789			.21				
2058			.13				
2086			.17				
9071- 55:							
1832			.07				
1838			.05				
2070			.15				
2073			.13				
2095			.23				

ASSAYER. K. Hayward for

GEO. SPALDING

2 - 1975

To: KERR-ADDISON MINES,
 405-1112 W. Pender St.,
 VANCOUVER, B.C.



File No. 10190 ^{7.9}
 Date August 4, 1975
 Samples Control Pulps

ATTN: W. Sirola

Certificate of
ASSAY
 LORING LABORATORIES LTD.


SAMPLE No.	OZ./TON SILVER	% Pb	% Zn
<u>CONTROL ANALYSIS</u>			
9020 - 1729	.48	1.40	2.56
" 1814	1.78	2.93	3.92
" 2020	1.24	1.75	3.04
" 2031	2.28	5.01	6.05
9025 - 1805	1.12	2.10	1.67
" 1944	.70	1.26	2.22
" 1953	1.32	2.44	5.57
" 2057	1.56	3.42	2.41
9032 - 1962	1.16	2.65	3.83
" 1972	.70	1.18	1.35
" 1986	2.44	4.95	6.48
" 1996	2.10	3.65	5.03
9039 - 1738	2.22	4.50	5.47
" 1747	1.70	3.34	5.42
" 1756	1.24	2.86	3.73
" 1772	1.66	3.42	4.01
" 2000	1.56	4.70	3.56
" 2302	2.42	4.25	3.37

I Hereby Certify THAT THE ABOVE RESULTS ARE THOSE
 ASSAYS MADE BY ME UPON THE HEREIN DESCRIBED SAMPLES

Rejects Retained one month.
 Pulps Retained one month
 unless specific arrangements
 made in advance.

C. D. McIsaac
 Licensed Assayer of British Columbia

To: KERR-ADDISON MINES,
 405-1112 W. Pender St.,
 VANCOUVER, B.C.



File No. 10197
 Date August 5, 1975
 Samples Control Pulps

4-9
 bc(1)

ATTN: W. Sirola

Certificate of
ASSAY
 LORING LABORATORIES LTD.

SAMPLE No.	OZ./TON SILVER	% Pb	% Zn
<u>CONTROL ANALYSIS</u>			
9050 - 1778	1.38	4.01	5.57
" 1790	2.46	4.85	10.09
" 2085	2.48	5.51	8.99
9071 - 1796	.48	1.20	3.93
" 1840	1.34	1.72	2.12
" 2069	2.38	5.15	9.72
" 2079	1.20	2.07	4.81
" 2098	1.58	3.85	6.50
" 2405	2.52	5.94	7.90
9092 - 1852	1.04	1.84	4.05
" 1863	1.08	2.15	4.89
" 1873	1.84	4.02	5.25
" 2408	1.78	2.71	8.30
" 2508	1.48	3.09	5.32
9110 - 1882	3.10	7.11	12.50
" 1890	3.26	10.32	5.64
" 2527	2.28	5.16	7.44
9120 - 2411	2.64	4.20	6.07
" 2422	1.38	3.09	6.46
" 2432	1.88	3.59	4.10

I Hereby Certify THAT THE ABOVE RESULTS ARE THOSE
 ASSAYS MADE BY ME UPON THE HEREIN DESCRIBED SAMPLES

Rejects Retained one month.
 Pulps Retained one month
 unless specific arrangements
 made in advance.


W. Sirola

Licensed Assayer of British Columbia

To: KERR-ADDISON MINES,
 405-1112 West Pender Street,
 Vancouver, B.C.
 V6E 2S1

JUL 14 1975

File No. 9985
 Date July 1, 1975
 Samples Control Pulps



Certificate of
 ASSAY of

LORING LABORATORIES LTD.

PAGE # 1

I.D.B.
 T.W.B.
 J.K.C.
 D.M.H.
 G.M.H.
 E.C.J.
 W.J.
 B.M.M.
 S.P.
 G.R.
 M.D.R.
 J.B.S.
 C.K.W.

4.9
 60


SAMPLE No.	OZ./TON SILVER	% Pb	% Zn
<u>CONTROL ANALYSIS</u>			
	{ 0.59	1.53	1.40
1461	{ .76	1.52	1.49
	{ 1.00	3.23	3.18
1471	{ .97	3.17	3.12
	{ 1.09	3.08	2.94
1489	{ 1.26	3.01	2.86
	1.74	3.60	9.54
1557	2.10	3.59	9.27
	3.74	8.86	14.93
1566	4.17	8.85	13.92
	1.15	2.40	7.02
1577	1.13	2.86	6.83
	1.53	3.75	5.28
1586	2.00	3.63	5.30
	4.12	9.34	13.23
1590	4.73	9.21	12.43
	1.53	4.35	4.44
1600	1.75	4.35	3.92
	0.91	2.18	5.88
1653	1.18	2.35	5.85
	1.88	3.90	9.08
1664	2.04	3.90	8.51

I Hereby Certify THAT THE ABOVE RESULTS ARE THOSE
 ASSAYS MADE BY ME UPON THE HEREIN DESCRIBED SAMPLES

Rejects Retained one month.
 Pulps Retained one month
 unless specific arrangements
 made in advance.

[Signature]
 Licensed Assayer of British Columbia

To: ~~KERR-ADDISON MINES,~~
~~405-1112 West Pender Street,~~
~~Vancouver, B.C.~~
~~V6E 2S1~~
~~ATTN: W. Sirola~~



File No. 9985
Date July 1, 1975
Samples Control Pulps

Certificate of
ASSAY of
LORING LABORATORIES LTD.

PAGE # 2


SAMPLE No.	OZ./TON SILVER	% Pb	% Zn
<u>CONTROL ANALYSIS</u>			
1673	1.51	3.51	9.98
1681	2.38	5.01	8.17
1691	2.11	4.95	5.94
1694	3.49	12.10	8.59
1707	4.10	8.75	14.45
1911	1.44	2.50	3.52
1917	1.35	3.09	5.09
1927	1.75	4.35	5.06
1937	2.44	7.10	7.58
2007	4.50	11.88	10.05
2017	.76	1.87	1.83

I Hereby Certify THAT THE ABOVE RESULTS ARE THOSE
ASSAYS MADE BY ME UPON THE HEREIN DESCRIBED SAMPLES

Rejects Retained one month.
Pulps Retained one month
unless specific arrangements
made in advance.

W. McFarlane
.....
Licensed Assayer of British Columbia

To: KERR-ADDISON MINES,
405-1112 West Pender Street,
Vancouver, B.C.
ATTN: Mr. W. Sirola
c.c. - Faro, Y.T.
Toronto



File No. 9884
 Date June 12, 1975
 Samples Control Pulps

JUN 23 1975

Certificate of
ASSAY of
LORING LABORATORIES LTD.

D.B.
 T.W.B.
 D.M.H.
 G.M.H.
 E.C.J.
 W.J.
 B.M.N.
 S.P.
 G.R.
 M.D.R.
 J.B.S.
 C.K.W.

SAMPLE No.	OZ./TON SILVER	% Pb	% Zn
<u>CONTROL ANALYSIS</u>			
8941-1357	2.88	5.92	
8941-1367	1.04	2.01	
8941-1501	3.97	7.75	
8941-1511	.92	1.92	
8941-1521	1.09	2.07	
8952-1370	1.08	2.15	
8952-1381	.54	1.13	
8952-1391	1.37	2.50	
8952-1531	<u>3.73</u>	6.38	<u>8.82</u>
8952-1542	.65	1.68	3.56
8952-1601	<u>3.36</u>	7.60	<u>12.94</u>
8952-1612	2.56	3.83	2.52
8952-1622	.70	1.36	3.68
8955-1424	.93	1.64	3.32
8955-1434	.77	1.38	2.05
8955-1630	<u>4.22</u>	8.72	<u>5.78</u>
8959-1450	.98	1.83	<u>9.65</u>
8959-1640	.74	1.79	1.80
			<u>21.78</u>
			8.27
			1.15
			1.83
			2.63
			<u>16.40</u>
			1.93
			2.41

I Hereby Certify THAT THE ABOVE RESULTS ARE THOSE
 ASSAYS MADE BY ME UPON THE HEREIN DESCRIBED SAMPLES


Rejects Retained one month.
 Pulps Retained one month
 unless specific arrangements
 made in advance.

E. L. M. J. S. A. C.

Licensed Assayer of British Columbia

To: KERR ADDISON MINES,
405-1112 West Pender Street,
Vancouver, B.C.
V6E 2S1

ATTN: W. Sirola
c.c. Fred Chow
G. Hogg



File No. 9742
 Date May 16, 1975
 Samples Control Pulps

4-9
 MAY 28 1975

Certificate of
 ASSAY of

LORING LABORATORIES LTD.

I.D.B.
 T.W.B.
 J.K.C.
 D.M.H.
 G.M.H.
 E.C.I.
 W.J.
 B.M.N.
 S.P.
 G.R.
 ✓ M.D.P. ✓
 J.B.S.
 C.K.W.

SAMPLE No.	OZ./TON SILVER	% Pb	% Zn
<u>CONTROL ANALYSIS</u>			
1191 ↓	.83 .92	3.60 3.25	2.40 2.41 ✓
1286 ✓	4.23 4.60	5.70 7.79	13.84 13.44
1300 ✓	3.09 3.36	5.84 7.97	14.83 14.26
1301 ✓	.47 .50	1.35 1.26	2.58 2.63
1311 ✓	2.38 2.63	5.95 4.71	9.85 9.66
1321 ✓	1.09 1.13	1.73 1.67	2.52 2.56
1331 ✓	1.00 1.06	3.23 2.80	3.72 3.76
1336 ✓	.73 .72	2.90 2.23	2.70 2.63
1411 ✓	1.71 1.73	9.55 4.02	6.00 6.21

I Hereby Certify THAT THE ABOVE RESULTS ARE THOSE
 ASSAYS MADE BY ME UPON THE HEREIN DESCRIBED SAMPLES

edf

Rejects Retained one month.
 Pulps Retained one month
 unless specific arrangements
 made in advance.

L.M. Joaze

Licensed Assayer of British Columbia