

DATE. OCTOBER 28, 1974.

ASSAY CERTIFICATE

FILE NO. 8776-19


018828

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.

PHONE 667 2694

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC		
844		.44	.75	1.70		<i>of 7.9</i> <i>6c</i>
845		1.59	4.28	4.26		
846		.38	.90	1.34		
847		1.12	2.38	2.88		
848		.35	.80	.62		
849		.12	.18	.18		
880		.44	1.23	.90		
881		.15	.18	.27		
882		.35	.83	.70		
883		.62	2.05	1.76		
884		1.03	2.35	2.28		
885		.88	1.95	1.62		
886		.06	.03	.16		
887		.80	1.90	1.84		
888		.15	.20	.27		
889		.32	.83	.82		
890		.35	.69	.86		
891		1.41	4.28	6.12		
892		.59	1.33	1.60		

ASSAYER. *K. Heyland for B. Spalding*

KERR ADDISON MINES LIMITED
(FOR INTER-OFFICE USE ONLY)

OCT 28 1974

To Glen Hogg From Werner Gruenwald ~~of Y-9~~
Subject _____ Date October 25, 1974 bc

Enclosed are sample chits for DDH - A-46 52W: 8S ✓
A-50 52W: 6S ✓
A-51 84W: B.L. ✓

Werner Gruenwald.

W/a



DATE. OCTOBER 25, 1974.

FILE NO. 8770-26

OCT 29 1974
ASSAY CERTIFICATE


WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.

PHONE 667 2694

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC			
829		.80	2.45	1.88			fb 7.9 <hr/> 60
830		1.00	2.48	1.92		(E.C.J.)	
831		.88	2.35	2.46			
832		1.03	3.15	3.00			
833		.88	2.30	1.96			
834		.56	.85	.72	A 50		
835		.32	1.00	1.12			
836		.44	1.08	1.08			
837		.29	.70	.54			
838		.18	.29	.32			
839		.94	1.02	.86			
840		.32	1.03	.90			
841		.62	1.88	1.34			
842		1.62	2.85	1.72			
843		3.30	8.05	6.60	A 51 (Part)		
850		.47	1.20	1.30			
851		1.62	2.78	3.48			
852		.15	.18	.47			
853		.12	.14	.58			
854		.12	.08	.18			
855		.18	.08	.18			
856		.15	.12	.23			
857		.15	.08	.30			
858		.29	.32	.46			
859		1.41	3.75	3.30			
860		.80	2.00	1.68	A 46	(E.C.J.)	



ASSAYER. *K. W. ...*

OCT 29 1974

ASSAY CERTIFICATE

DATE. OCTOBER 25, 1974.

FILE NO. 8765-44

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.


PHONE 667 2694

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
785		.53	1.25	.99				
786		1.18	3.00	3.60				
787		2.59	7.20	10.0				
788		1.18	3.45	4.32				
789		.74	1.98	1.71				
790		.59	1.58	1.47				
791		.74	1.80	1.34				
792		.59	1.40	1.44				
793		1.03	3.15	3.66				
794		2.35	5.93	7.44				
795		.29	.73	3.18				
796		.83	2.33	5.28				
797		.91	2.33	7.20				
798		1.44	3.90	5.22				
799		1.76	4.43	12.1				
800		1.59	4.50	5.40				
801		2.35	6.00	9.6				
802		.56	2.30	4.42				
803		.29	.42	.98				
804		3.03	6.90	14.2				
805		2.94	8.25	16.2				
806		3.53	8.63	16.8				
807		3.82	8.74	17.0				
808		2.94	7.50	15.6				
809		.29	1.25	2.00				
810		1.65	3.60	6.60				
811		.15	.08	1.12				
812		.15	.19	.59				
813		1.09	3.23	5.28				
814		.24	.70	2.28				
815		.56	1.48	.86				
816		1.00	1.88	3.84				
817		2.79	6.23	8.82				
818		1.12	1.80	4.80				
819		2.85	4.95	8.28				
820		.88	1.98	1.98				
821		.44	1.04	.63				
822		1.76	6.53	3.66				
823		.44	.97	.46				
824		.26	.27	.37				
825		.44	.94	1.30				
826		.88	2.20	1.55				
827		.94	2.20	3.24				
828		.88	1.63	3.12				

A 42



A 45

ASSAYER. K. Hoyland to H. Spalding

DATE. OCTOBER 11, 1974.

OCT 18 1974

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.

PHONE 667 2694

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	
8749-27: 736		.21	.34	.18	A 38 E.C.I.
737		.88	1.98	1.76	
738		.32	.58	.45	
739		.80	2.10	1.98	
740		1.38	3.60	3.00	
741		.15	.60	.58	
742		.88	2.00	2.00	
743		.50	1.00	.69	A 39 E.C.I.
744		.59	1.40	1.10	
745		.15	.23	.23	
746		.50	1.15	.88	
747		.44	.93	1.44	
748		.59	2.35	2.40	
749		.35	.14	.23	
750		1.03	2.93	2.22	
751		.74	1.65	1.16	
752		.94	2.38	2.76	
753		.18	.33	.29	
754		.29	.84	1.04	
755		.80	1.60	2.28	
756		.24	.13	.11	
757		1.50	2.45	1.50	
758		3.38	6.45	7.07	
759		3.53	9.00	8.53	
760		.35	.38	.27	
761		.77	1.50	.49	
762		.06	.15	.17	
8755-22: 763		2.65	6.15	7.20	A 41 E.C.I.
764		.29	.63	.28	
765		.29	.50	.34	
766		.44	1.15	.80	
767		.21	.33	.24	
768		.24	.58	.36	
769		.32	.35	.20	
770		.03	.01	.01	
771		.29	.35	.26	
772		2.12	5.48	6.48	
773		.18	.18	.23	
774		.29	.35	.44	
775		1.03	2.20	1.80	
776		.21	.28	.31	
777		.59	1.18	1.24	
778		1.71	4.13	4.38	
779		.77	1.50	1.64	
780		.35	.55	.23	
781		.03	.09	.08	
782		.29	.45	.30	
783		.03	.04	.07	
784		.47	1.23	1.20	

ASSAYER.

A. H. Halding

DATE. OCTOBER 7, 1974.

FILE NO. 8741-25

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.

PHONE 667 2694

SAMPLE RECEIVED FROM

KERR ADDISON MINES

W.J.
D.M.
C.P.
M.R.
I.B.
R.S.
G.R.
T.B.
E.J.

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC			
711		.85	1.80	1.40			
712		1.24	2.50	3.00			
713		.44	1.03	.98			
714		1.18	3.23	2.40			
715		.29	.90	1.00			
716		2.27	6.08	4.86			
717		2.53	8.25	8.55			
718		2.06	5.63	7.61			
719		.38	1.18	1.56			
720		2.79	8.55	5.16			
721		1.62	4.95	.59			A-28 3u?
722		.50	1.58	.60			
723		1.82	4.50	7.40			
724		.21	.14	.18			
725		.18	.14	.16			
726		3.09	7.65	9.75		740-756.5	
727		.29	.43	.42			
728		.56	1.20	.78			
729		.44	.80	1.20			
730		.32	.63	.58			
731		1.76	5.40	4.86		907 - 906.1	
732		.27	.52	.85			
733		1.71	4.35	4.50			
734		1.06	2.20	1.56			
735		.74	2.10	1.94			

ASSAYER. K. Hoyland for B. Spalding

Attention Glen Hogg

OCT 10 1974

RECEIVED

KERR ADDISON MINES LIMITED

(FOR INTER-OFFICE USE ONLY)

OCT 7 - 1974

KERR ADDISON MINES LTD.

To W. M. Siroka From F. Chow PER _____

Subject D.D. CORE SAMPLE Nos. & SAMPLED FOOTAGES Date Sept. 26, 1974
Kangosha "GWA" ZONE, 105K-3
Kerr-ARX Joint Venture

Enclosed herewith are two sheets listing the sample nos. and sampled footages from D.D. Holes A-5 to A-16 inclusive, which you requested by phone this week.

Fred

W.J.
D.M.H.
G.M.H.
M.D.R.
I.D.B.
R.D.S.
G.R.
T.W.B.
<u>E.C.J.</u>

VANGORD - "GRUM" ZONE

LIST SHOWING D.D. CORE SAMPLE NOS., SAMPLED FOOTAGE, AND WIDTHS OF

D.D. HOLES A-5 to A-16 inclusive.

SEPT. 26/14

D.D. HOLE No.	SAMPLE No.	FOOTAGE SAMPLED	WIDTH FT.	D.D. HOLE No.	SAMPLE No.	FOOTAGE SAMPLED	WIDTH FT.
A-5	740001	4200 - 426.0	6.0	A-10	2521	518.5 - 523.5	5.0
	740002	508.0 - 512.5	4.5		2	528.5	5.0
	3	517.0	4.5		3	533.5	5.0
	4	521.5	4.5		4	538.5	5.0
	5	526.5	5.0		5	543.5	5.0
	6	530.5	4.0		6	548.5	5.0
	7	537.0	6.5		7	553.5	5.0
	740008	542.5	5.5		8	558.5	5.0
					9	563.0	4.5
					30	568.0	5.0
	740009	543.0 - 544.5	1.5		1	573.0	5.0
	740010	546.3	1.8		2	578.0	5.0
	11	556.5	10.2		2533	583.0	5.0
	12	559.3	2.8		4	593.0	10.0
	13	563.5	4.2		5	603.0	10.2
	14	568.0	4.5		6	613.0	10.0
	15	571.9	3.9		7	623.0	10.0
	16	577.0	5.1		8	633.0	10.0
	17	581.0	4.0		9	643.0	10.0
18	586.5	5.5	2540	653.0	10.0		
740019	591.8	5.3	1	678.0	25.0		
			2	686.5	8.5		
A-6	NIL	NIL		3	690.0	3.5	
A-7	NIL	NIL		4	700.0	10.0	
A-8	-A	306.8 - 312.5	5.7	5	710.0	10.0	
	2501-B	318.0	5.5	6	720.0	10.0	
	-A	322.0	4.0	7	725.0	5.0	
	2-B	324.5	2.5	8	730.0	5.0	
	-A	238.0 - 245.0	7.0	9	735.0	5.0	
	3-B	250.0	5.0	2550	740.0	5.0	
	-A	263.0	13.0	1	745.0	5.0	
4-B	267.0	4.0	2	750.0	5.0		
2505	583.5 - 592.5	9.0	2553	756.0	6.0		
A-9	2506-A	373.8 - 378.8	5.0	2554	767.0 - 775.4	8.4	
	-B	383.8	5.0		NIL	3.6	
	7-A	388.8	5.0	5	779.0 - 783.0	4.0	
	-B	397.8	5.0			2.0	
	8	398.8	5.0	6	785.0 - 787.6	2.6	
	9	403.8	5.0	7	802.0 - 808.5	6.5	
	10	408.8	5.0	2558	815.0	7.5	
	2511	410.0 - 416.0	6.0	A-11	2559	379.0 - 387.0	8.0
	2512	434.0 - 439.0	5.0		2560	390.5 - 395.5	5.0
	13	444.0	5.0		1	398.5 - 402.5	4.0
	14	449.0	5.0		2	406.5 - 419.0	12.5
15	454.0	5.0	3		437.0 - 441.0	4.0	
16-A	459.0	5.0	4		432.0 - 453.5	21.5	
16-B	464.0	5.0	5		493.5 - 500.0	6.5	
17	469.0	5.0	2566		506.5	6.5	
18	474.0	5.0					
19	479.0	5.0					
2520	325.5 - 332.0	6.5					

John

DATE. OCTOBER 7, 1974.

FILE NO. 8741-25

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.

PHONE 667 2694

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC			
<i>A38</i> 711		.85	1.80	1.40	6056-608	2.4	
712		1.24	2.50	3.00	-616.5	8.5	
713		.44	1.03	.98	-621	4.5	
714		1.18	3.23	2.40	630.3	9.3	
715		.29	.90	1.00	6317-640.5	8.8	6.08, 4.86, 2.27
716		2.27	6.08	4.86	705.5-710	4.5	4.5, 2.99
717		2.53	8.25	8.55	740-748	8.0	6.90, 8.07, 1.72
718		2.06	5.63	7.61	-736.5	8.5	16.5
719		.38	1.18	1.56	890-900.4	2.4	
720		2.79	8.55	5.16	903.6	3.2	697, 3.16, 2.2
721		1.62	4.95	.59?	-906.1	2.5	5.7
722		.50	1.58	.60	-912.8	6.7	
723		1.82	4.50	7.40	916.2	3.4	
724		.21	.14	.18	921	4.8	
725		.18	.14	.16	927	6.0	
726		3.09	7.65	9.75	932.4	5.4	
727		.29	.43	.42	942.4	10.2	
728		.56	1.20	.78	951.5	6.5	0.1
729		.44	.80	1.20	957.5	6.0	
730		.32	.63	.58	961	3.5	
731		1.76	5.40	4.86	961-963	2.0	
732		.27	.52	.85	968.3	5.3	2.51, 2.33, 1.03
733		1.71	4.35	4.50	972	3.7	17.4
734		1.06	2.20	1.56	978.4	6.4	
735		.74	2.10	1.94	1119-1122.5	3.3	

ASSAYER. *K. Hrylana for G. Spalding*

DATE. OCTOBER 6, 1974.

FILE NO. 8739-38

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.

PHONE 667 2694

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC			
673		.18	.27	.52	1145-1155	10.0	
674		.15	.15	.58	-1165	10.0	
675		1.35	3.75	3.90	-11715	2.7	
676		.12	.20	.37	1175.0	3.5	
677		.12	.17	.44	1185.0	10.0	
678		.65	1.80	1.60	1196.8-1208	5.2	
679		.59	1.75	1.42			
A37 680		.47	.97	1.12	214-224	10	
681		.44	.77	.74	-231	7	
682		.29	.35	.72	-235	4	
683		1.76	4.58	5.40	237.5	2.5	
684		.53	.68	.70	243	5.5	
685		2.15	7.35	6.12	248	5.0	
686		.88	2.23	3.60	250.5	2.5	
687		.88	2.63	1.96	253.5	3.0	
688		1.85	7.20	9.44	260.0	6.5	
689		.65	2.03	2.82	263	3.0	
690		2.79	8.41	12.75	271	8.0	
691		1.68	5.55	7.32	276	5.0	3.62, 5.21, 1.23
692		.50	1.04	1.16	280.7	4.7	10.90
693		2.97	9.39	14.20	283.3	2.6	
694		1.03	2.78	5.46	293	9.7	
695		1.03	2.50	5.16	303	5.3 x 10.0	
696		1.41	4.05	5.88	313	10.0	
697		1.09	2.50	4.14	323	10.0	
698		.47	1.12	2.28	333	10.0	
699		.74	2.15	3.12	338.2	5.2	
700		1.47	4.13	6.00	344.0	5.8	
701		.18	.50	.96	350	6.0	
702		.44	1.23	1.34	356.6	6.6	
703		.18	.39	.58	370.4	1.8	
704		1.56	3.83	4.68	375.6	5.2	3.83, 4.68, 1.56
705		.24	.29	.36	386	10.4	5.2
706		.15	.07	.20	396	10.0	
707		.29	.40	.60	402.2	6.2	
708		.80	2.08	2.88	406.1	3.9	
709		.59	1.60	1.72	409.8	3.7	
710		1.12	3.23	6.60	414.0	4.2	3.23, 6.60, 1.12

ASSAYER. *K. Howland for G. Spalding*

DATE. OCTOBER 6, 1974.

FILE NO. 8739-38

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.

PHONE 667 2694

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC			
673		.18	.27	.52			
674		.15	.15	.58			
675		1.35	3.75	3.90			
676		.12	.20	.37			
677		.12	.17	.44			
678		.65	1.80	1.60			
679		.59	1.75	1.42	A-35		
680		.47	.97	1.12			
681		.44	.77	.74			
682		.29	.35	.72			
683		1.76	4.58	5.40			
684		.53	.68	.70			
685		2.15	7.35	6.12			
686		.88	2.23	3.60			
687		.88	2.63	1.96			
688		1.85	7.20	9.44			
689		.65	2.03	2.82			
690		2.79	8.41	12.75			
691		1.68	5.55	7.32			
692		.50	1.04	1.16			
693		2.97	9.39	14.20			
694		1.03	2.78	5.46			
695		1.03	2.50	5.16			
696		1.41	4.05	5.88			
697		1.09	2.50	4.14			
698		.47	1.12	2.28			
699		.74	2.15	3.12			
700		1.47	4.13	6.00			
701		.18	.50	.96			
702		.44	1.23	1.34			
703		.18	.39	.58			
704		1.56	3.83	4.68			
705		.24	.29	.36			
706		.15	.07	.20			
707		.29	.40	.60			
708		.80	2.08	2.88			
709		.59	1.60	1.72			
710		1.12	3.23	6.60			



A-35

235

109

A-37

ASSAYER. K. Heyland for G. Spalding

DATE, OCTOBER 2, 1974

OCT 7 1974

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.

FILE NO. 8733-13

PHONE 667 2694

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
660		.53	1.25	.86				
661		.15	.13	.06				
662		.68	1.10	1.18				
663		.03	.20	.14				
664		.56	1.23	1.02				
665		.29	.53	.56				
666		.26	.75	.63				
667		.77	2.10	2.58				
668		.59	1.35	2.00				
669		.32	.48	.59				
670		1.32	3.83	4.44				
671		.29	.50	.42				
672		.44	1.25	1.74				



A 35

ASSAYER. K. Heyland for H. Spalding

DATE. OCTOBER 2, 1974.

OCT 4 1974

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.

FILE NO. 8723-26

PHONE 667 2694

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC			
576		.50	1.08	1.56			
577		.29	.35	.58			
578		.15	.20	.11			
579		.29	.49	.58	A. 33		
638		.15	.12	.42			
639		.29	.14	.50			
640		.18	.13	.38			
641		.15	.13	.44			
642		.09	.10	.23			
643		.59	1.43	1.60			
644		.47	.94	1.48			
645		.65	1.24	1.04			
646		1.03	1.93	1.56			
647		.44	.77	.52	A 32		
648		.15	.09	.07			
649		2.41	6.00	3.72			
650		1.27	1.60	.37			
651		1.91	4.28	3.72			
652		.44	.39	.04			
653		2.79	7.35	7.75			
654		1.09	1.60	1.64			
655		1.47	3.53	3.66			
656		.65	1.60	1.64			
657		2.21	5.33	4.68			
658		.29	.45	.62			
659		.44	.83	.72	A 35 Part		

E.C.J.

E.C.J.

ASSAYER. *K. Hayward for H. Spalding*

DATE. SEPTEMBER 23, 1974.

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.

PHONE 667 2694

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
A-31 567	376.1	380.5	4.4	2.00	4.95	7.05	23.7'	not assayed
568	404.2	408.2	4.	.74	1.33	1.18	30.2'	not
569	438.5	441.	2.5	.59	1.08	1.62	40.7	"
570	441	446.1	5.1	.59	1.15	1.35	64.8	"
571	482.8	482.2	1.4	.18	.32	.94		"
572	553.0	559.0	6.0	1.76	4.58	4.86		"
573	559	564	5.0	1.29	3.90	3.60	1.46 Ag.	4.88 Pb
574	564	567.	3.0	1.15	3.38	2.76		3.96 Zn
575	567	571	4.0	.44	.64	.34		114'
A-29 601	1209-1218	9.0'	.29	.93	2.22			
602	1216-1228	10.	.53	1.23	2.22			
603	1228-1231.4	3.4	.21	.65	1.28			
604	1231.4-1239.0	7.6	.41	1.65	2.58			
605	1239-1244	5.	.29	.80	1.42			
606	1244-1254	10.	.44	1.18	1.46			11.6' not assayed
607	1265.6-1275.0	9.4	.71	1.44	2.40			
608	1275-1285	10.	.47	1.23	2.00			
609	1285-1292.5	7.5	.50	2.00	4.02			31.5' "
610	1324-1329.	4.7	.65	1.28	2.94			5.6' "
611	1334-1338.5	4.5	1.09	1.80	4.20			
612	1338.5-1340.	1.5	1.29	2.28	4.92	Ag.	Pb	
613	1340-1345	5.	1.24	2.50	4.80	1.02	2.23	3.84 / 26.0'
614	1345-1350	5	.94	1.93	4.20			
615	1350-1356	6	.88	2.48	1.36			
616	1356-1360	4	.88	2.33	5.10			70.6' "
617	1430.6-1433.2	2.6	.15	.22	.41			
618	1433.2-1439	5.8	2.35	3.68	16.67	Ag	Pb	Zn
619	1439-1440.5	1.5	.62	1.35	5.40	1.65	2.72	11.67 / 9.80'
620	1440.5-1443.	2.5	.65	1.30	3.84			
621	1450-1453.2	3.2	.35	.58	1.60	7.0'		

622

INTERSECTIONS

From	To	Feet	res. Ag/Ton	% Pb	% Zn
A-31	553.0 - 567.0	14.0	1.46	4.08	3.96
A-29	1334.0 - 1360.0	26.0	1.02	2.23	3.84
A-29	1430.6 - 1443	9.8	1.65	2.72	11.67

ASSAYER.

A. Hayland for H. Spalding

DATE. SEPTEMBER 7, 1974.

SEP 11 1974

ASSAY CERTIFICATE

FILE NO. 8612-55

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.

PHONE 667 2694

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
A-22 176		.24	.47	.40				
387		4.32	8.70	17.1				
388		.15	.23	.42				
389		1.09	2.20	5.16				
390		.35	.69	.98				
391		.59	1.60	1.94				
392		.83	2.23	3.24				
393		.59	1.38	.85				
394		.65	1.94	2.00				
395		.74	1.63	2.94				
396		1.03	2.13	4.38				
397		.03	.19	1.02				
398		.15	.95	2.40				
399		.06	.07	.18				
400		1.18	2.85	7.32				
527		1.71	3.45	6.84				
528		.44	1.10	1.00				
529		1.56	3.53	6.12				
530		1.32	2.48	6.00				
531		1.94	4.05	6.48				
532		1.24	2.50	4.86				
A-30 533		1.47	3.08	2.82				
534		1.12	2.85	2.88				
535		1.50	3.45	4.92				
536		.59	1.43	3.48				
537		.44	1.13	1.98				
538		1.50	3.00	4.26				
539		1.09	2.35	4.74				
540		1.44	3.15	5.04				
541		1.12	2.85	3.48				
542		.88	1.74	1.39				
543		.59	1.63	.84				
544		2.50	5.93	8.40				
545		2.35	4.88	10.31				
546		.12	.23	1.38				
547		3.09	6.08	9.96				
548		3.74	8.10	14.88				
549		3.00	7.20	11.78				
550		.88	2.00	2.46				
551		.12	.33	.85				
552		.44	1.10	1.48				
553		1.68	3.75	7.68				
554		.15	.28	.55				
555		1.56	4.20	2.70				
556		.21	.35	.66				
557		.59	1.18	2.52				
558		.24	.25	.60				
559		.59	1.55	3.30				
560		.21	.83	1.90				

ASSAYER. *K. Hoyland for M. Spalding*

DATE. SEPTEMBER 7, 1974.

FILE NO. 8612-55

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.

V
Law

PHONE 667 2694

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
<i>A-30</i> 561		.15	.09	.57				
562		1.82	5.10	12.43				
563		.74	1.88	1.86				
564		2.09	4.43	6.24				
565		.18	.33	.37				
566		1.91	4.73	5.76				

ASSAYER. *L. Howland for M. Spalding*

DATE. SEPTEMBER 3, 1974.

ASSAY CERTIFICATE

FILE NO. 8589-42

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.

PHONE 667 2694

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	From	To	Width
485		.91	2.23	2.34	882.0	892.0	10.0
486		.80	2.18	2.22	892.0	902.0	10.0
487		.50	1.33	1.20	910.0	915.0	5.0
488		.97	2.33	3.84	915.0	920.0	5.0
489		1.15	3.00	4.38	920.0	925.0	5.0
490		.44	.78	1.38	925.0	935.0	10.0
491		.74	1.15	1.94	935.0	943.3	8.3
492		.03	.07	.16	1068.5	1070.5	2.0
493		1.76	3.90	6.96	1070.5	1074.0	3.5
494		.15	.18	.38	1074.0	1075.2	1.2
495		.77	1.73	2.46	1075.2	1083.3	8.1
496		.21	.49	.57	1083.3	1089.5	6.2
497		1.82	3.45	7.08	1089.5	1099.5	10.0
498		2.06	4.73	8.88	1099.5	1109.5	10.0
499		.91	1.93	3.00	1109.5	1115.5	6.0
500		1.12	2.18	3.30	1115.5	1124.5	9.0
501		.38	.17	.45	1124.5	1129.0	4.5
502		1.47	3.15	4.62	1129.0	1134.0	5.0
503		.44	.84	.84	166.0	167.5	1.5
504		.41	.79	.80	279.3	281.0	1.7
505		3.38	6.68	11.04	281.0	289.0	8.0
506		.94	2.08	1.38	289.0	293.2	4.2
507		3.38	3.68	10.20	293.2	303.8 293.8	2.7
508		3.68	6.68	10.97	303.8	303.8	3.3
509		.59	1.28	1.80	407.0	413.0	6.0
510		.53	.85	1.12	413.0	421.0	8.0
511		.21	.48	.62	421.0	431.0	10.0
512		.59	.77	.65	431.0	439.0	8.0
513		.27	.53	.66	635.3	641.3	6.0
514		.15	.05	.03	702.0	703.1	1.1
515		.47	.93	.77	703.1	707.4	4.3
516		1.35	3.53	2.52	707.4	712.2	4.8
517		.74	.83	.59	712.2	714.1	1.9
518		.83	1.28	1.26	714.1	719.3	5.2
519		1.53	3.75	3.00	719.3	727.0	7.7
520		.88	1.50	.82	727.0	737.0	10.0
521		1.30	2.85	3.24	737.0	747.0	10.0
522		.41	.49	.91	747.0	749.0	2.0
523		.15	.12	.09	796.0	800.5	4.5
524		.03	.05	.08	816.0	821.0	5.0
525		.53	1.02	1.08	829.5	838.0	8.5
526		.59	.75	.60	853.5	858.5	5.0

A-27 ✓

A-28 ✓

Samples received Aug. 28/74

ASSAYER. *K. Hayward for B. Spalding*

DATE. AUGUST 31, 1974.

FILE NO. 8584-36

SEP 5 1974

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.

PHONE 667 2694

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	From	To	Width
449		1.03	1.90	2.82	525.8	528.0	2.2
450		1.41	2.50	4.50	528.0	531.5	3.5
451		1.32	2.23	4.92	531.5	542.0	10.5
452		1.38	2.78	4.92	542.0	552.0	10.0'
453		2.41	3.45	5.64	552.0	557.0	5.0'
454		.77	1.63	3.24	557.0	564.5	7.5
455		.32	.93	.77	564.5	574.0	9.5'
456		.47	1.14	.89	574.0	583.0	9.0
457		.77	2.00	2.10	583.0	593.0	10.0
458		.97	3.08	.88	593.0	601.5	8.5'
459		.94	2.78	3.60	601.5	605.8	4.3
460		.35	.73	.94	605.8	608.7	2.9
461		.29	.42	.54	608.7	616.0	7.3
462		.29	.54	.86	616.0	626.0	10.0'
463		.29	.63	1.48	626.0	636.0	10.0'
464		.18	.43	1.14	636.0	640.5	4.5'
465		.68	1.24	1.96	640.5	646.0	5.5'
466		.88	1.73	1.98	646.0	653.5	7.5'
467		1.94	4.05	10.2	653.5	658.3	4.8'
468		.41	.88	1.80	658.3	668.3	10.0
469		.15	.99	2.40	674.2	677.5	3.3'
470		.59	1.33	2.88	677.5	681.7	4.2'
471		1.03	2.35	3.86	686.0	696.0	10.0
472		1.03	2.40	2.28	696.0	706.0	10.0
473		1.62	4.13	3.18	706.0	713.0	7.0'
474		2.00	5.10	3.24	713.0	719.0	6.0
475		2.21	5.25	6.48	719.0	725.0	6.0'
476		3.47	7.05	10.98	725.0	731.7	6.7'
477		1.29	2.50	3.24	731.7	739.0	7.3'
478		.53	1.05	2.22	739.0	749.0	10.0
479		1.09	2.70	3.42	749.0	759.0	10.0
480		.53	1.23	1.06	759.0	769.0	10.0
481		.24	.40	.60	847.0	852.0	5.0
482		.65	1.08	1.30	852.0	862.0	10.0
483		.83	2.20	1.72	862.0	872.0	10.0
484		.88	1.83	2.40	872.0	882.0	10.0

ASSAYER. *K. Royland for H. Spalding*

DATE. AUGUST 28, 1974.

FILE NO. 8579- 53

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.

PHONE 667 2694

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
195		2.68	5.73	10.54				
196		.38	.37	1.32				
197		.41	.28	1.26				
198		1.09	2.93	6.12				
199		3.18	6.90	14.59				
200		3.53	8.25	15.71				
301		1.06	3.23	3.78				
302		.38	.55	.76				
303		.47	.89	2.00				
304		.35	.44	1.04				
305		.27	.20	1.38				
306		.18	.17	1.04				
307		.35	.29	.60				
308		.41	.17	.67				
309		.21	.27	.79				
310		1.91	3.83	4.56				
311		.85	1.45	.70				
312		.26	.14	.37				
313		.35	.08	.78				
314		.15	.05	.29				
315		.24	.22	.65				
316		1.03	2.18	2.94				
380		2.71	4.95	9.72				
381		3.30	7.80	16.97				
382		2.21	5.10	6.24				
383		3.24	7.20	12.1				
384		2.47	5.78	9.72				
385		3.28	6.30	11.37				
386		.06	.08	.13				
425		1.03	3.08	3.72				
426		.18	.32	.74				
427		.50	1.38	1.35				
428		2.85	7.05	8.04				
429		.59	1.35	3.00				
430		.71	1.28	1.35				
431		.88	.18	1.10				
432		.32	.14	.92				
433		.18	.07	.65				
434		.41	.35	1.74				
435		.15	.01	1.34				
436		.21	.18	1.04				
437		1.88	3.98	4.20				
438		.83	1.50	1.43				
439		1.21	2.33	2.40				
440		1.91	4.73	4.02				
441		1.41	3.08	2.88				

A-23
407' - 578'

A-24
1078.8' - 1132.4'

A-26
322.6' - 462.1'

Samples received Aug. 23/74

ASSAYER. *K. Hayward for M. Spalding*

DATE. AUGUST 28, 1974.

FILE NO. 8579- 53

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.

PHONE 667 2694

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
442		.80	1.33	2.28	} $\frac{A-26}{462.0 - 694.7}$			
443		1.35	3.00	3.54				
444		1.03	2.08	3.48				
445		1.09	3.38	3.60				
446		2.35	4.95	6.84				
447		.44	.47	.86				
448		2.15	4.13	5.52				

ASSAYER. K. Hogland for B. Spalding

DATE. AUGUST 25, 1974.

FILE NO. 8558-34

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.

PHONE 667 2694

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC			
370		.29	.37	1.60			of y.9 6c
371		1.76	2.15	3.90			
372		2.06	2.50	4.92			
373		.09	.08	.34			
374		2.82	4.65	8.52			
375		.12	.13	.19			
376		.06	.05	.11			
377		2.82	4.65	8.88			
378		.03	.05	.10			
379		1.03	1.28	2.28			
					A 24		
401		.74	1.55	3.84			
402		.83	2.30	5.16			
403		.59	2.00	3.24			
404		2.94	4.13	9.96			
405		3.03	5.55	13.2			
406		3.82	7.80	17.55			
407		3.00	6.30	14.45			
408		3.41	7.35	15.54			
409		1.50	3.30	11.67			
410		1.50	3.15	6.24			
411		.29	.53	1.44			
412		1.85	3.68	8.04			
413		3.09	6.60	16.3			
414		.32	.69	1.00			
415		3.53	6.90	14.22			
416		3.24	6.53	13.92			
417		4.15	8.40	14.10			
418		6.24	9.30	19.50			
419		3.82	8.25	15.8			
420		5.00	9.60	18.9			
421		3.09	5.85	7.44			
422		3.09	6.15	9.00			
423		2.44	6.23	7.56			
424		.65	1.58	1.06			
					A 26		

Samples received Aug. 20/74

ASSAYER. K. Hoyland for H. Spalding

DATE. AUGUST 20, 1974.

AUG 20 1974

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.

FILE NO. 8547-49

PHONE 667 2694

SAMPLE RECEIVED FROM

KERR ADDISON MINES (Received Aug. 17/74)

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	COPPER	
317		.06	.03	.03	.16	
318		1.76	4.80	6.48	.09	
319		1.59	3.38	3.48	.30	
320	0.03	1.00	2.20	1.18	.47	
321		1.35	2.78	3.66	.27	
322		.15	.32	.76	.10	
327		.35	.73	.98	.18	
328		.53	.85	.58	.31	
329		.32	.50	.60	.19	
330		.62	1.43	1.08	.19	
331		.41	.82	.82	.17	
332		2.65	6.15	5.40	.13	
333		.59	1.25	.74	.17	
334		TR	.07	.08	.03	
335		2.53	5.55	3.54	.15	
336		.12	.18	.04	.03	
337		2.85	7.20	6.12	.18	
338		.27	.65	.68	.04	
339		.09	.78	1.50	.03	
340		.06	.08	.11	.03	
341		3.56	7.20	12.3	.18	
342		1.76	3.53	4.86	.13	
343		1.03	2.13	3.72	.10	
344		3.00	7.20	10.20	.12	
345		2.21	3.83	7.56	.20	
346		1.09	2.40	4.50	.04	
347		.47	.85	1.74	.04	
348		.15	.19	.50	.05	
349		3.24	8.25	14.63	.13	
350		1.88	4.13	7.92	.21	
351		1.76	3.83	6.96	.10	
352		1.09	2.35	5.64	.15	
353		1.15	2.85	4.92	.05	
354		1.76	5.70	6.24	.08	
355		1.68	4.05	2.76	.15	
356		.41	.72	.63	.09	
357		.44	.73	.36	.15	
358		.35	.62	.82	.05	
359		.21	.30	.65	.10	
360		.83	1.95	3.42	.13	
361		.21	.49	.77	.10	
362		1.24	3.30	6.12	.08	
363		.44	1.65	2.34	.07	
364		.91	2.05	3.18	.15	
365		.94	2.50	3.54	.12	
366		1.24	2.50	3.24	.10	
367		.44	.72	.98	.06	
368		.03	.03	1.06	.03	
369		.09	.25	.41	.02	

β 7.9
60

0.36

ECJ

R 23

ECJ

A 24
A 24 (part)

ASSAYER. K. Hoyland for G. Spalding

DATE. AUGUST 25, 1974.

FILE NO. 8563- 26

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.

PHONE 667 2694

SAMPLE RECEIVED FROM


KERR ADDISON MINES

ab y. 9

bc

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC			
172		2.59	5.18	8.76			
173		.18	.50	.77	E.C.J.		
174		2.56	4.58	7.80			
175		.97	2.55	3.54			
176 *							
177		1.88	3.08	5.28			
178		.03	.14	.12		<i>A 22 (bottom)</i>	
179		5.18	12.2	23.4	E.C.J.		
180		2.41	5.40	10.5			
181		.47	.48	.51			
182		1.71	4.28	7.08			
183		.50	1.45	1.16			
184		.41	.98	1.60			
185		.27	.43	.87			
186		.35	.75	1.12			
187		1.18	2.85	4.86			
188		2.50	5.55	12.1			
189		2.06	4.50	9.00			
190		1.47	2.93	8.16			
191		2.21	4.50	9.48			
192		4.59	9.00	19.5			
193		3.68	8.10	19.61			
194		4.41	9.60	19.0		<i>A 23</i>	
323		5.15	11.2	21.1 ✓			
324		3.09	7.35	12.41 ✓			
325		.32	.70	1.48 ✓			
326		2.94	4.88	10.8			
* Not Received							

Samples received Aug. 20/74



ASSAYER.

K. H. ...

DATE. AUGUST 9, 1974.

FILE NO. 8463-20

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.

PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	COPPER			
152	.02	1.72	2.08	4.56	.06			
153	.01	.68	1.93	3.06	.08			
154	.005	.16	.23	.43	.08			
155	.005	.60	.63	.25	.12			
156	.01	1.52	3.83	6.96	.10			
157	.01	.48	.69	1.40	.28			
158	.02	1.32	2.08	2.00	.31			
159	.02	1.82	4.35	8.16	.12			
160	.02	1.94	4.35	7.68	.21			
161	.02	4.44	6.68	11.45	.08			
162	TR	.20	.08	.10	.02			
163	.02	.80	1.58	3.00	.04			
164	.02	2.76	6.60	12.67	.08			
165	.02	3.72	6.00	11.92	.15			
166	.005	.04	.05	.06	.03			
167	.02	2.36	4.35	7.20	.10			
168	.02	2.88	6.08	10.65	.09			
169	.02	1.28	3.53	6.36	.04			
170	.02	1.44	3.53	6.60	.04			
171	.02	2.92	4.88	7.80	.10			



A 22.

ASSAYER. R. Hayward for H. Spalding

DATE. AUGUST 9, 1974.

ASSAY CERTIFICATE

FILE NO. 8459- 57

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.

PHONE 667 2694

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	COPPER		
136	.01	.18	.08	.19	.17		A 21 (completed)
137	.005	.28	.08	.56	.25		
138	.01	1.12	1.93	2.64	.32		
139	.01	.68	1.45	1.58	.44		
140	.005	.16	.75	.50	.18		
141	TR	.02	.23	.18	.07		
142	.01	.32	.78	.78	.27		
143	.02	2.00	5.03	5.52	.13		
144	.02	3.09	6.00	6.84	.16		
145	.005	.29	.78	1.06	.13		
146	.005	.88	.85	2.40	.24		
147	.02	1.72	4.35	8.50	.12		
148	.04	3.88	6.83	8.40	.27		
149	.02	1.48	3.23	4.44	.15		
150	.02	2.28	5.33	8.88	.09		
151	.02	1.40	2.35	5.16	.07		A. 22. (Part)



ASSAYER. *A. Howland for H. Spalding*

DATE. AUGUST 9, 1974.

ASSAY CERTIFICATE

FILE NO. 8459-57

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.

PHONE 667 2694

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	COPPER			
094	TR	TR	.03	.10	.02			
095	.02	2.32	5.78	11.35	.08			
096	TR	TR	.10	.30	.02			
097	.02	4.36	8.25	14.83	.15			
098	.005	.94	2.23	4.26	.03			
099	.01	1.64	4.43	8.76	.06			
100	.01	1.16	3.75	1.44	.06			
101	.01	1.34	4.20	1.50	.05			
102	.005	.28	.68	1.74	.08			
103	.005	.28	.64	1.66	.08			
104	.005	.32	.70	1.34	.10			
105	.005	.30	.63	1.14	.08			
106	.005	TR	.03	.05	.02			
107	TR	TR	.08	.33	.02			
108	.005	.68	1.60	3.24	.04			
109	TR	.26	.08	.10	.03			
110	.01	1.24	2.43	4.74	.12			
111	.01	1.40	3.08	5.04	.09			
112	.01	1.52	2.50	4.20	.09			
113 & 114 *	.02	2.08	4.43	8.76	.12			
115	.02	2.24	4.28	9.12	.04			
116	.02	2.44	5.03	9.36	.17			
117	.04	3.76	6.83	11.5	.17			
118	.02	1.50	2.25	4.26	.15			
119	.01	1.32	5.18	9.00	.12			
120	.01	.16	.15	.23	.11			
121	.005	.20	.42	.74	.07			
122	.01	.32	.98	1.58	.08			
123	.01	.48	.18	.51	.12			
124	.005	.24	.34	.29	.10			
125	.01	.16	.74	1.10	.06			
126	.01	.60	1.53	2.22	.06			
127	.01	.28	.23	.33	.13			
128	.01	.76	1.35	1.19	.16			
129	.01	.28	.15	.46	.22			
130	.01	.32	.10	.14	.18			
131	.005	.24	.18	.25	.18			
132	.01	.68	.89	1.08	.10			
133	.01	.72	1.25	1.54	.12			
134	.01	.28	.54	.78	.12			
135	.01	.16	.17	.28	.30			

A 21



* COMBINED ASSAY

ASSAYER. K. Hayward for G. Spalding

Mr. G. Hogg.

DATE. JULY 28, 1974

FILE NO. 8412-33

A-20

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.

AUG 9 1974 PHONE 667 2694
Y-9-6c

SAMPLE RECEIVED FROM

ATK MINERALS CORPORATION

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	COPPER		W.J. C.M.H. M.D.R. I.D.B. I.D.S. G.R. T.W.B.
A20 018	.005	.32	.43	.70	.04	603 - 607	
019	.02	1.22	2.48	4.14	.10	613	
020	.02	.82	1.73	3.06	.04	617 - 622	
021	.02	1.26	3.38	2.46	.08	627	
022	.01	1.64	2.50	3.54	.04	632	
023	.01	1.04	2.85	5.52	.06	637	
024	.01	.80	1.88	2.88	.03	642	
025	.01	.60	.90	1.76	.04	647	
026	.005	.40	.88	1.66	.03	652	
027	.005	.44	.98	.74	.04	657	
028	.01	.44	.68	.66	.08	662	
029	.01	.44	1.05	.66	.08	667	
030	.02	1.46	3.15	4.50	.17	667 - 672	
031	.02	2.28	5.25	8.04	.04	676	
032	.02	2.12	4.35	6.72	.05	689 - 693	
033	.005	.50	.28	.27	.05	698	
034	TR	.16	.30	.48	.07	703	
035	.02	1.78	3.23	4.98	.13	708 - 708	
036	.02	2.72	5.10	9.24	.25	713	
037	.02	1.94	3.38	7.44	.04	718	
038	.02	1.46	2.85	6.72	.06	723	
039	.02	1.62	3.15	7.44	.05	728	
040	.02	1.34	2.43	5.40	.04	733	
041	.02	1.10	2.00	3.72	.06	738	
042	.01	.56	.58	1.18	.06	743	
043	.01	1.08	1.48	2.58	.05	748 - 753	
044	.01	.84	1.53	3.24	.03	759	
045	.01	1.20	1.38	2.34	.07	778 - 783	
046	.02	2.46	3.15	5.28	.10	788 - 789	
047	.02	2.22	5.55	7.44	.07	812 - 817	
048	.02	2.26	4.50	3.48	.08	822	
049	.02	1.38	2.15	3.3	.05	826	
050	.01	.72	.98	1.74	.05	843 - 848	

W.J.
C.M.H.
M.D.R.
I.D.B.
I.D.S.
G.R.
T.W.B.
E.C.J.

Entered

RECEIVED

AUG-1 1974

KERR ADKINSON MINES LTD.

ASSAYER

Gen. Spade

DATE. AUGUST 9, 1974.

ASSAY CERTIFICATE

FILE NO. 8450-45

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.

PHONE 667 2694

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	COPPER			
051	.02	1.38	1.85	1.92	.22			
052	.005	.32	1.18	1.02	.13			
053	.02	3.18	6.68	5.64	.11			
054	.005	.04	.05	.17	.02			
055	.02	1.70	2.50	4.02	.14			
056	.02	.92	1.15	2.00	.17			
057	.01	.64	.38	.60	.34			
058	.04	4.08	7.35	9.36	.07			
059	.02	.42	.25	.82	.18			
060	.01	1.00	2.28	1.60	.14			
061	.01	1.76	4.95	6.96	.06			
062	.01	.32	1.33	2.58	.11			
063	.01	.28	.60	.33	.09			
064	.005	.29	.88	1.14	.04			
065	.02	1.70	2.25	4.68	.11			
066	.02	1.64	4.35	6.84	.23		A. 19.	
067	.02	3.26	7.55	12.72	.21			
068	.02	1.46	3.15	4.74	.11			
069	.02	1.12	2.05	3.72	.11			
070	.02	1.56	2.28	3.90	.10			
071	.02	1.52	2.50	6.24	.10			
072	.02	2.24	4.50	9.48	.18			
073	.02	2.24	4.74	8.64	.25			
074	.04	3.20	5.78	10.20	.17			
075	.02	1.98	3.08	5.76	.05			
076	.01	1.36	1.85	3.33	.03			
077	.04	1.48	2.18	5.10	.09			
078	.06	4.02	9.15	15.36	.20			
079	.01	.80	1.90	2.88	.29			
080	.04	2.64	5.70	9.49	.26			
081	.04	1.48	2.70	3.30	.33			
082	.02	1.63	2.93	4.14	.29			
083	.01	.48	.08	.37	.42			
084	.02	.56	.35	1.50	.26			
085	.01	.44	.14	.35	.33			
086	.01	.32	.18	.19	.39			
087	.02	.98	2.85	4.02	.14			
088	.01	.24	.14	.62	.44			
089	.01	.24	.07	2.00	.28		A 19.	
090	.005	.28	.10	3.60	.30			
091	.005	.28	.12	3.48	.43			
092	.02	.92	.92	1.40	.37			
093	.02	1.86	2.93	2.82	.23			
No Ticket 1	.04	3.76	6.83	13.06	.35			
No Ticket 2	.04	4.12	6.98	9.68	.10			

E.C.J.

Completed

E.C.J.

ASSAYER. H. Hoyland for G. Spalding

DATE. JULY 21, 1974.

ASSAY CERTIFICATE

FILE NO. 8376-20

AEX A 17

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.

PHONE 667 2694

SAMPLE RECEIVED FROM

AEX MINERAL CORPORATION

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	COPPER			
A-17? 2648	.005	.78	1.98	1.54	.45			
2649	.005	.18	.34	.26	.07			
2650	.01	.80	1.83	1.40	.25			
2651	.005	.76	1.70	1.42	.24			
2652	.005	.92	1.88	1.18	.17			
2653	.005	1.00	2.00	1.58	.30			
2654	.01	.32	.30	.30	.22			
2655	.03	2.56	6.38	7.92	.23			
2656	.005	.48	1.03	.65	.10			
2657	.005	.80	1.83	1.08	.10			
2658	.04	1.32	3.15	5.04	.21			
2659	.005	.14	.25	.16	.17			
2660	.005	.18	.50	.66	.13			
2661	.02	.52	.98	1.52	.22			
2662	.005	.52	.28	.12	.24			
2663	.02	1.40	2.50	1.84	.23			
2664	.005	.80	1.85	1.26	.28			
2665	.01	.68	1.20	.51	.30			
2666	.01	.68	1.43	.66	.33			
2667	.005	.58	1.30	.61	.25			

ASSAYER. *Richard W. H. ...*

RECEIVED

JUL 19 1974

KERR ADDISON MINES LTD.

~~REF~~

AEX A.16

DATE. JULY 17 1974.

FILE NO. 8360-13

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

AEX MINERAL CORPORATION

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	COPPER			
<i>A-16?</i> 2635	.005	.66	.68	.78	.03			
2636	.01	.60	1.19	1.72	.03			
2637	.005	.34	.20	.16	.04			
2638	.02	.28	.09	.01	.02			
2639	.01	.28	.05	.02	.02			
2640	.005	.44	.07	.02	.02			
2641	.01	.52	.64	1.12	.02			
2642	.005	.24	.13	.10	.02			
2643	.005	.12	.09	.04	.02			
2644	.01	.96	2.30	4.98	.03			
2645	.02	1.24	2.35	3.18	.05			
2646	.02	1.92	1.58	3.24	.04			
2647	.005	.62	1.42	3.18	.03			

ASSAYER. K. Heyland for H. Spalding

RECEIVED

JUL - 9 1974

KERR ADDISON MINES LTD.

PER

AEX A 15

DATE. JULY 7, 1974.

FILE NO. 8311-15

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

AEX MINERALS CORPORATION

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	COPPER			
A-15 2612	.005	.66	1.30	1.16	.16	424.4-433.7	} 49	
2613	.01	1.44	3.00	3.00	.03	453.0-463.0		
2614	.01	3.66	6.00	4.02	.05	- 473		
2615	.01	1.78	3.38	3.48	.05	483		
2616	.01	2.56	5.18	7.44	.03	489.5		
2617	.005	1.44	3.15	3.48	.07	493.0		
2618	.01	1.68	5.40	3.18	.03	497.0		
2619	.005	1.40	3.60	3.54	.06	502.0		
2620	.005	.44	1.50	2.22	.03	520-560		} 20
2621	.01	1.02	1.98	3.84	.03	580-590		
2622	.01	1.42	3.60	5.58	.04	- 580		
2623	.01	.86	1.83	2.40	.05	- 590		
2624	.01	.80	2.40	3.42	.04	- 600		
2625	.01	.88	1.93	2.88	.04	- 610		
2626	.005	.72	1.40	2.70	.06	- 623		

ASSAYER. *K. Hoyland for B. Spalding*

AEX A 14

ASSAY CERTIFICATE

DATE. July 10, 1974

FILE NO. 8325-8

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

AEX MINERALS

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	COPPER		
<u>A-14</u> 2627	.01	.64	1.45	1.22	.19	632-636	
2628	.005	.92	.29	.42	.16	873-883	
2629	.005	1.08	.63	.69	.16	883-896	
2630	.02	2.67	6.53	6.96	.30	896-905	9.0
2631	.005	.36	.55	.66	.20	905-915	
2632	.01	1.56	2.00	2.76	.17	915-925	
2633	.01	.64	.33	.46	.15	925-930	
2634	.005	.96	1.73	2.00	.20	930-942	

ASSAYER.

Geo. Spalding

DATE. July 2, 1974

FILE NO. 8279-25

6/27

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.

PHONE 667 2694

SAMPLE RECEIVED FROM

AEX Minerals Corporation

A 12

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	COPPER		
2579	TR	.30	.38	.58	.05	745 - 755 (10)	
2580	.01	1.26	2.33	7.80	.04	- 763 (8)	
2581	.01	.90	2.00	2.70	.04	811 - 821 (10)	
2582	.01	1.30	3.45	3.06	.07	- 831 (10)	
2583	.01	1.12	2.35	3.48	.05	- 841 (10)	
2584	TR	.04	.45	.26	.06	- 853.5 (12.5)	
2585	.005	.64	1.20	2.40	.05	895 - 905 (10)	
2586	.005	.38	.73	1.76	.05	- 915 (10)	
2587	.02	1.40	2.18	3.90	.13	- 925 (10)	
2588	.02	.64	1.13	1.68	.09	- 935 (10)	
2589	.005	.44	.25	.22	.07	- 945 (10)	
2590	.02	.88	1.25	1.62	.15	- 955 (10)	
2591	.01	.84	1.00	.80	.19	- 965 (10)	
2592	.02	.76	1.03	.60	.19	- 975 (10)	
2593	.02	.82	1.45	2.40	.13	- 985 (10)	
2594	TR	.12	.48	.38	.09	- 995 (10)	
2595	.02	.96	1.00	.90	.13	- 1005 (10)	
2596	.02	1.54	1.45	.20	.21	- 1015 (10)	
2597	.02	.72	.80	.54	.12	- 1025 (10)	
2598	.01	.76	.10	.23	.22	- 1035 (10)	
2599	.02	.48	.10	.19	.15	- 1044.5 (9.5)	
2600	.02	2.80	4.73	6.96	.25	- 1054.5 (10)	
2601	.01	.76	1.25	.62	.21	133.5 - 145.5 (12)	
2602	.04	3.12	8.10	8.40	.16	- 158.5 (13)	
2603	.05	2.70	7.65	5.52	.19	- 171.5 (13)	

Spalding

ASSAYER. *K. Heyland for H. Spalding*

A 11

AEX (11)

DATE. JUNE 16, 1974.

FILE NO. 8222- 14

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

ABX MINERALS CORPORATION

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	COPPER		
2559 *	.02	2.70	6.00	6.04	.12	379 - 387	8'
2560	.01	1.28	2.10	2.58	.15	390.5 - 395.5	
2561	.01	1.12	1.95	1.26	.21	398.5 - 402.5	
2562 *	.005	.28	.53	.40	.07	406.5 - 419	
2563	TR	.46	1.30	.58	.08	437 - 441	
2564 *	TR	.22	.28	.27	.03	432 - 45.5	
2565	.01	.96	4.88	3.24	.15	493. - 500	6.5'
2566	.005	.78	4.20	3.90	.20	500 - 506.5	
2567	.04	3.28	6.00	9.40	.15	584 - 591.5	7.5'
2568 *	.04	4.56	8.74	13.50	.20	591.5 - 599	7.5'
2569	.02	1.38	2.40	2.70	.27	693 - 700	7'
2570	.01	.70	.33	.54	.12	700 - 704	
2571 *	.01	.92	.88	.66	.15	728 - 736.5	4.5'
2572	.01	1.92	3.38	5.28	.13	736.5 - 745	

* Two Bags with same number - Samples were mixed together.

ASSAYER K. Hayward for H. Spalding

AEX-10

DATE. JUNE 12, 1974.

ASSAY CERTIFICATE

FILE NO. 8194-25

AEX 10

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.

Ordered by Mr. A. Aho

AEX MINERALS CORPORATION A 10

PHONE 667 2694

SAMPLE RECEIVED FROM

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	SPECIFIC GRAVITY				
			PULP	COARSE			
2534			2.84				
2535			2.95	2.94			
2536			3.10				
2537			3.06				
2538			2.94	2.94			
2539			2.94				
2540			2.98	2.97			
2541			2.91				
2542			3.03	2.96			
2543			3.43				
2544			3.07				
2545			2.91				
2546			2.98				
2547			3.52				
2548			3.65				
2549			4.27				
2550			4.46				
2551			4.34				
2552			4.27				
2553			4.54				
2554			3.76				
2555			3.62				
2556			4.31				
2557			4.13				
2558			2.96	2.98			

ASSAYER. Geo. Spading

MAY 8, 1974.

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.

PHONE 667 2694

FILE NO. 8138-19

AS

SAMPLE RECEIVED FROM

AEX MINERALS CORPORATION

AS

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	COPPER	Feinage	
740001	.01	3.84	10.6	9.62	.20	120-016	- 6' of 01.0
740002	TR	.12	.68	1.80	.04	508-512	18.5' - NITOCU
740003	TR	.08	.15	.38	.02	517.0	
740004	TR	.04	.25	.24	.06	521.5	
740005	.01	.36	1.03	1.14	.07	526.5	
740006	.01	3.32	6.5	21.5	.25	530.5	
740007	.01	1.72	4.7	22.9	.16	537.0	
740008	.02	5.14	9.2	15.5	.32	542.5	
740009	.01	.28	.38	.38	.06	548.5-544.5	
740010	.02	1.78	3.98	8.06	.05	556.5	
740011	.005	.08	.38	.62	.06	559.3	
740012	.02	2.26	4.05	6.85	.19	563.5	60" - 0.02", 2.70", 5.29", 11.42", 0.20"
740013	.02	3.06	6.45	12.3	.16	568.0	
740014	.04	4.44	6.60	13.1	.28	571.9	
740015	.04	4.36	5.78	9.24	.29	577.0	
740016	.04	2.40	5.85	9.03	.35	581.0	
740017	.04	4.12	6.90	9.1	.34	586.5	
740018	.02	3.66	9.2	17.4	.18	591.8	
740019	.01	.48	1.13	2.28	.05		

[Handwritten signature]

ASSAYER: *K. Hayward for H. Holding*

A I

A H

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.

PHONE 667 2694

DATE. OCTOBER 13, 1973.

FILE NO. 8003-13

SAMPLE RECEIVED FROM

DR. A. E. AND

To be spectrophotographed

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	COPPER	From	To.	WIDTH.
< 3101 A-1	.01	.59	1.45	1.28	.25	853.0	863.7	10.7'
< 3102 A-4	.005	.06	.10	.16	.01	481.5	491.5	10.0'
< 3103 "	.005	.12	.30	.25	.08	515.0	527.0	12.0'
3104 "	.01	1.62	3.00	2.62	.28	537.5	542.5	5.0'
3105 "	.02	1.56	2.25	2.04	.22	542.5	547.5	5.0'
3106 "	.01	.38	.20	.20	.27	547.5	552.0	4.5'
3107 "	.02	.79	.24	.90	.28	552.0	557.0	5.0'
3108 "	.02	3.68	4.05	3.24	.31	557.0	562.3	5.3'
3109 "	.04	3.68	6.16	8.75	.30	656.0	661.0	5.0'
3110 "	.04	3.68	7.50	10.1	.29	661.0	666.0	5.0'
3111 "	.06	3.77	8.96	10.8	.31	666.0	671.0	5.0'
3112 "	.06	4.41	7.19	13.98	.30	671.0	675.5	4.5'
3113 "	.01	1.76	2.23	3.84	.16	675.5	682.5	7.0'

*Run AA
+ Fire*

*run AA
& wet*

*High Zn
checked
AA & wet*

ASSAYER.

E. O. Spalding

*Lead assaying indicates
barite content.*

Lew E. Ho

E. B. Jacka