

E. OCTOBER 15, 1976

FILE NO. 9817 - 136

# RECEIVED ASSAY CERTIFICATE

018830

OCT 19 1976  
KERR ADDISON MINES LTD.

WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y. T.  
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR - ADDISON MINES

7-9

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne		
U 534 B			2.68	6.96	48.34		
A-158 535			2.30	7.45	36.34		
536			2.53	4.70	37.37		
537			2.20	4.45	36.34		
538			2.55	5.65	43.54		
539			1.95	3.83	30.17		
540			2.10	4.43	36.34		
541			2.48	4.68	38.40		
542			1.93	3.90	25.37		✓
543			1.25	4.05	23.31		
544			4.68	5.54	78.86		
545			7.25	11.76	129.26		
546			2.08	2.70	25.37		
547			3.20	4.70	43.54		
548			3.38	5.75	52.46		
A-159 549			2.70	2.18	38.40	} eliminate #A549B → A551B from DDH #A 158 Logs page 8.	
550			3.38	2.70	35.31		
551			3.10	2.73	42.51		
552			3.38	3.30	55.54		
553			1.43	3.18	25.37		
A-160 554			1.00	2.70	23.31		
556			1.85	5.62	34.29		
557			1.13	2.90	17.14		
558			2.50	6.15	41.49		✓
559			3.23	4.85	48.34		
560			2.90	6.00	51.43		
561			2.70	7.88	51.43		
562			4.76	6.32	72.69		
563			1.88	3.40	28.46		
564			1.13	1.10	19.20		
4-203 654			.80	.40	17.14		
655			2.78	1.45	34.29		
656			2.88	1.25	24.00		
657			3.05	2.60	41.49		
658			4.90	3.88	63.43		
659			3.18	2.00	43.54		
660			6.87	5.00	101.83		
661			6.97	4.96	106.97		✓
662			.98	2.53	12.00		
663			1.15	3.58	14.06		
664			1.53	.23	24.34		
665			.93	.80	13.03		
666			.38	2.23	7.20		
667			1.13	1.28	13.03		
668			1.88	2.23	26.40		
669			2.75	2.55	38.40		

ASSAYER. *K. Howland* GEO. SPALDING

DATE. OCTOBER 15, 1976

FILE NO. 9817 - 136

# RECEIVED ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y. T.  
PHONE 667 2694 Y1A 2R8

OCT 19 1976

KERR ADDISON MINES LTD.  
KERR - ADDISON MINES

SAMPLE RECEIVED FROM  
FER

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne		
U 287 B			2.78	6.65	47.31		
-156 288 *			2.08	5.84	36.34		
289			2.68	2.48	40.46		
290			3.03	4.90	45.26		
291			3.33	4.80	49.03		
292			2.63	3.85	43.54		
293			1.68	3.95	29.14		
294			1.48	3.15	25.37		
295			1.38	2.18	24.34		
296			1.78	1.63	24.34		
297			1.68	2.00	25.37		
298			2.10	3.00	30.17		
299			1.48	2.80	25.37		
300			.60	1.53	8.23		✓
501			.43	1.28	8.91		
502			2.63	9.05	62.40		
503			4.70	10.66	80.57		
504			3.28	7.45	44.23		
505			1.63	2.70	22.29		
506			3.28	8.29	62.40		
507			2.13	2.90	28.46		
508			2.00	2.95	30.17		
509			2.10	2.88	34.29		
510			3.28	5.84	52.46		
511			2.70	4.70	46.29		
512			1.85	3.58	29.14		
513			2.28	3.18	26.40		
157 514			3.78	2.85	49.37		
515			1.00	.60	13.03		
516			1.05	.95	20.23		
517			2.78	1.10	35.31		
518			2.18	1.25	30.17		
519			4.15	4.30	52.46		
520			.60	.93	8.23		✓
521			.58	.45	13.03		
522			.15	.18	8.23		
523			.15	.20	9.94		
524			.60	.38	15.09		
525			5.96	5.03	72.69		
158 526			7.69	9.08	150.17		← sample, eliminate # 15266 in A 157 bag 1 page 6
527			7.51	13.33	118.97		
528			3.43	5.99	53.49		
529			2.60	6.20	52.46		✓
530			1.80	4.50	32.23		
531			2.58	5.69	44.23		
532			4.58	11.42	87.77		
533			2.50	6.24	46.29		

ASSAYER. *K. Hayward* GEO. SPALDING

I.D.A.  
 V.  
 E.C.J.  
 B.A.  
 C.A.  
 J.M.  
 C.M.

7.9  
 ---  
 6c

DATE. DECEMBER 10, 1975

FILE NO. 9413- 8

# ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.  
 BOX 4518 WHITEHORSE Y. T.  
 PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR - ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
U- 1101		1.62	3.98	5.89				
1102		1.59	4.17	4.60				
1103		1.82	4.28	6.45				
1104		1.85	4.05	9.45				
1105		1.68	4.09	6.90				
1106		3.77	9.26	15.0				
1107		1.62	3.38	10.46				
U- 1108		3.24	8.50	17.22				

ASSAYER. K. Hayland JR

GEO. SPALDING

OCTOBER 20, 1975

DATE.

9377-66

FILE NO.

OCT 28 1975

# ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y.T.

PHONE 667 2694

SAMPLE RECEIVED FROM

KERR-ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC			
2743		3.68	7.13	10.56			y.g. 6c
2744		4.26	8.78	18.74			
2745		2.88	7.65	14.28			
2746		2.82	7.20	15.57			
2747		2.88	6.78	15.11			
2748		2.18	4.73	9.36			
2749		2.56	5.85	11.12			
2750		3.00	5.40	8.39			
2751		1.68	4.80	5.76			
2752		2.06	5.33	5.16			
2753		.24	.25	.40			
2754		2.21	4.43	4.14			
2755		3.12	6.38	9.34			
2756		.59	1.78	.88			
2757		.35	.55	.53			
2758		1.91	7.50	5.67			
2759		1.76	5.97	6.59			
2760		.35	.35	.30	A 127		
2761		.26	.15	.14			
2762		.68	1.23	.72			
2763		.41	.43	.50			
2764		.47	.48	1.25			
2765		.59	1.18	.90			
2766		.50	.75	.74			
2767		.38	.53	.46			
2768		.83	1.35	1.54	A 127		
2898		1.47	3.15	4.92			
2899		1.76	3.98	6.23			
2900		.15	.40	1.36	A 125		
2983		.68	1.88	2.94			
2984		.77	1.70	2.88			
2985		1.18	1.78	4.50			
2986		1.27	2.08	5.34			
2987		.74	1.68	2.88			
2988		.77	1.20	3.30			
2989		.74	1.38	3.66			
2990		1.12	1.68	4.20			
2991		1.03	1.78	4.02			
2992		.85	1.58	3.96			
2993		1.12	2.15	4.86			
2994		.68	1.28	3.54			
2995		2.50	5.61	9.78			
2996		.41	.88	1.06			
2997		1.38	2.63	3.54			
2998		1.73	3.08	6.88			
2999		1.41	2.30	6.84	A 127		



GEO. SPALDING

ASSAYER.

*K. Royland Jr*

OCTOBER 20, 1975

DATE.

9377-66

FILE NO.

OCT 28 1975

# ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y.T.

PHONE 667 2694

SAMPLE RECEIVED FROM

~~KERR-ADDISON MINES~~

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC			
2191		.12	.38	.95			
2192		.26	.50	.92			
2193		.15	.23	.52			
2194		.74	1.68	1.92			
2195		3.68	7.65	11.53			
2196		2.00	4.95	5.76			
2197		1.47	3.83	2.10			
2198		3.12	7.41	3.18			
2199		1.24	2.48	3.48			
2200		.44	.70	1.28			
2734		3.03	6.38	9.36			
2735		.59	.68	1.44			
2736		.32	.45	.46			
2737		.53	.65	.46			
2738		.32	.55	.64			
2739		.68	1.55	1.38			
2740		.32	.35	.42			
2741		1.65	3.68	4.56	A 123		
2742		.59	1.10	2.16			
3000		2.24	4.73	6.29	A 127		



GEO. SPALDING

ASSAYER. *K. Hoyland jr*



DATE. OCTOBER 20, 1975

# ASSAY CERTIFICATE

FILE NO. 9371-81

OCT 28 1975

WHITEHORSE ASSAY OFFICE LTD.  
 BOX 4518 WHITEHORSE Y. T.  
 PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
2727		.97	1.95	3.06				
2728		1.32	3.15	3.12				
2729		2.24	4.92	8.35				
2730		.85	.65	1.00				
2731		1.53	3.98	4.86				
2732		.88	1.88	1.92				
2733		3.27	6.98	8.87	A 123			
2859		.29	.58	.68				
2860		.26	.43	.70				
2861		.56	1.53	3.48				
2862		.91	2.18	5.40				
2863		.97	2.93	5.64				
2864		1.47	3.23	7.20				
2865		1.85	3.75	8.00				
2866		1.73	4.58	4.02				
2867		.97	2.85	2.40				
2868		.83	1.93	2.14				
2869		1.35	2.48	5.76				
2870		1.00	1.88	4.68				
2871		.77	1.70	4.08				
2872		.74	2.18	1.47				
2873		1.12	3.60	3.60				
2874		1.41	2.85	6.29				
2875		1.06	2.63	4.50				
2876		.53	1.23	1.40				
2877		2.59	5.71	7.18				
2878		.56	1.18	1.70				
2879		.21	.58	.76				
2880		.97	2.38	2.14				
2881		2.00	4.65	6.90				
2882		2.27	4.73	8.11				
2883		1.88	4.20	8.07				
2884		.35	.75	1.54				
2885		4.18	7.73	16.75				
2886		1.35	2.70	4.02				
2887		2.47	5.21	11.86				
2888		3.59	6.93	14.44				
2889		1.12	2.43	5.64				
2890		2.24	5.11	6.05				
2891		1.71	3.75	5.86				
2892		2.15	4.35	5.64				
2893		2.50	4.95	7.58				
2894		2.00	3.68	7.69				
2895		1.29	2.63	3.42				
2896		.53	1.15	2.10				
2897		.88	1.88	2.76	A 123			



GEO. SPALDING

ASSAYER.

*K. Hayward*

DATE. OCTOBER 9, 1975

# ASSAY CERTIFICATE

FILE NO. 9353-40

OCT 14 1975

WHITEHORSE ASSAY OFFICE LTD.  
 BOX 4518 WHITEHORSE Y. T.  
 PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR ADDISON MINES

Y. 9

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC
2389		2.12	4.95	5.53
2390		.56	1.20	1.06
2391		1.44	4.05	3.00
2392		1.18	2.50	1.74
2393		.32	.48	.38
2394		1.24	3.68	2.46
2395		.29	.65	.24
2396		1.18	3.19	2.52
2397		.44	.63	.34
2398		1.32	3.68	3.00
2399		.71	1.65	.92
2400		1.12	2.70	5.40
2831		.53	.88	1.10
2832		.06	.06	.06
2833		1.29	2.93	4.26
2834		1.83	4.95	7.41
2835		.74	1.30	1.12
2836		1.91	5.18	6.83
2837		1.09	2.38	3.48
2838		.71	1.83	2.00
2839		.77	1.93	3.54
2840		.85	1.90	3.48
2841		.77	1.75	3.18
2842		.83	1.99	3.00
2843		.85	1.84	2.76
2844		.71	1.48	2.46
2845		.83	1.23	1.66
2846		1.06	2.50	4.02
2847		1.03	2.48	5.40
2848		.83	1.78	2.76
2849		.88	1.93	2.46
2850		1.09	2.45	3.18
2851		1.21	2.59	3.90
2852		1.27	2.70	4.02
2853		1.91	3.53	5.93
2854		1.35	2.78	4.02
2855		.62	1.23	1.18
2856		1.18	2.50	4.38
2857		1.29	2.78	4.20
2858		.85	1.73	2.64

A. 122

A 120

A. 123

*[Handwritten signature]*

GEO. SPALDING

ASSAYER. *K. Hayward for*

DATE. 8 Oct., 1975

FILE NO. 9342-26

# ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y. T.  
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM Kerr Addison

SAMPLE NO.	<del>GOLD</del> Oz. Per Ton	SILVER Oz. Per Ton	Lead	Zinc			
2384		.88	1.48	1.14			
2385		2.94	5.63	8.65			
2386		.24	.33	.54			
2387		.47	.95	1.28			
2388		.62	.88	.74	A 122		
2439		.44	.58	.86		?	
2811		2.68	4.88	7.34			
2812		2.18	4.43	7.18			
2813		.44	.88	1.98			
2814		.32	.53	1.68			
2815		3.68	7.02	14.93			
2816		3.00	5.70	11.26			
2817		.71	.93	1.88			
2818		2.38	5.74	9.45			
2819		1.91	4.88	5.76			
2820		2.68	5.33	6.34			
2821		2.21	4.35	8.15			
2822		2.09	4.43	5.88			
2823		1.97	3.90	5.64			
2824		2.35	4.43	6.44			
2825		2.85	4.50	6.79			
2826		.21	.33	.56			
2827		.12	.15	.16			
2828		.12	.03	.06			
2829		1.15	1.98	4.14			
2830		3.65	8.67	17.65	A 120		

GEO. SPALDING

ASSAYER. K. Highland

DATE. OCTOBER 6, 1975

# ASSAY CERTIFICATE

FILE NO. 9332-95 (cont'd)

WHITEHORSE ASSAY OFFICE LTD.  
 BOX 4518 WHITEHORSE Y. T.  
 PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
2689		.38	.15	.26				
2690		.83	1.38	2.52				
2691		2.18	5.70	8.83				
2692		1.21	2.38	2.34				
2693		1.59	3.68	5.82				
2694		2.06	4.43	8.38				
2695		1.68	4.35	4.98				
2696		.62	1.35	1.92				
2697		.83	1.78	1.26				
2698		.83	1.83	2.10				
2699		.41	.83	.40				
2700		.29	.70	.60	A 118			
2701		3.82	10.58	17.97				
2702		3.79	8.01	12.97				
2703		.38	.63	1.32				
2704		1.91	3.60	3.90				
2705		1.38	3.00	6.44				
2706		.29	.58	1.06				
2707		2.88	7.50	8.53				
2708		.44	.80	.48				
2709		.53	1.28	.94				
2710		.44	1.10	.94				
2711		.44	.88	.80				
2712		1.76	3.90	6.11				
2713		.56	1.45	1.40				
2714		.74	2.70	1.22				
2715		.26	.80	.38				
2716		.21	.75	1.02				
2717		.29	.85	1.22				
2718		.26	.48	1.04				
2719		.69	1.60	1.18				
2720		2.18	5.53	6.33				
2721		1.09	2.93	3.54				
2722		.35	.65	.54				
2723		.62	1.83	1.60				
2724		.83	1.63	1.48				
2725		1.50	3.23	4.74	A. 121			
2726		.06	.10	.10				
2801		1.56	2.93	3.66	A 120			
2802		1.38	3.00	5.10	A 120			
2803		1.44	3.98	6.00				
2804		.09	.10	.12				
2805		1.79	3.30	7.36				
2806		.15	.38	.34				
2807		1.85	3.75	6.00				
2808		2.06	4.88	5.48				
2809		.09	.08	.14				
2810		1.62	3.15	6.33	A. 120			

GEO. SPALDING

ASSAYER. K. Hayland pr

DATE. OCTOBER 7, 1975

FILE NO. 9273- 102

# ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y. T.  
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
<u>RECHECK</u>								
2266		1.47	6.48	14.49				
This Sample has now been checked twice, once by Atomic Absorption and once by Wet methods.								

ASSAYER.

K. Hayward for

GEO. SPALDING

DATE. OCTOBER 6, 1975

# ASSAY CERTIFICATE


FILE NO. 9332-95

WHITEHORSE ASSAY OFFICE LTD.  
 BOX 4518 WHITEHORSE Y. T.  
 PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
2381		1.27	2.43	6.56				
2382		1.09	1.78	4.98				
2383		1.62	3.83	7.41	A 119.			
2471		1.15	3.08	4.80				
2472		1.09	2.48	4.38				
2473		2.00	4.73	8.42				
2474		1.35	3.08	5.04				
2475		.65	1.53	3.12				
2476		1.73	4.35	7.06				
2477		1.03	2.93	4.08				
2478		.35	.70	1.26				
2479		.29	.48	.82				
2480		.24	.43	1.02				
2481		.59	1.28	.82				
2482		.62	1.53	2.94				
2483		.77	2.25	1.98				
2484		.68	2.48	3.66				
2485		1.32	3.38	6.51				
2486		1.47	2.48	4.50				
2487		.97	3.30	6.78				
2488		1.47	4.35	6.73				
2489		1.03	2.78	5.11				
2490		1.24	3.45	5.04				
2491		.83	1.93	3.90				
2492		.77	1.78	3.90				
2493		.74	1.50	2.10				
2494		.80	1.30	1.98				
2495		.77	1.78	2.28				
2496		1.03	2.28	3.72				
2497		1.21	2.40	3.90				
2498		.85	1.88	3.72				
2499		1.12	2.25	6.48				
2500		.59	1.13	2.64	A.120			
2675		.59	.73	.94				
2676		.68	.63	.84				
2677		.56	.88	1.30				
2678		.74	1.43	2.64				
2679		2.50	5.76	10.07				
2680		2.00	5.75	3.00				
2681		1.29	3.00	4.02				
2682		.38	.73	.80				
2683		1.62	3.60	3.90				
2684		1.03	2.28	2.46				
2685		.74	2.03	4.26				
2686		.83	1.88	3.30				
2687		2.47	5.03	7.63				
2688		1.59	3.90	4.68	A 118			



GEO. SPALDING

ASSAYER. K. Hoyland Jr.

DATE. SEPTEMBER 30, 1975

FILE NO. 9273-102

CORRECTION NOTICE:

# ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y. T.  
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz Per Ton	LEAD	ZINC				
WAS 2260 <del>f</del>		1.44	6.48	14.49	<i>E. Jackson</i>			
SHOULD BE 2266		1.44	6.48	14.49 ✓				
WAS 2469 <del>x</del>		2.21	5.33	5.50	<i>E. Jackson</i>			
SHOULD BE 2269		2.21	5.33	5.50 ✓				
Please accept our apologies. You'll notice that the values do not change as the person who transferred the numbers to our sample bags, wrote down the incorrect number.								

ASSAYER.

*K. Boydland for*

GEO. SPALDING

DATE. SEPTEMBER 30, 1975

# ASSAY CERTIFICATE

FILE NO. 9321-157

WHITEHORSE ASSAY OFFICE LTD.  
 BOX 4518 WHITEHORSE Y. T.  
 PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR ADDISON MINES

7.9  
66

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC		
2168		.97	2.20	3.72		
2169		1.06	2.28	3.60		
2170		1.03	2.55	4.14		
2171		.56	.80	1.46		
2172		.26	.85	1.14		
2173		.35	1.03	1.72		
2174		.44	1.00	1.10		
2175		.41	.78	.96		
2176		.38	.88	1.12		
2177		1.76	4.73	8.37		
2178		1.50	4.43	3.78		
2179		2.03	5.55	7.38		
2180		1.62	4.20	6.88		
2181		2.94	6.08	8.36		
2182		4.29	7.05	11.84		
2183		3.71	8.10	14.17		
2184		5.44	11.25	18.02		
2185		2.79	5.85	9.67		
2186		3.18	6.90	10.53		
2187		5.74	12.33	19.11		
2188		2.59	5.85	8.94		
2189		.91	2.93	3.18		
2190		.83	1.48	2.40	A 111	
2290		4.74	11.57	16.18		
2291		3.97	9.15	10.64		
2292		3.00	6.75	9.16		
2293		3.03	7.05	9.17		
2294		.80	1.95	3.66		
2295		1.03	2.48	1.74		
2296		2.47	5.81	5.48		
2297		.80	1.43	2.46		
2298		.77	1.45	1.62		
2299		3.59	8.27	16.42		
2300		.71	1.43	1.80	A 112	
2469		.80	1.63	2.94	} A 116	
2470		.65	1.63	2.82		
2601		.41	.98	2.52	A 112	
2602		1.00	2.08	1.50		
2603		.47	.95	.58		
2604		1.65	3.90	4.38		
2605		.12	.23	.30		
2606		.65	1.63	1.34		
2607		.29	.63	.42		
2608		.65	1.35	.82		
2609		.29	.33	.38	A. 115	

*[Handwritten signature]*

GEO. SPALDING

ASSAYER. K. Hoyland

DATE. SEPTEMBER 30, 1975

# ASSAY CERTIFICATE

FILE NO. 9321-157WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y. T.  
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
2610		2.00	4.35	5.04				
2611		.56	.93	1.08				
2612		.29	.33	.40				
2613		.68	1.48	1.98				
2614		.32	.55	.30				
2615		.06	.08	.18				
2616		.12	.18	.18				
2617		.24	.43	.24				
2618		.24	.25	.10				
2619		.15	.20	.06				
2620		.21	.43	.26				
2621		.24	.35	.24				
2622		.29	.60	.46				
2623		1.76	4.13	4.26				
2624		.38	.48	.92				
2625		.06	.20	.16				
2626		.26	.45	.50				
2627		1.47	4.28	5.52				
2628		.65	1.60	2.76				
2629		.94	2.23	4.68				
2630		.59	1.40	2.34				
2631		.88	3.38	.52				
2632		1.03	3.23	4.50				
2633		.88	1.75	1.90				
2634		1.85	5.78	8.31				
2635		1.82	5.48	7.07				
2636		1.00	3.68	6.94				
2637		1.24	3.23	5.28				
2638		.15	.25	.26				
2639		1.06	1.98	2.46				
2640		.44	.70	.52				
2641		.35	.83	.94				
2642		.41	.45	.48				
2643		.59	1.08	1.06				
2644		.56	1.43	1.28	A 115			
2645		1.09	2.43	3.48				
2646		.88	1.78	2.52				
2647		.88	1.75	3.06				
2648		1.09	3.23	4.92				
2649		1.00	2.85	4.80				
2650		.59	1.70	2.10				
2651		.62	1.65	4.20				
2652		.88	2.70	3.30				
2653		.83	2.28	2.52				
2654		.59	1.68	1.94				
2655		.68	1.70	1.08				
2656		.32	.93	.86				
2657		.29	.63	.68	A 118			

GEO. SPALDING

ASSAYER.

*A. Hoyland for*

DATE SEPTEMBER 30, 1975

# ASSAY CERTIFICATE

FILE NO. 9321-157WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y. T.  
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
2658		.85	2.10	.94				
2659		.24	.30	.32				
2660		2.21	5.33	6.93				
2661		1.68	3.98	6.60				
2662		.80	1.65	4.14				
2663		1.53	3.68	4.33				
2664		.29	.58	.58				
2665		1.38	3.75	2.88				
2666		2.21	5.39	4.92				
2667		.77	1.48	1.98				
2668		2.85	6.16	10.58				
2669		2.94	7.11	10.86				
2670		2.65	5.57	10.76				
2671		1.76	3.98	7.52				
2672		.80	1.83	3.72				
2673		.71	1.48	1.90				
2674		1.00	2.18	3.96	A 118			
2901		2.56	5.35	12.57				
2902		2.38	5.03	8.32				
2903		2.21	5.26	7.98				
2904		1.18	2.63	5.88				
2905		1.03	2.38	4.50				
2906		1.47	3.60	6.28				
2907		1.15	2.40	2.94				
2908		.29	.50	1.22				
2909		1.06	2.15	4.20				
2910		2.53	5.40	8.71				
2911		1.73	3.45	6.12				
2912		2.41	4.73	8.10				
2913		3.24	6.08	9.73				
2914		.26	.73	1.34				
2915		.65	1.63	2.52				
2916		.35	.83	1.58				
2917		2.47	5.33	6.89				
2918		2.82	6.15	10.35				
2919		1.21	2.85	5.64				
2920		2.30	4.58	8.09				
2921		.44	.96	.66				
2922		1.24	2.13	3.30				
2923		1.15	2.70	3.30				
2924		.38	.85	.86	A 113			
2925		2.85	6.08	11.95				
2926		7.00	14.62	25.08				
2927		4.71	10.27	13.77				
2928		6.82	13.13	24.65				
2929		5.91	11.21	23.13				
2930		4.80	8.22	18.67				
2931		6.18	11.65	23.40	A 117			GEO. SPALDING

ASSAYER.

*K. Hoyland for*

DATE. SEPTEMBER 30, 1975

# ASSAY CERTIFICATE

FILE NO. 9321-157WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y. T.  
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
2932		3.30	7.65	11.52				
2933		1.76	4.43	5.76				
2934		2.71	5.85	13.68				
2935		3.06	6.39	9.89				
2936		2.91	5.33	8.88				
2937		2.94	5.88	8.82				
2938		1.71	3.90	6.77				
2939		3.21	5.63	8.15				
2940		2.44	5.03	6.48				
2941		2.38	5.78	5.40				
2942		2.47	6.05	10.21				
2943		.68	.70	1.42				
2944		1.12	1.28	1.50				
2945		.80	1.50	1.30				
2946		1.41	3.68	3.30				
2947		3.56	9.21	12.52	A 117			

GEO. SPALDING

ASSAYER. K. Hoiland jr

DATE. SEPTEMBER 24, 1975

# ASSAY CERTIFICATE

FILE NO. 9310-60

WHITEHORSE ASSAY OFFICE LTD.  
 BOX 4518 WHITEHORSE Y. T.  
 PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC			
2157		.94	2.18	1.84			
2158		.47	1.20	1.28			
2159		3.18	6.69	15.37			
2160		2.79	5.75	17.82			
2161		2.35	3.98	8.01			
2162		1.00	1.44	2.46			
2163		.83	1.60	2.22			
2164		.59	1.08	1.76			
2165		.35	.62	.94			
2166		.24	.48	.74			
2167		1.03	2.03	4.02	A 111		
2352		.15	.12	.12			
2353		.12	.09	.06			
2354		.06	.08	.02			
2355		.59	.90	.65	A 108		
2356		.53	.68	.30			
2357		.56	1.20	.94			
2358		.71	1.43	1.16			
2359		.71	1.45	1.56			
2360		.59	1.15	.30			
2361		.80	.98	.43			
2362		.59	1.15	.95			
2363		.74	1.58	1.36			
2364		.53	1.23	.98			
2365		.56	1.02	.77			
2366		.74	1.75	1.40			
2367		.74	1.63	1.12			
2368		.71	1.63	1.34			
2369		.68	1.04	.68			
2370		.71	1.24	.80			
2371		.71	1.18	.66			
2372		1.24	2.30	2.34			
2373		1.27	3.08	3.36			
2374		.29	.74	.82			
2375		.56	1.30	1.12			
2376		1.18	4.05	4.14			
2377		.53	.80	1.30			
2378		.26	.15	.25			
2379		1.03	2.08	2.46			
2380		.65	1.10	.66	A 114		
2440		.24	.13	.31			
2441		.21	.04	.42			
2442		.29	.12	.65			
2443		.29	.13	.40			
2444		.18	.07	.15			
2445		.15	.05	.12	A 107		

T.M.  
 J.R.  
 D.J.  
 G.  
 E.C.  
 V.E.  
 L.H.  
 B.  
 C.H.  
 M.  
 J.  
 C.K.

GEO. SPALDING

ASSAYER. K. Hoyland



DATE. SEPTEMBER 17, 1975

# ASSAY CERTIFICATE

FILE NO. 9281-23

WHITEHORSE ASSAY OFFICE LTD.  
 BOX 4518 WHITEHORSE Y.T.  
 PHONE 667 2694 Y1A 2R8

SEP 25 1975

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC			
2329		.29	.18	.54			
2330		.21	.20	.38			
2331		2.60	5.98	5.16			
2332		2.00	4.73	7.60			
2333		.62	1.43	2.64			
2334		2.74	6.54	11.41			
2335		.74	1.75	3.18			
2336		.24	.20	.60			
2337		.12	.17	.60			
2338		.18	.12	.59			
2339		.77	1.63	3.06			
2340		2.41	5.78	5.88			
2341		.59	1.00	1.26			
2342		2.31	5.38	7.25			
2343		.21	.18	.33			
2344		2.12	3.90	5.52			
2345		.94	2.15	1.76			
2346		.80	1.83	1.30			
2347		.35	.68	.98			
2348		.68	1.53	1.46			
2349		1.09	3.00	3.00			
2350		.77	2.00	2.46			
2351		.47	1.13	.88	A 108	Part.	

- \_\_\_\_ I.D.B.
- \_\_\_\_ T.V.B.
- \_\_\_\_ J.K.C.
- \_\_\_\_ D.J.H.
- \_\_\_\_ G.M.H.
- ✓ E.C.J.
- \_\_\_\_ V.J.
- \_\_\_\_ B.M.N.
- \_\_\_\_ S.P.
- \_\_\_\_ G.R.
- ✓ M.D.R.
- \_\_\_\_ J.B.S.
- \_\_\_\_ C.K.W.

GEO. SPALDING

ASSAYER. K. Hayland Jr

DATE. SEPTEMBER 13, 1975

# ASSAY CERTIFICATE

SEP 17 1975

FILE NO. 9273-102

WHITEHORSE ASSAY OFFICE LTD.  
 BOX 4518 WHITEHORSE Y. T.  
 PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC		
2137		1.29	3.00	5.04		
2138		.97	1.88	4.02		
2139		.71	2.08	1.40		
2140		.38	.78	1.46		
2141		.62	1.48	1.78		
2142		3.03	5.24	10.64		
2143		2.74	5.33	8.43		
2144		1.38	3.15	4.56		
2145		.80	1.63	4.14		
2146		.24	.38	.37		
2147		.26	.34	.52		
2148		.29	.34	.66		
2149		1.32	3.30	4.14		
2150		2.79	5.19	8.43		
2151		.71	1.35	2.22		
2152		2.50	6.30	8.03		
2153		.62	1.48	1.20		
2154		2.88	4.58	5.64		
2155		2.21	5.40	6.76		
2156		.88	2.03	2.82	A 104	
2260		1.44	6.48	14.49	A 100	?
2263		3.21	7.80	8.83		
2264		5.32	11.94	9.11		
2265		TR	.07	.10		
2266		2.85	6.79	6.37		
2268		2.85	5.48	8.28		
2270		2.94	7.82	9.00		
2271		.59	1.25	1.66		
2272		1.56	4.28	5.28		
2273		.68	1.28	2.22		
2274		.24	.22	.51		
2275		.24	.27	.55		
2276		.27	.24	.27		
2277		.27	.20	.22		
2278		.06	.27	.35	A 106	
2279		1.32	2.85	3.84		
2280		1.03	2.23	4.02		
2281		.15	.27	.45		
2282		1.35	2.93	4.14		
2283		2.71	6.90	10.98		
2284		3.06	7.05	10.80		
2285		2.41	5.33	8.10		
2286		2.24	5.03	6.84	A 109	

I.D.B.  
 T.W.B.  
 J.K.C.  
 D.M.H.  
 G.M.H.  
 E.C.J.  
 W.J.  
 B.M.N.  
 S.P.  
 G.R.  
 M.D.R.  
 J.B.S.  
 C.K.W.

2266 ✓  
 2269. x

GEO. SPALDING

ASSAYER. K. Heyland for

DATE. SEPTEMBER 13, 1975

# ASSAY CERTIFICATE

FILE NO. 9273-102

WHITEHORSE ASSAY OFFICE LTD.  
 BOX 4518 WHITEHORSE Y. T.  
 PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC			
2287		1.68	3.23	4.80	A 109		
2288		2.35	5.55	7.24			
2289		4.44	15.02	10.1			
2305		.38	.52	.92	A 105		
2306		.18	.19	.24			
2307		.15	.22	.36			
2308		2.41	5.97	6.45			
2309		.18	.19	.34			
2310		.21	.27	.31			
2311		.15	.12	.42			
2312		.74	2.23	3.20			
2313		.29	.23	.76			
2314		1.18	3.00	2.30			
2315		1.21	3.45	3.00			
2316		1.62	4.88	7.29			
2317		.29	.27	.21			
2318		.47	.68	.71			
2319		1.68	4.58	3.66			
2320		1.12	2.93	2.10			
2321		.59	1.13	.69			
2322		1.47	4.28	3.06			
2323		1.44	4.13	4.10			
2324		1.44	4.73	5.00			
2325		2.30	6.79	5.80			
2326		1.76	3.90	3.80			
2327		.32	.28	.43			
2328		.29	.19	.20			
2455		.32	.69	.68	A 108 (not complete)		
2456		.59	1.63	1.30			
2457		.94	2.85	2.88			
2458		1.03	2.85	2.52			
2459		.94	1.58	1.60			
2460		1.47	4.05	5.90			
2461		1.50	3.60	4.86			
2462		1.21	2.93	3.54			
2463		1.79	5.04	9.73			
2464		1.88	4.73	7.04			
2465		.77	1.58	2.00			
2466		.80	2.03	1.90			
2467		.50	1.00	1.20			
2468		.15	.12	.09			
2469		2.21	5.33	5.50			
2579		1.18	2.85	5.28		A 110	
2580		2.24	6.38	6.10		A 116	
2581		.18	.15	.14			
2582		.62	3.00	5.50			

A. 103

GEO. SPALDING

ASSAYER.

*K. Heyland for*

DATE: SEPTEMBER 13, 1975

# ASSAY CERTIFICATE

FILE NO. 9273-102

WHITEHORSE ASSAY OFFICE LTD.  
 BOX 4518 WHITEHORSE Y. T.  
 PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC			
2583		2.71	5.70	7.51	A 103		
2584		3.44	7.98	15.22			
2585		.18	.39	4.50			
2586		1.15	2.70	5.30			
2587		1.85	4.88	9.27			
2588		1.79	4.20	8.82			
2589		2.35	6.76	11.70			
2590		4.26	9.06	17.05			
2591		3.03	7.72	15.26			
2592		5.00	11.11	21.65			
2593		3.24	6.89	13.66			
2594		.38	.40	1.20			
2595		.29	.65	.90	A 107 (not complete)		

GEO. SPALDING

ASSAYER. K. Hayward for

DATE. SEPTEMBER 6, 1975

# ASSAY CERTIFICATE

FILE NO. 9242-25

WHITEHORSE ASSAY OFFICE LTD.  
 BOX 4518 WHITEHORSE Y. T.  
 PHONE 667 2694 Y1A 2R8

SEP 11 1975

SAMPLE RECEIVED FROM

KERR ADDISON MINES

*y.9*  
*bc*

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC		
2118		1.00	2.00	3.30		<div style="border: 1px solid black; padding: 5px;">           I.D.B.            T.W.B.            J.K.C.            D.M.H.            G.M.H.            E.C.J.            W.J.            B.A.N.            S.P.            G.R.            M.D.P.            J.D.S.            C.K.W.         </div>
2119		.88	1.98	3.90		
2120		1.03-	2.08	3.84		
2121		1.47	3.23	5.34		
2122		.77	1.73	3.00		
2123		.59	1.43	3.00		
2124		.80	2.30	4.02		
2125		1.09	1.98	4.08		
2126		.53	1.15	2.28		
2127		1.38	3.75	8.25		
2128		1.32	2.48	6.06		
2129		1.35	3.08	5.16		
2130		1.62	3.98	5.16		
2131		1.27	3.08	5.56		
2132		.85	1.83	4.38		
2133		.18	.30	1.68		
2134		.80	1.80	1.81		
2135		.88	2.23	3.18		
2136		1.18	2.63	2.76	A 104	
2261		.97	2.08	4.08		
2262		1.41	2.93	4.38	A 100	
2304		1.03	2.92	2.00	A 105	
2576		.77	1.76	2.40		
2577		3.44	10.18	9.58		
2578		.74	1.23	1.58	A 102	

GEO. SPALDING

ASSAYER. *K. Hoyland*

*Green  
 Please note assay 2243  
 Also compare with 2244  
 variations of Drill logs*

*Ted*

*Y.9  
 6C*

DATE. AUGUST 28, 1975

FILE NO. 9222-18

# ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.  
 BOX 4518 WHITEHORSE Y. T.  
 PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC			
2243		5.15	10.35	10.50			
2244		5.15	11.55	12.29			
2245		1.15	3.00	4.62			
2246		4.47	11.10	11.11			
2247		3.03	6.68	9.17			
2248		3.38	8.25	8.46			
2249		3.82	9.45	9.23			
2250		1.73	4.13	4.14			
2251		.24	.55	.96			
2252		3.53	7.65	11.40			
2253		2.88	6.23	10.05			
2254		3.47	7.50	11.67			
2255		1.18	2.25	3.18			
2256		2.06	4.65	5.96			
2257		1.41	3.30	5.58			
2258		1.35	3.60	6.31			
2259		2.27	4.88	7.30			
2260		1.29	3.08	4.38			

*A. 100 g Parton*

ASSAYER.

*K. Hoyland for*

GEO. SPALDING



DATE. AUGUST 23, 1975

# ASSAY CERTIFICATE

FILE NO. 9201-54

WHITEHORSE ASSAY OFFICE LTD.  
 BOX 4518 WHITEHORSE Y. T.  
 PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR ADDISON MINES

B Y-9.

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC			6C	I.D.B. T.W.B. J.K.C. D.M.H. G.M.H. E.C.J. W.J. B.M.N. S.P. G.R. M.D.R. J.B.S. C.K.W.
2114		.88	1.40	1.54				
2115		.88	.50	.38				
2116		.24	.10	.18	A 97			
2117		1.03	2.70	2.64	A 98			
2216		2.18	5.33	9.90				
2217		5.06	10.50	16.61				
2218		1.44	3.15	4.50				
2219		1.06	2.03	2.58				
2220		1.76	3.83	6.48				
2221		2.31	5.55	8.53	A 95 (9M)			
2222		.62	1.33	4.38				
2223		1.91	4.50	5.04				
2224		2.82	8.08	7.35				
2225		1.21	2.43	5.40				
2226		1.18	3.83	4.38				
2227		1.21	3.08	4.32				
2228		.88	2.30	3.30				
2229		2.18	5.63	7.43				
2230		2.06	4.73	7.84				
2231		1.32	3.00	3.96				
2232		2.97	6.90	10.31				
2233		.91	1.93	1.08				
2234		.47	.95	.34				
2235		.26	.23	.16				
2236		.21	.13	.08				
2237		.32	.33	.54				
2238		.65	1.43	1.00				
2239		.18	.23	.58				
2240		.29	.78	1.34				
2241		.18	.35	.66				
2242		.03	.20	.34	A 99			
2553		.53	1.03	2.10				
2554		.94	2.50	3.66				
2555		1.59	3.68	6.00				
2556		.74	1.83	5.88				
2557		1.32	2.78	5.88				
2558		1.65	3.45	6.93				
2559		1.03	2.43	5.64				
2560		1.59	3.15	10.52				
2561		.97	1.68	8.30				
2562		.97	2.15	4.44				
2563		1.32	3.08	6.70				
2564		4.52	8.37	23.93				
2565		3.27	6.67	11.39				
2566		3.24	9.61	13.15				
2567		4.44	10.27	16.58	A 96			

GEO. SPALDING

ASSAYER. K. Hoyland for

DATE. AUGUST 23, 1975

FILE NO. 9201- 54 (cont'd)

# ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y. T.  
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
2568		4.12	8.97	17.28				
2569		3.38	7.88	18.33				
2570		4.04	9.87	23.51				
2571		3.68	7.20	20.30				
2572		2.88	6.00	14.13				
2573		5.18	9.63	22.37				
2574		3.65	7.53	17.61				
2575		4.15	7.20	17.92				
					A 96.			

ASSAYER.

*K. Hoyland for*

GEO. SPALDING

DATE. August 8, 1975

FILE NO. 9151 - 27

# ASSAY CERTIFICATE

AUG 13 1975

WHITEHORSE ASSAY OFFICE LTD.  
 BOX 4518 WHITEHORSE Y. T.  
 PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

Kerr Addison

Y 9.6/c

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	Lead Percent	Zinc percent
------------	---------------------	-----------------------	-----------------	-----------------

1893		1.21	2.08	3.42
1894		1.47	3.75	4.92
1895		2.03	5.73	4.02
1896		4.59	10.65	16.76
1897		3.53	8.62	14.07
1898		1.85	3.98	7.22
1899		2.53	5.63	11.01
1900		2.38	5.58	7.04
2212		1.59	3.68	5.48
2213		3.35	8.12	7.55
2214		2.65	6.78	5.28
2215		.29	.70	.70

7.3m

3.7m

A 92

2436		2.71	5.70	8.11
2437		.59	1.28	1.42
2438		2.35	4.73	7.56

See Refining  
A 18

2541		1.27	2.50	5.04
2542		.26	.28	.42
2543		.35	.62	1.02
2544		.47	.83	2.00
2545		.65	1.33	2.58
2546		2.21	4.88	4.56
2547		.38	.88	1.62
2548		.62	1.43	3.30
2549		1.68	3.38	5.88
2550		.62	1.43	1.70

A 93

2551		.80	1.78	1.70
2552	1.6 m	2.09	4.50	8.49

A 93

I.D.B.	
T.W.B.	
J.K.C.	
D.M.H.	
G.M.H.	<input checked="" type="checkbox"/>
E.C.J.	
W.J.	
B.M.N.	
S.P.	
G.R.	<input checked="" type="checkbox"/>
M.D.R.	<input checked="" type="checkbox"/>
J.B.S.	
C.K.W.	

GEO. SPALDING

ASSAYER. *K. Hayward for*

DATE. S July 30, 1975

FILE NO. 9120 - 32

## ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y. T.  
PHONE 667 2694 Y1A 2R8

AUG 5 1975

Kerr Addison

SAMPLE RECEIVED FROM

7.9  
64

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	Lead Percent	Zinc Percent	Nickel Percent
------------	---------------------	-----------------------	-----------------	-----------------	-------------------

2112  
2113.35  
.411.00  
1.481.54  
2.94--  
--

A 91

2410

.47

1.13

1.04

--

2411

2.27

4.43

6.21

--

2412

1.56

2.08

2.28

--

2413

.94

1.63

2.88

--

2414

1.97

3.38

5.55

--

2415

1.32

2.78

2.46

--

2416

1.03

3.00

2.94

--

2417

.15

.43

.76

--

2418

2.30

5.03

6.66

--

2419

.09

.20

.30

--

2420

.65

.58

.58

--

2421

.03

.08

.04

--

2422

1.38

3.15

6.33

--

2423

.06

.15

.16

--

2424

.44

.78

1.30

--

2425

1.85

4.43

7.94

--

2426

1.18

2.20

3.18

--

2427

.74

1.03

1.94

--

2428

.88

1.40

2.22

--

2429

1.00

1.70

2.94

--

2430

.88

1.50

1.60

--

2431

.56

.43

.86

--

2432

1.88

3.75

4.32

--

2433

1.76

3.90

4.02

--

2434

1.35

1.90

1.84

.02

2435

.94

1.75

2.70

--

A 20 Deepening

2537

1.18

4.43

3.42

--

2538

1.00

2.93

1.90

--

2539

.56

.70

.52

--

A 89

2540

1.09

2.03

4.94

--

A 93

ASSAYER.

Bla fa

DATE. ~~XXXX~~ July 28, 1975

# ASSAY CERTIFICATE

FILE NO. 9110 - 32

WHITEHORSE ASSAY OFFICE LTD.  
 BOX 4518 WHITEHORSE Y. T.  
 PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD PERCENT	ZINC PERCENT				
1880		2.65	4.69	6.05				
1881		1.82	4.80	7.83				
1882		2.94	7.50	12.32				
1883		1.32	3.19	5.04				
1884		.74	1.78	3.36				
1885		.59	1.68	3.06				
1886		1.65	4.50	5.28				
1887		.38	1.00	.72				
1888		1.09	2.50	3.60				
1889		.24	.35	.29				
1890		3.15	10.80	5.88				
1891		1.76	5.20	3.54				
1892		1.73	4.13	4.98		A 90		
2518		2.12	5.03	9.50		↑		
2519		2.74	5.75	9.32		↑		
2520		1.41	2.85	7.22				
2521		1.73	3.60	6.22				
2522		1.27	2.45	6.83				
2523		.83	1.93	3.24				
2524		1.47	3.90	3.36				
2525		.56	1.08	.90				
2526		.53	1.43	1.16				
2527		2.50	5.40	7.38				
2528		.03	.05	.36				
2529		.24	.21	.38				
2530		.03	.03	.03				
2531		.09	.08	.14				
2532		.03	.09	.16				
2533		1.50	2.50	3.84				
2534		1.68	3.83	4.08				
2535		1.29	3.30	3.60				
2536		1.03	3.42	2.82		↓ A 89		

GEO. SPALDING

ASSAYER. *A. Hayland fd*

DATE. July 25, 1975

FILE NO. 9092-55

# ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y. T.  
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR - ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD PERCENT	ZINC PERCENT				
2506		1.47	4.20	3.18				
2507		1.65	4.50	6.79				
2508		1.35	3.15	5.14				
2509		.47	1.15	2.10				
2510		.26	.60	1.22				
2511		.35	.88	1.05				
2512		1.32	3.23	6.60				
2513		1.91	3.90	7.44				
2514		.44	.93	1.74				
2515		.65	1.13	1.14				
2516		2.35	4.65	7.55				
2517		1.47	3.60	5.76	A 89			

GEO. SPALDING

ASSAYER. *A. Royland Jr*

DATE. July 25, 1975

# ASSAY CERTIFICATE

FILE NO. 9092-55WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y. T.  
PHONE 667 2694 Y1A 2R8

JUL 30 1975

SAMPLE RECEIVED FROM

KERR - ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD PERCENT	ZINC PERCENT				
1797		.29	.83	2.46				
1798		1.03	2.18	5.80				
1799		1.27	3.08	4.14				
1800		1.12	2.43	4.32	A. 89			
1849		1.21	2.40	5.16				
1850		.06	.13	1.08				
1851		.77	1.45	3.90				
1852		.91	1.88	4.44				
1853		.74	1.50	3.72				
1854		.71	1.48	3.42				
1855		.44	1.18	1.58				
1856		1.00	2.08	5.04				
1857		.50	.87	1.64				
1858		1.79	4.60	7.56				
1859		.35	.70	1.82				
1860		3.21	7.43	10.70				
1862		.74	1.68	5.40				
1863		1.12	2.18	5.04				
1864		1.29	3.45	6.60				
1865		.59	1.88	1.88				
1866		1.00	2.38	2.46				
1867		1.94	4.35	7.08				
1868		2.24	5.11	6.13				
1869		1.47	3.60	4.08				
1870		1.76	3.83	8.72				
1871		2.09	4.13	9.60				
1872		.15	.35	.40				
1873		1.76	3.75	5.52				
1874		1.30	3.23	4.14				
1875		1.29	3.12	5.52				
1876		2.48	5.88	9.51				
1877		1.59	4.28	8.50				
1878		3.65	8.91	15.64				
1879		3.03	6.94	13.67	A 90			
2067		.77	1.18	1.48	A 88.			
2407		1.00	1.40	3.54				
2408		1.71	2.93	8.52				
2409		1.29	2.78	1.30	A 12 deepening			
2501		1.18	2.67	3.24				
2502		.94	1.93	3.48				
2503		.71	1.65	3.06				
2504		2.18	4.50	7.78				
2505		1.50	2.35	2.70	A 89			

GEO. SPALDING

ASSAYER. *A. Hayland for*

JUL 28 1975

G.M.H.  
F.C.J.

M.D.R.  
J.B.S.

4.9  
/ 60

DATE. July 22, 1975

FILE NO. 8914 - 47

# ASSAY CERTIFICATE

Sample Checked as per  
instructions, F. Chow

WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y. T.  
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

Kerr Addison

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	Lead percent	Zinc percent			
1302		1.15	2.48	4.50	check	A68	
<u>ORIGINAL</u>		1.18	2.45	4.56	558	569	= 11 ft

ASSAYER.

J.H. Fu

DATE. July 22, 1975

FILE NO. 9071 - 55

# ASSAY CERTIFICATE

JUL 28 1975

WHITEHORSE ASSAY OFFICE LTD.  
 BOX 4518 WHITEHORSE Y.T.  
 PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR ADDISON

I.D.B.  
 J.W.B.  
 J.K.C.  
 D.M.H.  
 G.M.H.  
 E.C.I.  
 W.J.I.  
 E.M.N.  
 S.D.  
 G.R.  
 M.D.R.  
 J.S.  
 C.K.V.

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD PERCENT	ZINC PERCENT	
1794	--	1.38	6.02	8.71	A 87
1795	--	.44	1.23	3.30	
1796	--	.53	1.23	4.59	
1832	--	.74	2.28	2.79	
1833	--	.29	.74	1.54	
1834	--	1.44	3.83	5.59	
1835	--	.12	.25	.40	A 88
1836	--	1.29	2.78	4.80	
1837	--	2.21	5.18	7.42	
1838	--	.44	.88	.91	
1839	--	1.06	2.48	3.24	
1840	--	.88	1.65	2.63	
1841	--	.29	.60	.24	
1842	--	.47	1.50	.54	
1843	--	1.44	4.88	3.00	
1844	--	.26	.28	.40	
1845	--	.59	1.14	.94	
1846	--	.12	.13	.12	
1847	--	.09	.09	.20	
1848	--	.12	.13	.37	
2068	--	2.74	6.19	12.44	A. 88
2069	--	2.35	5.03	9.84	
2070	--	1.21	2.70	6.00	
2071	--	1.12	2.28	5.40	
2072	--	.83	1.33	3.12	
2073	--	1.27	2.06	4.14	
2074	--	1.30	2.05	4.56	
2075	--	1.27	2.08	4.56	
2076	--	.12	.33	.83	
2077	--	1.38	3.00	6.67	
2078	--	1.18	2.78	5.26	
2079	--	1.15	2.00	4.74	
2080	--	1.32	2.74	4.20	
2081	--	2.12	4.28	4.14	
2082	--	2.82	5.03	10.50	
2083	--	2.87	5.33	11.65	
2084	--	.88	1.85	2.58	
2093	--	4.65	7.51	13.31	A. 88
2094	--	3.68	8.30	14.13	
2095	--	1.85	4.28	6.00	
2096	--	1.59	3.45	4.74	
2097	--	.44	1.25	1.86	
2098	--	1.50	3.75	6.76	
2099	--	.03	.01	.06	
2100	--	.09	.28	.46	

ASSAYER. R. G. Spalding G. G. SPALDING

DATE. July 22, 1975

FILE NO. 9071 - 55

# ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y. T.  
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERRR ADDISON

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD PERCENT	ZINC PERCENT				
2109 ✓	.005	--	--	--				
2110 /	.005	--	--	--				
2111 /	.005	--	--	--				
2211	--	.32	.56	.72	H 86			
2401	--	1.97	4.43	5.10				
2402	--	1.97	5.63	6.45				
2403	--	1.76	4.73	6.24				
2404	--	1.24	2.78	2.70				
2405	--	2.12	5.78	8.10				
2406	--	2.35	4.73	8.74	A. 12 DEEPENING			

ASSAYER.

B. G. F.

GEO. SPALDING

DATE. July 11, 1975FILE NO. 9050 -40

# ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y. T.  
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR ADDISON

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD PERCENT	ZINC PERCENT			
1758		.59	1.13	2.34			
1759		.65	1.48	3.12			
1760		.56	1.25	2.85			
1761		.62	1.23	2.46			
1762		.62	1.28	2.88			
1763		2.21	3.90	3.48			
1775		.44	.63	.34			
1776		.94	1.73	2.88			
1777		1.09	2.20	3.54			
1778		2.41	4.13	6.15			
1779		3.24	4.80	7.70			
1780		1.53	3.15	5.16			
1781		1.47	2.78	.50			
1782		.41	.38	.12			
1783		2.09	4.28	5.28			
1786		.62	.73	.28			
1787		2.50	5.71	6.48			
1788		2.12	4.58	7.68			
1789		2.50	4.73	8.48			
1790		2.79	4.65	10.07			
1791		.88	1.10	1.88			
1792		1.56	3.68	3.18			
1793		.41	.75	1.42			
2058		2.32	5.70	9.55			
2059		.65	2.00	3.90			
2060		.53	1.50	2.46			
2061		.47	1.58	2.40			
2062		.62	1.04	3.84			
2063		.59	1.23	2.46			
2064		.74	1.65	3.09			
2065		.76	.98	2.34			
2066		2.50	4.05	7.44			
2085		2.35	5.68	8.77			
2086		3.03	7.87	10.83			
2087		1.68	5.03	5.40			
2088		1.97	5.64	6.24			
2089		1.18	3.08	3.35			
2090		1.68	4.28	6.55			
2091		.32	.95	.86			
2092		.74	1.78	1.44			

A 87

A 87

A 88

A 88

ASSAYER.

R. L. F.

JUL 17 1975

DATE. JULY 10, 1975

FILE NO. 9032 - 46

# ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y. T.  
PHONE 667 2694 Y1A 2R8

KERR ADDISON

SAMPLE RECEIVED FROM

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz Per Ton	LEAD PERCENT	ZINC PERCENT				
1954		.03	.19	.33				
1955		.06	.22	.48				
1956		.59	1.37	2.65				
1957		1.12	2.40	1.56				
1958		1.32	3.38	2.82				
1959		.74	1.98	.92				
1960		.56	1.38	3.40				
1961		.44	1.02	1.80				
1962		1.06	3.00	3.96				
1963		.88	2.03	2.22				
1964		.18	.74	1.50				
1965		.29	.60	1.10				
1966		.21	.38	.61				
1967		1.38	3.83	3.96				
1968		.88	2.38	3.72				
1969		1.91	4.73	5.40				
1970		.50	.98	1.68				

ASSAYER. [Signature]

GEO. SPALDING

DATE. JULY 10, 1975

# ASSAY CERTIFICATE

FILE NO. 9032 - 46 PAGE #2

WHITEHORSE ASSAY OFFICE LTD.  
 BOX 4518 WHITEHORSE Y. T.  
 PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR ADDISON

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD PERCENT	ZINC PERCENT				
1971		.18	.34	.28				
1972		.68	1.20	1.42				
19								
1975		.62	1.38	1.40				
1978		.65	1.14	1.48				
1979		.15	.12	.32				
1980		1.32	4.13	3.96				
1981		.47	1.22	1.54				
1982		1.06	2.78	2.82				
1983		.18	.07	.18				
1984		3.38	6.63	12.77				
1985		1.91	4.43	6.75				
1986		1.91	5.25	6.96				
1987		2.35	5.23	11.53				
1988		1.88	4.85	7.48				
1989		2.35	5.98	9.03				
1990		1.62	4.54	7.68				
1991		.77	1.87	1.56				
1992		1.03	2.78	3.72				
1993		1.12	2.45	3.00				
1994		2.65	6.35	9.97				
1995		4.16	9.10	17.13				
1996		1.79	3.87	4.62				
2204		.44	1.28	1.16				
2205		.88	3.00	2.64				
2206		.56	1.68	1.30				
2207		.47	1.38	1.18				
2208		.91	2.70	2.46				
2209		.88	2.38	2.28				
2210		.59	1.73	1.36				

A 85

A 11

ASSAYER. *[Signature]*

GEO. SPALDING

DATE. JULY 8, 1975

FILE NO. 9039 - 55

# ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.  
 BOX 4518 WHITEHORSE Y. T.  
 PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR ADDISON

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD PERCENT	ZINC PERCENT
1736		.26	.45	.76
1737		2.38	5.37	9.26
1738		2.06	4.35	5.60
1739		1.32	2.93	3.12
1740		.44	.89	1.02
1741		.80	2.05	3.60
1742		1.18	3.15	2.58
1743		.59	1.15	3.96
1744		.21	.43	.78
1745		.06	.10	.15
1746		.44	.62	.58
1747		1.62	3.45	5.64
1748		.53	1.10	2.28
1749		.83	2.03	3.30
1750		.44	.95	1.20
1751		.59	1.40	1.04
1752		.26	.62	.44
1753		.35	.93	.84
1754		1.21	3.00	4.26
1755		.77	2.00	2.22
1756		1.27	3.08	3.90
1757		.56	1.30	2.46
1764		1.24	2.38	6.66
1765		.06	.07	.11
1766		.09	.17	.16
1767		2.21	4.20	8.36
1768		1.32	2.08	7.26
1769		1.12	3.15	7.61
1770		3.28	7.33	14.54
1771		.38	.55	2.34
1772		1.65	3.68	4.68
1773		.35	1.20	1.52
1774		.32	.75	1.04
1807		.18	.37	.63
1808		1.21	3.15	2.28
1809		.32	.95	.72
1828		1.21	3.08	2.82
1829		1.18	2.70	.74
1830		.06	.15	.14
1831		.03	.08	.03
1997		.21	.43	.26
1998		.41	.65	1.13
1999		.26	.63	1.06
2000		1.48	5.12	3.96
2101		.12	.43	.33
2102		.88	2.25	3.48
2103		.91	2.08	4.14
2104		.68	1.58	2.70

I.D.S.  
 T.V.S.  
 J.K.C.  
 D.M.H.  
~~G.M.H.~~  
~~E.C.I.~~  
 V.J.  
 B.M.L.  
 S.A.  
 G.R.  
~~M.D.R.~~  
 J.P.S.  
 C.K.W.

A 87

A 77

A 85

A 86

ASSAYER. Rlat

DATE: July 8, 1975  
 FILE NO.: 9039 - 55

# ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.  
 BOX 4518 WHITEHORSE Y. T.  
 PHONE 667 2694 Y1A 2R8

Page #2

SAMPLE RECEIVED FROM

Kerr Addison

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	Lead Percent	Zinc Percent			
2105		.71	1.65	2.94			
2106		.62	1.60	4.62	A 86		
2107		.74	1.78	3.18			
2108		1.00	3.75	4.68			
2301		.41	.95	.92			
2302		1.50	4.65	3.66	A 85		
2303		1.03	2.78	2.76			

ASSAYER. [Signature]

DATE July 7, 1975

FILE NO 9025 - 40

# ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.  
 BOX 4518 WHITEHORSE Y. T.  
 PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD PERCENT	ZINC PERCENT					I.D.B. T.W.B.
1802		.59	1.23	1.30					J.K.C.
1803		.12	.05	.04					D.M.H.
1804		.71	1.03	.98					G.M.H.
1805		.97	2.00	1.66					<u>E.C.I.</u>
1806		.59	.73	.40					W.J.
1822		.12	.10	.07					B.M.N.
1823		.47	1.08	1.26					S.P.
1824		.77	1.60	1.92					G.R.
1825		.59	1.38	1.60					<input checked="" type="checkbox"/> M.D.R.
1826		.62	1.20	1.62					J.B.S.
1941		1.18	2.18	4.44					C.K.W.
1942		.88	1.65	3.30					
1943		.41	.83	2.40					
1944		.56	1.23	2.10					
1945		.29	1.18	.96					
1946		.18	.25	.62					
1947		.26	.40	1.08					
1948		.38	.83	.94					
1949		.15	.43	.68					
1950		.18	.44	1.14					
1951		.15	.44	1.10					
1952		.35	.80	1.16					
1953		1.00	2.48	5.82					
2044		.50	1.39	.67					
2045		.59	1.58	1.50					
2046		1.32	3.08	4.86					
2047		2.68	5.63	8.88					
2048		.59	1.30	1.84					
2049		1.59	4.93	5.10					
2050		.32	.47	.62					
2051		.71	1.38	1.08					
2052		.59	1.18	1.02					
2053		.56	.95	.70					
2054		.03	.05	.40					
2055		.38	.43	.30					
2056		.21	.12	.07					
2057		1.18	3.53	2.46					
2201		.41	.63	.21					
2202		.80	2.18	2.70					
2203		.74	2.08	2.52					

ECI A 77

ECI A 83

A 85

4.1  
8

A 84

A 77

JUL 14 1975

ASSAYER. *[Signature]*

GEO. SPALDING

DATE. July 4, 1975

FILE NO. 9020 - 54

# ASSAY CERTIFICATE

JUL 8 1975

WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y. T.  
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR ADDISON

I.D.D.

T.V.B.

J.K.C.

D.M.H.

G.M.H.

E.C.J.

W.J.

B.M.N.

S.P.

G.R.

M.D.R.

J.B.S.

C.K.W.

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD PERCENT	ZINC PERCENT
1481		.38	.24	.51
1482		.88	1.95	3.24
1484		.24	.20	.15
1723		.24	.70	1.44
1724		.44	1.10	1.80
1725		.53	1.25	2.34
1726		.21	.85	1.68
1727		.44	1.13	1.80
1728		.44	1.10	2.34
1729		.44	1.43	2.58
1730		.44	1.33	2.40
1731		.53	1.70	2.88
1732		.85	2.50	6.42
1733		1.50	3.60	8.77
1734		1.15	2.13	5.25
1735		.74	1.63	4.80
1810		2.12	5.20	3.66
1811		1.29	3.53	3.12
1812		.59	1.65	1.98
1813		.83	1.65	3.18
1814		1.62	3.08	4.14
1815		.88	2.30	3.06
1816		.80	1.95	2.58
1817		.29	.43	.44
1818		.21	.34	.20
1819		.50	1.33	1.22
1820		.59	1.03	.95
1821		.15	.10	.46
1827		.47	1.18	1.08
2019		.59	2.78	5.04
2020		.83	1.80	3.06
2021		.83	1.98	3.42
2022		.97	1.63	3.60
2023		2.68	6.15	10.37
2024		1.29	2.08	3.30
2025		1.29	2.05	3.12
2026		1.21	3.30	6.45
2027		2.65	4.72	9.40
2028		1.59	3.53	4.44
2029		.97	2.23	4.44
2030		.29	.90	.94
2031		2.12	4.92	6.35
2032		1.32	4.28	3.18
2033		1.18	3.98	1.34
2034		.47	1.38	1.86
2035		.56	1.34	1.56
2036		.68	2.20	3.78
2037		.53	1.45	2.73

E.C.J.

A 74

E.C.J.

A 64

A 83

E.C.J.

A 82

E.C.J.

ASSAYER.

*R. L. Latta*

GEO. SPALDING

DATE. July 4, 1975

FILE NO. 9020-54

PAGE #2

# ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y. T.  
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR ADDISON

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz Per Ton	LEAD PERCENT	ZINC PERCENT				
2038		.21	.49	.89				
2039		.26	.54	.88				
2040		.29	.48	.54				
2041		.26	.38	.35				
2042		.21	.27	.47				
2043		.29	.35	.29				

A 82

ASSAYER. R. H. Fur

GEO. SPALDING

DATE. JUNE 25, 1975

# ASSAY CERTIFICATE

FILE NO. 9003-69

WHITEHORSE ASSAY OFFICE LTD.  
 BOX 4518 WHITEHORSE Y. T.  
 PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR- ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC			
1936		1.84	5.71	6.12	A 79		
1937		2.18	7.21	8.22			
1938		1.56	4.20	6.36			
1939		1.56	4.58	6.36			
1940		1.62	4.35	6.60			
2001		.15	.40	.37	A 81		
2002		1.00	2.23	1.91			
2003		.29	.19	.38			
2004		.53	.75	.68			
2005		4.56	13.92	11.72			
2006		.50	1.10	1.22			
2007		4.18	12.52	10.53			
2008		2.26	6.78	8.16			
2009		3.56	10.50	9.79			
2010		.47	1.05	.88			
2011		.76	2.13	2.34			
2012		.74	2.00	1.90			
2013		1.09	2.63	2.64			
2014		1.03	2.70	2.64			
2015		.79	2.25	2.64			
2016		.62	1.68	1.52			
2017		.74	1.88	1.80			
2018		1.00	2.25	2.58			

GEO. SPALDING

ASSAYER. *K. Hoyland*

DATE. JUNE 25, 1975

# ASSAY CERTIFICATE

FILE NO. 9003-69

JUL 2 1975

WHITEHORSE ASSAY OFFICE LTD.  
 BOX 4518 WHITEHORSE Y. T.  
 PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR- ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC
A-76 1582 371-374 3'		.59	2.10	4.44
1583 378.5-380.5 2'		.68	1.50	2.46
1584 457.8-461 3.2'		1.82	6.70	10.65
1585 461-466.2 5.2'		1.94	4.65	7.20
1586 466.2-471 4.8'		1.53	3.75	5.28
1587 472.8-478.6 5.8'		.88	2.23	3.84
1588 478.6-482.6 4'		.82	2.63	3.48
1703		2.65	5.40	9.22
1704		2.65	6.38	13.30
1705		1.74	3.90	8.04
1706		1.91	5.03	4.80
1707		3.68	8.72	14.83
1708		1.09	2.45	4.14
1709		1.59	3.90	6.84
1710		.82	1.68	4.20
1711		.79	1.83	3.00
1712		1.88	5.10	5.40
1713		.74	1.83	3.18
1714		.59	1.23	3.00
1715		2.21	3.75	6.36
1716		2.62	5.25	7.20
1717		.59	1.50	3.00
1718		.71	1.88	3.24
1719		.76	1.90	3.72
1720		.59	1.15	1.18
1721		.91	1.80	4.38
1722		.24	.59	.94
1917		1.32	3.30	5.46
1918		1.09	2.93	5.40
1919		1.29	4.13	2.82
1920		.74	1.58	1.94
1921		.68	1.35	2.46
1922		1.03	2.50	4.26
1923		.62	1.48	3.00
1924		.85	1.90	4.14
1925		.44	.93	1.84
1926		.59	1.19	3.60
1927		1.76	4.50	5.28
1928		1.44	2.78	6.48
1929		2.94	6.17	10.92
1930		.35	.85	1.74
1931		1.15	2.23	4.26
1932		1.06	2.28	3.60
1933		.82	2.33	2.46
1934		1.79	5.84	5.40
1935		2.56	8.11	8.11

A-76

ECJ  
 A-78

1934  
 1935

GEO. SPALDING

ASSAYER. *L. Hayland Jr*

DATE. JUNE 21, 1975

# ASSAY CERTIFICATE

FILE NO. 8996-66

WHITEHORSE ASSAY OFFICE LTD.  
 BOX 4518 WHITEHORSE Y. T.  
 PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR-ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	COPPER		
A-76 1596	1105.4-1108.4 -- 3.0'	.03	.10	.10			
" 1597	1108.4-1110.1 1.7'	2.00	6.44	11.65			
" 1598	1110.1-1113.1 3	.03	.02	.06			
" 1599	1121-1128.5 7.5	1.03	2.35	3.48			
A-76 1600	1197-1202.3 5.3	1.53	4.35	4.44			
1801		.44	.73	.52			
A-76 1901	1206.7-1212.5 5.3	1.18	3.15	3.06			
" 1902	1212-1216.5 4	.35	1.00	.31			
" 1903	1216-1221.5 5	1.41	4.73	3.60			
" 1904	1221-1225.5 4	.29	1.60	.22			
" 1905	1225-1228.5 3.5'	1.41	5.37	4.20			
" 1906	1228.5-1232.5 5'	.32	.59	.27			
" 1907	1232.5-1238 5.5'	1.47	5.03	3.66			
A-76 1908	1238-1242.5 4.5	1.15	4.05	3.42			
1909		.82	1.70	4.44			
1910		.94	2.30	4.14			
1911		1.12	2.78	3.78			
1912		.21	.48	1.08			
1913		.82	1.83	4.08			
1914		.65	1.68	4.08			
1915		.79	1.78	3.66			
1916		.88	1.83	3.72			

A-76  
E.C.J.

A-77  
E.C.J.

E.C.J.

A-79

GEO. SPALDING

ASSAYER. K. Hoyland for

DATE. JUNE 21, 1975

# ASSAY CERTIFICATE

FILE NO. 8996-66

WHITEHORSE ASSAY OFFICE LTD.  
 BOX 4518 WHITEHORSE Y. T.  
 PHONE 667 2694 Y1A 2R8

JUL 2 1975

SAMPLE RECEIVED FROM

KERR-ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	COPPER
A-74 1460 308-316.5	8.5'	.24	.60	.33	A-74
1461 316.5-323	6.3	.59	1.53	1.40	
1462 323-327	4	1.38	4.43	1.22	
1463 327-336	9	.24	.14	.26	
1464 336-342.5	6.5'	.35	.45	.25	
1465 342.5-352.5	10.0'	.18	.15	.14	
1466 352.5-360.	7.5	.21	.12	.21	
1467 352.5-360.	7.5	.24	.15	.40	
1468 360-368	8	.15	.18	.40	
1469 370-375	5	.18	.13	.36	
1470 515.2-521.5	6.3	.41	1.03	.70	.44
1471 526-534.5	8.5	1.00	3.23	3.18	
1472 534.5-543	8.5	.29	.15	.13	
1473 543.-551.	8.02	.24	.12	.11	
1474 " "	"	"	"	"	
1475 551-562	11'	.29	.17	.24	
1476 562-567	5'	.06	.10	.14	
1477 567-571	4'	.74	2.18	3.00	
1478 571-575	4'	1.59	4.50	5.55	
1479 575-579.7	4.7'	.26	.20	.28	
1480 584.8-594.8	10'	.26	.18	.42	
1481 595.2-605.5	"	"	"	"	E.C.L.
1483 616.5-627	10.5'	.21	.10	.24	
1485 637.5-648.	10.5'	.41	.60	.13	
1486 648-658	10' .02	.18	.07	.19	
1487 658-665	7'	.24	.12	.21	
1488 665-673	8'	.32	.43	.20	
1489 673-678.5	5.5'	1.09	3.08	2.94	
1490 678.5-683	4.5'	.26	.24	.16	
1491 683-687.8	4.8'	.32	.43	.32	
1492 687.8-691	3.2'	.29	.25	.22	
1493 691-695.3	4.3'	2.41	6.53	7.54	
1494 695.3-704	8.7'	.29	.80	.83	
1495 732.3-737.7	5.4'	.59	1.63	1.20	
A-74 1496 774-780	6'	.06	.03	.11	A-74
1497		.41	.85	.78	A-77
1498		1.00	3.45	2.82	
1499		.71	1.28	.64	
1500		1.18	3.60	2.88	
A-76 1589 482.6-489.9	7.3	.71	1.90	1.68	A-76
1590 824.2-829.5	5.3	4.12	9.34	13.23	
1591 900.3-906.3	6'	1.32	2.45	5.52	
1592 921.3-926.3	5'	1.03	2.30	3.18	
1593 933.4-936.3	2.9'	2.68	6.94	7.68	
1594 937.7-943.	5.3	1.85	5.18	4.92	
A-76 1595 960.7-963.2	2.5	3.38	9.45	14.36	E.C.L.

GEO. SPALDING

ASSAYER.

*A. Hoyland*

DATE. June 20, 1975


FILE NO. 8982 - 54 PAGE #2

# ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y. T.  
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR ADDISON

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD PERCENT	ZINC PERCENT				
1688		2.35	6.09	14.43				
1689		1.56	3.23	8.97				
1690		1.03	2.38	5.34				
1691		1.73	4.95	6.36				
1692		1.32	2.85	5.64				
1693		1.18	3.08	5.88				

ASSAYER L. Royland

DATE. June 20, 1975

# ASSAY CERTIFICATE

FILE NO. - 8982 - 54

**JUN 23 1975**

WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y. T.  
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KEHR ADDISON

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD PERCENT	ZINC PERCENT			
A-73 1573 303.0-309.0' 6.0'	6.0'	2.65	5.93	12.58	A-73	E.C.H. 3	
" 1574 309.0-312.5' 3.5'	3.5'	1.29	2.78	5.16			
" 1575 312.5-319.5' 7.0'	7.0'	1.35	2.93	7.68			
" 1576 323.5-326.5' 3.0'	3.0'	.53	1.00	4.26			
" 1577 328.3-330.2' 1.9'	1.9'	1.15	2.40	7.02			
A-73 1578 320.2-339.2' 9.5'	9.5'	2.59	5.84	10.45			
1616		1.18	2.28	5.58			
1617		.76	1.60	3.84			
1618		.91	2.00	4.02			
1619		.88	1.85	3.90			
1650		1.00	2.20	3.48			
1651		.91	2.35	4.32			
1652		.71	1.65	3.06			
1653		.91	2.18	5.88			
1654		.71	1.48	3.48			
1655		.71	1.63	3.78			
1656		1.15	2.20	5.76			
1657		.18	.34	1.90			
1658		1.47	3.30	5.22			
1659		.15	.28	.96			
1660		1.32	2.93	5.88			
1661		.62	1.60	1.96			
1662		.65	1.48	3.36			
1663		1.00	1.93	4.50			
1664		1.88	3.90	9.08			
1665		1.26	3.15	5.16			
1666		1.68	4.35	6.36			
1667		.88	1.95	3.30			
1668		1.09	2.85	4.50			
1669		1.03	2.13	3.96			
1670		.59	1.40	3.54			
1671		1.03	2.43	5.40			
1672		.59	1.45	4.74			
1673		1.47	3.60	10.82			
1674		1.76	3.60	7.08			
1675		1.50	3.45	5.64			
1676		1.65	4.05	7.08			
1677		.29	.70	2.58			
1678		1.76	4.43	7.68			
1679		1.00	2.33	4.44			
1680		1.38	3.53	6.48			
1681		2.06	4.99	8.76			
1682		1.41	3.68	7.80			
1683		.71	1.63	3.60			
1684		.44	1.10	3.12			
1685		1.00	2.25	7.08			
1686		1.18	3.23	6.72			
1687		1.53	3.98	6.60			

I.D.B.  
T.W.B.  
~~W.H.~~  
B.M.H.  
G.M.H.  
E.C.H.  
W.J.  
B.M.N.  
✓ S.P.  
G.R.  
✓ M.D.R.  
J.B.S.  
C.K.W.

E.C.H.  
A 75

ASSAYER. *K. Hayland*

DATE. JUNE 17, 1975

FILE NO. 8986-20

# ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.  
 BOX 4518 WHITEHORSE Y. T.  
 PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR- ADDISON MINES

JUN 19 1975

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
1565		.09	.35	.42				
1566		3.74	8.86	14.93				
1567		1.71	4.20	5.28				
1568		1.47	3.45	7.32				
1569		1.62	4.13	7.30				
1570		.74	1.95	5.76				
1571		.94	2.15	4.86				
1572		.82	2.08	3.48				
1579		1.50	3.83	7.68				
1580		2.29	5.84	7.64				
1581		.15	.18	.28				
1694		5.00	12.75	9.23				
1695		2.29	6.68	5.16				
1696		1.97	6.08	4.20				
1697		1.74	4.13	10.89				
1698		1.68	3.90	7.44				
1699		2.38	5.40	10.50				
1700		1.97	4.50	8.23				
1701		2.06	4.80	7.62				
1702		2.18	5.10	8.56				

*E.C.J.* 73

*E.C.J.* 73

A-75  
A-75

*E.C.J.*  
A-75

GEO. SPALDING

ASSAYER. K. Hoyland Ad

DATE. JUNE 13, 1975

FILE NO. 8975-20

# ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.  
 BOX 4518 WHITEHORSE Y. T.  
 PHONE 667 2694 Y1A 2R8

JUN 19 1975

SAMPLE RECEIVED FROM

KERR-ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC			
1453		.94	2.33	2.00			
1454		.71	1.85	1.04			
1455		.62	1.88	1.02			
1456		1.06	3.45	2.46			
1457		.44	1.35	1.02			
1458		1.03	3.45	1.74			
1459		.41	.85	1.09	A		
1552		.26	.54	1.04			
1553		.71	1.43	2.73			
1554		.94	1.60	3.42			
1555		1.03	1.83	4.32			
1556		.80	1.38	1.30			
1557		1.94	3.60	9.54			
1558		1.09	2.48	4.56			
1559		.88	1.95	3.84			
1560		1.32	3.08	5.04			
1561		1.12	2.38	3.72			
1562		1.12	2.29	4.86			
1563		1.18	2.50	6.01			
1564		.53	1.00	1.92	A-73		

I.D.B.  
 T.W.B.  
 J.K.C.  
 D.M.H.  
 G.M.H.  
 E.C.J.  
 W.J.  
 B.M.N.  
 S.P.  
 G.R.  
 M.D.R.  
 J.D.S.  
 C.K.W.

GEO. SPALDING

ASSAYER. K. Hoyland for

DATE. June 4, 1975

FILE NO. 8959 - 21

# ASSAY CERTIFICATE

JUN 9 1975

WHITEHORSE ASSAY OFFICE LTD.  
 BOX 4518 WHITEHORSE Y. T.  
 PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR ADDISON MINES


SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD Pb PERCENT	ZINC Zn PERCENT		
1444		.47	1.10	1.96		
1445		.65	1.48	2.40		
1446		1.03	3.08	4.86		
1447		.44	.95	2.00		
1448		.29	.47	.70		
1449		.85	1.40	3.18		
1450		.88	1.75	1.98		
1451		.15	.30	.96		
1452		.56	.89	1.32		
A-72 1634	526.3-531.5 5.2'	.88	2.15	4.20	A-71	
1635	533.2-534.3 1.1'	.88	2.50	.16		
1636	536.4-542.2 5.8'	.26	.75	.76		
1637	542.2-552. 9.8'	.44	1.04	1.46		
1638	557 - 566 9.0'	.44	1.18	1.96		
1639	566 - 573.2 7.2'	.74	1.80	3.00	A-72	
1640	579. - 582.9 7.9'	.59	1.63	2.88		
1641	582.2-591.5 8.6'	.21	.47	.77		
1642	591.5-594. 2.5'	.21	.63	1.44		
1643	594 - 600.7 6.7'	1.03	2.00	3.06		
1644	604.7-609. - 4.3'	.62	1.35	2.40		
A-72 1645	609 - 612. 3'	2.11	4.73	4.98		

ECJ

ECJ

C.K.W.  
 J.B.S.  
 M.C.R.  
 G.R.  
 S.P.  
 B.M.M.  
 W.J.  
 E.C.J.  
 E.C.L.  
 G.M.H.  
 D.M.  
 J.K.C.  
 T.W.B.  
 I.D.B.

I.D.B.  
 T.W.B.  
 J.K.C.  
 D.M.  
 G.M.H.  
 E.C.J.  
 W.J.  
 B.M.M.  
 S.P.  
 G.R.  
 M.D.P.  
 J.P.C.  
 C.K.W.



ASSAYER.

GEO. SPINDING

DATE. MAY 31, 1975

# ASSAY CERTIFICATE

FILE NO. 8955-26

WHITEHORSE ASSAY OFFICE LTD.  
 BOX 4518 WHITEHORSE Y. T.  
 PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR-ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC			
1400		1.74	5.18	9.48	#	A-69	ECJ
1423		1.76	4.58	8.00	-		
1424		.79	1.65	1.88			
1425		1.24	3.38	5.88	#		
1426		3.29	6.59	14.70	#		
1427		.50	1.23	.37			
1428		.41	1.18	1.18			
1429		.85	1.68	3.96			
1430		.88	1.95	4.92	#		
1431		1.00	2.03	4.80	#		
1432		.56	1.38	2.76			
1433		.88	1.88	4.38			
1434		.65	1.38	3.12			
1435		.47	1.08	2.94			
1436		.44	.98	2.70			
1437		.76	1.75	3.72			
1438		.44	.93	3.18			
1439		3.82	8.77	18.41	#		
1440		1.03	2.33	4.38	#		
1441		1.44	3.42	7.34	#		
1442		.65	1.55	2.22			
1443		.59	1.43	2.76			
A-72 1630	506.2-513.0' / 6.8'	3.68	9.53	18.11	#		
" 1631	513. - 516.3 3.3'	2.32	5.64	12.45	#		
" 1632	516.3 - 523.9 7.6'	.82	1.83	3.12			
" 1633	523.9 - 526.3 2.4'	.32	.79	.95			

ASSAYER *K. Hayland for*

GEO. SPALDING

DATE. MAY 30, 1975

# ASSAY CERTIFICATE

FILE NO. 8952-81

WHITEHORSE ASSAY OFFICE LTD.  
 BOX 4518 WHITEHORSE Y. T.  
 PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR- ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC		
1369		.71	1.68	2.58		
1370		.82	2.10	4.26		
1371		1.06	3.00	4.74		
1373		.88	2.15	3.48		
1374		.62	1.44	1.64		
1375		1.03	2.23	4.62		
1376		.18	.72	1.54		
1377		.79	1.63	3.84		
1378		1.00	2.28	3.66		
1379		.59	1.47	2.61		
1380		.09	.40	.92		
1381		.41	1.18	2.40		
1382		.21	.58	1.38		
1383		.44	1.28	1.62		
1384		.59	1.45	2.76		
1385		.88	2.05	4.08		
1386		.74	1.58	2.94		
1387		.71	1.63	4.08		
1388		.16	1.63	3.60		
1389		.59	.69	1.50		
1390		.85	1.30	3.12		
1391		1.29	2.30	5.58		
1392		.38	.63	.74		
1393		2.35	5.10	8.28		
1394		2.79	6.55	11.05		
1395		.29	.47	.30		
1396		.76	1.35	1.90		
1397		.12	.17	.21		
1398		.79	1.78	6.42		
1399		.12	.24	.41		
1530		3.62	6.90	9.32		
1531		3.65	6.90	10.18		
1532		1.47	3.98	4.02		
1533		.44	1.10	1.52		
1534		.32	1.10	1.83		
1535		.26	.80	.43		
1536		1.76	4.13	5.88		
1537		2.44	5.55	7.72		
1538		.50	1.22	1.08		
1539		.35	.68	.62		
1540		.29	.57	1.27		
1541		.26	.48	.78		
1542		.59	1.65	1.92		
1543		.26	.40	.62		
1544		.59	1.33	2.88		
1545		1.15	2.23	3.78		
1546		.53	1.15	1.62		
1547		1.47	3.60	4.38		

(E.C.J.)

(E.C.J.)

A-69

(E.C.)

A-67

ASSAYER. L. Hayland Jr GEO. SPALD

DATE. MAY 30, 1975

# ASSAY CERTIFICATE

FILE NO. 8952- 81 (cont'd)

WHITEHORSE ASSAY OFFICE LTD.  
 BOX 4518 WHITEHORSE Y. T.  
 PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR-ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC			
1548		2.50	5.33	7.57	A-67	E.C.J.	
1549		1.00	3.38	1.74			
1550		.82	3.75	.59			
1551		1.09	2.05	2.64			
1601		3.24	8.58	24.07	A-69	E.C.J.	
1602		.53	1.13	1.82			
1603		3.09	5.74	14.43			
1604		1.50	3.98	8.29			
1605		4.24	9.25	19.6			
1606		1.44	3.08	3.84			
1607		.26	.40	.70			
1608		1.88	4.20	6.60			
1609		1.47	3.38	4.26			
1610		.06	.27	1.14			
1611		.44	1.20	1.74			
1612		2.47	5.03	8.55			
1613		2.12	4.80	5.46			
1614		1.91	4.43	4.62			
1615		2.44	5.95	9.13			
1616		2.41	5.48	9.51			
1617		1.21	3.08	4.62			
1618		.24	.37	.42			
1619		2.09	5.48	6.60			
1620		.76	1.28	1.44			
1621		.59	.83	.60			
1622		.65	1.42	1.16			
1623		.35	.18	.08			
1624		.47	1.15	1.58			
1625		.41	.82	1.56			
1626		.35	.62	1.11			
1627		.06	.23	.25			
1628		.91	2.82	2.64			
1629		.26	.95	.75			

ASSAYER. L. Hayward for GEO. SPALDING



DATE. MAY 26, 1975

# ASSAY CERTIFICATE

FILE NO. 8941-52

WHITEHORSE ASSAY OFFICE LTD.  
 BOX 4518 WHITEHORSE Y. T.  
 PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR ADDISON

MAY 27 1975

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD PERCENT	ZINC PERCENT			
1353		2.68	6.31	8.39/			
1354		.29	.40	.39/			
1355		2.79	6.48	5.04/			
1356		.18	.27	.33/			
1357		2.68	6.76	9.39/			
1358		1.94	4.73	6.72/			
1359		1.65	3.90	7.40/			
1360		.59	1.08	1.84/			
1361		1.03	2.45	4.08/			
1362		.68	1.40	3.48/			
1363		.32	.79	1.84/			
1364		.79	2.03	2.88/			
1365		1.03	2.43	4.62/			
1366		.06	.20	.48/			
1367		.79	2.05	4.56/			
1368		.21	.59	1.44/			
1372		.53	1.02	1.68			
1417		.03	.03	4.20/			
1418	.01	.06	.04	.09/			
1419		3.82	8.56	10.15/			
1420		.74	1.75	3.00/			
1421		2.12	5.70	7.20/			
1422		.88	2.00	1.66/			
1501		3.68	8.52	14.11/			
1502		.88	2.05	4.50/			
1503		.15	.57	.60/			
1504		.59	1.80	1.48/			
1505		.47	1.50	1.84/			
1506		.59	1.14	3.30/			
1507		1.91	5.25	7.40/			
1508		1.15	2.93	3.84/			
1509		.44	1.04	1.74/			
1510		1.00	2.13	3.84/			
1511		.88	1.95	2.97/			
1512		.76	1.75	2.76/			
1513		.50	1.55	2.34/			
1514		.62	1.50	2.34/			
1515		1.00	2.33	3.90/			
1516		1.06	2.38	3.30/			
1517		.97	2.18	4.26/			
1518		.50	1.25	3.06/			
1519		.18	.55	1.40/			
1520		.88	2.13	4.92/			
1521		1.03	2.15	4.62/			
1522		1.00	1.73	4.08/			
1523		1.09	1.63	4.08/			
1524		1.15	1.73	3.66/			
1525		1.62	2.78	5.82/			
1526		2.12	4.05	9.05/			


ECJ

A-66

ECJ

ECJ

A-67



ASSAYER. K. Hayward Jr

I.D.B.  
 T.W.B.  
 J.K.C.  
 D.M.H.  
 G.M.H.  
 E.C.J.  
 W.J.  
 B.M.N.  
 S.P.  
 G.R.  
 M.D.R.  
 J.B.S.  
 C.K.W.

DATE. MAY 12, 1975


FILE NO. 8927- 18

# ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.  
 BOX 4518 WHITEHORSE Y. T.  
 PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC			
1299		1.94	5.40	10.80	  <i>A 66.</i>		
1300		3.09	8.84	14.83			
1401		1.76	5.10	5.76			
1402		1.85	5.48	4.98			
1403		1.79	5.63	5.52			
1404		.29	.40	.82			
1405		.24	.28	1.07			
1406		.32	.56	.95			
1407		.59	.95	.96			
1408		.24	.49	3.12			
1409		.15	.21	.42			
1410		.29	.30	1.08			
1411		1.71	4.55	6.00			
1412		1.53	4.65	5.82			
1413		.15	.15	.96			
1414		.26	.44	.77			
1415		1.09	2.25	1.22			
1416		.24	.28	.78			

ASSAYER. *K. Hayward for*  
 GEO. SPALDING

I.D.B.  
T.W.B.  
J.K.C.  
D.M.H.  
G.M.H.  
E.C.J.  
W.J.  
B.M.N.  
S.P.  
G.R.  
M.D.R.  
J.B.S.  
C.K.W.

DATE. MAY 8, 1975

FILE NO. 8919- 16

# ASSAY CERTIFICATE

MAY 12 1975

WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y. T.  
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz Per Ton	LEAD	ZINC			
1293		.82	1.58	2.34 ✓			
1294		.44	1.10	1.82 ✓			
1295		.41	.84	1.84 ✓			
1296		1.12	2.23	3.36 ✓			
1297		.68	1.53	3.18 ✓			
1298		.68	2.10	4.44 ✓	A-66		(E.C.J.)
1335		.15	.15	.40 ✓			
1336		.73	2.40	2.70 ✓			
1337		.03	.02	.03 ✓			
1338		.65	2.63	2.40 ✓			
1339		.59	1.21	2.70 ✓			
1340		2.44	5.60	7.75 ✓			
1341		2.00	4.50	6.32 ✓	A-68		(E.C.J.)
1342		.88	2.24	2.70 ✓			
1343		.06	.14	.19 ✓			
1344		.12	.25	.33 ✓			

ASSAYER. K. Royland for  
GEO. SPALDING

DATE. MAY 5, 1975.

# ASSAY CERTIFICATE

FILE NO. 8914-47

WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y.T.

PHONE 667 2694

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC					
1188		1.18	2.93	5.64 ✓					
1189		.59	1.60	2.88 ✓					
1190		1.03	3.98	3.12 ✓					
1191		.83	3.60	2.40 ✓					
1192		.65	1.68	2.46 ✓					
1193		.44	.98	1.64 ✓					
1194		1.32	3.15	4.92 ✓					
1195		1.76	4.20	8.20 ✓					
1196		.77	1.78	3.12 ✓					
1197		.74	1.58	2.88 ✓					
1198		.83	1.80	1.80 ✓					
1199		.56	1.30	1.20 ✓					
1200		.77	1.55	3.06 ✓					
1301		.47	1.35	2.58 ✓					
1302		1.18	2.45	4.56 ✓					
1303		1.18	2.45	4.56 ✓					
1304		.85	1.93	3.78 ✓					
1305		.65	1.33	3.78 ✓					
1306		1.03	1.70	2.88 ✓					
1307		1.29	2.13	4.92 ✓					
1308		1.82	4.28	5.22 ✓					
1309		.94	3.38	1.76 ✓					
1310		1.18	3.30	4.80 ✓					
1311		2.38	5.45	9.85 ✓					
1312		.59	1.10	3.00 ✓					
1313		1.62	4.50	4.26 ✓					
1314		.29	.53	1.18 ✓					
1315		3.21	8.00	7.80 ✓					
1316		3.53	8.15	15.38 ✓					
1317		1.88	3.30	5.22 ✓					
1318		.21	.62	.50 ✓					
1319		1.62	4.65	4.32 ✓					
1320		.88	2.00	1.84 ✓					
1321		1.09	1.73	2.52 ✓					
1322		.74	1.18	3.18 ✓					
1323		3.00	7.63	9.81 ✓					
1324		4.12	10.23	19.0 ✓					
1325		3.53	10.06	12.46 ✓					
1326		2.21	5.30	6.84 ✓					
1327		.12	.40	1.00 ✓					
1328		2.21	4.73	6.00 ✓					
1329		2.06	5.10	8.30 ✓					
1330		.18	.30	.34 ✓					
1331		1.00	3.23	3.72 ✓					
1332		.15	.23	.35 ✓					
1333		2.21	5.63	10.47 ✓					
1334		.44	1.14	1.33 ✓					

I.D.B.  
T.W.S.  
J.R.C.  
D.M.H.  
G.M.H.  
E.C.J.  
W.J.  
P.V.  
S.A.  
C.R.  
M.P.R.  
J.L.  
C.K.

(E.C.J.)

A 68

ASSAYER. R.A.S. GEO. SPALDING

I.D.B.  
 T.W.B.  
 J.K.C.  
 D.M.H.  
 G.M.H.  
 E.C.J.  
 W.J.  
 B.M.N.  
 S.P.  
 G.R.  
 M.D.R.  
 J.B.S.  
 C.K.W.

APR 30 1975

DATE. APRIL 28, 1975

# ASSAY CERTIFICATE

FILE NO. 8911- 17

WHITEHORSE ASSAY OFFICE LTD.  
 BOX 4518 WHITEHORSE Y. T.  
 PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
1185		3.09	7.71	12.62	A. 68			
1186		.83	2.38	4.08				
1187		.44	1.13	2.64				
1279		.53	1.43	1.52	A. 65	E.C.J.		
1280		3.38	10.5	10.11				
1281		2.18	6.00	5.64				
1282		1.71	4.80	2.46				
1283		2.76	8.42	5.40				
1284		2.47	6.53	3.78				
1285		.06	.20	.60				
1286		4.23	8.70	13.84				
1287		3.35	8.10	8.20				
1288		1.85	4.43	7.65				
1289		.15	.22	.37				
1290		.44	.57	.69				
1291		1.09	3.75	1.56				
1292		1.18	4.20	1.54				

ASSAYER. *H. Hayward for*  
 GEO. SPALDING

# KERR ADDISON MINES LIMITED

(FOR INTER-OFFICE USE ONLY)

V.9  
6C

To..... J. Paxton ..... From..... E. C. Jacka .....

Subject..... Grum Assays ..... Date..... September 19, 1975 .....

We are in receipt of two assays for Sample No. 2260 - D.D.H.  
A-100 viz.

① 1) Assay Certificate File No. 9222-18      Ag 1.29 ozs.  
Pb 3.08%  
Zn 4.38%

2) Assay Certificate File No. 9273-102      Ag 1.44 ozs.  
Pb 6.48%  
Zn 14.49%

Which is the correct assay, please?

Also, do you have the results for Samples #2266 and 2269?

  
E. C. Jacka

ECJ:js

① Checking dates and grade estimates in the original tag book it appears that the correct assay for Sample No 2260 is as shown on cert. 9222-18  
Ag 1.29oz, Pb 3.08%; Zn 4.38%

② To date we have not received results for assays 2266, 2269 and I will write our assayers in Whitehorse regarding them  
Yours truly  
James Paxton

# KERR ALDISON MINES LIMITED

(FOR INTER-OFFICE USE ONLY)


Y-9  
6C

To E. C. Jacka From W. M. Sirola


Subject Grum Joint Venture-Diamond Drill Hole Sample Ticket Date 15th September 1975

The errors in numbering sample tickets for diamond drill hole 75-A-100 should be corrected as follows:

<u>Wrong Sample No.</u>	<u>Correct Sample No.</u>	<u>Depth (Metres)</u>
2442	2243	65.4 - 66.2
2443	2244	67.4 - 68.7
2445	2245	68.9 - 70.1
2446	2246	71.2 - 73.5
2447	2247	81.3 - 82.8
2448	2248	88.8 - 89.6
2449	2249	90.9 - 92.2
2450	2250	- 93.4
2451	2251	- 94.1

  
W. M. Sirola

WMS:1mp



DATE. OCTOBER 24, 1975

FILE NO. 9386- 68

# ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.  
 BOX 4518 WHITEHORSE Y. T.  
 PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM


KERR- ADDISON MINES

DEC 9 1975

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC			
2769		1.56	3.00	6.85			
2770		.44	.83	1.94			
2771		.85	2.08	4.14			
2772		.91	1.98	4.74			
2773		1.03	2.78	4.98			
2774		.91	2.08	3.42			
2775		1.29	3.00	5.10			
2776		.85	1.98	3.30			
2777		1.09	2.38	5.10			
2778		.85	1.88	4.05			
2779		1.59	3.53	4.30			
2780		3.18	6.41	11.84			
2781		.29	.75	1.18			
2782		2.65	5.42	6.50			
2783		1.27	2.75	4.50			
2784		1.44	3.44	5.55			
2785		.62	1.65	1.66			
2786		1.12	2.85	3.98			
2787		.83	1.63	2.10			
2788		.74	2.50	2.70			
2789		.47	1.38	2.20			
2790		1.15	3.23	4.05			
2791		.47	.83	1.08			
2792		2.50	5.18	8.75			
2793		2.15	4.43	7.87			
2794		1.65	3.98	5.00			
2795		1.76	3.56	5.50			
2796		1.79	3.94	6.57			
2797		1.18	2.38	4.40			
2798		1.62	3.60	4.48			
2799		1.46	3.30	6.28			
2800		2.15	4.28	7.68			

7.9  
 ---  
 60

T.M.  
 J.C.  
 D.M.  
 G.A.H.  
 E.C.J.  
 V.J.  
 E.M.  
 S.P.  
 G.R.  
 M.O.R.  
 J.L.  
 C.K.V.



ASSAYER. *K. Howland*

DATE. OCTOBER 24, 1975

FILE NO. 9386- 68 (cont'd)

# ASSAY CERTIFICATE


WHITEHORSE ASSAY OFFICE LTD.  
 BOX 4518 WHITEHORSE Y. T.  
 PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR- ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
3001		2.76	5.18	7.56				
3002		.38	.48	.52				
3003		.35	.20	.18				
3004		.83	.65	.77				
3005		2.88	6.96	9.44				
3006		.62	1.15	1.70				
3007		.41	.38	.62				
3008		1.35	3.83	2.88				
3009		1.24	2.85	3.12				
3010		.41	.93	.65				
3011		1.03	2.45	1.63				
3012		3.12	6.08	8.00				
3013		.83	2.23	3.28				
3014		4.32	7.25	8.32				
3015		8.82	15.59	23.0				
3016		.41	.78	.74				
3017		1.56	4.13	4.86				
3018		.65	1.58	1.50				
3019		.62	1.13	1.08				
3020		.56	1.31	1.50				
3021		1.24	3.13	5.40				
3022		.77	1.65	2.38				
3023		2.91	8.10	9.68				
3024		1.91	5.18	6.16				
3025		2.94	6.74	8.65				
3026		.77	2.06	2.90				
3027		.53	1.13	2.68				
3028		.59	1.33	2.70				
3029		1.50	3.08	3.54				
3030		1.27	2.70	4.65				
3031		.80	2.56	2.22				
3032 *								
3033		1.00	3.00	3.42				
3034		1.18	4.13	2.46				
3035		1.03	3.98	3.20				
3036		1.47	5.89	6.32				
3037		1.06	3.30	2.52				

\* Missing



ASSAYER.

*K. Hoyland for*

DATE OCTOBER 20, 1975

# ASSAY CERTIFICATE

FILE NO. 9377-66

WHITEHORSE ASSAY OFFICE LTD.  
 BOX 4518 WHITEHORSE Y. T.  
 PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR- ADDISON MINES


A123 ✓

A123 ✓

A127

A123

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC
2191		.12	.38	.95
2192		.26	.50	.92
2193		.15	.23	.52
2194		.74	1.68	1.92
2195		3.68	7.65	11.53
2196		2.00	4.95	5.76
2197		1.47	3.83	2.10
2198		3.12	7.41	3.18
2199		1.24	2.48	3.48
2200		.44	.70	1.28
2734		3.03	6.38	9.36
2735		.59	.66	1.44
2736		.32	.45	.46
2737		.53	.65	.46
2738		.32	.55	.64
2739		.68	1.55	1.38
2740		.32	.35	.42
2741		1.65	3.68	4.56
2742		.59	1.10	2.16
2743		3.68	7.13	10.56
2744		4.26	8.78	18.74
2745		2.88	7.65	14.28
2746		2.82	7.20	15.57
2747		2.88	6.78	15.11
2748		2.18	4.73	9.36
2749		2.56	5.85	11.12
2750		3.00	5.40	8.39
2751		1.68	4.80	5.76
2752		2.06	5.33	5.16
2753		.24	.25	.40
2754		2.21	4.43	4.14
2755		3.12	6.38	9.34
2756		.59	1.78	.88
2757		.35	.55	.53
2758		1.91	7.50	5.67
2759		1.76	5.97	6.59
2760		.35	.35	.30
2761		.26	.15	.14
2762		.68	1.23	.72
2763		.41	.43	.50
2764		.47	.48	1.25
2765		.59	1.18	.90
2766		.50	.75	.74
2767		.38	.53	.46
2768		.83	1.35	1.54
2898		1.47	3.15	4.92
2899		1.76	3.98	6.23



ASSAYER. *K. Hayward*

SPALDING

OCTOBER 20, 1975

# ASSAY CERTIFICATE

FILE NO. 9377-66 (cont'd)

WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y. T.  
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR- ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
AD3 2900		.15	.40	1.36				
2983		.68	1.88	2.94				
2984		.77	1.70	2.88				
2985		1.18	1.78	4.50				
2986		1.27	2.08	5.34				
2987		.74	1.68	2.88				
2988		.77	1.20	3.30				
2989		.74	1.38	3.66				
2990		1.12	1.68	4.20				
2991		1.03	1.78	4.02				
2992		.85	1.58	3.96				
2993		1.12	2.15	4.86				
2994		.68	1.28	3.54				
2995		2.50	5.61	9.78				
2996		.41	.88	1.06				
2997		1.38	2.63	3.54				
2998		1.73	3.08	6.88				
2999		1.41	2.30	6.84				
3000		2.24	4.73	6.29				

AD3



ASSAYER.

*K. Hoyle*

GEN. PALDING

DATE OCTOBER 20, 1975

# ASSAY CERTIFICATE

FILE NO. 9371-81

WHITEHORSE ASSAY OFFICE LTD.  
 BOX 4518 WHITEHORSE Y. T.  
 PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR- ADDISON MINES

A123

A123

A123

Entered  
 27 OCT 75  
 M/L

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC
2727		.97	1.95	3.06
2728		1.32	3.15	3.12
2729		2.24	4.92	8.35
2730		.85	.65	1.00
2731		1.53	3.98	4.86
2732		.88	1.88	1.92
2733		3.27	6.98	8.87
2859		.29	.58	.68
2860		.26	.43	.70
2861		.56	1.53	3.48
2862		.91	2.18	5.40
2863		.97	2.93	5.64
2864		1.47	3.23	7.20
2865		1.85	3.75	8.00
2866		1.73	4.58	4.02
2867		.97	2.85	2.40
2868		.83	1.93	2.14
2869		1.35	2.48	5.76
2870		1.00	1.88	4.68
2871		.77	1.70	4.08
2872		.74	2.18	1.47
2873		1.12	3.60	3.60
2874		1.41	2.85	6.29
2875		1.06	2.63	4.50
2876		.53	1.23	1.40
2877		2.59	5.71	7.18
2878		.56	1.18	1.70
2879		.21	.58	.76
2880		.97	2.38	2.14
2881		2.00	4.65	6.90
2882		2.27	4.73	8.11
2883		1.88	4.20	8.07
2884		.35	.75	1.54
2885		4.18	7.73	16.75
2886		1.35	2.70	4.02
2887		2.47	5.21	11.86
2888		3.59	6.93	14.44
2889		1.12	2.43	5.64
2890		2.24	5.11	6.05
2891		1.71	3.75	5.86
2892		2.15	4.35	5.64
2893		2.50	4.95	7.58
2894		2.00	3.68	7.69
2895		1.29	2.63	3.42
2896		.53	1.15	2.10
2897		.88	1.88	2.76

REC. PALDING

ASSAYER. *K. Hayland*

OCTOBER 20, 1975

# ASSAY CERTIFICATE

NO. 9371- 81 (cont'd.)

WHITEHORSE ASSAY OFFICE LTD.  
 BOX 4518 WHITEHORSE Y. T.  
 PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR- ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
2948		.94	1.98	4.02				
2949		.80	1.68	4.02				
2950		.97	2.23	4.32				
2951		1.03	2.03	4.20				
2952		1.35	2.70	5.64				
2953		1.24	2.45	4.80				
2954		1.03	2.78	4.56				
2955		1.27	2.85	4.92				
2956		1.53	3.60	6.38				
2957		.88	2.03	3.90				
2958		.94	2.23	3.18				
2959		.91	2.43	3.30				
2960		.88	2.33	4.74				
2961		.74	1.73	4.38				
2962		1.82	3.38	5.28				
2963		1.85	3.53	6.01				
2964		1.76	3.30	4.32				
2965		1.29	2.43	4.14				
2966		1.88	3.60	7.47				
2967		1.32	2.63	4.80				
2968		2.18	4.58	7.01				
2969		.29	.38	1.05				
2970		1.12	3.00	4.80				
2971		3.91	5.61	14.38				
2972		3.27	5.45	13.70				
2973		.88	2.03	3.78				
2974		1.24	3.98	3.24				
2975		1.71	4.43	4.50				
2976		1.44	4.88	4.80				
2977		.71	1.88	.94				
2978		.29	.68	1.38				
2979		.32	.43	.63				
2980		.50	.88	.85				
2981		.38	.80	1.36				
2982		.53	.68	1.18				

A24



ASSAYER. K. Hayward

E. JUNE 25, 1975

# RECEIVED ASSAY CERTIFICATE

FILE NO. 9003-69

JUL - 1 1975

KERR ADDISON MINES LTD.

WHITEHORSE ASSAY OFFICE LTD.

BOX 4518 WHITEHORSE Y. T.

PHONE 667 2694

Y1A 2R8

75-A-76

SAMPLE RECEIVED FROM KERR - ADDISON MINES

7-9

6C

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
1582		.59	2.10	4.44	371 - 374	3		
1583		.68	1.50	2.46	378.5 380.5	2		
1584		1.82	6.70	10.65	457.8 461	3.2	5.45	2.51 1.29
1585		1.94	4.65	7.20	471 466.2	5.2		8.4
1586		1.53	3.75	5.28	471	4.8		
1587		.88	2.23	3.84	472.8 478.6	5.8	2.39	3.69 .26
1588		.82	2.63	3.48	478.6	4		1.8
1703		2.65	5.40	9.22	169.5 174.5	5		
1704		2.65	6.38	13.30	179.2 181.5	2.3		
1705		1.74	3.90	8.04	186.5 190.3	3.6		
1706		1.91	5.03	4.80	244.7 247.6	4.9		
1707		3.68	8.72	14.83	258 265	6.8		
1708		1.09	2.45	4.14	271	6		
1709		1.59	3.90	6.84	275.5	4.5		
1710		.82	1.68	4.20	270	4.5	1.73	3.83 .21
1711		.79	1.83	3.00	282	2		6.5
1712		1.88	5.10	5.40	861.9 865.8	3.9		
1713		.74	1.83	3.18	866.4 869	2.6		
1714		.59	1.23	3.00	870 875	5		
1715		2.21	3.75	6.36	878	5		
1716		2.62	5.25	7.20	932.2 932.5	6.3		
1717		.59	1.50	3.00	943	4.5	1.76	3.30 .67
1718		.71	1.88	3.24	948	5		13.5
1719		.76	1.90	3.72	952	4		
1720		.59	1.15	1.18	956	4		
1721		.91	1.80	4.38	963	7		
1722		.24	.59	.94	965	2		
1917		1.32	3.30	5.46	293 - 298	5 1/2 of 6	870	
1918		1.09	2.93	5.40	303.5	5 1/2	5 PbZn	
1919		1.29	4.13	2.82	315.0	11.5	1-2	
1920		.74	1.58	1.94	319.5	4.5	1-2	
1921		.68	1.35	2.46	326.0	6.5	3	
1922		1.03	2.50	4.26	331.0	5.0	1-3	
1923		.62	1.48	3.00	336.0	5.0	1-3	
1924		.85	1.90	4.14	342.0	6.0	3-4	
1925		.44	.93	1.84	350.5-360.0	9.5	1-2	
1926		.59	1.19	3.60	374.5-379.5	5.0	4-5	
1927		1.76	4.50	5.28	383.5	4.0	4-6	
1928		1.44	2.78	6.48	387.6-392.0	4.4	6-8	
1929		2.94	6.17	10.92	399.2	7.2	15-20	
1930		.35	.85	1.74	940.0-943.5	3.5	3-5	
1931		1.15	2.23	4.26	949.5	6.0	12-13	
1932		1.06	2.28	3.60	950.9-957.3	6.4	8	
1933		.82	2.33	2.46	959.7	2.4	1-2	
1934		1.79	5.84	5.40	1130.7-1136	5.3	15-20	
1935		2.56	8.11	8.11	1141	5.0	15-20	

ASSAYER.

*K. H. ...*

JUNE 25, 1975

# ASSAY CERTIFICATE

FILE NO. 9003-69

WHITEHORSE ASSAY OFFICE LTD.  
 BOX 4518 WHITEHORSE Y. T.  
 PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR- ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC			
1936		1.84	5.71	6.12	1146.0	5'	10-15
1937		2.18	7.21	8.22	1150.0	4'	15-20
1938		1.56	4.20	6.36	1155.0	5'	15-20
1939		1.56	4.58	6.36	1160.0	5'	15
1940		1.62	4.35	6.60	1166.5	6.5'	10
A-81 2001		.15	.40	.37	179 - 185	6	less than 1
2002		1.00	2.23	1.91	190	5	4-6
2003		.29	.19	.38	195	5	2-3
2004		.53	.75	.68	198 - 207	9	6 Pb Zn?
2005		4.56	13.92	11.72	- 212	5	20-25
2006		.50	1.10	1.22	- 220	8	3
2007		4.18	12.52	10.53	224	4	20-25
2008		2.26	6.78	8.16	229	5	15-20
2009		3.56	10.50	9.79	233	4	20-25
2010		.47	1.05	.88	568.5-574	5.5	3
2011		.76	2.13	2.34	579	5	6-8
2012		.74	2.00	1.90	583.3	4.3	5-6
2013		1.09	2.63	2.64	604.5-609.5	5	3 Pb Zn?
2014		1.03	2.70	2.64	615	5.5	6-7
2015		.79	2.25	2.64	616.7-621.7	5	6-8
2016		.62	1.68	1.52	626.7	5	6
2017		.74	1.88	1.80	631.7	5	5-6
2018		1.00	2.25	2.58	635.3	3.6	2

GEO. SPALDING

ASSAYER.

*K. Heikland*

DATE. MAY 26, 1975

FILE NO. 8941-52

# RECEIVED ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y. T.  
PHONE 667 2694 Y1A 2R8

MAY 28 1975

SAMPLE RECEIVED FROM KERR ADDISON PER KERR ADDISON

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD PERCENT	ZINC PERCENT				
A67 1353		2.68	6.31	8.39 ✓	452-454.6	2.6'		
1354		.29	.40	.39	454.6-454.7	5.3'		
1355		2.79	6.48	5.04 ✓	454.9-460.7	2.5'		
1356		.18	.27	.33	462.4-462.5	7.3'		
1357		2.68	6.76	9.39 ✓	467.7-471.7	2.1'		
1358		1.94	4.73	6.72 ✓	473.4-481	7.6'	4.30	6.56 1.76
1359		1.65	3.90	7.40 ✓	471-475	4.0'		15.5'
1360		.59	1.08	1.84	475-470	5.0'		
1361		1.03	2.45	4.08	490-495.1	5.1'	2.45	4.02 1.03
1362		.68	1.40	3.48	495.1-496.1	1.3'		5.1'
1363		.32	.79	1.84	510.5-521	7.5'		
1364		.79	2.03	2.88	521-521.7	6.7'	2.20	3.61 .89
1365		1.03	2.43	4.62	527.7-532.5	4.0'		11.5'
1366		.06	.20	.48	540-551.1	11.4'		
1367		.79	2.05	4.56	551.1-552.1	5.5'	2.05	4.56 .79
1368		.21	.59	1.44	552.7-557.2	1.9'		5.5'
1372		.53	1.02	1.68	557.5-540	7.5'		
1417		.03	.03	4.20	455-460	5'		
1418	.01	.06	.04	.09	470-475	5'		
A66 1419		3.82	8.56	10.15 ✓	510-513	3'		
1420		.74	1.75	3.00	513-519	6'	4.69	6.11 1.91
1421		2.12	5.70	7.20 ✓	519-525	6'		15'
1422		.88	2.00	1.66	531.4-534.4	3'		
A67 1501		3.68	8.52	14.11 ✓	457-466	9'	5.69	9.9 2.75
1502		.88	2.05	4.50	466-473	7'		16'
1503		.15	.57	.60				
1504		.59	1.80	1.48				
1505		.47	1.50	1.84				
1506		.59	1.14	3.30	472-479	7'		
1507		1.91	5.25	7.40 ✓	471-503	4'		
1508		1.15	2.93	3.84	503-509.2	6.5'	3.81	5.20 1.44
1509		.44	1.04	1.74	529.7-535.2			10.5'
1510		1.00	2.13	3.84	546-552.6			
1511		.88	1.95	2.97				
1512		.76	1.75	2.76				
1513		.50	1.55	2.34				
1514		.62	1.50	2.34				
1515		1.00	2.33	3.90				
1516		1.06	2.38	3.30	599.7-606.6	6.9'		
1517		.97	2.18	4.26	606.6-611.8	5.2'	3.89	.98
1518		.50	1.25	3.06	611.8-621	8.3'		20.4'
1519		.18	.55	1.40				
1520		.88	2.13	4.92				
1521		1.03	2.15	4.62	631.2-607	5.8'	5.14	4.77 .76
1522		1.00	1.73	4.08	637-643	6'		11.8'
1523		1.09	1.63	4.08				
1524		1.15	1.73	3.66				
1525		1.62	2.78	5.82	663.4-667	5.3'		
1526		2.12	4.05	9.05 ✓	667-670.4	9.7'		12'

ccp-stym

ASSAYER. *K. Hayward*

RECEIVED

MAY 28 1975

KERR ADDISON MINES LTD.

PER .....



# ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y. T.  
PHONE 667 2694 Y1A 2R8

DATE. MAY 26, 1975

FILE NO. 8941-52 Page #2

SAMPLE RECEIVED FROM

KERR ADDISON

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD PERCENT	ZINC PERCENT				
<i>1267</i> 1527		1.82	4.35	5.58 ✓	675-683.3	} 8.3' 5.7' 7.1'	4.17 6.56 1.74	
1528		1.62	3.90	7.99 ✓	683.3-689.0			
1529		.94	2.13	4.26	694.7-701.8			

ASSAYER.

*K. Hoyland for*

GEO. SWALDING

DATE. JUNE 17, 1975

FILE NO. 8986-20

# ASSAY CERTIFICATE

## RECEIVED

WHITEHORSE ASSAY OFFICE LTD.  
 BOX 4518 WHITEHORSE Y. T.  
 PHONE 667 2694 Y1A 2R8

JUN 20 1975

SAMPLE RECEIVED FROM KERR ADDISON MINES LTD. KERR- ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
A-73 1565		.09	.35	.42	247.0	255.0	6.0	
1566		3.74	8.86	14.93	262.0	9.0	} 3.23 6.64 1.5	
1567		1.71	4.20	5.28	267.0	5.0		
1568		1.47	3.45	7.32	277.0	10.0		
1569		1.62	4.13	7.30	288.4	6.4		
1570		.74	1.95	5.76	271.2	5.8		
1571		.94	2.15	4.86	271.8	277.0		5.2
1572		.82	2.08	3.48	303.0	6.0	2.11 4.12 .8	
1579		1.50	3.83	7.68	921.0	986.9	5.9	} 5.03 7.66 1.9
1580		2.29	5.84	7.64	988.5	998.3	8.8	
1581		.15	.18	.28	998.3	997.0	0.7	
A-75 1694		5.00	12.75	9.23	813.9	808.9	5.0	} 5.03 7.66 1.9
1695		2.29	6.68	5.16	817.1	822.1	5.0	
1696		1.97	6.08	4.20	822.1	827.6	5.5	} 1.8
1697		1.74	4.13	10.89	830.2	832.0	1.8	
1698		1.68	3.90	7.44	835.5	835.5	3.5	} 1.6
1699		2.38	5.40	10.50	851	857.6	1.6	
1700		1.97	4.50	8.23	861.3	861.3	9.7	} 4.7
1701		2.06	4.80	7.62	862.3	867.0	4.7	
1702		2.18	5.10	8.56	867.2	867.2	2.2	

GEO. SPALDING

PC R. Stym

ASSAYER. K. Hoyland

Y. 9  
60

W.I.
F.M.H.
G.M.H.
<del>M.D.R.</del>
F.P.B.
R.P.S.
G.P.
T.M.R.

ECJ.

DATE. FEBRUARY 5, 1975.

FILE NO. 8856-10

# ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y. T.  
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz Per Ton	CADMIUM				
1			.02	<i>file</i>	<i>Gunn</i>	<i>/</i>	
2			.03				
3			.03				
4			.02				
5			.03				
6			.02				
7			.02				
8			.03				
9			.02				
10			.02				

ASSAYER. *Ry lats for G. Spalding*

OCTOBER 24, 1975

# ASSAY CERTIFICATE

FILE NO. 9386-68

WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y.T.  
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR-ADDISON MINES

A125

Y 9  
60

entered  
29 OCT 75  
Hef

A 125

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC		
2769		1.56	3.00	6.85		
2770		.44	.83	1.94		
2771		.85	2.08	4.14		
2772		.91	1.98	4.74		
2773		1.03	2.78	4.98		
2774		.91	2.08	3.42		
2775		1.29	3.00	5.10		
2776		.85	1.98	3.30		
2777		1.09	2.38	5.10		
2778		.85	1.88	4.05		
2779		1.59	3.53	4.30		
2780		3.18	6.41	11.84		
2781		.29	.75	1.18		
2782		2.65	5.42	6.50		
2783		1.27	2.75	4.50		
2784		1.44	3.44	5.55		
2785		.62	1.65	1.66		
2786		1.12	2.85	3.98		
2787		.83	1.63	2.10		
2788		.74	2.50	2.70		
2789		.47	1.38	2.20		
2790		1.15	3.23	4.05		
2791		.47	.83	1.08		
2792		2.50	5.18	8.75		
2793		2.15	4.43	7.87		
2794		1.65	3.98	5.00		
2795		1.76	3.56	5.50		
2796		1.79	3.94	6.57		
2797		1.18	2.38	4.40		
2798		2.62	3.60	4.48		
2799		1.46	3.30	6.28		
2800		2.15	4.28	7.68		

SPALDING

ASSAYER. *L. Spalding*

OCTOBER 24, 1975

# ASSAY CERTIFICATE

FILE NO. 9386-68 (cont'd)

WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y. T.  
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR-ADDISON MINES

A125

A128

Outback  
29/10/75  
He

A 125

A 128

\* Missing

RECEIVED BY SPALDING

ASSAYER.

*K. Howland*

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC			
3001		2.76	5.18	7.56			
3002		.38	.48	.52			
3003		.35	.20	.18			
3004		.83	.65	.77			
3005		2.88	6.96	9.44			
3006		.62	1.15	1.70			
3007		.41	.38	.62			
3008		1.35	3.83	2.88			
3009		1.24	2.85	3.12			
3010		.41	.93	.65			
3011		1.03	2.45	1.63			
3012		3.12	6.08	8.00			
3013		.83	2.23	3.28			
3014		4.32	7.25	8.32			
3015		8.82	15.59	23.0			
3016		.41	.78	.74			
3017		1.56	4.13	4.86			
3018		.65	1.58	1.50			
3019		.62	1.13	1.08			
3020		.56	1.31	1.50			
3021		1.24	3.13	5.40			
3022		.77	1.65	2.38			
3023		2.91	8.10	9.68			
3024		1.91	5.18	6.16			
3025		2.94	6.74	8.65			
3026		.77	2.06	2.90			
3027		.53	1.13	2.68			
3028		.59	1.33	2.70			
3029		1.50	3.08	3.54			
3030		1.27	2.70	4.65			
3031		.80	2.56	2.22			
3032 *							
3033		1.00	3.00	3.42			
3034		1.18	4.13	2.46			
3035		1.03	3.98	3.20			
3036		1.47	5.89	6.32			
3037		1.06	3.30	2.52			
* Missing							

DEC 17 1974

# ASSAY CERTIFICATE

DATE. DECEMBER 9, 1974.

WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y.T.

FILE NO. 8833-27

PHONE 667 2694

SAMPLE RECEIVED FROM

KERR ADDISON MINES *7-9*

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC		
1085		2.35	5.18	5.04		
1086		.56	.68	.51		
1087		.06	.19	.11		
1088		.38	.84	.77		
1089		.29	.78	.85		
1090		1.44	2.78	2.82		
1091		1.88	5.55	4.74		
1092		1.59	4.73	4.80		
1093		.21	.69	.99		
1094		5.00	11.48	17.35		
1095		.56	1.55	1.86		
1096		.59	1.13	1.02		
1097		TR	.07	.04		
1098		.03	.10	.36		
1099		TR	.02	.03		
1100		.47	1.30	1.14		
1155		.03	.05	.21		
1156		.03	.02	.06		
1221		.24	.39	.51		
1222		1.15	2.93	2.70		
1223		.44	1.00	.85		
1224		.29	.63	.32		
1225		1.29	3.68	2.88		
1226		.74	1.28	.74		
1227		.21	.25	.25		
1228		.80	1.63	.66		
1229		.09	.08	.03		

*bc*

*A 60*  
**COPY**

**ECL**

*A 57*

*A 60*

**ECL**

VJ.  
DM.H.  
GM.H.  
M.D.R.  
LD.B.  
RD.S.  
GR.  
TW.B.  
**E.C.J.**

ASSAYER. *K. Hayward for*  
GEO. SPALDING

DATE. DECEMBER 4, 1974.

# ASSAY CERTIFICATE

FILE NO. 8825-33

WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y.T.

PHONE 667 2694

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC			
958		5.15	11.0	17.19			7-9 60
959		1.55	2.33	2.52			
960		2.00	3.30	4.62			
961		1.27	4.50	8.16			
962		2.15	5.10	8.28			
963		.24	.68	.40			
964		2.94	6.30	9.41			
965		2.94	5.70	8.52			
966		2.35	5.70	8.64			
967		1.29	2.10	1.84	A 59.		
1074		.12	.28	.24 ✓			A 60
1075		2.29	5.18	7.08 ✓			
1076		3.59	7.50	9.71 ✓			
1077		2.21	3.53	3.78 ✓			
1078		.09	.09	.12 ✓			
1079		.12	.15	.15 ✓			
1080		.85	1.60	.54 ✓			
1081		3.27	7.35	8.76 ✓			
1082		3.24	7.28	7.56 ✓			
1083		.12	.24	.25			
1084		1.27	3.68	3.18			
1209		.91	1.58	.77			E.C. ✓ A 58
1210		.32	.37	.35			
1211		.83	2.10	.91			
1212		.38	.58	.71			
1213		.44	.54	.59			
1214		.18	.04	.02			
1215		.15	.03	.06			
1216		.12	.04	.17			
1217		.06	.03	.13			
1218		.15	.15	.03			
1219		.12	.22	.46			
1220		.03	.18	.25			

ASSAYER.

R. H. Far  
GEO. WALDING

DATE. DECEMBER 4, 1974.

DEC 9 1974

# ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y.T.

FILE NO. 8622-26

PHONE 667 2694

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC			
932		.35	.73	1.24			7-9 6C
933		.41	1.03	1.98			
934		.24	.66	1.60			
935		.12	.30	.44			
936		.21	.49	.94			
937		.21	.44	1.00			
938		.62	1.38	2.34			
939		.29	.65	.95			
940		.29	.65	1.24			
941		.29	.65	1.14			
942		.18	.63	.56			
943		.03	.07	.09			
944		1.35	3.53	6.12			
945		.50	1.28	1.40			
946		.59	.90	.45			
947		2.94	6.15	10.38			
948		2.65	4.95	8.52			
949		3.06	8.43	14.39			
950		3.53	5.70	11.67			
951		.68	1.45	2.40			
952		.18	.14	.72			
953		.06	.19	.38			
954		5.88	9.65	16.21			
955		.18	.05	.18			
956		5.74	14.61	19.44			
957		.06	.07	.12			

A 59



ASSAYER.

Ray H. Spalding  
GEO. SPALDING

DATE. NOVEMBER 27, 1974.

DEC 2 1974

# ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y.T.

PHONE 667 2694

FILE NO. 8816-19 & 8818-10

SAMPLE RECEIVED FROM

KERR ADDISON MINES

*ab* 7-92  
*62*

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC			
<u>8816-19:</u>							
1144		1.47	3.45	3.90			
1145		2.35	5.10	7.98			
1146		1.06	1.95	4.20			
1147		.83	1.68	3.18			
1148		.65	1.33	2.94			
1149		.68	1.45	3.30			
1150		1.44	2.78	6.48			
1151		.88	1.68	6.72			
1152		.21	.59	.78			
1153		.12	.23	.32			
1154		.59	1.58	1.56			
<i>AST</i>							
1201		3.09	9.45	7.20			
1202		2.06	4.73	6.60			
1203		1.09	1.83	4.68			
1204		2.35	4.05	7.08			
1205		3.30	8.55	9.70			
1206		2.44	6.38	8.93			
1207		.59	1.23	1.34			
1208		2.35	7.40	4.26			
<i>A 58 Part</i>							
<u>8818-10:</u>							
922		2.65	5.93	11.11 ✓			
923		1.09	2.10	4.20 ✓			
924		.65	1.28	2.52 ✓			
925		.88	1.88	3.96 ✓			
926		.56	1.38	1.38 ✓			
927		.74	1.65	3.18 ✓			
928		1.00	2.40	4.02 ✓			
929		.50	1.23	2.34 ✓			
930		.09	.15	.28 ✓			
931		.38	.85	1.36 ✓			
<i>A 59 Part</i>							

ASSAYER.

*A. Hayward Jr*  
GEO. SMITH

DATE. NOVEMBER 23, 1974.

# ASSAY CERTIFICATE

FILE NO. 8815-12

WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y.T.

PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES LTD.

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC			
1132		.74	1.80	3.54			
1133		.74	1.80	4.20			
1134		.71	1.60	4.32			
1135		.62	1.45	3.78			
1136		.77	1.48	3.12			
1137		.94	2.10	4.20			
1138		.32	.85	.76			
1139		.77	1.70	1.76			
1140		.15	.30	.34			
1141		.18	.09	.14			
1142		1.00	1.83	4.26			
1143		.24	.25	.32			

ECI

7-9  
60

A 37

ASSAYER. *K. Hayward for*  
GEO. STALDING

DATE. NOVEMBER 23, 1974.

NOV 1974

# ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y.T.

FILE NO. 8813-40

PHONE 667 2694

SAMPLE RECEIVED FROM

KERR ADDISON MINES LTD.

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
1065		.41	.93	1.56				
1066		.53	1.33	2.00				
1067		1.00	2.70	5.40				
1068		.15	.05	3.90				
1069		1.41	3.98	6.48				
1070		.24	.50	1.32				
1071		.88	1.95	2.46				
1072		1.85	4.35	5.28				
1073		2.21	4.50	5.40				
1101		.12	.12	.21				
1102		.62	1.45	2.70				
1103		1.03	2.30	4.44				
1104		.44	1.05	2.46				
1105		.06	.09	.13				
1106		.47	1.43	2.70				
1107		.83	1.50	3.00				
1108		.35	.93	1.76				
1109		.38	.84	.99				
1110		.50	1.33	2.52				
1111		.53	1.28	2.94				
1112		.59	1.35	3.06				
1113		.62	1.40	2.88				
1114		.24	.48	.42				
1115		.56	1.50	1.28				
1116		.44	.83	1.30				
1117		.59	1.13	1.50				
1118		1.00	2.33	3.18				
1119		.53	1.08	1.60				
1120		.59	1.35	2.40				
1121		.35	.90	1.24				
1122		.68	1.73	3.06				
1123		.59	1.25	1.54				
1124		.59	1.10	1.60				
1125		.38	.80	.74				
1126		.50	1.03	1.98				
1127		.29	.68	.68				
1128		.44	.93	.98				
1129		.62	1.50	2.64				
1130		1.00	2.10	3.06				
1131		.68	1.88	3.42				

E.C.L.

A 56

E.C.L.

A 57

ASSAYER.

*K. Hoyland for*  
GEO. SPALDING

DATE. NOVEMBER 21, 1974.

# ASSAY CERTIFICATE

FILE NO. 8809- 14

WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y.T.

NOV 26 1974

PHONE 667 2694

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
1051		2.18	5.33	7.56				
1052		3.53	6.83	15.65				
1053		2.94	6.75	11.64				
1054		.50	1.13	4.56				
1055		3.24	7.13	12.30				
1056		.91	2.35	4.44				
1057		2.79	6.30	13.51				
1058		2.35	3.68	13.15				
1059		2.06	2.93	8.04				
1060		.44	1.08	1.80				
1061		2.79	6.00	9.37				
1062		2.27	4.50	8.16				
1063		2.74	6.75	9.42				
1064		3.06	6.45	10.65				



A 56

ASSAYER. K. Hoyland for  
GEO. SPALDING

DATE. NOVEMBER 14, 1974.

# ASSAY CERTIFICATE

FILE NO. 8804-50

WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y.T.

PHONE 667 2694

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC			
1001		1.03	1.64	2.64			
1002		.41	.85	1.66			
1003		1.32	3.00	7.44	5.0 fb		
1004		.26	.90	.94			
1005		2.15	6.00	7.82	5.6 fb		
1006		.15	.30	.62			
1007		.50	1.08	2.76			
1008		.59	1.23	2.88			
1009		1.50	5.33	5.16	3.2 fb		
1010		.74	1.23	1.38			
1011		.47	1.15	1.18			
1012		.50	1.35	1.72			
1013		.21	.83	.74			
1014		.65	1.45	1.72			
1015		.29	.37	.26	A 55		
1016		2.85	8.40	12.14			
1017		1.32	4.05	7.44			
1018		1.00	2.28	4.98			
1019		.24	1.10	4.02			
1020		.88	1.93	4.92			
1021		.88	1.98	3.54			
1022		1.29	5.25	1.26			
1023		.65	1.85	1.52			
1024		.03	.05	4.02			
1025		1.03	2.25	6.72			
1026		.09	.13	.39			
1027		.06	.07	.44			
1028		.88	1.98	3.78			
1029		.85	1.98	3.72			
1030		.77	1.78	4.08			
1031		1.09	2.30	7.08			
1032		.83	1.73	4.20			
1033		1.32	2.85	5.28			
1034		1.32	2.93	5.58			
1035		.80	1.65	3.84			
1036		.97	2.50	5.46			
1037		.85	1.98	5.28			
1038		.44	1.00	3.72			
1039		1.59	3.23	7.08			
1040		1.29	3.30	6.00			
1041		1.59	3.98	3.30	A 56.		
1042		1.18	2.40	4.44			
1043		.74	1.00	3.18			
1044		.62	.89	1.02			
1045		1.53	4.28	2.00			
1046		1.88	5.25	7.93			
1047		.41	.90	4.56			
1048		1.50	3.75	7.92			
1049		1.76	3.68	9.05			
1050		1.18	3.08	7.44	A 56		

4 N  
64 W  
ECL

A 56  
7  
6 N  
72 W

ECL

ASSAYER.

*K. Hayward*  
GEO. SPALDING

DATE. OCTOBER 30, 1974.

# ASSAY CERTIFICATE

FILE NO. 8778-21

WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y.T.

PHONE 667 2694

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC			
861		5.00	11.0	20.45	all <u>A 52</u>		
862		.80	1.75	2.22			
863		3.21	8.18	10.72			
864		.21	.25	.55			
865		.21	.18	.44			
866		1.47	3.90	5.46			
867		1.32	3.23	5.52			
868		1.47	4.65	4.20			
869		1.21	2.50	3.84			
870		1.56	3.83	4.98			
871		1.21	2.45	3.36			
872		2.27	6.75	8.16			
873		.59	1.23	1.94			
874		.29	.60	.99			
875		.38	1.28	1.10			
876		.21	.27	.40			
877		.24	.45	.56			
878		.12	.32	.40			
879		.15	.48	.16			
893		.21	.27	.37		<u>Ed.</u> <u>A 52</u>	
894		.06	.05	.15			

ASSAYER. K. Hoyland for B. Spalding

DATE. NOVEMBER 6, 1974.

FILE NO. 8788-26

NOV 12 1974

# ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y.T.

PHONE 667 2694

96  
7.9  
6C

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC			
580		.44	1.13	2.88		A 53	
581		.88	2.25	4.20			
582		.80	2.00	4.02			
583		.53	1.50	2.70			
584		1.21	3.90	3.78			
585		.38	.70	1.04			
586		.65	1.68	4.02			
587		.21	.52	1.20			
588		.29	.57	1.56			
589		.26	.38	.78			
590		1.53	3.68	6.96	4.1		
591		.56	.74	.68			
592		1.82	4.43	6.00			
593		2.76	5.40	11.10			
594		1.03	2.00	3.96	777.7-		
595		1.03	2.28	1.80			
596		.80	1.55	1.34			
597		1.97	4.73	7.20			
598		2.41	5.03	9.59			
599		1.91	4.95	8.09			
895		3.30	7.05	13.81			
896		2.94	6.23	13.55			
897		1.62	3.90	8.53			
898		1.44	3.08	7.42			
899		2.94	6.90	17.2			
900		5.68	10.57	18.79			
					461.5 - 492 = 30.5 lb.	E.C.I.	
						A 53	

ASSAYER. K. Hayward for H. Spalding

DATE. NOVEMBER 7, 1974.

FILE NO. 8793- 22

NOV 12 1974


# ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y.T.

PHONE 667 2694

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
600		1.88	4.58	7.20	A 53			
901		2.32	5.33	9.88				
902		.29	.27	.33				
903		.44	.75	2.34				
904		1.91	5.10	9.83				
905		.62	.53	1.38				
906		2.21	5.55	11.50				
907		.53	.60	.69				
908		1.91	5.70	8.71				
909		.29	.27	.28				
910		.29	.19	.80				
911		.29	.27	1.38				
912		.15	.07	.98				
913		.15	.08	1.06				
914		.62	.89	1.98				
915		1.47	4.35	4.56				
916		1.21	4.28	4.44				
917		1.24	3.38	3.60				
918		1.79	4.73	6.72				
919		.24	.44	.58				
920		.06	.04	.03				
921		.09	.07	.05				
						A 53		

ASSAYER. *K. Hoyland for B. Spalding*

DATE. OCTOBER 15, 1974

FILE NO. 8755-8

# ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y.T.

PHONE 667 2694

SAMPLE RECEIVED FROM

AEX MINERALS CORPORATION

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC			
201		TR	.05	.86			
202		TR	.24	3.12			
203		TR	.08	.47			
204		.15	1.13	1.44			
205		.47	.67	.94			
206		.97	3.00	1.34			
207		.15	.25	.50			
208		.44	.83	1.38			

*All entered*

*EAD*

**TOT**

RECEIVED

NOV 14 1974  
KERR ADDISON MINES LTD.

PER \_\_\_\_\_

ASSAYER. *L. Highland for H. Spalding*

DATE. OCTOBER 15, 1974.

FILE NO. 8761-15

# ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y.T.

PHONE 667 2694

SAMPLE RECEIVED FROM

AEX MINERALS CORPORATION

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
209		.15	.43	.58				
210		.06	.04	.20				
211		.03	.10	.36				
212		.09	.28	.80				
213		.12	.08	.67				
214		.12	.35	.36				
215		.44	.42	.88				
216		.15	.08	.21				
217		.15	.28	.49				
218		.09	.09	.20				
219		.09	.13	.26				
220		.12	.25	.22				
221		.06	.15	.17				
222		.09	.10	.33				
223		.09	.10	.25				

RECEIVED  
NOV 14 1974  
KERR ADDISON MINES LTD.  
PER \_\_\_\_\_

ASSAYER. K. Hayward for H. Spalding

DATE. OCTOBER 19, 1974.

FILE NO. 8763-15

# ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y.T.

PHONE 667 2694

SAMPLE RECEIVED FROM

AEX MINERALS CORPORATION

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
224		.03	.17	.16				
225		.15	.33	.16				
226		.18	.72	.20				
227		.03	.22	.06				
228		.38	.48	.36				
229		2.06	4.80	5.88				
230		1.27	4.13	2.22				
231		.06	.05	.04				
232		.59	1.05	1.60				
233		.15	.14	.07				
234		.80	1.28	.60				
235		.18	.18	.03				
236		.03	.05	.02				
237		.12	.07	.12				
238		.59	1.38	2.82				

RECEIVED

NOV 14 1974

KERR ADDISON MINES LTD.

PER \_\_\_\_\_

ASSAYER. *K. Anderson for H. Spalding*

DATE. OCTOBER 21, 1974.

*Rec'd. copies separately  
This Toronto copy?  
and*

# ASSAY CERTIFICATE

FILE NO. 8765-44

WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y.T.

PHONE 667 2694

SAMPLE RECEIVED FROM

KERR ADDISON MINES

*of 7-9*

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC			
785		.53	1.25	.99			
786		1.18	3.00	3.60			
787		2.59	7.20	10.0			
788		1.18	3.45	4.32			
789		.74	1.98	1.71			
790		.59	1.58	1.47			
791		.74	1.80	1.34			
792		.59	1.40	1.44			
793		1.03	3.15	3.66			
794		2.35	5.93	7.44			
795		.29	.73	3.18			
796		.83	2.33	5.28			
797		.91	2.33	7.20			
798		1.44	3.90	5.22			
799		1.76	4.43	12.1			
800		1.59	4.50	5.40			
801		2.35	6.00	9.6			
802		.56	2.30	4.42			
803		.29	.42	.98			
804		3.03	6.90	14.2			
805		2.94	8.25	16.2			
806		3.53	8.63	16.8			
807		3.82	8.74	17.0			
808		2.94	7.50	15.6			
809		.29	1.25	2.00			
810		1.65	3.60	6.60			
811		.15	.08	1.12			
812		.15	.19	.59			
813		1.09	3.23	5.28			
814		.24	.70	2.28			
815		.56	1.48	.86			
816		1.00	1.88	3.84			
817		2.79	6.23	8.82			
818		1.12	1.80	4.80			
819		2.85	4.95	8.28			
820		.88	1.98	1.98			
821		.44	1.04	.63			
822		1.76	6.53	3.66			
823		.44	.97	.46			
824		.26	.27	.37			
825		.44	.94	1.30			
826		.88	2.20	1.55			
827		.94	2.20	3.24			
828		.88	1.63	3.12			

E.C.I.

A 42

E.C.I.

*all entered*

A 45

ASSAYER.

*R. Hoyland for B. Spalding*

DATE OCTOBER 20, 1975

# ASSAY CERTIFICATE

FILE NO. 9377-66

WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y. T.  
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR- ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
2191		.12	.38	.95				
2192		.26	.50	.92				
2193		.15	.23	.52				
2194		.74	1.68	1.92				
2195		3.68	7.65	11.53				
2196		2.00	4.95	5.76				
2197		1.47	3.83	2.10				
2198		3.12	7.41	3.18				
2199		1.24	2.48	3.48				
2200		.44	.70	1.28				
2734		3.03	6.38	9.36				
2735		.59	.68	1.44				
2736		.32	.45	.46				
2737		.53	.65	.46				
2738		.32	.55	.64				
2739		.68	1.55	1.38				
2740		.32	.35	.42				
2741		1.65	3.68	4.56				
2742		.59	1.10	2.16				
2743		3.68	7.13	10.56				
2744		4.26	8.78	18.74				
2745		2.88	7.65	14.28				
2746		2.82	7.20	15.57				
2747		2.88	6.78	15.11				
2748		2.18	4.73	9.36				
2749		2.56	5.85	11.12				
2750		3.00	5.40	8.39				
2751		1.68	4.80	5.76				
2752		2.06	5.33	5.16				
2753		.24	.25	.40				
2754		2.21	4.43	4.14				
2755		3.12	6.38	9.34				
2756		.59	1.78	.88				
2757		.35	.55	.53				
2758		1.91	7.50	5.67				
2759		1.76	5.97	6.59				
2760		.35	.35	.30				
2761		.26	.15	.14				
2762		.68	1.23	.72				
2763		.41	.43	.50				
2764		.47	.48	1.25				
2765		.59	1.18	.90				
2766		.50	.75	.74				
2767		.38	.53	.46				
2768		.83	1.35	1.54				
2808		1.47	3.15	4.92				
2899		1.76	3.98	6.23				

A123 ✓

A123 ✓

A127

A123



ASSAYER. *K. Hollard*

BUILDING

4. OCTOBER 20, 1975

# ASSAY CERTIFICATE

FILE NO. 9377-66 (cont'd)

WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y. T.  
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KNER- ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
AR3 2900		.15	.40	1.36				
2983		.68	1.88	2.94				
2984		.77	1.70	2.88				
2985		1.18	1.78	4.50				
2986		1.27	2.08	5.34				
2987		.74	1.68	2.88				
2988		.77	1.20	3.30				
2989		.74	1.38	3.66				
2990		1.12	1.68	4.20				
2991		1.03	1.78	4.02				
2992		.85	1.58	2.96				
2993		1.12	2.15	4.86				
2994		.68	1.28	3.54				
2995		2.50	5.61	9.78				
2996		.41	.88	1.06				
2997		1.38	2.63	3.54				
2998		1.73	3.08	6.88				
2999		1.41	2.30	6.84				
3000		2.24	4.73	6.29				

AR3



ASSAYER.

*K. Hayward*

BUILDING

DATE: OCTOBER 20, 1975

FILE NO. 9371-81

# ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y. T.  
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

FERR- ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
2727		.97	1.95	3.06				
2728		1.32	3.15	3.12				
2729		2.24	4.92	8.35				
2730		.85	.65	1.00				
2731		1.53	3.98	4.86				
2732		.88	1.88	1.92				
2733		3.27	6.98	8.87				
2859		.29	.58	.68				
2860		.26	.43	.70				
2861		.56	1.53	3.48				
2862		.91	2.18	5.40				
2863		.97	2.93	5.64				
2864		1.47	3.23	7.20				
2865		1.85	3.75	8.00				
2866		1.73	4.58	4.02				
2867		.97	2.85	2.40				
2868		.63	1.93	2.14				
2869		1.35	2.48	5.76				
2870		1.00	1.88	4.68				
2871		.77	1.70	4.08				
2872		.74	2.18	1.47				
2873		1.12	3.60	3.60				
2874		1.41	2.85	6.29				
2875		1.06	2.63	4.50				
2876		.53	1.23	1.40				
2877		2.59	5.71	7.18				
2878		.56	1.18	1.70				
2879		.21	.58	.76				
2880		.97	2.38	2.14				
2881		2.00	4.65	6.90				
2882		2.27	4.73	8.11				
2883		1.88	4.20	8.07				
2884		.35	.75	1.54				
2885		4.18	7.73	16.75				
2886		1.35	2.70	4.02				
2887		2.47	5.21	11.86				
2888		3.59	6.93	14.44				
2889		1.12	2.43	5.64				
2890		2.24	5.11	6.05				
2891		1.71	3.75	5.86				
2892		2.15	4.35	5.64				
2893		2.50	4.95	7.58				
2894		2.00	3.68	7.69				
2895		1.29	2.63	3.42				
2896		.53	1.15	2.10				
2897		.88	1.88	2.76				

AR3

AD3

AR3

cut over  
2907.75  
M/L



ASSAYER. *K. Hayward*

OCTOBER 20, 1975

# ASSAY CERTIFICATE

NO. 9371- 81 (cont'd)


WHITEHORSE ASSAY OFFICE LTD.  
 BOX 4518 WHITEHORSE Y. T.  
 PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

KERR- ADDISON MINES

1024

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC			
2948		.94	1.98	4.02			
2949		.80	1.68	4.02			
2950		.97	2.23	4.32			
2951		1.03	2.03	4.20			
2952		1.35	2.70	5.64			
2953		1.24	2.45	4.80			
2954		1.03	2.78	4.56			
2955		1.27	2.85	4.92			
2956		1.53	3.60	6.38			
2957		.68	2.03	3.90			
2958		.94	2.23	3.18			
2959		.91	2.43	3.30			
2960		.88	2.33	4.74			
2961		.74	1.73	4.58			
2962		1.82	3.38	5.28			
2963		1.85	3.53	6.01			
2964		1.76	3.30	4.32			
2965		1.29	2.43	4.14			
2966		1.88	3.60	7.47			
2967		1.32	2.63	4.80			
2968		2.18	4.58	7.01			
2969		.29	.38	1.05			
2970		1.12	3.00	4.80			
2971		3.91	5.61	14.38			
2972		3.27	5.45	13.70			
2973		.88	2.03	3.78			
2974		1.24	3.98	3.24			
2975		1.71	4.43	4.50			
2976		1.44	4.88	4.80			
2977		.71	1.88	.94			
2978		.29	.68	1.38			
2979		.32	.43	.63			
2980		.50	.88	.85			
2981		.38	.80	1.36			
2982		.53	.68	1.18			



ASSAYER. *K. Houlana*



DATE. DECEMBER 13, 1974.

# ASSAY CERTIFICATE

FILE NO. 8834-58  
COMPOSITES


WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y.T.

PHONE 667 2694

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	COPPER
1 ✓ 174-177	.04		.12 ✓
2 ✓ 179-182	.02		.21 ✓
3 ✓ 187-195	.02		.13 ✓
4 319-321	.03		.36 ✓
5 332-337	.02		.13 ✓
6 341-346	.02		.14 ✓
7 349-355	.02		.14 ✓
8 362-366	.02		.12 ✓
9 371-374	.01		.07 ✓
10 404-423	.02		.14 ✓
11 198-200 + 301	.02		.13 ✓
12 380-385	.03		.19 ✓
13 428-429	.02		.18 ✓
14 437-441	.04		.33 ✓
15 442-444	.04		.31 ✓
16 446-448	.02		.18 ✓
17 449-453	.02		.18 ✓
18 471-479	.01		.07 ✓
19 497-498	.04		.15 ✓
20 505	.02		.20 ✓
21 400 + 527	.01		.03 ✓
22 529-532	.01		.04 ✓
23 538-541	.01		.07 ✓
24 544-549	.02		.08 ✓
25 572-574	.02		.29 ✓
26 611-616	.01		.04 ✓
27 618-620	.01		.05 ✓
28 625-626	.02		.11 ✓
29 627-628	.03		.19 ✓
30 649-651	.03		.21 ✓
31 653-657	.02		.17 ✓
32 670	.02		.16 ✓
33 683-700	.02		.22 ✓
34 717-718	.01		.12 ✓
35 720-721	.02		.15 ✓
36 731-734	.01		.20 ✓
37 747-754	.02		.19 ✓
38 757-759	.02		.17 ✓
39 786-788	.02		.16 ✓
40 794-800	.02		.09 ✓
41 801-802	.01		.10 ✓
42 804-810	.02		.17 ✓
43 816-819	.02		.13 ✓
44 229-230	.02		.14 ✓
45 862-863	.02		.05 ✓
46 866-867	.02		.05 ✓

Logged 

ASSAYER. K. Hayward for  
GEO. SPY BANG

DATE. DECEMBER 13, 1974.

# ASSAY CERTIFICATE

FILE NO. 8834-58  
COMPOSITES

WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y.T.

PHONE 667 2694

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	COPPER					
47 868-872	.03		.18 ✓					
48 895-900 + 580-584	.02		.12 ✓					
49 592-594	.02		.16 ✓					
50 597-600 + 901	.03		.18 ✓					
51 904-908	.03		.15 ✓					
52 915-917	.01		.34 ✓					
53 918	.02		.05 ✓					
54 1016-1022	.02		.07 ✓					
55 1028-1050	.02		.07 ✓					
56 1052-1064	.02		.11 ✓					
57 1069-1070	.02		.13 ✓					
58 1072-1073	.03		.19 ✓					

ASSAYER.

*K. Hayward for*

GEO. SPALDING

DATE. DECEMBER 13, 1974.

# ASSAY CERTIFICATE

FILE NO. 8838-16

WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y.T.

PHONE 667 2694

SAMPLE RECEIVED FROM

KERR ADDISON MINES

*7.9*

*6C*

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC			
968		.18	.39	.72			
969		.50	1.40	2.46			
970		1.18	1.93	4.02			
971		.32	1.05	1.66			
972		1.03	1.88	2.64			
973		.65	1.55	1.88			
974		.95	1.85	3.00			
975		.65	1.50	1.72			
976		.56	1.28	1.76			
977		.44	1.10	1.54	<i>A 61</i>		
978		.98	1.60	1.76			
979		.18	.18	.39			
980		.29	.40	.96			
981		1.88	4.35	5.34			
982		.32	.63	.74			
983		.29	.50	.52	<i>A 4 Deepening</i>		

*E.C.J.*

*E.C.J.*

ASSAYER. *K. Spalding for* GEO. SPALDING

DATE. DECEMBER 13, 1974.

# ASSAY CERTIFICATE

FILE NO. 8839-81

WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y.T.

PHONE 667 2694

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
984		.29	.33	.18				
985		.85	2.10	2.40				
986		4.47	11.13	9.51				
987		2.71	7.53	6.48				
988		3.35	9.93	6.24				
989		.26	.62	.78				
990		3.09	6.68	11.05				
991		2.50	5.60	10.25				
992		.25	.18	.62				
993		1.47	2.78	5.88				
994		2.47	4.65	8.94				
995		2.71	4.80	10.16				
996		3.03	5.94	11.82				
997		.35	1.12	1.14				
998		1.32	3.08	4.26				
999		.56	.18	.45				
1000		.32	.27	.72				
1157		.32	.75	1.94				
1158		.29	.83	1.02				
1159		.24	.79	.56				
1160		.26	.63	1.20				
1161		.38	.87	1.44				
1162		.41	.75	2.58				
1163		.29	.69	1.60				
1164		1.76	3.68	9.30				
1165		.59	1.30	1.98				
1166		.59	1.38	1.86				
1167		.44	1.03	1.32				
1168		.35	.49	.80				
1169		.29	.27	1.30				
1170		.26	.53	.76				
1171		.44	1.43	1.36				
1172		.94	3.75	4.50				
1173		.03	.04	.14				
1174		.06	.48	.72				
1175		.03	.10	.14				
1176		1.32	3.08	4.02				
1177		.32	.68	1.12				
1178		.88	1.98	1.36				
1179		2.24	5.55	6.24				
1180		.94	1.95	2.46				
1181		.38	.68	.78				
1182		.24	.23	.24				
1183		1.03	2.50	1.38				
1184		.24	.27	.62				

A 62

E.C.J.

A. 34

E.C.J.

E.C.J.

A - 62

ASSAYER. X. Hayward for GEO. SPALDING

DATE. DECEMBER 13, 1974.

# ASSAY CERTIFICATE

FILE NO. 8839-81

WHITEHORSE ASSAY OFFICE LTD.  
BOX 4518 WHITEHORSE Y.T.

PHONE 667 2694

SAMPLE RECEIVED FROM

KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
1230		.77	1.73	1.48				
1231		.74	1.40	1.02				
1232		.88	2.15	2.64				
1233		1.21	3.15	1.90				
1234		.29	.37	.32				
1235		.15	.15	.12				
1236		.44	.37	.29				
1237		.15	.18	.15				
1238		.15	.14	.27				
1239		.10	.10	.38				
1240		.29	.50	1.10				
1241		.26	.47	1.38				
1242		1.82	5.63	7.20				
1243		.06	.05	.48				
1244		2.15	5.70	7.90				
1245		2.03	4.13	6.72				
1246		1.91	4.43	6.96				
1247		2.00	4.58	6.48				
1248		.83	1.68	2.00				
1249		2.09	5.33	8.95				
1250		.29	.87	1.60				
1251		1.71	4.58	7.56				
1252		.80	1.93	3.42				
1253		.18	.20	.40				
1254		.15	.15	.55				
1255		.59	1.23	2.46				
1256		.24	.27	.69				
1257		.10	.10	.29				
1258		.04	.09	.31				
1259		.03	.08	.23				
1260		1.71	4.50	6.24				
1261		.50	1.40	1.78				
1262		.74	2.15	2.22				
1263		.15	.15	.17				
1264		.20	.27	.39				
1265		.18	.44	.75				



A-43

ASSAYER. K. Heyland Jr GEO. SPALDING