

GRUM PROJECT, Y.T.DIAMOND DRILL HOLE INTERSECTIONS7.9  
60

Line	Diamond Drill Hole No.	Intersection		Length (Feet)	Assays		
		From (Feet)	To (Feet)		Ag Ozs.	Pb %	Zn %
<u>SECTION 58W</u>							
4S	A 108	231.96	262.14	30.18	1.65	4.68	4.10
		281.82	312.00	30.18	1.38	3.22	4.68
		334.32	351.38	17.06	1.50	3.47	4.31
<u>SECTION 60W</u>							
6S	A 114	460.95	465.55	4.60	1.18	4.05	4.14
2S	A 110	191.93	216.53	24.60	1.56	4.06	6.15
2N	A 119	160.76	173.56	12.80	1.27	2.46	6.25
<u>SECTION 62W</u>							
4S	A 105	370.41	376.64	6.23	2.41	5.97	6.45
		548.56	554.13	5.57	1.33	3.87	4.26
		569.23	571.85	2.62	1.68	4.58	3.66
Baseline	A 122	397.97	403.87	5.90	2.94	5.63	8.65
<u>NOTE:</u> Assaying not completed at 10/10/75.							
2N	A 107	171.92	233.92	62.0	2.92	6.85	13.30
		398.62	406.82	8.2	2.22	5.02	6.92
4N	A 103	469.16	475.72	6.56	1.18	2.85	5.28
		559.06	563.98	4.92	2.71	5.70	7.51
6N	A 102	449.80	465.88	16.08	1.10	3.29	3.58
<u>SECTION 64W</u>							
8N	A 112	362.20	419.95	57.75	2.08	5.41	6.39
<u>SECTION 66W</u>							
Baseline	A 117	265.09	338.91	73.82	2.30	4.59	8.14
		493.11	518.04	24.93	2.16	4.47	5.82
4N	A 121	<u>NOTE:</u> No assay results at 10/10/75.					

Line	Diamond Drill Hole No.	Intersection		Length (Feet)	Assays		
		From (Feet)	To (Feet)		Ag Ozs.	Pb %	Zn %
6N	A 99	454.40	505.91	51.51	1.65	4.19	5.64
8N	A 109	423.56	490.81	67.25	2.05	5.11	6.32
10N	A 116	No ore intersections.					
<u>SECTION 68W</u>							
8N	A 106	153.54	165.68	12.14	3.07	7.22	6.66
		296.26	299.87	3.61	2.85	6.79	6.37
		496.39	528.87	32.48	2.07	4.87	6.16
<u>SECTION 70W</u>							
6N	A 96	174.21	229.00	54.79	1.12	2.49	5.32
		292.99	310.37	17.38	1.42	3.03	7.00
		440.94	497.04	56.10	3.82	8.44	17.30
8N	A 100	214.57	241.14	26.57	3.02	6.98	7.36
		266.73	271.65	4.92	3.03	6.68	9.17
		291.34	306.43	15.09	2.11	5.18	5.16
	<u>NOTE:</u>	214.57	306.43	91.86	1.38	3.23	3.47
		573.16	608.27	35.11	2.08	4.55	6.96
<u>SECTION 72W</u>							
8N	A 95	187.00	216.54	29.54	2.14	4.78	7.56
<u>SECTION 74W</u>							
6N	A 88	444.00	516.50	72.50	1.31	2.85	5.85
		528.00	529.00	1.00	1.38	3.00	6.67
		543.30	559.50	16.20	1.19	2.38	4.77
		580.00	586.00	6.00	2.12	4.28	4.14
		649.00	727.00	75.50	1.83	4.05	6.25
		905.50	908.60	3.10	1.50	3.75	6.76
		984.00	998.00	14.00	1.26	3.13	4.51
		1014.50	1018.00	3.50	1.44	4.88	3.00
		8N	A 90	161.58	169.46	7.88	1.21
205.05	207.68			2.63	1.00	2.08	5.04
253.90	354.33			100.43	1.50	3.54	5.99
10N	A 92	162.07	186.02	23.95	2.63	5.27	9.31
		622.05	634.19	12.14	2.54	6.01	6.38

Line	Diamond Drill Hole No.	Intersection		Length (Feet)	Assays		
		From (Feet)	To (Feet)		Ag Ozs.	Pb %	Zn %
<u>SECTION 82W</u>							
6N	A 87	536.80	546.00	9.20	2.03	4.50	6.82
		586.30	589.40	3.10	1.62	3.45	5.64
		721.40	785.00	63.60	1.30	2.57	5.05
		817.10	822.10	5.00	1.65	3.68	4.68
		1028.20	1058.60	30.40	1.75	2.60	4.76
		1063.20	1105.50	42.30	2.07	4.06	6.41
8N	A 89	312.99	320.99	8.00	1.10	2.41	4.85
		469.03	488.91	19.88	1.57	3.88	5.16
		514.63	516.77	2.14	1.32	3.23	6.60
		532.19	537.44	5.15	1.91	3.90	7.44
		586.25	597.21	10.96	1.76	3.77	6.09
		852.69	855.31	2.62	2.12	5.03	9.50
		885.17	892.39	7.22	2.74	5.75	9.32
		921.26	955.71	34.45	1.12	2.59	4.10
		971.13	975.39	4.26	2.50	5.40	7.38
		1200.79	1203.74	2.95	1.68	3.83	4.08
		1212.27	1227.03	14.76	1.17	3.71	3.29
10N	A 93	251.31	257.55	6.24	1.09	2.03	4.94
		259.51	268.70	9.19	1.27	2.50	5.04
		465.88	471.13	5.25	2.09	4.50	8.49
		947.51	954.07	6.56	2.21	4.88	4.56
		991.14	993.11	1.97	1.68	3.38	5.88
<u>SECTION 84W</u>							
4N	A 18 (deepened)	1379.59	1396.98	17.39	1.95	4.00	5.79
6N	A 20 (deepened)	1090.88	1093.50	2.62	2.27	4.43	6.21
		1125.98	1131.23	5.25	1.97	3.38	5.55
		1164.70	1170.28	5.58	2.30	5.03	6.66
		1183.07	1196.52	13.45	1.19	2.64	4.73
		1213.90	1221.13	7.23	1.81	3.83	4.16
8N	A 104	388.45	496.06	107.61	1.13	2.55	4.77
		591.20	592.85	1.65	3.03	5.24	10.64
		654.86	678.15	23.29	1.89	3.89	6.19
		1207.35	1209.65	2.30	1.32	3.30	4.14
		1285.10	1295.28	10.18	1.78	3.33	5.43
<u>SECTION 86W</u>							
Baseline	A 115	734.91	740.81	5.90	1.65	3.90	4.38
		1091.37	1093.99	2.62	2.00	4.35	5.04

Line	Diamond Drill Hole No.	Intersection		Length (Feet)	Assays		
		From (Feet)	To (Feet)		Ag Ozs.	Pb %	Zn %
Baseline	A 115 Cont'd	1147.64	1149.93	2.29	1.76	4.13	4.26
		1164.04	1174.21	10.17	1.02	2.81	4.00
		1184.06	1185.37	1.31	0.94	2.23	4.68
		1377.62	1396.98	19.36	1.29	3.83	5.62
2N	A 111	769.36	787.07	17.71	3.37	4.10	10.10
		936.03	961.61	25.58	2.13	4.64	7.03
		1211.61	1227.03	15.42	0.82	3.30	4.72
4N	A 113	706.69	714.24	7.55	2.46	5.17	10.17
		740.49	748.03	7.54	1.17	2.74	4.66
		1036.75	1045.28	8.53	1.21	2.76	4.45
		1201.44	1246.06	44.62	1.34	3.37	5.51
6N	A 118	669.29	675.85	6.56	1.05	3.04	4.86
		711.61	721.78	10.17	1.36	3.11	5.47
		744.09	771.98	27.89	1.94	4.48	6.62
		952.01	959.65	7.64	1.76	4.56	4.36
		1169.62	1171.92	2.30	1.62	3.60	3.90
		1211.94	1216.86	4.92	2.47	5.03	7.63
		1223.09	1228.00	4.91	1.59	3.90	4.68
		1236.88	1252.95	16.07	1.65	3.05	5.68
8N	A 120	1370.40	1374.02	3.62	1.68	4.35	4.98
		357.94	391.08	33.14	1.09	2.59	4.36
		396.00	410.00	14.00	1.04	2.64	4.44
		458.00	483.60	25.60	1.81	2.90	5.18
		497.70	513.12	15.42	1.01	2.62	4.60
		577.40	584.00	6.60	1.12	2.25	6.48
		601.40	638.10	36.70	1.06	2.30	3.27
		724.40	735.90	11.50	2.47	4.69	7.27
		1007.20	1075.50	68.30	1.69	3.53	6.12
		1099.00	1100.40	1.40	2.85	4.50	6.79
		1249.00	1253.61	4.61	2.40	5.33	10.90

NOTE: Additional assays to come at 10/10/75.

10N A 124 NOTE: No assays received at 10/10/75.

SECTION 88W

6N A 123

8N A 125

Baseline A 126

0 + 25S A 127

<u>Line</u>	<u>Diamond Drill Hole No.</u>	<u>Intersection</u>		<u>Length (Feet)</u>	<u>Assays</u>		
		<u>From (Feet)</u>	<u>To (Feet)</u>		<u>Ag Ozs.</u>	<u>Pb %</u>	<u>Zn %</u>
<u>SECTION 108W</u>							
12N	A 86						Low ore values.
16N	A 94						Low ore values.
<u>SECTION 112 W</u>							
7N	A 91						No ore intersections.
<u>SECTION 124 W</u>							
16N	A 101						No ore intersections.
<u>SECTION 128W</u>							
14N	A 98						Nil.
16N	A 97						Nil.