



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

018841

TO Cyprus Anvil Mining Corporation Ltd.

330 - 355 Burrard Street

Vancouver, B.C. V6C 2G8

Certificate No. K-4746

Date February 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Au	Py	Po	S.G.					
		grams/tonne	percent	percent						
1	2451A	.69	4.81	.55	3.05					
2	2452	.75	1.89	1.05	3.11					
3	2453	.89	2.44	1.18	3.55					
4	2454	.48	1.77	1.05	3.10					
5	2455	1.23	15.82	1.27	3.42					
6	2456	1.30	4.86	1.29	3.79					
7	2457	1.71	24.32	.75	4.47					
8	2458	2.06	27.79	.84	4.52					
9	2459	1.59	21.13	.80	3.75					
10	2461A	.75	11.67	2.94	3.49					
11	2462A	1.51	30.11	4.17	4.96					
12	2463	1.58	30.95	2.91	4.54					
13	2464	.89	18.25	3.79	4.59					
14	2465	.75	15.22	3.57	5.00					
15	2466	.41	7.27	5.56	3.45					
16	2467	.82	16.73	10.23	4.46					
17	2496	.48	11.84	1.20	3.15					
18	2499	1.85	14.76	2.88	2.94					
19	2500A	.89	7.86	1.98	3.36					
20	6051A	1.17	11.51	2.05	3.48					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4746 2

Date February 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
21	6052A	.82	8.94	.75	3.51				
22	6053	.75	9.10	.74	3.26				
23	6054	1.78	4.77	.55	3.27				
24	6055	.89	5.95	.30	3.96				
25	6056	.69	3.15	3.87	3.17				
26	6057	.89	7.93	4.58	4.76				
27	6058	.34	3.85	4.04	3.00				
28	6059	.82	7.91	2.09	3.09				
29	6061A	.62	7.97	.95	3.06				
30	6062A	.62	12.24	1.21	3.24				
31	6063A	.96	13.49	1.01	3.36				
32	6064	1.92	24.36	2.70	3.84				
33	6065	1.03	14.46	1.21	3.40				
34	6066	.89	10.39	.88	3.16				
35	6067	.62	5.80	.94	2.97				
36	6068	1.03	4.07	1.18	3.00				
37	6069	.75	6.42	1.03	3.05				
38	6071A	1.23	7.88	1.75	3.23				
39	6072	1.71	7.48	2.16	3.21				
40	6073A	.41	8.63	1.00	3.15				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4746 3

Date February 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
41	6074A	.96	7.90	1.45	3.16				
42	6075	.96	15.02	1.35	3.41				
43	6076	1.58	20.69	2.23	3.55				
44	6077	1.92	25.34	1.72	3.47				
45	6078	2.19	17.59	1.38	3.68				
46	6079	1.71	17.78	1.48	3.85				
47	6081A	1.10	9.09	1.60	3.39				
48	6082	1.10	10.37	1.67	3.34				
49	6083	2.19	11.82	1.76	3.64				
50	6084A	1.03	12.86	3.80	3.90				
51	6085A	1.10	8.50	2.00	3.23				
52	6086	1.10	10.07	4.86	3.46				
53	6087	1.65	7.38	3.41	3.47				
54	6088	1.03	8.60	3.63	3.27				
55	6089	1.30	11.17	3.18	3.59				
56	6091A	1.58	12.36	1.61	3.78				
57	6092	2.26	22.31	4.37	4.11				
58	6093	1.10	19.12	1.59	3.73				
59	6094	2.40	22.67	1.70	4.11				
60	6095A	2.19	22.47	1.42	3.83				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4746 4

Date February 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
61	6096A	.69	27.00	1.22	4.33				
62	6097	1.78	28.62	.66	4.83				
63	6098	.96	32.92	1.56	4.34				
64	6099	1.85	35.63	.97	4.78				
65	6101A	.75	6.54	2.27	3.13				
66	6102	.55	7.80	.65	2.97				
67	6108	.21	7.56	3.39	3.02				
68	6109	.96	23.00	1.80	3.95				
69	6110A	.27	13.97	2.71	3.36				
70	6111A	.69	19.51	1.86	3.79				
71	6112A	1.03	19.59	5.11	4.09				
72	6114	1.10	30.82	3.98	4.59				
73	6115	.27	13.88	12.69	3.79				
74	6116	.21	10.60	6.39	3.47				
75	6117	.62	25.07	2.55	4.48				
76	6118	.89	28.22	5.44	4.59				
77	6119	.75	19.22	2.35	4.66				
78	6121A	.41	8.77	2.60	4.33				
79	6122	.48	15.29	12.53	4.01				
80	6123A	.41	22.01	5.61	4.26				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4746 5

Date February 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
81	6124A	.41	6.61	2.31	4.57				
82	6125	.34	8.62	3.27	4.69				
83	6126	.41	10.05	3.09	4.48				
84	6127	.41	22.77	10.05	3.82				
85	6128	.34	13.25	10.20	3.65				
86	6129	1.10	12.78	1.82	3.43				
87	6130A	1.78	15.01	1.88	4.00				
88	6131	.62	8.17	.80	3.14				
89	6132	.89	8.54	.74	3.15				
90	6133A	1.23	18.11	1.49	3.97				
91	6134A	.41	5.28	4.32	3.26				
92	6136	1.30	26.58	4.68	4.52				
93	6137	2.26	23.94	4.20	4.21				
94	6138	2.81	35.47	2.15	4.46				
95	6139	1.58	25.82	3.88	4.35				
96	6141A	1.17	16.96	3.99	4.59				
97	6142	1.10	20.98	1.22	4.70				
98	6143	.34	11.44	3.76	3.33				
99	6144	.62	19.74	14.29	3.86				
100	6145A	.21	8.18	9.96	3.37				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4746 6

Date February 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
101	6146A	.41	16.06	4.49	3.42				
102	6147	.41	7.03	2.51	4.65				
103	6148	.27	6.38	2.11	4.57				
104	6149	.27	4.40	1.10	4.58				
105	6151A	.69	23.05	8.45	3.86				
106	6152	.75	8.04	.76	3.04				
107	6153	1.10	5.78	1.30	2.96				
108	6154	.82	7.24	.48	2.97				
109	6155	.89	7.79	.42	2.99				
110	6157A	1.30	9.29	1.41	3.60				
111	6158A	1.51	13.64	1.98	4.16				
112	6159	1.92	24.76	1.22	4.44				
113	6161A	.69	13.11	9.35	3.60				
114	6162	1.78	24.86	1.83	4.69				
115	6163	.21	10.25	24.28	3.64				
116	6164	.69	3.48	.92	2.99				
117	6165	.55	4.28	.85	3.18				
118	6166	.75	3.68	1.04	3.77				
119	6167	1.10	3.77	.82	3.52				
120	6168A	.82	1.96	1.06	3.79				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4746 7

Date February 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Au	Py	Po	S.G.					
		grams/tonne	percent	percent						
121	6169A	1.03	9.02	.88	3.53					
122	6171A	1.58	18.09	1.86	4.80					
123	6172	1.78	17.47	1.78	4.50					
124	6173	.89	8.89	1.01	3.27					
125	6174	1.37	19.66	1.80	4.29					
126	6175	1.10	11.45	1.95	3.92					
127	6176	1.44	16.04	1.90	3.94					
128	6177	1.58	23.81	1.17	4.42					
129	6194A	.21	6.16	3.64	3.12					
130	6195A	.69	24.04	2.26	4.24					
131	6196A	2.54	4.49	1.09	4.56					
132	6197	.82	7.30	1.80	3.06					
133	6198	.07	1.74	4.38	2.97					
134	6199	.27	3.13	4.91	3.05					
135	6201A	.55	9.39	3.51	4.63					
136	6202	.21	2.69	3.24	3.02					
137	6203	.48	11.19	13.01	3.71					
138	6204	.41	9.84	2.96	4.62					
139	6205	.21	20.73	3.27	4.49					
140	6207A	.34	11.48	3.72	3.22					

NOTE:

Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4746 8

Date February 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
141	6208A	1.03	1.80	3.63	2.92				
142	6209	.75	7.25	5.15	3.15				
143	6211A	.14	4.36	3.74	3.02				
144	6212	1.37	28.59	3.41	4.32				
145	6213	1.17	28.16	6.04	4.48				
146	6214	1.58	23.04	2.76	3.96				
147	6215	.21	5.45	3.20	3.06				
148	6216	1.58	18.89	1.92	4.59				
149	6217	.27	18.49	3.61	3.53				
150	6218A	.34	15.25	19.75	3.82				
151	6228A	3.29	16.20	5.25	3.55				
152	6229	.41	4.56	2.55	2.99				
153	6230A	.82	20.60	8.11	4.41				
154	6231	.75	15.90	4.20	3.66				
155	6232	.75	7.95	1.23	3.06				
156	6233	.82	9.01	1.56	3.08				
157	6234	.62	22.20	7.90	4.22				
158	6238	.27	11.70	6.50	3.32				
159	6242A	1.23	17.10	1.62	3.75				
160	6243A	1.37	19.20	2.18	4.62				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4746 9

Date February 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Au grams tonne	Py percent	Po percent	S.G.				
161	6244A	.75	18.30	2.02	4.29				
162	6245	.89	10.80	1.60	3.48				
163	6246	.48	8.30	1.73	3.18				
164	6247	2.19	5.10	6.90	3.28				
165	6248	1.44	19.00	2.07	4.48				
166	6251A	.62	11.74	2.26	3.18				
167	6252	.27	3.41	5.18	3.33				
168	6253	.55	2.33	5.42	3.02				
169	6254	.75	4.08	1.70	3.02				
170	6255A	.21	1.77	2.28	2.95				
171	6256A	.34	4.12	2.50	2.99				
172	6257	1.10	29.66	.74	4.85				
173	6258	1.10	21.45	1.25	4.11				
174	6306A	.27	1.66	1.44	2.89				
175	6307	.48	1.56	1.64	2.96				
176	6308	.27	1.10	1.05	2.89				
177	6309	.48	5.11	1.27	3.02				
178	6311A	.48	9.53	1.07	3.04				
179	6312	.48	9.24	1.16	3.04				
180	6314A	.21	.74	1.80	2.93				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4746 10

Date February 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
181	6315A	2.61	26.00	3.00	4.52				
182	6316	1.37	28.83	3.87	4.90				
183	6317	.41	26.90	2.10	4.00				
184	6318	1.23	29.60	3.90	4.74				
185	6319	.89	19.62	.78	4.14				
186	6321A	.82	22.56	1.54	4.11				
187	6322	.34	16.07	.33	4.80				
188	6323	.89	27.13	.57	4.25				
189	6324	.96	15.29	.71	3.53				
190	6325A	1.58	26.12	.58	4.15				
191	6326A	.69	21.10	.60	3.86				
192	6327	.75	20.72	.78	4.46				
193	6328	.55	15.39	.51	4.34				
194	6329	1.30	14.42	.78	3.86				
195	6331A	1.10	35.85	.75	4.82				
196	6332	2.67	26.49	1.01	4.64				
197	6333	1.71	27.37	1.83	4.46				
198	6334	.89	40.43	1.07	5.04				
199	6335	2.06	21.10	2.10	4.72				
200	6336A	2.54	22.70	2.00	4.50				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4746 11

Date February 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
201	6337A	2.26	27.89	1.41	4.50				
202	6338	1.65	30.63	.97	4.55				
203	6339	1.44	17.79	2.81	4.35				
204	6341A	1.99	15.32	1.28	3.72				
205	6342	1.30	17.36	1.94	3.53				
206	6343	1.30	17.72	1.88	3.57				
207	6344	.55	16.86	1.54	3.43				
208	6345	.55	17.37	1.43	3.39				
209	6361A	.69	1.57	2.53	3.08				
210	6362A	.69	1.97	1.51	2.97				
211	6363A	.75	2.14	1.72	3.05				
212	6364	1.03	3.78	2.20	3.09				
213	6365	.82	4.53	1.53	3.07				
214	6366	1.99	2.95	2.82	3.37				
215	6367	.21	1.44	4.02	4.07				
216	6368	.27	.48	1.77	3.20				
217	6369	.14	1.72	3.03	2.88				
218	6371A	.55	7.05	3.15	3.14				
219	6372	.89	11.59	2.21	3.34				
220	6373A	.55	2.53	1.57	2.95				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4746 12

Date February 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
221	6374A	.27	6.10	.95	3.74				
222	6375	.62	7.65	.95	3.28				
223	6376	.55	6.54	.94	3.17				
224	6377	1.17	16.17	3.23	4.13				
225	6423A	1.17	28.77	1.33	4.21				
226	6424	1.58	24.59	2.11	4.56				
227	6425	1.23	29.43	1.07	4.62				
228	6426	.96	32.98	.82	4.51				
229	6427	1.57	33.63	.77	4.65				
230	6428A	1.23	24.42	.98	4.21				
231	6429A	.75	14.39	4.11	4.08				
232	6431A	1.65	19.33	2.87	3.66				
233	6432	.27	2.75	2.57	2.92				
234	6433	1.78	19.67	1.53	3.59				
235	6434	1.37	24.94	.96	3.62				
236	6435	1.23	23.36	1.14	3.53				
237	6436	1.23	21.14	1.16	3.40				
238	6437	1.65	19.26	1.44	3.45				
239	6439	.55	5.67	.83	2.83				
240	6441A	.41	7.22	2.32	2.98				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4746 13

Date February 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Au grams/tonne	Py percent	Po percent	S.G.					
241	6442A	.34	11.66	3.14	3.16					
242	6443	.21	5.82	4.28	3.04					
243	6444	1.10	14.64	9.46	3.58					
244	6445	2.06	21.31	11.39	4.34					
245	6446	.89	24.37	10.93	4.29					
246	6447	.75	24.58	9.92	4.21					
247	6448	.75	21.79	11.11	4.14					
248	6449	1.17	23.00	9.02	4.00					
249	6450A	.96	20.51	1.39	4.27					
250	6451A	.96	10.33	1.87	3.16					
251	6452A	1.65	22.60	1.30	4.30					
252	6511A	.82	12.14	1.36	3.28					
253	6512	.89	15.36	8.54	4.20					
254	6513	.82	15.02	8.28	4.48					
255	6514	.41	20.67	4.23	4.03					
256	6542A	.41	17.75	2.05	3.35					
257	6543	.82	22.11	2.09	3.54					
258	6544	1.17	17.18	1.72	3.50					
259	6545	.55	19.13	1.27	3.43					
260	6546A	.55	14.85	4.65	3.43					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4746 14

Date February 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Au grams/tonne	Py percent	Po percent	S.G.					
261	6547A	.55	18.80	3.50	3.50					
262	6559	.55	25.82	2.58	4.49					
263	6560A	1.92	29.33	1.07	4.50					
264	6561	1.51	29.96	.94	4.58					
265	6562	.27	10.76	4.14	3.19					
266	6563	.82	32.91	1.39	4.78					
267	6564	1.65	28.07	1.83	4.77					
268	6565	.96	13.97	.93	4.63					
269	6566	1.30	33.24	.66	4.70					
270	6567A	.21	14.45	.95	3.99					
271	6568A	.75	27.63	.77	4.42					
272	6569	2.40	15.11	5.89	3.75					
273	6571A	1.99	24.84	1.36	4.32					
274	6572	2.13	25.03	1.77	4.14					
275	6573	1.65	22.00	2.43	3.58					
276	6574	1.78	18.97	1.43	4.50					
277	6575	1.17	21.71	1.59	4.03					
278	6576	2.26	21.98	2.02	3.16					
279	6577	1.65	17.90	1.70	4.55					
280	6578A	.75	21.39	1.91	3.92					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4746 15

Date February 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Au	Py	Po	S.G.					
		grams tonne	percent	percent						
281	6579A	1.44	26.14	2.56	3.39					
282	6581A	1.30	14.66	8.14	3.49					
283	6582	.82	19.92	1.78	3.25					
284	6583	.34	18.08	1.62	2.97					
285	6584	.82	14.41	1.39	3.52					
286	6585	.27	7.35	2.65	4.52					
287	6586	.34	1.61	.94	3.56					
288	6587	.55	6.43	1.07	3.39					
289	6588	.69	12.62	1.38	3.38					
290	6589A	.82	23.99	1.51	4.33					
291	6591A	.96	27.91	.99	4.34					
292	6592	.21	6.34	5.86	3.32					
293	6593	1.10	13.47	1.73	2.86					
294	6594	1.03	8.49	1.36	3.78					
295	6595	1.44	15.13	1.37	3.84					
296	6596	.82	10.33	.97	3.41					
297	6597	.89	11.91	.89	3.59					
298	6598	.89	10.44	.76	3.37					
299	6599	.75	10.55	.75	3.45					
300	6605A	1.30	21.25	2.85	4.56					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4746 16

Date February 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams, tonne	percent	percent					
301	6606A	1.17	14.12	1.58	4.31				
302	6607	1.78	24.49	3.51	4.83				
303	6608	.96	25.56	3.54	4.80				
304	6609	.96	25.34	3.86	4.74				
305	6611A	3.02	26.35	1.45	4.42				
306	6612	.21	8.31	1.69	3.08				
307	6613	.62	28.58	1.42	4.00				
308	6614	.62	21.31	1.09	3.91				
309	6615	.89	33.41	2.24	4.79				
310	6616A	1.51	26.18	1.85	4.77				
311	6617A	1.10	33.94	3.44	4.63				
312	6618	.89	35.10	2.79	4.63				
313	6619	.82	30.80	4.49	4.57				
314	6621A	.48	13.20	.39	4.56				
315	6622	.69	22.70	.57	3.76				
316	6623	.89	22.30	1.10	3.59				
317	6624	.55	14.60	.77	3.46				
318	6625	.27	15.00	.54	3.43				
319	6626	.75	8.40	1.62	3.70				
320	6627A	.48	17.80	.66	3.66				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4746 17

Date February 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
321	6628A	.82	15.50	1.04	4.07				
322	6629	.55	16.20	.69	3.53				
323	6631A	2.19	35.20	1.16	4.70				
324	6632	1.44	37.60	1.02	4.61				
325	6633	1.92	35.10	1.04	4.65				
326	6634	1.03	9.10	1.19	3.41				
327	6641A	.48	7.30	12.80	4.04				
328	6642	1.71	27.70	1.27	4.48				
329	6643	1.51	25.00	.93	4.39				
330	6644A	1.03	26.60	1.98	4.16				
331	6645A	.75	28.90	1.67	4.19				
332	6646	1.17	16.40	1.15	3.63				
333	6647	.75	15.00	.85	3.21				
334	6648	.69	16.50	3.88	3.55				
335	6649	.89	12.50	.96	3.32				
336	6651A	.48	6.39	1.61	3.01				
337	6652	.48	12.00	1.21	3.61				
338	6653	.62	12.40	.87	3.27				
339	6654	.69	16.10	.98	3.34				
340	6655A	.96	22.50	1.36	3.68				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4746 18

Date February 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
341	6656A	.55	8.80	.81	3.24				
342	6657	.69	.25	.75	3.40				
343	6658	.48	32.10	.90	4.80				
344	6659	.69	14.10	2.19	3.78				
345	6661A	.82	10.50	1.50	3.99				
346	6662	.21	8.50	.93	3.16				
347	6663	.41	11.00	1.08	3.39				
348	6701	1.51	20.20	1.36	3.79				
349	6702	1.78	18.20	1.65	3.82				
350	6703A	1.03	15.70	2.41	3.61				
351	6704A	1.92	22.10	1.84	3.87				
352	6705	.96	8.30	1.43	3.16				
353	6706	.82	8.10	1.32	3.25				
354	6707	.55	7.80	1.58	3.14				
355	6708	.41	6.30	1.31	3.01				
356	6709	.82	6.80	1.83	3.25				
357	6711A	1.65	13.70	2.11	3.74				
358	6712	1.78	15.30	1.42	3.61				
359	6713	1.99	16.20	2.81	4.11				
360	6714A	2.19	13.40	2.55	3.45				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4746 19

Date February 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
361	6715A	1.37	17.00	1.98	3.68				
362	6716	1.71	18.80	1.98	4.03				
363	6717	1.71	22.60	1.43	4.55				
364	6718	1.65	17.60	1.45	3.93				
365	6719	1.23	21.70	.83	3.94				
366	6721A	1.78	33.10	1.21	4.69				
367	6722	1.85	31.40	1.19	4.75				
368	6723	2.06	17.50	2.53	3.74				
369	6724	1.44	9.80	.95	3.16				
370	6725A	.89	6.00	1.10	3.05				
371	6726A	1.23	5.10	1.35	3.02				
372	6752	.89	14.10	1.12	3.27				
373	6753	.82	34.90	.91	4.65				
374	6754	.89	38.50	.86	4.66				
375	6755	.62	37.30	.77	4.76				
376	6756	1.10	27.40	.71	4.58				
377	6757	.82	11.30	1.23	3.36				
378	6758	.89	30.70	.75	4.46				
379	6759	.48	26.40	1.80	3.84				
380	6761A	.62	29.50	.88	4.20				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4746 20

Date February 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
381	6762A	.75	26.60	1.46	4.35				
382	6763	1.03	20.20	.48	4.80				
383	6764	1.37	36.30	.95	4.87				
384	6765	1.51	23.90	.94	4.61				
385	6766	.82	13.50	1.00	3.31				
386	6767	1.03	11.60	.94	3.44				
387	6768	.75	9.90	.61	3.17				
388	6777A	1.71	30.30	7.64	4.55				
389	6778	2.06	17.50	1.94	3.92				
390	6779A	1.44	10.60	2.96	3.39				
391	6781A	.89	9.00	4.04	3.49				
392	6782	.14	5.80	9.10	3.25				
393	6783	.55	1.31	3.19	2.97				
394	6784	1.03	17.20	2.30	3.52				
395	6785	.75	30.90	2.50	4.52				
396	6786	.89	11.30	9.10	3.56				
397	6787	.41	12.50	3.17	3.39				
398	6788A	.34	12.50	2.30	3.38				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.
330 - 355 Burrard Street
Vancouver, B.C. V6C 2G8

James Butel

Certificate No. K-4752

Date March 9, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Ag	Py	Po	S.G.				
		grams/tonne	grams/tonne	percent	percent					
1	6390A	1.58	140	18.78	3.18	4.44				
2	6400A	.75	52	2.93	1.54	3.00				
3	6410A	.62	36	4.51	1.26	2.96				
4	6420A	.48	21	3.41	4.37	2.99				
5	6470A	.82	50	16.27	1.67	3.52				
6	6480A	.82	44	14.99	1.04	3.42				
7	6490A	1.30	30	14.18	.64	3.47				
8	6500A	.55	67	7.18	4.12	3.48				
9	6666A	1.51	43	32.38	4.66	4.84				
10	6740A	1.58	26	39.88	1.29	4.69				
11	6750A	.75	27	16.93	.81	3.45				
12	6800A	.82	21	10.4	3.97	3.12				
13	6810A	.89	16	6.53	.65	3.16				
14	6820A	.69	25	22.84	1.94	3.93				
15	6830A	3.29	90	13.55	4.49	3.87				
16	6884A	.21	52	12.1	6.95	4.46				
17	6910A	.48	17	6.2	3.39	3.17				
18	6950A	1.85	43	37.29	1.26	4.74				
19	6960A	1.17	10	2.48	3.39	2.99				
20	6971A	1.65	48	36.0	1.85	4.57				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

330 - 355 Burrard Street

Vancouver, B.C. V6C 2G8

Certificate No. K-4752

Date March 9, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Ag	Py	Po	S.G.				
		grams, tonne	grams, tonne	percent	percent					
1	6390A	1.58	140	18.78	3.18	4.44				
2	6400A	.75	52	2.93	1.54	3.00				
3	6410A	.62	36	4.51	1.26	2.96				
4	6420A	.48	21	3.41	4.37	2.99				
5	6470A	.82	50	16.27	1.67	3.52				
6	6480A	.82	44	14.99	1.04	3.42				
7	6490A	1.30	30	14.18	.64	3.47				
8	6500A	.55	67	7.18	4.12	3.48				
9	6666A	1.51	43	32.38	4.66	4.84				
10	6740A	1.58	26	39.88	1.29	4.69				
11	6750A	.75	27	16.93	.81	3.45				
12	6800A	.82	21	10.4	3.97	3.12				
13	6810A	.89	16	6.53	.65	3.16				
14	6820A	.69	25	22.84	1.94	3.93				
15	6830A	3.29	90	13.55	4.49	3.87				
16	6884A	.21	52	12.1	6.95	4.46				
17	6910A	.48	17	6.2	3.39	3.17				
18	6950A	1.85	43	37.29	1.26	4.74				
19	6960A	1.17	10	2.48	3.39	2.99				
20	6971A	1.65	48	36.0	1.85	4.57				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.



Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4752 2

Date March 9, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Ag	Py	Po	S.G.			
		grams/tonne	grams/tonne	percent	percent				
21	6987A	.48	23	3.55	.92	3.09			
22	7030A	.55	127	28.42	.98	4.60			
23	7052A	1.65	32	22.9	8.51	4.21			
24	7058	.48	31	1.87	.99	3.11			
25	7068A	1.17	150	27.7	1.00	4.73			
26	7087A	2.33	169	7.98	2.12	3.82			
27	7097A	1.51	144	21.8	1.27	4.64			
28	7101A	.75	54	3.51	.96	2.99			
29	7111A	.75	18	25.35	2.34	3.89			
30	7121A	1.44	29	19.39	2.07	3.66			
31	7154A	.41	33	16.83	7.04	4.37			
32	7218A	.75	31	22.62	5.48	4.04			
33	7227A	1.03	83	30.35	1.44	4.69			
34	7294A	.62	12	4.05	3.12	2.98			
35	7306A	.41	39	2.84	1.05	2.93			
36	7330A	.41	7	1.90	2.81	2.85			
37	7342A	.41	15	3.62	1.83	2.91			
38	7380A	.55	28	3.45	.75	2.89			
39	7395A	1.65	104	18.65	.73	4.66			
40	7403A	.89	40	18.26	1.12	3.41			

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4752 2

Date March 9, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Ag	Py	Po	S.G.				
		grams/tonne	grams, tonne	percent	percent					
21	6987A	.48	23	3.55	.92	3.09				
22	7030A	.55	127	28.42	.98	4.60				
23	7052A	1.65	32	22.9	8.51	4.21				
24	7058	.48	31	1.87	.99	3.11				
25	7068A	1.17	150	27.7	1.00	4.73				
26	7087A	2.33	169	7.98	2.12	3.82				
27	7097A	1.51	144	21.8	1.27	4.64				
28	7101A	.75	54	3.51	.96	2.99				
29	7111A	.75	18	25.35	2.34	3.89				
30	7121A	1.44	29	19.39	2.07	3.66				
31	7154A	.41	33	16.83	7.04	4.37				
32	7218A	.75	31	22.62	5.48	4.04				
33	7227A	1.03	83	30.35	1.44	4.69				
34	7294A	.62	12	4.05	3.12	2.98				
35	7306A	.41	39	2.84	1.05	2.93				
36	7330A	.41	7	1.90	2.81	2.85				
37	7342A	.41	15	3.62	1.83	2.91				
38	7380A	.55	28	3.45	.75	2.89				
39	7395A	1.65	104	18.65	.73	4.66				
40	7403A	.89	40	18.26	1.12	3.41				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4752 3

Date March 9, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Ag	Py	Po	S.G.			
		grams/tonne	grams/tonne	percent	percent				
41	7413A	.34	26	2.48	.69	2.86			
42	7442A	1.44	108	11.25	4.44	3.62			
43	7453A	.82	23	7.74	.87	2.94			
44	7463A	.89	80	20.31	1.43	4.59			
45	7473A	1.51	75	17.18	2.09	3.56			
46	7481A	2.06	170	14.56	3.28	4.08			
47	7491A	.55	20	11.80	.81	3.06			
48	7518A	1.23	72	13.26	2.63	3.42			
49	7528A	1.17	170	19.17	1.95	4.18			
50	7540A	.89	17	6.65	.63	2.92			
51	7550A	.55	5	9.75	1.53	2.97			
52	7560A	.96	5	25.19	1.06	4.12			
53	7570A	.41	39	32.25	2.41	4.14			
54	7584A	.75	24	18.33	1.56	3.37			
55	7594A	.34	20	1.66	.69	2.84			
56	7608A	1.37	114	20.40	1.54	3.83			
57	7619A	.82	24	3.59	1.02	2.90			
58	7640A	.89	35	3.55	2.39	2.90			
59	7673A	2.61	59	17.86	1.41	3.54			
60	7684A	.82	70	2.08	1.81	3.02			

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4752 3

Date March 9, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No	Marked	Au	Ag	Py	Po	S.G.				
		grams/tonne	grams/tonne	percent	percent					
41	7413A	.34	26	2.48	.69	2.86				
42	7442A	1.44	108	11.25	4.44	3.62				
43	7453A	.82	23	7.74	.87	2.94				
44	7463A	.89	80	20.31	1.43	4.59				
45	7473A	1.51	75	17.18	2.09	3.56				
46	7481A	2.06	170	14.56	3.28	4.08				
47	7491A	.55	20	11.80	.81	3.06				
48	7518A	1.23	72	13.26	2.63	3.42				
49	7528A	1.17	170	19.17	1.95	4.18				
50	7540A	.89	17	6.65	.63	2.92				
51	7550A	.55	5	9.75	1.53	2.97				
52	7560A	.96	5	25.19	1.06	4.12				
53	7570A	.41	39	32.25	2.41	4.14				
54	7584A	.75	24	18.33	1.56	3.37				
55	7594A	.34	20	1.66	.69	2.84				
56	7608A	1.37	114	20.40	1.54	3.83				
57	7619A	.82	24	3.59	1.02	2.90				
58	7640A	.89	35	3.55	2.39	2.90				
59	7673A	2.61	59	17.86	1.41	3.54				
60	7684A	.82	70	2.08	1.81	3.02				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4752 4

Date March 9, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Ag	Py	Po	S.G.			
		grams/tonne	grams/tonne	percent	percent				
61	7698A	1.17	68	26.6	1.43	4.38			
62	7710A	.21	16	7.28	2.87	3.08			
63	7718	.41	24	4.26	.66	3.16			
64	7727A	1.30	42	13.20	1.06	3.24			
65	7737A	.75	26	5.29	.82	2.90			
66	7747A	1.51	50	16.34	1.08	3.36			
67	7758A	.48	61	7.76	6.50	3.30			
68	7772A	1.10	88	10.62	3.34	3.97			
69	7777	1.10	130	16.50	.92	3.72			
70	7788A	2.61	12	10.46	.85	2.96			
71	7798A	1.37	64	28.58	1.17	4.53			
72	7809A	.34	203	10.85	4.23	3.95			
73	7858A	1.37	61	12.49	1.26	3.29			
74	7900A	.34	33	.75	.88	2.80			
75	7937A	.62	27	25.93	6.26	3.96			
76	8010A	.82	73	8.47	1.21	3.12			
77	8020A	1.30	44	15.68	1.43	3.30			
78	8030A	.55	40	4.03	1.27	2.92			
79	8040A	1.58	110	23.59	.76	4.46			
80	8050A	1.30	47	33.00	1.43	4.42			

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4752 4

Date March 9, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Ag	Py	Po	S.G.				
		grams/tonne	grams/tonne	percent	percent					
61	7698A	1.17	68	26.6	1.43	4.38				
62	7710A	.21	16	7.28	2.87	3.08				
63	7718	.41	24	4.26	.66	3.16				
64	7727A	1.30	42	13.20	1.06	3.24				
65	7737A	.75	26	5.29	.82	2.90				
66	7747A	1.51	50	16.34	1.08	3.36				
67	7758A	.48	61	7.76	6.50	3.30				
68	7772A	1.10	88	10.62	3.34	3.97				
69	7777	1.10	130	16.50	.92	3.72				
70	7788A	2.61	12	10.46	.85	2.96				
71	7798A	1.37	64	28.58	1.17	4.53				
72	7809A	.34	203	10.85	4.23	3.95				
73	7858A	1.37	61	12.49	1.26	3.29				
74	7900A	.34	33	.75	.88	2.80				
75	7937A	.62	27	25.93	6.26	3.96				
76	8010A	.82	73	8.47	1.21	3.12				
77	8020A	1.30	44	15.68	1.43	3.30				
78	8030A	.55	40	4.03	1.27	2.92				
79	8040A	1.58	110	23.59	.76	4.46				
80	8050A	1.30	47	33.00	1.43	4.42				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4752 5

Date March 9, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Ag	Py	Po	S.G.			
		grams/tonne	grams/tonne	percent	percent				
81	8110A	.41	11	.88	2.28	2.81			
82	8123A	.34	33	10.2	13.48	3.41			
83	8539A	1.44	41	17.8	3.90	3.45			
84	8549A	1.17	51	31.3	1.42	4.21			
85	8842A	.21	10	6.8	4.67	2.98			
86	9750A	.62	43	12.0	2.65	3.21			
87	9781A	.69	45	16.5	4.07	3.48			
88	9800A	2.95	13	7.3	1.45	2.95			
89	9860A	1.37	171	22.4	1.02	4.28			
90	9930A	1.92	150	12.8	2.70	3.87			
91	9946A	1.78	35	26.4	2.89	3.87			
92	10000A	.69	26	13.3	1.27	3.54			
93	11131A	.75	40	12.5	2.20	3.15			
94	11140A	1.51	40	30.1	5.77	4.40			
95	11150A	2.13	53	24.2	1.48	4.03			
96	11170A	2.06	87	13.7	2.41	4.81			
97	11180A	1.10	33	26.5	2.21	3.91			
98	11240A	1.10	103	12.8	.75	4.68			
99	11480A	.55	12	12.7	1.49	4.27			
100	11740A	1.85	127	23.1	2.25	4.50			

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4752 5

Date March 9, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Ag	Py	Po	S.G.				
		grams/tonne	grams/tonne	percent	percent					
81	8110A	.41	11	.88	2.28	2.81				
82	8123A	.34	33	10.2	13.48	3.41				
83	8539A	1.44	41	17.8	3.90	3.45				
84	8549A	1.17	51	31.3	1.42	4.21				
85	8842A	.21	10	6.8	4.67	2.98				
86	9750A	.62	43	12.0	2.65	3.21				
87	9781A	.69	45	16.5	4.07	3.48				
88	9800A	2.95	13	7.3	1.45	2.95				
89	9860A	1.37	171	22.4	1.02	4.28				
90	9930A	1.92	150	12.8	2.70	3.87				
91	9946A	1.78	35	26.4	2.89	3.87				
92	10000A	.69	26	13.3	1.27	3.54				
93	11131A	.75	40	12.5	2.20	3.15				
94	11140A	1.51	40	30.1	5.77	4.40				
95	11150A	2.13	53	24.2	1.48	4.03				
96	11170A	2.06	87	13.7	2.41	4.81				
97	11180A	1.10	33	26.5	2.21	3.91				
98	11240A	1.10	103	12.8	.75	4.68				
99	11480A	.55	12	12.7	1.49	4.27				
100	11740A	1.85	127	23.1	2.25	4.50				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4752 6

Date March 9, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Ag	Py	Po	S.G.			
		grams/tonne	grams/tonne	percent	percent				
101	11750A	1.99	118	17.2	1.81	3.90			
102	11770A	.62	80	5.86	1.89	3.21			
103	11793A	.48	28	2.44	.95	2.89			
104	11802A	.48	29	1.60	.99	2.88			
105	11818A	.82	44	19.9	2.00	3.81			
106	11830A	.48	19	7.1	1.66	2.99			
107	11840A	1.71	162	8.1	2.29	3.62			
108	11850A	1.17	31	10.6	1.46	3.13			
109	11860A	2.19	93	29.0	2.68	4.67			
110	11880A	.62	17	10.6	1.34	3.09			
111	11900A	1.03	11	21.8	1.11	3.53			
112	11910A	1.37	75	28.5	1.06	4.68			
113	11920A	1.30	56	16.0	1.82	3.52			
114	11930A	.48	22	18.2	5.64	3.64			
115	11950A	.62	100	20.7	.81	4.49			
116	11960A	1.03	76	24.1	.57	4.64			
117	11980A	.62	21	4.1	.98	2.84			
118	11990A	.48	11	1.80	.59	2.89			
119	12050A	.41	34	12.7	1.50	2.87			
120	12070A	.55	23	24.4	1.45	3.24			

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4752 6

Date March 9, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Ag	Py	Po	S.G.				
		grams/tonne	grams/tonne	percent	percent					
101	11750A	1.99	118	17.2	1.81	3.90				
102	11770A	.62	80	5.86	1.89	3.21				
103	11793A	.48	28	2.44	.95	2.89				
104	11802A	.48	29	1.60	.99	2.88				
105	11818A	.82	44	19.9	2.00	3.81				
106	11830A	.48	19	7.1	1.66	2.99				
107	11840A	1.71	162	8.1	2.29	3.62				
108	11850A	1.17	31	10.6	1.46	3.13				
109	11860A	2.19	93	29.0	2.68	4.67				
110	11880A	.62	17	10.6	1.34	3.09				
111	11900A	1.03	11	21.8	1.11	3.53				
112	11910A	1.37	75	28.5	1.06	4.68				
113	11920A	1.30	56	16.0	1.82	3.52				
114	11930A	.48	22	18.2	5.64	3.64				
115	11950A	.62	100	20.7	.81	4.49				
116	11960A	1.03	76	24.1	.57	4.64				
117	11980A	.62	21	4.1	.98	2.84				
118	11990A	.48	11	1.80	.59	2.89				
119	12050A	.41	34	12.7	1.50	2.87				
120	12070A	.55	23	24.4	1.45	3.24				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4752 7

Date March 9, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Ag	Py	Po	S.G.			
		grams/tonne	grams/tonne	percent	percent				
121	12080A	1.30	70	19.6	4.92	4.17			
122	12090A	1.37	123	34.5	.75	4.75			
123	12101A	.27	42	20.3	4.27	4.20			
124	12110A	.82	78	22.5	2.22	4.14			
125	12138A	1.65	118	23.5	1.44	4.28			
126	12140A	.27	1	6.8	4.77	3.00			
127	12220A	.96	47	13.1	1.10	3.36			
128	12240A	.75	58	8.7	1.69	3.23			
129	12260A	.41	100	6.3	6.61	3.15			
130	12280A	.48	144	5.93	7.17	3.68			
131	12300A	1.30	93	15.5	.87	4.48			
132	12320A	.96	17	16.7	5.42	3.53			
133	12340A	.75	23	20.1	10.26	3.00			
134	12350A	.41	20	22.9	10.1	3.86			
135	12370A	.21	13	9.1	5.18	3.11			

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4752 7

Date March 9, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Ag	Py	Po	S.G.				
		grams/tonne	grams tonne	percent	percent					
121	12080A	1.30	70	19.6	4.92	4.17				
122	12090A	1.37	123	34.5	.75	4.75				
123	12101A	.27	42	20.3	4.27	4.20				
124	12110A	.82	78	22.5	2.22	4.14				
125	12138A	1.65	118	23.5	1.44	4.28				
126	12140A	.27	1	6.8	4.77	3.00				
127	12220A	.96	47	13.1	1.10	3.36				
128	12240A	.75	58	8.7	1.69	3.23				
129	12260A	.41	100	6.3	6.61	3.15				
130	12280A	.48	144	5.93	7.17	3.68				
131	12300A	1.30	93	15.5	.87	4.48				
132	12320A	.96	17	16.7	5.42	3.53				
133	12340A	.75	23	20.1	10.26	3.00				
134	12350A	.41	20	22.9	10.1	3.86				
135	12370A	.21	13	9.1	5.18	3.11				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

330 - 355 Burrard Street

Vancouver, B.C. V6C 2G8

Certificate No. K-4747

Date March 9, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Gram samples

Kral No.	Marked	Au	Ag	Py	Po	S.G.				
		grams/tonne	grams/tonne	percent	percent					
1	2460A	1.37	143	21.4	1.55	4.33				
2	2470A	.75	68	18.6	8.1	3.96				
3	2471	.27	25	2.44	3.77	2.98				
4	2473	.34	15	14.5	.85	3.17				
5	2498A	.82	43	36.2	1.05	4.50				
6	6060A	.27	21	.67	1.25	2.84				
7	6070A	.34	24	3.20	2.43	2.94				
8	6080A	1.37	17	12.7	4.85	3.39				
9	6090A	1.58	103	13.3	5.2	3.84				
10	6100A	.13	122	30.5	1.36	4.67				
11	6113A	1.99	83	18.7	3.14	3.90				
12	6120A	1.70	106	20.3	5.12	4.62				
13	6135A	.96	74	14.1	1.01	3.44				
14	6140A	1.03	30	38.1	1.86	4.51				
15	6150A	.34	94	11.6	1.42	4.58				
16	6160A	.07	13	7.2	6.8	3.28				
17	6170A	1.10	67	10.1	.99	3.28				
18	6200A	.41	109	10.7	2.13	4.40				
19	6210A	.34	2	1.67	3.93	2.67				
20	6220A	.14	3	6.8	1.60	2.95				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.
330 - 355 Burrard Street
Vancouver, B.C. V6C 2G8

Certificate No. K-4747

Date March 9, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Ag	Py	Po	S.G.				
		grams/tonne	grams/tonne	percent	percent					
1	2460A	1.37	143	21.4	1.55	4.33				
2	2470A	.75	68	18.6	8.1	3.96				
3	2471	.27	25	2.44	3.77	2.98				
4	2473	.34	15	14.5	.85	3.17				
5	2498A	.82	43	36.2	1.05	4.50				
6	6060A	.27	21	.67	1.25	2.84				
7	6070A	.34	24	3.20	2.43	2.94				
8	6080A	1.37	17	12.7	4.85	3.39				
9	6090A	1.58	103	13.3	5.2	3.84				
10	6100A	.13	122	30.5	1.36	4.67				
11	6113A	1.99	83	18.7	3.14	3.90				
12	6120A	1.70	106	20.3	5.12	4.62				
13	6135A	.96	74	14.1	1.01	3.44				
14	6140A	1.03	30	38.1	1.86	4.51				
15	6150A	.34	94	11.6	1.42	4.58				
16	6160A	.07	13	7.2	6.8	3.28				
17	6170A	1.10	67	10.1	.99	3.28				
18	6200A	.41	109	10.7	2.13	4.40				
19	6210A	.34	2	1.67	3.93	2.67				
20	6220A	.14	3	6.8	1.60	2.95				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4747 2

Date March 9, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Gram samples

Kral No.	Marked	Au	Ag	Py	Po	S.G.			
		grams/tonne	grams/tonne	percent	percent				
21	6235A	.48	28	22.5	7.0	3.86			
22	6310A	.41	19	3.33	1.82	2.94			
23	6320A	.62	50	22.2	.57	4.34			
24	6330A	1.17	120	16.6	1.12	3.94			
25	6340A	1.65	96	9.0	1.24	3.41			
26	6370A	.14	14	2.18	4.47	2.97			
27	6430A	.82	86	14.5	2.00	3.61			
28	6440A	.82	21	24.4	3.37	3.79			
29	6510A	1.1	70	13.2	1.50	3.40			
30	6534A	.55	19	6.44	1.31	2.97			
31	6537A	.41	13	3.12	2.12	2.94			
32	6538	1.44	44	20.8	.95	4.35			
33	6548A	1.58	31	24.4	2.03	3.69			
34	6553A	.41	72	11.2	1.06	3.37			
35	6570A	1.85	100	18.1	1.87	3.80			
36	6580A	1.13	39	23.43	1.67	3.73			
37	6590A	1.1	42	22.8	1.28	3.63			
38	6600A	.89	33	15.9	.63	3.36			
39	6610A	1.17	74	29.6	3.37	4.61			
40	6620A	1.78	70	21.4	1.29	4.07			

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4747 2

Date March 9, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Ag	Py	Po	S.G.			
		grams/tonne	grams/tonne	percent	percent				
21	6235A	.48	28	22.5	7.0	3.86			
22	6310A	.41	19	3.33	1.82	2.94			
23	6320A	.62	50	22.2	.57	4.34			
24	6330A	1.17	120	16.6	1.12	3.94			
25	6340A	1.65	96	9.0	1.24	3.41			
26	6370A	.14	14	2.18	4.47	2.97			
27	6430A	.82	86	14.5	2.00	3.61			
28	6440A	.82	21	24.4	3.37	3.79			
29	6510A	1.1	70	13.2	1.50	3.40			
30	6534A	.55	19	6.44	1.31	2.97			
31	6537A	.41	13	3.12	2.12	2.94			
32	6538	1.44	44	20.8	.95	4.35			
33	6548A	1.58	31	24.4	2.03	3.69			
34	6553A	.41	72	11.2	1.06	3.37			
35	6570A	1.85	100	18.1	1.87	3.80			
36	6580A	1.13	39	23.43	1.67	3.73			
37	6590A	1.1	42	22.8	1.28	3.63			
38	6600A	.89	33	15.9	.63	3.36			
39	6610A	1.17	74	29.6	3.37	4.61			
40	6620A	1.78	70	21.4	1.29	4.07			

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4747 3

Date March 9, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Gram samples

Kral No.	Marked	Au	Ag	Py	Po	S.G.				
		grams/tonne	grams/tonne	percent	percent					
41	6630A	.82	69	17.1	.71	3.82				
42	6650A	1.37	34	20.6	2.36	3.60				
43	6660A	.27	85	12.89	1.68	3.70				
44	6710A	1.51	113	15.14	1.18	3.94				
45	6720A	1.44	97	31.1	1.40	3.17				
46	6760A	.96	88	27.8	.81	4.44				
47	6780A	.27	2	2.46	4.47	2.96				
48	6789A	.21	18	16.6	3.34	4.33				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4747 3

Date March 9, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Gram samples

Kral No.	Marked	Au	Ag	Py	Po	S.G.				
		grams/tonne	grams/tonne	percent	percent					
41	6630A	.82	69	17.1	.71	3.82				
42	6650A	1.37	34	20.6	2.36	3.60				
43	6660A	.27	85	12.89	1.68	3.70				
44	6710A	1.51	113	15.14	1.18	3.94				
45	6720A	1.44	97	31.1	1.40	3.17				
46	6760A	.96	88	27.8	.81	4.44				
47	6780A	.27	2	2.46	4.47	2.96				
48	6789A	.21	18	16.6	3.34	4.33				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia