

(2 sheets)

DDH ZB-X-07

Cyprus Anvil Mining Corp. 018843

Page 1 of 2

Logged By: DJH

Att: G. Simpson²

Geochemical Log (Sampler's Copy)

Sampled By: SU

Code	From	To	Sample No.	Description
I	10 m 14	16 m 20	22 27	width
P	151124	151134	12762	1 m
				-
P	151156	151176	12763	2 m
P	151176	151196	12764	2 m
P	151196	152116	12765	2 m
P	152116	152136	12766	2 m
P	152136	152156	12767	2 m
P	152156	152175	12768	1.9 m
P	152175	152194	12769	1.9 m
P	152194	153114	12770	2 m
P	153114	153136	12771	2.2 m
P	153136	153156	12772	2 m
P	153156	153176	12773	2 m
P	153176	153196	12774	2 m
P	153196	154116	12775	2 m
P	154116	154136	12776	2 m
P	154136	154156	12777	2 m
P	154156	154176	12778	2 m
P	154176	154196	12779	2 m
P	154196	15509	12780	1.3 m
P	155136	155152	12781	1.6 m
P	155152	155170	12782	1.8 m
P	155170	155189	12783	1.9 m
P	155193	156113	12784	2 m
P	156113	156126	12785	1.3 m
P	156132	156152	12786	2 m
P	156154	156174	12787	2 m
P	156174	156194	12788	2 m
P	156194	157114	12789	2 m
P	157114	157134	12790	2 m
P	157134	157154	12791	2 m
P	157154	157174	12792	2 m

ANVIL ENG FARO

KRAL KAM
ATTN DARRYK HANSON

SAMLPE NBR	AG	PB	ZN	CU	width.
2762	21	.66	.17	.34 .32	
2763	8	.05	.02	.43 .34	2.0
2764	7	.03	.01	.41	2.0
2765	10	.02	.01	.77	2.0
2766	7	.01	.01	.46	2.0
2767	8	.03	.04	.43	2.0
2768	10	.06	.34	.45	1.9
2769	7	.05 1.07	1.07	.27	1.9
2770	9	.08	.17	.35	2.0
2771	11	.05 .05	.02	.58	2.2
2772	10	.08	.03	.39	2.0
2773	12	.34	.28	.33	2.0
2774	15	.67	.65	.34	2.0
2775	13	.71	.54	.17	2.0
2776	18	.83	.64	.30	2.0
2777	10	.08	.04	.37	2.0
2778	28	1.27	1.04	.48	2.0
2779	27	1.39	.87	.33	2.0
2780	28	1.77	1.23	.28	1.3
2781	33	1.52	.87	.36	35.3 m.?
2782	12	.52	.48	.14	115.8 ft}
2783	36	2.04	.17	.26	
2784	22	.33	.09	.26	
2785	17	.23	.07	.35	
2786	18	.48	.15	.21	
2787	26	.73	1.01	.61	
2788	27	1.05	1.01	.36	
2789	49	5.49	1.88	.18	
2790	15	.69	.19	.27	
2792	15	.30	.45	.295.9	

0.4 Cu.

KC*
ANVIL ENG FARO

KRAL KAM
ATTN DARRYL HANSON
CORRECTIONS

SAMPLE NBR	AG	PB	ZN	CU
WUYW				
2762	21	.66	.17	.32 ✓
2763	8	.05	.02	.34 ✓
2760				
2769	7	.05	1.07	.27 ✓
2770	9	.08	.17	.35 ✓
2771	11	.05	.02	.58 ✓

REGARDS
DEREK
NEW TYPING TODAY
AIN,T IT LOUSYVM
0

ANVIL ENG FARO

KRAL KAM
ATTN DARRYL HANSON

SAMPLE NBR	AG	PB	ZN	CU
2792	6	,14	,07	,14
2793	16.2	,71	1.51	.17
2794	6	.17	.23	.09
2795	8	.23	.23	,14
2796,	6	,27	.30	.10
2797 ,	8	,64	1,42	,08
2798	2	,14	,45	.04
2799	6	,32	,81	/06
2800	9.1	.31	,22	,37
2801	XX 2	.23	1.24	,0+
2802	10,1	,90	.05	,06
2803	9.6	,16	,07	,12
2804,	10.1	,87	1,43	,07
2805	2,	.12	,24	,15
2806	68.6	4.52	2,54	,17
2807	42.9	.78	.33	.39

REGARDS
DEREK

KRAL KAM

*

ANVIL ENG FARO

77-X-11

V*

ANVIL ADM FARO

KRAL KAM

ATTN DARRYL HANSON

SAMPLE NBR	AG	PB	ZN	CU
2551	5.0	.23	.13	.05
2552	8.8	.25	.08	.04
2553	16.4	.21	.07	.16
2554	13.8	.32	.07	.18
2555	52.5	4.69	3.73	.31
2556	21.2	1.15	1.06	.32
2557	41.7	3.71	1.44	.26
2558	35.4	1.94	.87	.27
2559	31.7	1.98	1.33	.18
2560	22.5	.81	.28	.30
2561	23.0	.61	.39	.27
2562	22.8	1.59	2.25	.09
2563	11.8	.89	1.52	.08
2564	19.8	1.32	1.76	.09
2565	18.8	.78	.46	.07
2566	20.1	.36	.12	.28
2567	21.3	.19	.06	.31
2568	18.8	.61	.35	.26
2569	42.0	2.77	4.14	.09
2570	29.8	1.83	3.82	.05
2571	34.7	2.34	3.84	.04
2572	34.1	2.34	3.87	.05
2573	30.8	2.09	4.44	.05
2574	22.3	1.95	3.26	.04
2575	21.9	1.72	2.62	.05
2576	21.4	1.64	2.52	.05
2577	23.7	1.45	1.87	.07
2578	23.1	1.56	2.46	.06
2579	18.2	1.12	1.72	.07

43B-4*

ANVIL ADM FARO

REGARDS

DEREK

CORRECTIONS IF ANY YO FOLLOW

KRAL KAM

*

ANVIL ADM FARO

check 2583
2584

9-11

ANVIL ENG FARO

KRAL KAM
ATTN STAN FUZIAK
SAMPLE NER AG PE ZN CU

WTIP

SAMPLE NER	AG	PE	ZN	CU					
✓ 2580	128.0	5.08	12.07	.02	✓				
✓ 2581	49.2	2.5	6.39	.02	1.3				
✓ 2582	47.0	2.83	5.56	.02	2.0	4.3 m	2.80	5.88	8.68
? (✓ 2583)	.4	.07	.11	.01	?				
✓ 2584	53.9	3.11	5.86	.02	1.0				
✓ 2585	22.1	1.78	4.11	.04	2.0	5.9 m	2.04	4.14	6.18
✓ 2586	11.6	2.17	4.45	.03	2.0				
✓ 2587	13.9	2.19	3.86	.03	1.9				
✓ 2588	3.3	.42	.93	.03					
2589	18.6	.84	.28	.27					
2590	35.3	2.13	2.29	.29					
2591	27.2	1.87	2.40	.15					
2592	28.9	2.04	1.99	.18					
2593	7.1	.37	.40	.09					
2594	19.6	.73	.48	.13					
✓ 2595	37.4	2.14	1.49	.05	2.0	3.5	1.52	1.19	2.71
✓ 2596	15.6	.69	.78	.05	1.5				
✓ 2597	22.5	.40	.71	.12					
✓ 2598	16.5	.88	1.79	.16					
✓ 2599	1.6	.17	.25	.06					
✓ 2600	3.0	.27	.52	.06					
✓ 2701	6.6	.45	.36	.09					

28-x-01

ANVIL ENG FARO

KRAL KAM

✓ 2702	53.4	3.65	3.14	.05	2.0				
✓ 2703	47.6	2.47	5.82	.02	2.0				
✓ 2704	68.9	5.77	4.39	.05	2.0				
✓ 2705	74.7	6.3							
✓ 2705	74.7	6.22	4.20	.10	2.0				
✓ 2706	64.3	4.16	4.35	.18	2.0	13.3	3.98	4.39	8.37
✓ 2707	55.0	3.34	2.18	.16	2.0				
✓ 2708	31.0	1.00	2.32	.26	2.0				
✓ 2709	79.2	3.00	6.07	.17	2.0				
✓ 2710	98.3	4.57	8.72	.07	1.3				
✓ 2711	28.0	1.89	2.96	.08					
✓ 2712	47.7	2.14	4.34	.16					
✓ 2713	82.0	4.50	8.11	.06					

CORRECTIONS IF ANY TO FOLLOW
REGARDS
DEREK

KRAL KAM

ANVIL ENG FARO

M*
ANVIL ENG FARO

KRAL KAM
ATTN: S EUZIAK

SAMPLE NER AG PF ZN CU

78x-02

78x-01

2714	58.2	18.81	6.07	.03
2715	25.1	1.92	2.25	.03
2716	22.2	1.68	2.82	.02
1				
2717	36.1	2.22	4.28	.01
2718	65.5	3.92	6.14	.06
2719	60.7	3.34	5.83	.03
2720	69.5	3.87	6.41	.09
2721	74.1	3.74	7.24	.05
2722	37.9	2.05	3.89	.03
2723	5.7	.26	.38	.01
2724	10.3	.47	1.00	.02
2725	27.8	1.26	2.00	.05
2726	26.5	1.22	1.74	.04
2727	17.1	.75	1.94	.06
2728	36.4	2.24	2.69	.03
2729	54.2	3.83	6.66	.04
2730	42.3	2.65	6.28	.03
2731=	54.5	2.78	5.83	.05
2732	14.2	.92	2.17	.04
2733	61.8	3.52	4.47	.04
2734	5.9	.54	1.26	.01
2735	6.			
2735	63.6	3.87	7.34	.13
2736	53.1	3.65	5.90	.02

REGARDS
DEREK

*
ANVIL ENG FARO

T
TVO
V*
ANVIL ENG FARG

KRAL KAM
ATTN DARRYL HANSON

SAMPLE NBR	AG	PB	ZN	CU
2743	126	7.94	13.54	.06
2744	95	6.87	9.86	.04
2745	48	2.60	4.75	.03
2746	102	6.59	11.19	.08
2747	64	3.46	6.83	.04
2748	47	2.97	6.28	.02
2749	51	3.34	6.43	.04
2750	95	6.85	14.72	.05
2751	57	2.85	7.40	.07
2752	40	2.16	4.72	.03
2753	48	3.28	6.20	.09
2754	47	2.87	3.62	.09
2755	23	.56	.91	.04

-
AG IN GM PER MT BY AA
FIRE ASSAY T CONFIRMATION TO FOLLOW

REGARDS
DEREK

M

V+

ANVIL ENG FARO

KRAL KAM

ATTN DARRYL HANSON

SAMPLE NBR	AG	PB	ZN	CU
274				
2756	137.2	7.83	17.89	.08
2757	73.4	4.27	8.89	.05
2758	13	.37	.72	.05
2759	52	2.80	4.06	.07
2760	34	2.01	2.37	.05
2761	37	2.20	3.69	.04

AG BY FIRE ASSAY

REGARDS

DEREK

KRAL KAM

*

ANVIL ENG FARO

V*

ANVIL ENG FARO

KRAL KAM

ATTN DARRYL HANSON

SAMPLE NBR	PB			
SAMPLE NBR	AG	PB	ZN	CU
WIPI				
2808	39	3,00	10,29	,02
2809	27	1,71	3,78	,01
2810	32.5	2,10	5,83	,005
2811	61	3,86	7,00	,03
2812	78	4,45	6,33	,08
2813	64	3,94	5,94	,05
2814	67	4,50	8,34	,02
2815	48	2.4	3,14	,09
2816	37	.62	,68	,03
2817	21	.49	.20	,01
2818	62	2.53	7.73	.09

REGARDS

DEREK

KRAL KAM

*

ANVIL ENG FARO

*
ANVIL ENG FARO

KRAL KAM

ATTN DARRYL HANSON

SAMPLE	AG	PB	ZN	CU
2819	27	1.33	.96	.32
2820	17	.69,	1.00	.25
2821	14.5	.32	.60	.37
2822	14.5	.21	.19	.58
2823	15	.23	.20	.56
2824	16	.24	XX .09	.50
2825	10	.16	.06	.32
W				
2826	37	2.12	5.22	.02
2827	38	2.10	5.05	.01
2828	51	3.56	4.63	.02
2829	21	1.62	1.54	.03
2830	18	1.04	2.34	.02
2831	14.5	.78	2.03	.02
2832	37	2.31	4.77	.03
2833	14.5	1.27	2.44	.04
2834	20	1.68	2.59	.06
2835	67	4.70	5.20	.07
2836	12	.92	1.14	.01
2837	11	.86	1.80	.02
2838	17	1.30	3.27	.01
2839	7	.64	1.61	.01
2840	4	.17	.26	.05
2841	28	1.84	3.05	.08
2842	14.5	.91	.85	.08
2842				
2843	26	1.74	2.84	.04
2844	47	3.41	5.64	.06
2845	133	7.83	7.45	.11
2846	106	6.83	14.84	.02
2847	53	3.47	5.11	.02
2848	78	4.31	7.69	.07
2849	66	4.48	7.05	.12
2850	17	.92	2.21	.05
2851	21	1.31	2.82	.04
2852	18	.92	2.62	.06
2853	20	1.06	2.66	.06
2854	38	2.44	4.77	.03
2855	5	.36	.76	.01
2856	35	2.00	3.01	.02

2843 ZN SHUD READ 2.83

43

REGARDS

DEREK

KRAL KAM

*
ANVIL ENG FARO

Call Judy