





Member  
Canadian Testing  
Association

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4639 2

Date November 24, 1981

I hereby certify that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		ounces per tonne	percent	percent	percent					
21	12271	36	2.50	5.40	.01					
22	12272	40	2.32	4.20	.02					
23	12273	15	.74	3.30	.03					
24	12274	35	1.93	3.70	.04					
25	12275	13	.66	1.49	.02					
26	12276	18	.95	1.42	.07					
27	12277	23	1.18	1.51	.04					
28	12278	36	2.12	3.40	.05					
29	12279	21	1.01	1.95	.02					
30	12280	155	10.80	16.90	.05					
31	12281	30	1.62	3.00	.04					
32	12282	10	.14	.82	.07					
33	12283	50	2.18	4.50	.06					
34	12284	46	2.92	7.50	.06					
35	12285	106	6.61	12.70	.07					
36	12286	63	3.94	7.70	.05					
37	12287	24	1.32	2.80	.07					
38	12288	36	1.92	2.70	.03					
39	12289	4	.07	.14	.01					
40	12290	3	.01	.04	.01					

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4639 3

Date November 24, 1981

*I hereby certify* that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Ag ounces per tonne	Pb percent	Zn percent	Cu percent					
41	12291	15	.64	2.20	.02					
42	12292	27	1.55	4.70	.02					
43	12293	3	.01	.05	.01					
44	12294	10	.46	.73	.02					
45	12295	133	6.60	9.90	.13					
46	12296	161	12.30	22.00	.16					
47	12297	18	1.04	2.70	.02					
48	12298	90	4.90	11.70	.06					
49	12299	118	6.80	14.50	.07					
50	12300	93	4.90	10.10	.06					
51	12301	70	4.10	8.00	.08					
52	12302	52	2.90	5.60	.05					
53	12303	104	5.70	10.10	.08					
54	12304	79	4.60	8.30	.06					
55	12305	80	6.00	5.70	.16					
56	12306	19	.97	1.06	.02					
57	12309	44	3.30	3.50	.08					
58	12310	50	5.90	4.30	.11					
59	12311	14	.43	.71	.19					
60	12312	16	.51	.46	.18					

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4639 4

Date November 24, 1981

*I hereby certify* that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		ounces per tonne	percent	percent	percent					
61	12313	42	3.40	3.50	.12					
62	12314	80	5.20	6.80	.10					
63	12315	95	5.90	8.20	.15					
64	12316	35	2.60	3.20	.15					
65	12317	33	1.52	2.40	.31					
66	12318	18	.56	.69	.24					
67	12319	13	.53	1.02	.19					
68	12320	21	1.00	2.70	.25					
69	12321	16	.48	1.42	.23					
70	12322	17	.70	2.60	.20					
71	12323	14	.42	.83	.37					
72	12324	13	.60	.71	.26					
73	12325	15	.84	1.76	.16					
74	12326	13	.43	.70	.21					
75	12327	12	.37	.70	.27					
76	12328	11	.19	.33	.21					
77	12329	13	.13	.38	.49					
78	12330	6	.01	.01	.01					
79	12331	27	1.23	.99	.28					
80	12332	22	1.17	.68	.26					

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



**KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.**

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

**CERTIFICATE OF ASSAY**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4639 5

Date November 24, 1981

*I hereby certify that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples*

Kral No.	Marked	Ag	Pb	Zn	Cu					
		ounces per tonne	percent	percent	percent					
81	12333	15	.49	.51	.07					
82	12334	26	1.16	.93	.30					
83	12335	31	2.13	2.60	.30					
84	12336	46	3.30	3.10	.36					
85	12337	37	2.50	2.90	.23					
86	12338	22	.88	.70	.32					
87	12339	10	.21	.14	.08					
88	12340	29	1.44	1.41	.25					
89	12341	19	1.11	1.10	.22					
90	12342	34	2.80	2.40	.19					
91	12343	20	1.21	.71	.14					
92	12344	8	.21	.26	.17					
93	12345	25	1.45	1.45	.18					
94	12346	28	1.96	1.71	.17					
95	12347	43	3.30	3.20	.17					
96	12348	25	1.47	1.20	.34					
97	12349	18	.80	.56	.35					
98	12350	19	1.10	.80	.25					
99	12351	18	.96	.58	.21					
100	12352	15	.80	.52	.34					

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4639 6

Date November 24, 1981

*I hereby certify* that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		ounces per tonne	percent	percent	percent				
101	12353	16	.92	.38	.24				
102	12354	21	1.24	1.17	.21				
103	12355	10	.33	.36	.14				
104	12356	7	.26	.33	.22				
105	12357 & 12358	36	2.01	1.75	.25				
106	12359	45	2.80	4.10	.26				
107	12360	19	1.08	1.17	.21				
108	12361	94	6.50	6.40	.13				
109	12362	9	.31	.27	.24				
110	12363	17	1.21	1.13	.16				
111	12364	7	.16	.22	.19				
112	12365	33	2.13	2.80	.14				
113	12366	14	.36	.26	.14				
114	12367	32	1.55	.41	.22				
115	12368	22	1.18	.87	.20				
116	12369	18	.76	.73	.22				
117	12370	12	.58	.61	.13				
118	12371	4	.02	.03	.01				
119	12372	4	.01	.03	L.01				
120	12373	5	.01	.01	L.01				

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4639 7

Date November 24, 1981

I hereby certify that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		ounces per tonne	percent	percent	percent					
121	12374	4	.01	.02	.01					
122	12375	5	.19	.40	.03					
123	12376	4	.01	.03	.01					
L means "Less than"										

*Fract 216*

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 12

Date October 27, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
221	11912 A	88	4.70	2.70	.18				
222	11913	83	5.40	5.90	.11				
223	11914	84	4.80	7.50	.10				
224	11915	46	2.70	4.40	.07				
225	11916	40	2.50	2.10	.21				
226	11917	94	7.50	10.00	.11				
227	11918	19	1.10	3.50	.12				
228	11919	10	.13	.91	.20				
229	11920	57	4.20	5.10	.08				
230	11921 A	129	6.90	10.80	.06				
231	11922 A	54	3.00	5.80	.02				
232	11923	49	2.20	5.50	.01				
233	11924	53	2.60	6.50	.02				
234	11925	51	2.50	6.90	.01				
235	11926	40	1.98	6.00	.02				
236	11927	39	2.10	4.80	.03				
237	11928	4	.13	.33	.01				
238	11929	43	2.20	4.50	.03				
239	11930	28	1.29	4.30	.03				
240	11931 A	29	1.03	4.40	.03				

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

## KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

### CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 13

Date October 27, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
241	11932 A	92	4.60	6.00	.18					
242	11933	158	7.50	12.20	.22					
243	11934	42	2.20	3.70	.03					
244	11935	52	3.30	5.40	.04					
245	11936	55	3.10	4.80	.11					
246	11937	83	4.30	8.40	.09					
247	11938	96	4.90	9.50	.04					
248	11939	29	1.89	4.40	.03					
249	11940	26	1.17	1.41	.13					
250	11941 A	12	1.02	1.34	.03					
251	11942 A	15	1.16	1.77	.03					
252	11943	31	2.30	2.90	.02					
253	11944	7	.34	.80	.03					
254	11945	14	1.07	.21	.03					
255	11946	4	.24	.30	.05					
256	11947	10	.37	1.00	.09					
257	11948	41	2.01	2.80	.09					
258	11949	16	.14	.39	.25					
259	11950	107	4.80	8.40	.18					
260	11951 A	25	1.34	.98	.02					

**NOTE:**

Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd

Certificate No. K-4565 14

Date October 27, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
261	11952 A	58	2.90	5.00	.20				
262	11953	73	3.30	4.70	.17				
263	11954	30	1.52	3.70	.02				
264	11955	156	9.00	10.10	.16				
265	11956	95	5.20	8.90	.09				
266	11957	96	4.40	8.80	.15				
267	11958	94	2.10	4.00	.07				
268	11959	79	3.50	7.20	.13				
269	11960	80	4.50	7.60	.10				
270	11961 A	84	4.30	7.70	.13				
271	11962 A	83	4.70	10.80	.04				
272	11963	50	2.60	4.60	.35				
273	11964	34	1.22	2.50	.37				
274	FA 60075	14	.60	.76	.16				
275	11966	23	1.66	1.59	.11				
276	11967	10	.51	1.55	.04				
277	FA 60080	20	1.01	2.00	.04				
278	11969	18	.98	1.84	.03				
279	11970	46	1.94	2.70	.09				
280	FA 60091	28	1.13	2.60	.04				

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 15

Date October 27, 1981

**I hereby certify** that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
281	11972 A	45	2.00	3.70	.03				
282	11973	33	1.68	3.10	.02				
283	11974	39	2.10	3.30	.04				
284	11975	35	2.10	4.30	.03				
285	11976	20	1.24	2.40	.02				
286	11977	8	.46	1.27	.03				
287	11978	54	3.30	4.20	.06				
288	11979	26	1.60	3.40	.02				
289	11980	24	1.57	3.40	.02				
290	11981 A	10	.55	.62	.02				
291	11982 A	18	1.08	2.30	.03				
292	11983	32	1.83	1.76	.07				
293	11984	25	1.30	1.06	.07				
294	11985	10	.58	1.72	.03				
295	11986	23	1.31	1.71	.03				
296	11987	30	1.34	2.70	.07				
297	11988	48	3.00	4.90	.22				
298	11989	39	2.10	3.90	.13				
299	11990	16	.69	1.03	.04				
300	11991 A	3	.64	.63	.04				

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 16

Date October 27, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
301	11992 A	16	.64	1.20	.07					
302	11993	16	.66	.92	.08					
303	11994	12	.45	.85	.07					
304	11995	9	.70	1.84	.08					
305	11996	35	3.10	1.43	.03					
306	11997	11	.61	.88	.04					
307	11998	3	.46	.57	.04					
308	FA GU 091 11999 A	30	2.10	3.00	.10					
309	12035 A	37	1.53	2.90	.11					
310	FA GU 093 12036 A	55	2.80	5.00	.05					
311	12037 A	47	2.10	4.10	.12					
312	12038	49	2.80	4.20	.05					
313	12039	46	2.70	3.90	.05					
314	12040	28	1.74	3.00	.07					
315	12041	16	1.25	3.10	.03					
316	12042	26	1.27	3.50	.04					
317	12043	26	1.57	3.30	.03					
318	12044	27	1.70	3.30	.06					
319	12045	24	1.12	1.15	.08					
320	12046 A	27	1.54	2.50	.05					

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 17

Date October 27, 1981

*I hereby certify* that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
321	12047 A	26	1.57	1.88	.06				
322	12048	48	3.20	5.70	.07				
323	12049	35	2.03	3.90	.05				
324	12050	34	2.15	5.40	.02				
325	12051	23	1.00	2.60	.03				
326	12052	10	.70	1.55	.09				
327	12053	12	.53	1.00	.07				
328	12054	21	1.67	1.21	.05				
329	12055	28	1.10	2.80	.03				
330	12056 A	30	1.45	2.60	.05				
331	12057 A	37	2.05	4.70	.09				
332	12058	67	3.70	6.60	.10				
333	12059	108	7.10	13.50	.14				
334	12060	68	3.20	6.00	.04				
335	12061	60	3.30	4.80	.07				
336	12062	50	2.90	3.60	.04				
337	12063	44	1.90	4.30	.03				
338	12064	30	1.10	2.80	.02				
339	12065	28	1.29	2.90	.03				
340	12066	29	1.19	4.60	.02				

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 18

Date October 27, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
341	12067 A	26	.85	4.00	.02				
342	12068	35	2.30	5.00	.02				
343	12069	40	1.87	6.10	.02				
344	12070	30	1.10	4.40	.02				
345	12071	32	1.14	3.90	.02				
346	12072	55	2.10	5.80	.02				
347	12073	40	1.51	3.20	.02				
348	12074	67	2.60	5.40	.03				
349	12075	44	1.80	4.20	.02				
350	12076 A	62	3.00	5.80	.01				
351	12077 A	47	2.02	3.90	.02				
352	12078	55	2.40	6.10	.02				
353	12079	71	3.30	6.50	.03				
354	12080	74	4.10	12.90	.05				
355	12081	30	1.11	2.90	.11				
356	12082	35	1.94	4.00	.12				
357	12083	136	9.30	14.80	.24				
358	12084	98	7.20	17.00	.18				
359	12085	69	4.30	8.00	.24				
360	12086 A	76	6.60	10.90	.20				

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 19

Date October 27, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
361	12087 A	121	6.20	9.40	.21					
362	12088	117	5.70	9.90	.16					
363	12089	83	3.90	8.70	.10					
364	12090	122	6.70	10.90	.14					
365	12091	34	1.30	2.50	.07					
366	12092	49	2.90	4.10	.09					
367	12093	8	.38	.59	.04					
368	12094	126	9.00	12.70	.10					
369	12095	117	8.40	17.50	.12					
370	12096 A	98	5.60	9.70	.19					
371	12097 A	109	6.80	19.40	.20					
372	12098	72	4.40	4.50	.18					
373	12099	32	1.40	1.37	.10					
374	12100	37	2.50	1.93	.18					
375	12101	49	2.01	.48	.30					
376	12102	22	.53	.19	.08					
377	12103	62	2.40	3.10	.12					
378	12104	105	5.70	6.20	.11					
379	12105	91	6.00	8.10	.06					
380	12106 A	117	6.80	7.10	.13					

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 20

Date October 27, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
381	12107 A	30	1.00	.74	.23					
382	12108	95	3.90	3.90	.12					
383	12109	41	1.90	.86	.21					
384	12110	80	6.20	6.50	.10					
385	12111	39	.35	.46	.75					
386	12112	100	5.70	8.70	.06					
387	12113	105	6.40	7.60	.05					
388	FA 90066 12114	23	.91	.85	.08					
389	12115	108	5.90	8.50	.06					
390	12116 A	94	5.60	7.90	.04					
391	FA 90101 12117 A	52	2.30	5.50	.03					
392	12118	166	9.50	17.60	.08					
393	12119	57	2.80	3.60	.07					
394	12120	57	3.80	3.30	.06					
395	12121	56	3.30	3.70	.05					
396	12122	73	4.40	5.30	.04					
397	12123	38	2.30	3.60	.03					
398	12124	25	.97	2.50	.02					
399	12125	53	3.10	3.60	.04					
400	12126 A	31	1.57	2.30	.03					

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

## KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

### CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 21

Date October 27, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
401	12127 A	10	.55	1.89	.01					
402	12128	20	.84	2.30	.01					
403	12129	36	1.66	3.70	.01					
404	12130	19	.87	1.98	.01					
405	12131	11	.55	.64	.01					
406	12132	32	1.59	2.80	.03					
407	12133	1	.04	.07	.01					
408	12134	19	.77	1.26	.01					
409	12135	30	1.39	2.60	.04					
410	12136 A	3	.09	.12	.01					
411	12137 A	11	.61	.90	.01					
412	12138	130	6.80	12.40	.15					
413	12139	4	.10	.18	.07					
414	12140	5	.03	.05	.10					
415	12141	2	.04	.11	.07					
416	12142	14	.73	1.52	.06					
417	12143	5	.05	.10	.12					
418	12144	5	.07	.22	.12					
419	12145	3	.03	.07	.01					
420	12146 A	36	1.95	3.20	.06					

**NOTE:**

Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 22

Date October 27, 1981

*I hereby certify* that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
421	12147 A	63	3.40	7.50	.05				
422	FA GU101 12148	26	1.26	3.00	.02				
423	12149	97	5.20	9.40	.02				
424	FA GU 103 12150	34	1.96	3.90	.02				
425	12151	42	1.91	3.60	.02				
426	FA GU 099 12152	63	4.00	8.70	.02				
427	12153	84	3.20	8.40	.08				
428	12154	38	1.97	4.50	.02				
429	12155	96	4.80	9.00	.13				
430	12156 A	95	5.10	7.20	.18				
431	12157 A	102	5.20	8.50	.16				
432	12158	45	2.90	3.50	.08				
433	12159	23	1.25	2.60	.09				
434	12160	20	.50	.62	.15				
435	12161	14	.15	.41	.13				
436	12162	14	.40	.48	.11				
437	12163	11	.11	.48	.13				
438	12164	13	.24	.61	.19				
439	12165	15	.21	.43	.28				
440	12166 A	23	1.18	.94	.13				

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 23

Date October 27, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
441	FA GU 099	12167 A	78	3.70	4.80	.10				
442	FA GU 095	12168	55	3.20	4.30	.06				
443		12169	72	3.80	4.90	.06				
444		12170	48	2.40	5.20	.04				
445		12171	34	1.60	4.00	.04				
446		12172	72	3.90	7.30	.04				
447		12173	138	6.90	11.50	.02				
448		12174	33	1.47	3.20	.04				
449		12175	38	1.74	3.60	.06				
450		12176 A	10	.36	.62	.02				
451		12177 A	116	6.30	10.00	.03				
452		12178	105	6.50	9.10	.03				
453		12179	8	.27	.29	.01				
454		12180	58	2.80	8.60	.05				
455		12181	12	.33	1.00	L.01				
456		12182	40	1.84	6.30	.01				
457		12183	18	.83	1.85	.01				
458		12184	94	5.40	13.90	.04				
459		12185	94	5.40	12.80	.08				
460		12186	78	4.80	7.20	.08				

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 24

Date October 27, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
461	12187 A	50	3.00	4.00	.15				
462	12188	50	2.80	4.20	.10				
463	12189	43	2.70	3.20	.05				
464	12190	10	.16	.40	.08				
465	12191	35	1.57	2.30	.05				
466	12192	103	5.90	8.30	.20				
467	FA GU 095 12193	95	4.40	5.10	.18				
468	12194	14	.52	1.25	.02				
469	FA GU 105 12195	21	.67	1.36	.01				
470	FA GU 109 12196 A	44	1.66	4.60	.02				
471	12197 A	128	4.80	12.20	.02				
472	12198	89	4.80	8.80	.05				
473	12199	50	2.40	4.10	.10				
474	12200	52	2.70	3.50	.10				
475	12201	34	1.77	4.20	.02				
476	12202	11	.26	.38	.01				
477	12203	53	2.80	4.80	.12				
478	12204	113	5.50	11.00	.16				
479	12205	36	1.22	2.50	.06				
480	12206 A	47	2.80	2.40	.03				

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 25

Date October 27, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
481	12207 A	8	.03	.28	.01				
482	12208	37	1.71	3.80	.03				
483	12209	49	2.20	4.20	.06				
484	12210	8	.06	.38	.01				
485	12211	38	2.10	1.50	.09				
486	12212	29	1.67	1.30	.06				
487	12213	52	3.80	7.40	.03				
488	12214	52	4.30	5.20	.05				
489	12215	39	2.70	4.00	.05				
490	12216 A	14	.38	.81	.02				
491	12217 A	34	1.13	2.90	.02				
492	12218	51	2.60	5.00	.02				
493	12219	52	2.90	8.60	.03				
494	12220	51	2.90	7.70	.03				
495	12221	53	3.00	7.40	.03				
496	12222	113	5.60	11.80	.15				
497	12223	131	7.30	11.80	.14				
498	12224	119	6.20	11.90	.14				
499	12225	151	10.60	21.30	.08				
500	12226 A	153	8.50	15.40	.15				

FA QV109  
FA QV073

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 26

Date October 27, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
501	12227 A	30	1.12	2.40	.02				
502	FA 9U073 12228	156	6.90	11.40	.17				
503	FA 9U109 12229	21	1.14	2.70	.06				
504	12230	37	1.67	3.40	.03				
505	FA 9U107 12231	33	1.42	2.80	.05				
506	12232	38	1.51	3.20	.06				
507	12233	24	.83	2.20	.08				
508	12234	33	1.42	2.20	.06				
509	12235	50	2.80	4.20	.05				
510	12236 A	56	3.60	4.90	.07				
511	12237 A	52	2.70	5.20	.05				
512	12238	101	5.70	11.80	.05				
513	12239	86	4.80	8.80	.09				
514	12240	58	3.20	8.10	.06				
515	12241	52	3.00	5.20	.04				
516	12242	11	.51	.93	.05				
517	12243	144	7.70	15.30	.09				
518	12244	18	.58	1.60	.14				
519	12245	35	1.89	2.30	.05				
520	12246 A	30	1.56	2.80	.02				

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 27

Date October 27, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
521	12247 A	31	1.81	2.20	.04					
522	12248	43	2.04	.34	.08					
523	FA 9V107 12249 A	112	6.00	11.30	.08					
524	FA 9A162 6673 A	11	.18	.26	.13					
525	6674	51	2.09	1.08	.12					
526	6675	12	.17	.26	.17					
527	6676	18	.47	1.69	.21					
528	6677 A	100	6.50	7.80	.21					
L means "Less than"										

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.  
330 - 355 Burrard Street  
Vancouver, B.C. V6C 2G8

Certificate No. K-4565

Date October 26, 1981

*I hereby certify* that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
1	11474 A	25	1.57	1.53	.09				
2	11475	24	1.67	1.78	.07				
3	11476	34	2.60	4.60	.03				
4	11477	48	4.30	5.00	.03				
5	11478	37	2.90	4.00	.04				
6	11479	23	.73	1.93	.03				
7	11480 A	15	.48	1.85	.03				
8	11481	45	2.09	3.20	.06				
9	11482	56	3.60	8.40	.11				
10	11483 A	140	9.70	14.50	.14				
11	FAGU067 11484 A	134	11.10	16.10	.23				
12	11485	75	3.60	8.20	.08				
13	11486	112	5.70	13.40	.06				
14	11487	95	5.90	13.20	.12				
15	11488	45	3.20	19.50	.12				
16	11489 A	83	5.80	24.00	.10				
17	(P) 11691 A	3	.08	.22	.02				
FAGU018 18	11700 A	30	1.39	2.40	.04				
19	11701	27	1.20	.86	.23				
FAGU084 20	11702	25	.98	1.02	.19				

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 2

Date October 26, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
21	11703 A	40	1.53	1.68	.29				
22	11704	72	6.90	8.20	.05				
23	11705	13	.35	.40	.08				
24	11706	14	.43	2.70	.04				
25	11709	9	.39	.73	.02				
26	11712	37	1.67	2.70	.15				
27	11713	7	.14	.22	.13				
28	11714	27	1.12	1.25	.11				
29	11715	26	1.38	1.37	.14				
30	11716 A	24	.81	.65	.10				
31	11717 A	43	1.79	2.20	.08				
32	11718	24	1.11	1.05	.09				
33	11719	27	1.21	1.26	.10				
34	11720	17	.27	.12	.10				
35	11721	7	.20	.10	.09				
36	11722	18	.51	.36	.10				
37	11723	6	.07	.31	.01				
38	11724	4	.08	.47	.05				
39	11725	13	.22	.19	.12				
40	11726 A	15	.66	1.24	.06				

NOTE:  
Refract. retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 3

Date October 26, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
41	11727 A	7	.07	.27	.16				
42	11728	42	3.20	2.70	.13				
43	11729	40	2.70	1.59	.16				
44	FAGROBA 11730	39	2.70	1.86	.13				
45	FAGUO68 11734	14	.46	.56	.06				
46	11735	26	1.51	.89	.08				
47	11736	28	2.50	1.40	.05				
48	11737	28	2.80	3.70	.01				
49	11738	29	1.96	4.70	.03				
50	11739 A	51	3.70	7.50	.06				
51	11740 A	131	8.90	17.30	.13				
52	11741	159	9.20	15.50	.26				
53	11742	149	8.50	16.30	.18				
54	11743	91	4.50	11.50	.06				
55	11744	78	4.50	7.10	.09				
56	11745	68	3.60	4.60	.03				
57	11746	15	.55	1.52	.03				
58	FAGUO70 11747	32	2.40	1.03	.06				
59	11748	38	2.40	3.70	.03				
60	11749 A	120	8.00	11.70	.08				

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 4

Date October 26, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
61	11750 A	124	8.00	13.60	.06				
62	11751	136	9.40	19.60	.17				
63	11752	131	10.00	17.60	.21				
64	11753	138	7.90	15.60	.10				
65	11754	9	.30	1.72	.01				
66	11755	45	3.00	6.10	.11				
67	11756	66	4.10	7.30	.06				
68	FAQU070 11757	120	6.90	12.70	.11				
69	11758	125	6.70	17.20	.14				
70	11759 A	11	.50	.60	.08				
71	FAQU069 11760 A	21	1.70	1.35	.07				
72	11761	40	2.60	4.60	.05				
73	11762	41	2.00	4.20	.04				
74	11763	70	4.00	7.70	.15				
75	11764	139	7.10	14.50	.33				
76	11765	130	6.80	14.00	.26				
77	11766	40	1.81	4.60	.07				
78	11767	16	.52	.75	.14				
79	11768	65	4.00	9.20	.05				
80	11769 A	99	5.60	12.60	.01				

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4565 5

Date October 26, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
81	11770 A	80	4.60	11.90	.02				
82	11771	90	5.10	11.40	.02				
83	11772	124	7.00	11.00	.10				
84	11773	119	6.40	10.50	.13				
85	FAGU 69 11774	156	7.10	14.40	.19				
86	11775	134	5.60	12.50	.43				
87	FAGU 214 11776	150	9.60	12.40	.25				
88	11777	25	1.23	2.50	.04				
89	11778	6	.60	.74	.02				
90	11779 A	40	2.10	3.20	.03				
91	FAGU 241 11780 A	44	2.20	3.90	.07				
92	11781	33	1.75	1.46	.02				
93	FAGU 148 11782	27	1.72	2.40	.03				
94	11783	35	2.30	4.10	.03				
95	11784	10	.48	.77	.07				
96	11785	62	3.20	4.80	.11				
97	11786	38	2.10	3.10	.06				
98	11787	30	1.81	4.10	.11				
99	11788	49	3.00	4.30	.07				
100	11789 A	47	3.20	4.20	.11				

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
 Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 6

Date October 26, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
101	11790 A	74	5.20	6.70	.06				
102	11791	84	5.50	7.60	.08				
103	11792	55	3.30	3.80	.06				
104	11793	26	1.47	3.20	.02				
105	11794	25	1.44	3.40	.02				
106	11795	31	1.83	2.90	.03				
107	11796	55	2.60	3.60	.04				
108	11797	59	3.10	5.60	.02				
109	11798	63	3.30	7.00	.05				
110	11799 A	57	2.80	5.30	.03				
111	11800 A	56	3.20	5.20	.06				
112	11801	33	1.95	3.30	.03				
113	FAQU148	11802	31	1.87	3.40	.04			
114	11803	30	2.20	1.30	.10				
115	FAQU072	11804	29	1.85	.68	.11			
116	11805	45	3.00	.80	.12				
117	11806	20	1.00	.47	.12				
118	11807	18	.90	.73	.10				
119	11808	10	.58	.91	.10				
120	11809 A	9	.33	.54	.06				

**NOTE:**

Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 7

Date October 26, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
121	11810 A	7	.24	.36	.08					
122	11811	7	.26	.55	.12					
123	11812	20	.85	1.78	.11					
124	11813	26	1.73	2.00	.09					
125	11814	53	2.60	3.50	.28					
126	11815	29	.65	1.28	.21					
127	11816	37	2.20	3.20	.08					
128	11817	41	2.03	3.10	.23					
129	11818	46	1.57	2.60	.08					
130	11819 A	26	1.38	1.06	.02					
131	11820 A	69	3.00	5.20	.15					
132	11821	27	1.45	2.30	.06					
133	11822	43	3.10	3.40	.13					
134	11823	27	1.68	2.50	.14					
135	11824	14	.70	.98	.09					
136	11825	23	1.34	1.68	.16					
137	11826	45	2.90	2.90	.26					
138	11827	9	.50	1.15	.03					
139	11828	16	.92	1.39	.09					
140	11829 A	13	.76	1.71	.10					

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 8

Date October 26, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
141	11830 A	21	.90	1.52	.06				
142	11831	36	1.48	1.72	.07				
143	11832	19	1.00	1.69	.03				
144	11833	126	7.20	12.70	.16				
145	11834	5	2.50	.71	.05				
146	11835	159	9.00	19.60	.03				
147	11836	115	7.30	15.70	.10				
148	11837	38	1.45	3.10	.03				
149	11838	54	2.30	5.50	.04				
150	11839 A	141	8.80	14.20	.11				
151	11840 A	156	10.00	14.50	.04				
152	11841	21	1.30	.91	.08				
153	11842	11	.47	.24	.06				
154	11843	44	3.70	3.20	.04				
155	11845	31	2.70	2.40	.02				
156	11846	31	3.10	1.05	.03				
157	11847	28	2.40	.65	.04				
158	11848	27	.95	.42	.06				
159	11849	19	.90	.52	.10				
160	11850 A	41	3.30	5.70	.11				

FAGU072

FAGU079

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 9

Date October 26, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
161	11851 A	33	2.60	1.37	.09				
162	11852	51	3.80	5.30	.14				
163	11853	25	1.66	.45	.07				
164	11854	50	3.90	4.30	.08				
165	11855	40	2.50	3.60	.08				
166	11856	96	5.10	5.00	.16				
167	11857	70	3.70	4.30	.14				
168	11858	34	1.83	3.20	.22				
169	11859	64	3.80	5.00	.31				
170	11860 A	97	4.30	10.00	.28				
171	11861 A	65	4.50	7.70	.08				
172	11862	100	6.30	11.10	.23				
173	11863	145	8.80	12.50	.25				
174	11864	106	5.40	8.00	.15				
175	11865	117	4.90	8.10	.26				
176	11866	113	4.60	6.70	.21				
177	11867	127	5.80	9.80	.14				
178	11868	39	1.98	3.20	.08				
179	11869	26	1.23	2.80	.03				
180	11870 A	36	1.68	3.30	.05				

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 10

Date October 26, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
181	11871 A	53	2.80	5.90	.02				
182	11872	23	.90	1.93	.09				
183	11873	4	.30	.54	.02				
184	11874	12	.61	1.09	.05				
185	11875	22	1.13	2.20	.05				
186	11876	23	1.01	2.90	.10				
187	11877	34	1.59	3.90	.07				
188	11878	37	1.97	2.80	.04				
189	11879	40	1.88	4.30	.04				
190	11880 A	24	1.22	1.39	.05				
191	11881 A	41	2.70	1.49	.04				
192	11883	46	1.96	4.30	.07				
193	11884	29	1.34	3.70	.06				
194	11885	10	.54	1.07	.04				
195	11886	11	.58	1.35	.07				
196	11887	32	1.95	3.40	.03				
197	11888	32	1.70	3.00	.02				
198	11889	54	3.20	4.20	.03				
199	11890	7	.55	.38	.04				
200	11891 A	19	1.30	2.30	.06				

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged

Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4565 11

Date October 26, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
201	11892 A	20	1.45	2.50	.01				
202	11893	16	.53	.92	.10				
203	11894	35	2.40	3.00	.04				
204	11895	25	.15	5.70	.41				
205	11896	130	7.90	12.60	.16				
206	11897	20	.65	.85	.24				
207	11898	10	.06	.41	.21				
208	11899	27	.69	1.03	.34				
209	11900	15	.28	.49	.26				
210	11901 A	79	3.80	5.30	.14				
211	11902 A	26	1.47	2.60	.06				
212	11903	17	1.04	1.34	.06				
213	11904	18	.79	1.05	.10				
214	11905	20	1.05	1.58	.07				
215	11906	18	.85	1.04	.06				
216	11907	21	1.16	1.59	.05				
217	11908	40	2.90	5.20	.03				
218	11909	16	.52	1.05	.15				
219	11910	82	4.80	5.90	.24				
220	11911 A	97	5.30	6.50	.30				

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.  
P.O. Box 1000  
Faro, Yukon Territories, Y0B IK0

Certificate No. K-4501

Date October 21, 1981

**I hereby certify** that the following are the results of assays made by us upon the herein described GRUM CORE samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		gm/t	Percent	Percent	Percent					
24	11022	91	4.7	9.2	.11					
25	11023	96	5.4	9.8	.17					
26	11024	50	2.9	4.3	.28					
27	11025 A	15	.10	.41	.22					
28	11026 A	120	7.2	11.3	.20					
29	11027	43	2.4	3.0	.27					
30	11028	46	2.5	3.2	.16					
31	11029	31	1.13	.64	.28					
32	11030	16	.23	1.70	.17					
33	11031	16	.14	.67	.46					
34	11032	17	.18	.74	.32					
35	11033	81	5.8	7.4	.13					
36	11081	25	.98	1.14	.16					
37	11082	32	1.67	1.34	.32					
38	11083	33	1.19	1.40	.17					
39	11084	31	1.30	1.48	.28					
40	11085	29	1.49	1.42	.24					
41	11086	17	.35	.37	.23					
42	11087	64	4.9	6.1	.16					
43	11088	38	2.6	3.1	.14					
44	11089	13	.13	.19	.39					
45	11090	45	3.3	4.0	.26					
46	11091	20	.66	1.30	.36					

*found Mar 18, 82*

*FAG0119*

*F. 1063*

*not found  
Jan 28, 82*

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

P.O. Box 1000

Faro, Yukon Territories ATTENTION: MR. ROBIN TOLBERT

Certificate No. K-4501

Date October 21, 1981

**I hereby certify** <sup>YOB IKO</sup> *that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples*

Kral No.	Marked	Ag	Pb	Zn	Cu				
		gm/t	Percent	Percent	Percent				
FAQA 063 47	11092	29	1.35	1.80	.22				
48	11101	84	4.7	9.1	.08				
FAQU133 49	11102	116	5.9	9.7	.14	Found	Mar 18, 82		
50	11103	94	5.3	8.9	.15				
51	11104	70	2.3	4.4	.14				
52	11105	63	3.4	7.5	.08				
53	11106	113	4.8	6.7	.26				
54	11107 A	152	10.0	19.0	.08				
55	11108	151	9.2	17.7	.06				
56	11109	131	8.2	14.6	.08				
57	11110	89	5.0	5.7	.26				
58	11111	45	2.3	4.9	.23				
59	11112	68	4.1	8.6	.08				
60	11113	23	1.00	2.5	.21				
61	11114	12	.17	1.12	.16				
62	11115	27	1.66	2.5	.13				
63	11116	19	.14	.87	.43				
64	11117	16	.18	.80	.20				
65	11118	23	.26	2.6	.48				
66	11119	106	6.2	8.4	.18				
FAQU133 67	11120	41	2.8	3.1	.21				
FAQU 121 68	11121	62	2.9	5.4	.02				
69	11122	27	1.44	1.60	.06	Found	Mar 18, 82		

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

P.O. Box 1000

Faro, B.C. Yukon Territories, YOB IKO ATTENTION: MR. ROBIN TOLBERT

Certificate No. K-4501

Date October 21, 1981

*I hereby certify* that the following are the results of assays made by us upon the herein described GRUM CORE samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		gm/t	Percent	Percent	Percent				
FAQU 121 70	11123	23	1.16	1.95	.06				
FAQU 092 71	11141	22	.80	6.1	.02		Found Mar 8, 82		
FAQU 136 72	11151	41	2.9	2.3	.22				
73	11152	80	5.3	5.8	.09				
74	11153	57	2.7	2.04	.20				
75	11154	71	4.4	3.7	.23				
76	11155	98	6.3	7.7	.08		Found Mar 18, 82		
77	11156	110	6.6	6.8	.10				
78	11157	125	7.3	7.6	.06				
79	11158	90	5.6	6.6	.12				
80	11159	101	6.2	6.6	.11				
81	11160 A	66	4.3	3.6	.24				
82	11161	30	1.57	1.25	.13				
83	11162	33	1.67	1.15	.18				
84	11163	47	2.4	1.35	.53				
FAQU 136 85	11164	44	1.49	1.33	.29				
86	11195	69	3.4	4.1	.06				
FAQU III 87	11196	186	8.1	11.6	.23				
88	11197	53	2.3	3.3	.09				
89	11198	41	2.3	3.0	.06		Found Mar 18, 82		
90	11199	134	8.4	10.0	.12				
91	11200	48	3.6	2.9	.21				
92	11201	94	5.4	7.1	.08				

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

\_\_\_\_\_  
Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4501

P.O. Box 1000

Date October 21, 1981

Faro, Yukon Territories, YOB IKO ATTENTION: MR. ROBIN TOLBERT

**I hereby certify** that the following are the results of assays made by us upon the herein described GRUM CORE samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		gm/t	Percent	Percent	Percent				
93	11202	60	3.5	5.4	.07				
94	11203	29	1.04	1.58	.23				
95	11204	23	.54	.67	.44				
96	11205	13	.28	.38	.24				
97	11206	17	.29	.34	.20				
98	11207	38	2.5	3.6	.17				
99	11208	19	.64	1.05	.38				
100	11209	16	.45	.73	.30				
101	11210	15	.74	.48	.30				
102	11211	9	.25	.48	.15				
103	11212	9	.27	.32	.27				
104	11213	7	.12	.30	.18				
F. J III 105	11214	7	.24	.40	.20				
106	11215	107	7.2	7.3	.16		found	Mar 18 82	
107	11216	30	1.06	2.5	.20				
108	11217 A	66	4.0	3.9	.14				
FAGU 139 109	11219	113	8.7	7.6	.06				
110	11220	20	1.26	1.25	.20				
111	11221	17	1.43	1.64	.12				
112	11222	26	1.32	1.43	.17				
113	11223	71	4.9	4.6	.21				
114	11224	25	1.51	.84	.20				
FAGU 102 115	11251	46	3.3	5.3	.08		found	Mar 18 82	

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

\_\_\_\_\_  
Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

P.O. Box 1000

Faro, Yukon Territories, Y0B IK0

ATTENTION: MR. ROBIN TOLBERT

Certificate No. K-4501

Date October 21, 1981

**I hereby certify** that the following are the results of assays made by us upon the herein described GRUM CORE samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		gm/t	Percent	Percent	Percent				
116	11252	53	3.1	7.8	.11				
117	11253	66	4.0	7.1	.29				
FAGU102 118	11254	46	2.8	5.8	.25				
FAGU108 119	11255	21	.63	1.37	.12				
120	11256	113	7.1	9.5	.03		Found Mar 18, 82		
121	11257	103	6.5	8.3	.09				
122	11258	94	5.4	8.3	.10				
123	11259	95	5.7	8.3	.09				
124	11260	88	6.2	7.0	.12				
125	11261	24	.89	1.27	.16				
126	11262	58	4.3	5.8	.10				
127	11263	37	3.4	3.6	.10				
128	11264	27	1.35	1.35	.24				
129	11265	26	.99	1.40	.30				
FAGU108 130	11266	13	.17	.60	.30				
FAGU159 131	11267	18	.43	.77	.38				
132	11268	58	4.3	1.88	.19		Found Mar 18, 82		
133	11269	23	.68	.98	.17				
134	11270 A	67	4.0	4.8	.19				
135	11271 A	18	.80	.79	.08				
136	11272	54	3.3	4.0	.19				
137	11273	37	2.4	2.1	.15				
138	11274	28	2.2	1.92	.11				

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

## CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

P.O. Box 1000

Faro, Yukon Territories, YO8 IK0 ATTENTION: MR. ROBIN TOLBERT

Certificate No. K-4501

Date October 21, 1981

**I hereby certify** that the following are the results of assays made by us upon the herein described GRUM CORE samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		gm/t	Percent	Percent	Percent				
139	11275	37	2.3	1.92	.29				
140	11276	104	5.7	7.4	.19				
FA90159 141	11277	30	1.32	1.43	.14				
FA90104 142	11278	114	7.5	15.6	.17				
143	11279	112	7.4	15.2	.05				
144	11280	103	7.4	16.2	.04				
145	11281	154	10.6	19.0	.13				
146	11282	166	11.8	19.9	.04				
FA90104 147	11283	133	7.8	14.0	.17				
FA90113 148	11284	29	1.27	3.2	.02				
149	11285	50	3.7	5.3	.04				
150	11286	77	5.6	4.5	.02				
151	11287	118	9.9	6.4	.10				
152	11288	74	5.4	9.0	.03				
153	11289	69	4.8	4.1	.13				
154	11290	142	12.6	7.3	.08				
155	11291	109	9.2	8.5	.12				
156	11292	134	13.5	6.8	.36				
157	11293	39	2.8	2.8	.13				
158	11294	43	2.8	3.6	.28				
159	11295	65	5.1	5.3	.23				
160	11296	64	4.5	5.6	.21				
161	11297 A	72	4.7	8.7	.05				

found Mar 18, 82

found Mar 18, 82

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

\_\_\_\_\_  
 Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4501

P.O. Box 1000

Date October 21, 1981


Faro, Yukon Territories, Y0B IK0 ATTENTION: MR. ROBIN TOLBERT

**I hereby certify** that the following are the results of assays made by us upon the herein described GRUM CORE samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		gm/t	Percent	Percent	Percent				
162	11298 A	60	3.3	8.0	.04				
163	11299	54	3.4	5.7	.04				
164	11300	30	1.76	2.1	.12				
165	11314	141	13.2	26.8	.23				
166	11315	113	6.5	11.4	.18				
167	11316	95	4.7	8.3	.14				
168	11317	110	5.0	8.6	.16				
169	11318	92	5.5	12.2	.06				
170	11319	83	4.6	11.5	.05				
171	11320	133	7.6	17.7	.03				
172	11321	160	8.8	16.4	.18				
173	11322	153	8.6	23.0	.04				
174	11323	166	10.0	25.4	.03				
175	11324	169	10.4	17.5	.20				
176	11325	54	3.3	8.7	.03				
177	11326	121	6.7	15.7	.11				
178	11327	120	6.0	12.9	.10				
179	11328	168	9.4	17.5	.06				
180	11329	185	10.6	20.6	.06				
181	11330	100	5.2	12.0	.06				
182	11331	48	3.0	7.2	.03				
183	11332	70	5.3	8.9	.15				
184	11333	92	6.1	9.8	.20				

found Mar 18, 82

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4501

P.O. Box 1000


Date October 21, 1981

Faro, Yukon Territories, YOB IKO ATTENTION: MR. ROBIN TOLBERT

**I hereby certify** that the following are the results of assays made by us upon the herein described GRUM CORE samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		gm/t	Percent	Percent	Percent				
185	11334	77	3.8	7.7	.09				
186	11335	88	5.1	10.7	.07				
187	11336	8	.56	1.56	.06				
188	11337	114	6.4	11.1	.18				
189	11338 A	97	5.3	9.9	.13				
190	11339	91	5.1	7.6	.22				
191	11340	98	5.8	8.3	.15				
192	11341	125	6.5	12.0	.22				
193	11342	82	5.6	8.5	.08				
194	11343	31	1.40	2.32	.11				
195	11344	34	1.68	3.0	.10				
196	11345	20	.37	1.02	.14				
197	11346	21	.54	.86	.12				
198	11347	16	.40	.86	.10				
199	11348	100	5.3	10.6	.18				
200	11349	52	3.1	7.1	.17				
201	11350	43	2.4	4.9	.10				
202	11351	114	6.1	17.5	.10				
203	11352	182	10.2	20.6	.06				
204	11353	27	1.9	6.5	.01				
205	11354	116	4.5	13.7	.07				
206	11355	138	7.9	18.2	.14				
207	11356	140	8.6	20.5	.03				

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
 Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

P.O. Box 1000

Faro, Yukon Territories, YOB IKO ATTENTION: MR. ROBIN TOLBERT

Certificate No. K-4501

Date October 21, 1981

*I hereby certify* that the following are the results of assays made by us upon the herein described GRUM CORE samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		gm/t	Percent	Percent	Percent				
<i>FAGU 125</i> 208	11357	52	3.3	2.4	.25				
209	11358	121	6.1	11.6	.14				
<i>FAGU 100</i> 210	11359	137	9.0	17.6	.06				
211	11360	132	8.2	15.9	.03				
212	11361	101	6.5	13.5	.04				
213	11362	98	5.9	11.6	.05				
214	11363	49	3.1	6.5	.07				
215	11364	81	5.5	9.8	.08				
216	11365 A	42	2.4	6.5	.07				
217	11366	30	.89	4.8	.27				
218	11367	44	2.6	4.3	.13				
219	11368	39	1.87	4.8	.12				
220	11369	33	1.77	2.7	.07				
221	11371	31	1.71	3.9	.04				
222	11372	23	1.22	2.6	.03				
223	11373	37	1.91	4.8	.07				
224	11374	54	3.3	6.2	.05				
225	11375	32	3.2	5.2	.02				
226	11376	24	1.53	3.4	.01				
227	11377	16	1.04	3.3	.03				
228	11378	36	2.3	6.1	.03				
229	11379	63	3.3	8.4	.05				
230	11380	44	2.4	3.7	.10				

*found Mar 18, 82*

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
\_\_\_\_\_  
Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

P.O. Box 1000

Faro, Yukon Territories, Y0B IK0 ATTENTION: MR. ROBIN TOLBERT

Certificate No. K-4501

Date October 21, 1981

**I hereby certify** that the following are the results of assays made by us upon the herein described GRUM CORE samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		gm/t	Percent	Percent	Percent				
231	11381	51	3.0	2.5	.12				
232	11382	6	.16	.19	.02				
233	11383	20	.94	2.3	.03				
234	11385	28	1.28	3.4	.05				
235	11386	13	.54	1.83	.03				
236	11387	35	2.04	4.0	.03				
237	11388	60	3.0	6.0	.09				
238	11389	147	9.1	16.7	.09				
239	11390	133	7.6	15.8	.03				
240	11391	134	7.9	17.0	.04				
241	11392 A	132	9.4	18.3	.09				
242	11393	26	1.37	2.5	.07				
243	11394	65	4.5	7.1	.07				
244	11395	61	3.7	8.2	.05				
245	11396	9	.35	1.14	.02				
246	11397	67	4.7	4.7	.06				
247	11398	10	.33	.61	.04				
248	11399	132	6.5	12.0	.11				
249	11400	21	.89	1.78	.11				
250	11401	105	5.3	12.2	.21				
251	11402	52	4.1	12.9	.06				
252	11403	64	4.5	15.1	.11				
253	11404	73	3.9	12.1	.12				

found Mar 18, 82

found Mar 18 82

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

P.O. Box 1000

Faro, Yukon Territories YOB IKO ATTENTION: MR. ROBIN TOLBERT

Certificate No. K-4501

Date October 21, 1981

*I hereby certify* that the following are the results of assays made by us upon the herein described GRUM CORE samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		gm/t	Percent	Percent	Percent					
254	11405	126	8.5	16.2	.07					
255	11406	105	6.2	13.7	.26					
256	11407	117	7.5	15.8	.02					
257	11408	108	7.1	12.9	.06					
258	11409	70	4.3	11.1	.03					
259	11410	90	5.5	11.2	.05					
260	11411	22	.61	4.3	.09					
261	11412	48	1.82	5.1	.14					
262	11413	23	.95	2.8	.11					
263	11414	32	1.72	2.7	.08					
264	11415	24	.85	2.5	.09					
265	11416	25	.97	3.3	.04					
266	11417	13	.42	.88	.02					
267	11418	23	1.18	3.2	.03					
268	11419 A	48	2.9	5.5	.11					
269	11420	48	3.3	3.9	.10					
270	11421	25	1.01	.95	.12					
271	11422	39	2.4	3.0	.10					
272	11423	19	1.26	3.3	.02					
273	11424	29	1.89	3.7	.01					
274	11425	11	.49	.93						
275	11426	34	1.93	3.9						
276	11427	36	1.72	3.3						

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7  
PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.  
P.O. Box 1000  
Faro, Yukon Territories Y0B IK0 ATTENTION: MR. ROBIN TOLBERT

Certificate No. K-4501  
Date October 21, 1981

**I hereby certify** that the following are the results of assays made by us upon the herein described GRUM CORE samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		gm/t	Percent	Percent	Percent				
277	11428	12	.56	.47					
278	11429	22	1.01	1.86					
279	11430	35	1.31	2.3					
280	11431	17	.66	1.09					
281	11432	34	1.42	3.2					
282	11433	16	.60	1.62					
283	11434	19	1.38	1.65					
284	11435	22	1.29	1.86					
285	11436	11	.50	1.52					
286	11437	12	.55	1.13					
287	11438	10	.21	.36					
288	11439	48	3.3	2.4					
289	11441	139	8.3	16.0					
290	11442	122	8.1	17.7					
291	11443	130	7.7	16.7					
FAGU 96 FAGU 108	292	11444	47	2.9	6.3				
	293	11445	136	9.0	20.2				
	294	11446 A	50	2.9	6.5	.05			Found Mar 18, 82
	295	11447	110	3.9	6.6	.20			
	296	11448	127	7.6	14.2	.10			
	297	11449	32	1.19	1.59	.09			
FAGU 108	298	11450	24	.91	1.71	.10			
FAGU 113	299	11451	26	.98	1.93	.17			Found Mar 18, 82

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

\_\_\_\_\_  
Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4501

P.O. Box 1000


Date October 21, 1981

Faro, Yukon Territories YOB IKO ATTENTION: MR. ROBIN TOLBERT

**I hereby certify** that the following are the results of assays made by us upon the herein described GRUM CORE samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		gm/t	Percent	Percent	Percent				
FAGU 113 300	11452	15	.41	.52	.23				
FAGU 160 301	11453	190	10.3	11.3	.06				
302	11454	183	10.5	12.6	.03				
303	11455	52	3.5	5.4	.02				
304	11456	195	12.9	13.5	.03				
305	11457	86	4.2	6.6	.06	Found	Mar 18, 82		
306	11458	184	11.1	11.5	.12				
307	11459	99	5.9	8.7	.05				
308	11460	131	9.0	8.3	.06				
309	11461	114	7.0	9.1	.07				
310	11462	132	9.4	8.4	.08				
311	11463	50	3.1	3.6	.15				
312	11464	9	.45	.73	.05				
313	11465	103	6.4	10.8	.03				
314	11466	119	7.0	10.7	.11				
315	11467	53	2.8	4.4	.08				
316	11468	66	3.9	5.9	.09				
317	11469	54	3.4	6.1	.06				
318	11470	45	2.5	4.0	.04				
319	11471	76	4.7	7.4	.03				
320	11472	7	.37	.69	.02				
FAGU 160 321	11473 A	7	.36	.31	.03				
FAGU 067 322	11490	85	5.7	22.0	.09	Found	Mar 18, 82		

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
 Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

## CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

P.O. BOX 1000

Faro, Yukon Territories YOB IKO ATTENTION: MR. ROBIN TOLBERT

Certificate No. K-4501

Date October 21, 1981

**I hereby certify** that the following are the results of assays made by us upon the herein described GRUM CORE CORE samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		gm/t	Percent	Percent	Percent				
FA00067 323	11491	140	5.3	16.4	.21				
324	11492	119	7.9	12.2	.18				
FA01A 325	11493	178	10.6	18.9	.11				
326	11494	50	3.0	5.7	.07	found	Mar 18, 82		
327	11495	45	2.6	6.9	.06				
328	11496	15	1.08	1.10	.06				
329	11497	21	1.62	1.85	.04				
330	11498	17	1.17	2.3	.04				
331	11499	31	1.72	3.6	.021				
332	11500 A	21	1.10	4.2	.02				
333	11501	52	3.3	4.7	.05				
334	11502	16	.82	1.55	.03				
335	11503	32	1.73	4.3	.03				
336	11504	10	.59	.90	.02				
337	11505	35	2.02	3.6	.03				
338	11506	36	1.95	3.5	.09				
339	11507	34	2.17	3.1	.04				
340	11508	26	1.37	2.3	.04				
341	11509	31	1.66	3.0	.06				
342	11510	25	1.50	2.7	.04				
343	11511	39	1.76	2.9	.02				
344	11512	15	.71	2.4	.02				
345	11513	13	.52	1.62	.04				

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4501

P.O. Box 1000

Date October 21, 1981

Faro, Yukon Territories YOB IKO ATTENTION: MR. ROBIN TOLBERT

*I hereby certify* that the following are the results of assays made by us upon the herein described GRUM CORE samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		gm/t	Percent	Percent	Percent				
346	11514	47	2.3	5.6	.07				
347	11515	41	1.33	4.5	.01				
348	11516	55	1.69	4.1	.02				
349	11517	62	2.3	5.7	.02				
350	11518	98	4.4	11.0	.03				
351	11519	67	3.5	7.3	.03				
352	11520	64	2.7	4.4	.10				
353	11521	84	5.2	7.6	.07				
354	11522	67	3.6	7.8	.08				
355	11523	16	.53	1.72	L .01				
356	11524	22	1.16	1.84	L .01				
357	11525	44	2.3	4.3	.01				
358	11526	21	.72	2.5	.01				
359	11527 A	28	1.45	2.9	.01				
360	11528	111	5.4	7.5	.02				
361	11529	142	7.3	12.2	.14				
362	11530	69	4.4	4.4	.08				
363	11531	53	3.6	4.3	.07				
364	11532	10	.59	1.04	.03				
365	11533	14	.74	1.60	.06				
366	11534	6	.47	.67	.02				
367	11535	18	2.2	1.73	.01				
368	11536	8	.77	.42	.03				

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

\_\_\_\_\_  
Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4501

P.O. Box 1000

Date October 21, 1981

Faro, Yukon Territories YOB IKO ATTENTION: MR. ROBIN TOLBERT

**I hereby certify** that the following are the results of assays made by us upon the herein described GRUM CORE samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		gm/t	Percent	Percent	Percent				
369	11537	95	5.2	7.8	.20				
370	11538	31	1.89	2.5	.07				
371	11539	12	.57	.77	.06				
372	11540	13	.48	1.38	.11				
373	11541	3	.14	.47	.01				
374	11542	5	.29	.77	.05				
375	11543	24	1.61	1.95	.20				
376	11544	14	.81	1.26	.26				
377	11545	23	1.51	3.1	.05				
378	11546	61	3.1	4.7	.13				
379	11547	17	1.10	2.09	.03				
380	11548	23	1.13	1.92	.07				
381	11549	55	3.1	4.9	.06				
382	11550	91	5.2	7.9	.09				
383	11551	66	4.6	7.4	.09				
384	11552	48	3.6	2.4	.21				
385	11553 A	92	4.8	.98	.21				
386	11554	17	.70	.58	.23				
387	11555	7	.20	.16	.10				
388	11556	13	.29	.28	.20				
389	11557	8	.20	.28	.20				
390	11558	44	2.7	3.5	.03				
391	11559	69	3.9	6.3	.02				

FAQA 067  
FAQA 21A

found Mar 18 82

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia

52



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4501

P.O. Box 1000

Date October 21, 1981

Faro, Yukon Territories YOB IKO ATTENTION: MR. ROBIN TOLBERT

**I hereby certify** that the following are the results of assays made by us upon the herein described GRUM CORE samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		gm/t	Percent	Percent	Percent				
392	11560	59	2.9	3.3	.05				
393	11561	62	4.0	7.7	.03				
394	11562	29	1.61	2.5	.07				
395	11563	23	1.56	1.9	.09				
396	11564	62	5.7	4.7	.09				
397	11565	200	11.1	20.2	.08				
398	11566	18	.83	1.75	.01				
399	11567	135	7.3	14.4	.02				
400	11568	56	3.0	6.4	.02				
401	11569	115	5.9	13.7	.02				
402	11570	153	8.5	15.7	.08				
403	11571	4	.22	.38	.02				
404	11572	111	5.5	14.3	.04				
405	11573	82	4.3	11.5	.02				
406	11574	58	3.0	9.4	.03				
407	11575	104	5.2	11.6	.02				
408	11576	55	2.9	7.7	.02				
409	11577	3	.11	.30	L .01				
410	11578	22	1.65	6.7	L .01				
411	11579	63	3.9	11.7	L .01				
412	11580 A	3	.08	.17	L .01				
413	11581 A	16	.71	1.46	.01				
414	11582	22	1.12	3.3	.01				

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

P.O. Box 1000

Faro, Yukon Territories Y0B IK0 ATTENTION: MR. ROBIN TOLBERT

Certificate No. K-4501

Date October 21, 1981

*I hereby certify* that the following are the results of assays made by us upon the herein described GRUM CORE samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		gm/t	Percent	Percent	Percent				
415	11583	3	.03	.08	.01				
416	11584	3	.05	.09	.01				
417	11585	3	.05	.11	.01				
FAGWA 214 418	11586	1	.02	.04	.01				
FAGUO7H 419	11587	10	.42	.42	.05				
420	11588	5	.11	.13	.01				
421	11589	32	1.91	1.13	.08				
422	11590	42	3.4	4.5	.05				
423	11591	23	1.15	2.7	.02				
424	11592	44	2.11	4.9	.06				
425	11593	43	2.5	5.6	.04				
426	11594	209	13.5	23.0	.02				
427	11595	166	9.8	19.6	.14				
428	11596	37	2.2	4.5	.07				
429	11597	56	3.3	7.6	.03				
430	11598	103	5.8	13.2	.05				
431	11599	53	2.8	5.8	.05				
432	11600	97	5.4	15.1	.06				
433	11601	133	7.5	17.8	.04				
434	11602	83	5.4	9.7	.06				
435	11603	126	7.9	12.4	.12				
436	11604	150	12.1	20.1	.03				
FAGUO7H 437	11605	35	1.86	3.7	.03				

Found Mar 18, 82

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

P.O. Box 1000

Faro, Yukon Territories, Y0B IK0 ATTENTION: MR. ROBIN TOLBERT

Certificate No. K-4051

Date October 21, 1981

**I hereby certify** that the following are the results of assays made by us upon the herein described GRUM CORE samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		gm/t	Percent	Percent	Percent				
438	11606	47	1.93	4.8	.04				
439	11607	117	6.2	12.9	.16				
440	11608	55	2.8	5.2	.08				
441	11609	23	.67	.72	.18				
442	11610	53	2.06	3.5	.17				
443	11611	51	2.9	3.5	.19				
444	11612	104	6.5	12.0	.03				
445	11613	114	6.9	16.7	.13				
446	11614	62	3.6	9.3	.02				
447	11615	26	1.08	2.7	.16				
448	11616	65	3.4	6.3	.10				
449	11617	140	8.3	14.7	.20				
450	11618	130	8.5	15.6	.12				
451	11619	67	4.5	9.6	.10				
452	11620	29	1.41	3.2	.03				
453	11621	25	1.44	4.1	.01				
454	11622	31	2.4	5.0	.02				
455	11623	40	3.2	5.4	.02				
456	11624	56	4.8	6.1	.08				
457	11625	30	2.8	5.5	.04				
458	11626	58	6.0	1.65	.05				
459	11627	63	6.3	2.11	.08				
460	11628	22	1.33	.60	.06				

found Mar 18 82

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

P.O. Box 1000

Faro, Yukon Territories Y0B IK0 ATTENTION: MR. ROBIN TOLBERT

Certificate No. K-4051

Date October 21, 1981

*I hereby certify* that the following are the results of assays made by us upon the herein described GRUM CORE samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		gm/t	Percent	Percent	Percent				
461	11629	16	.66	.39	.06				
462	11630	7	.33	.50	.08				
463	11631	6	.14	.14	.10				
464	11632	16	1.01	.82	.11				
465	11633	9	.43	.25	.06				
466	11634 A	7	.27	.47	.06				
467	11635 A	6	.11	.54	.02				
468	11636	13	.50	1.27	.05				
469	11637	8	.29	.90	.05				
470	11638	10	.46	.95	.05				
471	11639	18	.86	1.50	.07				
472	11640	37	1.87	3.2					
473	11641	19	.25	1.04					
474	11642	43	2.6	4.6					
475	11643	36	1.64	2.5					
476	11644	15	.33	.84					
477	11645	13	.30	.70					
478	11646	14	.36	.53					
479	11647	37	1.86	3.6					
480	11648	36	1.68	3.2					
481	11649	19	.14	1.07					
482	11650	59	2.7	3.1					
483	11651	137	8.7	12.6					

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

P.O. Box 1000

Faro, Yukon Territories YOB IKO ATTENTION: MR. ROBIN TOLBERT


Certificate No. K-4501

Date October 21, 1981

**I hereby certify** that the following are the results of assays made by us upon the herein described GRUM CORE samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		gm/t	Percent	Percent	Percent				
484	11652	93	5.6	11.3					
485	11653	100	4.7	7.9					
486	11654	115	5.6	8.6					
487	11655	59	2.7	5.4					
488	11656	91	4.8	8.0					
489	11657	138	3.8	5.8					
490	11658	37	1.11	2.9					
491	11659	180	5.7	12.1					
492	11660	76	3.6	7.1					
493	11661 A	49	3.4	10.8					
494	11662 A	50	2.8	5.5	.04				
495	11663	91	4.2	15.5	.12				
496	11664	96	5.3	9.6	.12				
497	11665	109	6.7	9.7	.22				
498	11666	77	4.1	7.6	.12				
499	11667	59	3.8	5.8	.08				
FAG# 010 FAG# 072	500	11668	18	.69	.10				
	501	11669	89	5.8	12.9	.04			
	502	11670	34	1.58	3.0	.07			Found Mar 18, 82
	503	11671	26	.88	1.43	.05			
	504	11672	32	1.33	3.0	.02			
	505	11673	35	2.6	.35	.07			
	506	11674	26	1.44	.40	.05			

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

P.O. Box 1000

Faro, Yukon Territories YOB IKO ATTENTION: MR. ROBIN TOLBERT

Certificate No. K-4051

Date October 21, 1981

**I hereby certify** that the following are the results of assays made by us upon the herein described GRUM CORE samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		gm/t	Percent	Percent	Percent					
507	11675	9	.37	.80	.03					
508	11676	14	.50	1.18	.05					
509	11677	21	1.11	1.89	.06					
510	11678	14	.60	1.58	.03					
511	11679	20	.97	2.6	.05					
512	11680	20	1.18	2.2	.05					
513	11681	26	1.77	1.66	.04					
514	11682	36	1.74	4.0	.03					
515	11683	20	1.00	2.5	.03					
516	11684	44	2.9	4.0	.08					
517	11685	12	.64	1.30	.06					
518	11686	10	.41	.87	.06					
519	11687	10	.45	1.09	.05					
520	11688 A	45	2.7	3.4	.11					
521	11689 A	27	1.19	2.6	.06					
522	11690 A	54	2.7	5.7	.04					
	L means "Less than"									

FIAGIA 072

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4470 7

Date October 13, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
121	FA 80092	11138 A	35	1.53	7.60	.07				
122		11139	15	.46	10.90	.03				
123		11140 A	38	1.58	10.60	.12				
124		11142	31	1.56	6.30	.03				
125		11143	109	7.70	16.00	.15				
126		11144	107	7.30	12.30	.10				
127		11145	39	2.20	6.60	.22				
128		11146	53	2.80	6.30	.08				
129		11147	24	1.01	4.40	.11				
130		11148 A	29	1.11	4.00	.09				
131		11149 A	49	3.00	5.30	.09				
132	FA 60092	11150 A	52	3.10	5.60	.16				
133	FA AU 127	11165 A	121	7.80	12.60	.12				
134		11166	143	9.50	17.90	.12				
135		11167	27	1.62	2.80	.04				
136		11168	15	.70	1.09	.05				
137		11169	117	7.10	12.40	.21				
138		11170 A	86	5.60	13.70	.30				
139		11171	74	5.50	8.20	.26				
140		11172 A	38	1.61	12.70	.04				

**NOTE:**

Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4470 8

Date October 13, 1981

*I hereby certify* that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
141	11173 A	104	4.80	10.20	.10					
142	11174	88	6.30	12.20	.11					
143	11175	74	4.90	10.00	.22					
144	11176	60	4.40	8.90	.29					
145	11177	99	5.30	10.80	.21					
146	11178	106	6.00	13.50	.25					
147	11179	48	2.20	2.70	.14					
148	11180 A	31	.62	1.84	.45					
149	11181	19	.37	.95	.15					
150	11182 A	65	4.20	6.70	.05					
151	11183 A	25	1.27	1.11	.09					
152	11184	9	.22	.54	.11					
153	FAQU107 11185	10	.42	.75	.05					
154	FAQU111 11186	253	14.20	25.00	.36					
155	11187	63	5.60	5.60	.06					
156	11188	94	10.50	10.50	.13					
157	11189	106	6.60	16.00	.09					
158	11190 A	122	7.90	18.00	.04					
159	11191	132	12.10	12.10	.12					
160	11192 A	86	6.40	16.40	.01					

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4470 9

Date October 13, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
161	11193 A	108	5.00	8.40	.15				
162	FA G0111 11194	144	9.30	9.90	.19				
163	FA G0088 11225 A	91	6.90	11.10	.06				
164	11226	108	4.70	8.40	.13				
165	FA G0115 11227	83	4.90	11.30	.05	1			
166	11228	41	1.69	4.20	.06				
167	11229	119	6.10	15.30	.10				
168	11230 A	94	4.10	7.90	.15				
169	11231	107	7.60	17.30	.04				
170	11232 A	94	6.10	9.40	.09				
171	11233 A	107	6.10	7.00	.18				
172	11234	133	7.70	12.20	.21				
173	11235	110	6.70	11.40	.14				
174	11236	39	1.88	3.10	.08				
175	11237	12	.36	.33	.06				
176	11238	26	1.23	1.83	.07				
177	11239	86	5.40	8.70	.12				
178	11240 A	111	6.70	8.60	.10				
179	11241	89	6.20	9.70	.03				
180	11242 A	95	8.60	11.20	.17				

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4470 10

Date October 13, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
181	11243 A	80	5.90	6.50	.10					
182	11244	114	8.20	9.60	.08					
183	11245	36	2.40	1.55	.18					
184	11246	40	2.10	2.20	.27					
185	11247	80	5.00	6.20	.11					
186	FA GU088 11248	44	2.60	5.50	.09					
187	FA GU-115 11249	117	5.80	12.00	.03					
188	FA GU-115 11250 A	60	3.00	7.30	.05					
189	FA GU092 11301 A	52	2.50	3.00	.24					
190	11302 A	32	.93	2.90	.18					
191	11303 A	43	2.00	4.00	.14					
192	11304	16	.40	1.31	.13					
193	11305	43	2.30	4.10	.21					
194	11306	56	3.40	5.90	.20					
195	11307	50	2.30	3.30	.20					
196	11308	46	2.40	2.90	.10					
197	11309	35	1.62	2.90	.06					
198	11310 A	24	.71	1.64	.08					
199	11311	32	.86	3.50	.10					
200	11312 A	34	2.70	6.00	.01					

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia

62



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4470 11

Date October 13, 1981

**I hereby certify** that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
201	FA 60092 11313	50	4.00	5.20	.02				

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4470 3

Date October 9, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Gram samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
41	FA 20-090	11009 A	138	9.20	19.70	.22			
42		11010 A	121	7.20	13.20	.11			
43		11011	113	6.60	10.90	.25			
44	not found Jan 28, 82	11012	62	2.90	4.00	.16			
45		11013	61	3.30	5.40	.13			
46		11014	52	2.50	4.10	.12			
47		11015	4	.06	.07	.01			
48		11016	173.4-74.4 — 1	166	7.70	10.30	.05		
49		11017	74.4-74.9 — .5	12	.35	.41	.02		
50		11018 A	76.2-77.6 — 1.4	41	2.90	3.60	.06		
51	FA 20-090	11019 A	77.6-79.2 — 1.6	48	3.60	3.80	.12		
52	FA 20-063	11034 A		31	1.60	1.38	.19		
53		11035		30	1.77	2.40	.11		
54		11036		15	.50	.50	.09		
55		11037		14	.38	.27	.19		
56	not found Jan 28, 82	11038		13	.17	.12	.18		
57		11039		16	.26	.19	.19		
58		11040 A		10	.12	.16	.18		
59		11041		12	.21	.33	.20		
60		11042 A		12	.13	.27	.20		

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

65  
B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4470 4

Date October 9, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
61	11043 A	15	.36	.72	.30				
62	11044	75	5.10	7.20	.40				
63	11045	79	5.30	6.70	.32				
64	11046	74	3.80	6.80	.09				
65	11047	72	4.10	6.80	.06				
66	11048	70	4.40	6.00	.06				
67	11049	71	4.30	6.30	.16				
68	11050 A	18	.64	1.18	.04				
69	11051	79	4.90	8.70	.13				
70	11052 A	51	3.80	6.60	.04				
71	11053 A	54	4.00	6.80	.06				
72	11054	25	1.68	2.90	.19				
73	11055	14	.23	.57	.43				
74	11056	10	.16	.38	.33				
75	11057	10	.16	.42	.19				
76	11058	14	.30	.87	.31				
77	11059	20	1.05	2.40	.19				
78	11060 A	20	.92	1.90	.15				
79	11061	11	.08	.31	.32				
80	11062 A	11	.07	.26	.26				

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

66  
B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4470 5

Date October 9, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
81	11063 A	11	.05	.29	.19					
82	11064	11	.09	.32	.30					
83	11065	10	.07	.23	.36					
84	11066	34	2.40	4.20	.25					
85	11067	27	2.20	4.30	.04					
86	11068	62	4.40	7.20	.15					
87	11069	74	5.80	7.00	.08					
88	11070 A	16	1.20	1.60	.16					
89	11071	15	.97	1.15	.10					
90	11072 A	38	4.30	3.30	.08					
91	11073 A	9	.14	.14	.19					
92	11074	10	.13	.19	.15					
93	11075	11	.17	.29	.02					
94	11076	8	.05	.12	.36					
95	11077	13	.43	.54	.17					
96	11078	33	2.30	1.76	.25					
97	11079	35	1.59	2.04	.10					
98	11080 A	9	.16	.29	.19					
99	11093 A	10	.12	.29	.18					
100	11094 A	10	.04	.08	.22					

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

67  
B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4470 6

Date October 9, 1981

**I hereby certify** that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
101	11095 A	13	.06	.15	.11				
102	11096	80	3.80	6.70	.09				
103	11097	89	4.70	9.40	.11				
104	11098	105	4.40	8.40	.08				
105	11099	109	5.70	10.50	.22				
106	11100 A	89	5.10	7.50	.17				
107	11124 A	156	6.00	9.60	.14				
108	11125	93	4.40	9.10	.10				
109	11126	99	5.00	12.50	.07				
110	11127 A	51	2.90	4.60	.15				
111	11128 A	105	5.40	9.70	.11				
112	11129	45	2.60	4.20	.09				
113	11130 A	25	.93	.93	.09				
114	11131	42	2.60	4.90	.08				
115	11132	128	8.00	16.20	.02				
116	11133	166	9.40	13.50	.17				
117	11134	123	8.40	12.70	.05				
118	11135	139	9.10	15.10	.01				
119	11136	113	8.00	14.60	.02				
120	11137	126	10.00	18.30	.06				

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia