



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

104
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

018845

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4364 7

Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
121	8011A	78	4.30	7.60	.03				
122	8012	74	4.30	7.00	.03				
123	8013	81	5.10	8.90	.05				
124	8014	85	4.60	10.10	.05				
125	8015	90	5.30	9.10	.05				
126	8016	85	5.00	8.10	.03				
127	8017	62	3.30	5.10	.04				
128	8018	84	5.20	10.50	.04				
129	8019	96	6.80	8.90	.04				
130	8020A	48	3.30	2.80	.11				
131	8021A	6	.55	2.19	.01				
132	8022	9	.53	1.53	.03				
133	8023	8	.58	1.96	.05				
134	8024	20	1.42	3.10	.04				
135	8025	9	.56	1.16	.07				
136	8026	18	.84	2.09	.13				
137	8027	88	4.80	9.00	.16				
138	8028	74	4.00	7.60	.11				
139	8029	26	1.65	2.80	.09				
140	8030A	37	2.97	5.40	.04				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4364 8

Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
141	8031A	11	.44	.61	.14				
142	8032	43	3.00	5.20	.05				
143	8033	94	5.40	9.30	.11				
144	8034	54	3.60	5.00	.07				
145	8035	21	1.33	.91	.26				
146	8036	49	2.70	3.70	.28				
147	8037	115	5.40	9.90	.15				
148	8038	65	3.40	11.40	.08				
149	8039	32	2.30	6.00	.12				
150	8040A	115	6.20	9.80	.16				
151	8041A	36	6.10	7.10	.17				
152	8042	75	4.20	3.30	.18				
153	8043	45	3.40	2.60	.20				
154	8044	34	2.40	3.80	.07				
155	8045	25	1.00	1.12	.35				
156	8046	83	4.30	5.10	.11				
157	8047	70	4.00	7.20	.13				
158	8048	44	3.20	5.30	.13				
159	8049	73	4.00	7.60	.20				
160	8050A	49	3.40	5.40	.23				

160 FAG U-126

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4364 9

Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
161	FACU-134	30	2.30	1.14	.07				
162		18	1.71	1.08	.07				
163		14	1.36	.71	.08				
164		18	.94	.73	.05				
165		33	3.20	1.26	.02				
166		25	2.39	2.40	.02				
167		7	.54	.76	.01				
168		4	.32	.41	.02				
169		10	.64	.76	.01				
170		8110A	12	.77	1.45	L.01			
171	8111A	12	.86	1.32	.02				
172	8112	20	1.28	1.64	L.01				
173	8113	12	.93	1.43	.02				
174	8114	29	1.53	2.20	.08				
175	8115	29	1.56	2.00	.06				
176	8116	71	4.90	5.10	.12				
177	8117	61	3.90	6.80	.05				
178	8118	74	4.40	7.00	.15				
179	8119	52	3.70	6.30	.05				
180	8120A	14	.32	1.11	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

107
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4364 10

Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
181	8121A	12	.76	2.40	.03				
182	8122	103	6.70	9.00	.10				
183	FAU-134 8123A	32	1.76	1.61	.22				
184	FAU-171 8139A	11	.04	.33	.48				
185	8140A	8	.03	.40	.47				
186	8141	30	2.21	3.00	.05				
187	FAU-171 8142A	133	6.80	9.20	.28				
188	FAA-038 8151A	54	3.90	5.30	.12				
189	8152	87	6.30	6.20	.13				
190	8153A	29	1.74	2.90	.13				
191	8154A	13	.70	1.87	.19				
192	8155	58	4.40	3.70	.19				
193	8156	45	2.70	2.00	.16				
194	8157	2	.18	.12	.01				
195	8158	13	.80	1.89	.14				
196	8159	17	.65	1.49	.16				
197	8160A	79	5.10	4.80	.10				
198	8161	108	9.50	8.00	.10				
199	8162	73	4.60	10.70	.10				
200	8163A	82	5.90	6.10	.15				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4364 11

Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
201	8164A	19	1.23	1.48	.16				
202	8165	122	9.90	4.90	.14				
203	8166	51	3.20	.85	.07				
204	8167	28	1.54	.90	.06				
205	8168	73	4.50	6.70	.12				
206	8169	11	.54	.39	.24				
207	8170A	110	7.40	9.70	.17				
208	8171	10	.55	.24	.21				
209	8172	32	1.72	1.93	.19				
210	8173A	29	1.73	.88	.09				
211	8174A	13	.49	.17	.02				
212	8175	26	1.43	.80	.10				
213	8176	20	.79	1.13	.09				
214	8177	39	3.10	2.05	.13				
215	8178	29	1.88	2.30	.13				
216	8179	46	2.70	2.10	.21				
217	8180A	30	1.96	1.68	.21				
218	8181	14	.69	.82	.15				
219	8182	32	2.01	1.94	.18				
220	8183A	6	.40	.34	.11				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4364 12

Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
221	FAG A-038 8184A	8	.59	.34	.12					
L means "Less than"										

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 2

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
21	7967 A	40	2.60	3.50	.07					
22	7968	41	2.70	3.40	.06					
23	FA9 A-069 7969 A	26	1.01	1.15	.10					
24	FA9 U-126 8051 A	29	1.02	2.12	.18					
25	8052	75	5.00	9.45	.11					
26	8053	34	1.24	2.80	.40					
27	8054	27	.40	1.24	.25					
28	8055	73	.06	.58	.30					
29	8056	13	.16	.44	.23					
30	FA9 U-126 8057	32	1.42	2.09	.36					
31	FA9 U-035 8058 A	25	1.31	3.30	.08					
32	8059	28	1.59	3.20	.05					
33	8060 A	33	2.30	4.40	.04					
34	8061	21	.97	2.20	.07					
35	8062	17	.59	.72	.07					
36	8063	58	3.00	3.60	.06					
37	8064	57	3.60	6.40	.10					
38	8065	59	3.40	5.60	.21					
39	8066	38	3.00	5.80	.18					
40	8067	95	4.60	6.30	.21					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

69
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 3

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
41	8068 A	39	2.80	2.70	.23				
42	8069	95	6.00	9.70	.14				
43	8070 A	106	6.30	11.40	.17				
44	8071	101	6.00	13.20	.02				
45	8072	129	6.00	12.00	.20				
46	8073	36	1.73	3.37	.15				
47	8074	143	7.50	17.20	.19				
48	8075	37	1.88	4.50	.10				
49	8076	32	1.91	2.60	.09				
50	8077	11	.54	1.25	.05				
51	8078 A	15	.86	1.73	.03				
52	8079	42	3.10	3.37	.08				
53	FAG U-035 8080 A	26	1.12	2.39	.12	Found Mar 19, 82			
54	FAG A-079 8081 A	58	4.00	6.00	.07				
55	FAG A-041 8093 A	19	.92	1.22	.14				
56	8094	28	1.57	2.90	.20				
57	8095	7	.07	.11	.05				
58	8096	34	1.80	1.25	.19				
59	8097	131	7.30	7.20	.14				
60	8098	77	4.80	4.10	.02				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

70
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 4

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
61	8099 A	142	10.80	11.10	.15				
62	FACI A-041 8100 A	35	1.55	3.00	.12				
63	FACI U-175 8124 A	19	.15	.60	.44				
64	8125	10	.08	.75	.31				
65	8126	13	.06	.53	.43				
66	8127	13	.06	.50	.26				
67	8128	5	.02	.16	.07				
68	8129	7	.07	.20	.18				
69	8130 A	5	.03	.15	.19				
70	FACI U-175 8131 A	4	.04	.26	.15				
71	FACI A-038 8185 A	38	1.87	1.87	.22				
72	8186	32	1.57	1.84	.25				
73	8187	45	3.28	3.10	.20				
74	FACI A-038 8188	34	1.46	1.48	.17				
75	FACI A-079 8189	36	1.53	3.90	.01				
76	8190 A	42	2.77	4.30	.03				
77	8191	38	2.01	3.10	.02				
78	8192	36	1.85	3.90	.02				
79	8193	29	1.34	3.30	.02				
80	8194	35	1.85	4.10	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 5

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
81	8195 A	42	2.26	5.10	.04				
82	8196	106	8.20	7.30	.12				
83	8197	68	5.13	5.40	.14				
84	8198	75	5.95	7.30	.08				
85	8199	54	4.20	6.40	.06				
86	<i>FIAG A-079</i> 8200 A	58	4.00	6.10	.08				
87	<i>FIAG U-150</i> 8201	20	.57	.31	.08				
88	8202	20	.54	.28	.14				
89	8203	13	.19	.28	.02				
90	8204	17	.43	.86	.05				
91	8205 A	31	1.46	2.50	.10				
92	8206	24	.82	1.29	.08				
93	8207	18	.56	.72	.04				
94	8208	39	2.77	3.10	.03				
95	8209	33	1.70	3.00	.05				
96	8210 A	28	1.19	2.20	.09				
97	8211	70	4.82	7.00	.08				
98	8212	36	.84	.61	.30				
99	8213	80	4.51	4.90	.26				
100	8214	90	4.61	10.40	.07				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

72
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 6

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Gram samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
101	8215 A	41	2.26	4.80	.02				
102	8216	103	6.04	9.30	.12				
103	8217	165	10.30	20.70	.04				
104	8218	52	3.70	7.20	.05				
105	8219	37	2.20	6.30	.07				
106	8220 A	9	.64	.89	.04				
107	8221	14	1.46	.86	.03				
108	8222	14	1.04	1.74	.04				
109	8223	12	.77	1.35	.04				
110	8224	14	.78	2.60	.01				
111	8225 A	13	.73	1.94	.01				
112	8226	31	1.68	5.10	.05				
113	8227	23	.77	2.80	.03				
114	8228	35	1.48	4.00	.04				
115	8229	55	3.00	5.40	.05				
116	8230 A	84	4.10	9.40	.05				
117	8231	77	4.60	7.70	.04				
118	8233	28	1.82	1.45	.07				
119	8234	126	6.90	12.70	.06				
120	8235	64	3.80	6.50	.06				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 7

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
121	8236 A	28	1.61	2.50	.05				
122	8237	30	1.65	3.40	.09				
123	8238	115	5.60	8.70	.29				
124	8239	44	2.90	3.90	.17				
125	8240 A	40	2.90	3.30	.16				
126	8241	50	3.00	1.79	.23				
127	8242	75	4.40	7.40	.12				
128	8244	43	2.80	3.20	.14				
129	8246	71	3.90	5.90	.09				
130	8247	60	3.20	5.60	.13				
131	8248 A	94	4.70	8.00	.16				
132	8249	32	1.56	2.70	.15				
133	8250 A	10	.43	.78	.08				
134	8251	27	1.05	1.68	.09				
135	8252	124	6.30	11.60	.18				
136	8253	33	1.35	2.05	.10				
137	8254	28	1.97	3.00	.04				
138	8255	20	.35	.47	.12				
139	8256	75	5.00	9.90	.09				
140	8257	30	1.24	3.30	.33				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 8

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
141	8258 A	37	1.44	3.90	.32					
142	8259	25	.67	.90	.26					
143	8260 A	42	2.40	3.30	.32					
144	FAQ U-149 8261	63	4.40	4.80	.15					
145	FAQ A-041 8262	19	.56	.50	.21					
146	8263	16	.55	.28	.20					
147	8264	40	1.91	1.34	.16					
148	8265 A	141	8.90	12.30	.03					
149	8276 A	11	.37	.49	.19					
150	8277	43	2.20	1.69	.23					
151	8278 A	15	.49	.52	.08					
152	8279	25	1.56	1.45	.22					
153	8280 A	65	3.70	4.20	.13					
154	8281	32	1.30	1.18	.18					
155	8282	54	2.70	3.60	.12					
156	8283	20	.70	.27	.25					
157	8284	10	.17	.18	.05					
158	8285	18	.53	.33	.17					
159	8286	9	.05	.07	.06					
160	8287 A	28	1.60	1.48	.23					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 27

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
521	8712 A	17	.61	.52	.23					
522	8713	9	.26	.52	.14					
523	8714	8	.99	.68	.09					
524	8715	9	.51	.37	.15					
525	8716	20	1.22	2.10	.16					
526	8717	43	2.90	3.30	.29					
527	8718	20	1.20	1.90	.09					
528	8719	10	.47	1.16	.07					
529	8720 A	18	.90	1.73	.05					
530	8721	47	3.70	3.70	.11					
531	8722 A	45	3.20	3.70	.15					
532	8723	20	1.13	1.59	.14					
533	8724	9	.49	.54	.10					
534	8725	8	.16	.54	.27					
535	8726	8	.13	.78	.14					
536	8727	5	.15	.24	.14					
537	8728	54	3.60	4.00	.10					
538	8729	11	.21	.71	.20					
539	8730 A	8	.16	.28	.10					
540	8731	37	1.72	2.07	.19					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member Canadian Testing Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 28

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
541	FAQ A-035	8732 A	29	.99	1.02	.32				
542	FAQ U-051	8733	54	2.90	7.80	.04				
543		8734	60	3.10	6.40	.03				
544		8735	44	2.20	5.00	.04				
545		8736	33	1.82	3.90	.04				
546		8737	29	1.60	2.70	.05				
547		8738	41	2.60	2.60	.03				
548		8739	71	3.50	5.70	.03				
549		8740 A	23	1.20	4.70	.04				
550		8741	30	1.78	4.30	.03				
551	not found ✓	8742 A	25	1.34	4.20	.03				
552	Jan 27, 82	8743	2	.06	.12	.01				
553		8744	18	1.09	1.84	.05				
554		8745	15	.93	1.72	.05				
555		8746	15	.74	1.18	.05				
556		8747	45	2.50	4.70	.08				
557		8748	33	1.71	3.10	.05				
558	FAQ U-051	8749	158	8.70	16.30	.09				
559	FAQ U-117	8750 A	47	1.91	4.10	.03				
560	not found Jan 27, 82	8751	35	1.24	3.90	.02				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 29

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
561	8752 A	33	1.30	3.70	.03					
562	8753	46	2.40	6.20	.04					
563	8754	35	1.36	3.00	.06					
564	8755	75	4.40	7.30	.01					
565	8756	71	4.30	7.20	.01					
566	8757	10	.52	1.20	.07					
567	8758	101	6.80	6.90	.01					
568	FAA V-117 8759	5	.13	.13	.04					
569	FAA A-026 8792 A	159	8.90	17.10	.12					
570	8793	94	4.70	5.10	.20					
571	8794 A	102	6.10	7.80	.07					
572	8795	127	8.10	10.00	.17					
573	8796	77	5.00	7.30	.08					
574	8797	80	6.00	6.60	.10					
575	8798	40	2.40	1.30	.13					
576	8799	23	.78	1.02	.16					
577	FAA A-026 8800 A	133	.15	1.54	.36					
578	FAA V-042 8801	12	.59	.66	.03					
579	8802	21	1.11	2.08	.03					
580	8803	11	.52	.55	.03					

not found
Jan 07, 82

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 30

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
581	8804 A	64	4.80	5.10	.05					
582	8805	55	3.40	7.10	.03					
583	8806	76	5.00	7.60	.06					
584	8807	19	1.00	2.20	.03					
585	8808	37	2.40	5.10	.03					
586	8809	18	1.00	1.74	.07					
587	8810 A	29	1.80	3.70	.05					
588	8811	19	1.09	1.83	.06					
589	8812	41	2.30	3.50	.05					
590	8813	118	7.00	14.40	.02					
591	8814 A	97	5.50	11.90	.06					
592	FAQU-042 8815	164	9.00	17.70	.09					
593	FAQU-049 8816 ✓	24	1.42	3.20	.03					
594	8817	29	1.64	3.70	.03					
595	not found 8818	38	2.10	3.90	.08					
596	Jan 27, 82 8819	16	.96	3.70	.02					
597	8820 A	25	1.54	3.20	.06					
598	FAQU-049 8821	38	2.20	3.60	.10					
599	FAQA-058 8851 A	28	1.58	.79	.25					
600	8852	29	1.80	1.03	.11					
	not found Jan 27, 82									

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 31

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
601	8853 A	20	.63	.74	.16					
602	8854	20	.32	.49	.31					
603	8855	14	.20	.14	.32					
604	8856	16	.05	.06	.69					
605	<u>FAG A-058</u> 8857 A	11	.08	.15	.21					
L means "Less than"										

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4407 10

Date September 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
181	8837A	11	.16	.26	.29					
182	8838	7	.06	.31	.32					
183	8839	11	.05	.25	.36					
184	8840A	12	.21	.37	.35					
185	8841	48	3.40	5.60	.16					
186	8842	12	.60	1.04	.10					
187	8843	22	1.40	1.17	.25					
188	8844	62	5.40	6.00	.14					
189	8845	11	.35	.29	.15					
190	8846A	10	.08	.10	.16					
191	8847A	35	2.04	2.30	.15					
192	8848	36	2.40	2.10	.23					
193	8849	38	2.40	2.20	.25					
194	8850A	19	.66	.65	.52					
195	8858A	90	5.70	9.10	.05					
196	8859	69	5.90	4.60	.11					
197	8860A	64	4.20	5.00	.08					
198	8861	90	5.50	10.20	.07					
199	8862	11	.53	.51	.05					
200	8863A	47	2.70	6.00	.03					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4407 11

Date September 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
201	8864A	5	.16	.29	.02					
202	8865	86	6.50	9.30	.03					
203	8866	44	2.05	6.40	.05					
204	8867	107	6.20	15.10	.05					
205	8868	86	5.00	5.60	.18					
206	8869	36	2.06	4.80	.03					
207	8870A	52	3.20	5.60	.10					
208	8871	76	5.60	5.60	.14					
209	8872	68	4.70	5.50	.08					
210	8873A	117	8.10	14.50	.10					
211	8874A	72	4.50	6.80	.12					
212	8875	88	5.90	9.30	.06					
213	8876	107	7.50	11.90	.15					
214	8877	80	2.80	5.10	.28					
215	8878	35	1.44	2.90	.11					
216	8879	15	.33	.85	.06					
217	8880A	11	.52	.65	.07					
218	8881	24	1.48	1.86	.06					
219	8882	29	2.02	3.20	.06					
220	8883A	52	4.30	5.60	.05					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4407 12

Date September 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
221	8884A	47	3.80	6.90	.04					
222	8885	32	1.56	3.20	.05					
223	8886	100	6.30	8.90	.08					
224	8887	185	10.60	17.50	.07					
225	8888	114	7.30	14.80	.09					
226	8889	21	.95	.98	.19					
227	FA91U-044 8890A	34	2.50	3.40	.12					
228	FA91A-136 8901A	49	2.40	6.90	.03					
229	8902	32	.93	2.90	.06					
230	8903A	96	7.90	7.00	.12					
231	8904A	73	5.10	4.90	.13					
232	not found 8905	25	.82	1.12	.13					
233	8906	29	.99	2.40	.05					
234	8907	133	8.30	15.70	.04					
235	Sum 27.82 8908	17	.51	1.29	.10					
236	8909	11	.16	.27	.24					
237	8910A	10	.10	.19	.22					
238	8911	13	.11	.18	.27					
239	8912	7	.08	.19	.15					
240	8913A	11	.12	.14	.20					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

63
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4407 13

Date September 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
241	8914A	9	.05	.05	.40					
242	8915	7	.11	.18	.07					
243	FRGA-136 8916A	26	1.76	3.20	.08					
244	FRGU-041 8939A	24	1.86	3.60	.04					
245	8940A	10	.13	.39	.14					
246	8941	23	1.70	1.00	.04					
247	8942	81	4.90	6.80	.20					
248	8943	120	7.10	12.00	.15					
249	8944	23	1.66	3.60	.03					
250	8945A	36	2.80	4.50	.05					
251	8946A	11	.29	.48	.10					
252	FRGU-041 8947A	10	.26	.47	.11					
253	FRGU-034 8951A	80	4.70	9.80	.06					
254	8952	33	2.50	3.90	.09					
255	8953	10	.30	.72	.07					
256	8954	10	.23	.63	.06					
257	8955	32	1.76	2.80	.08					
258	8956	166	7.90	13.60	.19					
259	8957	97	2.10	3.70	.13					
260	8958A	10	1.00	1.02	.03					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

69
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4407 14

Date September 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
261	8959A	93	5.20	7.70	.26					
262	8960A	64	4.00	6.80	.14					
263	8961	52	2.60	6.00	.10					
264	8962	54	3.30	6.70	.08					
265	8963	62	4.70	8.90	.15					
266	8964	60	3.50	5.40	.16					
267	8965	100	5.70	8.70	.14					
268	8966	44	2.40	6.70	.07					
269	8967	80	4.80	8.40	.11					
270	8968A	4	.16	.31	.02					
271	8969A	103	7.80	11.40	.04					
272	8970A	50	2.80	5.20	.05					
273	8971	63	3.50	6.80	.08					
274	8972	50	3.30	4.50	.13					
275	8973	69	4.00	7.20	.14					
276	8974	46	3.10	4.20	.14					
277	8975	89	5.60	10.50	.22					
278	8976	72	5.40	7.00	.25					
279	8977	66	4.40	7.00	.21					
280	8978A	69	3.80	6.20	.24					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia

65



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4407 15

Date September 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
281	8979A	45	2.90	5.90	.18					
282	8980A	115	8.00	11.40	.15					
283	8981	66	4.30	5.80	.22					
284	8982	58	3.50	6.60	.28					
285	8983	60	4.00	7.30	.12					
286	8984	80	6.40	8.30	.09					
287	8985	15	.37	.35	.28					
288	8986	17	.21	1.46	.33					
289	8987	9	.07	1.22	.22					
290	8988A	15	.36	.49	.26					
291	<u>FKU-034</u> 8989A	32	1.37	1.32	.27					
292	<u>FAG A-011</u> 8990A	39	1.90	2.70	.24					
293	8991	94	4.80	9.00	.07					
294	8992	96	6.90	4.60	.15					
295	8993	110	6.40	8.30	.07					
296	8994	35	2.05	2.90	.14					
297	8995	38	1.77	1.34	.18					
298	8996	12	.65	.58	.10					
299	8997	35	1.91	2.40	.30					
300	8998A	30	1.53	1.83	.25					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.
330 - 355 Burrard Street
Vancouver, B.C. V6C 2G8

8700

Certificate No. K-4380A

Date September 30, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Gram samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
1	FAG U-117 8760A	100	6.00	11.10	.02					
2	not found 8761 ✓	8	.18	.21	.02					
3	Jan 27, 82 8762 ✓	66	3.70	9.70	.06					
4	FAG U-029 8763	36	1.66	1.81	.21					
5	8764	76	4.80	8.10	.17					
6	8765	13	.57	1.56	.02					
7	not found 8766	117	7.40	14.80	.09					
8	Jan 27, 82 8767 ✓	65	3.80	9.50	.06					
9	8768	37	1.62	2.50	.05					
10	8769A ✓	26	1.26	3.60	.02					
11	FAG U-029 8770A	26	1.34	3.50	.01					
12	FAG U-032 8771	40	2.90	4.60	.03					
13	8772	10	.43	.46	.07					
14	8773	44	2.90	2.40	.21					
15	not found 8774	105	5.00	8.50	.22					
16	8775	51	3.50	4.20	.26					
17	Jan 27, 82 8776 ✓	13	.33	.41	.12					
18	8777	22	1.00	.87	.12					
19	8778	13	.57	1.37	.08					
20	FAG U-032 8779A	14	.68	1.21	.05					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

50
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380A 2

Date September 30, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
21	8780A	41	2.60	2.05	.16				
22	8781	88	5.70	6.70	.25				
23	8782	107	7.00	10.20	.07				
24	8783	15	.74	1.18	.01				
25	8784	70	3.80	8.70	.05				
26	8785	103	6.20	15.90	.08				
27	8786	110	6.00	11.70	.22				
28	8787	133	7.80	13.50	.14				
29	8788	158	8.70	20.30	.16				
30	8789A	123	8.00	16.10	.02				
31	8790A	146	9.10	13.40	.22				
32	8791	172	10.20	17.60	.15				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

330 - 355 Burrard Street

Vancouver, B.C. V6C 2G8

Certificate No. K-4470

Date October 9, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
1	9909 A	19	.97	3.10	.03				
2	9910 A	21	.95	2.40	.03				
3	9911	23	1.03	3.70	.04				
4	9912	29	1.22	4.70	.05				
5	9913	42	1.54	5.60	.04				
6	9914	81	3.50	8.00	.23				
7	9915	82	3.90	8.80	.07				
8	9916	62	3.50	7.60	.10				
9	9917	94	5.60	8.80	.17				
10	9918 A	60	2.70	6.40	.08				
11	9919 A	38	1.70	6.20	.02				
12	9920 A	55	2.00	6.50	.08				
13	9928 A	32	1.71	4.10	.04				
14	9929	182	10.90	20.20	.06				
15	9930 A	155	10.30	21.10	.07				
16	9931	79	5.80	11.60	.08				
17	9932	88	4.90	9.80	.18				
18	9933	20	.38	1.01	.10				
19	9934	19	.17	.24	.09				
20	9935	13	.14	.70	.12				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4470 2

Date October 9, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
21	9936 A	18	.32	.80	.13					
22	9937	42	1.81	3.80	.16					
23	9938	65	4.50	6.60	.17					
24	9939	24	.79	1.27	.11					
25	9940 A	17	.59	1.06	.16					
26	9941	11	.14	.64	.22					
27	9942	7	.14	.33	.12					
28	9943	8	.12	.63	.19					
29	9944	9	.12	.43	.23					
30	9945 A	7	.09	.84	.22					
31	9946 A	36	1.52	3.20	.21					
32	9947 A	78	4.30	7.90	.11					
33	11001 A	35	4.60	1.68	.21					
34	11002	89	8.40	4.80	.16					
35	11003	20	.85	.62	.42					
36	11004	15	.24	.14	.35					
37	11005	18	.25	.18	.43					
38	11006	17	.18	.15	.32					
39	11007	24	1.08	2.40	.19					
40	<u>FAGU-123</u> 11008 A <u>not found Jan 28, 82</u>	119	8.50	10.10	.17					

NOTE:

Rejects retained three weeks.

Pulps retained three months

unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4407 5

Date September 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
81	FAG U-034	8000A	32	2.30	3.90	.04				
82	FAG U-140	8082A	65	3.80	7.10	.02				
83		8083	123	7.60	20.00	.05				
84		8084	61	3.60	4.50	.11				
85		8085	152	7.70	14.70	.07				
86	not found.	8086	33	1.55	4.40	.04				
87	Jan 27, 82	8087	35	1.56	3.50	.05				
88		8088	10	.34	.56	.05				
89		8089	93	6.10	7.30	.09				
90		8090A	9	.24	.29	.14				
91		8091A	24	1.13	2.04	.21				
92	FAG U-140	8092A	20	.79	1.55	.12				
93	FAG U-175	8132A	39	1.88	3.10	.16				
94		8133	125	6.50	11.60	.10				
95		8134	11	.15	.50	.22				
96		8135	12	.30	.45	.13				
97		8136	6	.10	.09	.12				
98		8137	3	.05	.34	.07				
99	FAG U-175	8138A	5	.03	.23	.10				
100	FAG A-130	8143A	29	1.84	3.60	.05				
	not found Jan 27, 82									

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

8100, 8200

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4407 6

Date September 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Gram samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
101	8144A	9	.40	.50	.02					
102	8145	21	1.35	1.96	.27					
103	8146	81	6.30	7.20	.09					
104	8147	33	1.65	1.85	.02					
105	8148	71	4.80	7.60	.03					
106	8149	76	5.20	7.80	.03					
107	<i>FAGIA -136</i> 8150A	18	.56	1.60	.02					
108	<i>FAGIA -041</i> 8266A	16	.47	.33	.20					
109	8267	13	.37	.36	.22					
110	8268A	21	.83	1.04	.26					
111	8269A	19	.48	.42	.28					
112	8270A	13	.46	.27	.20					
113	8271	12	.27	.14	.13					
114	8272	3	.04	.03	.03					
115	8273	18	.40	.45	.34					
116	8274	77	6.10	8.00	.14					
117	<i>FAGIA -041</i> 8275A	28	1.45	1.16	.09					
118	<i>FAGIA -076</i> 8288A	23	1.84	3.60	.04					
119	8289	26	1.23	2.40	.04					
120	8290A	33	2.30	4.00	.04					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

8200, 8400, 8500

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4407 7

Date September 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
121	8291A	35	2.60	2.80	.05					
122	8292	30	1.99	2.30	.04					
123	8293	175	9.60	14.20	.06					
124	8294	44	1.76	3.80	.04					
125	8295	52	2.40	6.20	.02					
126	8296	32	1.42	2.30	.08					
127	8297	30	1.53	1.58	.04					
128	8298	138	8.80	14.10	.16					
129	FAG A-076 8299A	19	.74	1.36	.02					
130	FAG U-154 8428A	94	5.10	8.40	.14					
131	8429A	38	1.58	1.91	.20					
132	FAG U-154 8430A	69	3.20	5.30	.20					
133	FAG A-163 8474A	39	2.70	2.30	.05					
134	8475	40	3.60	4.50	.02					
135	8476	34	1.67	3.50	.03					
136	8477	37	1.47	4.90	.02					
137	8478	36	1.68	3.60	.03					
138	8479	36	1.91	4.40	.03					
139	FAG A-163 8480A	31	1.92	3.60	.02					
140	FAG U-030 8588A	9	.06	.07	.03					
	not found Jan 27, 82									

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

58
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4407 8

Date September 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Gram samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
141	8589A	16	.58	.91	.11					
142	8590A	34	1.82	1.82	.10					
143	8591	51	3.30	2.80	.30					
144	FAC 1030 8592A	58	4.10	3.20	.23					
145	FAC 1A-028 8678A	20	.22	.28	.26					
146	8679	24	.73	1.02	.19					
147	8680A	12	.35	.55	.09					
148	8681	23	.77	1.00	.14					
149	8682	32	1.97	1.73	.26					
150	8683A	39	1.94	1.79	.36					
151	8684A	34	1.76	1.75	.16					
152	8685	62	4.70	3.80	.17					
153	8686	22	1.29	.78	.25					
154	8687	20	.77	.40	.23					
155	8688	34	2.00	1.03	.19					
156	8689	45	3.40	2.03	.29					
157	8690A	37	2.70	3.70	.18					
158	8691	19	1.18	1.26	.26					
159	8692	15	.94	.90	.19					
160	FAC 1A-028 8693A	18	.94	.79	.17					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

59
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4407 9

Date September 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
161	FAQU-048	8694A	63	3.00	8.90	.03			
162		8695	120	7.90	7.50	.04			
163		8696	90	7.80	3.90	.10			
164		8697	53	4.40	3.70	.09			
165		8698	40	2.50	4.90	.05			
166		8699	20	1.33	2.90	.03			
167	FAQU-048	8700A	40	2.10	3.20	.06			
168	FAQU-049 ✓	8822A	42	2.40	5.00	.09			
169		8823	49	2.40	7.30	.07			
170	not found Jan 27, 82	8824A	20	1.29	2.20	.04			
171		8825A	10	1.34	.35	.05			
172	FAQUA-105	8828A	13	.85	1.25	.14			
173		8829	7	.17	.27	.19			
174		8830A	7	.17	.21	.24			
175		8831	5	.13	.17	.20			
176		8832	3	.17	.18	.19			
177		8833	32	1.18	.98	.27			
178		8834	45	3.80	3.00	.30			
179		8835	18	1.50	1.51	.08			
180		8836	21	.46	.50	.26			

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 9

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
161	FAC A-035	8300 A	61	3.40	2.50	.18				
162	FAC A-163	8301	130	5.60	8.70	.12				
163		8302	65	3.00	4.60	.03				
164	FAC A-163	8303	70	3.30	8.20	.02				
165	FAC A-032	8304	46	3.00	4.00	.19				
166		8305	120	4.90	7.70	.19				
167		8306	36	1.72	3.20	.05				
168		8307	82	4.70	5.40	.28				
169		8308	20	.67	.92	.13				
170		8309	25	1.11	1.22	.22				
171		8310 A	20	.93	1.28	.15				
172		8311	10	.16	.36	.14				
173		8312	33	1.72	1.74	.21				
174		8313	23	.85	.76	.15				
175		8314	16	.32	.79	.18				
176		8315	24	1.24	1.59	.19				
177		8316	32	1.73	2.06	.19				
178		8317	10	.11	.33	.18				
179		8318	13	.17	.31	.14				
180		8319	10	.11	.40	.14				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 10

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
181	8320 A	9	.11	.22	.17					
182	8321	8	.12	.34	.17					
183	8322	8	.11	.33	.11					
184	8323	9	.12	.68	.14					
185	8324	10	.15	.71	.15					
186	8325	14	.20	.24	.16					
187	8326	10	.13	.63	.15					
188	8327	9	.17	.58	.12					
189	8328	9	.10	.14	.23					
190	8329	16	.69	1.01	.14					
191	8330 A	17	.73	1.07	.06					
192	FAG A - 032 8331	27	1.16	1.04	.13					
193	FAG A - 160 8332	29	1.39	3.10	.01					
194	8333	39	1.56	5.00	.01					
195	8334	47	2.07	5.70	.01					
196	8335	43	2.50	5.70	.03					
197	8336	50	2.80	4.80	.04					
198	8337	80	4.10	9.40	.02					
199	8338	65	3.90	5.40	.04					
200	8339	19	.94	1.22	.07					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 11

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
201	8340 A	20	1.08	1.71	.04				
202	8341	19	.99	1.11	.05				
203	8342	18	.73	.88	.04				
204	8343	28	1.70	5.10	.02				
205	8344	17	1.01	2.30	.02				
206	8345	30	1.81	4.00	.02				
207	8346	34	1.97	5.20	.06				
208	8347	27	1.38	3.20	.02				
209	8348	35	1.84	2.90	.05				
210	8349	12	.47	1.02	.05				
211	8350 A	10	.60	.49	.04				
212	8351	12	.51	.77	.08				
213	8352	25	1.85	3.80	.03				
214	8353	58	2.90	6.50	.08				
215	8354	60	3.30	5.00	.10				
216	8355	55	3.20	5.70	.05				
217	FAQA-160 8356	33	1.98	4.60	.03				
218	FAQA-069 8359	24	.77	1.05	.19				
219	8360 A	13	.35	.37	.15				
220	8361	100	6.30	5.10	.24				

NOTE:

Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 12

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
221	8362 A	23	.47	.55	.25					
222	8363	28	1.07	1.54	.11					
223	8364	68	3.90	6.00	.08					
224	8365	45	2.50	4.90	.19					
225	8366	27	1.10	1.90	.11					
226	8367	37	1.98	3.50	.04					
227	8368	6	.32	.60	.02					
228	8369	11	.69	.48	.03					
229	8370 A	8	.59	.59	.04					
230	8371	18	.94	1.79	.03					
231	8372 A	28	1.62	2.00	.04					
232	8373	9	.39	1.26	.23					
233	8374	20	.80	1.70	.13					
234	8375	6	.25	.48	.09					
235	8376	8	.41	.90	.09					
236	8377	23	1.44	5.70	.02					
237	8378	34	1.84	4.60	.04					
238	8379	9	.46	1.03	.05					
239	8380 A	39	2.40	4.40	.10					
240	8381	29	1.74	1.90	.10					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

79

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 13

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
241	8382 A	22	1.14	1.87	.06					
242	8383	38	1.95	4.80	.02					
243	8384	28	1.46	3.00	.03					
244	8385	25	1.41	2.60	.02					
245	8386	21	1.36	2.05	.02					
246	8387	6	.45	1.17	.03					
247	8388	31	1.84	3.10	.04					
248	8389	36	1.71	4.00	.03					
249	8390 A	28	1.74	3.30	.02					
250	8391	18	1.05	2.02	.02					
251	8392 A	24	1.32	2.80	.02					
252	8393	32	1.77	3.60	.03					
253	8394	30	1.39	3.10	.03					
254	8395	23	1.14	3.70	.02					
255	8396	29	1.38	3.30	.02					
256	8397	23	.61	1.83	.03					
257	8398	32	.94	2.90	.02					
258	8399	32	1.55	2.30	.05					
259	FRAC A-069 8400 A	81	4.60	8.90	.04					
260	FRAC U-156 8401	36	2.40	3.00	.08					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 14

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
261	8402 A	12	.69	.99	.01					
262	8403	17	1.02	1.90	.05					
263	8404	24	1.31	1.57	.05					
264	8405	41	2.09	1.72	.08					
265	8406	7	.29	.38	.09					
266	8407	42	2.60	3.40	.27					
267	8408	36	1.14	1.20	.18					
268	8409	58	3.30	4.90	.21					
269	8410 A	87	6.80	7.80	.23					
270	8411	96	5.10	7.70	.30					
271	8412 A	82	4.50	8.40	.15					
272	8413	97	4.70	7.30	.25					
273	8415	41	2.70	6.00	.05					
274	8416	50	3.10	5.10	.07					
275	8417	96	5.30	10.90	.17					
276	8418	161	9.60	15.30	.01					
277	8419	51	3.00	6.60	.05					
278	8420 A	31	1.58	3.80	.02					
279	8421	41	2.40	5.60	.03					
280	8422	58	3.30	6.80	.07					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4380 15

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
281	8423 A	74	4.40	11.10	.10					
282	8424	25	.82	2.70	.10					
283	8425	75	4.10	8.70	.09					
284	8426	6	.26	.16	.01					
285	FAQU-154 8427	47	2.50	5.40	.03					
286	FAQU-144 8431	42	2.60	5.90	.01					
287	8432	61	3.60	7.80	.05					
288	8433	72	4.10	6.10	.07					
289	8434	96	5.70	7.30	.05					
290	FAQU-144 8435	32	1.89	3.50	.02					
291	FAQU-135 8436 A	70	4.10	7.80	.02					
292	8437	159	5.90	11.30	.17					
293	8438	83	5.00	7.80	.06					
294	8439	12	.17	.14	.05					
295	8440 A	22	.19	.09	.09					
296	8441	66	3.40	5.00	.06					
297	8442	55	3.20	4.70	.04					
298	8443	77	3.60	6.80	.04					
299	8444	72	3.90	5.50	.09					
300	8445 A	19	1.19	2.05	.05					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

66
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4407 16

Date September 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
301	8999A	58	3.60	3.70	.17					
302	FA91A-011 9000A	13	.42	.76	.19					
303	FA91A-065 9057A	198	8.50	16.40	.12					
304	9058	151	8.40	11.30	.09					
305	9059	65	4.10	5.00	.26					
306	9060A	77	4.40	9.50	.12					
307	9061	19	.26	.63	.28					
308	9062	44	1.67	2.40	.14					
309	FA91A-065 9063	30	.81	.97	.13					
310	FA91A-149 9064A	7	.15	.39	.24					
311	9065A	76	6.50	6.60	.08					
312	9066	27	1.55	3.20	.08					
313	9067	87	6.70	6.50	.19					
314	9068	77	6.10	5.80	.09					
315	9069	84	6.50	7.30	.08					
316	9070A	14	.38	.38	.22					
317	9071	8	.11	.18	.32					
318	9072	7	.09	.16	.19					
319	9073	13	.28	.46	.34					
320	FA91A-149 9074A	27	1.54	.59	.25					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 16

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
301	8446 A	13	.90	1.90	.04				
302	8447	19	1.19	1.68	.08				
303	8448	6	.26	.46	.03				
304	8449	20	1.08	2.60	.03				
305	8450 A	7	.46	.86	.02				
306	8451	6	.53	1.50	.04				
307	8452	22	1.22	1.67	.06				
308	8453	85	4.40	7.60	.18				
309	8454	6	.29	.55	.06				
310	8455	8	.32	.54	.08				
311	8456 A	90	6.00	7.90	.10				
312	8457	68	3.80	6.70	.09				
313	8458	31	1.64	3.70	.12				
314	8459	2	.09	.16	.09				
315	8460 A	8	.47	.69	.14				
316	8461	37	2.20	3.90	.07				
317	8462	21	1.03	1.31	.10				
318	8463	34	2.50	3.90	.05				
319	8464	91	5.40	8.40	.12				
320	8465	35	2.80	3.00	.22				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

 Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4380 17

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
321	8466 A	27	1.81	2.40	.25					
322	8467	26	2.70	1.83	.20					
323	8468	45	2.90	2.60	.27					
324	8469	86	6.40	8.30	.14					
325	8470 A	25	1.11	.46	.24					
326	8471	72	5.70	4.20	.16					
327	8472	32	1.83	1.96	.40					
328	FAU-135 8473	28	1.63	1.69	.07					
329	FAA-163 8481 A	45	3.70	6.80	.04					
330	8482	47	3.00	5.70	.04					
331	8483 A	24	1.69	3.60	.04					
332	8484	55	3.30	7.00	.02					
333	8485	33	1.86	4.90	.02					
334	8486	20	.83	1.81	.02					
335	8487	139	7.80	1.54	.08					
336	8488	31	1.29	3.70	.02					
337	8489	27	1.21	3.30	.02					
338	8490 A	68	3.70	9.80	.12					
339	8491	21	1.08	2.90	.02					
340	8492	34	1.74	3.30	.05					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

84
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 18

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
341	8493 A	18	.92	1.25	.04					
342	8494	19	.91	1.40	.04					
343	8495	53	3.20	4.70	.06					
344	8496	14	.52	.97	.03					
345	8497	9	.35	.71	.02					
346	8498	148	8.60	20.40	.09					
347	8499	28	1.44	4.20	.05					
348	FRG A-163 8500 A	41	2.60	4.70	.07					
349	FRG U-146 8501	30	1.36	2.64	.06					
350	8502	26	.92	1.51	.08					
351	8503 A	26	.98	1.43	.05					
352	8504	28	1.13	1.86	.05					
353	8505	43	2.90	4.50	.05					
354	8506	39	2.70	4.50	.04					
355	8507	69	4.40	5.90	.07					
356	8508	143	8.10	13.10	.06					
357	8509	54	3.40	3.50	.13					
358	8510 A	37	1.72	3.50	.16					
359	8511	29	1.25	2.30	.15					
360	8512	32	1.05	.55	.25					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 19

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
361	FACU-146	8513 A	111	6.50	9.50	.20				
362	FADIA-081	8514	27	1.85	2.60	.11				
363		8515	42	2.70	2.40	.16				
364		8516	13	.19	.30	.20				
365		8517	8	.27	.65	.05				
366		8518	18	.45	.44	.41				
367		8519	76	5.50	6.60	.43				
368		8520 A	179	13.60	11.80	.12				
369		8521	31	1.72	1.96	.28				
370		8522	19	1.08	.87	.19				
371		8523 A	126	9.40	10.30	.18				
372		8524	77	5.70	7.40	.19				
373		8525	6	.15	.19	.01				
374		8526	122	8.80	8.40	.32				
375		8527	27	1.26	1.63	.15				
376		8528	32	1.99	2.40	.16				
377		8529	29	1.88	2.10	.12				
378		8530 A	21	1.17	1.58	.08				
379		8531	32	2.06	2.80	.12				
380		8532	32	2.09	2.30	.10				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4380 20

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
381	8533 A	25	1.85	2.40	.07					
382	8534	23	1.67	1.84	.08					
383	8535 <i>FAG A-081</i>	29	1.86	2.50	.12					
384	8536 <i>FAG U-179</i>	26	1.60	1.67	.28					
385	8537	16	.28	1.03	.43					
386	8538	5	.24	.51	.03					
387	8539	39	2.00	3.20	.24					
388	8540 A	76	5.70	6.60	.13					
389	8541	115	7.50	11.10	.19					
390	8542	152	9.60	21.60	.07					
391	8543 A	165	9.60	22.40	.06					
392	8544	67	4.30	9.80	.05					
393	8545	19	1.02	2.90	.03					
394	8546	31	2.60	6.50	.02					
395	8547	60	3.30	4.60	.15					
396	8548	382	3.30	3.50	.17					
397	8549 <i>FAG U-179</i>	52	3.80	3.90	.20					
398	8550 A <i>FAG U-152</i>	32	1.89	4.50	.02					
399	8551	32	2.05	4.00	.08					
400	8552	13	.96	2.40	.16					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.



 Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 21


Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
401	8553 A	30	2.70	2.80	.06					
402	8554	39	3.20	3.80	.07					
403	8555	15	.91	1.14	.05					
404	8556	4	.24	.58	.04					
405	8557	7	.38	.55	.04					
406	8558	52	3.50	6.80	.02					
407	8559	24	1.50	2.90	.03					
408	FAQU-152 8560 A	34	2.08	4.70	.08					
409	FAQU-056 8565	26	1.40	2.50	.03					
410	8566	15	.49	1.87	.06					
411	8567 A	25	1.25	4.00	.04					
412	8568	28	1.18	3.20	.08					
413	8569	28	1.25	3.80	.02					
414	8570 A	39	1.71	3.00	.03					
415	8571	31	1.97	3.70	.05					
416	8572	23	1.09	2.20	.04					
417	8573	26	1.23	2.30	.07					
418	8574	16	.72	1.13	.05					
419	8575	6	.19	.19	.01					
420	8576	5	.14	.11	.03					

Not Found
Jan 27, 82

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.



 Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4380 22

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Gram samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
421	8577 A	27	2.40	2.10	.03				
422	8578	60	5.50	6.50	.04				
423	FAOU-056 8579	42	3.30	6.50	.04				
424	FAOU-030 8580 A	72	3.70	3.10	.16				
425	8581	25	.65	.21	.15				
426	8582	98	5.60	4.80	.16				
427	not Found 8583	128	8.10	7.50	.11				
428	Jan 27, 82 8584	21	1.19	1.16	.11				
429	8585	18	1.08	1.21	.10				
430	8586	18	1.26	1.37	.07				
431	FAOU-030 8587 A	18	1.06	1.24	.11				
432	FAOA-058 8593 A	95	7.60	6.00	.13				
433	8594	75	4.80	6.30	.10				
434	8595	43	2.02	4.60	.04				
435	not Found 8596	123	7.10	8.40	.14				
436	Jan 27, 82 8597	87	6.20	8.00	.03				
437	8598	26	.93	1.65	.24				
438	8599	75	6.20	4.30	.15				
439	FAOA-058 8600 A	27	.95	.66	.19				
440	FAOA-027 8601	23	1.07	1.48	.08				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

89
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 23

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
441	8602 A	6	.11	.11	.05					
442	8603	14	.54	.86	.12					
443	8604	8	.38	.67	.04					
444	8605	15	.65	1.06	.05					
445	8606	12	.56	1.14	.04					
446	8607	14	.78	2.40	.09					
447	8608	11	.54	1.51	.06					
448	8609	23	1.09	1.98	.16					
449	8610 A	34	1.73	2.60	.09					
450	8611	63	3.90	10.00	.03					
451	8612 A	32	1.70	3.80	.06					
452	8613	19	1.03	2.30	.01					
453	8614	7	.45	1.26	L.01					
454	8615	25	1.30	3.60	.01					
455	8616	39	2.03	5.10	.02					
456	8617	5	.26	.65	L.01					
457	8618	14	.37	.77	.15					
458	8619	36	1.50	2.50	.37					
459	8620 A	38	2.80	2.40	.10					
460	8621	39	3.10	2.30	.09					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 24

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
461	8622 A	43	3.40	3.30	.07					
462	8623	18	.59	.90	.13					
463	8624	41	2.12	2.60	.08					
464	8625	40	3.20	2.90	.06					
465	8626	41	3.30	3.00	.05					
466	8627	19	.97	1.19	.07					
467	8628	15	.89	.83	.06					
468	8629	34	2.11	3.60	.05					
469	8630 A	40	3.00	4.10	.04					
470	8631	14	.69	1.07	.09					
471	8632 A	12	.38	.86	.11					
472	8633	8	.17	.41	.12					
473	8634	100	4.90	8.00	.10					
474	8635	64	4.10	7.00	.08					
475	8636	6	.19	.45	.01					
476	8637	43	1.99	2.30	.07					
477	8638	44	2.06	2.90	.08					
478	8639	3	.03	.05	L.01					
479	8640 A	23	1.35	1.40	.01					
480	8641	49	2.60	5.10	.04					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

91
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 25

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
481		94	4.70	10.00	.07					
482	FAQA-027	82	5.50	8.10	.17					
483	FAQA-026	19	.46	1.31	.29					
484		10	.13	.79	.26					
485		13	.21	1.28	.15					
486		7	.04	.59	.23					
487		5	.08	.52	.22					
488		11	.06	.79	.28					
489		2	.02	1.71	.16					
490		5	.03	1.28	.24					
491	8659 A	L1	.02	1.15	.04					
492	8660 A	2	.02	.94	.16					
493		68	3.40	3.60	.24					
494		19	1.64	2.20	.26					
495	FAQA-026	8	.37	.69	.05					
496	FAQA-028	15	.70	1.00	.02					
497		109	6.30	11.20	.18					
498		121	6.10	9.20	.23					
499		19	1.18	.87	.04					
500		115	5.90	8.50	.22					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4380 26

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
501	8669 A	110	6.10	10.00	.05				
502	8670 A	12	.73	1.40	.03				
503	8671	13	.70	1.49	.06				
504	8672	7	.27	.47	.06				
505	8673	17	.97	1.64	.05				
506	8674	20	.90	1.40	.08				
507	8675	19	.65	.97	.12				
508	8676	7	.33	.56	.12				
509	FAQA-028 8677 A	11	.57	.78	.13				
510	FAQA-035 8701 A	35	.98	.26	.12				
511	8702 A	72	4.20	4.00	.22				
512	8703	63	4.20	4.00	.14				
513	8704	58	3.90	4.30	.13				
514	8705	21	1.31	1.78	.11				
515	8706	72	5.20	5.20	.13				
516	8707	14	.88	1.03	.17				
517	8708	19	1.21	1.77	.10				
518	8709	9	.36	.34	.18				
519	8710 A	20	1.05	.78	.14				
520	8711	31	1.76	1.88	.19				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048 8320

CERTIFICATE OF ASSAY

B.C. LICENSE NO. 12345
GEOCHEMICAL ANALYSIS
M.L.P. (C) 1981

8300, 8500, 8600, 8800

TO Cyprus Anvil Mining Corporation Ltd.

330 - 355 Burrard Street

Vancouver, B.C. V6C 2G8

Certificate No. K-4462

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked		Ag	Pb	Zn	Cu				
			grams per tonne	percent	percent	percent				
1	FAG A-160	8357 A	23	1.50	3.90	.03				
2		8358 A	46	3.20	5.60	.07				
3	FAG U-152	8561 A	65	3.50	7.70	.22				
4		8562	38	1.88	4.30	.17				
5		8563	65	3.60	4.50	.20				
6		8564 A	20	.39	.91	.28				
7	FAG A-027	8644 A	51	3.20	4.90	.31				
8		8645	37	2.07	3.90	.43				
9		8646	49	2.80	3.40	.26				
10		8647 A	50	2.70	5.50	.23				
11		8648 A	102	6.20	9.80	.12				
12		8649	12	.47	.78	.17				
13	FAG A-027	8650 A	70	4.70	7.90	.17				
14		8826 A	12	.18	.46	.29				
15	FAG A-105	8827 A	10	.21	.39	.19				
16	FAG U-057	8891 A	41	1.92	3.90	.03				
17		8892	35	1.74	3.50	.03				
18		8893	15	.81	1.90	.03				
19		8894	20	1.19	3.00	.04				
20		8895 A	31	1.65	4.30	.07				

not found
Jan 20, 82

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

[Handwritten Signature]

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

8860, 8900

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 2

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
21	8896 A	28	1.74	4.60	.05					
22	8897	22	1.41	3.30	.03					
23	8898	35	1.81	.55	.04					
24	8899	38	1.95	6.30	.05					
25	FA GVO57 8900 A	30	1.85	3.40	.03					
26	FA GA-136 8917 A	8	.14	.42	.18					
27	8918	11	.25	.52	.17					
28	FA GA-055 8919	27	1.03	2.30	.07					
29	8920 A	33	1.48	1.83	.06					
30	8921 A	35	1.87	5.00	.03					
31	8922 A	101	7.10	7.90	.14					
32	8923	36	2.50	3.80	.03					
33	8924	19	.85	2.30	.03					
34	8925	52	4.60	3.90	.21					
35	8926	22	1.11	1.36	.33					
36	8927	19	.80	1.00	.32					
37	8928	21	1.35	1.23	.25					
38	8929	25	1.31	1.60	.37					
39	8930 A	6	.26	.41	.18					
40	8931 A	18	1.41	1.20	.19					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

3
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

8900, 9000

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4462 3

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked		Ag grams per tonne	Pb percent	Zn percent	Cu percent				
41	FAGIA-055	8932 A	31	1.70	2.40	.23				
42		8933	10	.38	.48	.08				
43	FAGU-041	8934	11	.32	.64	.07				
44		8935	8	.40	1.23	.04				
45		8936	11	.47	.49	.09				
46		8937	8	.30	.38	.08				
47	FAGU-041	8938 A	29	1.70	.67	.04				
48		8948 A	18	1.14	1.70	.04				
49	FAGU-040	8949	29	1.76	1.74	.08				
50		8950 A	17	1.01	.65	.06				
51	FAGIA-105	9001 A	18	.63	.37	.42				
52		9002	21	.93	.45	.15				
53		9003	29	1.28	2.70	.22				
54		9004	10	.19	.54	.20				
55	FAGIA-105	9005	12	.21	.27	.20				
56	FAGIA-137	9006	39	2.30	4.60	.06				
57		9007	74	4.20	6.90	.07				
58		9008	30	1.71	2.90	.06				
59		9009	31	1.54	3.50	.05				
60		9010 A	29	1.20	2.60	.04				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.



Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 4

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
61	9011 A	18	.62	.97	.04					
62	9012	24	1.11	1.89	.04					
63	9013	19	.73	1.04	.03					
64	9014	27	1.17	2.50	.05					
65	9015	33	1.48	4.00	.05					
66	9016	46	2.90	3.80	.06					
67	9017	25	1.54	3.20	.05					
68	9018	60	3.60	4.90	.04					
69	9019	104	6.90	10.30	.04					
70	9020 A	92	5.10	8.00	.09					
71	9021 A	91	5.00	7.20	.09					
72	9022	69	3.50	5.10	.11					
73	9023	172	16.20	10.30	.10					
74	9024	54	4.10	4.50	.09					
75	9025	13	.17	.33	.38					
76	9026	13	.51	1.22	.12					
77	9027	11	.15	.21	.24					
78	9028	4	.09	.29	.22					
79	9029	10	.18	.21	.12					
80	9030 A	41	1.81	4.60	.06					

FA01A-137
FA01A-109

not found
Jan 28, 82

FA01A-109
FA01U-053

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4462 5

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
81	9031 A	43	2.00	4.40	.04					
82	9032	34	1.71	4.00	.04					
83	9033	49	2.70	6.90	.07					
84	9034	43	1.86	5.80	.07					
85	9035	28	1.49	4.80	.04					
86	9036	47	2.60	5.40	.05					
87	9037	28	1.51	3.30	.04					
88	9038	45	2.30	6.00	.04					
89	9039	46	2.70	6.20	.06					
90	9040 A	10	.48	.62	.03					
91	9041 A	40	2.20	5.20	.03					
92	9042	8	.16	.68	.03					
93	9043	30	1.93	2.50	.06					
94	9044	29	2.30	1.45	.05					
95	9045	20	1.40	2.70	.06					
96	9046	38	2.30	4.60	.04					
97	9047	35	1.85	4.70	.03					
98	9048	36	2.20	4.60	.05					
99	9049	124	7.20	13.50	.13					
100	FAG U-053 9050 A	23	.87	2.70	.05					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

6

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 6

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
101	FAGA-011 9051 A	32	1.03	1.02	.19				
102	9052	7	.12	.31	.07				
103	9053	18	.42	.45	.17				
104	9054	15	.36	.43	.13				
105	9055	60	3.80	5.90	.06				
106	FAGA-011 9056 A	70	5.00	8.80	.10				
107	FAGA-149 9075 A	41	2.80	2.30	.23				
108	9076	12	.50	.70	.24				
109	9077	7	.23	.38	.18				
110	9078 A	11	.37	1.03	.18				
111	FAGA-71 9079 A	125	7.30	15.60	.06				
112	9080 A	61	3.70	7.80	.02				
113	9081	57	3.40	6.40	.04				
114	9082	24	1.42	2.60	.06				
115	9083	22	1.34	2.90	.04				
116	9084	21	1.15	2.20	.06				
117	9085	24	1.22	2.30	.07				
118	9086	43	3.24	4.90	.03				
119	9087	16	.73	2.40	.02				
120	9088 A	23	1.22	1.70	.07				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia

CTA



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

9000, 9100

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 7

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
121	9089 A	28	1.23	2.70	.07					
122	9090 A	33	1.46	1.85	.08					
123	9091	10	.30	.90	.04					
124	9092	26	.93	1.58	.07					
125	9093	21	.71	1.04	.07					
126	9094	38	2.30	2.20	.07					
127	9095	24	1.45	.92	.08					
128	9096	45	2.80	1.15	.07					
129	9097	37	2.50	1.28	.08					
130	9098 A	38	2.60	2.03	.06					
131	9099 A	36	2.30	1.94	.08					
132	9100 A	28	2.01	1.19	.08					
133	9101	28	1.79	1.50	.09					
134	9102	10	.38	.69	.09					
135	FAG A-071 9103	8	.35	.21	.06					
136	FAG U-040 9104	27	1.76	2.90	.04					
137	9105	16	1.02	1.36	.06					
138	9106	16	1.43	.65	.04					
139	9107	19	1.59	2.50	.03					
140	9108 A	17	1.44	1.84	.03					

NOTE:

Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 8

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
141	9109 A	28	2.50	2.03	.05					
142	9110 A	27	2.60	.93	.07					
143	9111	8	.33	.44	.09					
144	9112	7	.27	.61	.08					
145	9113	5	.13	.36	.11					
146	9114	5	.08	.24	.09					
147	9115	8	.29	1.00	.08					
148	9116	25	1.47	2.70	.09					
149	9117	50	2.60	3.00	.08					
150	9118	7	.09	.36	.10					
151	9119 A	76	5.40	9.60	.19					
152	9120 A	97	5.50	8.10	.19					
153	9121	87	2.60	4.70	.18					
154	9122	69	3.40	5.20	.14					
155	9123	59	2.80	5.00	.05					
156	9124	92	5.10	8.90	.09					
157	9125	64	2.90	3.70	.13					
158	9126	63	3.40	6.10	.10					
159	9127	85	3.80	6.80	.15					
160	9128 A	105	3.50	6.30	.26					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 9

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
161	9129 A	114	4.70	7.80	.21				
162	9130 A	122	4.70	7.30	.16				
163	9131	19	.67	1.25	.11				
164	9132	8	.16	.94	.12				
165	9133	15	.26	2.00	.23				
166	9134	44	1.69	3.10	.33				
167	9135	16	.47	2.30	.07				
168	9136	17	.79	1.98	.11				
169	9137	6	.09	.56	.10				
170	9138 A	8	.16	.99	.09				
171	9139 A	79	4.10	11.40	.07				
172	9140 A	72	4.20	5.00	.17				
173	9141	18	.38	.40	.41				
174	9142	10	.53	.34	.05				
175	9143	8	.37	.39	.03				
176	9144	30	.64	.19	.21				
177	9145	87	6.60	4.30	.19				
178	9146	106	7.40	7.10	.16				
179	9147	61	4.10	4.60	.40				
180	9148 A	136	9.70	8.30	.07				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 10

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
181	9149 A	170	15.80	10.00	.07				
182	FAU U-028 9150 A	65	4.70	3.90	.16				
183	FAU U-057 9151	52	3.40	5.70	.08				
184	9152	39	2.60	5.20	.03				
185	9153	12	.63	3.40	.02				
186	9154	60	3.60	7.10	.05				
187	9155	15	.82	2.60	.01				
188	9156	47	3.10	5.50	.02				
189	9157	17	1.04	2.60	.02				
190	9158 A	15	.92	1.52	.02				
191	9159 A	15	1.05	1.76	.02				
192	9160 A	9	.58	1.07	.02				
193	9161	24	1.65	1.68	.01				
194	9162	11	.54	.80	.07				
195	9163	14	.66	.73	.10				
196	9164	10	.52	.65	.08				
197	9165	9	.43	.53	.10				
198	9166	14	.64	.57	.12				
199	FAU U-057 9167	26	1.77	1.29	.03				
200	FAU U-052 9168 A	47	1.88	6.10	.04				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 11

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
201	9169 A	40	1.65	5.30	.04				
202	9170 A	46	2.40	5.50	.05				
203	9171	36	2.02	5.20	.03				
204	9172	64	1.74	4.20	.05				
205	9173	35	1.89	2.60	.04				
206	9174	45	3.20	3.30	.06				
207	9175	81	4.60	8.60	.03				
208	9176	43	2.40	4.40	.09				
209	9177	32	1.55	4.60	.04				
210	9178 A	30	2.05	2.74	.06				
211	9179 A	15	.93	1.31	.07				
212	9180 A	23	2.70	.96	.06				
213	9181	33	3.10	2.94	.07				
214	9182	53	3.20	4.32	.12				
215	9183	35	1.62	3.04	.12				
216	9184	5	.27	.30	.03				
217	9185	100	5.50	9.60	.15				
218	9186	27	1.92	3.20	.05				
219	9187	18	1.50	2.80	.06				
220	9188 A	19	1.38	1.80	.09				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

12
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

9100, 9200

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4462 12

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
221	9189 A	28	1.05	3.60	.04				
222	9190 A	37	1.71	4.80	.07				
223	9191	6	.10	.60	.03				
224	9192	25	1.32	2.80	.11				
225	9193	61	4.20	7.50	.05				
226	9194	28	.68	1.58	.07				
227	9195	88	3.50	6.50	.04				
228	9196	32	.90	1.15	.12				
229	<u>9197</u>	80	4.70	10.20	.03				
230	9198 A	115	7.20	14.60	.10				
231	9199 A	119	7.90	14.20	.09				
232	9200 A	90	5.50	9.80	.16				
233	9201	59	3.50	7.90	.06				
234	9202	51	3.20	6.20	.03				
235	9203	52	3.00	6.20	.04				
236	9204	32	1.25	3.30	.08				
237	9205	49	2.40	4.80	.07				
238	9206	42	1.77	3.80	.08				
239	9207	44	1.95	4.20	.05				
240	9208	41	1.92	4.80	.02				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.



 Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

13
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 13

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
241	9209 A	6	.18	1.15	.05					
242	9210 A	18	.96	2.94	L.01					
243	9211	42	2.06	4.60	.03					
244	9212	33	1.14	3.50	.03					
245	9213	46	2.40	5.10	.05					
246	9214	66	4.00	5.20	.06					
247	9215	94	4.80	10.10	.04					
248	9216	97	4.70	12.20	.01					
249	9217	36	1.94	3.80	.04					
250	9218 A	50	3.20	3.60	.12					
251	9219 A	26	1.48	1.40	.08					
252	9220 A	33	1.72	1.86	.07					
253	9221	166	7.10	12.30	.21					
254	9222	130	7.60	12.90	.11					
255	9223	36	3.10	4.10	.04					
256	9224	65	3.90	6.00	.16					
257	9225	61	3.10	4.90	.15					
258	9226	42	2.60	4.40	.04					
259	9227	12	.51	.78	.08					
260	9228	4	.06	.22	.07					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

14
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 14

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
261	9229 A	5	.05	.10	.07					
262	9230 A	5	.05	.11	.16					
263	9231	64	4.40	8.80	.14					
264	9232	4	.06	.11	.08					
265	9233	10	.82	.98	.08					
266	9234	31	2.80	2.90	.27					
267	9235	31	2.80	3.40	.20					
268	9236	10	.61	1.63	.02					
269	9237	59	3.30	5.50	.03					
270	9238 A	34	1.75	3.80	.02					
271	9239 A	28	1.17	1.67	.32					
272	9240 A	22	.43	.28	.34					
273	9241	16	.85	.70	.32					
274	9242	58	5.20	4.00	.18					
275	9243	12	.32	.73	.29					
276	9244	26	1.42	1.06	.30					
277	9245	21	.61	.77	.33					
278	9246	8	.14	.21	.08					
279	9247	4	.05	.07	.21					
280	9248 A	13	.53	.77	.13					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

15
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 15

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
281	FAG A-088	9249 A	40	1.84	2.80	.02				
282	FAG A-092	9257 A	56	3.70	4.20	.04				
283		9258	135	10.10	12.80	.04				
284		9259	92	5.90	9.60	.04				
285		9260 A	123	8.10	14.30	.18				
286		9261	79	4.80	7.60	.05				
287		9262	50	3.00	2.80	.14				
288		9263	173	11.50	10.10	.22				
289	FAG A-092	9264	36	1.31	1.72	.05				
290	FAG A-141	9266 A	23	1.03	.55	.03				
291		9267 A	31	1.64	3.60	.06				
292		9268	25	1.33	3.20	.04				
293		9269	29	1.38	3.20	.06				
294		9270 A	29	1.35	3.20	.05				
295		9271	27	1.42	3.10	.04				
296		9272	30	1.38	5.00	.02				
297		9273	154	5.60	12.60	.35				
298		9274	27	1.00	3.00	.04				
299		9275	17	.55	.84	.02				
300		9276 A	166	12.30	18.70	.18				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

16
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 16

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
301	9277 A	88	5.80	9.10	.06					
302	9278	53	3.50	5.10	.06					
303	9279	42	1.85	4.50	.03					
304	9280 A	40	1.83	4.60	.02					
305	9281	20	1.25	1.62	.02					
306	9282	66	4.70	8.30	.05					
307	9283	170	10.40	17.10	.04					
308	9284	146	8.40	14.80	.05					
309	9285	97	6.40	9.90	.08					
310	9286 A	90	5.30	9.40	.04					
311	9287 A	59	3.40	4.80	.05					
312	9288	61	3.50	3.00	.06					
313	9289	178	9.60	13.80	.07					
314	9290 A	100	5.40	8.50	.03					
315	9291	161	8.00	10.80	.05					
316	9292	100	6.30	8.80	.15					
317	9293	87	5.10	8.10	.11					
318	9294	58	3.40	7.40	.04					
319	9295	18	.59	3.10	.04					
320	9296 A	62	3.90	3.20	.15					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

17
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

9260, 9300

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 17

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
321	9297 A	45	2.50	2.30	.07					
322	9299	25	1.07	1.10	.25					
323	FAG A-157 9300 A	34	2.30	.77	.15					
324	FAG U-028 9301	146	7.80	12.30	.15					
325	9302	125	6.70	11.10	.23					
326	9303	112	7.20	13.00	.21					
327	FAG U-028 9304	110	5.90	11.10	.31					
328	FAG A-090 9305	49	2.60	5.20	.04					
329	9306	41	2.00	4.50	.04					
330	9307 A	8	.12	1.20	.01					
331	9308 A	38	1.85	4.30	.07					
332	9309	23	.89	3.40	.02					
333	9310 A	38	1.96	5.00	.02					
334	9311	30	1.45	4.10	.02					
335	9312	40	2.02	4.50	.10					
336	9313	30	1.49	4.30	.02					
337	9314	24	1.13	3.20	.04					
338	9315	22	.97	1.80	.02					
339	9316	24	.95	1.81	.03					
340	9317 A	17	.81	.58	.02					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

18
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 18

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
341	9318 A	55	3.48	6.20	.02					
342	9319	21	.88	1.35	.02					
343	9320 A	107	6.80	7.90	.15					
344	9321	51	3.40	5.40	.08					
345	9322	6	.15	4.90	.01					
346	9323	41	2.50	5.10	.04					
347	9324	34	1.70	3.90	.02					
348	9325	51	3.20	6.20	.03					
349	9326	16	.86	1.87	.02					
350	9327 A	47	2.90	3.30	.07					
351	9328 A	42	2.40	3.00	.05					
352	9329	73	5.00	6.10	.10					
353	9330 A	60	3.60	6.20	.02					
354	9331	8	.40	.50	.02					
355	9332	61	4.00	4.80	.03					
356	9333	59	3.00	3.80	.11					
357	9334	42	2.90	3.70	.03					
358	9335	10	.43	1.47	.01					
359	9336	49	2.90	5.40	.06					
360	9337	31	1.94	4.10	.09					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 19

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
361	9338 A	72	5.00	8.60	.06					
362	9339	90	5.80	12.90	.03					
363	9340 A	67	3.80	5.00	.04					
364	9341	37	2.70	4.40	.05					
365	9342	103	7.30	12.10	.07					
366	9343	39	2.50	3.00	.02					
367	9344	65	4.90	9.30	.02					
368	9345	26	1.78	3.60	.01					
369	9346	27	1.47	2.80	.07					
370	9347 A	72	5.30	5.90	.06					
371	9348 A	62	4.20	5.90	.14					
372	9349	18	.80	.63	.07					
373	9350 A	49	2.90	3.70	.11					
374	9351	131	11.90	6.00	.08					
375	9352	79	6.10	3.70	.29					
376	FA9 A-090 9353	62	3.90	5.30	.20					
377	FA9 V-039 9354	30	2.10	1.52	.04					
378	9355	8	.41	.90	.05					
379	9356	33	2.10	1.52	.15					
380	9357 A	17	1.38	.32	.04					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 20

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
381	9358 A	29	2.00	2.90	.03					
382	9359	25	1.33	2.50	.07					
383	9360 A	29	1.84	2.06	.03					
384	9361	8	.40	1.20	.02					
385	9362	25	1.70	3.00	.03					
386	9363	33	2.37	4.80	.04					
387	9364	12	.77	1.56	.03					
388	9365	14	1.53	.88	.04					
389	9366	26	1.97	2.90	.03					
390	9367 A	22	1.71	1.27	.03					
391	9368 A	10	.54	1.03	.03					
392	9369	13	.45	1.50	.05					
393	9370 A	116	7.50	14.70	.16					
394	9371	28	1.30	2.90	.01					
395	9372	88	4.70	7.10	.11					
396	9373	81	5.10	9.20	.20					
397	9374	74	6.80	12.10	.26					
398	9375	62	4.10	6.30	.19					
399	9376	69	3.80	7.70	.14					
400	9377 A	74	4.10	7.60	.22					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 21

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
401	9378 A	25	1.18	2.90	.11					
402	9379	42	2.90	4.10	.22					
403	9380 A	41	2.30	2.90	.15					
404	9381	66	3.20	3.00	.21					
405	9382	47	3.00	3.50	.15					
406	9383	67	4.40	7.60	.05					
407	9384	46	2.40	5.90	.04					
408	9385	47	2.50	5.10	.05					
409	9386	86	3.10	6.80	.16					
410	9387 A	49	3.30	6.80	.05					
411	9388 A	151	8.70	18.00	.03					
412	9389	77	5.20	8.40	.29					
413	9390 A	105	6.70	12.30	.31					
414	9391	63	4.70	8.20	.20					
415	9392	49	2.70	4.90	.21					
416	9393	29	1.10	2.20	.28					
417	9394	58	3.50	4.40	.31					
418	9395	37	2.40	1.35	.21					
419	9396	68	4.40	10.54	.14					
420	9397 A	29	1.60	3.08	.05					

FAU J-039
FAU A-116

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

9300, 9400

22

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 22

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
421	FAG A-116	9398 A	27	1.50	3.18	.03				
422	FAG A-139	9399	70	4.30	8.02	.17				
423		9400 A	105	7.10	11.12	.06				
424		9401	31	1.20	2.50	.04				
425		9402	32	1.80	3.86	.03				
426		9403	20	1.00	3.00	.03				
427	FAG A-139	9404	31	1.70	3.90	.04				
428	FAG A-117	9405	100	5.60	11.50	.18				
429		9406	210	12.30	19.60	.14				
430		9407 A	171	8.70	19.00	.06				
431		9408 A	206	9.90	19.60	.13				
432		9409	104	6.00	8.50	.22				
433		9410 A	103	5.90	10.90	.18				
434		9411	76	3.50	7.30	.05				
435		9412	102	4.70	8.60	.18				
436		9413	102	5.10	8.70	.24				
437		9414	86	4.50	6.50	.18				
438		9415	70	4.20	4.90	.13				
439		9416	63	3.70	6.00	.22				
440		9417 A	42	.82	1.59	.27				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

23
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 23

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
441	9418 A	30	1.20	1.26	.20					
442	9419	81	5.30	5.90	.14					
443	9420 A	101	6.40	11.90	.15					
444	9421	35	1.71	3.00	.04					
445	9422	32	1.37	3.00	.09					
446	9423	23	.95	2.30	.09					
447	9424	45	2.05	3.00	.05					
448	9425	25	1.17	3.10	.08					
449	9426	79	4.90	9.50	.07					
450	9427 A	101	6.10	14.10	.07					
451	9428 A	81	5.90	7.90	.12					
452	9429	83	5.20	5.00	.18					
453	9430 A	16	.38	.93	.12					
454	9431	18	.46	1.07	.14					
455	9432	3	.13	2.60	.03					
456	9433	18	.58	1.31	.10					
457	9434	25	1.00	1.00	.10					
458	9435	10	.35	3.50	.07					
459	9436	11	.46	1.68	.08					
460	9437 A	6	.21	.29	.10					

FAg A-117
FAg A-066

not found
Jan 28 82

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

24
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 24

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
461	9438 A	10	.16	.48	.09				
462	9439	31	1.88	3.40	.10				
463	9440 A	68	5.00	7.10	.23				
464	9441	22	.30	1.24	.14				
465	9442	8	.05	3.40	.05				
466	9443	6	.06	.38	.07				
467	9444	128	7.20	9.70	.13				
468	9445	101	5.30	6.80	.27				
469	9446	42	2.60	2.50	.10				
470	9447 A	15	.43	.86	.08				
471	9448 A	10	.30	.65	.08				
472	9449	20	.45	.67	.25				
473	9450 A	143	12.40	20.90	.21				
474	9451	37	2.50	2.70	.30				
475	9452	11	.69	.91	.07				
476	9453	23	.93	.61	.40				
477	9454	15	.17	.28	.35				
478	9455	12	.13	.19	.27				
479	9456	12	.13	.17	.13				
480	9457 A	12	.15	.16	.13				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 25

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
481	9458 A	17	.21	.44	.40					
482	9459	15	.14	.21	.42					
483	9460 A	16	.14	.22	.37					
484	9461	40	1.82	3.50	.17					
485	9462	100	7.60	7.20	.20					
486	FAQA-157 9463	150	12.40	10.90	.19					
487	9464	30	1.61	1.26	.35					
488	FAQU-141 9465	26	.59	1.94	.18					
489	9466	25	.37	1.58	.26					
490	9467 A	24	.58	.91	.15					
491	9468 A	18	.43	1.42	.14					
492	9469	66	4.50	7.00	.15					
493	9470 A	103	7.40	12.70	.15					
494	9471	118	7.80	12.30	.08					
495	9472	98	5.00	6.50	.07					
496	9473	96	7.00	13.70	.05					
497	9474	68	3.70	7.90	.17					
498	9475	130	8.30	12.90	.12					
499	9476	39	1.95	12.80	.19					
500	9477 A	95	7.30	6.40	.12					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
VIS 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 26

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
501	9478 A	93	6.30	6.80	.32					
502	9479	98	6.10	4.60	.17					
503	9480 A	46	2.60	1.40	.39					
504	9481	125	7.60	10.70	.21					
505	9482	93	5.20	8.40	.17					
506	9483	76	4.00	8.20	.05					
507	9484	16	.54	1.91	.11					
508	9485	13	.36	.76	.12					
509	9486	21	.69	1.58	.16					
510	9487 A	27	1.57	2.31	.13					
511	9488 A	29	1.34	1.39	.17					
512	9489	18	.53	1.44	.16					
513	9490 A	6	.10	.24	.15					
514	9491	15	.11	1.58	.24					
515	9492	12	.11	.78	.24					
516	9493	12	.09	.42	.19					
517	9494	186	5.50	1.13	.15					
518	9495	40	1.18	.22	.22					
519	9496	80	.26	.17	.11					
520	9497 A	25	.22	.20	.16					

FAQ V-141
FAQ V-157

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

27
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

9480, 9500

Certificate No. K-4462 27

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
521	9498 A	18	.14	.31	.32					
522	9499	7	.04	1.52	.08					
523	FA9 U-157 9500 A	14	.04	.33	.12					
524	FA9 A-121 9501	129	8.40	14.41	.10					
525	9502	120	7.10	12.18	.17					
526	9503	17	.64	1.73	.12					
527	9504	36	1.83	3.00	.06					
528	9505	13	.49	1.05	.02					
529	9506	85	6.60	8.00	.05					
530	not found Jan 29 82 9507 A	18	.62	.58	.35					
531	9508 A	21	1.02	.91	.38					
532	9509	20	.75	1.16	.24					
533	9510 A	13	.38	.15	.14					
534	9511	54	3.40	4.80	.11					
535	9512	28	1.35	1.58	.23					
536	9513	40	3.10	1.05	.39					
537	9514	12	4.70	.56	.14					
538	9515	19	9.70	1.00	.18					
539	9516	13	.45	1.15	.18					
540	9517 A	31	1.58	1.71	.35					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

28

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 28

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
541	9518 A	98	7.10	7.20	.10				
542	9519	48	2.70	3.00	.13				
543	9520 A	27	1.01	1.60	.23				
544	9521	43	1.83	1.69	.43				
545	9522	32	.72	.68	.64				
546	9523	56	2.40	4.20	.13				
547	9524	15	.24	.52	.09				
548	9525	20	.08	1.05	.17				
549	9526	41	1.00	.22	.12				
550	9527 A	16	.34	.59	.10				
551	9528 A	73	4.30	7.80	.09				
552	9529	127	7.10	11.60	.20				
553	9530 A	139	8.00	16.10	.19				
554	9531	31	1.39	2.90	.12				
555	9532	77	5.10	7.30	.09				
556	9533	26	.92	3.20	.20				
557	9534	59	2.80	2.80	.19				
558	9535	23	1.27	3.20	.08				
559	9536	69	4.00	6.50	.13				
560	9537 A	23	1.35	3.50	.08				

FAG A - 121
FAG U - 159

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 29

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
561	9538 A	29	2.00	5.50	.16					
562	9539	10	.40	.79	.11					
563	9540 A	15	.58	1.09	.18					
564	9541	43	2.05	3.20	.15					
565	9542	18	.70	2.90	.09					
566	9543	24	1.91	5.20	.02					
567	9544	35	2.60	5.70	.04					
568	FAGU-159 9545	52	3.30	8.30	.06					
569	FAGU-161 9546	12	.54	1.05	.07					
570	9547 A	10	.19	.83	.15					
571	9548 A	8	.12	.59	.16					
572	9549	10	.35	.85	.10					
573	9550 A	16	1.05	2.50	.14					
574	9551	41	2.08	2.60	.13					
575	9552	30	1.53	1.86	.26					
576	9553	76	5.00	4.10	.06					
577	9554	80	5.70	8.30	.08					
578	9555	47	3.10	3.50	.11					
579	9556	47	2.70	1.11	.23					
580	9557 A	63	3.90	3.70	.16					

not found
Jan 28, 82

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

30
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 30

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
581	9558 A	106	6.40	11.60	.10				
582	9559	113	7.30	16.20	.14				
583	9560 A	114	6.40	11.60	.19				
584	9561	124	6.20	10.40	.06				
585	9562	123	7.20	9.70	.10				
586	9563	87	5.40	8.10	.07				
587	9564	104	6.50	9.80	.06				
588	9565	44	2.90	2.40	.06				
589	9566	37	2.40	3.60	.08				
590	9567 A	43	2.80	3.40	.09				
591	9568 A	49	3.50	5.80	.09				
592	9569	29	2.60	3.70	.10				
593	9570 A	30	2.05	3.40	.19				
594	9571	10	.10	.87	.33				
595	9572	15	.14	.36	.25				
596	9573	16	.26	.96	.32				
597	9574	17	.50	1.08	.28				
598	9575	86	5.20	3.90	.15				
599	9576	64	4.20	4.50	.15				
600	9577 A	24	1.71	3.60	.05				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

96-0, 9600

31
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 31

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
601	FAGU-161	93	6.70	8.00	.07				
602	FAGU-054	42	1.88	4.50	.03				
603		33	1.50	3.10	.02				
604		39	1.71	3.60	.04				
605		37	1.57	3.50	.04				
606		56	2.90	6.70	.03				
607		52	2.40	4.50	.10				
608		29	2.20	3.60	.04				
609		33	1.67	3.00	.05				
610		25	1.02	1.62	.08				
611		44	2.40	6.50	.04				
612		45	2.90	4.80	.05				
613		62	3.90	8.60	.03				
614		73	4.50	9.00	.03				
615		55	3.20	8.00	.04				
616		69	3.90	9.40	.13				
617		116	6.90	13.20	.19				
618		106	6.20	13.50	.05				
619		85	5.40	10.00	.06				
620		61	3.60	8.60	.02				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

9600,

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 32

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
621	9604 A	141	8.30	16.70	.06					
622	9605	58	3.20	7.30	.04					
623	9606	52	3.20	5.20	.08					
624	9607	10	.34	1.61	.10					
625	9608	17	1.07	1.44	.11					
626	9609	18	.82	1.25	.20					
627	9610 A	26	1.65	3.10	.22					
628	9611	48	3.40	7.90	.04					
629	9612	46	2.80	5.10	.05					
630	9613 A	52	3.30	8.90	.06					
631	9614 A	54	3.20	5.00	.03					
632	9615	40	2.70	3.50	.03					
633	9616	24	1.93	1.21	.05					
634	9617	20	1.34	1.31	.07					
635	9618	21	1.75	2.60	.03					
636	9619	39	2.80	5.40	.02					
637	9620 A	44	3.50	6.10	.01					
638	9621	33	2.30	5.40	.02					
639	9622	31	2.40	4.70	.05					
640	9623 A	3	.22	5.60	.01					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 33

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
641	9624 A	77	4.50	6.90	.14					
642	9625	56	2.90	7.00	.07					
643	9626	27	1.68	2.20	.04					
644	9627	46	2.30	4.80	.04					
645	9628	29	1.76	3.40	.05					
646	9629	40	2.20	3.70	.05					
647	9630 A	77	3.20	9.70	.03					
648	9631	82	3.60	8.00	.02					
649	9632	84	3.80	10.00	.02					
650	9633 A	14	.56	5.90	.01					
651	9634 A	10	.55	1.88	.03					
652	9635	35	1.85	8.10	.03					
653	9636	20	1.37	2.80	.04					
654	9637	8	.10	.94	.19					
655	9638	6	.03	1.25	.12					
656	9639	8	.09	.53	.18					
657	9640 A	13	.30	1.08	.10					
658	9641	7	.09	1.45	.16					
659	9642	11	.15	.69	.21					
660	9643 A	21	.25	.60	.40					

FAG U - 054
FAG U - 145
not found
Jan 28, 82

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 34

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
661	9644 A	6	.06	.42	.20					
662	9645	5	.06	.44	.11					
663	9646	10	.23	.84	.14					
664	9647	6	.04	.33	.20					
665	9648	6	.04	.40	.10					
666	9649	3	.03	.26	.07					
667	9650 A	4	.03	.33	.09					
668	9651	6	.04	.39	.09					
669	9652	7	.08	.24	.10					
670	9653 A	6	.04	.28	.09					
671	9654 A	7	.05	.29	.12					
672	9655	6	.05	.33	.13					
673	9656	8	.04	.30	.22					
674	9657	10	.03	.75	.28					
675	9658	28	1.21	3.30	.19					
676	9659	35	1.65	3.70	.27					
677	9660 A	45	2.50	3.20	.04					
678	9661	8	.32	.60	.02					
679	9662	43	2.60	4.60	.03					
680	9663 A	69	4.30	7.30	.03					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

35
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 35

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
681	9664 A	51	2.60	4.00	.03				
682	9665	28	1.47	2.50	.06				
683	9666	19	.71	1.32	.03				
684	9667	32	1.87	1.95	.23				
685	9668	31	2.04	1.00	.20				
686	9669	32	1.40	2.80	.27				
687	9670 A	14	.40	.26	.09				
688	9671	44	1.97	3.60	.31				
689	9672	70	3.90	8.40	.11				
690	9673 A	4	.23	.27	.04				
691	9674 A	5	.14	.53	.10				
692	9675	6	.12	.54	.12				
693	9676	5	.12	.30	.12				
694	9677	8	.16	.49	.21				
695	9678	4	.07	.22	.12				
696	9679	4	.05	.15	.15				
697	9680 A	52	.10	.33	.47				
698	9681	14	.08	.16	.48				
699	9682	7	.18	.53	.11				
700	9683 A	8	.22	.77	.15				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

36
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 36

Date October 5, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
701	9684 A	11	.23	.18	.32					
702	9685	6	.14	.13	.10					
703	9686	4	.04	.24	.05					
704	9687	14	.52	.51	.04					
705	9688	5	.14	.31	.06					
706	9689	4	.08	.35	.07					
707	9690 A	11	.34	.49	.08					
708	9691	6	.04	.27	.08					
709	9692	8	.22	.91	.04					
710	9693 A	4	.06	.62	.06					
711	9694 A	3	.13	.12	.06					
712	9695	3	.03	.16	.10					
713	9696	6	.07	.67	.08					
714	9697	3	.02	.36	.14					
715	9698	2	.01	.13	.10					
716	9699	3	.01	.04	.11					
717	FA9 U-143 9700 A	2	.03	.09	.08					
718	FA9 U-157 9701	13	.15	.63	.28					
719	9702	7	.11	.45	.16					
720	9703 A	5	.03	1.34	.26					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 37

Date October 6, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grain samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
721	9704 A	4	.03	.27	.19					
722	9705	6	.03	.07	.31					
723	9706	4	.04	.32	.15					
724	9707	5	.05	.23	.14					
725	9708	5	.09	.37	.09					
726	9709	22	.65	1.98	.25					
727	9710 A	37	1.41	2.93	.42					
728	9711	93	2.70	3.15	.23					
729	9712	120	6.00	9.98	.09					
730	9713 A	113	6.30	9.44	.23					
731	9714 A	50	3.20	2.06	.34					
732	9715	57	3.50	3.90	.29					
733	FAG U-157 9716	15	.49	.77	.15					
734	FAG U-155 9718	6	.14	.61	.09					
735	9719	11	.11	.49	.14					
736	9720 A	21	.57	1.39	.21					
737	9721	20	.90	1.77	.19					
738	9722	20	.87	1.45	.14					
739	9723	15	.43	1.04	.18					
740	9724 A	8	.14	.70	.20					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

38
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 38

Date October 6, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
741	9725 A	10	.15	.63	.23					
742	9726	7	.09	.90	.19					
743	9727	5	.05	.35	.14					
744	9728	7	.08	.50	.22					
745	9729	10	.19	.58	.26					
746	9730 A	11	.43	1.29	.16					
747	9731	13	.62	1.17	.09					
748	9732	9	.19	.68	.32					
749	9733	14	.05	.50	1.00					
750	9734 A	10	.04	.43	.50					
751	9735 A	16	.05	.93	.56					
752	9736	12	.06	1.14	.42					
753	9737	18	.26	2.97	.35					
754	9738	16	.13	1.27	.55					
755	9739	18	.14	1.47	.31					
756	9740 A	26	.53	1.77	.25					
757	9741	22	.20	1.05	.65					
758	9742	21	.18	1.59	.55					
759	9743	15	.21	.51	.24					
760	9744 A	96	5.59	8.37	.18					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

39
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4462 39

Date October 6, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
761	FA GU-155	9745 A	26	.52	.96	.33			
762	FA GA096	9746	22	1.08	2.44	.05			
763		9747	47	2.92	3.70	.05			
764		9748	49	3.12	5.70	.09			
765		9749	19	.92	6.90	.02			
766	FA GA096	9750 A	47	2.20	5.80	.02			
767	FA GU-143	9751	24	.81	1.45	.12			
768		9752	64	2.29	2.97	.17			
769		9753	11	.52	1.18	.02			
770		9754 A	64	5.68	4.20	.16			
771		9755 A	67	5.59	4.20	.17			
772		9756	54	3.60	3.60	.14			
773		9757	15	.51	.92	.24			
774		9758	21	.62	.87	.48			
775		9759	37	2.16	3.30	.26			
776		9760 A	34	1.87	1.38	.27			
777		9761	35	2.21	1.50	.22			
778		9762	86	4.60	8.70	.11			
779		9763	46	2.13	4.90	.16			
780		9764 A	13	.46	.55	.33			

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

40
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 40

Date October 6, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
781	9765 A	16	.41	.56	.47				
782	9766	15	.42	.67	.44				
783	9767	20	.71	1.00	.30				
784	9768	14	.47	.21	.23				
785	9769	8	.43	.78	.32				
786	9770 A	18	.83	.64	.47				
787	9771	11	.38	.48	.39				
788	9772	7	.27	.69	.18				
789	9773	6	.18	.55	.30				
790	9774 A	5	.18	.30	.17				
791	9775 A	3	.28	.44	.06				
792	9776	4	.32	1.00	.03				
793	9777	7	.23	.73	.11				
794	9778	3	.07	.15	.10				
795	9779	5	.21	.71	.04				
796	9780 A	36	2.93	4.30	.03				
797	9781	47	2.93	4.10	.09				
798	9782	22	1.06	2.20	.05				
799	9783	62	4.80	5.90	.12				
800	9784 A	3	.21	.20	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

1700, 9800

Certificate No. K-4462 41

Date October 6, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
801	9785 A	35	3.60	5.00	.02					
802	9786	28	2.61	5.70	.03					
803	FA 91A-103	83	5.30	7.00	.04					
804	FA 91A-102	23	1.40	2.10	.04					
805	9789	106	8.40	8.10	.13					
806	9790 A	25	.96	1.25	.39					
807	FA 91A 1503	1	.09	.09	.05					
808	9792	1	.03	.06	.04					
809	FA 91A 062	11	.49	.32	.03					
810	9794 A	72	5.11	4.70	.32					
811	9795 A	122	8.50	7.10	.14					
812	9796	124	9.90	5.50	.12					
813	9797	15	.70	.88	.09					
814	9798	113	6.40	11.80	.07					
815	9799	100	5.70	11.50	.23					
816	9800 A	13	.64	1.35	.03					
817	9801	46	1.86	4.60	.03					
818	9802	93	4.30	8.30	.11					
819	9803	95	5.10	10.30	.10					
820	9804 A	99	5.00	9.20	.17					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4462 42

Date October 6, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
821	9805 A	106	5.20	11.70	.18					
822	9806	50	3.00	5.50	.12					
823	9807	17	.28	.75	.35					
824	9808	10	.29	.58	.22					
825	9809	20	.14	.56	.31					
826	9810 A	19	.23	1.51	.48					
827	9811	18	.36	1.50	.19					
828	9812	10	.53	.76	.07					
829	9813	16	1.19	1.35	.14					
830	9814 A	61	7.20	8.50	.12					
831	9815 A	3	.22	.30	.04					
832	9816	2	.13	.20	.04					
833	9817	4	.09	.11	.06					
834	9818	48	3.00	3.80	.23					
835	9819	19	.90	1.37	.27					
836	9820 A	37	1.83	.98	.22					
837	9821	77	5.21	4.90	.21					
838	9822	44	2.70	3.00	.32					
839	9823	17	.81	1.65	.16					
840	9824 A	36	2.80	1.15	.22					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

43
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 43

Date October 6, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
841	FA 01A 062	9825 A	14	.53	.67	.15			
842		9827	33	1.61	2.60	.11			
843	FA 01A - 070	9828	51	3.40	6.10	.09			
844		9830 A	30	1.58	3.70	.04			
845		9831	5	.15	.31	.02			
846	not found	9832	18	.94	1.38	.05			
847	Jan 28, 82	9833	32	1.50	4.30	.04			
848		9834	34	1.60	4.50	.04			
849		9835	41	2.30	5.70	.04			
850		9836 A	30	1.24	.83	.06			
851		9837 A	28	1.44	3.50	.03			
852		9839	27	1.10	2.90	.06			
853		9840 A	21	.99	3.60	.06			
854		9841	22	1.04	2.60	.06			
855	FA 01A - 070	9842	9	.47	.75	.02			
856	FA 01A - 107	9843	131	7.80	16.00	.14			
857		9844	59	4.00	10.20	.14			
858		9845	12	.43	5.30	.01			
859		9846	39	2.06	5.10	.03			
860		9847 A	83	6.30	17.00	.10			

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

44
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 44

Date October 6, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
861	9848 A	43	3.00	9.70	.04					
862	9849	63	3.50	8.40	.08					
863	FA 9A-107 9850 A	73	4.60	12.50	.11					
864	FA 9A096 9851	59	3.80	8.20	.04					
865	9852	47	2.60	5.90	.08					
866	9853	35	1.64	6.00	.07					
867	9854	64	3.30	10.70	.03					
868	9855	50	3.00	5.80	.05					
869	9856	37	2.01	4.40	.03					
870	9857 A	97	4.80	13.50	.05					
871	9858 A	121	5.90	11.10	.20					
872	9859	123	8.70	13.00	.20					
873	9860 A	189	9.40	16.30	.18					
874	9861	127	7.60	18.20	.12					
875	9862	106	6.50	16.40	.05					
876	9863	150	7.40	24.00	.21					
877	FA 9A096 9864	111	6.20	14.10	.05					
878	FA 9A-135 9865	201	11.80	10.00	.10					
879	9866	188	11.30	9.70	.10					
880	9867 A	43	2.60	3.70	.07					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

45
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 45

Date October 6, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
881	9868 A	259	17.30	12.20	.04					
882	9869	18	.98	1.20	.04					
883	9870 A	53	3.20	5.40	.07					
884	9871	180	10.80	10.50	.04					
885	9872	240	14.10	13.80	.05					
886	9873	80	5.20	8.40	.03					
887	9874	42	2.30	3.90	.05					
888	9875	12	.60	.94	.03					
889	9876	104	6.30	6.10	.08					
890	9877 A	39	2.30	3.30	.08					
891	9878 A	68	4.50	6.30	.06					
892	9879	102	7.60	7.50	.06					
893	9880 A	84	4.30	7.00	.15					
894	9881	65	3.90	7.40	.06					
895	9882	118	8.60	6.90	.19					
896	9883	145	11.60	5.10	.17					
897	9884	22	1.03	1.11	.19					
898	9885	12	.47	.58	.19					
899	9886	12	.21	.34	.26					
900	9887 A	8	.06	.04	.29					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.*

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

46

TO Cyprus Anvil Mining Corporation Ltd.

9800, 9900

Certificate No. K-4462 46

Date October 6, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
901	9888 A	12	.12	.19	.61					
902	9889	11	.30	.28	.14					
903	9890 A	13	.48	.50	.20					
904	9891	19	.59	.96	.41					
905	9892	8	.20	.22	.20					
906	9893	7	.10	.10	.40					
907	FA 91A-135 9894 A	9	.27	.47	.30					
908	FA 91U 106 9901 A	94	5.00	6.60	.10					
909	9902	116	7.70	9.20	.07					
910	9903 A	35	2.30	5.30	.04					
911	9904 A	31	1.80	4.40	.04					
912	9905	30	1.62	3.50	.06					
913	9906	26	1.46	3.40	.04					
914	9907	23	1.16	2.40	.04					
915	FA 91U 106 9908 A	22	.92	1.74	.04					
916	9948 A	65	3.90	6.30	.07					
917	FA 91U 123 9949	77	4.60	5.70	.10					
918	9950 A	33	1.87	2.00	.34					
919	FA 91A-107 9951 A	109	6.60	12.50	.19					
920	9963 A	10	.21	.52	.19					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

47
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 47

Date October 6, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
921	9964 A	16	.25	.25	.12					
922	9965	9	.15	.39	.16					
923	9966	11	.23	.92	.18					
924	9967	13	.32	.77	.23					
925	9968	13	.11	.50	.30					
926	9969	19	.59	1.20	.24					
927	9970 A	22	.61	1.02	.28					
928	9971	11	.07	.25	.20					
929	9972	11	.06	.40	.18					
930	9973 A	16	.08	.43	.27					
931	9974 A	10	.05	.45	.13					
932	9975	13	.10	.46	.34					
933	9976	12	.10	.25	.28					
934	9977	9	.06	.18	.18					
935	9978	5	.03	.16	.24					
936	9979	7	.05	.13	.22					
937	9980 A	5	.04	.08	.15					
938	9981	3	.08	.26	.12					
939	9982	13	.77	.34	.17					
940	9983 A	22	.88	1.15	.36					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

48
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4462 48

Date October 6, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
941	9984 A	26	1.27	1.82	.28					
942	9985	55	2.17	4.40	.20					
943	9986	15	.44	.56	.23					
944	9987	180	10.80	15.60	.06					
945	9988	30	1.60	2.50	.14					
946	9989	73	4.90	6.00	.05					
947	9990 A	14	.82	.43	.13					
948	9991	9	.51	.21	.12					
949	FA G-107 9992	39	3.70	3.69	.22					
950	FA G-106 9993 A	162	8.70	19.50	.01					
951	9994 A	136	7.70	19.10	.03					
952	9995	83	4.90	14.90	.03					
953	9996	140	7.90	17.70	.04					
954	9997	177	9.20	17.20	.17					
955	9998	161	9.90	16.10	.08					
956	9999	148	9.10	15.50	.19					
957	FA G-106 10000 A	27	1.48	1.65	.13					
L means "Less than"										

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.
P.O. Box 1000
Faro, Yukon Territories, Y0B IK0

Certificate No. K-4501

Date October 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described GRUM CORE samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		gm/t	Percent	Percent	Percent				
FAGU133	1	9898 A	85	4.6	8.3	.19	Found	Mar	18, 82
	2	9899	87	4.3	8.8	.07			
	3	9900 A	73	3.9	7.9	.11			
FAGU123	4	9921 A	58	3.0	6.9	.10	Found	Mar	18, 82
	5	9922	96	4.5	8.5	.18			
	6	9923	32	1.29	1.59	.10			
	7	9924	39	1.84	1.84	.07			
	8	9925	107	4.3	5.0	.19			
FAGA107	9	9926	61	3.0	3.1	.06	Found	Mar	18, 82
	10	9927 A	80	4.7	8.2	.09			
	11	9952 A	148	8.7	18.7	.06			
	12	9953	125	7.4	12.6	.09			
	13	9954	96	6.7	14.8	.19			
	14	9955	156	10.8	20.3	.04			
	15	9956	61	4.3	10.0	.01			
	16	9957	150	8.0	17.2	.09			
	17	9958	27	.57	1.68	.30			
	18	9959	17	.22	1.31	.28			
FAGA107 FAGU119	19	9960	15	.17	.26	.27	Found	Mar	18, 82
	20	9961	21	.93	1.34	.19			
	21	9962 A	24	.89	.78	.20			
	22	11020 A	114	6.0	12.0	.13			
	23	11021	91	4.8	8.3	.11			

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia