

018846

15



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4070 3

Date May 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Drill Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
41	2494A	3	.08	.21	.13	.29				
42	2495	2	.06	.17	.11	.23				
43	2496	10	.10	.39	.31	.49				
44	2497	6	.06	.51	.19	.57				
45	2498	50	1.91	2.74	.33	4.65				
46	2499	147	11.90	19.80	.19					
47	2500A	42	3.26	6.94	.04					
48	6051A	60	4.99	6.63	.08					
49	6052	37	2.71	4.79	.03					
50	6053A	26	1.76	3.69	.02					
51	6054A	45	5.03	1.78	.05					
52	6055	23	2.01	1.21	.05					
53	6056	18	1.37	2.81	.06					
54	6057	37	2.54	6.17	.09					
55	6058	2	.13	.38	.01					
56	6059	27	1.81	3.76	.10					
57	6060A	21	1.66	2.70	.01					
58	6061	27	1.86	4.43	.03					
59	6062	29	1.76	4.72	.04					
60	6063A	53	2.93	5.80	.04					

NOTE:

Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4070 4

Date May 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Crum Drill Coresamples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
61	6064A	41	1.80	3.92	.03					
62	6065	57	3.13	6.14	.04					
63	6066	36	1.86	4.10	.06					
64	6067	22	1.27	3.21	.04					
65	6068	38	2.74	5.24	.08					
66	6069	31	1.78	3.77	.03					
67	6070A	21	1.14	3.68	.02					
68	6071	59	3.03	6.44	.11					
69	6072	46	3.17	5.24	.05					
70	6073A	64	3.94	3.02	.04					
71	6074A	40	2.55	5.24	.06					
72	6075	48	2.81	5.02	.03					
73	6076	19	.56	2.68	.05					
74	6077	24	.77	1.22	.14					
75	6078	52	3.69	3.64	.10					
76	6079	82	5.60	8.60	.06					
77	6080A	17	1.00	4.57	.06					
78	6081	75	4.52	8.75	.03					
79	6082	49	2.93	6.59	.02					
80	6083A	118	6.96	10.20	.07					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4070 5

Date May 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Drill Coresamples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
81	6084A	127	7.19	16.00	.05					
82	6085	66	4.17	7.32	.02					
83	6086	136	7.13	12.20	.06					
84	6087	123	6.92	12.50	.06					
85	6088	28	1.81	3.83	.03					
86	6089	109	6.38	11.60	.04					
87	6090A	110	5.27	11.40	.12					
88	6091	140	7.97	15.40	.04					
89	6092	118	2.52	10.50	.24					
90	6093A	65	2.98	7.29	.04					
91	6094A	126	6.63	10.50	.20					
92	6095	84	5.43	4.58	.21					
93	6096	123	5.96	11.80	.07					
94	6097	170	8.19	16.70	.11					
95	6098	54	1.66	3.53	.11					
96	6099	92	5.65	7.00	.16					
97	6100A	141	7.53	11.90	.25					
98	6101	59	3.33	5.98	.08					
99	6102	15	.78	1.16	.07					
100	6103	6	.16	.51	.02					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4070 6

Date May 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Drill Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
101	6104A FAGA 056	4	.15	.50	.09				
102	6105	6	.08	.25	.13				
103	6106	6	.03	.88	.15				
104	6107	4	.05	.34	.09				
105	6108	6	.05	2.31	.10				
106	6109	68	4.48	7.88	.09				
107	6110A	20	1.14	1.98	.10				
108	6111	32	1.48	1.86	.26				
109	6112	85	4.49	5.47	.10				
110	6113A	105	5.23	6.05	.25				
111	6114A FAGU 019	75	4.55	3.23	.16				
112	6115	39	1.60	1.50	.16				
113	6116	33	1.74	1.88	.12				
114	6117	78	4.24	5.38	.25				
115	6118	47	2.33	1.69	.13				
116	6119	91	5.39	5.11	.13				
117	6120A	114	6.60	6.42	.15				
118	6121	140	8.37	8.95	.06				
119	6122	54	3.64	1.94	.14				
120	6123A	68	4.51	4.25	.13				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4070 7

Date May 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Drill Coresamples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
121	6124A FAG0019	126	7.83	6.86	.08				
122	6125	127	6.84	8.29	.07				
123	6126	90	5.30	7.36	.05				
124	6127	75	5.22	4.13	.17				
125	6128	39	2.60	2.07	1.04				
126	6129 FAGA 095	75	4.99	8.99	.05				
127	6130A	160	11.20	20.00	.06				
128	6131	44	2.41	4.48	.02				
129	6132	36	2.20	3.17	.02				
130	6133A	98	5.24	8.75	.12				
131	6134A	52	3.43	6.66	.04				
132	6135	75	4.46	8.18	.10				
133	6136 FAG0014	105	7.56	5.45	.17				
134	6137	33	.56	.50	.35				
135	6138	31	.35	.16	.32				
136	6139	80	5.01	5.36	.16				
137	6140A	35	.52	.36	.38				
138	6141	92	5.95	6.33	.12				
139	6142	150	10.17	7.42	.06				
140	6143A	22	1.44	1.74	.12				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4070 8

Date May 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Drill Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
141	6144A FAG0014	20	1.40	1.70	.13				
142	6145	27	1.80	1.61	.15				
143	6146	22	1.48	1.89	.21				
144	6147	117	7.68	7.18	.07				
145	6148	105	6.36	7.59	.04				
146	6149	111	6.42	7.97	.04				
147	6150A	100	6.22	7.34	.11				
148	6151	45	2.53	1.82	.20				
149	6152 FAGU 004	30	2.29	1.92	.03				
150	6153A	22	1.56	2.38	.11				
151	6154A	19	1.87	.41	.06				
152	6155	17	1.77	.39	.08				
153	6157	142	8.42	15.00	.04				
154	6158	171	11.00	21.00	.02				
155	6159	153	8.44	15.50	.18				
156	6160A	12	1.05	.82	.13				
157	6161	34	2.67	2.66	.20				
158	6162	122	9.19	6.51	.08				
159	6163	33	2.36	1.69	.33				
160	6164 FAGU 006	32	1.91	4.11	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4070 9

Date May 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Drill Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
161	6165A FAG 0006	34	1.98	3.96	.03				
162	6166	45	3.07	6.05	.08				
163	6167	36	2.90	3.81	.04				
164	6168	39	2.70	6.33	.02				
165	6169	76	3.92	6.59	.02				
166	6170A	78	3.90	7.37	.02				
167	6171	203	12.66	23.40	.05				
168	6172	197	10.44	21.50	.09				
169	6173	65	3.29	7.40	.01				
170	6174A	163	8.76	18.60	.01				
171	6175A	189	9.56	18.50	.01				
172	6176	147	8.15	15.20	.02				
173	6177A	151	8.04	16.00	.02				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

6000

TO Cyprus Anvil Mining Corporation Ltd.

330 - 355 Burrard Street

Vancouver, B.C. V6C 2G8

Certificate No. K-4115

Date June 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Drill Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu	Pb/Zn				
		grams per tonne	percent	percent	percent	%				
1	6178A	37	2.93	3.90	.05	6.83				
2	6179	71	6.00	5.74	.07	11.74				
3	6180A	64	5.35	6.93	.07	12.28				
4	6181	63	4.99	8.36	.04	13.35				
5	6182 FAGU021	42	3.19	5.95	.08	9.14				
6	6183	242	16.26	21.30	.25	37.56				
7	6184	114	7.53	11.94	.07	19.47				
8	6185	40	2.57	4.90	.02	7.47				
9	6186	156	9.22	18.94	.11	28.16				
10	6187A	6	.54	.80	.03	1.34				
11	6188A	7	.58	.55	.06	1.13				
12	6189	105	7.56	6.88	.12	14.44				
13	6190A	113	11.21	5.98	.12	17.19				
14	6191	24	1.99	1.33	.16	3.32				
15	6192	46	3.80	2.40	.17	6.20				
16	6193	19	1.57	1.15	.12	2.72				
17	6194	22	1.49	2.50	.04	3.99				
18	6195 FAGA060	83	5.05	6.34	.08	11.39				
19	6196	122	6.83	8.76	.02	15.59				
20	6197A	50	1.85	2.15	.11	4.00				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4115 2

Date June 11, 1981

Gram
Drill Core samples

I hereby certify that the following are the results of assays made by us upon the herein described

Kral No.	Marked	Ag	Pb	Zn	Cu	Pb/Zn				
		grams per tonne	percent	percent	percent	%				
21	6198A	5	.12	.17	.05	.29				
22	6199	13	.69	.29	.05	.98				
23	6200A	112	6.88	8.36	.06	15.24				
24	6201	107	7.19	7.38	.06	14.57				
25	6202	7	.31	.43	.06	.74				
26	6203	41 *	3.22	2.45	.15	5.67				
27	6204	97	6.27	7.60	.04	13.87				
28	6205	74 *	4.17	4.21	.21	8.38				
29	6207 FAGA060	8	.55	.50	.10	1.05				
30	6208A	1	.04	.05	.02	.09				
31	6209A	8	.51	.63	.08	1.14				
32	6210A	1	.04	.04	.01	.08				
33	6211	6	.14	.14	.11	.28				
34	6212	61	3.25	3.32	.24	6.57				
35	6213	74	4.97	4.16	.22	9.13				
36	6214	61	4.81	4.79	.12	9.60				
37	6215	10 *	.80	.97	.06	1.77				
38	6216	207 *	11.40	16.86	.13	28.26				
39	6217	27	1.50	2.09	.12	3.59				
40	6218A	30	.90	1.17	.21	2.07				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4115 3

Date June 11, 1981

Grum

I hereby certify that the following are the results of assays made by us upon the herein described Drill Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu	Pb/Zn				
		grams per tonne	percent	percent	percent	%				
41	6219A	6*	.36	.45	.04	.81				
42	6220A	5*	.12	.36	.03	.48				
43	6221	2	.07	.03	.02	.10				
44	6222	1	.02	.02	.05	.04				
45	6223	2	.02	.06	.06	.08				
46	6224	2*	.01	.05	.05	.06				
47	6225	7	.21	.19	.05	.40				
48	6226	3	.10	.03	.07	.13				
49	6227	10	.42	.36	.06	.78				
50	6228A <i>FAGAD60</i>	29*	1.70	1.90	.20	3.60				
51	6229A	13	.62	.53	.04	1.15				
52	6230A	50	3.33	2.69	.14	6.02				
53	6231	41*	2.23	2.48	.13	4.71				
54	6232	25	1.57	2.06	.12	3.63				
55	6233	19	.85	.76	.10	1.61				
56	6234	50	3.41	2.72	.11	6.13				
57	6235	35*	1.40	.84	.28	2.24				
58	6236	12	.44	.40	.05	.84				
59	6237	12	.28	.22	.06	.50				
60	6238A	21	.84	.40	.05	1.24				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY -- KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 -- TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYER
GEOCHEMICAL ANALYST
METALLURGISTS

6200

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4115

330 - 355 Burrard Street

REVISED

Date June 29, 1981

Vancouver, B.C. V6C 2G8

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kref No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
61	FA9 A-060	6239A	3	.05	.12	.02			
62		6240A	7	.05	.03	.01			
63		6241	2	.02	.02	.01			
64	FA9 U-002	6242	79	4.74	8.16	.08			
65		6243	59	3.15	5.90	.05			
66		6244	83	5.09	8.48	.02			
67		6245	99	4.89	9.75	.03			
68		6246	42	1.72	5.90	.02			
69		6247	45	2.40	6.43	.02			
70		6248A	158	6.60	20.04	.10			
71	FA9 U-002	6249A	17	.69	1.38	.05			
72	FA9 U-008	6250A	15	.65	1.28	.03			
73		6251	24	.99	2.00	.08			
74		6252	26	1.79	3.07	.04			
75		6253	31	2.04	3.25	.03			
76		6254	58	3.46	6.90	.05			
77		6255	37	1.70	4.36	.04			
78		6256	38	1.99	3.98	.04			
79		6257	112	7.10	13.67	.16			
80	FA9 U-008	6258A	104	6.18	12.76	.06			

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for P&B
Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.
330 - 355 Burrard Street
Vancouver, B.C. V6C 2G8

6000
Certificate No. K-4134
Date June 17, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent	Pb/Zn %			
1	6259A	16	.67	.68	.14	1.35			
2	6260A	31	1.81	1.65	.19	3.46			
3	6261	47	2.80	1.63	.18	4.43			
4	6262	59	1.96	2.70	.54	4.66			
5	6263	46	3.50	3.00	.11	6.50			
6	6264	19	.74	.64	.14	1.38			
7	6265	33	2.30	1.99	.18	4.29			
8	6266	23	1.22	1.12	.12	2.34			
9	6267	22	.66	.68	.23	1.34			
10	6268A	3	.06	.06	.03	.12			
11	6269A	4	.11	.14	.05	.25			
12	6270A	34	1.54	1.12	.16	1.66			
13	6271	13	.63	.58	.13	1.21			
14	6272	42	3.30	3.40	.13	6.70			
15	6273	31	1.52	1.21	.16	2.73			
16	6274	38	1.72	1.26	.25	2.98			
17	6275	9	.31	.22	.09	.53			
18	6276	4	.08	.04	.03	.12			
19	6277	TR	.01	.01	.02	.02			
20	6278A	1	.02	.07	.02	.09			

not found
Jan 29, 82

FAGA077

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4134 2

Date June 17, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent	Pb/Zn %				
21	6279A	9	.50	.60	.05	1.10				
22	6280A	18	.58	.18	.13	.76				
23	6281	26	1.97	2.07	.12	4.04				
24	6282	25	1.93	2.04	.12	3.97				
25	6283	23	1.80	1.93	.10	3.73				
26	6284	29	2.30	2.80	.20	5.10				
27	6285	23	1.84	1.50	.11	3.34				
28	6286	8	.67	.75	.10	1.42				
29	6287	26	2.06	2.50	.15	4.56				
30	6288A	32	2.60	2.90	.16	5.50				
31	6289A	18	1.60	1.50	.09	3.10				
32	6290A	20	1.36	1.46	.11	2.82				
33	6291	7	.06	.03	.02	.09				
34	6292	5	.14	.23	.05	.37				
35	6293	59	3.30	1.40	.12	4.70				
36	6294	53	3.70	3.60	.08	7.30				
37	6295	26	1.48	1.17	.15	2.65				
38	6296	9	.41	.08	.13	.49				
39	6297	36	2.30	1.95	.18	4.25				
40	6298A	51	3.50	3.30	.15	6.80				

A.F.
Jan 29, 82

FAGAC77

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

6

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4134 3

Date June 17, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu	Pb/Zn				
		grams per tonne	percent	percent	percent	%				
41	n.f. Jan 29 82 6299A 6300A 6301 FAGA077 6302 6303 6304 6305	39	1.95	.86	.15	2.81				
42		53	3.00	.50	.12	3.50				
43		5	.09	.10	.04	.19				
44		5	.06	.02	.01	.68				
45		2	.03	.02	.01	.05				
46		5	.06	.02	.01	.08				
47		5	.07	.03	.01	.10				
48		6306	13*	1.09	1.67	.03	2.76			
49	6307	25	2.20	2.20	.02	4.40				
50	6308A	12*	1.11	2.60	.01	3.71				
51	6309A 6310A 6311 FAGU005 6312 6313 6314 6315 6316 6317 6318A	28	1.90	2.70	.02	4.60				
52		19	1.37	1.41	.02	2.78				
53		14	.86	1.26	.04	2.12				
54		14*	.87	1.61	.08	2.48				
55		8	.57	.45	.04	1.02				
56		39*	2.90	.83	.03	3.73				
57		85	6.20	11.90	.23	18.10				
58		80*	4.90	10.50	.14	15.40				
59		21	.55	.98	.05	1.53				
60		88*	4.20	9.70	.14	13.90				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4134 4

Date June 17, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu	Pb/Zn				
		grams per tonne	percent	percent	percent	%				
61	6319A	56	3.00	7.40	.05	10.40				
62	6320A	53	2.50	5.60	.03	8.10				
63	6321	57	5.20	8.60	.04	13.80				
64	6322	36*	2.40	5.80	.02	8.20				
65	6323	51	2.80	6.20	.02	9.00				
66	6324	66	3.60	7.10	.05	10.70				
67	6325	138*	3.80	6.40	.23	10.20				
68	6326	50	2.50	4.80	.04	7.30				
69	6327	80	4.60	11.20	.06	15.80				
70	6328A	65	3.40	8.40	.03	11.80				
71	6329A	67*	3.50	8.40	.05	11.90				
72	6330A	130	7.50	16.60	.09	24.10				
73	6331	44	2.50	3.10	.16	5.60				
74	6332	122	5.50	11.40	.37	16.90				
75	6333	68*	4.40	7.00	.24	11.40				
76	6334	19*	.63	.88	.22	1.51				
77	6335	136	7.80	16.40	.35	24.20				
78	6336	131	7.40	16.30	.31	23.70				
79	6337	69	4.40	8.10	.18	12.50				
80	6338A	65	3.70	4.70	.24	8.40				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4134 5

Date June 17, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu	Pb/Zn				
		grams per tonne	percent	percent	percent	%				
81	6339A	126	7.10	19.10	.12	26.20				
82	6340A FAGU005	102	7.70	11.60	.07	19.30				
83	6341	89	5.80	8.60	.04	14.40				
84	6342	12	1.21	3.40	.22	4.61				
85	6360A FAGA077	2	.03	.03	.01	.06				
	not found Jan 29, 82									

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.
330 - 355 Burrard Street
Vancouver, B.C. V6C 2G8

Certificate No. K-4148

Date June 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu	Pb/Zn				
		grams per tonne	percent	percent	percent	%				
1	✓ 6343A	13	.80	2.60	.15	3.40				
2	6344 FAGU005	14	.37	.81	.22	1.18				
3	6345	18	.26	.40	.29	.66				
4	6346	11	.22	.23	.19	.45				
5	6347	178	10.40	13.50	.04	23.90				
6	6348	116	6.40	8.90	.09	15.30				
7	6349	91	5.10	7.30	.08	12.40				
8	6350A FAGA112	128	7.20	9.90	.11	17.10				
9	6351	37	2.20	4.30	.06	6.50				
10	6352A	33	1.94	1.73	.11	3.67				
11	6353A	92	5.20	5.80	.06	11.00				
12	6354	16	.72	1.36	.09	2.08				
13	6355	20	1.08	1.45	.11	2.53				
14	6356	39	2.20	2.02	.13	4.22				
15	6357	135	7.30	14.80	.12	22.10				
16	6358	12	.74	1.23	.05	1.97				
17	6359A	21	1.24	3.90	.03	5.14				
18	6361A	86	3.90	8.80	.03	12.70				
19	6362	46	2.10	4.60	.03	6.70				
20	6363A FAGU010	67	3.30	8.00	.03	11.30				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

VIS 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4148 2

Date June 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu	Pb/Zn				
		grams per tonne	percent	percent	percent	%				
21	6364A	54	3.00	7.40	.07	10.40				
22	6365	71	3.90	5.10	.08	9.00				
23	6366	166	8.70	11.90	.12	20.60				
24	6367	5	.28	.22	.02	.50				
25	6368	14	.88	2.90	.01	3.78				
26	6369	7	.41	1.14	.01	1.55				
27	6370A	14*	1.00	2.02	.02	3.02				
28	6371	35*	2.40	4.60	.01	7.00				
29	6372	83	5.10	7.70	.05	12.80				
30	6373	49*	2.90	5.80	.03	8.70				
31	6374A	19*	.99	1.63	.04	2.62				
32	6375	47*	2.60	4.30	.05	6.90				
33	6376	69*	3.80	8.20	.02	12.00				
34	6377	133	7.80	14.30	.08	22.10				
35	6378	13*	.79	1.52	.03	2.31				
36	6379	80	3.81	13.60	.01	17.41				
37	6380A	35	1.70	5.00	.01	6.70				
38	6381	32	1.34	2.90	.01	4.24				
39	6382	29	1.15	4.10	.03	5.25				
40	6383A	21*	.78	2.15	.01	2.93				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

6300

TO Cyprus Anvil Mining Corporation Ltd.
330 - 355 Burrard Street
Vancouver, B.C. V6C 2G8

Certificate No. K-4148
Date June 29, 1981

REVISED

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Krai No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
41	FAG U025 6384A	49	2.90	5.00	.04				
42	6385	12	.77	2.10	.02				
43	6386	39	2.50	4.80	.02				
44	6387	29	1.29	3.10	.04				
45	6388	47	3.20	3.80	.07				
46	6389	118	7.30	14.20	.15				
47	FAG U025 6390A	158	9.90	18.50	.12				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for JEB
Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

6300-6400

330 - 355 Burrard Street

Certificate No. K-4175

Vancouver, B.C. V6C 2G8

Date June 30, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
1	FA9 U-026 6391A	8	.55	.48	.11				
2	6392	4	.22	2.91	.05				
3	6393	14	1.27	4.07	.05				
4	6394	40	3.35	7.67	.02				
5	6395	17	2.01	4.28	.03				
6	6396	11	1.71	3.72	.02				
7	6397	15	1.80	4.12	.03				
8	6398	42	3.29	7.55	.06				
9	6399	40	3.54	8.22	.04				
10	6400A	42	3.27	7.95	.06				
11	6401A	37	3.44	6.82	.03				
12	6402	10	1.82	5.36	.03				
13	6403	41	3.55	7.00	.09				
14	6404	45	3.67	6.23	.08				
15	6405	13	1.30	3.62	.07				
16	6406	4	1.16	3.34	.03				
17	6407	4	1.16	1.41	.01				
18	6408	23	2.26	1.93	.07				
19	6409	17	1.74	4.15	.10				
20	6410A	23	1.82	4.09	.11				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Das for PLS

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4175 2

Date June 30, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
21	6411A	17	2.05	1.94	.06					
22	6412	4	.92	1.85	.03					
23	6413	5	1.09	2.14	.07					
24	6414	51	2.83	4.30	.04					
25	6415	58	3.57	8.56	.07					
26	6416	58	3.46	8.05	.03					
27	6417	60	3.22	8.37	.02					
28	6418	49	3.72	6.43	.04					
29	6419	66	4.66	9.00	.08					
30	6420A	58	1.22	4.14	.04					
31	6421A	22	1.43	1.35	.05					
32	6422	58	4.27	6.93	.06					
33	6434A	18	.89	.69	.26					
34	6435	21	.93	.96	.21					
35	6436	7	.15	1.39	.19					
36	6437	42	2.76	3.28	.18					
37	6438	162	11.30	18.30	.16					
38	6439	10	.42	.60	.06					
39	6440A	20	1.01	.86	.20					
40	6441A	10	.77	.84	.08					

32 FAG U-026
33 FAG U-013

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for P&B
Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4175 3

Date June 30, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
41	6442A	15	1.35	1.36	.06					
42	6443	9	.78	.81	.03					
43	6444	30	2.59	2.63	.06					
44	6445	49	4.04	3.67	.23					
45	6446	56	4.40	3.61	.07					
46	6447	33	1.56	.86	.22					
47	6448	46	2.66	.45	.15					
48	FAG U-013 6449	32	1.36	.36	.20					
49	FAG U-020 6450A	150	7.87	13.80	.21					
50	6451A	15	1.06	1.73	.04					
51	6452A	123	7.23	11.60	.24					
52	6453	14	.79	1.26	.11					
53	6454	17	.60	.95	.07					
54	6455	22	.82	.78	.10					
55	6456	19	.73	.88	.06					
56	6457	88	5.34	7.13	.09					
57	FAG U-020 6458	97	5.94	7.03	.14					
58	FAG U-027 6459	116	7.44	1.30	.03					
59	6460A	61	3.62	6.61	.10					
60	6461A	54	2.92	3.76	.10					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


 Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4175 4

Date June 30, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
61	6462A	54	2.74	1.86	.07				
62	6463	38	.69	.68	.14				
63	6464	62	2.02	2.34	.10				
64	6465	47	1.97	4.80	.03				
65	6466	44	2.03	3.06	.03				
66	6467	36	.88	1.97	.05				
67	6468	52	3.10	4.90	.07				
68	6469	35	1.01	2.53	.05				
69	6470A	58	3.88	5.57	.02				
70	6471A	98	7.05	5.32	.06				
71	6472A	122	7.28	8.02	.04				
72	6473	47	1.59	4.84	.03				
73	6474	49	1.93	4.31	.04				
74	6475	35	1.03	2.49	.02				
75	6476	59	2.07	6.18	.03				
76	6477	59	2.69	5.07	.04				
77	6478	40	1.57	4.38	.03				
78	6479	37	1.22	2.35	.02				
79	6480A	52	1.92	3.79	.05				
80	6481A	53	1.72	6.22	.07				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for P&B

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

6400-6500

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4175 5

Date June 30, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
81	6482A	84	4.10	6.76	.04					
82	6483	45	1.40	4.06	.13					
83	6484	44	1.34	3.19	.12					
84	6485	39	1.22	2.44	.06					
85	6486	55	3.30	6.77	.07					
86	6487	43	2.40	5.95	.05					
87	6488	67	4.03	7.26	.05					
88	6489	38	1.96	3.81	.09					
89	6490	33	1.41	2.38	.11					
90	6491A	34	1.75	2.74	.08					
91	6492A	37	2.12	4.00	.07					
92	6493	66	4.22	6.62	.05					
93	6494	88	5.14	10.40	.05					
94	6495	62	3.49	8.61	.04					
95	6496	13	.46	5.30	.08					
96	6497	133	7.69	14.10	.06					
97	6498	99	6.17	11.60	.05					
98	6499	66	3.59	7.61	.11					
99	<i>FAGU-027</i> 6500A	71	4.40	8.93	.05					
100	<i>FAGU-086</i> 6501A	95	4.69	8.70	.04					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for PAB

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4175 6

Date June 30, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
101	6502A	47	1.50	4.23	.04					
102	6503	121	5.79	8.82	.04					
103	6504	109	4.75	17.20	.06					
104	6505	87	3.94	10.10	.05					
105	6506	113	5.21	9.36	.13					
106	6507	44	1.89	3.90	.02					
107	6508	62	3.49	5.09	.03					
108	6510A	76	3.67	9.42	.06					
109	6511A	47	2.87	6.23	.01					
110	6512A	83	3.98	17.60	.06					
111	6513A	143	6.93	22.50	.04					
112	6514	67	2.75	8.72	.04					
113	6515	49	3.52	4.44	.09					
114	6516	74	4.80	7.07	.03					
115	6517	59	3.50	8.12	.05					
116	6518	122	6.91	12.80	.01					
117	6519	146	7.69	11.90	.07					
118	6520A	129	6.56	12.40	.12					
119	6521	184	8.64	15.20	.08					
120	6522A	134	6.83	15.40	.07					

FAQU-086
FAQU-011

FAQU-011
FAQU-084

FILES NOT
FOUND
Jan 25, 82

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

[Signature]
Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4175 7

Date June 30, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
121	6523A	84	3.13	7.84	.10				
122	6524	42	2.54	2.54	.04				
123	6525	114	7.18	9.89	.21				
124	6526	103	6.61	17.50	.04				
125	6527	79	4.88	11.80	.04				
126	6528	70	4.03	9.05	.05				
127	6529	94	5.62	10.70	.12				
128	6530A	84	4.38	6.99	.12				
129	6531	103	7.37	9.92	.28				
130	6532A	99	5.39	9.63	.14				
131	6533	55	3.12	4.71	.11				
132	6534	23	1.46	2.50	.09				
133	6535	8	.28	.39	.07				
134	6536	6	.16	.16	.06				
135	6537	14	1.26	1.62	.04				
136	6538	46	1.80	5.52	.06				
137	6539	17	.38	1.09	.32				
138	6540A	13	.15	1.65	.25				
139	6541	13	.11	.62	.25				
140	6542A	13	.05	.16	.35				

n.f.
Jan 25, 82

FAGU-084
FAGA-019

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

6500

Certificate No. K-4175 8

Date June 30, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
141	6543A	10	.13	.13	.35					
142	6544	37	2.74	4.53	.12					
143	6545	12	.16	.71	.31					
144	6546	12	.09	4.02	.21					
145	6547	12	.07	3.24	.38					
146	6548A	34	1.60	2.09	.27					

FA08A-019

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for JGB
Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

330 - 355 Burrard Street

Vancouver, B.C. V6C 2G8

6400 - 6500

Certificate No. K-4180

Date June 30, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
1	FAQU-013 . 6423A	61	4.01	5.65	.12					
2	6424	117	6.14	1.26	.15					
3	6425	121	7.06	8.56	.16					
4	6426	70	3.79	4.53	.15					
5	6427	61	4.06	6.04	.16					
6	6428	99	4.95	7.57	.14					
7	6429	141	10.30	18.20	.04					
8	6430	89	5.67	8.46	.16					
9	6431	73	4.30	6.11	.28					
10	6432A	21	1.34	3.39	.05					
11	FAQU-013 6433A	74	4.79	3.91	.11					
12	FAQA-129 6549A	32	1.84	3.10	.05					
13	6550	32	1.94	3.20	.06					
14	FAQU-027 6551	25	1.25	2.19	.02					
15	6552	13	.49	1.08	.01					
16	6553	78	3.72	8.29	.05					
17	6554	104	6.18	8.10	.05					
18	6555	40	2.31	4.35	.05					
19	6556	20	.81	1.31	.03					
20	6557	26	1.47	4.37	.02					

NOTE:

Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

James for P&S

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4180 2

Date June 30, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
21	FA9 U-027	6558A	110	6.45	10.30	.07			
22	FA9 U-012	6559	90	5.63	11.10	.11			
23		6560	86	4.57	6.96	.14			
24		6561	100	5.52	7.54	.15			
25		6562	21	.60	3.37	.02			
26		6563	84	4.49	6.53	.15			
27		6564	95	5.41	10.50	.20			
28		6565	80	5.10	9.46	.08			
29		6566	57	3.92	4.65	.09			
30		6567A	23	1.36	3.70	.01			
31		6568A	68	3.57	5.98	.09			
32		6569	133	6.59	5.70	.51			
33		6570	106	5.64	10.30	.21			
34		6571	90	6.01	10.90	.15			
35		6572	69	4.18	7.62	.20			
36		6573	16	.54	.81	.35			
37		6574	31	1.25	.91	.09			
38		6575	10	.12	.30	.29			
39		6576	56	2.61	3.71	.26			
40		6577A	78	5.15	6.36	.13			

NOTE:

Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

W.A.P. for Press

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4180 3

Date June 30, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
41	6578A	18	.48	1.35	.21				
42	6579	13	.18	1.25	.18				
43	6580	41	1.57	2.29	.19				
44	6581	12	.27	7.78	.11				
45	6582	20	.36	2.40	.20				
46	6583	21	.37	1.86	.21				
47	6584	54	2.68	4.49	.08				
48	6585	28	1.83	3.40	.03				
49	6586	26	1.31	4.93	.01				
50	6587A	49	2.98	6.56	.03				
51	6588A	59	3.67	6.96	.03				
52	6589	32	1.46	2.09	.06				
53	6590	44	1.99	2.58	.06				
54	6591	33	1.32	1.94	.05				
55	6592	33	1.69	3.35	.02				
56	6593	121	7.04	9.47	.03				
57	6594	110	6.35	11.80	.06				
58	6595	115	6.27	13.10	.14				
59	6596	53	2.61	6.68	.05				
60	6597A	50	2.88	4.67	.06				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Handwritten signature: DAB for P&B

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

6500 - 6600

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4180 4

Date June 30, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
61		41	1.67	3.03	.06				
62	FAG A-132	25	.91	2.47	.06				
63	FAG A-135	35	1.28	3.20	.09				
64	FAG A-129	48	2.94	2.85	.10				
65		17	.72	1.93	.07				
66		115	6.64	13.90	.05				
67	FAG A-129	3	.21	.39	.04				
68	FAG U-018	152	9.45	17.40	.15				
69		91	5.34	9.06	.11				
70		142	11.70	15.80	.11				
71		94	7.01	12.20	.24				
72		92	5.65	12.70	.28				
73		84	4.96	11.20	.26				
74		88	4.24	6.86	.17				
75		11	.40	1.19	.02				
76		47	1.70	2.85	.06				
77		47	2.66	4.99	.05				
78		70	4.68	11.20	.32				
79		115	8.03	17.10	.27				
80		69	3.63	7.92	.14				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAS for P&S

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4180 5

Date June 30, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
81	6618A	65	2.80	5.95	.14					
82	6619	80	4.13	7.43	.18					
83	6620	78	2.08	4.59	.19					
84	6621	42	1.95	5.46	.01					
85	6622	52	2.07	3.55	.02					
86	6623	38	1.79	3.68	.02					
87	6624	49	1.91	5.01	.08					
88	6625	51	1.80	3.73	.06					
89	6626	98	7.09	17.40	.01					
90	6627A	49	2.04	5.72	.04					
91	6628A	76	4.50	10.90	.03					
92	6629	68	3.00	6.77	.04					
93	6630	69	3.81	9.50	.05					
94	6631	63	3.84	5.82	.24					
95	6632	39	1.33	2.47	.11					
96	6633	77	3.70	6.29	.18					
97	6634	105	6.28	11.50	.02					
98	6635	16	.46	.88	.07					
99	6636	19	.72	.99	.08					
100	6637	20	.07	.14	.10					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


 Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4180 6

Date June 30, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
101	FAG U-018	6638A	18	.10	.27	.08				
102	FAG U-016	6639	13	.60	2.58	.04				
103		6640	15	.24	.44	.14				
104		6641	122	9.57	18.60	.08				
105		6642	116	6.81	12.60	.11				
106		6643	128	6.40	14.40	.15				
107		6644	54	2.47	8.75	.05				
108		6645	52	1.46	5.08	.06				
109		6646	65	4.49	10.20	.07				
110		6647A	18	.63	1.00	.10				
111	FAG U-016	6648A	23	1.03	4.11	.11				
112	FAG U-009	6649	48	3.14	3.50	.03				
113		6650	37	1.71	3.93	.07				
114	FAG A-132	6651	22	.99	2.40	.03				
115		6652	28	1.21	2.73	.02				
116		6653	38	1.43	4.27	.01				
117		6654	37	1.29	3.93	.01				
118		6655	36	1.15	3.44	.02				
119		6656	44	1.80	5.21	.02				
120		6657	52	2.09	4.75	.01				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAS for OERS
Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

6600 - 6700

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4180 7

Date June 30, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
121	6658A	30	.80	2.70	.01				
122	6659	168	9.92	1.77	.01				
123	6660	89	6.66	1.31	.04				
124	6661	120	5.95	1.47	.04				
125	6701A	54	4.67	3.55	.06				
126	6702	59	5.64	3.44	.05				
127	6703	44	3.34	6.84	.03				
128	6704	55	3.79	5.44	.09				
129	6705	37	2.09	3.99	.02				
130	6706A	52	3.21	7.04	.01				
131	6707A	26	1.72	4.31	.01				
132	6708	18	.74	2.75	.01				
133	6709	71	4.17	9.58	.02				
134	6710A	119	7.36	17.30	.10				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


 Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.
330 - 355 Burrard Street
Vancouver, B.C. V6C 2G8

Certificate No. K-4208

Date July 8, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
1	FAG A-132 6662A	9	.39	1.05	.01				
2	6663	47	2.40	5.70	.01				
3	FAG A-162 6664	20	1.09	1.10	.27				
4	6665	33	2.60	2.60	.16				
5	6666	45	3.40	1.60	.10				
6	6667	19	.27	.49	.24				
7	6668	8	.16	.25	.11				
8	6669	9	.08	.21	.10				
9	6670A	20	.10	.22	.30				
10	6671A	14	.11	.21	.19				
11	FAG A-162 6672A	11	.14	.29	.13				
12	FAG U-009 6711A	126	9.20	12.30	.07				
13	6712	116	5.50	7.00	.07				
14	6713	207	7.20	16.70	.24				
15	6714	44	3.20	5.60	.07				
16	6715	73	4.10	6.90	.12				
17	6716	115	7.90	12.90	.03				
18	6717	120	6.70	11.90	.06				
19	6718	161	8.40	11.90	.03				
20	6719A	93	4.60	9.10	.08				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DARBY PERB
Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4208 2

Date July 8, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Krai No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
21	6720A	101	4.80	8.10	.15				
22	6721	67	5.40	8.10	.17				
23	6722	90	6.00	8.90	.20				
24	FAGU-009 6723	28	1.87	3.80	.05				
25	FAGU-007 6724	43	4.00	2.10	.10				
26	6725	37	3.30	2.80	.07				
27	6726	36	2.30	3.50	.05				
28	FAGU-023 6727	23	1.74	2.90	.01				
29	6728	14	1.20	2.40	.02				
30	6729A	11	.92	2.50	.03				
31	6730A	21	1.39	.49	.03				
32	6731	68	3.30	4.90	.14				
33	6732	63	3.20	5.80	.14				
34	6733	104	4.80	9.40	.17				
35	6734	93	4.70	8.60	.09				
36	6735	32	1.43	3.40	.03				
37	6736	80	4.30	6.60	.19				
38	6737	85	3.30	4.40	.34				
39	6738	55	2.40	3.40	.29				
40	6739A	53	2.60	4.00	.20				

NOTE:

Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for P&B
Registered Assayer, Province of British Columbia

134



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4208 3

Date July 8, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
41	6740A	23	.89	1.34	.23					
42	<u>6741</u>	30	1.23	<u>1.57</u>	.25					
43	6742	63	2.25	2.80	.27					
44	6743	143	7.50	13.50	.08					
45	6744	20	.82	1.31	.11					
46	6745	10	.33	.44	.07					
47	6746	10	.41	.50	.07					
48	6747	21	1.18	1.32	.09					
49	6748	16	.08	.21	.13					
50	6749A	100	5.80	10.40	.05					
51	FAG U-023 6750A	29	.66	1.08	.18					
52	FAG U-017 <u>6752</u>	39	1.65	<u>2.80</u>	.10					
53	6753	85	3.60	7.40	.09					
54	6754	57	2.80	4.50	.06					
55	6755	67	3.40	5.40	.11					
56	6756	130	7.00	13.20	.16					
57	6757	76	4.00	7.20	.15					
58	6758	91	4.00	7.60	.06					
59	6759	40	.64	.98	.04					
60	6760A	28	4.90	10.40	.11					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for PGB
Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4208 4

Date July 8, 1981

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
61	6761A	51	2.40	6.20	.02				
62	6762	87	4.10	8.10	.05				
63	6763	96	3.40	6.80	.14				
64	6764	71	4.40	4.80	.21				
65	<u>6765</u>	131	<u>7.40</u>	14.00	.14				
66	6766	35	1.47	2.40	.10				
67	6767	50	2.80	4.00	.11				
68	6768	18	.61	1.20	.11				
69	6769	15	.69	1.27	.06				
70	6770A	19	.95	1.52	.06				
71	6771	12	.51	.95	.06				
72	6772	8	.08	.11	.07				
73	6773	7	.13	.51	.12				
74	6774	13	.07	.27	.24				
75	6775	15	.07	1.13	.51				
76	6776	9	.07	.51	.08				
77	6777	35	1.34	1.58	.22				
78	6778	91	5.70	11.50	.07				
79	6779	47	3.30	5.90	.07				
80	6780A	6	.12	.57	.02				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for P&S

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

6700-6800

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4208 5

Date July 8, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
81	FAG U-017 6781A	52	3.40	7.60	.05				
82	FAG A-083 6782	19	1.21	1.50	.14				
83	6783	29	1.70	3.60	.05				
84	6784	39	2.15	2.90	.19				
85	6785	51	3.50	4.20	.21				
86	6786	18	1.10	.95	.20				
87	6787	10	.15	.20	.15				
88	6788	13	.48	.25	.16				
89	FAG A-083 6789	20	1.49	1.47	.14				
71 90	FAG U-022 6801A	21	1.41	2.02	.10				
91	6802A	34	1.95	.37	.08				
92	6803	32	1.76	.39	.14				
93	6804	20	1.49	1.67	.06				
94	6805	29	1.91	1.81	.07				
95	6806	24	1.99	1.17	.03				
96	6807	24	2.20	.59	.06				
97	6808	9	.40	.24	.07				
98	6809	15	.63	.82	.09				
99	6810	21	1.23	1.76	.12				
100	FAG U-022 6811A	33	2.30	1.87	.04				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for PAB

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4208 6

Date July 9, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
101	FAG U-022 6812A	59	3.80	5.50	.09					
102	6813	35	1.98	2.70	.15					
103	6814	49	2.20	4.40	.31					
104	6815	132	9.70	11.00	.08					
105	6816	220	10.70	15.10	.08					
106	6817	127	7.90	15.20	.21					
107	6818	101	6.10	11.00	.15					
108	6819	40	2.50	4.90	.12					
109	6820	27	1.55	2.30	.06					
110	6821A	71	3.90	8.50	.15					
111	6822A	89	4.80	8.00	.17					
112	FAG V-022 6823A	123	7.90	6.40	.38					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for Peps

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4343 15

Date August 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
281	6866A	62	4.70	5.80	.04					
282	6867	6	.12	.15	.07					
283	FAG U 151 6868A	7	.09	.08	.01					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.
330 - 355 Burrard Street
Vancouver, B.C. V6C 2G8

Certificate No. K-4313
Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Gram samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
1	FAR U-058	6973A	14	.29	.18	.15			
2		6974	92	5.93	7.20	.08			
3	FAR A-001	6975	23	.98	.96	.23			
4		6976	26	1.77	2.52	.13			
5	FAR A-014	6977	38	1.64	1.53	.21			
6		6978	16	.46	.35	.16			
7	FAGA 030	6979	150	8.80	17.90	.10			
8		6980A	11	.41	.79	.03			
9		6981	41	2.24	5.28	.03			
10		6982	38	1.51	1.14	.08			
11		6983	14	.52	1.25	.04			
12		6984	14	.66	1.28	.06			
13		6985	24	1.53	1.42	.08			
14		6986	26	1.97	2.13	.06			
15		6987	24	1.41	2.67	.05			
16		6988	3	.06	.16	.01			
17		6989	44	2.45	5.36	.05			
18		6990A	5	.26	1.38	.02			
19		6991	19	.96	2.64	.02			
20		6992	2	.13	.31	.01			

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

131
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 2

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
21	6993A	L1	.06	.09	.02				
22	6994	L1	.06	.18	.02				
23	6995	50	3.02	6.99	.01				
24	6996	92	5.14	8.18	.03				
25	6997	50	2.79	4.90	.02				
26	6998	60	3.40	6.58	.02				
27	6999	59	3.15	5.62	.04				
28	FAGA 030 7000A	44	2.34	4.33	.03				
29	FAGA -004 7020A	53	3.14	3.12	.19				
30	7021	30	1.27	1.64	.22				
31	7022	10	.15	.40	.14				
32	7023	15	.37	.74	.18				
33	7024	82	4.60	6.60	.10				
34	7025	18	.65	.96	.10				
35	7026	16	.41	.50	.06				
36	7027	7	.12	.91	.01				
37	FAGA -004 7028	9	.08	.26	.06				
38	FAGA -122 7029	74	4.30	8.90	.09				
39	7030A	133	5.90	7.60	.22				
40	7031	12	.18	.36	.10				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

132
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 3

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
41	7032A	16	.70	1.12	.11					
42	7033	27	.75	.70	.29					
43	7034	9	.09	.16	.12					
44	7035	7	.15	.23	.05					
45	7036	10	.20	.19	.08					
46	7037	8	.19	.60	.13					
47	7038	4	.03	.03	.05					
48	7039	4	.04	.13	.02					
49	7040A	4	.03	.02	.01					
50	7041	4	.01	.01	.03					
51	7042	6	.13	.12	.06					
52	7043	73	4.60	5.50	.11					
53	7044	5	.10	.07	.09					
54	7045	43	3.15	2.78	.25					
55	7046	41	2.70	1.91	.27					
56	7047	37	2.62	2.02	.27					
57	7048	3	.07	.03	.03					
58	7049	12	.55	.23	.10					
59	7050A	38	2.02	1.94	.14					
60	7051	55	3.97	3.10	.21					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

133

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 4

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
61	7052A	33	1.68	1.35	.17				
62	7053	9	.30	.21	.09				
63	7054	56	3.50	5.10	.07				
64	7055	43	1.85	6.90	.15				
65	7056	16	.73	2.06	.07				
66	7057	14	.62	1.28	.11				
67	7058	38	2.08	4.20	.02				
68	7059	32	1.64	3.70	.03				
69	7060A	14	.75	1.14	.05				
70	7061	20	1.00	1.10	.08				
71	7062	31	1.57	2.30	.05				
72	7063	32	.41	2.01	.03				
73	7064	26	1.74	4.60	.02				
74	7065	39	2.03	4.80	.02				
75	7066	27	1.43	2.80	.03				
76	7067	127	8.70	16.00	.18				
77	7068	158	7.70	15.40	.13				
78	7069	145	7.60	17.20	.02				
79	7070A	165	10.00	22.00	.07				
80	7071	32	1.86	5.90	.11				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

134

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 5

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
81	7072A	155	8.50	16.60	.10					
82	7073	14	.53	1.12	.02					
83	FA9 U-089 7074	170	8.70	12.80	.12					
84	FA9 A-069 7075	85	4.80	7.50	.04					
85	7076	51	2.40	6.00	.05					
86	7077	81	4.50	8.50	.08					
87	7078	15	.42	.35	.01					
88	7079	12	.31	.33	.02					
89	FA9 A-009 7080A	8	.11	.13	.01					
90	FA9 U-059 7081	74	4.50	11.10	.05					
91	7082	55	2.90	6.20	.04					
92	7083	73	4.20	8.10	.06					
93	7084	68	3.70	8.20	.06					
94	7085	98	5.80	13.50	.03					
95	7086	165	9.50	16.90	.10					
96	7087	175	10.40	18.40	.35					
97	7088	158	9.20	18.40	.14					
98	7089	191	11.80	18.00	.10					
99	7090A	92	6.40	7.00	.21					
100	7091	167	11.00	18.60	.07					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

135

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 6

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
101	7092A	156	10.00	17.20	.09					
102	7093	110	6.30	10.00	.10					
103	7094	123	6.90	10.50	.22					
104	7095	112	6.80	11.00	.22					
105	7096	133	6.50	10.50	.24					
106	7097	143	8.30	12.50	.16					
107	7098	124	6.60	10.00	.27					
108	7099	150	9.60	15.90	.18					
109	FAGU-059 7100A	157	11.00	15.10	.22					
110	FAGA 030 7101	59	3.40	3.30	.05					
111	7102	49	2.90	4.20	.03					
112	7103	29	1.56	4.30	.02					
113	7104	21	1.25	3.20	.01					
114	7105	12	.61	2.00	.02					
115	7106	19	1.03	2.10	.02					
116	7107	45	2.13	4.40	.05					
117	7108	54	3.00	4.70	.04					
118	7109	46	2.40	.05	.07					
119	7110A	70	3.60	1.87	.09					
120	7111	22	.91	1.62	.08					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

136
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 7

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Gram samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
121	7112A	31	2.08	.76	.08				
122	7113	83	4.80	6.70	.03				
123	7114	83	4.70	10.90	.03				
124	7115	115	6.50	13.60	.04				
125	7116	65	3.20	6.80	.04				
126	7117	4	.21	1.21	.02				
127	7118	110	6.50	10.00	.06				
128	7119	158	9.40	16.40	.03				
129	7120A	111	7.40	11.90	.08				
130	7121	30	1.75	2.40	.11				
131	7122	8	.43	.91	.02				
132	7123	10	.75	1.00	.01				
133	7124	58	3.10	6.70	.12				
134	7125	86	5.50	10.20	.07				
135	7126	17	.88	1.36	.08				
136	7127	68	4.80	5.60	.07				
137	7128	15	.56	1.15	.08				
138	7129	13	.34	.96	.10				
139	7130A	15	.72	1.32	.10				
140	7131	20	.73	1.31	.17				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

137
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 8

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
141	7132A	7	.17	.44	.08				
142	7133	70	5.10	11.50	.09				
143	7134	21	1.46	1.10	.26				
144	7135	85	5.40	7.50	.11				
145	7136	4	.14	.16	.05				
146	FAGA 030 7137	56	3.50	3.80	.13				
147	FAGU-173 7138	32	1.38	3.60	.35				
148	7139	6	.21	.45	.15				
149	7140A	8	.53	.81	.06				
150	7141	7	.27	.45	.05				
151	7142	2	.01	.02	.01				
152	7143	8	.32	.72	.11				
153	7144	2	.05	.38	.19				
154	7145	6	.18	.27	.21				
155	7146	3	.06	.06	.07				
156	7147	2	.02	.01	.01				
157	7148	20	.97	.23	.09				
158	7149	50	.04	.02	.07				
159	7150A	27	1.58	1.75	.11				
160	7151	3	.01	.03	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 9

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
161	7152A	12	.16	.20	.20					
162	7153	16	.45	.39	.10					
163	7154	35	1.39	1.37	.18					
164	7155	20	.50	.39	.10					
165	7156	23	1.04	1.23	.18					
166	7157	9	.19	.46	.09					
167	7158	7	.14	.24	.09					
168	7159	4	.03	.08	.02					
169	7160A	11	.02	.64	.25					
170	7161	12	.26	.43	.15					
171	7162	10	.04	.40	.21					
172	7163	10	.04	.66	.12					
173	7164	10	.04	.20	.19					
174	7165	14	.11	.32	.17					
175	7166	7	.04	.17	.13					
176	7167	10	.13	.18	.15					
177	7168	6	.05	.16	.07					
178	7169	5	.02	.13	.08					
179	7170A	5	.01	.16	.06					
180	7171	7	.01	.23	.13					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

139
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 10

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
181	7172A	6	.01	.16	.11					
182	7173	6	.01	.13	.11					
183	FAGU-169 7174A	5	.02	.24	.12					
184	FAGU-059 7201A	112	6.50	10.00	.19					
185	7202	101	6.50	10.20	.16					
186	7203	90	6.90	10.20	.09					
187	7204	101	6.40	10.30	.18					
188	7205	115	6.90	11.40	.10					
189	7206	120	7.00	13.40	.12					
190	7207	180	9.40	13.80	.35					
191	7208	138	8.40	20.70	.20					
192	7209	108	7.70	13.60	.27					
193	7210A	30	1.17	.76	.28					
194	7211	21	.47	.51	.29					
195	7212	107	6.50	11.20	.12					
196	7213	23	1.26	2.50	.06					
197	7214	38	2.50	2.80	.21					
198	7215	26	1.65	2.03	.21					
199	7216	6	.19	.45	.13					
200	7217	8	.20	.42	.18					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

VIS 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

1/0

TO Cyprus Anvil Mining Corporation Ltd.
330 - 355 Burrard Street
Vancouver, B.C. V6C 2G8

Certificate No. K-4343

Date August 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Gram samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
1	FAGU-177	7175A	110	.13	.30	.43			
2		7176	20	1.00	1.17	.19			
3		7177	19	.84	1.00	.18			
4		7178	12	.28	.75	.20			
5		7179	9	.16	.51	.17			
6		7180A	6	.06	.50	.14			
7		7181	20	.61	.82	.16			
8		7182	9	.07	.26	.21			
9		7183	12	.07	.15	.31			
10		7184	12	.06	.30	.29			
11		7185A	6	.09	.27	.13			
12		7186	9	.13	.38	.10			
13		7187	8	.14	.25	.12			
14		7188	7	.26	.34	.07			
15		7189	23	1.62	2.70	.04			
16		7190A	6	.14	.34	.10			
17		7191	3	.03	.14	.10			
18		7192	4	.09	.14	.10			
19		7193	13	.54	.69	.16			
20		7194	6	.10	.12	.19			

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4343 2

Date August 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
21	7195A	44	2.80	3.60	.13				
22	7196	7	.06	.09	.13				
23	7197	10	.06	.08	.08				
24	7198	12	.08	.11	.05				
25	7199	13	.05	.06	.03				
26	7200A	41	2.50	6.10	.02				
27	7301A	41	2.40	4.30	.03				
28	7302	40	2.30	4.20	.04				
29	7303	35	2.20	4.60	.05				
30	7304	51	3.20	5.00	.09				
31	7305A	40	2.40	5.20	.04				
32	7306	39	1.90	5.40	.03				
33	7307	23	1.15	2.80	.06				
34	7308	31	1.85	4.30	.07				
35	7309	97	6.40	8.10	.04				
36	7310A	65	4.20	5.80	.16				
37	7311	33	1.31	3.60	.11				
38	7312	16	.88	1.72	.02				
39	7313	37	2.40	2.90	.02				
40	7314 7314	27	2.10	1.51	.04				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 11

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
201	FAGU-059 7218A	35	2.30	2.50	.16				
202	FAGU-062 7219	107	6.40	9.60	.13				
203	7220A	78	4.60	4.60	.17				
204	7221	79	5.30	5.50	.16				
205	7222	23	1.16	1.92	.02				
206	7223	135	6.70	9.30	.24				
207	7224	122	5.20	9.20	.23				
208	7225	89	3.70	6.70	.17				
209	7226	111	6.20	12.10	.23				
210	7227	84	5.90	11.50	.05				
211	7228	111	5.00	8.20	.21				
212	7229	121	7.40	10.60	.19				
213	7230A	107	4.40	7.70	.22				
214	FAGU-062 7231	114	5.10	8.80	.23				
215	FAGU-142 7232	183	9.10	15.90	.24				
216	7233	26	1.08	1.79	.05				
217	7234	163	8.60	11.40	.07				
218	7235	21	.72	2.04	.01				
219	7236	38	1.79	2.30	.02				
220	7237	142	6.20	13.00	.13				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

141
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4313 12

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
221	7238	53	3.00	6.50	.04				
222	7239	72	4.20	7.50	.01				
223	7240A	96	5.00	9.70	.02				
224	7241	27	1.48	3.40	.01				
225	7242	10	.21	.15	L.01				
226	7243	13	.25	.19	L.01				
227	7244	60	3.70	8.50	.02				
228	7245	33	1.94	6.00	L.01				
229	7246	167	7.60	18.00	.10				
230	7247	28	1.15	2.30	.01				
231	7248	20	.68	1.10	.04				
232	7249	17	.52	.58	.03				
233	7250A	28	.88	1.27	.06				
234	7251	16	.37	.32	.04				
235	7252	14	.31	.16	.03				
236	7253	12	.21	.40	.04				
237	7254	12	.21	.69	.02				
238	7255	190	9.60	18.80	.06				
239	7256	45	2.14	5.30	.02				
240	7257	81	4.60	10.40	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

142
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 13

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
241	7258A	62	3.70	9.10	.03					
242	7259	95	5.50	12.40	.02					
243	7260A	208	10.30	24.20	.09					
244	7261	20	.68	2.05	.01					
245	7262	31	1.37	4.30	.01					
246	7263	120	4.90	15.90	.09					
247	7264	81	4.40	9.50	.02					
248	7265	100	5.60	13.60	.14					
249	7266	160	7.60	18.30	.21					
250	7267	133	7.80	10.00	.04					
251	7268	8	.35	.13	.02					
252	7269	42	2.30	2.60	.07					
253	7270A	30	1.30	3.10	.03					
254	7271	60	3.10	5.60	.05					
255	7272	31	1.75	3.70	.02					
256	7273	10	.46	.68	.08					
257	7274	24	1.28	2.10	.15					
258	7275	16	.43	1.03	.12					
259	7276	20	.67	1.61	.13					
260	7277	40	2.96	1.72	.06					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

143
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 14

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
261	7278A	32	1.73	1.21	.07					
262	7279	26	.05	.20	.20					
263	7280A	30	.06	.30	.26					
264	7281	21	.48	.93	.11					
265	7282	34	2.33	3.19	.03					
266	7283	13	.06	.20	.10					
267	7284	15	.10	.23	.16					
268	7285	91	4.70	8.10	.14					
269	7286	23	1.35	4.00	.03					
270	7287	64	3.00	5.40	.17					
271	7288	100	5.70	11.00	.18					
272	7289	70	3.80	7.80	.14					
273	FAGU-142 7290A	65	3.30	8.10	.04					
274	FAGU-110 7291	38	1.96	3.50	.01					
275	7292	65	3.60	4.60	.06					
276	7293	37	1.82	2.70	.08					
277	FAGU-110 7294	12	1.06	2.02	.02					
278	FAGU-114 7295	64	3.80	8.90	.02					
279	7296	70	4.20	8.90	.02					
280	7297	47	3.00	4.80	.03					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia

CTA



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4343 3

Date August 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
41	7315A	9	.60	.43	.06					
42	7316	22	1.32	2.40	.10					
43	7317	26	1.82	4.30	.05					
44	7318	56	4.00	2.70	.06					
45	7319	25	1.58	.70	.09					
46	7320A	5	.23	.44	.05					
47	7321	15	1.04	.60	.03					
48	7322	53	4.80	1.00	.04					
49	7323	19	1.26	1.33	.02					
50	7324	21	1.18	1.91	.02					
51	7325A	9	.60	1.41	.02					
52	7326	29	2.40	.68	.04					
53	7327	18	1.18	.90	.04					
54	7328	30	1.61	2.60	.06					
55	7329	22	1.10	1.15	.06					
56	7330A	8	.49	.57	.03					
57	7331	10	.42	.96	.04					
58	7332	29	1.54	2.70	.06					
59	7333	28	.07	.16	.13					
60	7334	19	.80	.68	.05					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

D.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4343 4

Date August 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
61	7335A	43	2.70	4.30	.06				
62	7336	12	.31	.49	.06				
63	7337	64	4.70	9.00	.03				
64	7338	17	.67	.97	.07				
65	7339	21	1.02	1.86	.07				
66	7340A	19	1.03	2.40	.06				
67	7341	16	.93	1.54	.08				
68	FAQU 138 7342	17	1.25	2.16	.05				
69	FAQU-167 7343	9	.21	.75	.25				
70	7344	19	.28	1.03	.28				
71	7345A	33	1.37	2.30	.28				
72	7346	84	5.10	6.00	.26				
73	7347	76	5.00	8.60	.15				
74	7348	68	4.40	6.60	.12				
75	7349	60	3.90	4.60	.14				
76	7350A	87	4.40	6.60	.20				
77	7351	77	4.20	7.10	.11				
78	7352	60	2.80	3.80	.10				
79	7353	102	5.70	10.70	.13				
80	7354	79	5.10	7.20	.24				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4343 5

Date August 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
81	7355A	139	8.10	12.70	.11				
82	7356	149	9.00	14.10	.11				
83	7357	101	6.10	12.60	.24				
84	7358	47	3.30	4.90	.24				
85	7359	24	1.48	2.05	.21				
86	7360A	10	.13	.75	.25				
87	7361	11	.08	.53	.26				
88	7362	30	.91	1.40	.27				
89	7363	27	.67	.82	.27				
90	7364	31	.14	.65	.35				
91	7365A	14	.12	1.17	.34				
92	7366	46	1.57	1.63	.22				
93	7367	20	.12	.72	.51				
94	7368	12	.07	.42	.22				
95	7369	30	.03	.34	1.09				
96	7370A	17	.07	.53	.51				
97	7371	37	1.25	2.02	.43				
98	7372	36	1.46	2.60	.31				
99	7373A	31	1.00	1.09	.32				
100	7630A	30	1.21	2.03	.04				

n.f.
Jan 26, 82

FAG U-167
FAG U-165

not found
Jan 26, 82

FAG U-165
FAG U-132

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.
330 - 355 Burrard Street
Vancouver, B.C. V6C 2G8


Certificate No. K-4364

Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
1	7374A	27	1.92	2.20	.04				
2	7375	55	2.95	4.30	.08				
3	7376	55	2.96	5.67	.09				
4	7377	32	1.92	4.00	.05				
5	7378	37	2.18	3.80	.07				
6	7379	40	2.53	4.10	.06				
7	7380A	25	1.87	3.10	.03				
8	7381	26	1.89	4.00	.03				
9	7382	30	1.40	4.40	.03				
10	7383A	128	7.78	9.10	.05				
11	7384A	53	4.53	3.80	.06				
12	7385	48	2.75	3.60	.16				
13	7386	92	4.64	8.40	.06				
14	7387	97	6.42	10.20	.10				
15	7388	76	4.32	4.50	.11				
16	7389	103	7.26	9.60	.10				
17	7390A	90	6.21	10.10	.09				
18	7391	87	5.47	9.90	.08				
19	7392	48	3.06	3.70	.03				
20	7393A	92	5.26	10.70	.09				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

99

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4364 2

Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
21	7394A	100	5.47	10.40	.08					
22	7395	102	6.84	10.50	.11					
23	7396	12	.67	1.45	.10					
24	7397	12	1.12	.70	.03					
25	7398	1	.14	.44	.02					
26	7399	84	4.85	2.90	.04					
27	7400A	37	2.64	1.17	.06					
28	7411A	20	1.61	1.21	.05					
29	7412	21	1.59	2.20	.05					
30	7413A	44	3.90	3.80	.03					
31	7414A	91	5.30	8.90	.10					
32	7415	18	1.27	1.85	.03					
33	7696A	101	7.40	11.60	.13					
34	7697	139	10.00	4.90	.01					
35	7698	67	4.40	20.20	.09					
36	7699	29	1.15	3.50	.10					
37	7700A	4	.19	1.95	.02					
38	7801A	1	.08	.78	.01					
39	7802	58	6.00	4.20	.27					
40	7803A	60	5.90	3.90	.33					

not found
Jan 27 82

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

144
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 15

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
281	7298A	70	4.10	5.80	.02					
282	7299	36	1.12	2.03	.04					
283	7300A	11	.43	.63	.03					
284	7401A	76	4.30	9.00	.05					
285	7402	58	2.90	5.80	.07					
286	7403	45	1.87	4.10	.08					
287	7404	44	1.88	4.60	.05					
288	7405	42	1.96	4.20	.03					
289	7406	22	.81	1.79	.01					
290	7407	38	1.56	3.70	.03					
291	7408	56	2.93	5.10	.02					
292	7409	70	3.84	6.80	.04					
293	7410A	60	3.17	4.70	.05					
294	7411	52	2.77	4.20	.08					
295	7412	33	1.73	4.10	.05					
296	7413	31	1.59	4.10	.05					
297	FAQU-114 7414	29	1.86	3.10	.09					
298	FAQU-061 7415	38	3.10	5.30	.05					
299	7416	32	2.40	3.80	.07					
300	7417A	48	3.60	5.20	.05					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 16

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
301	7418A	62	3.80	5.10	.06				
302	7419	13	.31	1.03	.17				
303	7420A	35	.65	.35	.24				
304	7421	31	.82	1.55	.11				
305	7422	38	2.03	4.20	.06				
306	7423	29	.46	.55	.16				
307	7424	15	.14	.38	.20				
308	7425	11	.08	.32	.19				
309	7426	13	.11	.30	.33				
310	7427	141	8.30	10.00	.20				
311	7428	58	3.30	3.20	.24				
312	7429	147	9.70	7.10	.15				
313	7430A	137	8.60	4.40	.14				
314	7431	28	.77	.35	.34				
315	7432	115	7.60	9.30	.16				
316	7433	100	5.90	7.80	.20				
317	7434	92	5.00	7.40	.15				
318	7435	136	6.80	10.70	.18				
319	7436	45	2.10	2.50	.10				
320	7437	37	2.20	2.50	.16				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

146
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 17

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
321	7438A	24	1.14	1.15	.16				
322	7439	23	1.12	2.30	.03				
323	7440A	24	.99	1.40	.11				
324	7441	14	.56	.74	.08				
325	7442	115	6.90	14.50	.10				
326	FAQU-061 7443	121	7.00	14.70	.10				
327	FAQU-060 7444	35	3.20	4.10	.04				
328	7445	33	2.90	5.00	.05				
329	7446	33	2.70	3.40	.05				
330	7447	40	3.20	3.70	.04				
331	7448	12	.53	1.95	.02				
332	7449	49	3.80	4.10	.03				
333	7450A	19	1.18	.85	.04				
334	7451	22	1.14	1.30	.06				
335	7452	31	1.58	2.02	.10				
336	7453	24	1.08	1.21	.08				
337	7454	19	.84	1.24	.08				
338	7455	39	2.02	3.90	.13				
339	7456	28	1.58	2.03	.12				
340	7457	42	2.63	3.50	.08				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

147
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 18

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
341	7458A	16	.35	.63	.19					
342	7459	14	.16	1.41	.34					
343	7460A	91	5.50	9.30	.23					
344	7461	18	.46	1.20	.17					
345	7462	143	9.00	9.10	.14					
346	7463	91	4.70	7.80	.18					
347	7464	61	4.20	5.40	.13					
348	7465	107	6.00	10.70	.13					
349	7466	74	2.70	3.80	.05					
350	7467	102	6.10	10.70	.04					
351	7468	23	1.20	2.50	.07					
352	7469	152	8.60	13.50	.11					
353	7470A	67	3.30	5.00	.30					
354	7471	82	4.30	7.40	.37					
355	7472	31	.86	2.50	.59					
356	FA9 U-060 7473	82	4.40	7.10	.18					
357	FA9 A-155 7474	41	1.96	3.90	.09					
358	7475	47	2.83	5.60	.02					
359	7476	71	4.00	9.60	.05					
360	7477	48	2.82	5.80	.06					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

148
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 19

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
361	7478A	56	3.50	6.20	.04				
362	7479	43	2.65	5.30	.04				
363	7480A	44	2.50	6.10	.03				
364	7481	168	10.10	1.98	.02				
365	7482	61	3.70	7.40	.04				
366	7483	56	2.80	6.80	.12				
367	7484	79	4.80	6.20	.05				
368	7485	62	3.60	6.60	.04				
369	7486	41	2.40	3.70	.04				
370	7487	35	2.00	2.70	.04				
371	7488	45	2.50	3.80	.05				
372	7489	22	1.20	1.24	.04				
373	7490A	22	.87	1.55	.06				
374	7491	24	.82	1.82	.05				
375	7492	57	3.40	4.50	.04				
376	7493	15	.48	.63	.04				
377	7494	1	.07	.44	.02				
378	7495	41	3.81	2.06	.05				
379	7496	116	7.20	12.60	.09				
380	7497	84	5.50	6.90	.05				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 20

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
381	7498A	182	10.70	17.20	.05					
382	7499	11	.50	.64	.01					
383	7500A	43	1.86	4.00	.02					
384	7501	2	.16	1.86	.02					
385	7502	53	2.75	6.30	.03					
386	7503	45	2.80	1.60	.04					
387	7504	36	1.81	3.90	.04					
388	7505	47	2.99	5.10	.04					
389	7506	43	2.84	5.60	.02					
390	7507	68	4.00	7.70	.03					
391	7508	63	3.80	7.30	.09					
392	7509	47	2.53	5.00	.09					
393	7510A	2	.08	.13	.01					
394	7511	35	2.33	2.88	.03					
395	7512	74	4.60	3.70	.04					
396	7513	49	3.00	3.60	.03					
397	7514	27	1.49	2.70	.04					
398	7515	22	1.34	2.02	.05					
399	7516	19	1.40	1.47	.02					
400	7517	39	1.74	3.10	.03					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

150
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 21

Date August 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
401	FAGU 130	7518A	80	4.50	8.70	.09			
402	FAGU-065	7519	96	5.60	10.70	.23			
403		7520A	140	7.30	10.90	.24			
404		7521	125	5.90	9.60	.15			
405		7522	144	8.10	15.50	.15			
406		7523	133	8.08	15.20	.11			
407		7524	138	7.95	18.40	.01			
408		7525	59	2.84	7.70	.03			
409		7526	82	4.01	11.30	.01			
410		7527	93	4.96	6.20	.09			
411		7528	177	10.70	17.90	.07			
412		7529	21	1.15	2.25	.03			
413		7530A	13	.55	.88	.05			
414		7531	29	1.75	2.24	.13			
415		7532	161	12.40	10.10	.10			
416		7533	178	14.40	9.60	.05			
417		7534	131	9.60	8.10	.12			
418		7535	36	1.98	2.05	.15			
419		7536	64	3.83	4.90	.03			
420	FAGU-129	7537	79	4.60	5.70	.03			

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 22

Date August 12, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
421	7538A	44	2.99	2.70	.03					
422	7539	35	2.03	1.75	.03					
423	7540A	22	1.02	.63	.05					
424	7541	29	1.57	1.28	.06					
425	7542	43	2.96	1.23	.07					
426	7543	28	2.30	2.40	.02					
427	7544	28	2.41	1.58	.02					
428	7545	26	1.66	2.03	.02					
429	7546	20	1.26	1.86	.02					
430	7547	14	.81	1.68	.01					
431	7548	11	.49	.85	.05					
432	7549	21	1.04	1.92	.07					
433	7550A	7	.17	.54	.09					
434	7551	27	1.29	2.90	.08					
435	7552	27	1.36	2.20	.07					
436	7553	22	.48	.80	.17					
437	7554	99	3.70	5.30	.34					
438	7555	46	2.60	3.00	.06					
439	7556	53	4.13	7.40	.14					
440	7557	41	2.20	5.90	.03					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

126
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 23

Date August 12, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
441	7558A	26	1.20	4.60	.02					
442	7559	48	3.10	6.10	.06					
443	7560A	48	2.70	6.00	.13					
444	7561	75	3.70	7.50	.16					
445	7562	72	4.41	6.60	.19					
446	7563	45	2.25	5.20	.03					
447	7564	64	2.70	3.80	.04					
448	7565	87	5.70	8.70	.14					
449	7566	200	12.50	18.30	.07					
450	7567	44	2.80	4.00	.28					
451	7568	76	5.20	8.40	.26					
452	7569	74	4.00	7.70	.16					
453	7570A	38	1.66	3.40	.33					
454	7571	44	1.72	2.40	.43					
455	7572	40	1.41	2.30	.53					
456	7573	78	4.30	6.20	.35					
457	7574	34	1.48	3.00	.27					
458	7575	51	3.70	4.00	.13					
459	7576	114	8.60	13.00	.08					
460	7577	80	4.30	9.10	.02					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

127
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 24

Date August 12, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
461	7578A	63	2.50	5.40	.02					
462	7579	11	.18	.43	.01					
463	7580A	28	.74	1.81	.07					
464	7581	70	3.80	5.80	.04					
465	7582	67	3.80	5.40	.04					
466	7583	35	1.61	3.40	.05					
467	7584	25	1.16	2.40	.07					
468	7585	62	3.80	6.90	.07					
469	7586	66	3.90	5.70	.16					
470	7587	16	.70	1.71	.04					
471	7588	61	3.70	7.60	.08					
472	7589	52	2.90	6.00	.04					
473	7590A	31	1.51	3.30	.11					
474	7591	29	1.86	3.60	.07					
475	7592	21	1.30	1.97	.05					
476	7593	25	2.20	2.50	.03					
477	7594	18	1.60	1.31	.04					
478	7595	38	2.40	4.80	.04					
479	7596	50	3.00	4.40	.10					
480	7597	141	8.10	17.10	.09					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

128
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 25

Date August 12, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
481	FAU-118 7598A	17	.43	1.04	.05					
482	7599	93	5.60	10.70	.03					
483	7600A	51	2.30	6.80	.03					
484	7601	42	2.40	6.10	.01					
485	7602	128	5.50	12.40	.05					
486	7603	250	10.10	19.60	.11					
487	7604	60	3.50	4.60	.02					
488	7605	90	4.40	9.70	.01					
489	7606	30	1.21	3.30	.06					
490	7607	44	2.40	5.50	.05					
491	7608	118	6.20	8.00	.18					
492	7609	118	6.60	13.60	.08					
493	7610A	36	2.00	2.50	.06					
494	7611	8	.14	.54	.17					
495	7612	66	4.30	7.90	.08					
496	7613	58	3.80	8.50	.09					
497	7614	23	.95	1.87	.19					
498	7615	38	1.71	3.90	.08					
499	7616	23	1.05	2.90	.07					
500	7617	45	3.40	3.50	.04					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

129
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4313 26

Date August 12, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
501	7618A	26	1.56	2.80	.08					
502	7619	26	1.66	1.65	.04					
503	7620A	31	1.28	2.70	.14					
504	FAGU-118 7621	117	6.80	14.30	.19					
505	FAGU-132 7622	90	1.79	10.20	.02					
506	7623	33	.69	3.50	.03					
507	7624	59	3.10	7.10	.03					
508	7625	76	3.90	6.50	.13					
509	7626	24	1.35	2.30	.04					
510	7627	13	1.09	1.31	.02					
511	7628	13	1.05	1.37	.02					
512	FAGU-132 7629A	72	3.90	6.60	.10					
L means "Less than"										

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

119
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4343 6

Date August 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
101	7631A	10	.38	1.01	.03				
102	7632	48	2.50	4.00	.05				
103	7633	33	1.31	4.00	.09				
104	7634	61	3.00	6.50	.05				
105	7635	15	.72	1.67	.03				
106	7636	62	3.20	4.90	.03				
107	7637	42	2.40	3.50	.04				
108	7638	30	1.65	3.40	.03				
109	7639	47	2.80	3.80	.05				
110	7640A	39	2.00	2.70	.03				
111	7641A	54	3.00	4.90	.06				
112	7642	47	2.60	2.80	.04				
113	7643	37	1.73	4.60	.02				
114	7644	7	.28	1.44	.02				
115	7645	30	1.36	2.80	.02				
116	7646	15	.14	1.55	.20				
117	7647	12	.20	1.31	.23				
118	7648	17	.33	.92	.25				
119	7649	39	1.54	2.50	.24				
120	7650A	53	3.50	2.80	.09				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4343 7

Date August 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
121	7651A	102	5.40	9.10	.17				
122	7652	71	3.90	7.70	.16				
123	7653	27	1.09	.60	.27				
124	7654	46	3.20	2.50	.13				
125	7655	28	1.60	1.56	.29				
126	7656	25	1.55	1.79	.50				
127	7657	38	2.08	4.50	.05				
128	7658	19	1.08	3.60	.03				
129	7659	25	1.62	3.60	.02				
130	7660A	26	1.83	3.90	.02				
131	7661A	40	2.60	5.10	.05				
132	7662	51	3.00	6.50	.01				
133	7663	74	5.20	7.90	.06				
134	7664	86	5.30	9.10	.06				
135	7665	82	5.40	7.80	.04				
136	7666	21	.97	2.60	.08				
137	7667	43	1.65	3.20	.18				
138	7668	63	2.70	4.30	.16				
139	7669	5	.09	.21	.03				
140	7670A	40	1.46	1.70	.09				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

17
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4343 8

Date August 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
141	7671A	51	2.60	3.60	.11					
142	7672	59	3.20	5.90	.09					
143	7673	59	3.30	4.30	.13					
144	7674	36	2.70	8.00	.20					
145	7675	254	15.50	27.00	.10					
146	7676	22	1.17	.27	.02					
147	7677	108	5.60	17.70	.10					
148	7678	41	2.60	3.70	.09					
149	7679	115	8.40	6.20	.09					
150	7680A	57	4.30	5.60	.09					
151	FAQ J-124 7681A	16	1.03	2.40	.06					
152	FAQ U-081 7682	56	4.00	3.50	.06					
153	7683	7	.38	.50	.03					
154	7684	68	4.40	7.30	.02					
155	7685	79	4.80	5.90	.07					
156	7686	52	3.60	3.30	.07					
157	7687	11	.97	.58	.03					
158	7688	21	1.66	1.53	.02					
159	7689	26	1.91	1.17	.02					
160	7690A	19	1.32	.70	.02					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

118
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4343 9

Date August 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
161		26	1.76	.85	.02				
162	FAG U-081	34	2.70	2.40	.01				
163	FAG U-063	86	7.40	10.80	.10				
164		135	5.90	8.70	.23				
165		105	5.10	10.40	.10				
166	FAG U-069	73	4.80	9.30	.15				
167		126	7.50	12.30	.23				
168		139	5.70	9.20	.18				
169		138	5.80	10.00	.18				
170		162	7.80	13.40	.13				
171		182	10.10	17.60	.02				
172		100	5.10	4.70	.13				
173		66	4.20	4.10	.14				
174		95	5.30	12.30	.13				
175	FAG U-064	19	1.13	2.70	.03				
176		99	2.90	6.10	.13				
177	FAG A-068	48	2.90	4.70	.05				
178		16	.62	.80	.02				
179		11	.49	1.23	.02				
180		36	2.16	3.30	.01				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

119
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4343 10

Date August 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Gram samples

Kral No.	Marked	Ag. grams per tonne	Pb percent	Zn percent	Cu percent					
181	7716A	60	3.20	6.20	.03					
182	7717	9	.43	1.32	.01					
183	7718	27	1.34	2.80	.02					
184	7719	27	1.67	2.20	.02					
185	7720A	53	4.60	4.10	.02					
186	7721	31	2.90	2.30	.02					
187	7722	34	3.30	.92	.06					
188	7723	31	1.80	2.30	.04					
189	7724	51	3.30	5.90	.07					
190	7725A	10	.33	1.70	.03					
191	7726A	15	.39	.56	.11					
192	7727	43	2.30	3.50	.16					
193	7728	8	.50	.71	.02					
194	7729	62	.42	7.60	.05					
195	7730A	96	7.00	14.80	.02					
196	7731	57	3.40	7.70	.04					
197	7732	33	1.98	3.60	.02					
198	7733	39	1.96	3.90	.17					
199	7734	26	1.58	3.70	.05					
200	7735A	21	1.23	2.09	.06					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4343 11

Date August 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
201	7736A	32	1.96	3.80	.06					
202	7737	25	1.45	2.40	.04					
203	7738	21	1.48	3.00	.04					
204	7739	43	2.80	5.40	.03					
205	7740A	53	3.00	5.40	.06					
206	7741	25	1.43	4.00	.04					
207	7742	31	2.19	3.90	.05					
208	7743	21	1.25	4.10	.03					
209	7744	40	1.77	3.60	.02					
210	7745A	42	1.91	5.30	.03					
211	7746A	74	5.00	6.40	.06					
212	7747	53	4.00	2.16	.10					
213	7748	95	6.30	13.50	.02					
214	7749	75	4.60	10.60	.02					
215	7750A	22	1.00	3.50	.03					
216	7751	71	5.20	5.50	.06					
217	7752	14	.47	1.07	.18					
218	7753	30	1.93	2.17	.12					
219	7754	5	.04	.07	.01					
220	7755	39	2.70	2.90	.11					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4343 12

Date August 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
221	7756A	42	1.51	3.30	.22				
222	7757	31	1.23	3.40	.14				
223	7758	66	3.30	6.80	.08				
224	7759	90	5.00	8.50	.03				
225	7760A	62	4.20	5.00	.12				
226	7761	26	1.98	2.60	.08				
227	7762	25	1.12	1.55	.09				
228	7763	17	.93	1.39	.08				
229	7764	32	.30	.78	.24				
230	7765A	5	.04	.11	.01				
231	7766A	21	.55	.61	.24				
232	7767	50	4.10	5.40	.30				
233	7768	19	1.11	1.92	.10				
234	7769	48	4.70	4.20	.22				
235	7770A	7	.34	.42	.05				
236	7771	26	2.70	2.50	.15				
237	7772	85	5.50	7.40	.10				
238	7773	69	3.90	5.70	.13				
239	7774	94	5.00	7.10	.18				
240	FA17-068 7775A	34	2.20	2.60	.22				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

122
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4343 13

Date August 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples.

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
241	FAG A-053 7776A	99	6.00	11.40	.09					
242	7777	126	6.60	15.00	.06					
243	7778	60	3.50	6.90	.26					
244	7779	68	3.60	8.20	.09					
245	7780A	45	2.40	7.30	.05					
246	7781	146	7.90	17.80	.18					
247	7782	24	1.56	4.10	.02					
248	7783	28	2.03	3.30	.02					
249	7784	42	3.20	4.80	.05					
250	7785A	27	1.84	1.56	.09					
251	7786A	26	1.30	3.30	.02					
252	7787	17	.60	1.83	.08					
253	7788	15	.45	.91	.10					
254	7789	46	2.70	5.70	.06					
255	7790A	17	.46	.59	.09					
256	7791	72	4.00	5.80	.16					
257	7792	78	4.20	7.40	.10					
258	7793	37	2.80	2.00	.14					
259	7794	33	1.62	1.51	.26					
260	7795A	53	2.18	3.20	.21					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4364 3

Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
41	7804A	83	5.30	5.80	.08					
42	7805	41	2.70	2.80	.25					
43	7806	14	.69	1.17	.08					
44	7807	95	5.50	8.40	.16					
45	7808	117	7.00	8.40	.05					
46	FAU 0063 7809	211	12.90	12.10	.03					
47	FAU-043 7810A	177	9.90	17.60	.04					
48	7814A	58	4.50	4.70	.05					
49	7817A	174	10.40	19.10	.01					
50	7818A	178	9.50	17.40	.01					
51	7819A	202	12.60	32.40	.10					
52	7820A	144	8.40	14.60	.01					
53	7821	109	6.80	13.10	.01					
54	7822	136	7.50	14.20	.08					
55	FAU-043 7823	128	7.50	14.90	.07					
56	FAU-047 7824	119	7.30	8.70	.20					
57	7825	80	6.10	4.60	.07					
58	7826	31	2.80	1.71	.12					
59	7827	47	3.50	3.10	.07					
60	7828A	2	.21	.04	.05					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4364 4

Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
61	7829A	9	.64	.90	.03					
62	7830A	42	3.70	2.25	.08					
63	7831	62	3.60	6.10	.08					
64	7832	53	3.00	4.70	.02					
65	7833	132	7.40	13.50	.03					
66	7834	94	5.40	8.60	.08					
67	7835	176	8.00	24.00	.12					
68	7836	107	7.50	16.90	.02					
69	7837	207	11.60	26.90	.08					
70	7838A	94	5.10	9.20	.11					
71	7839A	81	4.10	9.00	.08					
72	7840A	83	4.70	8.60	.05					
73	7841	62	3.90	5.00	.10					
74	7842	88	5.20	8.30	.14					
75	7843	78	3.90	4.60	.14					
76	7844	92	5.40	8.30	.20					
77	7845	97	5.60	10.70	.16					
78	7846A	24	1.56	2.60	.09					
79	7869A	14	.48	1.54	.06					
80	7870A	18	.31	.81	.21					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4343 14

Date August 21, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
261	7796A	115	5.60	10.70	.15				
262	7797	66	4.20	7.40	.13				
263	7798	72	4.40	7.10	.13				
264	7799	85	4.60	7.60	.13				
265	7800A	108	7.10	12.40	.03				
266	7851A	21	.62	1.09	.09				
267	7852	22	1.03	2.29	.07				
268	7853	51	3.80	7.20	.12				
269	7854	51	2.80	5.30	.10				
270	7855A	54	2.80	4.50	.12				
271	7856A	132	7.40	17.10	.31				
272	7857	56	3.70	7.20	.13				
273	7858	69	4.60	6.70	.10				
274	7859	22	.44	.49	.24				
275	7860A	17	.14	.49	.30				
276	7861	24	.18	1.20	.28				
277	7862	38	.09	.64	.39				
278	7863	49	.72	1.14	.34				
279	7864	54	4.00	4.30	.22				
280	FIAC A-053 7865A	43	3.90	3.70	.21				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

102
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4364 5

Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
81	7871A	19	.33	1.19	.25				
82	7872	15	.27	1.04	.16				
83	7873	19	.29	.95	.27				
84	7874	18	.26	.86	.13				
85	7875	17	.21	.69	.17				
86	7876	63	3.40	4.60	.13				
87	7877	102	6.50	15.80	.21				
88	7878	122	7.50	14.40	.24				
89	7879	93	5.30	10.40	.19				
90	7880A	103	4.60	11.90	.14				
91	7881A	82	3.30	6.10	.27				
92	7882	88	4.70	9.70	.12				
93	7883	89	5.70	10.70	.13				
94	7884	5	.17	3.50	.02				
95	7885	91	3.90	8.20	.26				
96	7886	63	3.60	8.10	.07				
97	7887	87	4.90	10.10	.11				
98	7888	27	1.99	3.70	.30				
99	7889	36	.51	1.28	.39				
100	7890A	13	.12	.57	.40				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4364 6

Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum Core samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams per tonne	percent	percent	percent				
101		15	.16	.65	.48				
102	FAU-147	13	.36	.51	.34				
103	FAU-126	25	1.37	1.74	.04				
104		30	1.62	4.20	.06				
105		47	2.70	3.00	.11				
106		28	1.53	2.70	.07				
107		36	1.62	4.20	.09				
108		44	2.90	5.80	.07				
109		34	1.70	4.90	.06				
110		33	1.81	4.70	.02				
111	8001A	62	3.80	5.70	.05				
112	8002	104	8.40	4.80	.10				
113	8003	55	5.00	3.30	.08				
114	8004	40	3.60	3.20	.18				
115	8005	95	7.30	4.10	.16				
116	8006	83	5.60	8.40	.10				
117	8007	83	5.10	9.70	.06				
118	8008	80	4.90	10.20	.05				
119	8009	75	3.90	8.20	.05				
120	8010A	75	4.20	8.40	.05				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

330 - 355 Burrard Street

Vancouver, B.C. V6C 2G8

7900

Certificate No. K-4407

Date September 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
1	7901A	9	.07	.38	.07					
2	7902	44	2.60	5.10	.06					
3	7903	56	2.60	6.20	.04					
4	7904	115	5.10	12.00	.06					
5	7905	69	3.70	7.80	.09					
6	7906	33	2.30	6.50	.04					
7	7907	26	1.34	3.80	.01					
8	7908	72	4.30	8.20	.02					
9	7909	60	3.10	7.30	.06					
10	7910A	13	.37	2.40	.03					
11	7911A	77	4.80	10.10	.03					
12	7912	152	9.10	13.10	.06					
13	7913	83	5.30	13.10	.11					
14	7914	73	4.40	7.20	.12					
15	7915	18	.71	1.21	.07					
16	7916	8	.51	1.83	.03					
17	7917	11	.50	2.10	.03					
18	7918	18	1.25	2.80	.09					
19	7919	24	.89	1.47	.15					
20	7920A	157	7.20	14.80	.24					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

52
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4407 2


Date September 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
21	7921A	70	3.10	5.50	.28				
22	7922	104	4.70	9.00	.20				
23	7923	120	6.40	8.70	.16				
24	7924	86	4.90	9.60	.13				
25	7925	6	.13	.20	.04				
26	7926	180	10.20	18.90	.06				
27	7927	66	4.10	8.20	.26				
28	7928	124	5.70	11.50	.22				
29	7929	36	2.20	2.30	.10				
30	7930A	11	.13	.06	.10				
31	7931A	13	.65	1.13	.06				
32	7932	13	.69	.84	.09				
33	7933	9	.32	.58	.09				
34	7934	8	.15	.55	.13				
35	7935	40	2.90	1.66	.32				
36	7936	33	2.60	2.30	.18				
37	7937	28	2.20	1.04	.13				
38	7938	19	.82	1.38	.24				
39	7939	8	.15	.17	.20				
40	7940A	10	.19	.20	.21				

FAC V-048
FAC V-105

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.



Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

53
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4407 3

Date September 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Gram samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent					
41	7941A	11	.14	.36	.32					
42	7942	106	7.80	9.20	.14					
43	7943	81	6.30	4.80	.08					
44	7944	11	.31	.66	.27					
45	7945	10	.19	.27	.19					
46	7946	13	.30	.35	.17					
47	7947	7	.09	.43	.21					
48	7948	30	2.50	3.60	.12					
49	7949	17	.27	.55	.28					
50	FAGIA-105 7950A	17	.78	1.86	.21					
51	7970A	15	.41	.49	.09					
52	FAGIP-069 7971	33	2.40	2.60	.17					
53	7972	32	2.50	2.20	.14					
54	7973	34	1.81	2.60	.08					
55	FAGIV-046 7974	94	4.90	9.60	.11					
56	7975	35	2.01	2.70	.06					
57	7976	81	4.40	7.30	.10					
58	7977	9	.30	.85	.03					
59	7978	81	5.00	9.10	.05					
60	7979A	19	1.02	4.10	.04					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

69
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.
330 - 355 Burrard Street
Vancouver, B.C. V6C 2G8

Certificate No. K-4380

Date September 25, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag grams per tonne	Pb percent	Zn percent	Cu percent				
1	FA9 U-150 7847 A	73	5.50	8.17	.06				
2	7848	36	2.40	3.66	.04				
3	7849	24	1.57	.69	.05				
4	FA9 U-150 7850 A	30	1.41	.38	.06				
5	FA9 A-069 7951 A	52	2.90	5.00	.03				
6	7952	20	.69	2.20	.02				
7	7953	35	2.60	6.60	.02				
8	7954	21	1.32	2.70	.02				
9	7955	51	3.10	4.90	.11				
10	7956	64	3.70	5.20	.15				
11	7957 A	8	.42	1.75	.01				
12	7958	23	1.40	2.50	.08				
13	7959	17	.66	1.11	.07				
14	7960 A	91	5.10	10.40	.15				
15	7961	56	3.10	3.70	.31				
16	7962	95	5.40	7.50	.18				
17	7963	57	4.00	3.40	.18				
18	7964	117	7.70	8.40	.25				
19	7965	78	4.90	5.90	.26				
20	7966	72	3.60	4.10	.17				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4407 4


Date September 29, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams per tonne	percent	percent	percent					
61	7980A	98	6.10	10.60	.01					
62	7981	76	4.40	9.50	.03					
63	7982	15	.59	3.80	.02					
64	7983	3	.13	.21	.02					
65	7984	80	4.90	6.40	.05					
66	7985	10	.22	.29	.02					
67	7986	52	3.20	3.90	.08					
68	7987	73	4.30	3.80	.10					
69	7988	67	4.10	4.10	.15					
70	7989A	90	5.70	10.10	.09					
71	7990A	124	8.40	13.70	.04					
72	7991	117	7.10	11.90	.15					
73	7992	75	3.20	5.40	.17					
74	7993	77	4.80	9.20	.10					
75	7994	76	4.50	8.30	.08					
76	7995	71	4.20	8.30	.05					
77	7996	102	6.30	12.80	.11					
78	7997	45	3.50	4.10	.06					
79	7998	13	1.01	.20	.05					
80	7999A	17	1.27	1.53	.03					

NOTE:

Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia