


019019



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS


TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210142-001-A
INVOICE # : I8210142
DATE : 16-FEB-82
P.O. # : NONE
81-G

C.C. G. JILSEN; ALL SAMPLES ARE -35+60HN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0026	205	16	4	16	62	0.2	0.2
81G-0027	205	22	2	84	54	0.2	0.2
81G-0028	205	16	4	44	160	0.3	0.3
81G-0029 A+B	205	18	4	56	72	0.4	0.2
81G-0044 A	205	(N.S.S.)	(N.S.S.)	(N.S.S.)	(N.S.S.)	(N.S.S.)	(N.S.S.)
81G-0044 B	205	(48)	(4)	56	160	0.4	0.4
81G-0055 A	205	(540)	(2)	(110)	(445)	(7.6)	0.2
81G-0055 B	205	(480)	(2)	(84)	(345)	(8.2)	0.2
81G-0056 A	205	(280)	(2)	(700)	(224)	(5.8)	0.2
81G-0056 B	205	(310)	(4)	(740)	(220)	(3.4)	0.2
81G-0056 E	205	(N.S.S.)	(N.S.S.)	(N.S.S.)	(N.S.S.)	(N.S.S.)	(N.S.S.)
81G-0056 G	205	(132)	(4)	(720)	(252)	(1.0)	0.5
81G-0056 H	205	(230)	(2)	(680)	(216)	(2.8)	0.2
81G-0063 A	205	(N.S.S.)	(N.S.S.)	(N.S.S.)	(N.S.S.)	(N.S.S.)	(N.S.S.)
81G-0063 B	205	(250)	(2)	(540)	(644)	(5.6)	(0.2)
81G-0063 C	205	(295)	(3)	(2100)	(715)	(4.6)	(0.3)

Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8210142-001-B
INVOICE # : I8210142
DATE : 16-FEB-82
P.O. # : NONE
81-G

C.C. G. JILSEN; ALL SAMPLES ARE -35+60HN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	W ppm	Sn ppm	Sb ppm
81G-0026	205	2.50	820	10	700	16	0.8
81G-0027	205	1.60	400	6	250	8	0.8
81G-0028	205	3.20	760	18	N.S.S.	N.S.S.	N.S.S.
81G-0029 A+B	205	2.50	760	66	500	40	0.8
81G-0044 A	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0044 B	205	2.60	(720)	12	N.S.S.	N.S.S.	N.S.S.
81G-0055 A	205	5.60	(440)	(184)	(200)	(28)	(12.0)
81G-0055 B	205	6.60	(360)	(270)	(200)	(12)	(13.6)
81G-0056 A	205	2.10	(450)	(102)	(150)	(56)	(31.0)
81G-0056 B	205	2.00	(490)	(138)	(80)	(36)	(12.8)
81G-0056 E	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0056 G	205	3.30	(510)	(119)	N.S.S.	N.S.S.	N.S.S.
81G-0056 H	205	2.20	(490)	(106)	(50)	(16)	(11.2)
81G-0063 A	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	(N.S.S.)
81G-0063 B	205	5.40	(510)	(300)	(100)	(8)	(26.0)
81G-0063 C	205	3.70	(520)	(243)	N.S.S.	N.S.S.	(N.S.S.)



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8210142-001-C
INVOICE # : I8210142
DATE : 16-FEB-82
P.O. # : NONE
81-G

C.C. G. JILSEN; ALL SAMPLES ARE -35+60HN

Sample description	Prep code	Ba ppm	Au NAA ppb				
81G-0026	205	1800	<10	--	--	--	--
81G-0027	205	3100	<10	--	--	--	--
81G-0028	205	N.S.S.	20	--	--	--	--
81G-0029 A+B	205	2800	10	--	--	--	--
81G-0044 A	205	N.S.S.	<30	--	--	--	--
81G-0044 B	205	N.S.S.	(10)	--	--	--	--
81G-0055 A	205	(11.0 %)	(40)	--	--	--	--
81G-0055 B	205	(12.0 %)	(60)	--	--	--	--
81G-0056 A	205	(6.8 %)	<10	--	--	--	--
81G-0056 B	205	(6.0 %)	(100)	--	--	--	--
81G-0056 E	205	N.S.S.	<30	--	--	--	--
81G-0056 G	205	N.S.S.	20	--	--	--	--
81G-0056 H	205	(5.0 %)	<10	--	--	--	--
81G-0063 A	205	N.S.S.	(60)	--	--	--	--
81G-0063 B	205	(5.8 %)	(20)	--	--	--	--
81G-0063 C	205	N.S.S.	(30)	--	--	--	--



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210140-001-A
INVOICE # : I8210140
DATE : 11-FEB-82
P.O. # : NONE
81-G


C.C. G. JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0302 -60HP	205	45	3	22	210	0.2	0.2
81G-0303 -60HP	205	29	3	22	175	0.1	0.1
81G-0304 -60HP	205	41	5	27	190	0.1	1.4
81G-0305 -60HP	205	54	5	64	215	0.1	0.1
81G-0306 -60HP	205	68	6	42	280	0.2	0.2
81G-0307 -60HP	205	37	4	12	170	0.1	0.1
81G-0308 -60HP	205	28	3	23	140	0.1	0.1
81G-0309 -60HP	205	34	5	16	200	0.1	0.1
81G-0310 -60HP	205	36	4	19	200	0.1	0.5
81G-0311 -60HP	205	23	3	21	115	0.1	0.1
81G-0312 -60HP	205	33	4	20	130	0.1	0.2
81G-0313 -60HP	205	50	10	55	1850	0.5	0.5
81G-0314 -60HP	205	34	3	19	145	0.1	0.2
81G-0315 -60HP	205	20	4	9	240	0.2	0.1
81G-0316 -60HP	205	21	3	10	82	0.1	0.1
81G-0317 -60HP	205	22	4	13	110	0.1	0.1
81G-0319 -60HP	205	22	3	5	95	0.1	0.1
81G-0320 -60HP	205	22	3	10	110	0.1	0.1
81G-0321 -60HP	205	40	3	13	155	0.1	0.1
81G-0323 -60HP	205	19	3	7	88	0.1	0.1
81G-0324 -60HP	205	41	3	13	170	0.1	0.1
81G-0326 -60HP	205	37	4	13	140	0.1	0.1
81G-0327 -60HP	205	40	3	10	120	0.1	0.1
81G-0335 -60HP	205	21	6	11	110	0.1	0.1
81G-0336 -60HP	205	115	4	63	460	1.1	1.9
81G-0338 -60HP	205	60	3	28	120	0.2	0.1
81G-0341 -60HP	205	20	2	9	90	0.1	0.1
81G-0342 -60HP	205	23	2	14	120	0.1	0.1
81G-0343 -60HP	205	74	2	24	115	0.1	0.1
81G-0347 -60HP	205	44	3	16	130	0.3	0.3
81G-0351 -60HP	205	17	2	5	70	0.1	0.1
81G-0352 -60HP	205	32	3	12	100	0.2	0.1
81G-0353 -60HP	205	45	2	36	135	0.1	0.2
81G-0354 -60HP	205	23	3	14	95	2.7	0.1
81G-0357 -60HP	205	19	2	13	80	0.1	0.1
81G-0358 -60HP	205	15	1	5	65	0.1	0.1
81G-0359 -60HP	205	34	2	23	90	0.1	0.4
81G-0360 -60HP	205	37	3	60	125	0.2	0.1
81G-0361 -60HP	205	40	4	90	140	0.2	0.2
81G-0362 -60HP	205	88	8	300	260	0.4	0.2



*complete set
299 samples*

Certified by *Hart Buchler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210140-001-B
INVOICE # : 18210140
DATE : 11-FEB-82
P.O. # : NONE
81-G

C.C. G. JILSEN


Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81G-0302 -60HP	205	9.00	3170	27	4.2	--	--
81G-0303 -60HP	205	8.10	3120	29	3.2	--	--
81G-0304 -60HP	205	8.00	2480	22	3.4	--	--
81G-0305 -60HP	205	8.70	4600	24	6.2	--	--
81G-0306 -60HP	205	9.80	3460	44	8.0	--	--
81G-0307 -60HP	205	8.10	2550	32	3.6	--	--
81G-0308 -60HP	205	6.55	1920	14	2.4	--	--
81G-0309 -60HP	205	7.20	2600	22	3.2	--	--
81G-0310 -60HP	205	6.25	2180	19	3.8	--	--
81G-0311 -60HP	205	9.35	4000	6	1.2	--	--
81G-0312 -60HP	205	9.20	3400	12	1.8	--	--
81G-0313 -60HP	205	13.00	4000	25	N.S.S.	--	--
81G-0314 -60HP	205	9.10	4020	27	1.4	--	--
81G-0315 -60HP	205	12.30	6000	6	1.2	--	--
81G-0316 -60HP	205	8.25	4250	10	0.4	--	--
81G-0317 -60HP	205	13.60	5700	7	0.6	--	--
81G-0319 -60HP	205	4.35	1400	6	1.0	--	--
81G-0320 -60HP	205	7.25	2900	9	1.2	--	--
81G-0321 -60HP	205	9.95	3270	24	2.6	--	--
81G-0323 -60HP	205	6.48	3000	10	0.8	--	--
81G-0324 -60HP	205	9.70	3680	27	2.6	--	--
81G-0326 -60HP	205	12.50	4700	38	2.0	--	--
81G-0327 -60HP	205	12.20	3780	10	1.2	--	--
81G-0335 -60HP	205	10.20	2700	16	0.8	--	--
81G-0336 -60HP	205	25.80	1520	480	23.0	--	--
81G-0338 -60HP	205	15.30	2700	75	1.2	--	--
81G-0341 -60HP	205	10.70	4100	38	0.2	--	--
81G-0342 -60HP	205	11.50	3930	20	0.1	--	--
81G-0343 -60HP	205	14.50	3700	23	1.2	--	--
81G-0347 -60HP	205	8.80	3540	95	0.6	--	--
81G-0351 -60HP	205	9.20	2910	29	0.1	--	--
81G-0352 -60HP	205	9.50	4200	94	0.2	--	--
81G-0353 -60HP	205	11.20	3100	160	1.0	--	--
81G-0354 -60HP	205	11.30	3600	99	0.2	--	--
81G-0357 -60HP	205	8.90	5400	22	0.2	--	--
81G-0358 -60HP	205	9.00	3880	7	0.1	--	--
81G-0359 -60HP	205	7.30	>10000	35	0.6	--	--
81G-0360 -60HP	205	6.40	3880	190	0.8	--	--
81G-0361 -60HP	205	7.00	3200	250	2.0	--	--
81G-0362 -60HP	205	14.80	4500	480	3.2	--	--

Hart Buchler

Certified by



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221

TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210140-002-A
INVOICE # : I8210140
DATE : 11-FEB-82
P.O. # : NONE
81-G

C.C. G. JILSEN


Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0363 -60HP	205	30	11	56	88	0.2	0.2
81G-0364 -60HP	205	96	8	166	200	1.0	0.8
81G-0365 -60HP	205	30	4	36	100	0.1	0.2
81G-0366 -60HP	205	27	2	30	75	0.1	0.3
81G-0367 -60HP	205	38	2	23	64	0.1	0.1
81G-0368 -60HP	205	22	2	14	50	0.1	0.1
81G-0369 -60HP	205	15	2	9	76	0.1	0.1
81G-0370 -60HP	205	47	3	16	77	0.1	0.1
81G-0371 -60HP	205	48	2	20	64	0.1	0.3
81G-0372 -60HP	205	30	4	20	51	0.1	0.1
81G-0373 -60HP	205	40	3	12	86	0.1	0.1
81G-0374 -60HP	205	27	2	4	73	0.1	0.1
81G-0375 -60HP	205	46	4	6	60	0.1	0.1
81G-0376 -60HP	205	25	4	3	58	0.1	0.1
81G-0377 -60HP	205	19	3	3	54	0.1	0.1
81G-0378 -60HP	205	70	4	18	96	0.1	0.6
81G-0379 -60HP	205	300	7	30	630	1.2	2.6
81G-0380 -60HP	205	35	2	6	82	0.1	0.3
81G-0381 -60HP	205	30	3	15	105	0.1	0.6
81G-0382 -60HP	205	47	4	24	92	0.1	0.5
81G-0383 -60HP	205	27	2	9	108	0.1	0.2
81G-0384 -60HP	205	15	3	4	98	0.1	1.3
81G-0385 -60HP	205	38	4	34	76	0.1	0.3
81G-0386 -60HP	205	35	3	24	99	0.1	0.2
81G-0387 -60HP	205	42	3	50	100	0.1	0.1
81G-0388 -60HP	205	23	3	8	80	0.1	0.4
81G-0389 -60HP	205	28	3	9	90	0.1	0.4
81G-0390 -60HP	205	17	2	2	98	0.1	0.4
81G-0391 -60HP	205	62	5	60	97	0.1	0.2
81G-0392 -60HP	205	37	4	32	350	0.1	0.3
81G-0393 -60HP	205	57	5	43	245	0.1	0.6
81G-0394 -60HP	205	27	3	14	160	0.1	0.1
81G-0395 -60HP	205	23	2	11	155	0.1	0.2
81G-0396 -60HP	205	38	4	30	210	0.1	0.5
81G-0397 -60HP	205	28	2	21	200	0.1	0.1
81G-0398 -60HP	205	70	3	24	400	0.1	0.5
81G-0399 -60HP	205	68	2	21	250	0.1	0.1
81G-0400 -60HP	205	26	2	15	320	0.1	0.1
81G-0401 -60HP	205	60	26	24	550	0.2	0.4
81G-0402 -60HP	205	21	3	16	550	0.1	0.1

Hart Buchler

Certified by



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221

TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8210140-002-B
INVOICE # : I8210140
DATE : 11-FEB-82
P.O. # : NONE
81-G

C.C. G. JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81G-0363 -60HP	205	5.40	2450	100	N.S.S.	--	--
81G-0364 -60HP	205	12.00	4900	200	0.9	--	--
81G-0365 -60HP	205	9.95	4000	45	0.1	--	--
81G-0366 -60HP	205	8.00	7400	10	0.2	--	--
81G-0367 -60HP	205	5.45	3000	29	0.2	--	--
81G-0368 -60HP	205	8.80	7200	11	0.1	--	--
81G-0369 -60HP	205	8.80	5050	10	0.1	--	--
81G-0370 -60HP	205	9.75	4000	30	0.1	--	--
81G-0371 -60HP	205	6.40	7400	15	0.2	--	--
81G-0372 -60HP	205	8.10	3300	6	0.1	--	--
81G-0373 -60HP	205	9.00	5270	7	0.1	--	--
81G-0374 -60HP	205	8.90	2250	3	0.1	--	--
81G-0375 -60HP	205	7.85	4450	5	0.1	--	--
81G-0376 -60HP	205	8.85	4230	5	0.1	--	--
81G-0377 -60HP	205	8.00	4230	2	0.1	--	--
81G-0378 -60HP	205	8.40	4100	3	0.1	--	--
81G-0379 -60HP	205	15.00	1720	2	0.2	--	--
81G-0380 -60HP	205	9.10	3080	1	0.2	--	--
81G-0381 -60HP	205	9.20	7600	3	0.2	--	--
81G-0382 -60HP	205	10.80	7800	19	0.8	--	--
81G-0383 -60HP	205	7.70	3800	3	0.1	--	--
81G-0384 -60HP	205	10.20	9880	2	0.2	--	--
81G-0385 -60HP	205	7.20	490	1	1.2	--	--
81G-0386 -60HP	205	8.10	6400	6	0.6	--	--
81G-0387 -60HP	205	7.15	4400	15	0.4	--	--
81G-0388 -60HP	205	6.00	9450	3	0.1	--	--
81G-0389 -60HP	205	7.10	8200	2	0.1	--	--
81G-0390 -60HP	205	6.05	7100	1	0.1	--	--
81G-0391 -60HP	205	10.20	7850	45	2.8	--	--
81G-0392 -60HP	205	8.60	5050	16	6.4	--	--
81G-0393 -60HP	205	10.80	5120	24	9.0	--	--
81G-0394 -60HP	205	7.15	1900	1	2.8	--	--
81G-0395 -60HP	205	7.50	3300	4	2.6	--	--
81G-0396 -60HP	205	6.70	2680	17	3.2	--	--
81G-0397 -60HP	205	9.95	3700	7	3.0	--	--
81G-0398 -60HP	205	9.95	5050	24	6.0	--	--
81G-0399 -60HP	205	8.00	1300	22	5.6	--	--
81G-0400 -60HP	205	5.70	1660	11	2.8	--	--
81G-0401 -60HP	205	12.00	2700	50	10.5	--	--
81G-0402 -60HP	205	6.40	1480	9	2.4	--	--



Certified by *Hart Buchler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221

TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210140-003-A
INVOICE # : I8210140
DATE : 11-FEB-82
P.O. # : NONE
81-G

C.C. G. JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0403 -60HP	205	60	10	38	390	0.2	0.2
81G-0404 -60HP	205	72	4	8	300	0.3	0.3
81G-0405 -60HP	205	55	4	13	185	0.1	0.1
81G-0407 -60HP	205	28	5	10	670	0.1	0.1
81G-0408 -60HP	205	23	2	8	135	0.1	0.1
81G-0409 -60HP	205	55	1	27	250	0.1	0.3
81G-0410 -60HP	205	32	4	30	375	0.1	1.9
81G-0411 -60HP	205	30	3	40	110	0.1	0.3
81G-0412 -60HP	205	29	2	33	90	0.1	0.1
81G-0413 -60HP	205	50	2	13	120	0.8	0.5
81G-0414 -60HP	205	36	3	21	97	0.1	0.2
81G-0416 -60HP	205	40	3	30	85	0.1	0.3
81G-0418 -60HP	205	75	2	12	160	0.1	0.7
81G-0419 -60HP	205	35	1	14	110	0.1	0.7
81G-0420 -60HP	205	85	4	53	160	0.1	0.9
81G-0421 -60HP	205	42	4	24	135	0.1	0.2
81G-0422 -60HP	205	45	3	28	82	0.1	1.0
81G-0423 -60HP	205	27	3	30	78	0.1	0.4
81G-0426 -60HP	205	29	3	14	110	0.1	0.7
81G-0427 -60HP	205	21	2	11	65	0.1	0.5
81G-0429 -60HP	205	23	3	16	100	0.1	0.7
81G-0430 -60HP	205	27	3	9	70	0.1	1.0
81G-0431 -60HP	205	12	1	17	65	0.1	0.1
81G-0433 -60HP	205	16	2	6	85	0.1	0.1
81G-0436 -60HP	205	10	2	4	63	0.1	0.1
81G-0437 -60HP	205	16	3	9	68	0.1	0.1
81G-0438 -60HP	205	18	4	11	78	0.1	0.1
81G-0439 -60HP	205	82	8	105	280	0.1	0.7
81G-0440 -60HP	205	100	8	116	260	0.2	0.2
81G-0441 -60HP	205	53	3	38	155	0.1	0.1
81G-0442 -60HP	205	22	3	14	110	0.1	0.2
81G-0448 -60HP	205	250	4	5	80	1.0	0.2
81G-0451 -60HP	205	95	4	42	230	1.6	2.0
81G-0452 -60HP	205	65	3	38	130	0.2	1.4
81G-0453 -60HP	205	40	2	125	135	0.2	1.4
81G-0454 -60HP	205	45	3	40	95	0.2	1.0
81G-0455 -60HP	205	20	2	19	88	0.1	0.4
81G-0456 -60HP	205	11	3	9	100	0.1	0.1
81G-0460 -60HP	205	70	4	68	510	0.1	0.1
81G-0461 -60HP	205	63	2	58	230	0.1	0.1


dur

Haut Buchler

Certified by



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8210140-003-B
INVOICE # : I8210140
DATE : 11-FEB-82
P.O. # : NONE
81-G

C.C. G. JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81G-0403 -60HP	205	10.00	2200	28	5.2	--	--
81G-0404 -60HP	205	9.00	9600	17	N.S.S.	--	--
81G-0405 -60HP	205	15.80	5980	16	2.6	--	--
81G-0407 -60HP	205	6.70	2660	11	3.4	--	--
81G-0408 -60HP	205	7.20	3550	11	1.2	--	--
81G-0409 -60HP	205	16.20	4480	22	4.8	--	--
81G-0410 -60HP	205	7.90	3380	16	3.2	--	--
81G-0411 -60HP	205	8.10	7850	3	0.2	--	--
81G-0412 -60HP	205	6.40	2800	1	1.0	--	--
81G-0413 -60HP	205	7.45	>10000	4	0.4	--	--
81G-0414 -60HP	205	9.30	7850	12	1.0	--	--
81G-0416 -60HP	205	10.00	9100	12	1.2	--	--
81G-0418 -60HP	205	10.00	6000	10	1.0	--	--
81G-0419 -60HP	205	7.90	5380	2	0.2	--	--
81G-0420 -60HP	205	12.50	6560	14	0.8	--	--
81G-0421 -60HP	205	9.65	3780	5	0.4	--	--
81G-0422 -60HP	205	9.90	7800	7	0.6	--	--
81G-0423 -60HP	205	8.70	6600	5	0.6	--	--
81G-0426 -60HP	205	9.70	7550	2	0.4	--	--
81G-0427 -60HP	205	9.40	6200	2	0.4	--	--
81G-0429 -60HP	205	10.00	4850	9	1.2	--	--
81G-0430 -60HP	205	7.30	4200	2	0.4	--	--
81G-0431 -60HP	205	6.40	4570	5	0.8	--	--
81G-0433 -60HP	205	9.60	3720	3	0.4	--	--
81G-0436 -60HP	205	10.50	3320	1	0.2	--	--
81G-0437 -60HP	205	9.95	3220	7	0.4	--	--
81G-0438 -60HP	205	13.00	2730	2	0.4	--	--
81G-0439 -60HP	205	17.80	2800	65	2.4	--	--
81G-0440 -60HP	205	13.00	2780	46	1.6	--	--
81G-0441 -60HP	205	12.80	3800	19	1.4	--	--
81G-0442 -60HP	205	12.00	3200	6	0.2	--	--
81G-0448 -60HP	205	7.80	2090	4	0.4	--	--
81G-0451 -60HP	205	11.30	8000	10	0.8	--	--
81G-0452 -60HP	205	9.80	>10000	11	0.8	--	--
81G-0453 -60HP	205	6.60	7150	2	1.0	--	--
81G-0454 -60HP	205	7.00	8280	3	0.8	--	--
81G-0455 -60HP	205	8.10	5880	3	0.6	--	--
81G-0456 -60HP	205	11.00	3250	3	0.4	--	--
DWT 81G-0460 -60HP	205	10.20	2080	63	5.0	--	--
81G-0461 -60HP	205	10.70	2400	24	4.6	--	--



Certified by *Hart Buchler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210140-004-A
INVOICE # : I8210140
DATE : 11-FEB-82
P.O. # : NONE
81-G

C.C. G. JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0462 -60HP	205	100	33	140	445	0.1	0.6
81G-0466 -60HP	205	25	3	5	650	0.1	0.1
81G-0472 -60HP	205	23	2	14	360	0.1	0.2
81G-0474 -60HP	205	200	4	43	250	0.1	0.7
81G-0479 -60HP	205	20	2	11	100	0.1	0.1
81G-0481 -60HP	205	210	11	155	110	1.2	0.7
81G-0482 -60HP	205	25	3	14	330	0.1	0.1
81G-0484 -60HP	205	79	4	18	270	0.1	0.1
81G-0485 -60HP	205	106	8	70	350	0.2	0.2
81G-0486 -60HP	205	32	44	20	170	0.2	0.2
81G-0487 -60HP	205	23	6	19	165	0.1	0.1
81G-0488 -60HP	205	140	7	36	750	0.1	1.2
81G-0490 -60HP	205	72	3	17	560	0.1	0.6
81G-0491 -60HP	205	30	4	11	230	0.1	0.1
81G-0493 -60HP	205	22	8	1160	520	0.2	0.2
81G-0494 -60HP	205	33	3	10	590	0.1	0.1
81G-0495 -60HP	205	25	3	13	120	0.1	0.1
81G-0499 -60HP	205	34	3	25	240	0.1	0.1
81G-0500 -60HP	205	77	3	11	470	0.4	0.2
81G-0503 -60HP	205	54	3	19	320	0.1	0.3
81G-0504 -60HP	205	20	2	27	170	0.1	0.2
81G-0505 -60HP	205	12	2	19	265	0.1	0.1
81G-0507 -60HP	205	14	2	40	620	0.1	0.1
81G-0508 -60HP	205	20	3	45	440	0.1	0.1
81G-0511 -60HP	205	20	2	20	700	0.1	0.1
81G-0517 -60HP	205	14	1	43	115	0.1	0.2
81G-0518 -60HP	205	135	10	250	310	1.0	2.4
81G-0528 -60HP	205	290	6	110	720	0.2	2.4
81G-0529 -60HP	205	24	2	28	130	0.2	0.6
81G-0536 -60HP	205	13	4	23	120	0.1	0.1
81G-0553 -60HP	205	50	5	29	250	0.1	0.5
81G-0573 -60HP	205	28	2	12	125	0.1	0.1
81G-0574 -60HP	205	28	2	12	175	0.1	0.1
81G-0577 -60HP	205	200	22	205	1300	1.3	3.0
81G-0584 -60HP	205	20	2	10	100	0.1	0.1
81G-0586 -60HP	205	39	4	23	390	0.1	0.2
81G-0587 -60HP	205	45	3	21	290	0.1	0.6
81G-0592 -60HP	205	40	3	15	610	0.1	0.2
81G-0593 -60HP	205	34	4	12	740	0.1	0.2
81G-0594 -60HP	205	16	6	11	670	0.1	0.1

Plotted Frances Lk.

Plotted D.W.T.


↑

Plotted Watson.

400?



Certified by *Hart Buchler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221

TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210140-004-B
INVOICE # : I8210140
DATE : 11-FEB-82
P.O. # : NONE
81-G

C.C. G. JILSEN


Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81G-0462 -60HP	205	11.50	3470	45	7.0	--	--
81G-0466 -60HP	205	6.40	2050	6	2.0	--	--
81G-0472 -60HP	205	5.80	3380	3	1.4	--	--
81G-0474 -60HP	205	13.50	2440	81	5.2	--	--
81G-0479 -60HP	205	6.05	5530	7	0.6	--	--
81G-0481 -60HP	205	19.50	2000	190	14.4	--	--
81G-0482 -60HP	205	6.10	2500	9	1.8	--	--
81G-0484 -60HP	205	6.90	2550	15	4.0	--	--
81G-0485 -60HP	205	10.10	3400	30	7.6	--	--
81G-0486 -60HP	205	5.30	1620	8	2.4	--	--
81G-0487 -60HP	205	5.20	2500	16	2.4	--	--
81G-0488 -60HP	205	12.80	2000	39	19.6	--	--
81G-0490 -60HP	205	9.80	5100	7	3.6	--	--
81G-0491 -60HP	205	6.70	2320	7	2.0	--	--
81G-0493 -60HP	205	7.40	2850	8	3.2	--	--
81G-0494 -60HP	205	7.80	2720	4	2.0	--	--
81G-0495 -60HP	205	4.35	1520	5	1.0	--	--
81G-0499 -60HP	205	9.60	4500	27	4.0	--	--
81G-0500 -60HP	205	10.80	7900	22	3.2	--	--
81G-0503 -60HP	205	9.10	5350	24	3.2	--	--
81G-0504 -60HP	205	7.30	5500	7	2.2	--	--
81G-0505 -60HP	205	7.90	8300	4	2.6	--	--
81G-0507 -60HP	205	4.85	2680	14	1.6	--	--
81G-0508 -60HP	205	5.30	2800	11	1.8	--	--
81G-0511 -60HP	205	5.90	2980	7	2.0	--	--
81G-0517 -60HP	205	5.30	4050	11	2.0	--	--
81G-0518 -60HP	205	20.00	4050	220	20.0	--	--
81G-0528 -60HP	205	10.50	4200	55	12.0	--	--
81G-0529 -60HP	205	5.20	1710	18	2.0	--	--
81G-0536 -60HP	205	4.80	2010	6	1.2	--	--
81G-0553 -60HP	205	13.00	3050	46	8.8	--	--
81G-0573 -60HP	205	15.30	5300	15	3.4	--	--
81G-0574 -60HP	205	8.90	2350	13	2.6	--	--
81G-0577 -60HP	205	23.80	1760	180	38.0	--	--
81G-0584 -60HP	205	9.60	4260	11	1.2	--	--
81G-0586 -60HP	205	10.00	3350	30	5.6	--	--
81G-0587 -60HP	205	11.70	5890	22	6.2	--	--
81G-0592 -60HP	205	10.00	2900	19	7.0	--	--
81G-0593 -60HP	205	9.75	2350	20	7.0	--	--
81G-0594 -60HP	205	8.20	2780	5	1.8	--	--

Plotted
Franceshki
D.W.T.

Hart Buchler

Certified by





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210140-005-A
INVOICE # : I8210140
DATE : 11-FEB-82
P.O. # : NONE
81-G


C.C. G. JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0595 -60HP	205	30	5	16	160	0.1	0.2
81G-0596 -60HP	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0597 -60HP	205	155	2	45	430	0.1	0.9
81G-0598 -60HP	205	40	1	14	240	0.1	0.1
81G-0599 -60HP	205	140	10	56	760	0.2	1.8
81G-0602 -60HP	205	70	20	40	400	0.4	0.3
81G-0609 -60HP	205	50	4	4	200	0.1	0.3
81G-0610 -60HP	205	26	2	12	245	0.1	0.1
81G-0612 -60HP	205	28	3	8	315	0.1	0.1
81G-0613 -60HP	205	20	1	18	360	0.1	0.1
81G-0615 -60HP	205	25	1	8	310	0.1	0.1
81G-0617 -60HP	205	56	41	33	6800	0.1	8.3
81G-0618 -60HP	205	120	15	120	1260	0.2	3.3
81G-0619 -60HP	205	140	22	80	1240	0.2	3.8
81G-0620 -60HP	205	MISSING	MISSING	MISSING	MISSING	MISSING	MISSING
81G-0621 -60HP	205	26	1	6	280	0.1	0.1
81G-0622 -60HP	205	21	1	9	330	0.1	0.1
81G-0623 -60HP	205	37	2	10	450	0.1	0.1
81G-0624 -60HP	205	40	1	9	305	0.1	0.1
81G-0625 -60HP	205	130	2	9	140	0.1	0.1
81G-0626 -60HP	205	20	3	8	420	0.1	0.1
81G-0627 -60HP	205	110	7	34	460	0.1	1.0
81G-0628 -60HP	205	160	5	22	430	0.1	0.1
81G-0629 -60HP	205	24	22	54	190	0.2	0.2
81G-0630 -60HP	205	50	5	25	245	0.1	0.4
81G-0631 -60HP	205	50	5	20	460	0.1	0.7
81G-0632 -60HP	205	42	6	160	500	0.2	0.2
81G-0633 -60HP	205	240	10	100	880	0.8	2.8
81G-0634 -60HP	205	250	12	240	700	0.9	3.6
81G-0635 -60HP	205	92	17	20	445	0.1	0.8
81G-0636 -60HP	205	10	2	6	520	0.2	0.2
81G-0637 -60HP	205	85	11	32	870	0.1	3.3
81G-0638 -60HP	205	10	1	5	100	0.1	0.1
81G-0639 -60HP	205	50	2	28	310	0.2	0.2
81G-0640 -60HP	205	100	4	40	460	0.2	1.4
81G-0642 -60HP	205	88	6	36	490	0.2	2.4
81G-0643 -60HP	205	85	10	15	515	0.1	2.0
81G-0644 -60HP	205	40	3	18	300	0.1	0.7
81G-0645 -60HP	205	38	3	23	250	0.1	0.5
81G-0646 -60HP	205	108	20	30	620	0.2	1.6

Certified by *Hart Buchler*



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210140-005-B
INVOICE # : I8210140
DATE : 11-FEB-82
P.O. # : NONE
81-G


C.C. G. JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81G-0595 -60HP	205	10.00	3980	12	3.0	--	--
81G-0596 -60HP	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	--	--
81G-0597 -60HP	205	13.40	2630	94	20.0	--	--
81G-0598 -60HP	205	10.50	1970	20	3.6	--	--
81G-0599 -60HP	205	16.60	1700	162	34.0	--	--
81G-0602 -60HP	205	12.20	3000	10	N.S.S.	--	--
81G-0609 -60HP	205	7.85	2150	20	1.0	--	--
81G-0610 -60HP	205	7.85	2000	5	3.0	--	--
81G-0612 -60HP	205	8.70	2350	3	2.0	--	--
81G-0613 -60HP	205	9.65	2470	6	2.2	--	--
81G-0615 -60HP	205	8.80	2280	4	1.8	--	--
81G-0617 -60HP	205	35.80	1880	120	15.0	--	--
81G-0618 -60HP	205	13.00	3600	80	N.S.S.	--	--
81G-0619 -60HP	205	15.70	5700	86	30.0	--	--
81G-0620 -60HP	205	MISSING	MISSING	MISSING	MISSING	--	--
81G-0621 -60HP	205	7.30	1560	2	1.2	--	--
81G-0622 -60HP	205	7.65	1700	2	1.6	--	--
81G-0623 -60HP	205	8.50	1710	7	2.4	--	--
81G-0624 -60HP	205	9.00	1840	4	2.6	--	--
81G-0625 -60HP	205	9.30	1700	4	2.0	--	--
81G-0626 -60HP	205	12.00	3250	27	2.8	--	--
81G-0627 -60HP	205	16.00	3230	90	12.4	--	--
81G-0628 -60HP	205	17.00	3930	90	14.0	--	--
81G-0629 -60HP	205	8.50	4700	10	4.0	--	--
81G-0630 -60HP	205	9.20	3550	24	6.4	--	--
81G-0631 -60HP	205	9.50	3880	24	6.8	--	--
81G-0632 -60HP	205	9.40	5100	22	8.2	--	--
81G-0633 -60HP	205	18.90	4300	78	26.0	--	--
81G-0634 -60HP	205	19.80	6500	117	N.S.S.	--	--
81G-0635 -60HP	205	10.60	>10000	45	13.4	--	--
81G-0636 -60HP	205	8.40	4080	4	2.8	--	--
81G-0637 -60HP	205	15.20	4170	73	14.4	--	--
81G-0638 -60HP	205	5.50	2950	4	0.8	--	--
81G-0639 -60HP	205	12.20	3180	10	4.8	--	--
81G-0640 -60HP	205	17.00	3800	30	4.4	--	--
81G-0642 -60HP	205	14.20	5040	44	13.2	--	--
81G-0643 -60HP	205	19.00	5150	83	16.0	--	--
81G-0644 -60HP	205	8.60	4080	24	5.2	--	--
81G-0645 -60HP	205	9.40	3430	25	7.0	--	--
81G-0646 -60HP	205	17.40	8300	72	14.0	--	--

Hart Buchler

Certified by





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210140-006-A
INVOICE # : I8210140
DATE : 11-FEB-82
P.O. # : NONE
81-G

C.C. G. JILSEN


Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0647 -60HP	205	56	2	10	200	0.2	10.0
81G-0648 -60HP	205	110	10	40	420	0.2	1.8
81G-0649 -60HP	205	130	14	52	680	0.2	2.8
81G-0650 -60HP	205	120	6	38	380	0.2	1.8
81G-0651 -60HP	205	58	22	24	340	0.2	1.2
81G-0652 -60HP	205	54	6	42	300	0.2	1.2
81G-0653 -60HP	205	31	3	19	210	0.2	0.6
81G-0654 -60HP	205	70	4	30	330	0.2	0.6
81G-0656 -60HP	205	33	38	44	780	0.1	0.3
81G-0657 -60HP	205	22	2	14	280	0.1	0.6
81G-0658 -60HP	205	45	2	34	240	0.1	1.1
81G-0659 -60HP	205	60	8	39	540	0.1	1.9
81G-0660 -60HP	205	31	2	20	235	0.1	0.2
81G-0661 -60HP	205	40	2	23	165	0.1	0.4
81G-0662 -60HP	205	33	5	22	250	0.1	0.3
81G-0663 -60HP	205	37	8	27	530	0.1	0.3
81G-0664 -60HP	205	51	2	40	250	0.1	0.6
81G-0665 -60HP	205	17	1	15	110	0.1	0.2
81G-0666 -60HP	205	8	1	16	100	0.1	0.6
81G-0667 -60HP	205	9	1	9	84	0.1	0.2
81G-0668 -60HP	205	8	1	8	79	0.1	0.2
81G-0669 -60HP	205	9	1	8	72	0.1	0.2
81G-0670 -60HP	205	20	1	50	160	0.2	0.5
81G-0673 -60HP	205	9	1	23	130	0.1	0.3
81G-0674 -60HP	205	24	30	16	140	0.2	0.6
81G-0676 -60HP	205	27	1	15	100	0.1	0.6
81G-0677 -60HP	205	12	2	12	78	0.1	0.2
81G-0678 -60HP	205	15	1	13	105	0.1	0.2
81G-0679 -60HP	205	22	46	10	144	0.2	0.2
81G-0680 -60HP	205	35	3	35	160	0.1	0.6
81G-0681 -60HP	205	48	2	44	180	0.1	0.4
81G-0682 -60HP	205	90	6	44	290	0.1	0.7
81G-0683 -60HP	205	47	4	24	185	0.1	0.3
81G-0684 -60HP	205	12	3	22	100	0.1	0.2
81G-0685 -60HP	205	45	2	24	115	0.1	0.2
81G-0686 -60HP	205	145	3	95	360	0.1	0.3
81G-0687 -60HP	205	12	8	24	150	0.1	0.1
81G-0688 -60HP	205	29	3	27	165	0.1	0.4
81G-0689 -60HP	205	22	4	260	144	0.2	0.2
81G-0690 -60HP	205	14	4	14	295	0.1	0.2

Watson.

Hart Buchler

Certified by





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221

TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : AB210140-006-B
INVOICE # : I8210140
DATE : 11-FEB-82
P.O. # : NONE
81-G

C.C. G. JILSEN


Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81G-0647 -60HP	205	9.00	>10000	2	N.S.S.	--	--
81G-0648 -60HP	205	13.30	4960	58	15.0	--	--
81G-0649 -60HP	205	18.60	4960	96	22.0	--	--
81G-0650 -60HP	205	9.80	4200	30	8.6	--	--
81G-0651 -60HP	205	13.40	6300	38	N.S.S.	--	--
81G-0652 -60HP	205	12.00	3560	60	11.6	--	--
81G-0653 -60HP	205	8.85	3250	25	6.6	--	--
81G-0654 -60HP	205	10.40	5440	20	6.0	--	--
81G-0656 -60HP	205	9.90	2460	12	5.4	--	--
81G-0657 -60HP	205	8.40	4330	6	3.8	--	--
81G-0658 -60HP	205	8.55	2280	16	7.2	--	--
81G-0659 -60HP	205	9.55	2120	53	13.2	--	--
81G-0660 -60HP	205	10.50	3400	5	4.2	--	--
81G-0661 -60HP	205	7.20	3750	24	3.8	--	--
81G-0662 -60HP	205	10.00	6480	17	3.4	--	--
81G-0663 -60HP	205	9.50	4870	24	3.6	--	--
81G-0664 -60HP	205	11.30	6920	19	4.0	--	--
81G-0665 -60HP	205	7.45	3000	9	1.6	--	--
81G-0666 -60HP	205	5.65	2730	2	1.0	--	--
81G-0667 -60HP	205	6.60	3150	3	0.8	--	--
81G-0668 -60HP	205	6.45	3800	2	0.8	--	--
81G-0669 -60HP	205	5.90	3250	2	0.8	--	--
81G-0670 -60HP	205	8.80	5100	3	1.6	--	--
81G-0673 -60HP	205	3.70	3000	4	1.2	--	--
81G-0674 -60HP	205	5.00	2200	34	2.2	--	--
81G-0676 -60HP	205	8.50	2550	4	6.6	--	--
81G-0677 -60HP	205	5.15	2400	9	2.6	--	--
81G-0678 -60HP	205	7.30	3250	22	1.0	--	--
81G-0679 -60HP	205	8.60	5000	4	2.0	--	--
81G-0680 -60HP	205	8.60	2850	33	5.0	--	--
81G-0681 -60HP	205	11.50	6680	53	16.0	--	--
81G-0682 -60HP	205	13.60	4300	145	21.0	--	--
81G-0683 -60HP	205	11.70	5580	33	9.0	--	--
81G-0684 -60HP	205	5.75	2930	6	2.0	--	--
81G-0685 -60HP	205	9.50	4900	10	3.2	--	--
81G-0686 -60HP	205	9.00	2040	94	12.0	--	--
81G-0687 -60HP	205	4.80	2320	6	1.2	--	--
81G-0688 -60HP	205	7.65	2270	27	3.4	--	--
81G-0689 -60HP	205	6.50	2580	6	2.0	--	--
81G-0690 -60HP	205	3.80	3520	10	1.2	--	--

W. 3/20/82

Hart Buchler



Certified by



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604) 984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BARRARD STREET
 VANCOUVER, B.C.
 V6E 2G8

CERT. # : A8210140-007-A
 INVOICE # : I8210140
 DATE : 11-FEB-82
 P.O. # : NONE
 81-G

C.C. G. JILSEN


Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0691 -60HP	205	12	4	17	110	0.1	0.4
81G-0692 -60HP	205	14	3	37	225	0.1	0.7
81G-0693 -60HP	205	54	8	70	230	0.2	0.8
81G-0694 -60HP	205	68	9	95	275	0.3	0.8
81G-0695 -60HP	205	15	16	20	470	0.1	0.2
81G-0696 -60HP	205	77	5	350	1500	5.8	9.3
81G-0697 -60HP	205	28	5	25	120	0.1	0.5
81G-0698 -60HP	205	30	3	25	115	0.1	0.4
81G-0699 -60HP	205	40	3	34	125	0.1	0.2
81G-0700 -60HP	205	22	12	15	87	0.1	0.1
81G-0701 -60HP	205	22	4	21	150	0.1	0.7
81G-0702 -60HP	205	90	7	50	200	0.3	1.3
81G-0703 -60HP	205	65	12	50	190	0.2	1.5
81G-0704 -60HP	205	44	3	11	250	0.1	0.2
81G-0705 -60HP	205	145	14	100	390	0.5	1.9
81G-0706 -60HP	205	58	4	24	135	0.1	0.7
81G-0707 -60HP	205	145	6	100	130	0.1	0.2
81G-0708 -60HP	205	40	4	16	115	0.1	0.6
81G-0709 -60HP	205	57	17	17	135	0.1	0.8
81G-0710 -60HP	205	140	11	83	260	0.6	1.5
81G-0711 -60HP	205	270	37	180	580	1.1	4.7
81G-0712 -60HP	205	90	6	115	210	0.5	0.6
81G-0713 -60HP	205	120	10	125	260	0.2	0.6
81G-0714 -60HP	205	190	31	170	770	0.8	2.8
81G-0715 -60HP	205	400	61	320	1550	1.8	6.3
81G-0716 -60HP	205	56	4	33	105	0.2	1.0
81G-0717 -60HP	205	90	5	37	90	0.7	0.6
81G-0718 -60HP	205	72	5	35	100	0.3	0.6
81G-0719 -60HP	205	40	6	104	120	0.2	0.4
81G-0720 -60HP	205	37	43	35	165	0.1	0.2
81G-0721 -60HP	205	27	3	24	115	0.1	0.3
81G-0722 -60HP	205	25	7	15	135	0.1	0.3
81G-0723 -60HP	205	58	4	55	140	0.1	0.3
81G-0724 -60HP	205	63	2	49	240	0.1	0.3
81G-0725 -60HP	205	23	3	52	210	0.1	0.1
81G-0726 -60HP	205	16	3	23	235	0.1	0.1
81G-0727 -60HP	205	26	3	15	195	0.1	0.1
81G-0728 -60HP	205	30	3	3	85	0.1	0.1
81G-0729 -60HP	205	16	5	16	235	0.1	0.1
81G-0730 -60HP	205	17	4	10	155	0.1	0.2

Watson
Wdf
Watson
Wdf
Wdf
Watson
Plotted
Frances Lk.
Watson Lk.

Hart/Becker

Certified by





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221

TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210140-007-B
INVOICE # : I8210140
DATE : 11-FEB-82
P.O. # : NONE
81-G

C.C. G. JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81G-0691 -60HP	205	5.50	3280	11	1.2	--	--
81G-0692 -60HP	205	5.20	5000	6	1.2	--	--
81G-0693 -60HP	205	15.10	3200	64	9.6	--	--
81G-0694 -60HP	205	15.50	2800	77	9.6	--	--
81G-0695 -60HP	205	5.50	4440	7	2.0	--	--
81G-0696 -60HP	205	7.45	4670	24	18.2	--	--
81G-0697 -60HP	205	5.70	3550	14	2.2	--	--
81G-0698 -60HP	205	5.30	3380	11	1.6	--	--
81G-0699 -60HP	205	6.70	2980	24	3.0	--	--
81G-0700 -60HP	205	5.75	2450	7	1.8	--	--
81G-0701 -60HP	205	8.00	5660	20	10.4	--	--
Wolf 81G-0702 -60HP	205	11.50	5100	92	10.6	--	--
81G-0703 -60HP	205	9.00	4600	45	6.6	--	--
Watson 81G-0704 -60HP	205	5.85	2880	6	1.6	--	--
81G-0705 -60HP	205	17.50	2880	215	21.0	--	--
81G-0706 -60HP	205	8.30	4500	39	5.8	--	--
81G-0707 -60HP	205	15.90	3000	94	30.0	--	--
Wolf 81G-0708 -60HP	205	7.00	5100	10	1.0	--	--
81G-0709 -60HP	205	8.00	6100	11	0.8	--	--
81G-0710 -60HP	205	16.90	3750	240	25.0	--	--
81G-0711 -60HP	205	28.50	1700	760	43.0	--	--
81G-0712 -60HP	205	15.50	4560	180	21.0	--	--
81G-0713 -60HP	205	18.80	3500	240	18.2	--	--
81G-0714 -60HP	205	24.50	1900	400	55.0	--	--
81G-0715 -60HP	205	41.50	1190	840	130.0	--	--
81G-0716 -60HP	205	9.60	3730	22	2.0	--	--
81G-0717 -60HP	205	10.00	3150	20	0.8	--	--
81G-0718 -60HP	205	10.00	3280	38	2.4	--	--
81G-0719 -60HP	205	7.40	1520	32	6.0	--	--
Watson 81G-0720 -60HP	205	7.10	2000	30	2.6	--	--
81G-0721 -60HP	205	6.50	5750	12	1.8	--	--
81G-0722 -60HP	205	8.75	7980	14	2.0	--	--
81G-0723 -60HP	205	11.20	5780	35	4.4	--	--
81G-0724 -60HP	205	7.15	675	10	3.8	--	--
81G-0725 -60HP	205	8.50	3430	5	3.2	--	--
81G-0726 -60HP	205	10.00	2120	5	3.4	--	--
81G-0727 -60HP	205	5.55	1410	12	2.2	--	--
Plotted Out 81G-0728 -60HP	205	6.10	7600	2	0.4	--	--
Frances Lk. 81G-0729 -60HP	205	7.10	7150	4	0.8	--	--
81G-0730 -60HP	205	6.20	6150	5	1.0	--	--

Wolf
Watson

Wolf

Watson


Plotted Out
Frances Lk.

→ Watson Lk.

Hart Buchler

Certified by





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210140-008-A
INVOICE # : I8210140
DATE : 11-FEB-82
P.O. # : NONE
81-G

C.C. G. JILSEN


Dwt Plotted
Finlayson Lk.
Dwt Plotted
Finlayson Lk.

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0731 -60HP	205	40	5	130	330	0.1	0.1
81G-0732 -60HP	205	16	3	25	175	0.1	0.1
81G-0733 -60HP	205	27	3	19	160	0.1	0.3
81G-0734 -60HP	205	25	4	11	85	0.1	0.1
81G-0735 -60HP	205	25	4	6	95	0.1	0.2
81G-0736 -60HP	205	7	4	17	120	0.1	0.2
81G-0737 -60HP	205	8	4	14	150	0.1	0.5
81G-0738 -60HP	205	24	4	12	92	0.1	0.5
81G-0739 -60HP	205	160	10	55	280	0.4	1.4
81G-0740 -60HP	205	175	8	33	250	0.1	0.7
81G-0741 -60HP	205	33	2	16	170	0.1	0.1
81G-0743 -60HP	205	52	3	18	88	0.1	0.2
81G-0744 -60HP	205	20	6	14	290	0.1	0.1
81G-0745 -60HP	205	12	2	22	97	0.1	0.3
81G-0746 -60HP	205	15	1	18	100	0.1	0.2
81G-0747 -60HP	205	17	1	16	100	0.1	0.2
81G-0748 -60HP	205	22	1	20	70	0.1	0.1
81G-0749 -60HP	205	15	1	21	75	0.1	0.1
81G-0750 -60HP	205	40	3	21	83	0.1	0.1

Hart Buchler

Certified by





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210140-008-B
INVOICE # : I8210140
DATE : 11-FEB-82
P.O. # : NONE
81-G


C.C. G. JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
<i>DWT Plotted</i> 81G-0731 -60HP	205	6.40	2300	23	2.8	--	--
81G-0732 -60HP	205	5.70	2520	7	2.4	--	--
81G-0733 -60HP	205	4.30	485	3	2.6	--	--
81G-0734 -60HP	205	5.25	2680	3	0.6	--	--
81G-0735 -60HP	205	6.30	5000	5	0.6	--	--
<i>Finlayson</i> 81G-0736 -60HP	205	2.70	1120	3	0.8	--	--
81G-0737 -60HP	205	3.50	4700	3	0.6	--	--
81G-0738 -60HP	205	5.35	3750	6	0.8	--	--
<i>DWT Plotted</i> 81G-0739 -60HP	205	10.20	3850	28	7.4	--	--
81G-0740 -60HP	205	9.50	3300	30	8.4	--	--
81G-0741 -60HP	205	7.20	4150	7	1.2	--	--
81G-0743 -60HP	205	7.00	1130	10	1.2	--	--
81G-0744 -60HP	205	6.50	3350	11	1.8	--	--
81G-0745 -60HP	205	5.75	5720	3	0.4	--	--
<i>Finlayson</i> 81G-0746 -60HP	205	6.80	7300	3	0.4	--	--
81G-0747 -60HP	205	5.00	3850	5	0.6	--	--
81G-0748 -60HP	205	5.90	2100	4	0.8	--	--
81G-0749 -60HP	205	6.30	1850	5	0.8	--	--
81G-0750 -60HP	205	8.20	1650	10	1.4	--	--



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *Hart Buchler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210123-001-A
INVOICE # : 18210123
DATE : 12-FEB-82
P.O. # : NONE
81-G

CC: G JILSON


*Phthalate DWST
Watson Lake sheet*

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81-G 0514 -60HP	205	10	2	6	192	0.2	0.2
81-G 0520 -60HP	205	28	4	20	164	0.2	0.2
81-G 0698 -60HP	205	555	20	300	1100	0.4	22.0
81-G 0801 -60HP	205	12	6	18	150	0.2	0.2
81-G 0802 -60HP	205	26	6	10	210	0.2	0.2
81-G 0803 -60HP	205	34	2	16	198	0.2	0.2
81-G 0804 -60HP	205	50	4	30	216	0.4	0.2
81-G 0805 -60HP	205	48	4	36	174	0.2	0.2
81-G 0806 -60HP	205	200	20	490	580	2.8	3.6
81-G 0807 -60HP	205	76	4	36	280	0.4	0.2
81-G 0808 -60HP	205	70	4	32	370	0.2	0.2
81-G 0809 -60HP	205	32	4	16	230	0.4	0.2
81-G 0810 -60HP	205	10	2	12	170	0.2	0.2
81-G 0811 -60HP	205	12	2	10	146	0.2	0.2
81-G 0812 -60HP	205	28	2	32	250	0.2	0.2
81-G 0813 -60HP	205	20	8	16	168	0.2	0.2
81-G 0814 -60HP	205	10	2	12	106	0.2	0.2
81-G 0815 -60HP	205	26	4	16	180	0.2	0.2
81-G 0816 -60HP	205	12	4	18	136	0.2	0.2
81-G 0817 -60HP	205	18	2	32	152	0.6	0.2
81-G 0818 -60HP	205	24	2	14	180	0.2	0.2
81-G 0819 -60HP	205	36	2	10	240	0.2	0.2
81-G 0820 -60HP	205	18	2	14	136	0.2	0.2



*complete set
23 samples*

Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221

TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210123-001-B
INVOICE # : I8210123
DATE : 12-FEB-82
P.O. # : NONE
81-G


CC: G JILSON

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81-G 0514 -60HP	205	3.80	890	1	0.2	--	--
81-G 0520 -60HP	205	10.40	3100	9	3.6	--	--
81-G 0698 -60HP	205	42.00	1230	70	N.S.S.	--	--
81-G 0801 -60HP	205	5.70	1880	10	1.2	--	--
81-G 0802 -60HP	205	8.40	3600	3	1.4	--	--
81-G 0803 -60HP	205	12.20	5400	7	3.6	--	--
81-G 0804 -60HP	205	10.00	1920	23	8.6	--	--
81-G 0805 -60HP	205	7.80	1800	16	4.2	--	--
81-G 0806 -60HP	205	23.60	3800	180	28.0	--	--
81-G 0807 -60HP	205	14.00	3400	36	16.2	--	--
81-G 0808 -60HP	205	17.80	3200	32	20.0	--	--
81-G 0809 -60HP	205	8.40	3100	15	7.8	--	--
81-G 0810 -60HP	205	4.80	2800	2	1.2	--	--
81-G 0811 -60HP	205	4.00	2100	11	1.4	--	--
81-G 0812 -60HP	205	5.50	1500	7	6.0	--	--
81-G 0813 -60HP	205	5.90	3200	3	1.8	--	--
81-G 0814 -60HP	205	4.00	2000	2	0.6	--	--
81-G 0815 -60HP	205	8.40	4400	6	3.4	--	--
81-G 0816 -60HP	205	4.90	3600	6	0.8	--	--
81-G 0817 -60HP	205	9.20	4300	4	1.6	--	--
81-G 0818 -60HP	205	7.80	2800	6	2.8	--	--
81-G 0819 -60HP	205	12.00	3400	12	4.0	--	--
81-G 0820 -60HP	205	7.20	2100	5	2.2	--	--

Plotted Data
3 Oct 82



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BRÖOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210139-001-A
INVOICE # : I8210139
DATE : 12-FEB-82
P.O. # : NONE
81-G


C.C. G. JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-000X -60HP	205	22	3	64	280	0.5	1.3
81G-0001 -60HP	205	27	2	195	235	0.2	0.2
81G-0002 -60HP	205	32	1	195	165	0.2	0.2
81G-0003 -60HP	205	15	2	15	90	0.1	0.1
81G-0004 -60HP	205	17	2	25	140	0.1	0.2
81G-0004B -60HP	205	68	1	28	125	0.1	0.2
81G-0005 -60HP	205	24	3	42	87	0.1	0.1
81G-0006 -60HP	205	8	2	66	110	0.1	0.2
81G-0007 -60HP	205	110	3	28	190	0.1	0.9
81G-0008 -60HP	205	20	2	29	115	0.1	0.1
81G-0008B -60HP	205	14	1	24	78	0.1	0.1
81G-0009 -60HP	205	29	2	47	145	0.1	0.3
81G-0010 -60HP	205	8	2	10	105	0.1	0.1
81G-0011 -60HP	205	12	1	17	72	0.1	0.1
81G-0012 -60HP	205	11	1	5	85	0.1	0.1
81G-0013 -60HP	205	25	2	38	130	0.1	0.1
81G-0014 -60HP	205	500	37	50	1250	0.6	5.2
81G-0015 -60HP	205	180	6	73	280	0.5	1.7
81G-0016 -60HP	205	23	2	16	125	0.1	0.2
81G-0017 -60HP	205	56	2	50	200	0.1	0.9
81G-0018 -60HP	205	30	2	28	155	0.1	0.3
81G-0019 -60HP	205	10	3	18	85	0.1	0.1
81G-0020 -60HP	205	9	3	35	55	0.1	0.7
81G-0021 -60HP	205	22	3	23	118	0.1	0.1
81G-0022 -60HP	205	37	1	27	215	0.1	0.1
81G-0023 -60HP	205	28	2	44	120	0.1	0.1
81G-0024 -60HP	205	20	1	27	95	0.1	4.1
81G-0025 -60HP	205	30	2	42	116	0.1	0.5
81G-0026 -60HP	205	22	3	22	115	0.1	0.5
81G-0027 -60HP	205	13	3	15	115	0.1	0.1
81G-0028 -60HP	205	24	3	30	115	0.1	0.6
81G-0029A+B-60HP	205	22	2	24	95	0.1	0.4
81G-0030 -60HP	205	12	2	8	62	0.1	0.1
81G-0031 -60HP	205	5	2	44	115	0.1	0.1
81G-0032 -60HP	205	16	2	11	270	0.1	0.3
81G-0033 -60HP	205	18	1	5	125	0.1	0.1
81G-0034 -60HP	205	11	1	6	88	0.1	0.1
81G-0036 -60HP	205	11	1	12	110	0.1	0.1
81G-0037 -60HP	205	5	2	21	76	0.1	0.1
81G-0038 -60HP	205	8	1	8	80	0.1	0.1



*Complete set
242 Samples*

Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8210139-001-B
INVOICE # : I8210139
DATE : 12-FEB-82
P.O. # : NONE
81-G

C.C. G. JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81G-000X -60HP	205	6.00	5450	16	8.0	--	--
81G-0001 -60HP	205	4.60	2650	30	0.6	--	--
81G-0002 -60HP	205	4.32	2280	27	0.6	--	--
81G-0003 -60HP	205	4.48	2700	4	0.2	--	--
81G-0004 -60HP	205	6.65	7000	15	3.6	--	--
81G-0004B -60HP	205	4.90	4630	15	2.4	--	--
81G-0005 -60HP	205	4.68	3700	12	1.0	--	--
81G-0006 -60HP	205	3.95	3750	15	0.6	--	--
81G-0007 -60HP	205	9.55	3250	45	9.0	--	--
81G-0008 -60HP	205	5.55	2960	14	1.2	--	--
81G-0008B -60HP	205	3.65	2730	10	0.6	--	--
81G-0009 -60HP	205	4.80	3650	23	3.0	--	--
81G-0010 -60HP	205	4.15	3590	5	0.4	--	--
81G-0011 -60HP	205	3.03	2900	9	0.2	--	--
81G-0012 -60HP	205	3.20	2330	2	0.1	--	--
81G-0013 -60HP	205	5.00	2740	30	1.0	--	--
81G-0014 -60HP	205	32.00	1090	120	25.0	--	--
81G-0015 -60HP	205	15.00	2390	57	31.0	--	--
81G-0016 -60HP	205	7.00	6750	22	2.0	--	--
81G-0017 -60HP	205	12.20	>10000	36	6.4	--	--
81G-0018 -60HP	205	8.40	7900	22	4.2	--	--
81G-0019 -60HP	205	4.00	2900	5	0.8	--	--
81G-0020 -60HP	205	3.75	3740	3	0.1	--	--
81G-0021 -60HP	205	4.30	1680	6	2.8	--	--
81G-0022 -60HP	205	5.65	4600	16	1.2	--	--
81G-0023 -60HP	205	5.68	2500	17	1.2	--	--
81G-0024 -60HP	205	5.25	4350	14	0.4	--	--
81G-0025 -60HP	205	6.65	3450	24	1.8	--	--
81G-0026 -60HP	205	6.00	4780	16	1.8	--	--
81G-0027 -60HP	205	3.00	2000	5	0.4	--	--
81G-0028 -60HP	205	4.55	1880	30	1.4	--	--
81G-0029A+B-60HP	205	4.10	2460	15	1.0	--	--
81G-0030 -60HP	205	2.65	1850	5	0.2	--	--
81G-0031 -60HP	205	2.33	1900	16	0.4	--	--
81G-0032 -60HP	205	4.10	3250	10	0.2	--	--
81G-0033 -60HP	205	3.28	2000	10	0.1	--	--
81G-0034 -60HP	205	2.20	1540	4	0.1	--	--
81G-0036 -60HP	205	4.15	2430	4	0.2	--	--
81G-0037 -60HP	205	2.98	2010	4	0.1	--	--
81G-0038 -60HP	205	3.90	2120	3	0.1	--	--



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221

TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8210139-002-A
INVOICE # : I8210139
DATE : 12-FEB-82
P.C. # : NONE
81-G

C.C. G. JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0039 -60HP	205	7	1	18	100	0.1	0.1
81G-0040 -60HP	205	26	2	75	235	0.1	0.7
81G-0041 -60HP	205	19	2	18	88	0.1	0.3
81G-0042 -60HP	205	24	1	44	170	0.1	1.0
81G-0043 -60HP	205	21	1	50	180	0.1	0.6
81G-0044 -60HP	205	11	1	38	135	0.1	0.1
81G-0044A -60HP	205	8	1	46	105	0.1	0.1
81G-0047 -60HP	205	13	1	6	85	0.1	0.1
81G-0049 -60HP	205	8	1	5	75	0.1	0.1
81G-0050 -60HP	205	7	1	11	108	0.1	0.1
81G-0055A -60HP	205	180	3	650	670	1.0	1.0
81G-0055B -60HP	205	160	3	640	580	1.0	1.0
81G-0056A -60HP	205	60	3	410	415	0.5	0.7
81G-0056B -60HP	205	115	3	510	460	0.9	0.8
81G-0056E -60HP	205	86	2	475	470	0.7	0.8
81G-0056G -60HP	205	90	2	550	510	0.9	1.0
81G-0056H -60HP	205	80	2	450	490	0.6	0.8
81G-0063A -60HP	205	85	3	400	590	0.6	1.0
81G-0063B -60HP	205	100	3	495	670	0.7	1.2
81G-0063C -60HP	205	72	2	275	430	0.3	0.8
81G-0064 -60HP	205	19	2	10	200	0.1	0.1
81G-0065 -60HP	205	20	2	13	225	0.1	0.1
81G-0066 -60HP	205	27	3	64	325	0.1	0.1
81G-0067 -60HP	205	17	2	35	340	0.1	0.2
81G-0068 -60HP	205	32	2	6	45	0.1	0.1
81G-0069 -60HP	205	18	2	4	280	0.1	0.1
81G-0070 -60HP	205	30	2	12	500	0.1	0.1
Not Done 81G-0071 -60HP	205	23	4	3	55	0.1	0.1
Malayon 81G-0072 -60HP	205	90	4	16	64	0.1	0.1
81G-0073 -60HP	205	30	3	7	95	0.1	0.1
81G-0074 -60HP	205	37	2	10	40	0.1	0.1
81G-0075 -60HP	205	60	3	16	70	0.1	0.1
81G-0076 -60HP	205	90	10	17	440	0.1	0.1
81G-0077 -60HP	205	45	1	1	190	0.1	0.1
81G-0078 -60HP	205	53	1	3	200	0.1	0.1
81G-0079 -60HP	205	45	2	115	170	0.1	0.1
81G-0080 -60HP	205	80	4	15	220	0.1	0.1
81G-0081 -60HP	205	22	2	4	220	0.1	0.1
81G-0082 -60HP	205	125	6	8	380	0.1	0.1
81G-0083 -60HP	205	57	2	1	110	0.1	0.1



Certified by *Hart Bickler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210139-002-B
INVOICE # : I8210139
DATE : 12-FEB-82
P.O. # : NONE
81-G

C.C. G. JILSEN


Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81G-0039 -60HP	205	3.15	2230	5	0.2	--	--
81G-0040 -60HP	205	6.90	2100	19	1.0	--	--
81G-0041 -60HP	205	3.20	1730	11	0.6	--	--
81G-0042 -60HP	205	7.65	2720	24	1.4	--	--
81G-0043 -60HP	205	5.45	1580	15	0.8	--	--
81G-0044 -60HP	205	7.05	1690	5	0.2	--	--
81G-0044A -60HP	205	5.55	5100	3	0.1	--	--
81G-0047 -60HP	205	2.68	2150	7	0.2	--	--
81G-0049 -60HP	205	4.10	1340	2	0.1	--	--
81G-0050 -60HP	205	4.45	2450	3	0.1	--	--
81G-0055A -60HP	205	10.80	3560	195	7.6	--	--
81G-0055B -60HP	205	9.10	2820	165	6.4	--	--
81G-0056A -60HP	205	7.90	4290	94	5.0	--	--
81G-0056B -60HP	205	6.95	3630	101	5.8	--	--
81G-0056E -60HP	205	8.10	4500	97	5.6	--	--
81G-0056G -60HP	205	7.90	3040	150	6.8	--	--
81G-0056H -60HP	205	7.65	3120	115	5.8	--	--
81G-0063A -60HP	205	7.50	2800	115	4.4	--	--
81G-0063B -60HP	205	9.75	4580	101	4.6	--	--
81G-0063C -60HP	205	7.00	2700	85	3.0	--	--
81G-0064 -60HP	205	6.00	3370	5	0.8	--	--
81G-0065 -60HP	205	6.40	3050	6	0.8	--	--
81G-0066 -60HP	205	9.15	5120	9	1.2	--	--
81G-0067 -60HP	205	6.80	3100	5	0.6	--	--
81G-0068 -60HP	205	6.20	1140	3	0.1	--	--
81G-0069 -60HP	205	5.58	2400	4	0.2	--	--
81G-0070 -60HP	205	8.90	3430	4	0.8	--	--
81G-0071 -60HP	205	7.30	2370	2	0.1	--	--
81G-0072 -60HP	205	5.72	1950	23	1.4	--	--
81G-0073 -60HP	205	6.90	1150	3	0.4	--	--
81G-0074 -60HP	205	7.05	950	4	0.2	--	--
81G-0075 -60HP	205	7.80	1610	12	2.2	--	--
81G-0076 -60HP	205	7.90	3770	22	5.8	--	--
81G-0077 -60HP	205	4.60	1200	3	0.2	--	--
81G-0078 -60HP	205	4.60	3250	5	0.8	--	--
81G-0079 -60HP	205	7.85	2550	16	1.6	--	--
81G-0080 -60HP	205	8.60	5450	19	3.0	--	--
81G-0081 -60HP	205	7.00	2600	6	1.0	--	--
81G-0082 -60HP	205	8.10	1980	20	4.0	--	--
81G-0083 -60HP	205	2.05	635	3	2.0	--	--

↓
Not Done

Frances Lab.



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210139-003-A
INVOICE # : I8210139
DATE : 12-FEB-82
P.O. # : NONE
81-G

C.C. G. JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0084 -60HP	205	38	4	14	300	1.2	0.2
81G-0085 -60HP	205	390	6	310	500	0.6	0.2
81G-0087 -60HP	205	270	18	78	1650	0.3	3.9
81G-0088 -60HP	205	15	1	5	82	0.1	0.1
81G-0089 -60HP	205	16	26	3	220	0.1	0.1
81G-0090 -60HP	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0091 -60HP	205	135	9	75	890	0.3	1.2
81G-0092 -60HP	205	48	4	36	350	0.1	0.9
81G-0093 -60HP	205	19	3	20	220	0.1	0.6
81G-0094 -60HP	205	45	4	22	170	0.1	0.1
81G-0095 -60HP	205	23	3	11	95	0.1	0.1
81G-0096 -60HP	205	32	3	18	215	0.1	0.5
81G-0097 -60HP	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0098 -60HP	205	58	5	50	135	0.1	0.2
81G-0099 -60HP	205	70	3	68	80	0.1	0.1
81G-0100 -60HP	205	95	6	54	170	0.1	0.2
81G-0101 -60HP	205	53	19	76	98	0.1	0.1
81G-0102 -60HP	205	45	4	68	125	0.1	0.1
81G-0103 -60HP	205	14	2	30	135	0.1	0.1
81G-0104 -60HP	205	12	3	26	138	0.1	0.1
81G-0105 -60HP	205	16	2	28	270	0.1	0.4
81G-0106 -60HP	205	16	20	16	320	0.2	0.4
81G-0107 -60HP	205	23	1	30	115	0.1	0.1
81G-0108 -60HP	205	40	2	35	225	0.1	0.2
81G-0109 -60HP	205	21	1	36	145	0.1	0.1
81G-0110 -60HP	205	15	3	23	175	0.1	0.1
81G-0111 -60HP	205	22	2	8	60	0.1	0.1
81G-0113 -60HP	205	36	3	5	54	0.1	0.1
81G-0114 -60HP	205	29	2	22	260	0.1	0.3
81G-0115 -60HP	205	36	3	19	175	0.1	0.7
81G-0116 -60HP	205	40	2	10	125	0.1	0.2
81G-0117 -60HP	205	205	6	26	690	0.8	3.3
81G-0118 -60HP	205	14	3	10	350	0.1	0.7
81G-0119 -60HP	205	46	2	22	510	0.1	0.4
81G-0121 -60HP	205	47	>250	20	360	0.1	0.1
81G-0122 -60HP	205	28	3	9	240	0.1	0.3
81G-0123 -60HP	205	33	4	7	390	0.1	0.1
81G-0124 -60HP	205	36	3	4	145	0.1	0.1
81G-0125 -60HP	205	57	7	17	300	0.1	0.1
81G-0127 -60HP	205	51	3	16	480	0.1	0.1


Plotted
Frances Lake.

Dist.

Finlayson Lake.

Certified by *Hart Bichler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210139-003-B
INVOICE # : I8210139
DATE : 12-FEB-82
P.O. # : NONE
81-G


C.C. G. JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
<i>Plotted</i>	81G-0084 -60HP	205	5.64	1560	10	0.4	--
	81G-0085 -60HP	205	26.00	2540	230	9.0	--
	81G-0087 -60HP	205	26.10	6000	210	N.S.S.	--
	81G-0088 -60HP	205	1.63	450	4	0.2	--
	81G-0089 -60HP	205	2.72	970	5	0.2	--
<i>Frances Lake</i>	81G-0090 -60HP	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	--
	81G-0091 -60HP	205	14.50	4650	94	11.8	--
	81G-0092 -60HP	205	8.50	550	36	4.6	--
	81G-0093 -60HP	205	7.80	2280	20	2.8	--
	81G-0094 -60HP	205	9.30	1900	9	4.2	--
	81G-0095 -60HP	205	5.90	1150	1	1.4	--
	81G-0096 -60HP	205	9.00	4380	15	2.6	--
	81G-0097 -60HP	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	--
	81G-0098 -60HP	205	8.40	4090	39	2.8	--
	81G-0099 -60HP	205	9.95	6100	46	3.4	--
<i>Finlayson Lake</i>	81G-0100 -60HP	205	13.50	7920	65	4.2	--
	81G-0101 -60HP	205	9.10	5100	29	3.0	--
	81G-0102 -60HP	205	7.70	3500	25	2.4	--
	81G-0103 -60HP	205	12.30	1240	11	3.6	--
	81G-0104 -60HP	205	4.50	3100	6	1.2	--
<i>DUP</i>	81G-0105 -60HP	205	5.40	3200	11	1.2	--
	81G-0106 -60HP	205	5.40	2320	15	0.2	--
	81G-0107 -60HP	205	15.00	800	29	5.6	--
	81G-0108 -60HP	205	9.90	2880	61	5.4	--
	81G-0109 -60HP	205	17.00	1190	19	5.2	--
	81G-0110 -60HP	205	9.10	1620	12	3.0	--
	81G-0111 -60HP	205	4.70	1650	4	0.4	--
	81G-0113 -60HP	205	7.35	1530	4	0.2	--
	81G-0114 -60HP	205	7.90	2040	10	1.2	--
	81G-0115 -60HP	205	6.00	1730	10	1.4	--
	81G-0116 -60HP	205	6.35	1280	7	0.6	--
	81G-0117 -60HP	205	10.80	2460	36	6.6	--
	81G-0118 -60HP	205	7.05	5100	9	0.8	--
81G-0119 -60HP	205	8.90	2750	15	4.8	--	
81G-0121 -60HP	205	6.90	1650	15	2.0	--	
81G-0122 -60HP	205	6.50	1380	3	0.6	--	
81G-0123 -60HP	205	8.15	1940	4	0.8	--	
81G-0124 -60HP	205	7.30	2000	6	1.0	--	
81G-0125 -60HP	205	6.80	1320	22	3.2	--	
81G-0127 -60HP	205	7.85	1910	7	2.6	--	

Certified by *Hart Bichler*



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210139-004-A
INVOICE # : I8210139
DATE : 12-FEB-82
P.C. # : NONE
81-G

C.C. G. JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0128 -60HP	205	38	3	7	210	0.1	0.1
81G-0129 -60HP	205	57	5	26	260	0.1	0.4
81G-0130 -60HP	205	38	4	17	250	0.1	0.2
81G-0131 -60HP	205	36	4	8	510	0.1	0.1
81G-0132 -60HP	205	50	5	10	170	0.1	0.1
81G-0133 -60HP	205	39	4	20	200	0.1	0.1
81G-0134 -60HP	205	75	4	18	430	0.1	0.4
81G-0135 -60HP	205	53	4	28	500	0.1	0.4
81G-0136 -60HP	205	95	6	29	1700	0.1	7.2
81G-0137 -60HP	205	43	5	30	1550	0.1	8.8
81G-0138 -60HP	205	450	10	128	680	0.2	0.2
81G-0139 -60HP	205	110	3	60	490	0.1	1.2
81G-0140 -60HP	205	68	6	44	1100	0.2	2.6
81G-0142 -60HP	205	38	2	16	550	0.1	0.1
81G-0143 -60HP	205	85	10	37	500	0.1	0.1
81G-0144 -60HP	205	24	2	40	280	0.2	0.2
81G-0145 -60HP	205	27	2	15	530	0.1	0.1
81G-0146 -60HP	205	36	23	23	280	0.1	0.2
81G-0147 -60HP	205	570	7	460	3650	15.0	21.0
81G-0148 -60HP	205	150	6	84	430	0.9	1.3
81G-0149 -60HP	205	45	5	35	79	0.1	0.1
81G-0200 -60HP	205	40	6	40	190	0.2	0.6
81G-0201 -60HP	205	27	2	43	155	0.1	0.8
81G-0202 -60HP	205	25	6	26	135	0.1	1.0
81G-0203 -60HP	205	11	1	10	87	0.1	0.1
81G-0204 -60HP	205	13	4	14	120	0.1	0.1
81G-0206 -60HP	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0207 -60HP	205	12	1	11	105	0.1	0.3
81G-0208 -60HP	205	11	1	14	62	0.1	0.1
81G-0209 -60HP	205	20	2	16	120	0.1	0.3
81G-0210 -60HP	205	25	4	18	85	0.1	0.3
81G-0211 -60HP	205	35	2	14	110	0.1	0.1
81G-0213 -60HP	205	80	5	19	88	0.1	0.3
81G-0214 -60HP	205	23	2	14	240	0.1	0.2
81G-0215 -60HP	205	16	2	11	150	0.1	0.3
81G-0216 -60HP	205	24	2	10	190	0.1	0.2
81G-0217 -60HP	205	21	4	9	110	0.1	0.6
81G-0218 -60HP	205	12	3	13	80	0.1	0.2
81G-0219 -60HP	205	31	4	21	85	0.1	0.4
81G-0220 -60HP	205	11	2	9	40	0.1	0.1


Not
Plotted
Frances Lk.

Fin layer

Hart Bichler

Certified by





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210139-004-B
INVOICE # : I8210139
DATE : 12-FEB-82
P.O. # : NONE
81-G


C.C. G. JILSEN

*Plotted in
Frances Lk.*

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81G-0128 -60HP	205	5.50	940	5	1.0	--	--
81G-0129 -60HP	205	9.20	1940	24	3.2	--	--
81G-0130 -60HP	205	7.20	1720	11	1.2	--	--
81G-0131 -60HP	205	5.50	1640	9	0.4	--	--
81G-0132 -60HP	205	7.40	1280	7	1.0	--	--
81G-0133 -60HP	205	6.80	1150	3	1.0	--	--
81G-0134 -60HP	205	11.00	1920	38	6.0	--	--
81G-0135 -60HP	205	9.00	1620	25	4.8	--	--
81G-0136 -60HP	205	10.90	3470	38	8.2	--	--
81G-0137 -60HP	205	9.20	5200	30	5.6	--	--
81G-0138 -60HP	205	23.00	15400	86	6.0	--	--
81G-0139 -60HP	205	12.50	3050	33	5.2	--	--
81G-0140 -60HP	205	11.40	3160	38	5.4	--	--
81G-0142 -60HP	205	7.40	1900	14	2.8	--	--
81G-0143 -60HP	205	8.40	1960	39	3.8	--	--
81G-0144 -60HP	205	6.40	2050	8.2	2.4	--	--
81G-0145 -60HP	205	7.25	2150	9.2	3.2	--	--
81G-0146 -60HP	205	7.30	2900	16.3	5.0	--	--
81G-0147 -60HP	205	37.50	2050	600.4	132.0	--	--
81G-0148 -60HP	205	13.00	2300	120.7	1.6	--	--
81G-0149 -60HP	205	9.10	7300	48.6	1.8	--	--
81G-0200 -60HP	205	7.00	4000	12.2	1.6	--	--
81G-0201 -60HP	205	6.20	3420	10.3	1.2	--	--
81G-0202 -60HP	205	6.00	3250	7	1.2	--	--
81G-0203 -60HP	205	5.00	3610	2	1.0	--	--
81G-0204 -60HP	205	6.80	7380	2	0.2	--	--
81G-0206 -60HP	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	--	--
81G-0207 -60HP	205	6.00	4750	3	0.2	--	--
81G-0208 -60HP	205	3.95	3450	2	0.1	--	--
81G-0209 -60HP	205	4.85	6230	3	0.2	--	--
81G-0210 -60HP	205	5.80	4200	4	0.1	--	--
81G-0211 -60HP	205	5.30	5020	4	0.1	--	--
81G-0213 -60HP	205	6.10	3200	4	0.1	--	--
81G-0214 -60HP	205	7.00	5670	9	0.2	--	--
81G-0215 -60HP	205	6.85	7180	4	0.2	--	--
81G-0216 -60HP	205	6.50	4880	4	0.1	--	--
81G-0217 -60HP	205	6.50	6600	2	0.1	--	--
81G-0218 -60HP	205	5.00	5890	3	0.2	--	--
81G-0219 -60HP	205	6.50	6050	6	0.4	--	--
81G-0220 -60HP	205	1.80	2820	2	0.1	--	--



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8210139-005-A
INVOICE # : I8210139
DATE : 12-FEB-82
P.O. # : NONE
81-G

C.C. G. JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0221 -60HP	205	78	5	38	175	0.1	0.5
81G-0222 -60HP	205	76	4	47	540	0.4	1.2
81G-0223 -60HP	205	22	2	17	170	0.1	1.1
81G-0224 -60HP	205	27	3	26	160	0.1	0.7
81G-0225 -60HP	205	29	3	24	215	0.1	1.4
81G-0226 -60HP	205	128	3	115	1200	0.1	1.5
81G-0227 -60HP	205	40	4	20	115	0.1	0.6
81G-0228 -60HP	205	17	4	30	82	0.1	0.1
81G-0229 -60HP	205	47	4	40	97	0.1	0.1
81G-0230 -60HP	205	34	5	35	58	0.1	0.1
81G-0231 -60HP	205	34	3	18	57	0.1	0.1
81G-0232 -60HP	205	18	4	23	50	0.1	0.1
81G-0233 -60HP	205	15	3	31	125	0.1	0.7
81G-0234 -60HP	205	80	9	50	520	0.9	4.3
81G-0235 -60HP	205	760	34	1500	4600	7.5	45.0
81G-0236 -60HP	205	350	26	120	1300	2.3	11.8
81G-0237 -60HP	205	410	34	160	3400	6.8	32.0
81G-0238 -60HP	205	40	6	43	165	0.1	2.2
81G-0239 -60HP	205	50	6	45	320	0.2	3.9
81G-0240 -60HP	205	100	10	63	230	0.8	3.2
81G-0241 -60HP	205	180	9	90	460	0.8	2.3
81G-0242 -60HP	205	280	14	130	270	1.0	2.1
81G-0243 -60HP	205	15	4	44	45	0.1	0.3
81G-0244 -60HP	205	500	24	185	390	2.5	4.6
81G-0245 -60HP	205	42	4	33	165	0.2	0.2
81G-0246 -60HP	205	135	7	115	140	0.5	1.2
81G-0247 -60HP	205	350	17	250	650	4.8	15.6
81G-0248 -60HP	205	38	7	54	110	0.1	0.5
81G-0249 -60HP	205	65	7	87	68	0.4	0.5
81G-0250 -60HP	205	37	5	80	47	0.2	0.4
81G-0251 -60HP	205	185	12	95	230	1.2	2.4
81G-0252 -60HP	205	90	9	86	110	0.6	0.8
81G-0253 -60HP	205	32	3	45	70	0.1	0.1
81G-0254 -60HP	205	32	1	45	90	0.1	0.3
81G-0255 -60HP	205	58	4	60	105	0.3	0.6
81G-0256 -60HP	205	33	3	57	80	0.1	0.4
81G-0257 -60HP	205	23	3	23	40	0.1	0.2
81G-0258 -60HP	205	30	4	63	43	0.1	0.2
81G-0259 -60HP	205	22	5	11	100	0.1	0.1
81G-0260 -60HP	205	40	2	21	150	0.1	0.1



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8210139-005-B
INVOICE # : I8210139
DATE : 12-FEB-82
P.O. # : NONE
81-G

C.C. G. JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81G-0221 -60HP	205	9.15	1760	12	0.8	--	--
81G-0222 -60HP	205	10.20	3800	35	2.8	--	--
81G-0223 -60HP	205	5.15	3400	5	0.2	--	--
81G-0224 -60HP	205	6.20	2970	7	0.6	--	--
81G-0225 -60HP	205	8.55	8800	7	3.8	--	--
81G-0226 -60HP	205	13.80	>10000	53	6.6	--	--
81G-0227 -60HP	205	7.00	2550	10	0.6	--	--
81G-0228 -60HP	205	6.50	1920	6	0.4	--	--
81G-0229 -60HP	205	8.80	1020	27	1.6	--	--
81G-0230 -60HP	205	8.30	1650	11	1.0	--	--
81G-0231 -60HP	205	5.15	820	6	0.2	--	--
81G-0232 -60HP	205	7.20	1310	6	0.2	--	--
81G-0233 -60HP	205	6.45	1420	5	0.2	--	--
81G-0234 -60HP	205	9.15	3630	65	8.8	--	--
81G-0235 -60HP	205	31.00	1720	230	47.0	--	--
81G-0236 -60HP	205	25.50	1170	170	19.2	--	--
81G-0237 -60HP	205	27.50	3000	500	58.0	--	--
81G-0238 -60HP	205	5.90	3070	22	1.4	--	--
81G-0239 -60HP	205	7.30	3170	35	3.6	--	--
81G-0240 -60HP	205	7.28	4980	45	2.2	--	--
81G-0241 -60HP	205	15.00	2440	135	8.0	--	--
81G-0242 -60HP	205	14.30	3880	105	3.6	--	--
81G-0243 -60HP	205	4.60	3200	5	0.2	--	--
81G-0244 -60HP	205	19.30	3500	135	8.0	--	--
81G-0245 -60HP	205	7.35	1600	38	4.6	--	--
81G-0246 -60HP	205	10.60	3120	38	2.6	--	--
81G-0247 -60HP	205	19.80	8700	170	2.6	--	--
81G-0248 -60HP	205	10.20	3530	22	1.2	--	--
81G-0249 -60HP	205	9.20	4930	12	0.4	--	--
81G-0250 -60HP	205	4.90	4500	17	0.4	--	--
81G-0251 -60HP	205	11.00	8100	50	1.0	--	--
81G-0252 -60HP	205	10.00	7450	25	0.6	--	--
81G-0253 -60HP	205	6.25	6400	29	0.4	--	--
81G-0254 -60HP	205	8.00	8800	3	0.4	--	--
81G-0255 -60HP	205	7.40	5800	19	0.2	--	--
81G-0256 -60HP	205	8.15	7150	9	0.2	--	--
81G-0257 -60HP	205	5.40	2600	6	0.1	--	--
81G-0258 -60HP	205	7.05	3500	3	0.1	--	--
81G-0259 -60HP	205	6.60	1160	3	0.2	--	--
81G-0260 -60HP	205	6.50	1660	7	0.8	--	--



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221

TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210139-006-A
INVOICE # : I8210139
DATE : 12-FEB-82
P.O. # : NONE
81-G

C.C. G. JILSEN


Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0261 -60HP	205	80	5	180	500	0.8	2.0
81G-0262 -60HP	205	710	6	22	360	0.5	1.2
81G-0263 -60HP	205	55	4	27	105	0.1	0.2
81G-0264 -60HP	205	64	5	33	130	0.2	0.1
81G-0265 -60HP	205	72	5	48	200	0.3	0.5
81G-0266 -60HP	205	61	6	44	105	0.1	0.1
81G-0267 -60HP	205	50	3	26	135	0.3	0.4
81G-0268 -60HP	205	61	3	32	145	0.1	0.2
81G-0269 -60HP	205	30	3	15	120	0.1	0.3
81G-0270 -60HP	205	68	4	45	165	0.3	0.8
81G-0271 -60HP	205	40	3	11	415	0.1	0.3
81G-0272 -60HP	205	72	4	17	560	0.2	0.6
81G-0273 -60HP	205	205	6	85	480	0.5	2.0
81G-0274 -60HP	205	40	5	27	98	0.2	0.3
81G-0275 -60HP	205	22	5	100	175	0.1	0.6
81G-0276 -60HP	205	30	4	8	160	0.1	0.3
81G-0277 -60HP	205	34	2	7	55	0.1	0.1
81G-0278 -60HP	205	34	3	13	115	0.1	0.1
81G-0279 -60HP	205	110	6	45	300	0.3	1.7
81G-0280 -60HP	205	14	2	5	55	0.1	0.1
81G-0281 -60HP	205	16	2	12	96	0.1	0.3
81G-0282 -60HP	205	190	8	50	335	0.7	1.0
81G-0283 -60HP	205	40	2	27	105	0.1	0.2
81G-0284 -60HP	205	60	3	38	160	0.1	0.6
81G-0285 -60HP	205	28	2	15	46	0.1	0.1
81G-0286 -60HP	205	43	3	21	50	0.1	0.1
81G-0287 -60HP	205	23	3	39	180	0.1	0.6
81G-0288 -60HP	205	54	3	38	250	0.2	1.0
81G-0289 -60HP	205	78	2	75	440	0.3	2.0
81G-0290 -60HP	205	72	3	35	460	0.5	1.5
81G-0291 -60HP	205	70	2	23	280	0.3	0.9
81G-0292 -60HP	205	20	2	10	160	0.1	0.1
81G-0293 -60HP	205	24	2	16	110	0.1	0.2
81G-0294 -60HP	205	10	1	7	175	0.1	0.1
81G-0296 -60HP	205	40	2	25	210	0.1	0.1
81G-0297 -60HP	205	18	2	15	105	0.1	0.1
81G-0298 -60HP	205	80	5	36	290	0.1	0.3
81G-0299 -60HP	205	37	3	29	150	0.1	0.3
81G-0300 -60HP	205	86	8	36	350	0.2	0.4
81G-0301 -60HP	205	33	5	21	180	0.1	0.2

Certified by

Hartwichler



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8210139-006-B
INVOICE # : I8210139
DATE : 12-FEB-82
P.O. # : NONE
81-G

C.C. G. JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81G-0261 -60HP	205	7.80	1880	33	2.0	--	--
81G-0262 -60HP	205	10.00	1630	24	0.6	--	--
81G-0263 -60HP	205	6.70	4330	10	0.4	--	--
81G-0264 -60HP	205	9.00	2230	17	1.0	--	--
81G-0265 -60HP	205	10.10	>10000	5	0.6	--	--
81G-0266 -60HP	205	12.30	2020	7	2.6	--	--
81G-0267 -60HP	205	7.50	10000	2	0.2	--	--
81G-0268 -60HP	205	7.90	4660	3	0.2	--	--
81G-0269 -60HP	205	5.70	4500	3	0.1	--	--
81G-0270 -60HP	205	8.85	>10000	23	0.2	--	--
81G-0271 -60HP	205	6.40	6280	3	0.1	--	--
81G-0272 -60HP	205	8.30	5700	6	0.2	--	--
81G-0273 -60HP	205	10.00	>10000	12	1.0	--	--
81G-0274 -60HP	205	6.90	>10000	6	0.1	--	--
81G-0275 -60HP	205	8.30	3100	3	0.2	--	--
81G-0276 -60HP	205	6.45	2060	4	0.1	--	--
81G-0277 -60HP	205	6.05	1900	4	0.2	--	--
81G-0278 -60HP	205	3.85	645	5	0.1	--	--
81G-0279 -60HP	205	9.00	4780	23	1.0	--	--
81G-0280 -60HP	205	2.70	2020	2	0.1	--	--
81G-0281 -60HP	205	3.80	2680	3	0.2	--	--
81G-0282 -60HP	205	13.10	1320	130	4.6	--	--
81G-0283 -60HP	205	5.90	2190	27	0.6	--	--
81G-0284 -60HP	205	6.10	1800	36	0.4	--	--
81G-0285 -60HP	205	5.40	3570	14	0.1	--	--
81G-0286 -60HP	205	5.80	4820	19	0.1	--	--
81G-0287 -60HP	205	7.15	3150	12	0.2	--	--
81G-0288 -60HP	205	8.00	1280	14	0.6	--	--
81G-0289 -60HP	205	8.00	985	39	0.4	--	--
81G-0290 -60HP	205	8.20	1670	19	1.0	--	--
81G-0291 -60HP	205	7.40	1870	45	2.6	--	--
81G-0292 -60HP	205	5.65	1810	12	1.4	--	--
81G-0293 -60HP	205	6.80	4280	3	0.2	--	--
81G-0294 -60HP	205	4.00	2800	3	0.4	--	--
81G-0296 -60HP	205	6.20	2970	12	4.6	--	--
81G-0297 -60HP	205	4.55	3100	7	1.4	--	--
81G-0298 -60HP	205	9.60	2630	73	6.2	--	--
81G-0299 -60HP	205	5.70	1780	20	4.2	--	--
81G-0300 -60HP	205	11.00	1600	107	16.6	--	--
81G-0301 -60HP	205	5.85	1850	22	4.6	--	--



Certified by *Hart Buchler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210139-007-B
INVOICE # : I8210139
DATE : 12-FEB-82
P.O. # : NONE
81-G


C.C. G. JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81G-0035 -60HP	205	4.00	2500	2	1.0	--	--
81G-0141 -60HP	205	10.70	2610	23	0.6	--	--



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BURRARD STREET
 VANCOUVER, B.C.
 V6E 2G8


CERT. # : A8210597-001-A
 INVOICE # : I8210597
 DATE : 18-MAR-82
 P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0318 -60HP	205	40	2	16	140	0.2	0.2
81G-0325 -60HP	205	26	10	6	184	0.2	0.2
81G-0328 -60HP	205	24	4	4	164	0.2	0.2
81G-0329 -60HP	205	32	2	12	180	0.2	0.2
81G-0330 -60HP	205	32	4	20	176	0.2	0.2
81G-0331 -60HP	205	46	2	20	260	0.2	0.2
81G-0332 -60HP	205	20	2	8	370	0.2	0.2
81G-0337 -60HP	205	36	2	12	156	0.2	0.2
81G-0339 -60HP	205	22	2	4	116	0.2	0.2
81G-0340 -60HP	205	18	2	4	164	0.2	0.2
81G-0344 -60HP	205	126	2	66	300	0.6	0.8
81G-0345 -60HP	205	18	2	10	120	0.2	0.2
81G-0346 -60HP	205	24	2	6	130	0.2	0.2
81G-0348 -60HP	205	28	2	16	106	0.2	0.4
81G-0349 -60HP	205	18	2	4	90	0.2	0.2
81G-0350 -60HP	205	26	2	20	140	0.2	0.2
81G-0355 -60HP	205	30	2	42	188	0.2	0.6
81G-0356 -60HP	205	6	2	10	82	0.2	0.2
81G-0415 -60HP	205	54	4	54	120	0.2	0.2
81G-0417 -60HP	205	20	4	4	130	0.2	3.4
81G-0424 -60HP	205	26	4	22	126	0.2	1.0
81G-0425 -60HP	205	20	2	8	120	0.2	1.4
81G-0428 -60HP	205	60	6	42	160	0.2	1.0
81G-0432 -60HP	205	12	2	2	68	0.2	0.2
81G-0434 -60HP	205	30	2	2	102	0.2	0.2
81G-0435 -60HP	205	12	2	2	76	0.2	0.2
81G-0443 -60HP	205	18	4	6	120	0.2	0.2
81G-0444 -60HP	205	36	6	16	68	0.2	0.2
81G-0445 -60HP	205	102	6	16	106	0.2	0.2
81G-0446 -60HP	205	16	2	2	64	0.2	0.2
81G-0447 -60HP	205	26	2	2	84	0.2	0.2
81G-0449 -60HP	205	24	2	2	54	0.2	0.2
81G-0450 -60HP	205	14	2	2	56	0.2	0.2
81G-0458 -60HP	205	26	4	6	152	0.2	0.2
81G-0459 -60HP	205	38	4	16	264	0.2	0.2
81G-0463 -60HP	205	270	16	60	790	0.6	0.2
81G-0464 -60HP	205	340	4	14	1000	0.2	0.4
81G-0465 -60HP	205	190	6	24	1040	0.2	0.2
81G-0467 -60HP	205	38	4	38	260	0.2	0.2
81G-0468 -60HP	205	60	6	24	260	0.2	0.2

*complete set.
117 samples*

Certified by *Hart Buchler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604)984-0221

TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210597-001-B
INVOICE # : I8210597
DATE : 18-MAR-82
P.O. # : NONE


ATTN: GREG JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81G-0318 -60HP	205	8.00	3000	30	1.6	--	--
81G-0325 -60HP	205	6.75	2260	17	1.6	--	--
81G-0328 -60HP	205	14.70	3900	11	2.4	--	--
81G-0329 -60HP	205	13.60	3000	10	2.4	--	--
81G-0330 -60HP	205	14.30	2450	7	3.2	--	--
81G-0331 -60HP	205	16.80	4500	23	4.0	--	--
81G-0332 -60HP	205	12.90	3600	5	2.4	--	--
81G-0337 -60HP	205	13.00	3500	53	0.8	--	--
81G-0339 -60HP	205	11.40	3900	50	0.8	--	--
81G-0340 -60HP	205	11.70	4500	50	0.4	--	--
81G-0344 -60HP	205	16.90	2200	150	12.8	--	--
81G-0345 -60HP	205	9.70	3300	19	1.6	--	--
81G-0346 -60HP	205	7.20	2350	20	0.4	--	--
81G-0348 -60HP	205	8.20	4200	41	0.4	--	--
81G-0349 -60HP	205	6.65	2150	7	0.4	--	--
81G-0350 -60HP	205	7.40	3550	150	0.8	--	--
81G-0355 -60HP	205	12.10	3000	107	1.6	--	--
81G-0356 -60HP	205	5.80	2750	14	0.8	--	--
81G-0415 -60HP	205	11.30	7300	39	3.6	--	--
81G-0417 -60HP	205	11.60	16700	7	0.4	--	--
81G-0424 -60HP	205	11.60	7900	4	0.8	--	--
81G-0425 -60HP	205	11.90	9800	2	0.8	--	--
81G-0428 -60HP	205	15.50	6000	14	1.6	--	--
81G-0432 -60HP	205	8.50	3400	1	0.8	--	--
81G-0434 -60HP	205	8.60	3400	2	0.8	--	--
81G-0435 -60HP	205	10.10	3150	3	0.8	--	--
81G-0443 -60HP	205	12.60	3600	85	1.6	--	--
81G-0444 -60HP	205	8.30	3450	3	0.8	--	--
81G-0445 -60HP	205	11.85	4600	5	0.8	--	--
81G-0446 -60HP	205	8.55	3300	3	0.4	--	--
81G-0447 -60HP	205	8.00	2000	3	0.4	--	--
81G-0449 -60HP	205	5.90	1900	2	0.4	--	--
81G-0450 -60HP	205	5.40	2450	1	0.4	--	--
81G-0458 -60HP	205	10.80	3400	15	2.4	--	--
81G-0459 -60HP	205	10.20	2700	12	0.4	--	--
81G-0463 -60HP	205	15.20	2450	113	15.2	--	--
81G-0464 -60HP	205	10.80	2000	23	2.4	--	--
81G-0465 -60HP	205	11.40	2000	103	13.6	--	--
81G-0467 -60HP	205	11.10	2700	5	2.4	--	--
81G-0468 -60HP	205	11.10	1100	14	2.4	--	--



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604)984-0221

TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210597-002-A
INVOICE # : I8210597
DATE : 18-MAR-82
P.O. # : NONE


ATTN: GREG JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0469 -60HP	205	22	8	2	132	0.2	0.2
81G-0470 -60HP	205	16	6	10	270	0.2	0.2
81G-0471 -60HP	205	18	6	2	184	0.2	0.2
81G-0473 -60HP	205	52	8	12	164	0.2	0.2
81G-0475 -60HP	205	42	6	2	80	0.2	0.2
81G-0476 -60HP	205	134	6	190	300	0.2	0.2
81G-0477 -60HP	205	320	14	440	380	1.0	3.2
81G-0480 -60HP	205	54	2	12	370	0.2	0.2
81G-0483 -60HP	205	980	58	230	560	2.4	1.2
81G-0489 -60HP	205	120	8	64	640	0.4	1.0
81G-0492 -60HP	205	12	2	4	540	0.2	2.2
81G-0496 -60HP	205	40	6	42	490	0.2	0.2
81G-0497 -60HP	205	60	6	80	260	0.2	0.2
81G-0498 -60HP	205	10	2	18	260	0.2	0.2
81G-0501 -60HP	205	10	2	8	210	0.2	0.2
81G-0502 -60HP	205	94	6	88	320	0.2	1.2
81G-0506 -60HP	205	18	2	44	360	0.2	0.2
81G-0509 -60HP	205	60	2	40	560	0.2	0.2
81G-0510 -60HP	205	18	2	10	860	0.2	0.2
81G-0512 -60HP	205	20	52	26	610	0.2	0.2
81G-0513 -60HP	205	20	6	8	1240	0.2	0.2
81G-0515 -60HP	205	24	4	16	220	0.2	0.2
81G-0516 -60HP	205	90	8	126	220	0.2	0.8
81G-0519 -60HP	205	124	10	100	320	0.2	0.6
81G-0521 -60HP	205	20	4	26	200	0.2	0.2
81G-0522 -60HP	205	52	4	26	170	0.2	0.2
81G-0523 -60HP	205	180	8	190	360	1.0	1.2
81G-0524 -60HP	205	200	12	440	580	2.0	3.2
81G-0525 -60HP	205	68	8	16	160	0.2	0.2
81G-0526 -60HP	205	22	2	10	210	0.2	0.2
81G-0527 -60HP	205	18	2	6	160	0.2	0.2
81G-0530 -60HP	205	12	4	10	148	0.2	0.2
81G-0531 -60HP	205	36	4	28	220	0.2	1.0
81G-0533 -60HP	205	10	4	6	158	0.2	0.2
81G-0534 -60HP	205	8	6	4	190	0.2	0.2
81G-0535 -60HP	205	12	4	34	152	0.2	0.2
81G-0537 -60HP	205	52	4	68	240	0.2	0.6
81G-0538 -60HP	205	174	10	220	360	1.4	2.8
81G-0539 -60HP	205	24	10	66	260	0.2	0.4
81G-0540 -60HP	205	22	4	18	146	0.2	0.4

Certified by *Hart Bechler*



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BARRARD STREET
 VANCOUVER, B.C.
 V6E 2G8

CERT. # : A8210597-002-B
 INVOICE # : I8210597
 DATE : 18-MAR-82
 P.O. # : NONE


ATTN: GREG JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81G-0469 -60HP	205	3.40	960	3	0.8	--	--
81G-0470 -60HP	205	3.80	1500	3	1.2	--	--
81G-0471 -60HP	205	3.80	1400	4	0.8	--	--
81G-0473 -60HP	205	7.40	1800	9	1.6	--	--
81G-0475 -60HP	205	3.20	650	5	1.6	--	--
81G-0476 -60HP	205	14.20	1100	83	7.2	--	--
81G-0477 -60HP	205	19.80	1700	315	13.6	--	--
81G-0480 -60HP	205	5.90	1350	36	4.8	--	--
81G-0483 -60HP	205	14.30	2050	205	17.8	--	--
81G-0489 -60HP	205	13.20	2400	36	12.8	--	--
81G-0492 -60HP	205	6.60	3300	6	2.4	--	--
81G-0496 -60HP	205	11.00	3550	29	8.0	--	--
81G-0497 -60HP	205	13.00	5900	29	7.2	--	--
81G-0498 -60HP	205	16.90	5600	4	2.4	--	--
81G-0501 -60HP	205	7.50	4800	4	1.6	--	--
81G-0502 -60HP	205	14.80	4950	39	3.2	--	--
81G-0506 -60HP	205	6.70	2600	15	2.4	--	--
81G-0509 -60HP	205	8.80	2300	29	5.6	--	--
81G-0510 -60HP	205	6.80	3800	10	2.4	--	--
81G-0512 -60HP	205	7.00	3150	16	2.4	--	--
81G-0513 -60HP	205	9.80	5050	5	3.6	--	--
81G-0515 -60HP	205	8.40	5650	4	2.4	--	--
81G-0516 -60HP	205	9.20	7000	110	5.6	--	--
81G-0519 -60HP	205	17.00	3050	115	11.2	--	--
81G-0521 -60HP	205	10.70	4600	10	3.2	--	--
81G-0522 -60HP	205	13.20	2400	16	4.0	--	--
81G-0523 -60HP	205	22.00	3400	190	31.0	--	--
81G-0524 -60HP	205	17.60	4550	230	15.2	--	--
81G-0525 -60HP	205	6.00	2600	19	4.4	--	--
81G-0526 -60HP	205	9.90	1550	20	4.0	--	--
81G-0527 -60HP	205	8.20	1950	14	3.6	--	--
81G-0530 -60HP	205	7.80	4200	4	1.6	--	--
81G-0531 -60HP	205	8.40	3100	23	4.0	--	--
81G-0533 -60HP	205	9.10	4250	4	1.6	--	--
81G-0534 -60HP	205	11.70	1550	67	2.8	--	--
81G-0535 -60HP	205	6.50	4800	4	1.6	--	--
81G-0537 -60HP	205	10.10	2700	53	6.0	--	--
81G-0538 -60HP	205	15.10	9550	94	6.4	--	--
81G-0539 -60HP	205	8.60	5900	9	2.4	--	--
81G-0540 -60HP	205	5.70	1750	9	2.0	--	--

Certified by *Hart Bechler*



MEMBER
 CANADIAN TESTING
 ASSOCIATION



CHEMEX LABS LTD.

212. BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS


TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BURRARD STREET
 VANCOUVER, B.C.
 V6E 2G8


CERT. # : A8210597-003-A
 INVOICE # : I8210597
 DATE : 18-MAR-82
 P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0541 -60HP	205	20	4	16	156	0.2	0.2
81G-0542 -60HP	205	30	4	8	166	0.2	0.2
81G-0543 -60HP	205	34	4	14	200	0.2	0.2
81G-0544 -60HP	205	110	8	34	310	0.2	0.2
81G-0545 -60HP	205	8	2	12	96	0.2	0.2
81G-0546 -60HP	205	54	4	24	160	0.2	0.2
81G-0547 -60HP	205	18	8	4	100	0.2	0.2
81G-0548 -60HP	205	38	10	16	150	0.2	0.2
81G-0549 -60HP	205	32	8	22	192	0.2	0.2
81G-0550 -60HP	205	38	10	16	160	0.2	0.2
81G-0551 -60HP	205	870	72	200	2300	6.0	9.2
81G-0552 -60HP	205	54	10	84	190	0.2	0.2
81G-0554 -60HP	205	36	8	4	150	0.2	0.2
81G-0555 -60HP	205	36	6	2	136	0.2	0.2
81G-0556 -60HP	205	42	8	20	192	0.2	0.2
81G-0557 -60HP	205	22	26	36	128	0.2	0.2
81G-0558 -60HP	205	8	10	2	116	0.2	0.2
81G-0559 -60HP	205	32	8	2	136	0.2	0.2
81G-0561 -60HP	205	40	8	40	176	0.2	0.2
81G-0562 -60HP	205	60	10	8	220	0.2	0.2
81G-0563 -60HP	205	36	2	10	166	0.2	0.2
81G-0564 -60HP	205	16	4	6	160	0.2	0.2
81G-0565 -60HP	205	14	6	2	136	0.2	0.2
81G-0566 -60HP	205	18	6	2	160	0.2	0.2
81G-0569 -60HP	205	4	8	2	80	0.2	0.2
81G-0570 -60HP	205	20	6	6	100	0.2	0.2
81G-0572 -60HP	205	20	6	2	136	0.2	0.2
81G-0575 -60HP	205	360	92	136	1620	2.4	5.2
81G-0576 -60HP	205	100	20	30	410	0.2	0.8
81G-0578 -60HP	205	4	8	2	140	0.2	0.2
81G-0579 -60HP	205	36	8	30	200	0.2	0.2
81G-0580 -60HP	205	40	10	120	196	0.2	0.2
81G-0582 -60HP	205	18	8	4	96	0.2	0.2
81G-0588 -60HP	205	60	10	24	310	0.2	0.8
81G-0589 -60HP	205	22	6	6	460	0.2	0.2
81G-0590 -60HP	205	10	102	12	410	0.2	0.2
81G-0591 -60HP	205	24	6	4	530	0.2	0.2

Certified by *Hart Bichler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BURRARD STREET
 VANCOUVER, B.C.
 V6E 2G8

CERT. # : A8210597-003-B
 INVOICE # : I8210597
 DATE : 18-MAR-82
 P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81G-0541 -60HP	205	7.80	3600	9	3.2	--	--
81G-0542 -60HP	205	10.00	1900	7	4.0	--	--
81G-0543 -60HP	205	10.45	1700	73	22.0	--	--
81G-0544 -60HP	205	16.90	2350	120	31.0	--	--
81G-0545 -60HP	205	6.80	1420	7	2.4	--	--
81G-0546 -60HP	205	14.60	2900	14	6.4	--	--
81G-0547 -60HP	205	4.40	1250	7	2.0	--	--
81G-0548 -60HP	205	11.10	2750	19	6.8	--	--
81G-0549 -60HP	205	15.80	2750	63	22.0	--	--
81G-0550 -60HP	205	10.40	2850	39	12.0	--	--
81G-0551 -60HP	205	39.60	1850	495	61.0	--	--
81G-0552 -60HP	205	20.00	4950	33	5.6	--	--
81G-0554 -60HP	205	11.40	3450	10	3.2	--	--
81G-0555 -60HP	205	11.30	3650	5	1.6	--	--
81G-0556 -60HP	205	19.80	4800	12	3.2	--	--
81G-0557 -60HP	205	16.30	4450	9	1.6	--	--
81G-0558 -60HP	205	12.80	4550	3	1.6	--	--
81G-0559 -60HP	205	16.20	3900	11	1.6	--	--
81G-0561 -60HP	205	18.00	4900	11	1.6	--	--
81G-0562 -60HP	205	12.40	3400	27	4.0	--	--
81G-0563 -60HP	205	7.80	2300	32	2.4	--	--
81G-0564 -60HP	205	11.60	3700	10	0.8	--	--
81G-0565 -60HP	205	6.85	3750	11	1.6	--	--
81G-0566 -60HP	205	14.00	5300	5	0.8	--	--
81G-0569 -60HP	205	9.60	2950	2	0.4	--	--
81G-0570 -60HP	205	10.20	3500	9	1.6	--	--
81G-0572 -60HP	205	13.20	3750	6	1.2	--	--
81G-0575 -60HP	205	17.00	1700	205	46.0	--	--
81G-0576 -60HP	205	9.60	1300	51	8.8	--	--
81G-0578 -60HP	205	6.50	1800	2	0.8	--	--
81G-0579 -60HP	205	7.20	2050	12	2.4	--	--
81G-0580 -60HP	205	7.30	1950	24	3.2	--	--
81G-0582 -60HP	205	13.80	7800	4	1.6	--	--
81G-0588 -60HP	205	9.10	3600	43	6.4	--	--
81G-0589 -60HP	205	9.60	3250	7	2.4	--	--
81G-0590 -60HP	205	5.90	3900	4	2.4	--	--
81G-0591 -60HP	205	10.50	2550	10	3.6	--	--



MEMBER
 CANADIAN TESTING
 ASSOCIATION

Certified by *Stan B. Schler*.....