

CHEMEX LABS LTD.

019020

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8210143-001-A
INVOICE # : I8210143
DATE : 15-APR-82
P.C. # : NONE
81-G


CORRECTED COPY

C.C. G. JILSEN ALL SAMPLES ARE -60+150HN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0026	205	16	4	28	56	0.6	0.2
81G-0027	205	34	4	66	88	0.2	0.2
81G-0028	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0029 A+B	205	30	2	54	70	0.4	0.2
81G-0044 A	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0044 B	205	32	4	86	140	0.2	0.2
81G-0055 A	205	560	4	80	530	3.0	0.4
81G-0055 B	205	470	4	126	500	5.0	0.2
81G-0056 A	205	260	4	390	200	3.8	0.2
81G-0056 B	205	260	4	320	240	2.4	0.2
81G-0056 E	205	290	4	260	216	1.8	0.2
81G-0056 G	205	230	4	320	255	1.4	0.2
81G-0056 H	205	230	4	400	240	4.4	0.2
81G-0063 A	205	400	4	540	3600	2.8	5.0
81G-0063 B	205	300	4	840	2000	3.2	2.4
81G-0063 C	205	252	4	1750	2100	2.8	1.4

Certified by *Hart Buchler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8210143-001-B
INVOICE # : I8210143
DATE : 15-APR-82
P.O. # : NONE
81-G

CORRECTED COPY

C.C. G. JILSEN ALL SAMPLES ARE -60+150HN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	W ppm	Sn ppm	Sb ppm
81G-0026	205	2.20	790	22	750	20	1.6
81G-0027	205	1.80	460	12	700	52	0.8
81G-0028	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0029 A+B	205	2.10	620	134	800	52	1.6
81G-0044 A	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0044 B	205	1.40	580	38	N.S.S.	N.S.S.	1.0
81G-0055 A	205	9.10	380	360	250	36	10.4
81G-0055 B	205	12.00	330	500	600	40	8.8
81G-0056 A	205	1.80	240	44	300	56	8.8
81G-0056 B	205	2.20	380	86	300	50	8.0
81G-0056 E	205	2.10	360	92	200	16	7.2
81G-0056 G	205	2.60	680	58	100	12	7.2
81G-0056 H	205	1.80	430	40	250	36	8.8
81G-0063 A	205	6.00	490	400	N.S.S.	N.S.S.	6.0
81G-0063 B	205	6.10	440	390	140	20	7.2
81G-0063 C	205	5.60	490	271	N.S.S.	N.S.S.	N.S.S.

Certified by *Hart Buchler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8210143-001-C
INVOICE # : I8210143
DATE : 15-APR-82
P.O. # : NONE
81-G

CORRECTED COPY

C.C. G. JILSEN ALL SAMPLES ARE -60+150HN

Sample description	Prep code	Ba ppm	Au NAA ppb				
81G-0026	205	2700	1730	--	--	--	--
81G-0027	205	3600	10	--	--	--	--
81G-0028	205	N.S.S.	<10	--	--	--	--
81G-0029 A+B	205	3200	<10	--	--	--	--
81G-0044 A	205	N.S.S.	10	--	--	--	--
81G-0044 B	205	2000	10	--	--	--	--
81G-0055 A	205	9	270	--	--	--	--
81G-0055 B	205	9	700	--	--	--	--
81G-0056 A	205	12	1450	--	--	--	--
81G-0056 B	205	13	20	--	--	--	--
81G-0056 E	205	11	10	--	--	--	--
81G-0056 G	205	7	20	--	--	--	--
81G-0056 H	205	12	850	--	--	--	--
81G-0063 A	205	29000	180	--	--	--	--
81G-0063 B	205	5	3600	--	--	--	--
81G-0063 C	205	N.S.S.	10	--	--	--	--

Certified by *Hart Buchler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BURRARD STREET
 VANCOUVER, B.C.
 V6E 2G8


CERT. # : A8210596-001-A
 INVOICE # : I8210596
 DATE : 18-MAR-82
 P.O. # : NONE


ATTN: GREG JILSEN (OXALIC LEACH)

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0460-35+60IP	0	3	1	31	6	0.1	0.1
81G-0593-35+60IP	0	3	1	1	18	0.1	0.1
81G-0594-35+60IP	0	2	1	1	11	0.1	0.1
81G-0595-35+60IP	0	2	1	1	6	0.1	0.1
81G-0596-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0598-35+60IP	0	5	3	1	14	0.1	0.1
81G-0599-35+60IP	0	10	4	1	40	0.1	0.1
81G-0602-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0609-35+60IP	0	2	1	1	2	0.1	0.1
81G-0610-35+60IP	0	2	1	1	17	0.1	0.1
81G-0612-35+60IP	0	5	1	1	22	0.1	0.1
81G-0613-35+60IP	0	3	1	1	25	0.1	0.1
81G-0615-35+60IP	0	3	1	1	15	0.1	0.1
81G-0617-35+60IP	0	40	10	31	4000	0.1	8.5
81G-0618-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0619-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0620-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0621-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0622-35+60IP	0	4	1	1	25	0.1	0.1
81G-0623-35+60IP	0	9	1	1	24	0.1	0.1
81G-0624-35+60IP	0	8	1	1	16	0.1	0.1
81G-0625-35+60IP	0	2	1	1	10	0.1	0.1
81G-0626-35+60IP	0	2	2	1	8	0.1	0.1
81G-0627-35+60IP	0	7	5	25	55	0.1	1.2
81G-0628-35+60IP	0	3	3	1	6	0.1	0.1
81G-0629-35+60IP	0	2	1	1	13	0.1	0.1
81G-0630-35+60IP	0	4	3	1	15	0.1	0.1
81G-0631-35+60IP	0	4	2	1	30	0.1	0.1
81G-0632-35+60IP	0	28	10	26	290	0.1	1.4
81G-0633-35+60IP	0	2	6	1	14	0.1	0.1
81G-0634-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0635-35+60IP	0	10	8	10	60	0.2	0.8
81G-0636-35+60IP	0	2	1	1	6	0.1	0.1
81G-0637-35+60IP	0	4	3	14	32	0.1	0.4
81G-0638-35+60IP	0	2	2	2	62	0.2	0.2
81G-0639-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0640-35+60IP	0	42	8	22	220	0.2	0.2
81G-0642-35+60IP	0	4	6	7	18	0.1	0.3
81G-0643-35+60IP	0	2	8	1	8	0.1	0.1
81G-0644-35+60IP	0	3	5	1	23	0.1	0.1

*complete set
124 samples*

Certified by *Hart Biehler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BARRARD STREET
 VANCOUVER, B.C.
 V6E 2G8

CERT. # : A8210596-001-B
 INVOICE # : I8210596
 DATE : 18-MAR-82
 P.O. # : NONE


ATTN: GREG JILSEN (OXALIC LEACH)

Sample description	Prep code	Fe %	Mn ppm	AS ppm			
81G-0460-35+60IP	0	1.92	295	22	--	--	--
81G-0593-35+60IP	0	2.10	315	9	--	--	--
81G-0594-35+60IP	0	0.80	225	3	--	--	--
81G-0595-35+60IP	0	1.85	460	6	--	--	--
81G-0596-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	--	--	--
81G-0598-35+60IP	0	2.75	400	54	--	--	--
81G-0599-35+60IP	0	3.40	335	80	--	--	--
81G-0602-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	--	--	--
81G-0609-35+60IP	0	0.40	178	5	--	--	--
81G-0610-35+60IP	0	2.20	470	22	--	--	--
81G-0612-35+60IP	0	1.32	395	7	--	--	--
81G-0613-35+60IP	0	1.68	182	12	--	--	--
81G-0615-35+60IP	0	1.20	310	6	--	--	--
81G-0617-35+60IP	0	8.80	1900	44	--	--	--
81G-0618-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	--	--	--
81G-0619-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	--	--	--
81G-0620-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	--	--	--
81G-0621-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	--	--	--
81G-0622-35+60IP	0	1.15	390	5	--	--	--
81G-0623-35+60IP	0	1.03	265	4	--	--	--
81G-0624-35+60IP	0	0.93	232	5	--	--	--
81G-0625-35+60IP	0	1.48	310	4	--	--	--
81G-0626-35+60IP	0	2.70	455	44	--	--	--
81G-0627-35+60IP	0	6.70	1200	54	--	--	--
81G-0628-35+60IP	0	3.60	765	88	--	--	--
81G-0629-35+60IP	0	2.40	605	10	--	--	--
81G-0630-35+60IP	0	2.80	510	16	--	--	--
81G-0631-35+60IP	0	3.32	970	12	--	--	--
81G-0632-35+60IP	0	6.60	600	24	--	--	--
81G-0633-35+60IP	0	4.45	790	28	--	--	--
81G-0634-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	--	--	--
81G-0635-35+60IP	0	6.90	1600	30	--	--	--
81G-0636-35+60IP	0	0.75	165	1	--	--	--
81G-0637-35+60IP	0	3.95	695	21	--	--	--
81G-0638-35+60IP	0	1.50	856	5	--	--	--
81G-0639-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	--	--	--
81G-0640-35+60IP	0	9.70	2650	24	--	--	--
81G-0642-35+60IP	0	4.50	840	21	--	--	--
81G-0643-35+60IP	0	5.20	510	37	--	--	--
81G-0644-35+60IP	0	4.45	1000	18	--	--	--

Certified by *Hart Buchler*



MEMBER
 CANADIAN TESTING
 ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BARRARD STREET
 VANCOUVER, B.C.
 V6E 2G8

CERT. # : A8210596-002-A
 INVOICE # : I8210596
 DATE : 18-MAR-82
 P.O. # : NONE

ATTN: GREG JILSEN (OXALIC LEACH)


Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0645-35+60IP	0	1	2	1	9	0.1	0.1
81G-0646-35+60IP	0	4	4	1	31	0.1	0.1
81G-0647-35+60IP	0	2	120	2	2	0.2	4.7
81G-0648-35+60IP	0	6	4	1	27	0.1	0.1
81G-0649-35+60IP	0	6	7	1	23	0.1	0.1
81G-0650-35+60IP	0	6	6	2	42	0.2	0.2
81G-0651-35+60IP	0	2	6	1	13	0.1	0.2
81G-0652-35+60IP	0	3	6	1	25	0.1	0.1
81G-0653-35+60IP	0	4	4	1	26	0.1	0.1
81G-0654-35+60IP	0	1	1	3	8	0.1	0.1
81G-0656-35+60IP	0	1	1	1	8	0.1	0.1
81G-0657-35+60IP	0	1	3	1	3	0.1	0.1
81G-0658-35+60IP	0	2	4	1	7	0.1	0.1
81G-0659-35+60IP	0	48	13	26	500	0.2	1.9
81G-0660-35+60IP	0	4	1	1	22	0.1	0.1
81G-0661-35+60IP	0	7	1	5	22	0.1	0.1
81G-0662-35+60IP	0	8	1	5	24	0.1	0.1
81G-0663-35+60IP	0	9	1	6	25	0.1	0.1
81G-0664-35+60IP	0	9	1	9	21	0.1	0.1
81G-0665-35+60IP	0	2	1	15	10	0.1	0.1
81G-0666-35+60IP	0	8	2	12	76	0.2	0.2
81G-0667-35+60IP	0	3	2	19	9	0.2	0.2
81G-0668-35+60IP	0	3	1	8	15	0.1	0.1
81G-0669-35+60IP	0	3	1	8	15	0.1	0.1
81G-0670-35+60IP	0	13	3	14	45	0.2	0.2
81G-0673-35+60IP	0	2	1	7	20	0.1	0.1
81G-0674-35+60IP	0	2	2	2	53	0.2	0.2
81G-0676-35+60IP	0	14	2	5	24	0.2	0.2
81G-0677-35+60IP	0	6	1	4	14	0.1	0.1
81G-0678-35+60IP	0	3	1	2	15	0.1	0.1
81G-0679-35+60IP	0	4	1	7	15	0.1	0.1
81G-0680-35+60IP	0	18	2	23	77	0.2	0.2
81G-0681-35+60IP	0	45	5	21	107	0.1	0.6
81G-0682-35+60IP	0	28	5	46	98	0.1	0.9
81G-0683-35+60IP	0	13	4	23	43	0.1	0.4
81G-0684-35+60IP	0	3	1	11	23	0.1	0.1
81G-0685-35+60IP	0	5	1	2	14	0.1	0.1
81G-0686-35+60IP	0	58	1	46	147	0.1	0.6
81G-0687-35+60IP	0	3	1	9	22	0.1	0.1
81G-0688-35+60IP	0	9	1	15	30	0.1	0.2

Certified by

Hart Buchler



MEMBER
 CANADIAN TESTING
 ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BURRARD STREET
 VANCOUVER, B.C.
 V6E 2G8

CERT. # : A8210596-002-B
 INVOICE # : I8210596
 DATE : 18-MAR-82
 P.O. # : NONE


ATTN: GREG JILSEN (OXALIC LEACH)

Sample description	Prep code	Fe %	Mn ppm	AS ppm			
81G-0645-35+60IP	0	2.70	870	12	--	--	--
81G-0646-35+60IP	0	5.55	1180	28	--	--	--
81G-0647-35+60IP	0	5.00	129500	30	--	--	--
81G-0648-35+60IP	0	3.95	840	20	--	--	--
81G-0649-35+60IP	0	4.80	960	29	--	--	--
81G-0650-35+60IP	0	4.20	710	20	--	--	--
81G-0651-35+60IP	0	4.15	820	25	--	--	--
81G-0652-35+60IP	0	3.20	615	25	--	--	--
81G-0653-35+60IP	0	2.75	380	18	--	--	--
81G-0654-35+60IP	0	2.30	480	12	--	--	--
81G-0656-35+60IP	0	2.00	395	8	--	--	--
81G-0657-35+60IP	0	3.25	405	16	--	--	--
81G-0658-35+60IP	0	1.45	165	12	--	--	--
81G-0659-35+60IP	0	6.60	980	61	--	--	--
81G-0660-35+60IP	0	2.20	310	12	--	--	--
81G-0661-35+60IP	0	1.18	385	10	--	--	--
81G-0662-35+60IP	0	1.30	360	12	--	--	--
81G-0663-35+60IP	0	1.30	335	11	--	--	--
81G-0664-35+60IP	0	1.30	440	16	--	--	--
81G-0665-35+60IP	0	3.00	540	46	--	--	--
81G-0666-35+60IP	0	2.90	750	72	--	--	--
81G-0667-35+60IP	0	1.90	300	20	--	--	--
81G-0668-35+60IP	0	1.85	295	20	--	--	--
81G-0669-35+60IP	0	1.95	520	19	--	--	--
81G-0670-35+60IP	0	3.25	1150	20	--	--	--
81G-0673-35+60IP	0	1.05	285	15	--	--	--
81G-0674-35+60IP	0	2.60	470	18	--	--	--
81G-0676-35+60IP	0	1.70	430	39	--	--	--
81G-0677-35+60IP	0	1.50	345	25	--	--	--
81G-0678-35+60IP	0	0.80	205	6	--	--	--
81G-0679-35+60IP	0	1.86	370	17	--	--	--
81G-0680-35+60IP	0	3.40	1100	49	--	--	--
81G-0681-35+60IP	0	3.90	2000	75	--	--	--
81G-0682-35+60IP	0	6.60	3050	135	--	--	--
81G-0683-35+60IP	0	4.55	2200	77	--	--	--
81G-0684-35+60IP	0	1.04	590	7	--	--	--
81G-0685-35+60IP	0	1.67	390	12	--	--	--
81G-0686-35+60IP	0	3.00	400	73	--	--	--
81G-0687-35+60IP	0	0.62	145	17	--	--	--
81G-0688-35+60IP	0	1.50	418	19	--	--	--



MEMBER
 CANADIAN TESTING
 ASSOCIATION

Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BURRARD STREET
 VANCOUVER, B.C.
 V6E 2G8

CERT. # : A8210596-003-A
 INVOICE # : I8210596
 DATE : 18-MAR-82
 P.O. # : NONE


ATTN: GREG JILSEN (OXALIC LEACH)

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0689-35+60IP	0	4	2	7	22	0.1	0.1
81G-0690-35+60IP	0	1	2	1	20	0.1	0.1
81G-0691-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0692-35+60IP	0	3	2	19	26	0.1	0.3
81G-0693-35+60IP	0	16	3	19	50	0.1	0.3
81G-0694-35+60IP	0	23	2	26	68	0.1	0.2
81G-0695-35+60IP	0	2	1	3	18	0.1	0.1
81G-0696-35+60IP	0	12	1	6	39	0.1	0.2
81G-0697-35+60IP	0	11	2	8	37	0.1	0.1
81G-0698-35+60IP	0	12	2	5	40	0.1	0.1
81G-0699-35+60IP	0	9	1	10	26	0.1	0.1
81G-0700-35+60IP	0	3	1	5	10	0.1	0.1
81G-0701-35+60IP	0	8	2	10	72	0.1	0.1
81G-0702-35+60IP	0	12	3	11	30	0.1	0.3
81G-0703-35+60IP	0	12	2	18	32	0.1	0.3
81G-0705-35+60IP	0	47	5	20	162	0.1	0.2
81G-0706-35+60IP	0	23	2	7	42	0.1	0.1
81G-0707-35+60IP	0	30	1	15	42	0.1	0.1
81G-0708-35+60IP	0	40	3	12	77	0.1	0.3
81G-0709-35+60IP	0	47	1	11	62	0.1	0.3
81G-0710-35+60IP	0	90	8	33	180	0.2	0.5
81G-0711-35+60IP	0	145	16	55	290	0.1	1.9
81G-0712-35+60IP	0	42	3	45	136	0.1	0.1
81G-0713-35+60IP	0	52	2	48	135	0.1	0.1
81G-0714-35+60IP	0	147	19	95	250	0.1	2.4
81G-0715-35+60IP	0	243	28	160	1100	0.2	4.3
81G-0717-35+60IP	0	9	1	6	15	0.1	0.1
81G-0718-35+60IP	0	14	1	8	26	0.1	0.1
81G-0721-35+60IP	0	11	1	5	37	0.1	0.1
81G-0728-35+60IP	0	17	1	1	14	0.1	0.1
81G-0729-35+60IP	0	3	1	1	11	0.1	0.1
81G-0730-35+60IP	0	4	1	1	10	0.1	0.1
81G-0732-35+60IP	0	5	1	2	30	0.1	0.1
81G-0733-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0734-35+60IP	0	11	2	1	39	0.1	0.1
81G-0737-35+60IP	0	2	1	1	30	0.1	0.1
81G-0741-35+60IP	0	13	1	1	32	0.1	0.1
81G-0743-35+60IP	0	23	1	1	33	0.1	0.1
81G-0744-35+60IP	0	3	1	1	12	0.1	0.1
81G-0747-35+60IP	0	7	2	10	33	0.1	0.1

Certified by *Hart Becker*



MEMBER
 CANADIAN TESTING
 ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS


TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BARRARD STREET
 VANCOUVER, B.C.
 V6E 2G8


CERT. # : A8210596-003-B
 INVOICE # : I8210596
 DATE : 18-MAR-82
 P.O. # : NONE

ATTN: GREG JILSEN (OXALIC LEACH)

Sample description	Prep code	Fe %	Mn ppm	AS ppm			
81G-0689-35+60IP	0	1.22	200	10	--	--	--
81G-0690-35+60IP	0	0.46	120	2	--	--	--
81G-0691-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	--	--	--
81G-0692-35+60IP	0	1.46	285	9	--	--	--
81G-0693-35+60IP	0	2.23	550	41	--	--	--
81G-0694-35+60IP	0	2.23	640	36	--	--	--
81G-0695-35+60IP	0	0.57	130	5	--	--	--
81G-0696-35+60IP	0	1.05	290	9	--	--	--
81G-0697-35+60IP	0	1.30	300	12	--	--	--
81G-0698-35+60IP	0	1.12	355	9	--	--	--
81G-0699-35+60IP	0	1.33	230	11	--	--	--
81G-0700-35+60IP	0	1.58	580	9	--	--	--
81G-0701-35+60IP	0	2.18	425	32	--	--	--
81G-0702-35+60IP	0	2.28	310	30	--	--	--
81G-0703-35+60IP	0	1.98	305	15	--	--	--
81G-0705-35+60IP	0	2.68	285	94	--	--	--
81G-0706-35+60IP	0	2.13	255	15	--	--	--
81G-0707-35+60IP	0	3.20	380	23	--	--	--
81G-0708-35+60IP	0	2.80	325	11	--	--	--
81G-0709-35+60IP	0	2.30	310	6	--	--	--
81G-0710-35+60IP	0	5.00	510	165	--	--	--
81G-0711-35+60IP	0	4.45	415	265	--	--	--
81G-0712-35+60IP	0	3.20	370	79	--	--	--
81G-0713-35+60IP	0	4.10	520	77	--	--	--
81G-0714-35+60IP	0	6.80	455	180	--	--	--
81G-0715-35+60IP	0	10.50	825	363	--	--	--
81G-0717-35+60IP	0	0.92	145	4	--	--	--
81G-0718-35+60IP	0	1.90	260	11	--	--	--
81G-0721-35+60IP	0	1.15	218	10	--	--	--
81G-0728-35+60IP	0	1.08	148	5	--	--	--
81G-0729-35+60IP	0	0.62	85	4	--	--	--
81G-0730-35+60IP	0	0.83	98	6	--	--	--
81G-0732-35+60IP	0	1.20	340	17	--	--	--
81G-0733-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	--	--	--
81G-0734-35+60IP	0	1.25	275	6	--	--	--
81G-0737-35+60IP	0	0.50	100	2	--	--	--
81G-0741-35+60IP	0	1.25	428	9	--	--	--
81G-0743-35+60IP	0	1.43	388	9	--	--	--
81G-0744-35+60IP	0	2.15	585	23	--	--	--
81G-0747-35+60IP	0	2.30	440	5	--	--	--

Certified by *Hart Buchler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS


CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8210596-004-A
INVOICE # : I8210596
DATE : 18-MAR-82
P.O. # : NONE

ATTN: GREG JILSEN (OXALIC LEACH)

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0748-35+60IP	0	7	1	8	35	0.1	0.1
81G-0749-35+60IP	0	4	2	12	14	0.1	0.1
81G-0736-35+60IP	0	3	2	5	38	0.1	0.1
81G-0750-35+60IP	0	6	2	9	17	0.1	0.1



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210596-004-B
INVOICE # : I8210596
DATE : 18-MAR-82
P.O. # : NONE

ATTN: GREG JILSEN (OXALIC LEACH)

Sample description	Prep code	Fe %	Mn ppm	AS ppm			
81G-0748-35+60IP	0	2.10	1020	3	--	--	--
81G-0749-35+60IP	0	2.70	425	4	--	--	--
81G-0736-35+60IP	0	0.93	460	5	--	--	--
81G-0750-35+60IP	0	2.40	620	4	--	--	--



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *H. B. Bichler*