

# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BARRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8114676-001-A  
INVOICE # : I8114676  
DATE : 18-NCV-81  
P.C. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81 G 362 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 363 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 364 60HN	205	52	2	84	90	58.0	0.2
81 G 365 60HN	205	32	2	130	88	14.0	0.4
81 G 366 60HN	205	20	2	24	58	0.4	0.2
81 G 367 60HN	205	30	2	20	38	0.2	0.2
81 G 370(1) 60HN	205	20	4	18	72	0.2	0.2
81 G 370(2) 60HN	205	134	2	50	84	0.4	0.2
81 G 379 60HN	205	86	4	18	152	0.2	1.2
81 G 390 60HN	205	24	2	14	52	0.2	0.4
81 G 392 60HN	205	40	2	24	60	0.6	0.2
81 G 393 60HN	205	110	2	56	76	0.2	0.4
81 G 394 60HN	205	58	2	46	56	1.6	0.4
81 G 395 60HN	205	130	4	56	90	0.4	0.2
81 G 396 60HN	205	50	2	24	80	0.2	0.2
81 G 397 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 398 60HN	205	42	2	118	58	0.2	0.2
81 G 400 60HN	205	190	2	130	340	0.4	0.4
81 G 402 60HN	205	20	2	88	78	0.2	0.4
81 G 403 60HN	205	12	2	20	100	0.6	0.2
81 G 407 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 412 60HN	205	34	2	24	48	0.8	0.2
81 G 420 60HN	205	30	2	340	100	2.0	0.4
81 G 456 60HN	205	10	2	96	56	0.2	0.2
81 G 472 60HN	205	28	2	18	72	1.4	0.2
81 G 479 60HN	205	38	2	24	108	0.4	1.0
81 G 481 60HN	205	16	2	12	46	0.2	0.2
81 G 482 60HN	205	68	2	30	66	0.2	0.2
81 G 484 60HN	205	20	2	20	46	0.4	0.2
81 G 487 60HN	205	56	2	2	50	0.4	0.2
81 G 488 60HN	205	86	4	12	156	0.4	0.6
81 G 490 60HN	205	68	2	2	76	1.0	0.6
81 G 504 60HN	205	50	2	4	110	0.4	0.4
81 G 505 60HN	205	22	4	18	46	0.2	0.2
81 G 507 60HN	205	10	2	14	36	0.2	0.2
81 G 508 60HN	205	30	4	40	40	0.2	0.2
81 G 511 60HN	205	16	2	24	40	0.2	0.2
81 G 518 60HN	205	42	4	2	60	0.2	0.6

# HEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BARRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8114676-001-B  
INVOICE # : I8114676  
DATE : 18-NCV-81  
P.C. # : NONE

Sample description	Prep code	Fe %	Mn ppm	AS ppm	W ppm	Sn ppm	Sb ppm
81 G 362 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 363 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 364 60HN	205	2.90	440	92	2400	N.S.S.	N.S.S.
81 G 365 60HN	205	2.95	420	146	800	260	0.8
81 G 366 60HN	205	3.70	710	20	560	12	1.6
81 G 367 60HN	205	2.50	290	14	135	16	0.8
81 G 370(1) 60HN	205	3.25	690	10	420	52	1.6
81 G 370(2) 60HN	205	4.30	480	166	140	16	0.8
81 G 379 60HN	205	6.10	650	6	20	12	0.4
81 G 390 60HN	205	1.30	840	4	190	12	0.4
81 G 392 60HN	205	2.55	455	4	80	N.S.S.	2.5
81 G 393 60HN	205	2.95	410	14	185	156	2.4
81 G 394 60HN	205	3.55	460	22	80	N.S.S.	1.6
81 G 395 60HN	205	3.05	450	4	160	140	0.4
81 G 396 60HN	205	2.40	470	10	N.S.S.	N.S.S.	N.S.S.
81 G 397 60HN	205	N.S.S.	N.S.S.	N.S.S.	80	164	0.8
81 G 398 60HN	205	2.40	420	10	300	68	2.4
81 G 400 60HN	205	8.50	1200	20	N.S.S.	N.S.S.	N.S.S.
81 G 402 60HN	205	1.35	210	8	270	N.S.S.	1.1
81 G 403 60HN	205	2.80	380	8	155	N.S.S.	1.6
81 G 407 60HN	205	N.S.S.	N.S.S.	N.S.S.	95	377	1.6
81 G 412 60HN	205	2.20	375	6	40	24	1.6
81 G 420 60HN	205	7.00	1060	10	N.S.S.	N.S.S.	N.S.S.
81 G 456 60HN	205	1.25	235	4	190	92	2.4
81 G 472 60HN	205	2.20	380	10	40	N.S.S.	0.8
81 G 479 60HN	205	2.00	220	6	95	8	1.6
81 G 481 60HN	205	2.75	460	6	55	28	2.4
81 G 482 60HN	205	6.60	610	78	20	4	2.4
81 G 484 60HN	205	1.65	225	6	10	20	1.6
81 G 487 60HN	205	1.40	190	12	80	28	2.4
81 G 488 60HN	205	2.75	300	32	12	N.S.S.	N.S.S.
81 G 490 60HN	205	1.80	210	8	20	12	0.8
81 G 504 60HN	205	1.70	370	8	190	20	0.8
81 G 505 60HN	205	2.50	620	10	130	N.S.S.	1.3
81 G 507 60HN	205	1.90	450	8	N.S.S.	N.S.S.	N.S.S.
81 G 508 60HN	205	2.70	285	10	175	N.S.S.	N.S.S.
81 G 511 60HN	205	2.15	405	6	16	4	1.6
81 G 518 60HN	205	1.45	110	22	80	36	2.4

Certified by *Hart Bichler*

# HEMEX LACHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BARRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8114676-001-A  
INVOICE # : I8114676  
DATE : 18-NCV-81  
P.C. # : NONE


Sample description	Prep code	Ba ppm	Au ppb	NAA ppb	Weight g
81 G 362 60HN	205	N.S.S.	<10	1.05	--
81 G 363 60HN	205	N.S.S.	<20	0.54	--
81 G 364 60HN	205	600	<10	2.13	--
81 G 365 60HN	205	2000	30	4.17	--
81 G 366 60HN	205	300	<10	17.43	--
81 G 367 60HN	205	300	<10	37.30	--
81 G 370(1) 60HN	205	350	10	12.11	--
81 G 370(2) 60HN	205	1300	<10	20.54	--
81 G 379 60HN	205	500	<10	31.95	--
81 G 390 60HN	205	3800	2830	6.42	--
81 G 392 60HN	205	12500	1960	2.23	--
81 G 393 60HN	205	19000	20	5.25	--
81 G 394 60HN	205	23500	330	2.68	--
81 G 395 60HN	205	25000	6350	5.41	--
81 G 396 60HN	205	N.S.S.	<10	1.12	--
81 G 397 60HN	205	24500	230	4.47	--
81 G 398 60HN	205	17500	4210	3.45	--
81 G 400 60HN	205	N.S.S.	3860	1.25	--
81 G 402 60HN	205	7000	<10	2.52	--
81 G 403 60HN	205	35000	<10	2.63	--
81 G 407 60HN	205	17500	<10	2.83	--
81 G 412 60HN	205	2200	860	4.77	--
81 G 420 60HN	205	N.S.S.	520	1.27	--
81 G 456 60HN	205	950	<10	11.75	--
81 G 472 60HN	205	2700	9560	2.58	--
81 G 479 60HN	205	800	2390	15.57	--
81 G 481 60HN	205	>50000	10	3.35	--
81 G 482 60HN	205	7000	940	6.53	--
81 G 484 60HN	205	>50000	80	8.46	--
81 G 487 60HN	205	39000	40	4.08	--
81 G 488 60HN	205	>50000	3310	2.55	--
81 G 490 60HN	205	35000	1970	3.71	--
81 G 504 60HN	205	3800	70	6.79	--
81 G 505 60HN	205	1200	24600	2.55	--
81 G 507 60HN	205	500	2000	1.84	--
81 G 508 60HN	205	2100	10900	2.02	--
81 G 511 60HN	205	5100	<10	2.69	--
81 G 518 60HN	205	>50000	<10	4.55	--

Certified by .....


Registered Assayer, Province of British Columbia

019021

Certified by *Hart Bichler*



MEMBER  
CANADIAN TESTING  
ASSOCIATION



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BURNARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8114674-003-A  
INVOICE # : I8114674  
DATE : 18-NOV-81  
P.O. # : NONE

# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED

CERT. # : A8114674-003-B  
INVOICE # : I8114674  
DATE : 18-NOV-81  
P.O. # : NONE

# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED

CERT. # : A8114674-003-A  
INVOICE # : I8114674  
DATE : 18-NOV-81  
P.O. # : NONE

## CERTIFICATE OF ASSAY


CERT. # : A8114674-003-A  
INVOICE # : I8114674  
DATE : 18-NOV-81  
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81 G 105 60HN	205	16	4	30	100	0.6	0.2
81 G 106 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 107 60HN	205	40	2	22	60	0.2	0.2
81 G 108 60HN	205	28	2	20	70	0.2	0.4
81 G 109 60HN	205	30	2	86	90	0.2	0.2
81 G 110 60HN	205	12	2	30	96	0.2	0.4
81 G 111 60HN	205	20	4	4	38	0.2	0.2
81 G 112 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 113 60HN	205	20	2	4	40	0.2	0.2
81 G 114 60HN	205	20	6	184	98	3.2	0.6
81 G 115 60HN	205	40	2	20	92	0.2	0.2
81 G 116 60HN	205	62	4	10	74	1.0	0.2
81 G 117 60HN	205	72	4	16	200	0.4	1.0
81 G 118 60HN	205	210	4	46	70	0.2	1.2
81 G 119 60HN	205	40	4	18	110	0.2	0.2
81 G 121 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 122 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 123 60HN	205	32	2	14	70	0.2	0.2
81 G 124 60HN	205	36	2	100	56	0.2	0.2
81 G 125 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 127 60HN	205	60	2	12	68	0.2	0.2
81 G 128 60HN	205	88	6	8	64	0.2	0.2
81 G 129 60HN	205	80	4	22	180	0.4	0.8
81 G 130 60HN	205	118	2	18	1200	0.4	27.8
81 G 131 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 132 60HN	205	40	4	8	100	0.2	0.2
81 G 133 60HN	205	40	2	4	96	0.2	0.2
81 G 134 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 135 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 137 60HN	205	116	2	12	620	0.2	3.6
81 G 138 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 139 60HN	205	48	2	8	76	0.2	0.2
81 G 141 60HN	205	60	2	10	140	0.2	0.2
81 G 142 60HN	205	164	2	52	156	0.2	0.2
81 G 143 60HN	205	230	2	34	186	3.0	0.2
81 G 144 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 145 60HN	205	58	2	44	80	0.2	0.2
81 G 146 60HN	205	40	2	16	56	0.2	0.2
81 G 147 60HN	205	54	4	2	200	3.0	0.8
81 G 148 60HN	205	44	2	56	98	1.6	0.2

Fe %	Mn ppm	AS ppm	W ppm	Sn ppm	Sb ppm
3.00	430	10	45	N.S.S.	N.S.S.
N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
4.45	300	12	40	12	1.6
2.40	450	8	75	N.S.S.	N.S.S.
4.00	570	10	40	8	4.0
1.55	300	8	30	16	2.4
3.20	390	6	2	4	1.6
N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
3.75	400	6	110	4	0.8
2.75	300	10	2400	100	1.6
2.90	285	6	640	4	2.4
2.65	345	6	110	20	0.8
2.75	405	12	120	36	2.4
2.75	530	12	270	72	2.4
2.60	400	8	450	40	1.6
N.S.S.	N.S.S.	N.S.S.	90	N.S.S.	N.S.S.
N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
3.10	410	6	N.S.S.	N.S.S.	N.S.S.
2.65	375	10	N.S.S.	N.S.S.	N.S.S.
N.S.S.	N.S.S.	N.S.S.	75	N.S.S.	N.S.S.
2.25	290	8	30	205	1.6
4.75	565	8	2	4	0.4
2.55	450	28	60	N.S.S.	3.0
2.25	385	12	N.S.S.	N.S.S.	N.S.S.
N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
4.55	660	6	40	4	1.6
4.40	720	8	8	4	0.8
N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
1.20	390	6	170	20	0.4
N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
1.10	305	2	30	580	0.8
0.90	280	12	75	N.S.S.	2.7
2.05	350	28	95	N.S.S.	1.6
4.10	305	98	30	20	1.6
N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
2.25	475	12	40	4	1.6
1.40	360	8	85	72	1.6
3.10	105	58	30	28	4.0
3.85	485	6	30	28	15.2

Ba ppm	Au NAA ppb	Weight g			
2100	11500	1.97	--	--	--
N.S.S.	<50	0.25	--	--	--
16000	10	3.36	--	--	--
19000	<10	1.84	--	--	--
7200	<10	3.36	--	--	--
2450	<10	2.62	--	--	--
1100	470	20.92	--	--	--
300	<20	0.60	--	--	--
N.S.S.	7880	17.45	--	--	--
8900	16200	5.60	--	--	--
25000	10	18.49	--	--	--
>50000	<10	3.69	--	--	--
>50000	1540	8.70	--	--	--
18000	<10	5.04	--	--	--
18000	5460	9.28	--	--	--
2600	<10	1.49	--	--	--
N.S.S.	3770	0.68	--	--	--
1700	2980	1.62	--	--	--
8400	<10	1.79	--	--	--
>50000	1020	1.38	--	--	--
44000	110	8.79	--	--	--
7100	670	7.00	--	--	--
29000	1800	2.42	--	--	--
N.S.S.	80	1.60	--	--	--
N.S.S.	<50	0.23	--	--	--
2900	<10	15.14	--	--	--
950	550	7.45	--	--	--
N.S.S.	20200	0.71	--	--	--
N.S.S.	34500	0.88	--	--	--
>50000	<10	2.84	--	--	--
N.S.S.	457	0.86	--	--	--
>50000	290	2.92	--	--	--
>50000	2230	2.30	--	--	--
>50000	10500	2.55	--	--	--
40000	18500	3.26	--	--	--
N.S.S.	<14	0.76	--	--	--
15000	<10	9.66	--	--	--
32000	<10	4.64	--	--	--
>50000	10	9.36	--	--	--
28000	<10	6.09	--	--	--




Certified by *Hart Bichler*

Certified by *Hart Bichler*

Certified by

Registered Assayer, Province of British Columbia



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BARRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8114675-001-A  
INVOICE # : I8114675  
DATE : 18-NOV-81  
P.C. # : NONE

# HEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

• GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BARRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8114675-001-B  
INVOICE # : I8114675  
DATE : 18-NOV-81  
P.C. # : NONE

# HEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

• GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

## CERTIFICATE OF ASSAY

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BARRARD STREET  
VANCOUVER, B.C.  
V6E 2G8


CERT. # : A8114675-001-A  
INVOICE # : I8114675  
DATE : 18-NOV-81  
P.C. # : NONE

ATTN: GREG JILSON

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81 G 149 60HN	205	34	2	44	80	0.2	0.2
81 G 200 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 201 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 202 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 203 60HN	205	24	2	26	56	0.2	0.4
81 G 204 60HN	205	140	2	36	64	0.2	0.2
81 G 206 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 207 60HN	205	14	2	20	38	0.2	0.2
81 G 208 60HN	205	20	2	12	44	0.2	0.2
81 G 209 60HN	205	36	2	32	66	0.2	0.2
81 G 210 60HN	205	16	4	14	80	0.2	0.6
81 G 211 60HN	205	38	8	12	66	0.2	0.2
81 G 213 60HN	205	110	6	16	64	0.2	0.2
81 G 214 60HN	205	28	4	8	60	0.2	0.2
81 G 215 60HN	205	22	4	10	60	0.2	0.2
81 G 216 60HN	205	16	2	36	52	0.2	0.2
81 G 217 60HN	205	14	4	16	96	0.2	0.6
81 G 218 60HN	205	8	2	12	40	0.2	0.2
81 G 219 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 220 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 221 60HN	205	44	4	26	88	0.2	0.8
81 G 222 60HN	205	104	2	36	160	0.8	0.4
81 G 223 60HN	205	26	4	40	88	0.2	1.2
81 G 224 60HN	205	36	4	42	80	0.2	0.8
81 G 225 60HN	205	20	2	56	82	0.2	3.0
81 G 226 60HN	205	14	4	138	620	1.0	7.4
81 G 227 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 228 60HN	205	50	6	52	102	0.6	0.2
81 G 229 60HN	205	540	16	72	172	1.6	1.0
81 G 230 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 231 60HN	205	32	2	14	34	0.4	0.2
81 G 232 60HN	205	28	6	56	30	0.2	0.2
81 G 233 60HN	205	20	4	28	96	0.2	0.2
81 G 234 60HN	205	30	4	2	120	0.6	0.4
81 G 235 60HN	205	290	10	70	1500	4.8	19.6
81 G 236 60HN	205	88	4	4	272	0.8	1.6
81 G 237 60HN	205	84	12	2	660	2.0	6.8
81 G 238 60HN	205	140	6	64	170	0.4	1.6
81 G 239 60HN	205	112	6	18	138	0.4	1.4
81 G 240 60HN	205	292	8	4	440	2.0	2.4

Fe %	Mn ppm	AS ppm	W ppm	Sn ppm	Sb ppm
3.40	510	6	22	28	6.4
N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
1.50	460	2	1200	32	0.8
1.80	500	2	400	N.S.S.	0.4
N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
1.60	405	2	400	N.S.S.	N.S.S.
2.95	1770	2	2320	104	0.8
2.35	690	24	2000	N.S.S.	0.4
3.35	990	4	740	32	0.8
3.70	1050	12	2400	440	1.6
2.55	630	2	550	36	0.4
2.60	700	2	2080	108	0.8
2.50	790	2	800	88	1.6
2.20	1180	2	800	16	1.6
3.50	1190	4	420	N.S.S.	2.4
2.20	630	2	520	N.S.S.	N.S.S.
N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
N.S.S.	N.S.S.	N.S.S.	N.S.S.	12	N.S.S.
3.10	700	2	390	20	1.6
5.80	760	30	420	36	1.6
2.40	580	4	390	44	2.4
2.40	540	2	315	40	N.S.S.
1.65	430	4	270	N.S.S.	4.0
4.60	890	150	1000	N.S.S.	N.S.S.
N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
3.90	650	12	170	40	0.8
3.50	490	66	90	N.S.S.	N.S.S.
N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
2.65	425	6	45	4	1.6
4.35	660	10	2	N.S.S.	0.8
4.90	840	12	35	4	1.6
1.50	650	30	90	24	1.6
3.50	505	204	N.S.S.	N.S.S.	N.S.S.
3.00	370	20	N.S.S.	N.S.S.	N.S.S.
3.45	1360	118	2	32	5.6
4.10	685	92	170	36	2.4
3.50	800	106	300	N.S.S.	3.0
3.30	315	192	N.S.S.	N.S.S.	N.S.S.

Ba ppm	Au ppb	NAA ppb	Weight g
23000	60	6.73	--
N.S.S.	<100	0.20	--
N.S.S.	<20	0.64	--
N.S.S.	<20	0.56	--
1250	3480	2.90	--
950	<10	2.58	--
N.S.S.	7250	0.31	--
1000	<10	2.00	--
1000	10	14.52	--
950	<10	2.60	--
1600	10	18.37	--
900	<10	9.33	--
1000	<10	18.85	--
1250	<10	11.23	--
650	20	5.70	--
4200	20	3.61	--
750	<10	7.08	--
550	<10	2.09	--
550	<10	1.19	--
1400	380	1.24	--
800	10	6.52	--
3800	5110	9.53	reco Au
800	40	5.45	--
2100	780	1.95	--
20000	610	2.68	--
11000	36500	1.90	--
N.S.S.	67	0.40	--
650	<1	4.84	--
8600	7230	2.08	--
N.S.S.	<20	0.68	--
400	10	7.34	--
500	<10	2.39	--
900	<10	11.31	--
>50000	10	10.01	--
>50000	40	1.73	--
N.S.S.	<10	1.34	--
>50000	50	25.39	--
45000	10	4.70	--
50000	<10	2.45	--
N.S.S.	<10	1.43	--




Certified by Hart Bichler

Certified by Hart Bichler

Certified

Registered Assayer, Province of British Columbia



# CHEMEX LABS LTD.

ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

# CHEMEX LABS LTD.

ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

# CHEMEX LABS LTD.

ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

### CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BURNARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8114675-002-A  
INVOICE # : I8114675  
DATE : 18-NOV-81  
P.O. # : NONE

ATIONS LIMITED  
ET

CERT. # : A8114675-002-B  
INVOICE # : I8114675  
DATE : 18-NOV-81  
P.O. # : NONE

ATIONS LIMITED  
ET


ATIONS LIMITED  
ET

CERT. # : A8114675-002-A  
INVOICE # : I8114675  
DATE : 18-NOV-81  
P.O. # : NONE

ATTN: GREG JILSON

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81 G 241 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 242 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 243 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 244 60HN	205	640	18	10	420	3.0	8.4
81 G 245 60HN	205	36	2	72	126	0.4	0.2
81 G 246 60HN	205	60	12	118	90	0.2	0.2
81 G 247 60HN	205	620	12	72	720	4.0	19.0
81 G 248 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 249 60HN	205	180	18	90	96	1.4	0.2
81 G 250 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 251 60HN	205	540	42	160	320	3.0	5.2
81 G 252 60HN	205	150	22	96	120	11.0	0.2
81 G 253 60HN	205	64	4	40	40	1.8	0.2
81 G 254 60HN	205	36	2	26	46	0.4	0.2
81 G 255 60HN	205	166	8	56	90	0.4	0.2
81 G 256 60HN	205	44	2	28	68	0.4	0.2
81 G 257 60HN	205	48	10	78	44	0.8	0.2
81 G 258 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 262 60HN	205	5700	6	16	390	4.4	4.2
81 G 263 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	0.2
81 G 265 60HN	205	160	2	108	104	3.4	0.2
81 G 267 60HN	205	140	2	76	148	2.0	0.2
81 G 272 60HN	205	160	2	44	132	0.2	0.2
81 G 274 60HN	205	46	2	20	40	0.2	0.2
81 G 275 60HN	205	68	2	22	94	0.2	0.2
81 G 276 60HN	205	78	4	40	400	0.4	0.2
81 G 277 60HN	205	112	2	36	60	0.2	0.2
81 G 278 60HN	205	24	2	14	56	0.2	0.2
81 G 279 60HN	205	160	6	36	114	0.2	0.2
81 G 280 60HN	205	190	4	46	84	0.4	0.2
81 G 281 60HN	205	20	4	18	62	0.2	0.2
81 G 282 60HN	205	60	2	46	112	0.2	0.2
81 G 283 60HN	205	42	4	22	54	0.2	0.2
81 G 284 60HN	205	24	6	26	62	0.4	0.2
81 G 286 60HN	205	140	6	18	28	0.2	0.2
81 G 287 60HN	205	16	2	24	68	0.2	0.2
81 G 288 60HN	205	116	2	60	180	0.2	0.4
81 G 289 60HN	205	48	8	176	300	0.2	3.2
81 G 290 60HN	205	74	6	40	300	0.4	2.0
81 G 291 60HN	205	36	4	26	116	0.2	0.4

Certified by *Hart Bichler*



Fe %	Mn ppm	AS ppm	W ppm	Sn ppm	Sb ppm
N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
4.90	370	82	220	52	3.2
3.25	710	12	50	N.S.S.	N.S.S.
2.55	460	6	1000	N.S.S.	N.S.S.
5.20	850	250	185	40	2.4
N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
7.70	430	28	N.S.S.	N.S.S.	N.S.S.
N.S.S.	N.S.S.	N.S.S.	200	48	3.2
7.50	410	64	600	36	2.4
5.10	450	28	620	N.S.S.	2.4
4.00	440	44	350	32	1.6
2.95	435	46	50	24	1.6
3.50	450	170	220	12	0.8
2.40	410	10	N.S.S.	N.S.S.	N.S.S.
3.80	450	44	320	8	1.6
N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
4.50	335	24	800	176	0.4
N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
2.35	500	14	675	N.S.S.	N.S.S.
2.10	680	4	335	176	0.8
2.60	550	14	2600	N.S.S.	N.S.S.
2.70	1110	6	75	16	0.8
2.80	410	4	60	4	0.4
8.50	1640	14	2	12	0.8
3.15	360	10	60	20	1.6
2.40	340	4	2	8	1.6
3.40	525	10	105	20	0.8
3.00	410	10	390	24	0.8
2.20	530	4	200	8	0.8
3.75	430	22	75	76	3.2
2.40	350	10	70	48	1.6
2.05	290	12	30	12	1.6
2.10	320	66	20	312	0.8
2.80	420	18	25	4	0.8
1.85	410	8	40	8	0.8
3.20	350	38	280	100	0.8
4.30	730	6	310	8	0.8
3.40	520	4	200	8	0.8

Certified by *Hart Bichler*


### CERTIFICATE OF ANALYSIS

ATIONS LIMITED  
ET

### CERTIFICATE OF ASSAY

Ba ppm	Au NAA ppb	Weight g
N.S.S.	<25	0.71
N.S.S.	25	0.67
N.S.S.	<20	0.62
40000	630	3.85
7100	<10	1.90
2800	<10	1.86
6100	370	3.82
N.S.S.	<20	0.65
2650	10	1.36
5800	840	5.76
650	50	3.88
1500	8000	2.68
7000	640	5.95
400	<10	4.71
1100	<10	3.48
550	<10	1.80
350	<10	4.72
N.S.S.	1500	1.00
4500	15400	8.60
N.S.S.	71	0.87
50000	<10	1.98
4700	<10	4.17
8800	<10	2.00
1700	30	13.45
600	<10	17.22
500	<10	15.92
650	<10	9.49
1000	<10	25.93
3600	<10	7.19
500	6850	8.27
700	10	12.79
1800	3610	6.81
700	<10	12.45
400	<10	18.38
300	<10	13.20
400	30	8.63
750	20	3.88
850	130	3.51
900	7630	7.08
1600	60	7.34

Certified Registered Assayer, Province of British Columbia



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

### CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BURRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8114674-002-A  
INVOICE # : I8114674  
DATE : 18-NCV-81  
P.O. # : NONE

# HEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

• GEOCHEMISTS • REGISTERED ASSAYERS

### CERTIFICATE OF ANALYSIS

IONS LIMITED

CERT. # : A8114674-002-B  
INVOICE # : I8114674  
DATE : 18-NCV-81  
P.O. # : NONE

# HEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

• GEOCHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

### CERTIFICATE OF ANALYSIS

### CERTIFICATE OF ASSAY

IONS LIMITED

IONS LIMITED

CERT. # : A8114674-002-A  
INVOICE # : I8114674  
DATE : 18-NCV-81  
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81 G 042 60HN	205	60	2	104	60	0.2	0.2
81 G 043 60HN	205	40	2	28	74	0.2	0.2
81 G 047 60HN	205	104	2	212	144	1.2	0.8
81 G 049 60HN	205	20	2	36	70	1.0	0.2
81 G 050 60HN	205	12	4	72	76	0.6	0.6
81 G 064 60HN	205	64	2	60	104	0.8	0.2
81 G 065 60HN	205	66	2	60	86	0.2	0.2
81 G 066 60HN	205	40	2	126	60	0.2	0.4
81 G 067 60HN	205	20	2	12	36	0.6	0.2
81 G 068 60HN	205	1060	2	10	44	0.4	0.2
81 G 069 60HN	205	24	4	18	46	0.2	0.2
81 G 070 60HN	205	260	2	10	54	0.2	0.2
81 G 071 60HN	205	18	2	22	36	1.0	0.2
81 G 072 60HN	205	48	2	8	36	0.2	0.2
81 G 073 60HN	205	40	2	14	70	0.2	0.2
81 G 074 60HN	205	110	4	26	78	0.2	0.2
81 G 075 60HN	205	96	2	18	56	0.4	0.2
81 G 076 60HN	205	96	2	10	54	0.2	0.2
81 G 077 60HN	205	210	4	10	30	0.2	0.2
81 G 078 60HN	205	140	2	4	54	0.4	0.2
81 G 080 60HN	205	100	2	4	104	0.4	0.2
81 G 082 60HN	205	34	2	2	36	0.2	0.2
81 G 083 60HN	205	26	2	2	26	0.4	0.2
81 G 084 60HN	205	16	2	2	26	0.2	0.2
81 G 085 60HN	205	200	2	140	64	1.6	0.2
81 G 087 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 088 60HN	205	18	2	112	44	0.2	0.2
81 G 089 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 091 60HN	205	64	2	2	96	0.4	0.6
81 G 092 60HN	205	18	2	10	128	0.2	2.6
81 G 094 60HN	205	58	2	68	62	0.4	0.2
81 G 095 60HN	205	18	2	4	30	0.4	0.2
81 G 096 60HN	205	20	2	16	60	0.6	0.2
81 G 098 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 099 60HN	205	32	6	58	40	0.4	0.2
81 G 100 60HN	205	34	4	22	40	0.2	0.2
81 G 101 60HN	205	24	4	126	44	0.2	0.2
81 G 102 60HN	205	18	4	60	44	0.4	0.2
81 G 103 60HN	205	18	2	20	60	0.4	0.4
81 G 104 60HN	205	10	2	96	46	3.0	0.2

Fe %	Mn ppm	AS ppm	W ppm	Sn ppm	Sb ppm
3.00	580	12	N.S.S.	N.S.S.	N.S.S.
4.30	570	10	80	4	1.6
3.75	660	180	390	8	0.4
2.30	790	4	280	N.S.S.	0.4
2.60	440	2	170	12	0.4
2.40	340	8	95	N.S.S.	N.S.S.
1.85	244	4	195	16	0.4
1.45	250	4	275	N.S.S.	0.4
1.65	270	2	105	N.S.S.	0.9
3.50	235	2	250	N.S.S.	N.S.S.
1.95	290	2	275	N.S.S.	N.S.S.
2.25	365	8	20	4	0.4
3.20	340	4	220	24	0.4
2.60	260	2	2	N.S.S.	1.0
2.35	320	4	N.S.S.	N.S.S.	N.S.S.
6.85	680	4	2	4	0.4
3.60	430	6	25	4	0.8
3.10	420	10	40	16	0.4
2.65	325	6	18	4	1.6
3.40	660	6	10	4	0.8
3.50	340	24	16	4	0.8
1.50	240	28	2	4	0.8
1.10	210	4	2	4	0.4
0.90	120	4	2	12	0.4
4.20	180	58	60	4	1.6
N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
1.25	170	6	14	4	1.6
N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
0.70	150	14	35	N.S.S.	N.S.S.
1.20	110	8	60	N.S.S.	3.0
1.70	270	8	30	28	1.6
2.60	310	6	2	4	1.6
2.40	405	4	65	20	0.8
N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
4.50	600	46	190	8	1.6
3.80	450	14	50	8	1.6
2.90	430	6	30	8	0.4
2.75	415	6	55	84	0.8
2.50	240	8	25	4	0.8
2.60	450	4	30	16	0.8


Ba ppm	Au ppb	NAA	Weight g
6100	<10		1.44
2000	<10		3.17
850	<10		6.49
450	2650		2.47
450	<10		3.10
22000	29000		1.39
16000	<10		2.23
25000	65200		2.59
15000	12600		2.23
4000	10		2.41
2300	<10		1.84
>50000	4330		5.52
800	3280		11.41
400	4910		2.18
750	2970		1.71
2850	90		4.83
1100	<10		3.01
35000	1750		4.63
13000	<10		2.60
27000	<10		9.18
>50000	210		11.66
18500	360		23.68
2600	1730		6.20
12000	<10		7.76
10000	<10		2.81
>50000	<10		1.23
6600	3140		3.03
15000	<10		1.13
>50000	<10		2.03
>50000	120		2.31
>50000	<10		2.88
7000	<10		10.98
4600	4070		3.02
N.S.S.	11900		0.93
700	190		7.87
1000	<10		4.05
950	30		3.97
600	5880		3.03
1250	10		3.73
800	10		4.41

Certified by *Hart Buchler*


Certified by *Hart Buchler*

Certified

Registered Assayer, Province of British Columbia



MEMBER  
CANADIAN TESTING  
ASSOCIATION



# CHEMEX LABS LTD.

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BARRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8115314-001-A  
INVOICE # : 18115314  
DATE : 25-NOV-81  
P.O. # : NONE

# HEMEX LABS LTD. CHEMEX LABS LTD.

• GEOCHEMISTS • REGISTERED ASSAYERS • GEOCHEMISTS • REGISTERED ASSAYERS

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

## CERTIFICATE OF ANALYSIS

## CERTIFICATE OF ASSAY

CYPRUS ANVIL EXPLORATIONS LIMITED  
ET

CYPRUS ANVIL EXPLORATIONS LIMITED  
ET

CERT. # : A8115314-001-A  
INVOICE # : 18115314  
DATE : 25-NOV-81  
P.O. # : NONE

ATTN: GREG JILSEN

R


Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0460-35+60IP	0	45	2	29	240	0.1	0.1
81G-0593-35+60IP	0	25	1	9	170	0.1	0.6
81G-0594-35+60IP	0	9	1	3	93	0.1	0.3
81G-0595-35+60IP	0	33	1	9	122	0.1	0.3
81G-0596-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0598-35+60IP	0	37	2	12	250	0.1	0.1
81G-0599-35+60IP	0	66	4	15	430	0.1	1.0
81G-0602-35+60IP	0	70	2	20	500	0.1	0.1
81G-0609-35+60IP	0	33	1	6	176	0.1	0.3
81G-0610-35+60IP	0	23	1	13	176	0.1	0.1
81G-0612-35+60IP	0	28	1	5	130	0.1	0.4
81G-0613-35+60IP	0	22	1	10	148	0.1	0.3
81G-0615-35+60IP	0	23	1	5	120	0.1	0.2
81G-0617-35+60IP	0	76	64	35	6300	0.1	11.3
81G-0618-35+60IP	0	220	59	80	3050	0.3	7.7
81G-0619-35+60IP	0	221	76	152	2480	0.6	5.7
81G-0620-35+60IP	0	95	22	38	1520	0.2	1.5
81G-0621-35+60IP	0	20	2	8	136	0.2	0.2
81G-0622-35+60IP	0	23	1	7	122	0.1	0.4
81G-0623-35+60IP	0	28	1	6	110	0.1	0.2
81G-0624-35+60IP	0	31	1	6	98	0.1	0.2
81G-0625-35+60IP	0	34	1	7	120	0.1	0.4
81G-0626-35+60IP	0	54	1	12	245	0.1	0.4
81G-0627-35+60IP	0	82	6	26	452	0.1	1.2
81G-0628-35+60IP	0	83	3	13	250	0.1	0.1
81G-0629-35+60IP	0	21	1	13	270	0.1	0.5
81G-0630-35+60IP	0	41	1	25	248	0.1	0.8
81G-0631-35+60IP	0	30	1	9	330	0.1	1.8
81G-0632-35+60IP	0	86	8	34	1000	0.2	2.2
81G-0633-35+60IP	0	109	6	48	733	0.1	2.3
81G-0634-35+60IP	0	180	6	57	1060	0.2	2.8
81G-0635-35+60IP	0	88	2	22	725	0.2	1.6
81G-0636-35+60IP	0	6	1	2	220	0.1	0.1
81G-0637-35+60IP	0	51	1	18	460	0.1	1.3
81G-0638-35+60IP	0	3	1	3	73	0.1	0.1
81G-0639-35+60IP	0	180	2	65	925	0.2	0.2
81G-0640-35+60IP	0	88	2	23	500	0.2	0.2
81G-0642-35+60IP	0	85	2	27	505	0.1	2.6
81G-0643-35+60IP	0	73	7	28	520	0.1	1.6
81G-0644-35+60IP	0	88	3	19	535	0.1	1.1


Fe %	Mn ppm	AS ppm	Weight g				
11.50	1080	30	3.65	--	--	--	--
6.30	890	15	10.81	--	--	--	--
4.75	920	4	12.97	--	--	--	--
7.00	1320	7	84.61	--	--	--	--
N.S.S.	N.S.S.	N.S.S.	<0.01	--	--	--	--
9.35	1430	83	12.49	--	--	--	--
9.00	1080	94	5.80	--	--	--	--
14.00	1650	99	0.08	--	--	--	--
7.55	1370	25	5.14	--	--	--	--
6.70	1280	27	13.57	--	--	--	--
5.80	1150	9	13.16	--	--	--	--
6.10	920	17	24.22	--	--	--	--
5.30	1080	7	25.86	--	--	--	--
40.00	2500	215	7.08	--	--	--	--
21.00	2900	57	0.23	--	--	--	--
22.00	2750	264	0.34	--	--	--	--
11.50	2380	95	0.44	--	--	--	--
7.00	2120	9	0.26	--	--	--	--
4.95	1050	5	22.65	--	--	--	--
4.70	980	5	113.21	--	--	--	--
4.35	920	4	124.59	--	--	--	--
5.90	1100	5	8.68	--	--	--	--
12.50	1950	59	2.77	--	--	--	--
13.50	2080	83	4.64	--	--	--	--
13.00	2100	100	4.40	--	--	--	--
10.00	1550	16	3.84	--	--	--	--
9.15	1500	24	4.18	--	--	--	--
8.20	1820	20	3.88	--	--	--	--
13.00	1900	46	1.26	--	--	--	--
14.50	2600	39	2.32	--	--	--	--
19.70	3480	106	0.03	--	--	--	--
15.60	3000	48	0.94	--	--	--	--
8.90	1160	3	6.04	--	--	--	--
9.20	1320	35	5.27	--	--	--	--
2.25	880	6	1.75	--	--	--	--
24.00	3850	80	0.18	--	--	--	--
14.50	2340	42	0.66	--	--	--	--
12.50	1650	38	7.54	--	--	--	--
14.50	1390	43	24.38	--	--	--	--
12.00	1700	41	2.24	--	--	--	--

Certified by *Hart Bichler*

Certified by *ltc*

Registered Assayer, Province of British Columbia





# CHEMEX LABS LTD.

ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BARRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8115314-002-A  
INVOICE # : I8115314  
DATE : 25-NOV-81  
P.O. # : NONE

# HEMEX LABS LTD. HEMEX LABS LTD.

GEOCHEMISTS • REGISTERERS • GEOCHEMISTS • REGISTERED ASSAYERS

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

## CERTIFICATE OF ANALYSIS

## CERTIFICATE OF ASSAY

IONS LIMITED  
T


IONS LIMITED  
ET

CERT. # : A8115314-002-A  
INVOICE # : I8115314  
DATE : 25-NOV-81  
P.O. # : NONE

ATTN: GREG JILSEN R

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0645-35+60IP	0	26	1	14	205	0.1	0.3
81G-0646-35+60IP	0	85	8	23	535	0.1	1.1
81G-0647-35+60IP	0	40	2	4	180	0.2	15.4
81G-0648-35+60IP	0	112	8	26	558	0.1	1.4
81G-0649-35+60IP	0	92	11	22	460	0.1	1.2
81G-0650-35+60IP	0	96	2	36	560	0.2	1.6
81G-0651-35+60IP	0	56	8	26	445	0.1	1.8
81G-0652-35+60IP	0	44	5	28	238	0.1	0.9
81G-0653-35+60IP	0	37	5	15	235	0.1	0.6
81G-0654-35+60IP	0	27	1	13	230	0.1	0.1
81G-0656-35+60IP	0	23	2	10	150	0.1	0.2
81G-0657-35+60IP	0	30	4	13	272	0.1	0.2
81G-0658-35+60IP	0	33	3	12	300	0.1	0.4
81G-0659-35+60IP	0	68	6	28	810	0.2	1.2
81G-0660-35+60IP	0	25	2	10	176	0.1	0.2
81G-0661-35+60IP	0	24	1	13	102	0.1	0.1
81G-0662-35+60IP	0	23	1	14	105	0.1	0.1
81G-0663-35+60IP	0	23	1	13	100	0.1	0.1
81G-0664-35+60IP	0	25	1	12	105	0.1	0.1
81G-0665-35+60IP	0	23	3	18	290	0.1	0.1
81G-0666-35+60IP	0	28	2	16	346	0.2	0.4
81G-0667-35+60IP	0	16	1	14	215	0.1	0.1
81G-0668-35+60IP	0	19	1	16	135	0.1	0.3
81G-0669-35+60IP	0	24	2	12	124	0.1	0.3
81G-0670-35+60IP	0	46	5	14	170	0.1	0.5
81G-0673-35+60IP	0	6	1	10	90	0.1	0.2
81G-0674-35+60IP	0	8	2	12	188	0.2	0.2
81G-0676-35+60IP	0	50	2	12	172	0.2	0.4
81G-0677-35+60IP	0	25	1	10	147	0.1	0.1
81G-0678-35+60IP	0	12	1	13	128	0.1	0.1
81G-0679-35+60IP	0	18	1	12	140	0.1	0.1
81G-0680-35+60IP	0	28	2	24	235	0.2	0.2
81G-0681-35+60IP	0	112	9	31	305	0.1	0.6
81G-0682-35+60IP	0	152	10	48	480	0.1	1.1
81G-0683-35+60IP	0	88	6	86	295	0.1	0.5
81G-0684-35+60IP	0	12	1	17	86	0.3	0.1
81G-0685-35+60IP	0	27	3	13	148	0.1	0.1
81G-0686-35+60IP	0	117	1	80	370	0.1	0.5
81G-0687-35+60IP	0	6	1	20	116	0.1	0.1
81G-0688-35+60IP	0	18	3	23	125	0.1	0.2


Fe %	Mn ppm	AS ppm	Weight g				
7.75	1700	19	11.19	--	--	--	--
12.00	2330	48	8.61	--	--	--	--
7.60	>4000	4	0.51	--	--	--	--
13.80	1750	40	2.68	--	--	--	--
11.80	1680	48	4.04	--	--	--	--
12.20	1500	44	1.34	--	--	--	--
12.50	1850	40	2.80	--	--	--	--
5.85	860	45	6.93	--	--	--	--
4.80	800	29	17.54	--	--	--	--
9.90	1380	20	9.30	--	--	--	--
7.15	1080	9	20.48	--	--	--	--
14.00	1350	22	15.59	--	--	--	--
7.50	750	14	3.56	--	--	--	--
9.80	1450	64	0.56	--	--	--	--
6.10	920	14	7.33	--	--	--	--
4.55	955	11	28.37	--	--	--	--
5.05	935	14	23.10	--	--	--	--
4.60	910	12	61.70	--	--	--	--
4.95	1050	12	25.99	--	--	--	--
11.00	1450	40	3.78	--	--	--	--
9.50	1420	60	1.04	--	--	--	--
9.35	1020	17	1.79	--	--	--	--
5.70	890	25	3.80	--	--	--	--
5.20	1000	19	2.18	--	--	--	--
7.20	1300	29	1.88	--	--	--	--
3.00	620	15	16.64	--	--	--	--
7.20	1120	24	0.59	--	--	--	--
6.90	1440	38	1.12	--	--	--	--
6.70	1250	27	7.07	--	--	--	--
5.50	1130	5	1.93	--	--	--	--
6.30	1120	14	7.43	--	--	--	--
9.20	2120	44	0.56	--	--	--	--
11.00	2240	95	4.85	--	--	--	--
16.50	3850	175	2.65	--	--	--	--
12.00	2330	77	3.03	--	--	--	--
3.90	1480	7	2.96	--	--	--	--
6.40	1150	11	9.32	--	--	--	--
7.65	1300	83	3.38	--	--	--	--
3.40	1170	6	2.64	--	--	--	--
5.25	1250	19	3.62	--	--	--	--



Certified by *Hart Bichler*

Certified by *H*

Registered Assayer, Province of British Columbia



# CHEMEX LABS LTD.

ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BARRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8115314-003-A  
INVOICE # : I8115314  
DATE : 25-NOV-81  
P.O. # : NONE

# HEMEX LABS LT CHEMEX LABS LTD.

S • GEOCHEMISTS • REGISTEREISTS • GEOCHEMISTS • REGISTERED ASSAYERS

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

## CERTIFICATE OF ANALYSIS

IONS LIMITED  
ET

## CERTIFICATE OF ASSAY


ATIONS LIMITED  
ET

CERT. # : A8115314-003-A  
INVOICE # : I8115314  
DATE : 25-NOV-81  
P.O. # : NONE

ATTN: GREG JILSEN *Reguler*

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0689-35+60IP	0	28	1	13	92	0.1	0.2
81G-0690-35+60IP	0	8	1	9	85	0.1	0.1
81G-0691-35+60IP	0	100	2	40	510	0.2	0.2
81G-0692-35+60IP	0	18	1	28	145	0.1	0.4
81G-0693-35+60IP	0	43	1	31	210	0.1	0.6
81G-0694-35+60IP	0	43	1	34	220	0.1	0.2
81G-0695-35+60IP	0	11	1	12	74	0.1	0.3
81G-0696-35+60IP	0	22	1	12	85	0.1	0.3
81G-0697-35+60IP	0	27	1	10	90	0.1	0.2
81G-0698-35+60IP	0	24	1	14	86	0.1	0.2
81G-0699-35+60IP	0	22	1	20	94	0.1	0.1
81G-0700-35+60IP	0	13	1	10	120	0.1	0.2
81G-0701-35+60IP	0	18	2	13	130	0.1	0.4
81G-0702-35+60IP	0	51	2	17	155	0.1	0.6
81G-0703-35+60IP	0	31	1	19	130	0.1	0.5
81G-0705-35+60IP	0	83	6	40	240	0.1	1.2
81G-0706-35+60IP	0	43	1	14	126	0.1	0.5
81G-0707-35+60IP	0	69	1	16	108	0.1	0.2
81G-0708-35+60IP	0	69	1	12	146	0.1	0.6
81G-0709-35+60IP	0	75	1	9	115	0.1	0.4
81G-0710-35+60IP	0	123	9	35	270	0.1	0.7
81G-0711-35+60IP	0	190	34	80	540	0.1	2.4
81G-0712-35+60IP	0	68	3	53	230	0.2	0.2
81G-0713-35+60IP	0	88	4	53	275	0.1	0.2
81G-0714-35+60IP	0	230	67	135	1020	0.3	3.5
81G-0715-35+60IP	0	348	98	220	2200	0.6	7.0
81G-0717-35+60IP	0	16	1	7	83	0.1	0.2
81G-0718-35+60IP	0	36	1	13	110	0.1	0.3
81G-0721-35+60IP	0	18	1	9	96	0.1	0.1
81G-0728-35+60IP	0	27	1	1	35	0.1	0.1
81G-0729-35+60IP	0	3	1	5	42	0.1	0.1
81G-0730-35+60IP	0	7	1	5	48	0.1	0.1
81G-0732-35+60IP	0	12	1	4	103	0.1	0.1
81G-0733-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0734-35+60IP	0	26	1	5	135	0.1	0.1
81G-0737-35+60IP	0	3	1	2	108	0.1	0.1
81G-0741-35+60IP	0	34	1	5	115	0.1	0.2
81G-0743-35+60IP	0	50	1	4	102	0.1	0.1
81G-0744-35+60IP	0	19	2	4	210	0.1	0.2
81G-0747-35+60IP	0	19	1	11	115	0.1	0.1


Certified by *Hart Buchler*



Fe %	Mn ppm	AS ppm	Weight g				
4.15	1300	9	6.12	--	--	--	--
3.35	700	3	25.84	--	--	--	--
18.50	2900	155	0.13	--	--	--	--
4.80	870	9	8.33	--	--	--	--
6.10	1350	40	2.77	--	--	--	--
6.60	1480	40	19.07	--	--	--	--
3.40	770	7	59.86	--	--	--	--
3.50	735	10	91.49	--	--	--	--
3.85	840	11	27.83	--	--	--	--
3.40	810	9	50.62	--	--	--	--
4.00	790	11	21.46	--	--	--	--
7.70	1580	9	14.82	--	--	--	--
4.35	845	30	9.38	--	--	--	--
6.40	810	29	20.00	--	--	--	--
5.25	775	15	4.36	--	--	--	--
7.20	550	110	13.96	--	--	--	--
4.90	740	19	8.64	--	--	--	--
7.80	760	38	36.19	--	--	--	--
5.75	780	14	6.56	--	--	--	--
5.40	780	6	12.99	--	--	--	--
10.00	785	165	1.53	--	--	--	--
12.00	540	385	5.06	--	--	--	--
7.70	870	73	8.16	--	--	--	--
9.80	1000	100	2.17	--	--	--	--
18.00	825	350	1.84	--	--	--	--
22.80	1030	115	0.89	--	--	--	--
3.75	760	5	43.29	--	--	--	--
4.75	660	10	18.42	--	--	--	--
3.05	570	9	18.54	--	--	--	--
2.20	335	3	129.72	--	--	--	--
2.45	485	4	28.37	--	--	--	--
3.10	565	5	17.57	--	--	--	--
4.30	800	16	16.82	--	--	--	--
N.S.S.	N.S.S.	N.S.S.	0.07	--	--	--	--
4.60	750	7	28.39	--	--	--	--
3.50	660	2	3.91	--	--	--	--
4.60	975	9	64.55	--	--	--	--
5.00	960	7	20.73	--	--	--	--
6.85	1430	19	2.83	--	--	--	--
5.15	850	6	2.21	--	--	--	--

Certified by *H*

Registered Assayer, Province of British Columbia



# CHEMEX LABS LTD.

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BARRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8115314-004-A  
INVOICE # : I8115314  
DATE : 25-NOV-81  
P.O. # : NONE

ATTN: GREG JILSEN

R

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0748-35+60IP	0	16	1	14	118	0.1	0.1
81G-0749-35+60IP	0	20	1	11	155	0.1	0.1
81G-0736-35+60IP	0	3	1	9	88	0.1	0.2
81G-0750-35+60IP	0	33	1	12	148	0.1	0.1

# CHEMEX LABS LTD.

• GEOCHEMISTS • REGISTERERS • GEOCHEMISTS • REGISTERED ASSAYERS

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

## CERTIFICATE OF ANALYSIS


## CERTIFICATE OF ASSAY

ONS LIMITED

ATIONS LIMITED  
EET

CERT. # : A8115314-004-A  
INVOICE # : I8115314  
DATE : 25-NOV-81  
P.O. # : NONE


Fe %	Mn ppm	AS ppm	Weight g					
4.40	1580	4	26.12	--	--	--	--	--
5.40	890	4	6.43	--	--	--	--	--
2.75	800	5	14.86	--	--	--	--	--
5.70	1150	6	45.28	--	--	--	--	--



Certified by *Hart Bichler*

Certified by *R*

Registered Assayer, Province of British Columbia



# CHEMEX LABS LTD.

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BARRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8115229-001-A  
INVOICE # : I8115229  
DATE : 27-NOV-81  
P.O. # : NONE

# HEMEX LABS LTD.

• GEOCHEMISTS • REGISTERED ASSAYERS

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

## CERTIFICATE OF ANALYSIS

IONS LIMITED

CERT. # : A8115229-001-B  
INVOICE # : I8115229  
DATE : 27-NOV-81  
P.O. # : NONE

ATTN: GREG JILSEN (OXALIC ACID LEACH)


ALIC ACID LEACH)

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0079-35+60IP	0	22	1	10	76	0.1	0.1
81G-0081-35+60IP	0	10	1	6	61	0.1	0.1
81G-0090-35+60IP	0	20	1	10	60	0.1	0.1
81G-0136-35+60IP	0	13	1	3	535	0.1	3.7
81G-0140-35+60IP	0	13	1	2	550	0.1	1.8
81G-0259-35+60IP	0	6	1	2	6	0.1	0.1
81G-0260-35+60IP	0	10	1	2	11	0.1	0.1
81G-0261-35+60IP	0	16	1	19	55	0.1	0.3
81G-0264-35+60IP	0	10	1	3	16	0.1	0.1
81G-0266-35+60IP	0	15	1	2	11	0.1	0.1
81G-0268-35+60IP	0	7	1	2	9	0.1	0.1
81G-0269-35+60IP	0	14	1	5	30	0.1	0.1
81G-0270-35+60IP	0	16	1	3	24	0.1	0.1
81G-0271-35+60IP	0	8	1	1	8	0.1	0.1
81G-0273-35+60IP	0	42	1	20	125	0.1	0.2
81G-0285-35+60IP	0	9	2	4	17	0.1	0.1
81G-0306-35+60IP	0	9	1	8	34	0.1	0.2
81G-0312-35+60IP	0	9	1	3	38	0.1	0.1
81G-0313-35+60IP	0	7	1	3	36	0.1	0.1
81G-0314-35+60IP	0	9	1	3	46	0.1	0.3
81G-0319-35+60IP	0	9	2	1	24	0.1	0.1
81G-0320-35+60IP	0	5	1	3	30	0.1	0.1
81G-0321-35+60IP	0	12	1	2	28	0.1	0.1
81G-0323-35+60IP	0	8	1	2	36	0.1	0.2
81G 0368-35+60IP	0	7	1	3	20	0.1	0.1
81G 0371-35+60IP	0	10	1	5	31	0.1	0.1
81G 0372-35+60IP	0	9	1	3	21	0.1	0.1
81G 0373-35+60IP	0	16	1	5	32	0.1	0.1
81G 0374-35+60IP	0	10	1	4	26	0.1	0.1
81G 0375-35+60IP	0	15	1	3	19	0.1	0.1
81G 0376-35+60IP	0	11	1	3	23	0.1	0.1
81G 0377-35+60IP	0	10	1	3	23	0.1	0.1
81G 0378-35+60IP	0	21	1	3	42	0.1	0.1
81G 0380-35+60IP	0	11	1	4	26	0.1	0.1
81G 0381-35+60IP	0	9	1	5	22	0.1	0.1
81G 0382-35+60IP	0	11	1	5	19	0.1	0.1
81G 0383-35+60IP	0	4	1	3	11	0.1	0.1
81G 0384-35+60IP	0	7	1	3	16	0.1	0.1
81G 0385-35+60IP	0	6	1	5	20	0.2	0.1
81G 0386-35+60IP	0	15	1	4	15	0.1	0.1

Fe %	Mn ppm	Fe/Mn	AS ppm
1.88	820	2.29	20
1.28	920	1.39	4
1.40	280	5.0	10
1.95	665	2.93	9
2.00	1150	1.74	27
0.55	52		3
0.37	50		5
1.03	300		10
0.63	95		3
0.38	45		2
0.63	125		2
0.72	150		6
0.83	128		9
0.20	28		1
1.45	350		2
0.93	142		10
1.38	505		14
1.07	510		20
1.02	325		20
1.33	440		53
0.86	115		9
1.03	133		10
0.98	255		12
1.05	472		17
0.66	130		22
1.07	278		16
1.03	118		2
1.18	205		6
1.13	205		4
0.95	215		4
1.08	233		4
0.86	162		2
1.26	240		7
0.96	106		6
1.00	102		6
1.00	82		7
0.50	84		2
1.05	116		5
0.72	75		6
0.68	97		5

Certified by *Hart Bichler*

Certified by *Hart Bichler*





# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS


TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BARRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8114676-001-A  
INVOICE # : I8114676  
DATE : 27-NOV-81  
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81 G 362 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 363 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 364 60HN	205	52	2	84	90	58.0	0.2
81 G 365 60HN	205	32	2	130	88	14.0	0.4
81 G 366 60HN	205	20	2	24	58	0.4	0.2
81 G 367 60HN	205	30	2	20	38	0.2	0.2
81 G 370(1) 60HN	205	20	4	18	72	0.2	0.2
81 G 370(2) 60HN	205	134	2	50	84	0.4	0.2
81 G 379 60HN	205	86	4	18	152	0.2	1.2
81 G 390 60HN	205	24	2	14	52	0.2	0.4
81 G 392 60HN	205	40	2	24	60	0.6	0.2
81 G 393 60HN	205	110	2	56	76	0.2	0.4
81 G 394 60HN	205	58	2	46	56	1.6	0.4
81 G 395 60HN	205	40	2	20	74	0.2	0.2
81 G 396 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 397 60HN	205	42	2	118	58	0.2	0.2
81 G 398 60HN	205	56	2	36	96	0.2	0.2
81 G 400 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 402 60HN	205	20	2	88	78	0.2	0.4
81 G 403 60HN	205	12	2	20	100	0.6	0.2
81 G 407 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 412 60HN	205	24	2	116	32	0.2	0.2
81 G 420 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 456 60HN	205	10	2	18	46	0.2	0.2
81 G 472 60HN	205	38	2	24	108	0.4	0.4
81 G 479 60HN	205	16	2	12	46	0.2	0.2
81 G 481 60HN	205	68	2	30	66	0.2	0.2
81 G 482 60HN	205	20	2	20	46	0.2	0.2
81 G 484 60HN	205	56	2	2	50	0.4	0.2
81 G 487 60HN	205	86	4	12	156	0.4	0.2
81 G 488 60HN	205	68	2	2	76	1.0	0.6
81 G 490 60HN	205	50	2	4	110	0.4	0.4
81 G 504 60HN	205	22	4	18	46	0.2	0.2
81 G 505 60HN	205	10	2	14	36	0.2	0.2
81 G 507 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 508 60HN	205	30	4	40	40	0.2	0.2
81 G 511 60HN	205	16	2	24	40	0.2	0.2
81 G 518 60HN	205	42	4	2	60	0.2	0.6

Certified by *Hart Buchler*



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BARRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8114676-001-B  
INVOICE # : I8114676  
DATE : 27-NOV-81  
P.O. # : NONE

Fe %	Mn ppm	AS ppm	W ppm	Sn ppm	Sb ppm
N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
2.90	440	92	2400	N.S.S.	N.S.S.
2.95	420	146	800	260	0.8
3.70	710	20	560	12	1.6
2.50	290	14	135	16	0.8
3.25	690	10	420	52	1.6
4.30	480	166	140	16	0.8
6.10	650	6	20	12	0.4
1.30	840	4	190	12	0.4
2.55	455	4	80	N.S.S.	2.5
2.95	410	14	185	156	2.4
3.55	460	22	80	N.S.S.	1.6
1.75	410	6	160	140	0.4
N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
2.40	420	10	80	164	0.8
3.00	480	8	300	68	2.4
N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
1.35	210	8	270	N.S.S.	1.1
2.80	380	8	155	N.S.S.	1.6
N.S.S.	N.S.S.	N.S.S.	95	377	1.6
1.70	300	4	40	24	1.6
N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
1.50	305	8	190	92	2.4
2.00	220	6	40	N.S.S.	0.8
2.75	460	6	95	8	1.6
6.60	610	78	55	28	2.4
1.65	225	6	20	4	2.4
1.40	190	12	10	20	1.6
2.75	300	32	80	28	2.4
1.80	210	8	12	N.S.S.	N.S.S.
1.70	370	8	20	12	0.8
2.50	620	10	190	20	0.8
1.90	450	8	130	N.S.S.	1.3
N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
2.70	285	10	175	N.S.S.	N.S.S.
2.15	405	6	16	4	1.6
1.45	110	22	80	36	2.4

Certified by *Hart Buchler*

# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS


## CERTIFICATE OF ANALYSIS


TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BARRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8114676-001-C  
INVOICE # : I8114676  
DATE : 27-NOV-81  
P.O. # : NONE

Ba ppm	Au ppb	NAA ppb
N.S.S.	<10	---
N.S.S.	<20	---
600	<10	---
2000	30	---
300	<10	---
300	<10	---
350	10	---
1300	<10	---
500	<10	---
3800	2830	---
12500	1960	---
19000	20	---
23500	330	---
25000	6350	---
N.S.S.	<10	---
24500	230	---
17500	4210	---
N.S.S.	3860	---
7000	<10	---
35000	<10	---
17500	<10	---
2200	860	---
N.S.S.	520	---
950	<10	---
2700	9560	---
800	2390	---
>50000	10	---
7000	940	---
>50000	80	---
39000	40	---
>50000	3310	---
35000	1970	---
3800	70	---
1200	24600	---
500	2000	---
2100	10900	---
5100	<10	---
>50000	<10	---

Certified by *Hart Buchler*





# CHEMEX LABS LTD.

212 BROOKSBANK AVE  
 NORTH VANCOUVER B.C.  
 CANADA V7J 2C1  
 TELEPHONE: (604)984-0221  
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS
-------------------------

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
 300-355 BURRARD STREET  
 VANCOUVER, B.C.  
 V6E 2G8


CERT. # : A8115398-001-A  
 INVOICE # : I8115398  
 DATE : 04-DEC-81  
 P.O. # : NONE

ATTN: GREG JILSEN (OXALIC ACID LEACH) CORRECTED Cd Result (#0093)

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0093	35+60IP 0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0423	35+60IP 0	11	1	6	20	0.1	0.1
81G-0494	35+60IP 0	15	1	2	14	0.1	0.1
81G-0495	35+60IP 0	25	1	7	45	0.1	0.1
81G-0536	35+60IP 0	8	1	15	58	0.1	0.1
81G-0704	35+60IP 0	19	1	3	17	0.1	0.1
81G-0716	35+60IP 0	12	1	6	23	0.1	0.1
81G-0719	35+60IP 0	16	1	26	36	0.2	0.2
81G-0720	35+60IP 0	11	1	8	23	0.1	0.1
81G-0722	35+60IP 0	7	1	4	19	0.1	0.1
81G-0723	35+60IP 0	9	1	9	25	0.1	0.1
81G-0724	35+60IP 0	21	1	18	62	0.1	0.1
81G-0725	35+60IP 0	7	1	4	69	0.1	0.1
81G-0726	35+60IP 0	3	1	3	21	0.1	0.1
81G-0727	35+60IP 0	11	1	6	40	0.1	0.1
81G-0731	35+60IP 0	10	1	11	50	0.1	0.1
81G-0735	35+60IP 0	12	1	3	38	0.1	0.1
81G-0738	35+60IP 0	11	1	5	35	0.1	0.1
81G-0739	35+60IP 0	36	1	10	77	0.1	0.1
81G-0740	35+60IP 0	31	1	4	55	0.1	0.1
81G-0745	35+60IP 0	5	1	5	42	0.1	0.1
81G-0746	35+60IP 0	5	1	6	35	0.1	0.1



Certified by *Hart Bichler*



# CHEMEX LABS LTD.

212 BROOKSBANK AVE  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BARRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8115398-001-B  
INVOICE # : I8115398  
DATE : 04-DEC-81  
P.O. # : NONE

ATTN: GREG JILSEN (OXALIC ACID LEACH)

Sample description	Prep code	Fe %	Mn ppm	AS ppm			
81G-0093	35+60IP	0	N.S.S.	N.S.S.	N.S.S.	--	--
81G-0423	35+60IP	0	0.66	101	4	--	--
81G-0494	35+60IP	0	0.74	127	2	--	--
81G-0495	35+60IP	0	1.30	390	4	--	--
81G-0536	35+60IP	0	1.20	200	4	--	--
81G-0704	35+60IP	0	0.85	96	4	--	--
81G-0716	35+60IP	0	0.83	144	2	--	--
81G-0719	35+60IP	0	0.94	120	8	--	--
81G-0720	35+60IP	0	1.02	280	5	--	--
81G-0722	35+60IP	0	0.72	280	6	--	--
81G-0723	35+60IP	0	0.80	245	5	--	--
81G-0724	35+60IP	0	1.30	750	11	--	--
81G-0725	35+60IP	0	1.17	750	14	--	--
81G-0726	35+60IP	0	0.96	123	3	--	--
81G-0727	35+60IP	0	1.40	905	6	--	--
81G-0731	35+60IP	0	1.68	795	10	--	--
81G-0735	35+60IP	0	0.80	480	4	--	--
81G-0738	35+60IP	0	1.05	270	4	--	--
81G-0739	35+60IP	0	2.05	715	11	--	--
81G-0740	35+60IP	0	1.50	620	7	--	--
81G-0745	35+60IP	0	1.14	345	3	--	--
81G-0746	35+60IP	0	1.08	275	3	--	--



Certified by *Hart Bichler*