

CHEMEX LABS LTD.

019024

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

-60 HN rot


CERT. # : A8210126-001-A
INVOICE # : I8210126
DATE : 12-FEB-82
P.O. # : NONE
81 T

CC: G.JILSON & CC: J.MUSTARD

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81T 0092 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0093 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0094 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0095 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0096 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0097 -60HN	0	480	2	190	500	0.8	1.2
81T 0098 -60HN	0	332	2	520	205	2.2	0.4
81T 0099 -60HN	0	390	2	120	250	2.4	0.2
81T 0100 -60HN	0	156	2	800	385	4.8	2.0
81T 0232 -60HN	0	860	18	42	7100	1.2	60.0
81T 0233 -60HN	0	284	14	44	325	7.0	2.4
81T 0235 -60HN	0	930	16	16	9000	1.6	76.0
81T 0236 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0237 -60HN	0	364	10	52	670	11.0	3.6
81T 0238 -60HN	0	820	10	6	5560	1.2	48.0
81T 0239 -60HN	0	570	8	134	1540	3.4	9.4
81T 0240 -60HN	0	660	10	56	3000	11.0	26.0
81T 0241 -60HN	0	1160	22	16	8700	3.0	76.0
81T 0242 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0243 -60HN	0	905	16	36	6000	1.4	56.0
81T 0244 -60HN	0	520	12	40	3300	1.4	28.0
81T 0245 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0401 -60HN	0	2300	2	940	184	4.4	1.4
81T 0402 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0403 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0404 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0405 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0406 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0407 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0408 -60HN	0	24	4	6	68	0.2	0.4
81T 0409 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0410 -60HN	0	82	2	4	82	0.2	0.2
81T 0411 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0412 -60HN	0	24	6	12	114	0.2	0.4
81T 0413 -60HN	0	160	370	4	60	0.2	0.2
81T 0414 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0415 -60HN	0	96	28	140	168	1.0	0.4
81T 0416 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0417 -60HN	0	30	4	66	48	0.2	0.2
81T 0418 -60HN	0	370	6	128	265	0.4	1.2

Certified by *Hans Schler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8210126-001-B
INVOICE # : I8210126
DATE : 12-FEB-82
P.O. # : NONE
81 T

CC: G.JILSON & CC: J.MUSTARD

Sample description	Prep code	Fe %	Mn ppm	AS ppm	W ppm	Sn ppm	Sb ppm
81T 0092 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0093 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0094 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0095 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0096 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0097 -60HN	0	12.00	270	1200	N.S.S.	N.S.S.	2.4
81T 0098 -60HN	0	4.20	210	1220	49	N.S.S.	4.8
81T 0099 -60HN	0	4.40	160	260	N.S.S.	N.S.S.	1.6
81T 0100 -60HN	0	10.00	230	640	10	4	6.4
81T 0232 -60HN	0	22.00	80	160	1	4	3.2
81T 0233 -60HN	0	7.70	110	300	N.S.S.	N.S.S.	N.S.S.
81T 0235 -60HN	0	20.00	100	160	1	4	5.6
81T 0236 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0237 -60HN	0	15.10	140	3000	N.S.S.	N.S.S.	6.4
81T 0238 -60HN	0	12.70	50	160	90	4	2.4
81T 0239 -60HN	0	15.60	160	940	40	N.S.S.	5.6
81T 0240 -60HN	0	9.10	70	270	800	16	3.2
81T 0241 -60HN	0	19.20	140	340	N.S.S.	N.S.S.	1.6
81T 0242 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0243 -60HN	0	16.20	90	520	400	12	4.0
81T 0244 -60HN	0	5.80	120	200	160	4	4.0
81T 0245 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0401 -60HN	0	7.70	480	16400	700	10000	20.8
81T 0402 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0403 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0404 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0405 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0406 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0407 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0408 -60HN	0	2.00	620	46	160	8	0.8
81T 0409 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0410 -60HN	0	1.10	570	22	18	12	0.4
81T 0411 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0412 -60HN	0	1.20	730	22	70	40	0.4
81T 0413 -60HN	0	0.90	420	30	500	4	0.4
81T 0414 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0415 -60HN	0	3.00	400	260	N.S.S.	N.S.S.	0.4
81T 0416 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0417 -60HN	0	2.70	760	35	600	1520	18.4
81T 0418 -60HN	0	3.20	980	27	6	4	2.4

Certified by *Hart Bichler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210126-001-C
INVOICE # : I8210126
DATE : 12-FEB-82
P.O. # : NONE
81 T


CC: G.JILSON & CC: J.MUSTARD

Sample description	Prep code	Ba ppm	Au NAA ppb				
81T 0092 -60HN	0	N.S.S.	537	--	--	--	--
81T 0093 -60HN	0	N.S.S.	67	--	--	--	--
81T 0094 -60HN	0	N.S.S.	61	--	--	--	--
81T 0095 -60HN	0	N.S.S.	8300	--	--	--	--
81T 0096 -60HN	0	N.S.S.	20	--	--	--	--
81T 0097 -60HN	0	650	570	--	--	--	--
81T 0098 -60HN	0	400	220	--	--	--	--
81T 0099 -60HN	0	N.S.S.	>10000	--	--	--	--
81T 0100 -60HN	0	375	110	--	--	--	--
81T 0232 -60HN	0	70000	40	--	--	--	--
81T 0233 -60HN	0	N.S.S.	250	--	--	--	--
81T 0235 -60HN	0	75000	30	--	--	--	--
81T 0236 -60HN	0	N.S.S.	105	--	--	--	--
81T 0237 -60HN	0	55000	2100	--	--	--	--
81T 0238 -60HN	0	100000	40	--	--	--	--
81T 0239 -60HN	0	8500	2160	--	--	--	--
81T 0240 -60HN	0	37000	7640	--	--	--	--
81T 0241 -60HN	0	N.S.S.	120	--	--	--	--
81T 0242 -60HN	0	N.S.S.	24	--	--	--	--
81T 0243 -60HN	0	55000	>10000	--	--	--	--
81T 0244 -60HN	0	34000	3780	--	--	--	--
81T 0245 -60HN	0	N.S.S.	44	--	--	--	--
81T 0401 -60HN	0	400	3180	--	--	--	--
81T 0402 -60HN	0	N.S.S.	2920	--	--	--	--
81T 0403 -60HN	0	N.S.S.	10	--	--	--	--
81T 0404 -60HN	0	N.S.S.	>10000	--	--	--	--
81T 0405 -60HN	0	N.S.S.	<50	--	--	--	--
81T 0406 -60HN	0	N.S.S.	167	--	--	--	--
81T 0407 -60HN	0	N.S.S.	111	--	--	--	--
81T 0408 -60HN	0	350	120	--	--	--	--
81T 0409 -60HN	0	N.S.S.	<145	--	--	--	--
81T 0410 -60HN	0	250	<10	--	--	--	--
81T 0411 -60HN	0	N.S.S.	<11	--	--	--	--
81T 0412 -60HN	0	200	10	--	--	--	--
81T 0413 -60HN	0	250	<10	--	--	--	--
81T 0414 -60HN	0	N.S.S.	21	--	--	--	--
81T 0415 -60HN	0	600	20	--	--	--	--
81T 0416 -60HN	0	N.S.S.	>10000	--	--	--	--
81T 0417 -60HN	0	200	20	--	--	--	--
81T 0418 -60HN	0	200	60	--	--	--	--

Hart Bichler

Certified by





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8210126-002-A
INVOICE # : I8210126
DATE : 12-FEB-82
P.O. # : NONE
81 T

CC: G. JILSON & CC: J. MUSTARD

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81T 0419 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0420 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0515 -60HN	0	284	2	36	144	1.0	0.4
81T 0516 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0517 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0518 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0519 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0520 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0521 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0522 -60HN	0	32	4	22	108	0.4	0.2
81T 0523 -60HN	0	18	6	14	70	0.2	0.2
81T 0524 -60HN	0	350	6	120	205	3.2	0.6
81T 0525 -60HN	0	8	6	30	96	0.2	0.2
81T 0526 -60HN	0	320	6	4400	950	1.2	6.0
81T 0527 -60HN	0	170	32	270	445	1.0	3.4
81T 0528 -60HN	0	244	14	800	565	0.8	4.0
81T 0529 -60HN	0	330	8	1200	520	2.0	2.8
81T 0530 -60HN	0	156	4	200	195	0.6	0.4
81T 0531 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0532 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0533 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0534 -60HN	0	470	4	500	465	1.8	1.2
81T 0535 -60HN	0	390	2	172	230	1.6	0.2
81T 0536 -60HN	0	270	48	130	134	0.6	0.2
81T 0537 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0538 -60HN	0	275	2	370	118	1.8	0.2
81T 0539 -60HN	0	35	2	37	50	0.2	0.2
81T 0540 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0541 -60HN	0	440	2	100	82	0.4	0.4
81T 0543 -60HN	0	160	4	116	102	0.6	0.6
81T 0544 -60HN	0	215	2	55	110	0.2	0.5
81T 0545 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0546 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0609 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0618 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0620 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0621 -60HN	0	196	4	200	86	0.4	0.2
81T 0622 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0812 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0813 -60HN	0	95	2	60	195	0.2	0.2



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8210126-002-B
INVOICE # : I8210126
DATE : 12-FEB-82
P.O. # : NONE
81 T

CC: G.JILSON & CC: J.MUSTARD

Sample description	Prep code	Fe %	Mn ppm	AS ppm	W ppm	Sn ppm	Sb ppm
81T 0419 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0420 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0515 -60HN	0	2.90	280	520	N.S.S.	N.S.S.	0.4
81T 0516 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0517 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0518 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0519 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0520 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0521 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0522 -60HN	0	4.00	290	10	1	4	0.8
81T 0523 -60HN	0	1.30	560	11	750	272	0.4
81T 0524 -60HN	0	3.30	1160	1020	2700	840	5.6
81T 0525 -60HN	0	1.70	960	23	800	1360	0.4
81T 0526 -60HN	0	1.40	430	180	200	224	0.8
81T 0527 -60HN	0	10.60	210	1820	4	12	11.2
81T 0528 -60HN	0	4.60	280	1360	160	540	4.8
81T 0529 -60HN	0	3.90	470	1260	N.S.S.	N.S.S.	7.2
81T 0530 -60HN	0	5.50	290	280	100	120	4.0
81T 0531 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0532 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0533 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0534 -60HN	0	4.00	190	1200	90	N.S.S.	4.0
81T 0535 -60HN	0	8.00	250	670	30	4	14.4
81T 0536 -60HN	0	3.00	370	260	N.S.S.	N.S.S.	N.S.S.
81T 0537 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0538 -60HN	0	5.00	180	2100	60	16	14.4
81T 0539 -60HN	0	1.90	525	48	N.S.S.	N.S.S.	N.S.S.
81T 0540 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0541 -60HN	0	3.10	140	32	70	4	0.8
81T 0543 -60HN	0	1.70	110	16	N.S.S.	N.S.S.	N.S.S.
81T 0544 -60HN	0	2.75	275	25	N.S.S.	N.S.S.	N.S.S.
81T 0545 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0546 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0609 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0618 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0620 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0621 -60HN	0	3.20	660	200	N.S.S.	N.S.S.	0.8
81T 0622 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0812 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0813 -60HN	0	6.50	550	190	N.S.S.	N.S.S.	N.S.S.



Certified by *Stavros Schlar*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8210126-002-C
INVOICE # : I8210126
DATE : 12-FEB-82
P.O. # : NONE
81 T

CC: G. JILSON & CC: J. MUSTARD

Sample description	Prep code	Ba ppm	Au NAA ppb				
81T 0419 -60HN	0	N.S.S.	950	--	--	--	--
81T 0420 -60HN	0	N.S.S.	>10000	--	--	--	--
81T 0515 -60HN	0	N.S.S.	>10000	--	--	--	--
81T 0516 -60HN	0	N.S.S.	>10000	--	--	--	--
81T 0517 -60HN	0	N.S.S.	>10000	--	--	--	--
81T 0518 -60HN	0	N.S.S.	>10000	--	--	--	--
81T 0519 -60HN	0	N.S.S.	>10000	--	--	--	--
81T 0520 -60HN	0	N.S.S.	1200	--	--	--	--
81T 0521 -60HN	0	N.S.S.	38	--	--	--	--
81T 0522 -60HN	0	900	<10	--	--	--	--
81T 0523 -60HN	0	200	10	--	--	--	--
81T 0524 -60HN	0	200	30	--	--	--	--
81T 0525 -60HN	0	250	20	--	--	--	--
81T 0526 -60HN	0	1500	20	--	--	--	--
81T 0527 -60HN	0	1100	<10	--	--	--	--
81T 0528 -60HN	0	2200	20	--	--	--	--
81T 0529 -60HN	0	N.S.S.	110	--	--	--	--
81T 0530 -60HN	0	1100	10	--	--	--	--
81T 0531 -60HN	0	N.S.S.	4500	--	--	--	--
81T 0532 -60HN	0	N.S.S.	<500	--	--	--	--
81T 0533 -60HN	0	N.S.S.	133	--	--	--	--
81T 0534 -60HN	0	900	180	--	--	--	--
81T 0535 -60HN	0	350	50	--	--	--	--
81T 0536 -60HN	0	N.S.S.	>10000	--	--	--	--
81T 0537 -60HN	0	N.S.S.	<40	--	--	--	--
81T 0538 -60HN	0	300	610	--	--	--	--
81T 0539 -60HN	0	N.S.S.	8940	--	--	--	--
81T 0540 -60HN	0	N.S.S.	22	--	--	--	--
81T 0541 -60HN	0	500	10	--	--	--	--
81T 0543 -60HN	0	N.S.S.	30	--	--	--	--
81T 0544 -60HN	0	N.S.S.	<10	--	--	--	--
81T 0545 -60HN	0	N.S.S.	16	--	--	--	--
81T 0546 -60HN	0	N.S.S.	3818	--	--	--	--
81T 0609 -60HN	0	N.S.S.	3321	--	--	--	--
81T 0618 -60HN	0	N.S.S.	6500	--	--	--	--
81T 0620 -60HN	0	N.S.S.	36	--	--	--	--
81T 0621 -60HN	0	N.S.S.	40	--	--	--	--
81T 0622 -60HN	0	N.S.S.	14	--	--	--	--
81T 0812 -60HN	0	N.S.S.	31	--	--	--	--
81T 0813 -60HN	0	N.S.S.	950	--	--	--	--



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8210126-003-A
INVOICE # : I8210126
DATE : 12-FEB-82
P.O. # : NONE
81 T

CC: G. JILSON & CC: J. MUSTARD

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81T 0814 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0815 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0816 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0817 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0818 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0819 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0820 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0821 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0822 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0823 -60HN	0	72	2	22	66	0.2	0.8
81T 0824 -60HN	0	28	2	160	104	0.2	0.2
81T 0825 -60HN	0	70	6	24	122	0.4	0.6
81T 0826 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0827 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0828 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0829 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0830 -60HN	0	24	2	36	60	0.4	0.4
81T 0831 -60HN	0	208	2	56	180	0.4	0.2
81T 0832 -60HN	0	155	2	92	109	1.0	0.2
81T 0833 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8210126-003-B
INVOICE # : I8210126
DATE : 12-FEB-82
P.O. # : NONE
81 T

CC: G.JILSON & CC: J.MUSTARD

Sample description	Prep code	Fe %	Mn ppm	AS ppm	W ppm	Sn ppm	Sb ppm
81T 0814 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0815 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0816 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0817 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0818 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0819 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0820 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0821 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0822 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0823 -60HN	0	3.60	960	33	150	256	0.8
81T 0824 -60HN	0	3.60	1000	152	N.S.S.	N.S.S.	N.S.S.
81T 0825 -60HN	0	4.20	850	77	N.S.S.	N.S.S.	N.S.S.
81T 0826 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0827 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0828 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0829 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0830 -60HN	0	2.10	360	11	N.S.S.	N.S.S.	1.2
81T 0831 -60HN	0	3.10	200	152	N.S.S.	N.S.S.	N.S.S.
81T 0832 -60HN	0	4.80	165	180	N.S.S.	N.S.S.	N.S.S.
81T 0833 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	4.0



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8210126-003-C
INVOICE # : I8210126
DATE : 12-FEB-82
P.O. # : NONE
81 T

CC: G. JILSON & CC: J. MUSTARD

Sample description	Prep code	Ba ppm	Au NAA ppb				
81T 0814 -60HN	0	N.S.S.	7350	--	--	--	--
81T 0815 -60HN	0	N.S.S.	167	--	--	--	--
81T 0816 -60HN	0	N.S.S.	>10000	--	--	--	--
81T 0817 -60HN	0	N.S.S.	>10000	--	--	--	--
81T 0818 -60HN	0	N.S.S.	250	--	--	--	--
81T 0819 -60HN	0	N.S.S.	91	--	--	--	--
81T 0820 -60HN	0	N.S.S.	<250	--	--	--	--
81T 0821 -60HN	0	N.S.S.	1330	--	--	--	--
81T 0822 -60HN	0	N.S.S.	32	--	--	--	--
81T 0823 -60HN	0	200	10	--	--	--	--
81T 0824 -60HN	0	N.S.S.	130	--	--	--	--
81T 0825 -60HN	0	N.S.S.	4010	--	--	--	--
81T 0826 -60HN	0	N.S.S.	>10000	--	--	--	--
81T 0827 -60HN	0	N.S.S.	333	--	--	--	--
81T 0828 -60HN	0	N.S.S.	>10000	--	--	--	--
81T 0829 -60HN	0	N.S.S.	1286	--	--	--	--
81T 0830 -60HN	0	N.S.S.	>10000	--	--	--	--
81T 0831 -60HN	0	N.S.S.	5330	--	--	--	--
81T 0832 -60HN	0	N.S.S.	20	--	--	--	--
81T 0833 -60HN	0	N.S.S.	32	--	--	--	--



Certified by *Hart/Schler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BURRARD STREET
 VANCOUVER, B.C.
 V6E 2G8

CERT. # : A8210127-001-A
 INVOICE # : I8210127
 DATE : 03-MAR-82
 P.O. # : NONE
 81 T

CC: G. JILSON & J. MUSTARD


10000 = 10 ppm

Sample description	Prep code	Ag ppm	Au NAA ppb				
81T 0055 -35HPHN	205	N.S.S.	<100	--	--	--	--
81T 0056 -35HPHN	205	N.S.S.	81	--	--	--	--
81T 0057 -35HPHN	205	N.S.S.	222	--	--	--	--
81T 0058 -35HPHN	205	N.S.S.	<48	--	--	--	--
81T 0059 -35HPHN	205	2.8	40	--	--	--	--
81T 0060 -35HPHN	205	8.8	50	--	--	--	--
81T 0061 -35HPHN	205	N.S.S.	49	--	--	--	--
81T 0062 -35HPHN	205	3.2	50	--	--	--	--
81T 0063 -35HPHN	205	N.S.S.	19	--	--	--	--
81T 0064 -35HPHN	205	N.S.S.	<71	--	--	--	--
81T 0065 -35HPHN	205	1.0	20	--	--	--	--
81T 0066 -35HPHN	205	N.S.S.	91	--	--	--	--
81T 0067 -35HPHN	205	0.1	20	--	--	--	--
81T 0068 -35HPHN	205	0.4	30	--	--	--	--
81T 0069 -35HPHN	205	N.S.S.	13	--	--	--	--
81T 0070 -35HPHN	205	N.S.S.	45	--	--	--	--
81T 0071 -35HPHN	205	N.S.S.	16	--	--	--	--
81T 0072 -35HPHN	205	N.S.S.	<14	--	--	--	--
81T 0073 -35HPHN	205	0.1	10	--	--	--	--
81T 0074 -35HPHN	205	0.4	21	--	--	--	--
81T 0075 -35HPHN	205	N.S.S.	<33	--	--	--	--
81T 0076 -35HPHN	205	N.S.S.	<40	--	--	--	--
81T 0077 -35HPHN	205	2.8	22	--	--	--	--
81T 0078 -35HPHN	205	N.S.S.	29	--	--	--	--
81T 0079 -35HPHN	205	N.S.S.	13	--	--	--	--
81T 0080 -35HPHN	205	N.S.S.	75	--	--	--	--
81T 0081 -35HPHN	205	10.0	20	--	--	--	--
81T 0082 -35HPHN	205	N.S.S.	50	--	--	--	--
81T 0083 -35HPHN	205	N.S.S.	36	--	--	--	--
81T 0084 -35HPHN	205	N.S.S.	34	--	--	--	--
81T 0085 -35HPHN	205	4.6	160	--	--	--	--
81T 0086 -35HPHN	205	14.0	150	--	--	--	--
81T 0087 -35HPHN	205	13.4	240	--	--	--	--
81T 0088 -35HPHN	205	6.0	140	--	--	--	--
81T 0089 -35HPHN	205	N.S.S.	55	--	--	--	--
81T 0090 -35HPHN	205	N.S.S.	81	--	--	--	--
81T 0091 -35HPHN	205	N.S.S.	30	--	--	--	--
81T 0155 -35HPHN	205	25.0	50	--	--	--	--
81T 0156 -35HPHN	205	N.S.S.	91	--	--	--	--
81T 0157 -35HPHN	205	N.S.S.	231	--	--	--	--

100

Certified by Hart Bichler





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BURRARD STREET
 VANCOUVER, B.C.
 V6E 2G8

CERT. # : A8210127-002-A
 INVOICE # : 18210127
 DATE : 03-MAR-82
 P.O. # : NONE
 81 T

CC: G. JILSON & J. MUSTARD


Sample description	Prep code	Ag ppm	Au NAA ppb				
81T 0158 -35HPHN	205	N.S.S.	77	--	--	--	--
81T 0159 -35HPHN	205	N.S.S.	100	--	--	--	--
81T 0160 -35HPHN	205	N.S.S.	63	--	--	--	--
81T 0161 -35HPHN	205	N.S.S.	50	--	--	--	--
81T 0162 -35HPHN	205	9.8	90	--	--	--	--
81T 0163 -35HPHN	205	N.S.S.	136	--	--	--	--
81T 0164 -35HPHN	205	N.S.S.	233	--	--	--	--
81T 0165 -35HPHN	205	0.6	31	--	--	--	--
81T 0166 -35HPHN	205	2.0	10	--	--	--	--
81T 0167 -35HPHN	205	N.S.S.	50000	--	--	--	--
81T 0168 -35HPHN	205	N.S.S.	750	--	--	--	--
81T 0169 -35HPHN	205	0.1	80	--	--	--	--
81T 0170 -35HPHN	205	0.4	770	--	--	--	--
81T 0171 -35HPHN	205	0.6	10	--	--	--	--
81T 0172 -35HPHN	205	0.1	<10	--	--	--	--
81T 0173 -35HPHN	205	0.1	30	--	--	--	--
81T 0174 -35HPHN	205	0.6	10	--	--	--	--
81T 0175 -35HPHN	205	N.S.S.	24	--	--	--	--
81T 0176 -35HPHN	205	N.S.S.	67	--	--	--	--
81T 0177 -35HPHN	205	0.4	4160	--	--	--	--
81T 0178 -35HPHN	205	N.S.S.	172	--	--	--	--
81T 0179 -35HPHN	205	0.1	50	--	--	--	--
81T 0180 -35HPHN	205	N.S.S.	245	--	--	--	--
81T 0181 -35HPHN	205	N.S.S.	57	--	--	--	--
81T 0182 -35HPHN	205	N.S.S.	69	--	--	--	--
81T 0183 -35HPHN	205	0.1	260	--	--	--	--
81T 0184 -35HPHN	205	0.8	230	--	--	--	--
81T 0185 -35HPHN	205	1.0	30	--	--	--	--
81T 0186 -35HPHN	205	0.6	90	--	--	--	--
81T 0187 -35HPHN	205	0.5	78	--	--	--	--
81T 0188 -35HPHN	205	7.2	50	--	--	--	--
81T 0189 -35HPHN	205	N.S.S.	77	--	--	--	--
81T 0190 -35HPHN	205	0.4	30	--	--	--	--
81T 0191 -35HPHN	205	1.5	21	--	--	--	--
81T 0192 -35HPHN	205	N.S.S.	1475	--	--	--	--
81T 0193 -35HPHN	205	N.S.S.	29	--	--	--	--
81T 0194 -35HPHN	205	0.4	10	--	--	--	--
81T 0195 -35HPHN	205	N.S.S.	<24	--	--	--	--
81T 0196 -35HPHN	205	0.4	30	--	--	--	--
81T 0197 -35HPHN	205	N.S.S.	28	--	--	--	--

Hart Buchler

Certified by



MEMBER
 CANADIAN TESTING
 ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BARRARD STREET
 VANCOUVER, B.C.
 V6E 2G8

CERT. # : A8210127-003-A
 INVOICE # : I8210127
 DATE : 03-MAR-82
 P.O. # : NONE
 81 T


CC: G. JILSON & J. MUSTARD

Sample description	Prep code	Ag ppm	Au NAA ppb				
81T 0198 -35HPHN 205		0.3	<10	--	--	--	--
81T 0199 -35HPHN 205		0.6	<10	--	--	--	--
81T 0200 -35HPHN 205		0.1	<10	--	--	--	--
81T 0280 -35HPHN 205		2.2	40	--	--	--	--
81T 0281 -35HPHN 205		18.0	540	--	--	--	--
81T 0282 -35HPHN 205		19.6	80	--	--	--	--
81T 0283 -35HPHN 205		21.0	90	--	--	--	--
81T 0284 -35HPHN 205		26.0	230	--	--	--	--
81T 0285 -35HPHN 205		10.2	370	--	--	--	--
81T 0286 -35HPHN 205		11.6	40	--	--	--	--
81T 0287 -35HPHN 205		1.2	310	--	--	--	--
81T 0288 -35HPHN 205		N.S.S.	<31	--	--	--	--
81T 0289 -35HPHN 205		N.S.S.	41	--	--	--	--
81T 0290 -35HPHN 205		N.S.S.	26	--	--	--	--
81T 0291 -35HPHN 205		N.S.S.	37	--	--	--	--
81T 0292 -35HPHN 205		N.S.S.	<18	--	--	--	--
81T 0293 -35HPHN 205		3.0	20	--	--	--	--
81T 0294 -35HPHN 205		4.6	30	--	--	--	--
81T 0295 -35HPHN 205		6.0	70	--	--	--	--
81T 0296 -35HPHN 205		N.S.S.	30	--	--	--	--
81T 0297 -35HPHN 205		8.4	160	--	--	--	--
81T 0298 -35HPHN 205		6.0	60	--	--	--	--
81T 0299 -35HPHN 205		N.S.S.	<10	--	--	--	--
81T 0378 -35HPHN 205		N.S.S.	<10	--	--	--	--
81T 0379 -35HPHN 205		N.S.S.	100	--	--	--	--
81T 0380 -35HPHN 205		N.S.S.	63	--	--	--	--
81T 0381 -35HPHN 205		N.S.S.	111	--	--	--	--
81T 0382 -35HPHN 205		N.S.S.	<10	--	--	--	--
81T 0383 -35HPHN 205		N.S.S.	182	--	--	--	--
81T 0384 -35HPHN 205		9.8	240	--	--	--	--
81T 0385 -35HPHN 205		N.S.S.	133	--	--	--	--
81T 0386 -35HPHN 205		N.S.S.	<10	--	--	--	--
81T 0387 -35HPHN 205		0.1	20	--	--	--	--
81T 0388 -35HPHN 205		N.S.S.	59	--	--	--	--
81T 0389 -35HPHN 205		N.S.S.	46	--	--	--	--
81T 0390 -35HPHN 205		N.S.S.	71	--	--	--	--
81T 0391 -35HPHN 205		N.S.S.	107	--	--	--	--
81T 0392 -35HPHN 205		N.S.S.	111	--	--	--	--
81T 0393 -35HPHN 205		N.S.S.	5827	--	--	--	--
81T 0394 -35HPHN 205		N.S.S.	1333	--	--	--	--

Hart Buchler

Certified by





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS


TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BURRARD STREET
 VANCOUVER, B.C.
 V6E 2G8


CERT. # : A8210127-004-A
 INVOICE # : 18210127
 DATE : 03-MAR-82
 P.O. # : NONE
 81 T

CC: G. JILSON & J. MUSTARD

Sample description	Prep code	Ag ppm	Au NAA ppb				
81T 0395 -35HPHN 205		N.S.S.	30	--	--	--	--
81T 0396 -35HPHN 205		N.S.S.	48	--	--	--	--
81T 0397 -35HPHN 205		N.S.S.	176	--	--	--	--
81T 0398 -35HPHN 205		N.S.S.	<26	--	--	--	--
81T 0399 -35HPHN 205		3.2	150	--	--	--	--
81T 0400 -35HPHN 205		N.S.S.	857	--	--	--	--
81T 0421 -35HPHN 205		0.4	<10	--	--	--	--
81T 0422 -35HPHN 205		0.1	<10	--	--	--	--
81T 0423 -35HPHN 205		N.S.S.	163	--	--	--	--
81T 0424 -35HPHN 205		0.1	<10	--	--	--	--
81T 0425 -35HPHN 205		1.8	<10	--	--	--	--
81T 0426 -35HPHN 205		N.S.S.	<12	--	--	--	--
81T 0427 -35HPHN 205		N.S.S.	<36	--	--	--	--
81T 0428 -35HPHN 205		3.0	110	--	--	--	--
81T 0429 -35HPHN 205		N.S.S.	<15	--	--	--	--
81T 0430 -35HPHN 205		0.1	<10	--	--	--	--
81T 0431 -35HPHN 205		N.S.S.	<16	--	--	--	--
81T 0432 -35HPHN 205		0.1	<10	--	--	--	--
81T 0433 -35HPHN 205		10.2	<10	--	--	--	--
81T 0434 -35HPHN 205		4.5	<10	--	--	--	--
81T 0435 -35HPHN 205		N.S.S.	<10	--	--	--	--
81T 0436 -35HPHN 205		N.S.S.	<12	--	--	--	--
81T 0437 -35HPHN 205		N.S.S.	<10	--	--	--	--
81T 0438 -35HPHN 205		N.S.S.	<40	--	--	--	--
81T 0439 -35HPHN 205		4.2	<10	--	--	--	--
81T 0440 -35HPHN 205		N.S.S.	<15	--	--	--	--
81T 0441 -35HPHN 205		6.4	40	--	--	--	--
81T 0442 -35HPHN 205		N.S.S.	<20	--	--	--	--
81T 0443 -35HPHN 205		10.8	70	--	--	--	--
81T 0444 -35HPHN 205		0.4	<10	--	--	--	--
81T 0445 -35HPHN 205		1.2	<10	--	--	--	--
81T 0446 -35HPHN 205		0.7	<10	--	--	--	--
81T 0447 -35HPHN 205		0.8	<10	--	--	--	--
81T 0448 -35HPHN 205		0.8	<10	--	--	--	--
81T 0449 -35HPHN 205		1.0	<10	--	--	--	--
81T 0450 -35HPHN 205		0.8	<10	--	--	--	--
81T 0451 -35HPHN 205		0.6	<10	--	--	--	--
81T 0452 -35HPHN 205		0.8	<10	--	--	--	--
81T 0453 -35HPHN 205		0.8	<10	--	--	--	--
81T 0455 -35HPHN 205		0.8	<10	--	--	--	--

Certified by *Hart Bichler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS


TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BURRARD STREET
 VANCOUVER, B.C.
 V6E 2G8


CERT. # : A8210127-005-A
 INVOICE # : 18210127
 DATE : 03-MAR-82
 P.O. # : NONE
 81 T

CC: G. JILSON & J. MUSTARD

Sample description	Prep code	Ag ppm	Au NAA ppb				
81T 0456 -35HPHN	205	0.8	<10	--	--	--	--
81T 0457 -35HPHN	205	N.S.S.	<12	--	--	--	--
81T 0458 -35HPHN	205	0.4	<10	--	--	--	--
81T 0459 -35HPHN	205	0.1	<10	--	--	--	--
81T 0460 -35HPHN	205	0.4	<10	--	--	--	--
81T 0461 -35HPHN	205	N.S.S.	<13	--	--	--	--
81T 0462 -35HPHN	205	8.4	<10	--	--	--	--
81T 0463 -35HPHN	205	N.S.S.	<12	--	--	--	--
81T 0464 -35HPHN	205	3.0	<10	--	--	--	--
81T 0465 -35HPHN	205	4.6	80	--	--	--	--
81T 0466 -35HPHN	205	N.S.S.	<16	--	--	--	--
81T 0467 -35HPHN	205	0.8	<10	--	--	--	--
81T 0468 -35HPHN	205	1.4	<10	--	--	--	--
81T 0469 -35HPHN	205	0.4	<10	--	--	--	--
81T 0470 -35HPHN	205	N.S.S.	<20	--	--	--	--
81T 0498 -35HPHN	205	0.4	<10	--	--	--	--
81T 0499 -35HPHN	205	0.4	<10	--	--	--	--
81T 0500 -35HPHN	205	0.4	<10	--	--	--	--
81T 0501 -35HPHN	205	N.S.S.	<10	--	--	--	--
81T 0502 -35HPHN	205	N.S.S.	<31	--	--	--	--
81T 0503 -35HPHN	205	N.S.S.	<12	--	--	--	--
81T 0504 -35HPHN	205	N.S.S.	<14	--	--	--	--
81T 0505 -35HPHN	205	N.S.S.	<167	--	--	--	--
81T 0506 -35HPHN	205	N.S.S.	<167	--	--	--	--
81T 0507 -35HPHN	205	0.6	<10	--	--	--	--
81T 0508 -35HPHN	205	N.S.S.	<11	--	--	--	--
81T 0509 -35HPHN	205	N.S.S.	<250	--	--	--	--
81T 0510 -35HPHN	205	0.4	<10	--	--	--	--
81T 0511 -35HPHN	205	1.4	<10	--	--	--	--
81T 0512 -35HPHN	205	1.0	<10	--	--	--	--
81T 0513 -35HPHN	205	4.0	<10	--	--	--	--
81T 0550 -35HPHN	205	3.5	10	--	--	--	--
81T 0551 -35HPHN	205	N.S.S.	516	--	--	--	--
81T 0552 -35HPHN	205	N.S.S.	1286	--	--	--	--
81T 0553 -35HPHN	205	N.S.S.	<24	--	--	--	--
81T 0554 -35HPHN	205	3.0	70	--	--	--	--
81T 0555 -35HPHN	205	N.S.S.	<40	--	--	--	--
81T 0556 -35HPHN	205	N.S.S.	549	--	--	--	--
81T 0557 -35HPHN	205	N.S.S.	90	--	--	--	--
81T 0558 -35HPHN	205	N.S.S.	<25	--	--	--	--

Certified by *Hart Bichler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BURRARD STREET
 VANCOUVER, B.C.
 V6E 2G8


CERT. # : A8210127-006-A
 INVOICE # : I8210127
 DATE : 03-MAR-82
 P.O. # : NONE
 81 T

CC: G. JILSON & J. MUSTARD

Sample description	Prep code	Ag ppm	Au NAA ppb				
81T 0559 -35HPHN 205		N.S.S.	<10				
81T 0560 -35HPHN 205		N.S.S.	<10				
81T 0561 -35HPHN 205		0.8	<10				
81T 0562 -35HPHN 205		0.1	<10				
81T 0563 -35HPHN 205		2.0	<10				
81T 0564 -35HPHN 205		0.8	<10				
81T 0565 -35HPHN 205		1.2	<10				
81T 0566 -35HPHN 205		0.8	<10				
81T 0567 -35HPHN 205		0.8	<10				
81T 0568 -35HPHN 205		0.6	<10				
81T 0569 -35HPHN 205		0.4	<10				
81T 0570 -35HPHN 205		0.8	<10				
81T 0571 -35HPHN 205		N.S.S.	<20				
81T 0572 -35HPHN 205		0.6	<10				
81T 0573 -35HPHN 205		N.S.S.	<20				
81T 0574 -35HPHN 205		0.6	<10				
81T 0575 -35HPHN 205		N.S.S.	<10				
81T 0577 -35HPHN 205		0.8	<10				
81T 0578 -35HPHN 205		0.2	<10				
81T 0579 -35HPHN 205		1.0	<10				
81T 0580 -35HPHN 205		2.7	<10				
81T 0581 -35HPHN 205		1.5	<10				
81T 0582 -35HPHN 205		1.0	<10				
81T 0583 -35HPHN 205		0.5	<10				
81T 0584 -35HPHN 205		1.6	<10				
81T 0585 -35HPHN 205		0.6	<10				
81T 0586 -35HPHN 205		0.8	<10				
81T 0587 -35HPHN 205		N.S.S.	<25				
81T 0588 -35HPHN 205		N.S.S.	<125				
81T 0589 -35HPHN 205		N.S.S.	<125				
81T 0590 -35HPHN 205		N.S.S.	<40				
81T 0591 -35HPHN 205		N.S.S.	<15				
81T 0592 -35HPHN 205		N.S.S.	<70				
81T 0600 -35HPHN 205		4.6	<10				
81T 0601 -35HPHN 205		6.0	<10				
81T 0602 -35HPHN 205		N.S.S.	<30				
81T 0603 -35HPHN 205		N.S.S.	560				
81T 0604 -35HPHN 205		N.S.S.	<10				
81T 0605 -35HPHN 205		N.S.S.	<10				
81T 0606 -35HPHN 205		1.8	<10				

Certified by *Hart Buchler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BARRARD STREET
 VANCOUVER, B.C.
 V6E 2G8


CERT. # : A8210127-007-A
 INVOICE # : I8210127
 DATE : 03-MAR-82
 P.O. # : NONE
 81 T

CC: G. JILSON & J. MUSTARD

Sample description	Prep code	Ag ppm	Au NAA ppb				
81T 0607 -35HPHN	205	N.S.S.	<20				
81T 0614 -35HPHN	205	N.S.S.	<250	PROBABLY IS ONE OF DICK'S CR WALKING HEAVY SILTS			
81T 0623 -35HPHN	205	2.0	<10				
81T 0624 -35HPHN	205	N.S.S.	<10				
81T 0625 -35HPHN	205	N.S.S.	<60				
81T 0626 -35HPHN	205	N.S.S.	<10				
81T 0627 -35HPHN	205	N.S.S.	<20				
81T 0628 -35HPHN	205	1.0	<10				
81T 0629 -35HPHN	205	N.S.S.	<80				
81T 0630 -35HPHN	205	N.S.S.	<20				
81T 0631 -35HPHN	205	0.1	<10				
81T 0632 -35HPHN	205	N.S.S.	<10				
81T 0633 -35HPHN	205	0.1	<10				
81T 0634 -35HPHN	205	0.1	<10				
81T 0635 -35HPHN	205	0.1	<10				
81T 0636 -35HPHN	205	0.1	<10				
81T 0637 -35HPHN	205	0.1	<10				
81T 0638 -35HPHN	205	0.1	<10				
81T 0639 -35HPHN	205	0.4	<10				
81T 0640 -35HPHN	205	0.6	<10				
81T 0641 -35HPHN	205	N.S.S.	<30				
81T 0642 -35HPHN	205	1.0	<10				
81T 0643 -35HPHN	205	0.1	<10				
81T 0644 -35HPHN	205	0.7	<10				
81T 0645 -35HPHN	205	0.1	<10				
81T 0646 -35HPHN	205	0.1	<10				
81T 0647 -35HPHN	205	0.4	<10				
81T 0648 -35HPHN	205	0.6	<10				
81T 0649 -35HPHN	205	0.6	<10				
81T 0650 -35HPHN	205	0.1	<10				
81T 0651 -35HPHN	205	1.2	<10				
81T 0652 -35HPHN	205	0.1	<10				
81T 0653 -35HPHN	205	N.S.S.	<20				
81T 0654 -35HPHN	205	N.S.S.	<10				
81T 0655 -35HPHN	205	0.1	10190				
81T 0656 -35HPHN	205	0.1	<10				
81T 0657 -35HPHN	205	0.1	<10				
81T 0658 -35HPHN	205	N.S.S.	<60				
81T 0659 -35HPHN	205	N.S.S.	<20				
81T 0660 -35HPHN	205	N.S.S.	2230				

Certified by *Hart Buchler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BURRARD STREET
 VANCOUVER, B.C.
 V6E 2G8

CERT. # : A8210127-008-A
 INVOICE # : 18210127
 DATE : 03-MAR-82
 P.O. # : NONE
 81 T

CC: G. JILSON & J. MUSTARD


Sample description	Prep code	Ag ppm	Au NAA ppb				
81T 0661 -35HPHN	205	0.1	<10	--	--	--	--
81T 0662 -35HPHN	205	0.1	<10	--	--	--	--
81T 0663 -35HPHN	205	N.S.S.	<12	--	--	--	--
81T 0664 -35HPHN	205	1.8	<10	--	--	--	--
81T 0665 -35HPHN	205	N.S.S.	<20	--	--	--	--
81T 0666 -35HPHN	205	1.5	<10	--	--	--	--
81T 0667 -35HPHN	205	N.S.S.	<140	--	--	--	--
81T 0668 -35HPHN	205	0.1	<10	--	--	--	--
81T 0669 -35HPHN	205	0.1	<10	--	--	--	--
81T 0670A -35HPHN	205	N.S.S.	<15	--	--	--	--
81T 0670B -35HPHN	205	0.4	<10	--	--	--	--
81T 0671 -35HPHN	205	0.1	<10	--	--	--	--
81T 0672 -35HPHN	205	N.S.S.	<12	--	--	--	--
81T 0673 -35HPHN	205	0.1	<10	--	--	--	--
81T 0674 -35HPHN	205	0.5	<10	--	--	--	--
81T 0675 -35HPHN	205	N.S.S.	<20	--	--	--	--
81T 0676 -35HPHN	205	0.4	<10	--	--	--	--
81T 0677 -35HPHN	205	1.0	<10	--	--	--	--
81T 0678 -35HPHN	205	0.6	<10	--	--	--	--
81T 0679 -35HPHN	205	0.4	<10	--	--	--	--
81T 0680 -35HPHN	205	0.6	50	--	--	--	--
81T 0681 -35HPHN	205	0.8	<10	--	--	--	--

Hart Buchler

Certified by



MEMBER
 CANADIAN TESTING
 ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS


TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BURRARD STREET
 VANCOUVER, B.C.
 V6E 2G8


CERT. # : A8210128-001-A
 INVOICE # : I8210128
 DATE : 03-MAR-82
 P.O. # : NONE
 81 T

CC: G. JILSON & J. MUSTARD

Sample description	Prep code	Ag ppm	Au NAA ppb				
81T 0685 -35HPHN 205		0.4	<10	--	--	--	--
81T 0686 -35HPHN 205		0.6	<10	--	--	--	--
81T 0687 -35HPHN 205		N.S.S.	<100	--	--	--	--
81T 0688 -35HPHN 205		0.4	<10	--	--	--	--
81T 0689 -35HPHN 205		0.4	<10	--	--	--	--
81T 0690 -35HPHN 205		0.1	<10	--	--	--	--
81T 0691 -35HPHN 205		0.4	310	--	--	--	--
81T 0692 -35HPHN 205		N.S.S.	<30	--	--	--	--
81T 0693 -35HPHN 205		0.4	<10	--	--	--	--
81T 0694 -35HPHN 205		N.S.S.	<10	--	--	--	--
81T 0695 -35HPHN 205		0.1	<10	--	--	--	--
81T 0696 -35HPHN 205		0.4	<10	--	--	--	--
81T 0697 -35HPHN 205		N.S.S.	<30	--	--	--	--
81T 0699 -35HPHN 205		N.S.S.	20	--	--	--	--
81T 0701 -35HPHN 205		0.1	<10	--	--	--	--
81T 0702 -35HPHN 205		0.1	<10	--	--	--	--
81T 0703 -35HPHN 205		N.S.S.	<20	--	--	--	--
81T 0704 -35HPHN 205		N.S.S.	<50	--	--	--	--
81T 0705 -35HPHN 205		N.S.S.	<40	--	--	--	--
81T 0706 -35HPHN 205		N.S.S.	<20	--	--	--	--
81T 0707 -35HPHN 205		N.S.S.	<40	--	--	--	--
81T 0708 -35HPHN 205		N.S.S.	<80	--	--	--	--
81T 0709 -35HPHN 205		N.S.S.	<30	--	--	--	--
81T 0710 -35HPHN 205		0.1	<10	--	--	--	--
81T 0711 -35HPHN 205		N.S.S.	<200	--	--	--	--
81T 0712 -35HPHN 205		N.S.S.	<20	--	--	--	--
81T 0713 -35HPHN 205		N.S.S.	<10	--	--	--	--
81T 0714 -35HPHN 205		N.S.S.	1470	--	--	--	--
81T 0715 -35HPHN 205		N.S.S.	<20	--	--	--	--
81T 0716 -35HPHN 205		3.0	<10	--	--	--	--
81T 0717 -35HPHN 205		N.S.S.	<30	--	--	--	--
81T 0718 -35HPHN 205		0.1	<10	--	--	--	--
81T 0719 -35HPHN 205		0.6	970	--	--	--	--
81T 0720 -35HPHN 205		N.S.S.	<20	--	--	--	--
81T 0721 -35HPHN 205		0.1	<10	--	--	--	--
81T 0722 -35HPHN 205		0.6	<10	--	--	--	--
81T 0723 -35HPHN 205		0.1	<10	--	--	--	--
81T 0724 -35HPHN 205		0.1	<10	--	--	--	--
81T 0725 -35HPHN 205		0.1	<10	--	--	--	--
81T 0726 -35HPHN 205		0.1	<10	--	--	--	--

Certified by *Hart Buchler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS


TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BURRARD STREET
 VANCOUVER, B.C.
 V6E 2G8

CERT. # : A8210128-002-A
 INVOICE # : I8210128
 DATE : 03-MAR-82
 P.O. # : NONE
 81 T

CC: G. JILSON & J. MUSTARD

Sample description	Prep code	Ag ppm	Au NAA ppb				
81T 0727 -35HPHN	205	0.3	<11	--	--	--	--
81T 0728 -35HPHN	205	0.1	<10	--	--	--	--
81T 0729 -35HPHN	205	N.S.S.	<32	--	--	--	--
81T 0730 -35HPHN	205	N.S.S.	<15	--	--	--	--
81T 0731 -35HPHN	205	0.3	<10	--	--	--	--
81T 0732 -35HPHN	205	0.1	<10	--	--	--	--
81T 0735 -35HPHN	205	N.S.S.	<16	--	--	--	--
81T 0736 -35HPHN	205	N.S.S.	<20	--	--	--	--
81T 0737 -35HPHN	205	N.S.S.	<10	--	--	--	--
81T 0738 -35HPHN	205	0.3	<10	--	--	--	--
81T 0739 -35HPHN	205	N.S.S.	<12	--	--	--	--
81T 0740 -35HPHN	205	N.S.S.	89	--	--	--	--
81T 0741 -35HPHN	205	N.S.S.	10	--	--	--	--
81T 0742 -35HPHN	205	0.5	<10	--	--	--	--
81T 0743 -35HPHN	205	0.1	<10	--	--	--	--
81T 0744 -35HPHN	205	0.3	<10	--	--	--	--
81T 0746 -35HPHN	205	0.8	<10	--	--	--	--
81T 0747 -35HPHN	205	1.0	<10	--	--	--	--
81T 0748 -35HPHN	205	N.S.S.	<16	--	--	--	--
81T 0749 -35HPHN	205	N.S.S.	<18	--	--	--	--
81T 0750 -35HPHN	205	0.4	<10	--	--	--	--
81T 0751 -35HPHN	205	N.S.S.	<11	--	--	--	--
81T 0752 -35HPHN	205	0.4	<10	--	--	--	--
81T 0753 -35HPHN	205	N.S.S.	<11	--	--	--	--
81T 0754 -35HPHN	205	N.S.S.	200	--	--	--	--
81T 0755 -35HPHN	205	N.S.S.	<18	--	--	--	--
81T 0756 -35HPHN	205	N.S.S.	<17	--	--	--	--
81T 0757 -35HPHN	205	N.S.S.	<14	--	--	--	--
81T 0758 -35HPHN	205	N.S.S.	<24	--	--	--	--
81T 0759 -35HPHN	205	0.2	<10	--	--	--	--
81T 0760 -35HPHN	205	N.S.S.	<13	--	--	--	--
81T 0761 -35HPHN	205	N.S.S.	<11	--	--	--	--
81T 0762 -35HPHN	205	N.S.S.	<50	--	--	--	--
81T 0763 -35HPHN	205	1.5	<10	--	--	--	--
81T 0764 -35HPHN	205	N.S.S.	<11	--	--	--	--
81T 0765 -35HPHN	205	N.S.S.	20	--	--	--	--
81T 0766 -35HPHN	205	N.S.S.	<10	--	--	--	--
81T 0767 -35HPHN	205	N.S.S.	<12	--	--	--	--
81T 0768 -35HPHN	205	N.S.S.	<14	--	--	--	--
81T 0769 -35HPHN	205	1.5	<10	--	--	--	--

Certified by *Hart Bichler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BURRARD STREET
 VANCOUVER, B.C.
 V6E 2G8


CERT. # : A8210128-003-A
 INVOICE # : I8210128
 DATE : 03-MAR-82
 P.O. # : NONE
 81 T

CC: G. JILSON & J. MUSTARD

Sample description	Prep code	Ag ppm	Au NAA ppb				
81T 0770 -35HPHN 205		N.S.S.	<27	--	--	--	--
81T 0771 -35HPHN 205		N.S.S.	<13	--	--	--	--
81T 0772 -35HPHN 205		N.S.S.	<14	--	--	--	--
81T 0773 -35HPHN 205		5.7	<10	--	--	--	--
81T 0774 -35HPHN 205		N.S.S.	<22	--	--	--	--
81T 0775 -35HPHN 205		N.S.S.	<200	--	--	--	--
81T 0776 -35HPHN 205		N.S.S.	159	--	--	--	--
81T 0777 -35HPHN 205		1.4	<10	--	--	--	--
81T 0778 -35HPHN 205		N.S.S.	<16	--	--	--	--
81T 0779 -35HPHN 205		N.S.S.	<23	--	--	--	--
81T 0780 -35HPHN 205		3.0	<10	--	--	--	--
81T 0781 -35HPHN 205		N.S.S.	<10	--	--	--	--
81T 0782 -35HPHN 205		N.S.S.	<100	--	--	--	--
81T 0800 -35HPHN 205		4.4	100	--	--	--	--
81T 0801 -35HPHN 205		2.6	<10	--	--	--	--
81T 0802 -35HPHN 205		1.0	<10	--	--	--	--
81T 0803 -35HPHN 205		2.4	250	--	--	--	--
81T 0804 -35HPHN 205		6.0	40	--	--	--	--
81T 0805 -35HPHN 205		N.S.S.	45	--	--	--	--
81T 0806 -35HPHN 205		7.2	<10	--	--	--	--
81T 0807 -35HPHN 205		10.0	<10	--	--	--	--
81T 0808 -35HPHN 205		N.S.S.	<14	--	--	--	--
81T 0809 -35HPHN 205		N.S.S.	45100	--	--	--	--
81T 0810 -35HPHN 205		N.S.S.	<56	--	--	--	--
81T 0811 -35HPHN 205		0.6	<10	--	--	--	--
81T 0834 -35HPHN 205		N.S.S.	<11	--	--	--	--
81T 0835 -35HPHN 205		4.0	<10	--	--	--	--
81T 0836 -35HPHN 205		N.S.S.	<15	--	--	--	--
81T 0837 -35HPHN 205		N.S.S.	<43	--	--	--	--
81T 0838 -35HPHN 205		N.S.S.	<36	--	--	--	--
81T 0839 -35HPHN 205		16.0	1490	--	--	--	--
81T 0840 -35HPHN 205		1.0	<10	--	--	--	--
81T 0841 -35HPHN 205		0.4	<10	--	--	--	--
81T 0842 -35HPHN 205		1.4	<10	--	--	--	--
81T 0843 -35HPHN 205		0.6	<10	--	--	--	--
81T 0844 -35HPHN 205		0.4	<10	--	--	--	--
81T 0845 -35HPHN 205		0.4	<10	--	--	--	--
81T 0846 -35HPHN 205		0.4	<10	--	--	--	--
81T 0847 -35HPHN 205		N.S.S.	<33	--	--	--	--
81T 0848 -35HPHN 205		N.S.S.	<32	--	--	--	--

Certified by *Hart Bichler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS


TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BURRARD STREET
 VANCOUVER, B.C.
 V6E 2G8

CERT. # : A8210128-004-A
 INVOICE # : I8210128
 DATE : 03-MAR-82
 P.O. # : NONE
 81 T

CC: G. JILSON & J. MUSTARD

Sample description	Prep code	Ag ppm	Au NAA ppb				
81T 0849 -35HPHN	205	N.S.S.	<125	--	--	--	--
81T 0850 -35HPHN	205	N.S.S.	<15	--	--	--	--
81T 0851 -35HPHN	205	0.1	<10	--	--	--	--
81T 0852 -35HPHN	205	N.S.S.	<40	--	--	--	--
81T 0853 -35HPHN	205	N.S.S.	<70	--	--	--	--
81T 0854 -35HPHN	205	0.4	<10	--	--	--	--
81T 0855 -35HPHN	205	0.1	<10	--	--	--	--
81T 0856 -35HPHN	205	N.S.S.	<20	--	--	--	--
81T 0857 -35HPHN	205	0.1	<10	--	--	--	--
81T 0858 -35HPHN	205	N.S.S.	<20	--	--	--	--
81T 0859 -35HPHN	205	1.4	<10	--	--	--	--
81T 0860 -35HPHN	205	N.S.S.	<10	--	--	--	--
81T 0861 -35HPHN	205	0.6	<35	--	--	--	--
81T 0862 -35HPHN	205	0.6	<10	--	--	--	--
81T 0863 -35HPHN	205	1.2	<10	--	--	--	--
81T 0864 -35HPHN	205	N.S.S.	<30	--	--	--	--
81T 0865 -35HPHN	205	N.S.S.	<25	--	--	--	--
81T 0866 -35HPHN	205	N.S.S.	<100	--	--	--	--
81T 0867 -35HPHN	205	N.S.S.	<40	--	--	--	--
81T 0868 -35HPHN	205	N.S.S.	<200	--	--	--	--
81T 0869 -35HPHN	205	N.S.S.	<25	--	--	--	--
81T 0870 -35HPHN	205	N.S.S.	<10	--	--	--	--
81T 0871 -35HPHN	205	0.6	<10	--	--	--	--
81T 0872 -35HPHN	205	1.4	<10	--	--	--	--
81T 0873 -35HPHN	205	0.1	<10	--	--	--	--
81T 0874 -35HPHN	205	0.4	<10	--	--	--	--
81T 0875 -35HPHN	205	N.S.S.	<85	--	--	--	--
81T 0876A -35HPHN	205	0.5	<10	--	--	--	--
81T 0876B -35HPHN	205	N.S.S.	<20	--	--	--	--
81T 0877 -35HPHN	205	N.S.S.	<10	--	--	--	--
81T 0878 -35HPHN	205	0.6	<10	--	--	--	--
81T 0879 -35HPHN	205	1.0	<10	--	--	--	--
81T 0880 -35HPHN	205	0.6	<10	--	--	--	--
81T 0881 -35HPHN	205	0.4	<10	--	--	--	--
81T 0882 -35HPHN	205	1.0	<10	--	--	--	--
81T 0883 -35HPHN	205	0.8	<10	--	--	--	--
81T 0884 -35HPHN	205	0.8	<10	--	--	--	--
81T 0885 -35HPHN	205	0.6	<10	--	--	--	--
81T 0886 -35HPHN	205	0.6	<10	--	--	--	--
81T 0887 -35HPHN	205	N.S.S.	<10	--	--	--	--

Certified by *Hart Bichler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BURRARD STREET
 VANCOUVER, B.C.
 V6E 2G8

CERT. # : A8210128-005-A
 INVOICE # : 18210128
 DATE : 03-MAR-82
 P.O. # : NONE
 81 T

CC: G. JILSON & J. MUSTARD

Sample description	Prep code	Ag ppm	Au NAA ppb				
81T 0888 -35HPHN 205		0.1	<10	--	--	--	--
81T 0889 -35HPHN 205		0.6	<10	--	--	--	--
81T 0890 -35HPHN 205		0.8	<10	--	--	--	--
81T 0891 -35HPHN 205		0.1	<10	--	--	--	--
81T 0892 -35HPHN 205		N.S.S.	<111	--	--	--	--
81T 0893 -35HPHN 205		0.1	<10	--	--	--	--
81T 0894 -35HPHN 205		0.6	<10	--	--	--	--
81T 0895 -35HPHN 205		0.4	<10	--	--	--	--
81T 0896 -35HPHN 205		N.S.S.	<13	--	--	--	--
81T 0898 -35HPHN 205		0.8	<10	--	--	--	--
81T 0900 -35HPHN 205		N.S.S.	<22	--	--	--	--
81T 0901 -35HPHN 205		1.0	<10	--	--	--	--
81T 0902 -35HPHN 205		0.1	<10	--	--	--	--
81T 0903 -35HPHN 205		0.1	<10	--	--	--	--
81T 0904 -35HPHN 205		0.1	<10	--	--	--	--
81T 0905 -35HPHN 205		0.3	<10	--	--	--	--
81T 0906 -35HPHN 205		0.1	<10	--	--	--	--
81T 0907 -35HPHN 205		N.S.S.	<11	--	--	--	--
81T 0908 -35HPHN 205		1.8	<10	--	--	--	--
81T 0909 -35HPHN 205		N.S.S.	<22	--	--	--	--
81T 0910 -35HPHN 205		2.0	1690	--	--	--	--
81T 0911 -35HPHN 205		N.S.S.	<59	--	--	--	--
81T 0913 -35HPHN 205		N.S.S.	<15	--	--	--	--
81T 0914 -35HPHN 205		N.S.S.	<21	--	--	--	--
81T 0915 -35HPHN 205		N.S.S.	<56	--	--	--	--
81T 0916 -35HPHN 205		N.S.S.	<38	--	--	--	--
81T 0917 -35HPHN 205		0.4	<10	--	--	--	--
81T 0918 -35HPHN 205		N.S.S.	<27	--	--	--	--
81T 0919 -35HPHN 205		N.S.S.	<28	--	--	--	--
81T 0920 -35HPHN 205		N.S.S.	<19	--	--	--	--
81T 0921 -35HPHN 205		0.8	<10	--	--	--	--
81T 0923 -35HPHN 205		0.8	<10	--	--	--	--
81T 0924 -35HPHN 205		N.S.S.	<50	--	--	--	--
81T 1001 -35HPHN 205		N.S.S.	<25	--	--	--	--
81T 1002 -35HPHN 205		0.8	<10	--	--	--	--
81T 1003 -35HPHN 205		0.1	<10	--	--	--	--
81T 1004 -35HPHN 205		1.4	<10	--	--	--	--
81T 1005 -35HPHN 205		N.S.S.	<33	--	--	--	--
81T 1006 -35HPHN 205		0.1	40	--	--	--	--
81T 1007 -35HPHN 205		0.1	<10	--	--	--	--

Certified by *Hart Bichler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS


TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BURRARD STREET
 VANCOUVER, B.C.
 V6E 2G8


CERT. # : A8210128-006-A
 INVOICE # : I8210128
 DATE : 03-MAR-82
 P.O. # : NONE
 81 T

CC: G. JILSON & J. MUSTARD

Sample description	Prep code	Ag ppm	Au NAA ppb				
81T 1008 -35HPHN 205		N.S.S.	<71	--	--	--	--
81T 1009 -35HPHN 205		N.S.S.	<38	--	--	--	--
81T 1010 -35HPHN 205		N.S.S.	<21	--	--	--	--
81T 1011 -35HPHN 205		N.S.S.	<18	--	--	--	--
81T 1012 -35HPHN 205		N.S.S.	439	--	--	--	--
81T 1013 -35HPHN 205		1.0	<10	--	--	--	--
81T 1014 -35HPHN 205		N.S.S.	<33	--	--	--	--
81T 1015 -35HPHN 205		0.4	<10	--	--	--	--
81T 1016 -35HPHN 205		N.S.S.	<25	--	--	--	--
81T 1017 -35HPHN 205		N.S.S.	<25	--	--	--	--
81T 1018 -35HPHN 205		N.S.S.	<20	--	--	--	--
81T 1019 -35HPHN 205		4.6	590	--	--	--	--
81T 1020 -35HPHN 205		3.6	<10	--	--	--	--
81T 1021 -35HPHN 205		4.0	<10	--	--	--	--
81T 1022 -35HPHN 205		1.0	<10	--	--	--	--
81T 1023 -35HPHN 205		5.8	<10	--	--	--	--
81T 1024 -35HPHN 205		7.4	2720	--	--	--	--
81T 1025 -35HPHN 205		1.8	<10	--	--	--	--
81T 1026 -35HPHN 205		13.4	<10	--	--	--	--
81T 1027 -35HPHN 205		2.2	400	--	--	--	--
81T 1028 -35HPHN 205		1.0	30	--	--	--	--
81T 1029 -35HPHN 205		4.0	<10	--	--	--	--
81T 1030 -35HPHN 205		3.2	<10	--	--	--	--
81T 1031 -35HPHN 205		0.8	<10	--	--	--	--
81T 1032 -35HPHN 205		0.4	<10	--	--	--	--
81T 1033 -35HPHN 205		1.0	<10	--	--	--	--
81T 1034 -35HPHN 205		N.S.S.	<13	--	--	--	--
81T 1035 -35HPHN 205		0.6	<10	--	--	--	--
81T 1036 -35HPHN 205		0.4	<10	--	--	--	--
81T 1037 -35HPHN 205		10.0	<10	--	--	--	--
81T 1038 -35HPHN 205		16.4	<10	--	--	--	--
81T 1039 -35HPHN 205		N.S.S.	<14	--	--	--	--
81T 1040 -35HPHN 205		N.S.S.	<16	--	--	--	--
81T 1041 -35HPHN 205		N.S.S.	<17	--	--	--	--
81T 1042 -35HPHN 205		1.0	<10	--	--	--	--
81T 1043 -35HPHN 205		0.1	<10	--	--	--	--
81T 1044 -35HPHN 205		0.1	<10	--	--	--	--
81T 1045 -35HPHN 205		0.4	<10	--	--	--	--
81T 1046 -35HPHN 205		0.1	<10	--	--	--	--
81T 1047 -35HPHN 205		0.1	80	--	--	--	--

Certified by *Hart Buchler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS


TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BARRARD STREET
 VANCOUVER, B.C.
 V6E 2G8

CERT. # : A8210128-007-A
 INVOICE # : I8210128
 DATE : 03-MAR-82
 P.O. # : NONE
 81 T

CC: G. JILSON & J. MUSTARD

Sample description	Prep code	Ag ppm	Au NAA ppb				
81T 1048 -35HPHN	205	0.1	<10	--	--	--	--
81T 1049 -35HPHN	205	0.4	<10	--	--	--	--
81T 1050 -35HPHN	205	0.4	<10	--	--	--	--
81T 1051 -35HPHN	205	0.2	<10	--	--	--	--
81T 1052 -35HPHN	205	3.8	<10	--	--	--	--
81T 1053 -35HPHN	205	0.5	<10	--	--	--	--
81T 1054 -35HPHN	205	N.S.S.	<20	--	--	--	--
81T 1055 -35HPHN	205	N.S.S.	<20	--	--	--	--
81T 1056 -35HPHN	205	N.S.S.	<30	--	--	--	--
81T 1057 -35HPHN	205	N.S.S.	<30	--	--	--	--
81T 1058 -35HPHN	205	N.S.S.	<20	--	--	--	--
81T 1059 -35HPHN	205	N.S.S.	<20	--	--	--	--
81T 1060 -35HPHN	205	N.S.S.	<10	--	--	--	--
81T 1061 -35HPHN	205	N.S.S.	<20	--	--	--	--
81T 1062 -35HPHN	205	1.4	160	--	--	--	--
81T 1063 -35HPHN	205	N.S.S.	<10	--	--	--	--
81T 1064 -35HPHN	205	1.6	80	--	--	--	--
81T 1065 -35HPHN	205	2.4	20	--	--	--	--
81T 1066 -35HPHN	205	N.S.S.	<20	--	--	--	--
81T 1100 -35HPHN	205	0.2	50	--	--	--	--
81T 1101 -35HPHN	205	2.8	360	--	--	--	--
81T 1102 -35HPHN	205	N.S.S.	840	--	--	--	--
81T 1103 -35HPHN	205	N.S.S.	<20	--	--	--	--
81T 1401 -35HPHN	205	0.1	<10	--	--	--	--
81T 1402 -35HPHN	205	0.1	<10	--	--	--	--
81T 1403 -35HPHN	205	N.S.S.	<20	--	--	--	--
81T 1404 -35HPHN	205	9.2	<10	--	--	--	--
81T 1405 -35HPHN	205	N.S.S.	<10	--	--	--	--
81T 1406 -35HPHN	205	1.6	50	--	--	--	--
81T 1407 -35HPHN	205	0.4	40	--	--	--	--
81T 1408 -35HPHN	205	N.S.S.	<20	--	--	--	--
81T 1409 -35HPHN	205	N.S.S.	<20	--	--	--	--
81T 1410 -35HPHN	205	0.8	10	--	--	--	--
81T 1411 -35HPHN	205	0.4	<10	--	--	--	--
81T 1412 -35HPHN	205	0.4	<10	--	--	--	--
81T 1413 -35HPHN	205	0.8	<10	--	--	--	--
81T 1414 -35HPHN	205	1.8	<10	--	--	--	--
81T 1415 -35HPHN	205	1.0	<10	--	--	--	--
81T 1416 -35HPHN	205	0.6	<10	--	--	--	--
81T 1417 -35HPHN	205	2.4	80	--	--	--	--

Certified by *Hart Buchler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210128-008-A
INVOICE # : I8210128
DATE : 03-MAR-82
P.O. # : NONE
81 T

CC: G. JILSON & J. MUSTARD

Sample description	Prep code	Aq ppm	Au NAA ppb				
81T 1418 -35HPHN	205	1.6	130	--	--	--	--
81T 1419 -35HPHN	205	2.0	100	--	--	--	--
81T 1420 -35HPHN	205	1.0	14850	--	--	--	--
81T 1421 -35HPHN	205	N.S.S.	<20	--	--	--	--
81T 1422 -35HPHN	205	0.3	<10	--	--	--	--



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by Hart Bichler

Numbers not found but data available.

245 - - unknown.

540 - Gumbo failed to plot


817 }
818 } found + plotted
819 }

Number found but data unavailable

542.

Question - if data was shifted so that data for 540 was plotted at 541, and 541 at 542 (similarly), would this be right?

No



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221

TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210630-001-A
INVOICE # : 18210630
DATE : 23-MAR-82
P.O. # : NONE


- 35+60 IP TOT

ATTN: GREG JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81-T0092-35+60IP	205	130	1	100	410	0.4	0.1
81-T0093-35+60IP	205	134	4	146	460	0.8	0.6
81-T0094-35+60IP	205	86	4	80	310	0.4	0.1
81-T0095-35+60IP	205	48	1	52	230	0.1	0.1
81-T0096-35+60IP	205	108	1	138	380	0.4	0.1
81-T0097-35+60IP	205	182	1	164	360	0.4	0.1
81-T0098-35+60IP	205	162	1	196	530	0.8	0.1
81-T0099-35+60IP	205	122	1	80	370	0.4	0.1
81-T0100-35+60IP	205	110	4	240	520	1.0	14.2
81-T0232-35+60IP	205	370	58	72	1600	1.6	16.8
81-T0233-35+60IP	205	610	86	136	1940	4.2	14.2
81-T0235-35+60IP	205	420	70	84	1600	2.2	0.1
81-T0236-35+60IP	205	160	8	154	560	0.4	0.1
81-T0237-35+60IP	205	420	42	118	1020	2.6	6.6
81-T0238-35+60IP	205	460	66	76	1660	2.4	15.0
81-T0239-35+60IP	205	400	58	124	1360	2.6	9.6
81-T0240-35+60IP	205	470	68	100	1720	2.4	14.2
81-T0241-35+60IP	205	470	82	92	1900	2.2	15.4
81-T0242-35+60IP	205	567	53	333	1000	2.7	2.3
81-T0243-35+60IP	205	540	90	100	2000	2.4	18.6
81-T0244-35+60IP	205	430	62	84	1580	2.0	15.2
81-T0245-35+60IP	205	380	52	144	1840	1.6	12.6
81-T0401-35+60IP	205	680	10	190	640	1.4	1.0
81-T0402-35+60IP	205	125	8	133	513	0.8	0.1
81-T0403-35+60IP	205	120	4	140	490	0.4	0.1
81-T0404-35+60IP	205	175	5	133	463	0.1	0.1
81-T0405-35+60IP	205	175	5	288	425	0.5	0.1
81-T0406-35+60IP	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81-T0407-35+60IP	205	400	34	250	620	1.0	0.1
81-T0408-35+60IP	205	40	1	34	120	0.4	0.1
81-T0409-35+60IP	205	229	1	343	500	0.9	0.1
81-T0410-35+60IP	205	30	1	8	90	0.1	0.1
81-T0411-35+60IP	205	160	6	92	220	0.4	0.1
81-T0412-35+60IP	205	24	1	26	210	0.4	0.1
81-T0413-35+60IP	205	20	7	9	84	0.1	0.1
81-T0414-35+60IP	205	370	40	250	1440	0.8	5.4
81-T0415-35+60IP	205	160	34	50	500	0.6	1.6
81-T0416-35+60IP	205	146	4	88	380	0.4	0.1
81-T0417-35+60IP	205	80	1	92	240	0.6	0.4
81-T0418-35+60IP	205	170	1	84	370	0.6	1.8



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8210630-001-B
INVOICE # : I8210630
DATE : 23-MAR-82
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81-T0092-35+60IP	205	19.60	1380	94	7.2	--	--
81-T0093-35+60IP	205	16.10	1390	190	13.6	--	--
81-T0094-35+60IP	205	14.00	1270	77	8.8	--	--
81-T0095-35+60IP	205	11.00	1090	40	2.4	--	--
81-T0096-35+60IP	205	14.10	1010	100	6.4	--	--
81-T0097-35+60IP	205	23.00	1390	140	16.0	--	--
81-T0098-35+60IP	205	29.00	2100	240	27.0	--	--
81-T0099-35+60IP	205	20.80	1340	150	8.8	--	--
81-T0100-35+60IP	205	23.00	1360	340	30.0	--	--
81-T0232-35+60IP	205	32.60	1210	240	30.0	--	--
81-T0233-35+60IP	205	36.60	1150	530	112.0	--	--
81-T0235-35+60IP	205	35.00	1290	220	40.0	--	--
81-T0236-35+60IP	205	26.40	1640	600	22.0	--	--
81-T0237-35+60IP	205	28.40	1300	440	52.0	--	--
81-T0238-35+60IP	205	35.60	1190	300	38.0	--	--
81-T0239-35+60IP	205	31.80	1060	440	48.0	--	--
81-T0240-35+60IP	205	36.00	1330	340	50.0	--	--
81-T0241-35+60IP	205	37.40	1360	280	43.0	--	--
81-T0242-35+60IP	205	41.00	717	400	N.S.S.	--	--
81-T0243-35+60IP	205	41.00	1510	300	49.0	--	--
81-T0244-35+60IP	205	33.60	1350	230	34.0	--	--
81-T0245-35+60IP	205	40.00	1590	260	46.0	--	--
81-T0401-35+60IP	205	37.00	2660	920	54.0	--	--
81-T0402-35+60IP	205	21.30	1580	150	N.S.S.	--	--
81-T0403-35+60IP	205	27.00	1340	86	10.4	--	--
81-T0404-35+60IP	205	27.30	1330	88	10.4	--	--
81-T0405-35+60IP	205	37.00	750	143	N.S.S.	--	--
81-T0406-35+60IP	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	--	--
81-T0407-35+60IP	205	38.40	2000	200	N.S.S.	--	--
81-T0408-35+60IP	205	6.60	620	92	13.6	--	--
81-T0409-35+60IP	205	31.40	1730	485	N.S.S.	--	--
81-T0410-35+60IP	205	3.00	890	30	2.4	--	--
81-T0411-35+60IP	205	24.20	1520	220	30.0	--	--
81-T0412-35+60IP	205	8.80	3060	46	4.0	--	--
81-T0413-35+60IP	205	3.10	825	31	N.S.S.	--	--
81-T0414-35+60IP	205	32.00	1960	260	22.0	--	--
81-T0415-35+60IP	205	36.00	640	134	8.0	--	--
81-T0416-35+60IP	205	16.10	1420	120	5.6	--	--
81-T0417-35+60IP	205	10.50	1190	140	8.0	--	--
81-T0418-35+60IP	205	8.50	826	28	3.2	--	--



Certified by *Hart Buchler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221

TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8210630-002-A
INVOICE # : 18210630
DATE : 23-MAR-82
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81-T0419-35+60IP	205	46	12	60	230	0.8	1.8
81-T0420-35+60IP	205	150	4	94	380	0.6	0.1
81-T0515-35+60IP	205	162	6	104	540	0.8	0.1
81-T0516-35+60IP	205	230	4	180	640	0.4	0.1
81-T0517-35+60IP	205	136	4	86	390	0.4	0.1
81-T0518-35+60IP	205	220	6	134	530	0.4	0.1
81-T0519-35+60IP	205	132	1	74	350	0.4	0.1
81-T0520-35+60IP	205	110	4	80	310	0.4	0.1
81-T0521-35+60IP	205	220	4	148	580	0.6	0.1
81-T0522-35+60IP	205	480	6	430	510	1.6	0.1
81-T0523-35+60IP	205	180	16	112	900	1.6	3.2
81-T0524-35+60IP	205	116	14	70	390	0.1	0.6
81-T0525-35+60IP	205	44	1	64	240	0.1	1.6
81-T0526-35+60IP	205	44	1	82	146	0.1	2.6
81-T0527-35+60IP	205	300	122	170	950	1.0	6.4
81-T0528-35+60IP	205	280	116	172	780	0.8	6.0
81-T0529-35+60IP	205	150	52	120	420	1.2	3.6
81-T0530-35+60IP	205	146	6	210	640	0.1	0.8
81-T0531-35+60IP	205	92	1	88	390	0.1	0.1
81-T0532-35+60IP	205	360	12	96	440	0.1	0.1
81-T0533-35+60IP	205	350	18	180	1120	0.1	3.4
81-T0534-35+60IP	205	270	4	420	740	0.1	0.6
81-T0535-35+60IP	205	200	1	136	820	0.1	1.0
81-T0536-35+60IP	205	170	1	80	440	0.1	0.1
81-T0537-35+60IP	205	90	1	66	260	0.1	0.1
81-T0538-35+60IP	205	180	1	90	460	0.1	0.1
81-T0539-35+60IP	205	104	4	80	440	0.1	0.1
81-T0540-35+60IP	205	40	1	46	180	0.1	0.1
81-T0541-35+60IP	205	290	1	220	540	0.1	0.1
81-T0543-35+60IP	205	156	4	90	580	0.1	0.1
81-T0544-35+60IP	205	470	48	116	3100	0.1	20.4
81-T0545-35+60IP	205	230	6	156	640	0.1	0.6
81-T0546-35+60IP	205	174	4	126	550	0.1	0.1
81-T0609-35+60IP	205	260	8	166	600	0.1	0.4
81-T0618-35+60IP	205	200	12	260	910	0.1	0.4
81-T0620-35+60IP	205	250	6	150	620	0.1	0.1
81-T0621-35+60IP	205	54	1	52	260	0.1	0.1
81-T0622-35+60IP	205	60	1	68	200	0.1	0.1
81-T0812-35+60IP	205	360	14	270	940	0.1	1.8
81-T0813-35+60IP	205	240	6	190	710	0.1	0.1



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604) 984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BURRARD STREET
 VANCOUVER, B.C.
 V6E 2G8


CERT. # : A8210630-002-B
 INVOICE # : I8210630
 DATE : 23-MAR-82
 P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81-T0419-35+60IP	205	16.40	1830	200	34.0	--	--
81-T0420-35+60IP	205	16.20	1570	80	6.4	--	--
81-T0515-35+60IP	205	26.00	2800	114	6.4	--	--
81-T0516-35+60IP	205	36.00	2000	92	7.2	--	--
81-T0517-35+60IP	205	20.00	1570	54	5.6	--	--
81-T0518-35+60IP	205	26.60	2600	114	8.0	--	--
81-T0519-35+60IP	205	17.20	1480	54	5.6	--	--
81-T0520-35+60IP	205	14.80	1180	40	4.8	--	--
81-T0521-35+60IP	205	33.60	2660	126	9.6	--	--
81-T0522-35+60IP	205	45.00	3200	260	N.S.S.	--	--
81-T0523-35+60IP	205	22.60	1440	330	22.0	--	--
81-T0524-35+60IP	205	18.40	840	80	8.8	--	--
81-T0525-35+60IP	205	6.80	1140	34	4.0	--	--
81-T0526-35+60IP	205	3.40	530	32	3.2	--	--
81-T0527-35+60IP	205	42.00	650	320	37.0	--	--
81-T0528-35+60IP	205	37.40	680	300	32.0	--	--
81-T0529-35+60IP	205	19.80	810	220	20.0	--	--
81-T0530-35+60IP	205	29.20	1860	440	11.2	--	--
81-T0531-35+60IP	205	16.00	4440	14	0.8	--	--
81-T0532-35+60IP	205	33.00	2900	160	7.2	--	--
81-T0533-35+60IP	205	14.00	3040	230	11.2	--	--
81-T0534-35+60IP	205	33.00	1830	620	16.8	--	--
81-T0535-35+60IP	205	34.00	2360	830	22.0	--	--
81-T0536-35+60IP	205	27.60	2020	640	22.0	--	--
81-T0537-35+60IP	205	10.20	1050	50	4.0	--	--
81-T0538-35+60IP	205	28.80	2000	780	25.0	--	--
81-T0539-35+60IP	205	20.00	2700	80	1.6	--	--
81-T0540-35+60IP	205	9.30	1220	10	0.4	--	--
81-T0541-35+60IP	205	32.40	2360	150	11.2	--	--
81-T0543-35+60IP	205	20.00	2360	70	30.0	--	--
81-T0544-35+60IP	205	34.00	1920	150	6.4	--	--
81-T0545-35+60IP	205	27.80	3440	120	4.8	--	--
81-T0546-35+60IP	205	25.00	5640	58	1.6	--	--
81-T0609-35+60IP	205	26.00	1640	400	10.4	--	--
81-T0618-35+60IP	205	29.60	1830	340	18.4	--	--
81-T0620-35+60IP	205	26.40	2840	160	7.2	--	--
81-T0621-35+60IP	205	9.70	1360	64	4.0	--	--
81-T0622-35+60IP	205	10.40	560	48	2.4	--	--
81-T0812-35+60IP	205	32.80	3300	420	26.0	--	--
81-T0813-35+60IP	205	29.20	2960	160	10.4	--	--



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221

TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210630-003-A
INVOICE # : I8210630
DATE : 23-MAR-82
P.O. # : NONE


ATTN: GREG JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81-T0814-35+60IP	205	88	1	46	260	0.1	0.1
81-T0815-35+60IP	205	80	1	56	270	0.1	0.1
81-T0816-35+60IP	205	96	1	58	270	0.1	0.1
81-T0817-35+60IP	205	110	1	80	370	0.1	0.1
81-T0818-35+60IP	205	52	1	40	240	0.1	0.1
81-T0819-35+60IP	205	92	1	72	330	0.1	0.1
81-T0820-35+60IP	205	100	1	60	270	0.1	0.1
81-T0821-35+60IP	205	32	1	34	138	0.1	0.1
81-T0822-35+60IP	205	146	1	100	490	0.1	0.1
81-T0823-35+60IP	205	32	1	38	150	0.1	0.1
81-T0824-35+60IP	205	36	1	50	180	0.1	0.1
81-T0825-35+60IP	205	30	1	36	156	0.1	0.4
81-T0826-35+60IP	205	116	1	50	230	0.1	0.1
81-T0827-35+60IP	205	140	1	92	310	0.1	0.1
81-T0828-35+60IP	205	118	1	64	290	0.1	0.1
81-T0829-35+60IP	205	98	1	54	330	0.1	0.1
81-T0830-35+60IP	205	140	1	98	430	0.1	0.1
81-T0831-35+60IP	205	64	1	50	240	0.1	0.1
81-T0832-35+60IP	205	180	1	120	390	0.1	0.1
81-T0833-35+60IP	205	108	1	70	260	0.1	0.1



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604) 984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BARRARD STREET
 VANCOUVER, B.C.
 V6E 2G8

CERT. # : A8210630-003-B
 INVOICE # : I8210630
 DATE : 23-MAR-82
 P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81-T0814-35+60IP	205	9.00	930	38	2.4	--	--
81-T0815-35+60IP	205	9.10	910	48	3.2	--	--
81-T0816-35+60IP	205	11.40	1110	60	2.4	--	--
81-T0817-35+60IP	205	10.90	1030	96	4.0	--	--
81-T0818-35+60IP	205	8.20	780	46	1.6	--	--
81-T0819-35+60IP	205	9.20	830	100	2.4	--	--
81-T0820-35+60IP	205	11.40	1220	40	2.4	--	--
81-T0821-35+60IP	205	5.60	740	32	2.4	--	--
81-T0822-35+60IP	205	24.20	2400	92	4.0	--	--
81-T0823-35+60IP	205	6.30	1130	40	3.2	--	--
81-T0824-35+60IP	205	8.20	1370	40	5.6	--	--
81-T0825-35+60IP	205	7.10	1450	44	3.2	--	--
81-T0826-35+60IP	205	10.20	1290	20	2.4	--	--
81-T0827-35+60IP	205	14.60	1600	60	2.4	--	--
81-T0828-35+60IP	205	12.50	1380	38	2.4	--	--
81-T0829-35+60IP	205	14.00	1160	60	1.6	--	--
81-T0830-35+60IP	205	18.80	2000	80	4.8	--	--
81-T0831-35+60IP	205	9.50	790	28	2.4	--	--
81-T0832-35+60IP	205	19.20	1190	175	12.8	--	--
81-T0833-35+60IP	205	11.90	1250	24	1.6	--	--



Certified by *Hart Buchler*

