VANGORDA ASSAY - 1979

(105 K 6)

019082

V-01-R

Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation,
330 - 355 Burrard St.,
Vancouver, B. c. V6C 2G8

Certificate No. K-2321
Date October 9, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V315 1	V 1474		73	2.43	1.23	.28				
2	1475		52	3.18	4.77	.27				
V-01-R 3	1476		273	6.04	.57	.05				
4	1477		116	6.70	13.11	.57				
5	1478		107	5.14	11.6	.20				
6	1479		156	9.54	19.2	.50				
7	1498		25	1.25	2.33	.04				
8	1499		27	1.16	1.90	.03				
9	1500		22	.55	1.04	.03				
10	3001		75	4.13	8.86	.04				
V317 11	3002		23	.83	1.32	.13				
12	3003		55	3.69	5.61	.05				
13	3004		54	2.98	6.65	.07				
14	3005		42	2.50	5.31	.10				
15	3006		35	1.86	2.66	.12				
16	3007		12	.50	.91	.17				
17	3008		25	.87	1.90	.09				
18	3009		50	2.19	2.90	.18				
19	3010		35	1.08	1.73	.21				
20	3011		42	1.61	1.50	.19				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia

(F)

Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation,
330 - 355 Burrard St.,
Vancouver, B. C. V6C 2G8 Attention: Dr. G. Simpson

Certificate No. K-2291
Date September 27, 1979.

Vangorda drill core

I hereby certify that the following are the results of assays made by us upon the herein described samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1	V 1458		88	5.70	9.25	.06				
2	1459		51	3.20	5.13	.12				
3	1460		24	1.83	2.26	.08				
4	1461		14	1.48	.72	.04				
5	1462		112	5.50	7.29	.20				
6	1463		101	5.79	8.11	.20				
7	1464		17	1.10	2.15	.06				
8	1465		46	3.62	3.17	.21				
9	1466		22	1.55	2.36	.10				
10	1467		27	1.09	.83	.23				
11	1468		24	1.42	2.22	.10				
12	1469		53	5.28	3.15	.18				
13	1470		36	2.46	2.61	.28				
14	1471		21	1.49	.90	.22				
15	1472		69	5.31	5.60	.14				
16	1473		60	5.64	5.85	.16				
17	1480		16	.67	.81	.04				
18	1481		96	9.40	19.03	.53				
19	1482		97	6.41	12.08	.23				
20	V 1483		45	4.12	2.95	.18				

V315

V-01-R

NOTE:
Rejects retained three weeks.
Pulps retained three months unless otherwise arranged.

DAS for GPS

Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2291

Date September 27, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
21	V 1484		50	3.60	4.12	.06				
22	1485		65	3.14	3.24	.06				
23	1486		110	6.01	8.62	.30				
24	V 1487		18	.95	1.34	.14				
	Repeats:									
	V 1464 315		19	1.09	2.12	.06				
	V 1482 26 x 01		99	6.58	12.08	.22				
	Standards:									
	MP-1		58	1.78	15.7	-				
	RU-1		7	-	2.10	-				
	Tails		-	.49	.92	.12				
	100		95	5.44	8.94	.10				
	200		82	4.98	6.79	.15				
	300		40	2.18	4.35	.04				

V-01-R

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

JAB for JSB

Registered Assayer, Province of British Columbia

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
1476	25.0	38.0	13.0	273.0		6.04	0.57	6.61		0.05							?
1477	38.0	43.0	5.0	116.0		6.70	13.11	19.81		0.57							4G4
1478	43.0	48.0	5.0	107.0		5.14	11.60	16.74		0.20							4G4
1479	48.0	53.0	5.0	156.0		9.54	19.20	28.74		0.50							4E4
1480	53.0	57.5	4.5	16.0		0.67	0.81	1.48		0.04							4E4
1481	57.5	67.0	9.5	96.0		9.40	19.03	28.43		0.53							4A0
1482	67.0	73.0	6.0	97.0		6.41	12.08	18.49		0.23							4A0
1483	73.0	78.0	5.0	45.0		4.12	2.95	7.07		0.18							4A0
1484	78.0	83.0	5.0	50.0		3.60	4.12	7.72		0.06							4A0
1485	83.0	88.0	5.0	65.0		3.14	3.24	6.38		0.06							4A0
1486	88.0	93.0	5.0	110.0		6.01	8.62	14.63		0.30							4G4
1487	93.0	98.0	5.0	18.0		0.95	1.34	2.29		0.14							4L3

DDH V-01-R ? / V-26-R

Cyprus Anvil Mining Corp.

Geochemical Log (Sampler's Copy)

Page ____ of ____

Logged By: DJH

Sampled By: ____

Code	From	To	Sample No.	Description		
				UNIT	LENGTH	REC.
P	1215.0	1318.0	1/19716	?	13.0	4.5
P	1318.0	1413.0	1/19717	464	5.0	3.6
P	1413.0	1418.0	1/19718	464	5.0	5.0
P	1418.0	1513.0	1/19719	4E4	5.0	5.0
P	1513.0	1517.5	V/19810	4E4	4.5	3.0
P	1517.5	1617.0	1/19811	4A0	9.5	5.9
P	1617.0	1713.0	1/19812	4A0	6.0	5.1
P	1618.0	1713.0	/ / / /	440	5.0	
P	1713.0	1718.0	V/19813	4A0	5.0	5.0
P	1718.0	1813.0	V/19814	4A0	5.0	5.0
P	1813.0	1818.0	1/19815	4A0	5.0	5.0
P	1818.0	1913.0	V/19816	464	4.0	4.0
P	1913.0	1918.0	1/19817	4L3	5.0	5.0

V-15-R

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Sample No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
3339	57.0	63.0	6.0	13.0		1.45	2.35	3.80		0.01							4AO
3340	63.0	69.0	6.0	11.0		0.46	0.70	1.16		0.09							4AO
3341	69.0	75.0	6.0	3.0		0.14	0.17	0.31		0.13							4AO
3342	75.0	81.0	6.0	4.0		0.17	0.18	0.35		0.09							4AO
3343	81.0	87.0	6.0	TR		0.22	0.17	0.39		0.08							4AO
3344	87.0	93.0	6.0	8.0		0.46	0.83	1.29		0.12							4AO
3345	93.0	99.0	6.0	8.0		0.45	0.81	1.26		0.12							4AO
3346	99.0	105.0	6.0	6.0		0.29	0.59	0.88		0.18							4AO
3347	105.0	111.0	6.0	21.0		2.10	2.20	4.30		0.08							4AO
3348	111.0	117.0	6.0	7.0		0.94	0.97	1.91		0.07							4AO
3349	117.0	123.0	6.0	15.0		1.88	2.17	4.05		0.04							4AO
3350	123.0	126.4	3.4	29.0		1.95	0.27	2.22		0.06							4AO
3351	126.4	131.0	4.6	75.0		4.65	9.03	13.68		0.04							4DO
3552	137.0	140.6	3.6	106.0		8.02	5.35	13.37		0.09							4E/F8
3553	147.7	148.9	1.2	67.0		4.19	9.79	13.98		0.04							4EO
3554	166.1	169.9	3.8	99.0		5.89	7.80	13.69		0.09							4G8
3555	169.9	172.6	2.7	2.0		0.50	0.60	1.10		0.03							4L3,4
3556	172.6	179.6	7.0	61.0		3.75	5.73	9.48		0.14							4E6,8
3557	179.6	184.6	5.0	95.0		7.10	7.90	15.00		0.13							4E6,8
3558	184.6	189.8	5.2	81.0		5.45	7.23	12.68		0.18							4G8
3559	189.8	194.8	5.0	20.0		0.95	1.04	1.99		0.30							4E8,6
3560	194.8	198.2	3.4	19.0		1.34	2.10	3.44		0.17							4E8,6
3561	198.2	201.3	3.1	81.0		4.97	7.23	12.20		0.07							4G8
3562	201.3	202.6	1.3	111.0		7.78	8.73	16.51		0.05							4J8
3563	202.6	208.6	6.0	63.0		3.93	6.07	10.00		0.09							4E8/J6
3564	208.6	214.6	6.0	74.0		5.97	5.06	11.03		0.15							4L/E8
3565	214.6	218.3	3.7	42.0		3.16	2.54	5.70		0.18							4E8
3566	218.3	220.6	2.3	18.0		1.49	2.41	3.90		0.05							4L4
3567	220.6	227.2	6.6	90.0		5.10	7.65	12.75		0.05							4G8

Sample No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
3568	231.6	236.7	5.1	81.0		5.62	6.45	12.07		0.05							4G8
3569	236.7	243.0	6.3	96.0		5.37	1.47	6.84		0.20							4E8
3570	243.0	249.0	6.0	21.0		1.23	1.96	3.19		0.29							4C8
3571	249.0	255.0	6.0	8.0		0.49	0.43	0.92		0.32							4C8
3572	255.0	261.0	6.0	4.0		0.16	0.28	0.44		0.30							4C8
3573	261.0	267.0	6.0	6.0		0.23	0.32	0.55		0.49							4C8
3574	267.0	273.0	6.0	7.0		0.47	1.15	1.62		0.44							4C8
3575	273.0	279.0	6.0	6.0		0.51	0.65	1.16		0.25							4C8
3576	279.0	283.2	4.2	19.0		1.63	2.54	4.17		0.17							4C8
3577	283.2	286.8	3.6	56.0		3.91	9.22	13.13		0.15							4D6
3578	286.8	288.3	1.5	12.0		0.75	0.41	1.16		0.28							4L4
3579	?327.0	328.0	1.0	3.0		0.06	0.15	0.21		0.03							4A0
3580	329.6	335.0	5.4	5.0		0.26	1.40	1.66		0.09							4A/4L4
3581	335.0	340.0	5.0	4.0		0.23	0.45	0.68		0.09							4L4,7
3582	340.0	345.3	5.3	3.0		0.23	0.37	0.60		0.07							4L4

DDH ²V-15-R³ Geochemical Log (Sampler's Copy)

Logged By: _____

Sampled By: _____

Type	From	To	Sample No.	Description		
	10 14	16 20	22 27	UNIT	LENGTH	REC.
D	1 1612 0	1 1630	1 33330	GRC	6.0	5.3
D	1 1630	1 1650	1 33340	GRC	6.0	4.5
D	1 1650	1 1710	1 33341	GRC	6.0	5.3
D	1 1710	1 1730	1 33342	GRC	6.0	6.0
D	1 1730	1 1750	1 33343	GRC	6.0	6.0
D	1 1750	1 1810	1 33344	GRC	6.0	6.0
D	1 1810	1 1830	1 33345	GRC	6.0	6.0
D	1 1830	1 1850	1 33346	GRC	6.0	6.0
D	1 1850	1 1910	1 33347	GRC	6.0	6.0
D	1 1910	1 1930	1 33348	GRC	6.0	6.0
D	1 1930	1 1950	1 33349	GRC	6.0	6.0
D	1 1950	1 2010	1 33350	GRC	6.0	2.7
D	1 2010	1 2030	1 33351	GRC	6.0	4.5
D	1 1530	1 1546	1 33552	GRC	16.0	3.6
D	1 1613 7	1 1618 2	1 33553	GRC	4.5	1.2
D	1 1626	1 1639	1 33554	GRC	13.0	3.8
D	1 1639	1 1726	1 33555	GRC	47.0	4.7
D	1 1726	1 1736	1 33556	GRC	10.0	7.9
D	1 1736	1 1746	1 33557	GRC	10.0	5.0
D	1 1746	1 1806	1 33558	GRC	20.0	5.2
D	1 1808	1 1818	1 33559	GRC	10.0	5.6
D	1 1818	1 1832	1 33560	GRC	14.0	3.9
D	1 1832	1 1852	1 33561	GRC	20.0	3.1
D	1 1852	1 1902	1 33562	GRC	10.0	1.3
D	1 1902	1 1916	1 33563	GRC	14.0	1.0
D	1 1916	1 1946	1 33564	GRC	30.0	6.0
D	1 1946	1 2003	1 33565	GRC	17.0	2.7
D	1 2003	1 2030	1 33566	GRC	27.0	2.3
D	1 2030	1 2042	1 33567	GRC	12.0	4.6

DDH [illegible] Cyprus Anvil Mining Corp.

[illegible] V 15 R Geochemical Log (Sampler's Copy)

Page _____ of _____

Logged By: [illegible]

Sampled By: _____

Code	From	To	Sample No.	Description
1	10 14	8 12	23 27	[illegible]
C	[illegible]	[illegible]	135618	[illegible] 5.7
C	[illegible]	[illegible]	135619	[illegible] 6.2
C	[illegible]	[illegible]	135620	[illegible] 6.0
C	[illegible]	[illegible]	135621	[illegible] 6.0
C	[illegible]	[illegible]	135622	[illegible] 6.0
C	[illegible]	[illegible]	135623	[illegible] 6.0
C	[illegible]	[illegible]	135624	[illegible] 6.0
C	[illegible]	[illegible]	135625	[illegible] 6.0
C	[illegible]	[illegible]	135626	[illegible] 4.2
C	[illegible]	[illegible]	135627	[illegible] 3.6
C	[illegible]	[illegible]	135628	[illegible] 4.5
C	[illegible]	[illegible]	135629	[illegible] 6
C	[illegible]	[illegible]	135630	[illegible] 5.4
C	[illegible]	[illegible]	135631	[illegible] 5.0
C	[illegible]	[illegible]	135632	[illegible] 5.3

V-18-R

DDH V-18-R

Cyprus Anvil Mining Corp.

Geochemical Log (Sampler's Copy)

Page 1 of 1

Logged By: TRM

Sampled By:

Rec.	From	To	Sample No.	Description	
1	10 14	16 20	22 27		
P	1020	1052	136517	ACD	3.2
P	1052	1070	136518	ACD	1.8
P	1070	1093	136519	ACD	2.3
P	1093	1120	136610	ACD	2.7
P	1120	1170	136611	ACD	5.0
P	1170	1220	136612	ACD	5.0
P	1220	1270	136613	ACD	5.0
P	1270	1330	136614	ACD	6.0
P	1330	1390	136615	ACD	6.0
P	1390	1450	136616	ACD	6.0
P	1450	1510	136617	ACD	6.0
P	1510	1570	136618	ACD	6.0
P	1570	1630	136619	ACD	6.0
P	1630	1690	136710	ACD	6.0
P	1690	1740	136711	ACD	5.0
P	1740	1796	136712	ACD	5.6
P	1796	1865	136713	ACD	6.9
P	1865	1904	136714	ACD	3.9
P	1904	1920	136715	ACD	1.6
P	1920	1932	136716	ACD	1.2
P	1932	1990	136717	ACD	5.8
P	1990	2050	136718	ACD	6.0
P	2050	2110	136719	ACD	6.0
P	2110	2170	136810	ACD	6.0
P	2170	2230	136811	ACD	6.0
P	2230	2294	136812	ACD	6.4
P	2294	2304	136813	ACD	1.0
P	2304	2332	136814	ACD	2.8
P	2332	2347	136815	ACD	1.5
P	2347	2370	136816	ACD	2.3
P	2370	2400	136817	ACD	3.0
P	2400	2460	136818	ACD	6.0	Cu, Au Only
P	2460	2520	136819	ACD	6.0	Cu, Au Only
P	2520	2570	136910	ACD	5.0	Cu, Au Only

V-20-R

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Sample No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
3201	187.0	189.0	2.0	162.0		10.39	8.61	19.00		0.06							4F6
3202	201.3	202.8	1.5	153.0		10.64	8.47	19.11		0.04							4F6
3203	202.8	204.2	1.4	31.0		1.38	1.73	3.11		(L)0.01							4L3
3204	204.2	205.8	1.6	124.0		9.69	8.65	18.34		0.04							4G4
3205	217.5	220.0	2.5	119.0		9.73	9.59	19.32		0.06							4G/K
* 3206	220.0	225.2	5.2	-		-	-	-		0.02		TR					4L3
3207	225.2	227.1	1.9	185.0		13.08	13.01	26.09		0.11							4F6
3208	256.0	262.0	6.0	57.0		3.22	3.64	6.86		0.19							4GO
3209	327.0	330.0	3.0	1.0		0.05	0.20	0.25		0.01							4L4
3210	330.0	335.4	5.4	10.0		0.39	1.33	1.72		0.01							4L4
3211	343.3	345.1	1.8	60.0		2.85	4.63	7.48		0.10							4KO
3212	396.5	397.9	1.4	64.0		2.83	3.57	6.40		0.18							4H4
* 3213	397.9	400.9	3.0	-		-	-	-		0.06		TR					4L9

* Cu, Au only.

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2352

Date October 19, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
87	V 3184		14	1.42	1.46	.44				
88	3185		10	1.01	.98	.17				
89	3186		5	.39	.51	.16				
90	3187		4	.24	.22	.08				
V-45-R 91	3188		30	1.75	1.48	.16				
92	3189		31	1.78	1.93	.21				
93	3190		25	1.87	2.94	.18				
94	3191		36	3.33	6.17	.08				
95	3192		30	2.26	3.27	.17				
96	3201		162	10.39	8.61	.06				
97	3202		153	10.64	8.47	.04				
98	3203		31	1.38	1.73	L .01				
99	3204		124	9.69	8.65	.04				
100	3205		119	9.73	9.59	.06				
V-20-R 101	3206	Tr	-	-	-	.02				
102	3207		185	13.08	13.01	.11				
103	3208		57	3.22	3.64	.19				
104	3209		1	.05	.20	.01				
105	3210		10	.39	1.33	.01				
106	V 3211		60	2.85	4.63	.10				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAS for RGS

Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2352

Date October 19, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda ~~drill core~~ samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-20-R 107	V 3212		64	2.83	3.57	.18				
108	3213	Tr	-	-	-	.06				
109	3214		89	5.79	8.80	.07				
110	3215		63	3.70	6.89	.09				
111	3216		56	3.59	8.24	.02				
112	3217		56	3.65	8.88	.01				
113	3218		59	3.91	8.34	.01				
114	3219		46	2.91	7.40	.01				
V-45-R 115	3220		59	3.87	7.65	.05				
116	3221		69	4.61	7.43	.01				
117	3222		67	5.65	8.96	.07				
118	3223		86	5.32	7.18	.05				
119	3224		40	2.76	3.74	.13				
120	3225		20	.55	.80	.22				
121	3226		22	.59	.62	.26				
122	3227		45	2.75	3.35	.25				
123	3228		45	2.34	1.47	.30				
124	3229		22	.24	.21	.32				
125	3230		16	.10	.10	.34				
126	V 3231		11	.07	.05	.27				

NOTE:
Rejects retained three weeks.
Pulps retained three months unless otherwise arranged.

Tr denotes "trace"

Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2352

Date October 19, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
VHS-R 127	V 3222		11	.22	.09	.21				
128	V 3223		26	.22	.06	.22				
	Repeats:									
	V 3215		63	3.64	6.87	.09				
	V 3216		60	3.65	8.26	.02				
V-20-R	V 3205		121	9.75	9.55	.06				
	Standards:									
	MP-1		58	1.91	16.05	-				
	RU-1		7	-	2.26	.85				
	100		95	5.52	9.05	.10				
	200		82	4.96	6.67	.16				
	300		40	2.26	4.31	.04				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

c.c. Mr. Darryl Hanson

DABJan Pesb

Registered Assayer, Province of British Columbia

DDH 1/2-20-R/8 Cyprus Anvil Mining Corp.

Geochemical Log (Sampler's Copy)

Page ____ of ____

Logged By: JWM

Sampled By: ____

Type	From	To	Sample No.	Description		
1	10 14	16 20	22 27	UNIT	LENGTH	REC
P	11817 0	11890	131201	4F6	2.0	
P	12013	12028	131202	4F6	1.5	
P	12028	12042	131203	4L3	1.4	Cu. Au only
P	12097	12058	131204	469	1.6	
P	12175	12200	131205	469K	2.5	
P	12200	12252	131206	4L3	5.2	Cu, Au only
P	12252	12271	131207	4F6	1.9	
P	12560	12620	131208	460	6.0	
P	13270	13300	131209	4L4	3.0	
P	13300	13354	131210	4L9	5.4	
P	13433	13451	131211	4K0	1.8	
P	13965	13979	131212	4H4	1.4	
P	13979	14010	131213	4L9	3.0	Cu, Au only

V-26-R

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research & Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Mn %	Hg %	Unit
1357	99.0	105.2	6.2	17.0		0.98	2.30	3.28		0.08							4A0
1358	105.2	110.0	4.8	53.0		3.19	8.19	11.38		0.04							4A4
1359	110.0	114.6	4.6	91.0		4.98	9.82	14.80		0.09							4A4
1360	114.6	120.0	5.4	15.0		0.77	1.54	2.31		0.08							4A0
1361	120.0	125.0	5.0	12.0		0.49	1.06	1.55		0.07							4A0
1362	125.0	130.0	5.0	9.0		0.27	0.38	0.65		0.09							4A0
1363	130.0	135.0	5.0	2.0		0.39	0.56	0.95		0.05							4A0
1364	135.0	140.0	5.0	22.0		2.91	1.02	3.93		0.05							4A0
1365	140.0	145.4	5.4	23.0		2.17	2.14	4.31		0.05							4A0
1366	145.4	150.0	4.6	44.0		4.13	4.69	8.82		0.03							4A0
1367	150.0	155.0	5.0	40.0		3.47	4.48	7.95		0.02							4A0
1368	155.0	160.0	5.0	40.0		3.39	4.19	7.58		0.02							4A0
1369	160.0	165.0	5.0	49.0		3.64	4.39	8.03		0.04							4A0
1370	165.0	168.5	3.5	50.0		5.48	8.45	13.93		0.27							4G4
1371	168.5	172.6	4.1	87.0		5.61	9.05	14.66		0.26							4G4
1372	197.0	200.7	3.7	6.0		0.20	0.51	0.71		0.02							4L0
1373	200.7	206.0	5.3	62.0		4.24	4.98	9.22		0.14							4G4
1374	206.0	211.0	5.0	65.0		5.05	5.94	10.99		0.15							4G4
1375	211.0	215.1	4.1	49.0		5.21	5.67	10.88		0.22							4H1
1376	215.1	217.3	2.2	58.0		3.71	5.53	9.24		0.13							4G4
1377	217.3	222.3	5.0	21.0		1.00	0.79	1.79		0.20							4K0
1378	222.3	227.6	5.3	15.0		0.61	0.27	0.88		0.09							4K0
1379	227.6	232.6	5.0	55.0		3.61	6.18	9.79		0.14							4G4
1380	232.6	237.5	4.9	82.0		6.82	5.14	11.96		0.08							4G4
1381	237.5	242.5	5.0	7.0		0.51	0.41	0.92		0.08							4K0
1382	242.5	247.8	5.3	16.0		0.56	0.40	0.96		0.10							4K0
1383	247.8	254.3	6.5	27.0		1.70	0.96	2.66		0.32							4E1
1384	254.3	259.0	4.7	15.0		0.15	0.17	0.32		0.30							4C3
1385	259.0	264.0	5.0	22.0		0.14	0.17	0.31		0.40							4C3
1386	264.0	268.1	4.1	12.0		0.30	0.48	0.78		0.25							4C3
1387	268.1	274.0	5.9	19.0		1.15	1.17	2.32		0.07							4L0
1388	274.0	276.2	2.2	67.0		5.78	9.44	15.22		0.14							4J4

V-26-R

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Mn %	Hg %	Unit
1389	276.2	281.0	4.8	6.0		0.33	0.34	0.67		0.19							4CL
1390	281.0	286.0	5.0	7.0		0.39	0.25	0.64		0.20							4CL
1391	286.0	291.0	5.0	17.0		1.35	1.52	2.87		0.47							4L1
1392	291.0	296.0	5.0	6.0		0.34	0.42	0.76		0.21							4L1
1393	296.0	302.2	6.2	19.0		0.60	0.56	1.16		0.18							4L1
1394	400.0	403.8	3.8	5.0		0.09	0.28	0.37		0.11							4C7
1395	403.8	408.0	4.2	TR		0.08	0.07	0.15		0.07							4AL
1396	408.0	413.0	5.0	4.0		0.27	0.27	0.54		0.09							4L7
1397	413.0	417.0	4.0	2.0		0.23	0.61	0.84		0.14							4L7
1398	417.0	422.0	5.0	6.0		0.47	0.71	1.18		0.18							4C7
1399	422.0	427.0	5.0	4.0		0.61	1.73	2.34		0.19							4C7
1400	427.0	431.8	4.8	4.0		0.30	0.76	1.06		0.14							4C7

Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation,
330 - 355 Burrard St.,
Vancouver, B. C. V6C 2G8 Attention: Dr. G. Simpson

Certificate No. K-2288
Date September 29, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1	V 1393		19	.60	.56	.18				
2	1394		5	.09	.28	.11				
3	1395		Tr	.08	.07	.07				
V-26-R 4	1396		4	.27	.27	.09				
5	1397		2	.23	.61	.14				
6	1398		6	.47	.71	.18				
7	1399		4	.61	1.73	.19				
8	1400		4	.30	.76	.14				
9	1401		41	4.09	5.84	.10				
10	1402		33	4.61	4.16	.13				
11	1403		57	5.42	5.34	.07				
J-50-R 12	1404		52	5.86	8.80	.05				
13	1405		111	7.85	7.31	.07				
14	1406		88	6.54	6.77	.08				
15	1407		96	6.42	7.52	.10				
16	1408		86	6.02	8.49	.05				
17	1409		92	6.63	8.92	.05				
18	1410		11	1.13	2.00	.02				
19	1411		56	5.79	8.56	.08				
20	V 1412		58	6.15	9.47	.07				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation,
330 - 355 Burrard St.,
Vancouver, B. C. V6C 2G8 Attention: Dr. G. Simpson

Certificate No. K-2274
Date September 13, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1	V 1346		35	1.65	.64	.13				
2	1347		44	3.99	3.30	.16				
3	1348		16	.39	.16	.16				
4	1349		26	2.27	1.45	.12				
5	1350		2	.07	.23	.12				
6	1351		110	6.63	7.69	.09				
7	1352		10	.60	.89	.06				
8	1353		51	4.03	5.65	.04				
9	1354		32	2.30	5.00	.04				
10	1355		125	6.02	11.14	.16				
11	1356		2	.08	.67	.13				
12	1357		17	.98	2.30	.08				
13	1358		53	3.19	8.19	.04				
14	1359		91	4.98	9.82	.09				
15	1360		15	.77	1.54	.08				
16	1361		12	.49	1.06	.07				
17	1362		9	.27	.38	.09				
18	1363		2	.39	.56	.05				
19	1364		22	2.91	1.02	.05				
20	V 1365		23	2.17	2.14	.05				

V-46-R

V-26-R

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2274

Date September 13, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described DY core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
21	V 1366		44	4.13	4.69	.03				
22	1367		40	3.47	4.48	.02				
23	1368		40	3.39	4.19	.02				
24	1369		49	3.64	4.39	.04				
25	1370		50	5.48	8.45	.27				
26	1371		87	5.61	9.05	.26				
27	1372		6	.20	.51	.02				
28	1373		62	4.24	4.98	.14				
29	1374		65	5.05	5.94	.15				
30	1375		49	5.21	5.67	.22				
31	1376		58	3.71	5.53	.13				
32	1377		21	1.00	.79	.20				
33	1378		15	.61	.27	.09				
34	1379		55	3.61	6.18	.14				
35	1380		82	6.82	5.14	.08				
36	1381		7	.51	.41	.08				
37	1382		16	.56	.40	.10				
38	1383		27	1.70	.96	.32				
39	1384		15	.15	.17	.30				
40	V 1385		22	.14	.17	.40				

V-26 R

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2274

Date September 13, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
41	V 1386		12	.30	.48	.25				
42	1387		19	1.15	1.17	.07				
43	1388		67	5.78	9.44	.14				
44	1389		6	.33	.34	.19				
45	1390		7	.39	.25	.20				
46	1391		17	1.35	1.52	.47				
47	V 1392		6	.34	.42	.21				
	Repeats:									
V-26-R	V 1372		7	.19	.50	.01				
V-46-R	V 1351		110	6.59	7.76	.08				
V-26-R	V 1388		66	5.80	9.33	.14				
	Standards:									
	MP-1		58	1.70	15.85	1.86				
	RU-1		-	-	2.30	.85				
	Tails		-	.48	.89	.11				
	100		95	5.63	9.12	.10				
	200		82	4.99	6.67	.14				
	300		40	2.28	4.50	.03				

V-26-R

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

c.c. Mr. Darryl Hanson

DAS for KRS

Registered Assayer, Province of British Columbia

DDH V-26-P (2 of 8)

Cyprus Anvil Mining Corp.

Geochemical Log (Sampler's Copy)

Page _____ of _____

Logged By: DJH

Sampled By: _____

Code	From	To	Sample No.	Description		
1	10 14	16 20	22 27	UNIT	LENGTH	REC
P	1+91.0	1+01.5	1+13517	4AO	6.2	6.2
P	1+01.5	1+10.0	1+13518	4A4	4.8	4.8
P	1+10.0	1+14.6	1+13519	4A4	4.6	4.6
P	1+14.6	1+21.0	1+13560	4AO	5.4	5.4
P	1+21.0	1+25.0	1+13561	4AO	5.0	5.0
P	1+25.0	1+31.0	1+13562	4AO	5.0	5.0
P	1+31.0	1+35.9	1+13563	4AO	5.0	5.0
P	1+35.0	1+41.0	1+13564	4AO	5.0	5.0
P	1+41.0	1+45.4	1+13565	4AO	5.4	5.4
P	1+45.4	1+51.0	1+13566	4AO	4.6	4.6
P	1+51.0	1+55.0	1+13567	4AO	5.0	5.0
P	1+55.0	1+61.0	1+13568	4AO	5.0	5.0
P	1+61.0	1+65.0	1+13569	4AO	5.0	5.0
P	1+65.0	1+68.5	1+13570	4G4	3.5	3.5
P	1+68.5	1+72.6	1+13571	4G4	4.1	4.1
P	1+91.0	2+00.7	1+13572	4LO	3.7	3.7
P	2+00.7	2+06.0	1+13573	4G4	5.3	5.3
P	2+06.0	2+11.0	1+13574	4G4	5.0	5.0
P	2+11.0	2+15.1	1+13575	4M1	4.1	4.1
P	2+15.1	2+17.3	1+13576	4G9	2.2	2.2
P	2+17.3	2+22.3	1+13577	4KO	5.0	5.0
P	2+22.3	2+27.6	1+13578	4KO	5.3	5.3
P	2+27.6	2+32.6	1+13579	4G4	5.0	5.0
P	2+32.6	2+37.5	1+13580	4G4	4.9	4.9
P	2+37.5	2+42.5	1+13581	4KO	5.0	5.0
P	2+42.5	2+47.8	1+13582	4KO	5.3	5.0
P	2+47.8	2+54.3	1+13583	4E1	6.5	6.5
P	2+54.3	2+59.0	1+13584	4C3	4.7	4.7
P	2+59.0	2+64.0	1+13585	4C3	5.0	5.0
P	2+64.0	2+68.1	1+13586	4C3	4.1	4.1
P	2+68.1	2+74.0	1+13587	4LO	5.9	5.9
P	2+74.0	2+76.2	1+13588	4S4	2.2	2.2
P	2+76.2	2+81.0	1+13589	4CL	4.8	4.8
P	2+81.0	2+86.0	1+13590	4CL	5.0	5.0
P	2860	2910	1391	4L1	5.0	5.0
P	291.0	296.0	1392	4L1	5.0	5.0
P	296.0	302.2	1393	4L1	6.2	5.5

DDH V-26-8 (2 of 8)

Cyprus Anvil Mining Corp.

Geochemical Log (Sampler's Copy)

Page ____ of ____

Logged By: DJH

Sampled By: ____

Core	From	To	Sample No.	Description
	1 10 14	16 20	22 27	UNIT LENGTH REC
A	40100	40380	1 1/1394	4C7 3.8 3.8
P	40380	40800	1 1/1395	4AL 4.2 4.2
P	40800	41130	1 1/1396	4L7 5.0 5.0
P	41130	41470	1 1/1397	4L7 4.0 4.0
P	41470	42120	1 1/1398	4C7 5.0 5.0
P	42120	42170	1 1/1399	4C7 5.0 5.0
P	42170	43180	1 1/1400	4C7 4.8 4.8

V-27-R

DDH V-27-R (2 of 8)

Cyprus Anvil Mining Corp.

Geochemical Log (Sampler's Copy)

Page ____ of ____

Logged By: JWM

Sampled By: ____

Code	From	To	Sample No.	Description		
1	10 14	16 20	22 27			
P	97	99	1316108		2.0	1.9
P	12104	12110	1316109		5.4	5.4
P	12110	12115	1316110		5.0	5.0
P	12115	12120	1316111		5.0	5.0
P	12120	12126	1316112		4.8	4.8
P	12126	12131	1316113		5.0	5.0
P	12131	12136	1316114		5.6	0.6
P	12136	12141	1316115		2.5	0.9
P	12141	12146	1316116		13.6	3.6
P	12146	12151	1316117		4.0	4.0
P	12151	12156	1316118		1.6	1.6
P	12156	12161	1316119		5.5	5.0
P	12161	12166	1316120		4.2	4.2
P	12166	12171	1316121		5.0	5.0
P	12171	12176	1316122		4.0	3.6
P	12176	12181	1316123		4.5	4.5
P	12181	12186	1316124		1.5	1.5
P	12186	12191	1316125		6.0	6.0
P	12191	12196	1316126		6.0	6.0
P	12196	12201	1316127		6.0	6.0
P	12201	12206	1316128		5.0	5.0
P	12206	12211	1316129		5.2	5.2
P	12211	12216	1316130		4.8	4.8

V-28-R

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
1302	63.8	65.2	1.4	103.0		6.36	6.14	12.50		0.19							4A0
1303	65.2	73.0	7.8	4.0		0.37	0.56	0.93		0.06							4L3
1304	73.0	75.7	2.7	51.0		6.46	5.50	11.96		0.16							4A0
1305	75.7	81.0	5.3	10.0		0.50	0.82	1.32		0.07							4L1
1306	81.0	88.0	7.0	49.0		4.77	6.75	11.52		0.23							4E0

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2244

Date September 6, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
21	V 1263		33	1.20	1.11	.48				
22	1264		95	6.02	6.27	.08				
23	1265		71	5.44	5.21	.09				
24	1266		35	3.23	2.16	.19				
25	1267		34	2.53	3.36	.51				
26	1268		28	1.77	3.48	.22				
27	1269		34	2.35	5.46	.19				
28	1301		11	.43	.99	.13				
29	1302		103	6.36	6.14	.19				
30	1303		4	.37	.56	.06				
31	1304		51	6.46	5.50	.16				
32	1305		10	.50	.82	.07				
33	1306		49	4.77	6.75	.23				
34	1307		17	1.28	1.42	.43				
35	1308		10	.34	.36	.34				
36	1309		13	.44	.74	.22				
37	1310		10	.22	.26	.30				
38	1311		2	.03	.02	.01				
39	1312		7	.05	.01	.25				
40	1313		8	.05	.01	.32				
41	V 1314		9	.04	.01	.32				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R. G. Hundell
Registered Assayer, Province of British Columbia

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2244

Date September 6, 1979.

Vangorda drill core

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
	Repeats:									
V-28-R	V 1305		11	.50	.82	.07				
SY 79-Y-11	V 1265		73	5.26	5.07	.09				
V-57-R	V 1301		14	.44	.98	.13				
	V 1244		47	4.19	3.80	.23				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R.A. Blundell
Registered Assayer, Province of British Columbia

DDH V-28-R (2 / 8)

Cyprus Anvil Mining Corp.
Geochemical Log (Sampler's Copy)

Page _____ of _____
Logged By: DJH
Sampled By: _____

Code	From	To	Sample No.	Description		
1	10 14	16 20	22 27	UNIT	LENGTH	REC
P	16138	16152	113012	4EO	1.4	1.4
P	16152	17130	113013	4L3	7.8	7.8
P	17130	17157	113014	4AO	2.7	2.7
P	17157	18110	113015	4L1	5.3	5.3
P	18110	18150	113016	4EO	7.0	7.0

V-30-R

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
1110	170.5	175.0	4.5	11.0		1.16	1.52	2.68		0.07							4AO
1121	175.0	180.0	5.0	36.0		3.49	4.33	7.82		0.04							4AO
1122	180.0	185.0	5.0	28.0		2.88	3.93	6.81		0.05							4AO
1123	185.0	190.0	5.0	24.0		2.24	3.12	5.36		0.02							4AO
1124	190.0	193.0	3.0	28.0		2.11	3.75	5.86		0.03							4AO
1125	193.0	195.7	2.7	56.0		3.88	5.57	9.45		0.24							4EO
1126	215.5	221.0	5.5	52.0		3.86	4.61	8.47		0.17							4E6
1127	221.0	223.0	2.0	13.0		1.41	1.15	2.56		-							5D1
1128	223.0	228.0	5.0	81.0		6.85	6.75	13.60		0.15							4E6
1129	228.0	233.0	5.0	77.0		6.07	7.16	13.23		0.13							4E6
1130	233.0	237.0	4.0	73.0		5.38	5.90	11.28		0.14							4E6
1131	237.0	242.0	5.0	22.0		0.70	0.72	1.42		0.26							4E/4C
1132	242.0	247.0	5.0	23.0		0.28	0.94	1.22		0.43							4E/4C
1133	247.0	252.0	5.0	28.0		0.96	0.80	1.76		0.26							4C/4E
1134	252.0	254.5	2.5	46.0		2.08	2.16	4.24		0.29							4C/4E/4L

Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 - TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation
330 - 355 Burrard St.,
Vancouver, B. C. V6C 2G8 Attention: Dr. Glen Simpson

Certificate No. K-2238
Date August 29, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda Drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1	V 1104		9	.23	.46	.08				
2	1105		22	.12	.33	.24				
V-312 3	1106		12	.20	.72	.14				
4	1107		9	.76	1.49	.18				
5	1108		4	.34	.54	.14				
6	1109		10	.50	.85	.11				
V-30 7	1110		11	1.16	1.52	.07				
8	1111		18	.99	3.01	.14				
9	1112		8	.24	.59	.12				
10	1113		10	.34	.80	.10				
11	1114		8	.25	.55	.08				
V-313 12	1115		3	.23	.56	.06				
13	1116		8	.32	1.10	.05				
14	1117		16	1.15	.63	.06				
15	1118		50	3.55	4.97	.06				
16	1119		100	5.12	8.11	.23				
17	1121		36	3.49	4.33	.04				
18	1122		28	2.88	3.93	.05				
V-30 19	1123		24	2.24	3.12	.02				
20	V 1124		28	2.11	3.75	.03				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

A.J. Bluendell
Registered Assayer, Province of British Columbia

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 - TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2238

Date August 29, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
21	V 1125		56	3.88	5.57	.24				
22	1126		52	3.86	4.61	.17				
23	1127		13	1.41	1.15	.07				
24	1128		81	6.85	6.75	.15				
25	1129		77	6.07	7.16	.13				
26	1130		73	5.38	5.90	.14				
V-30 27	1131		22	.70	.72	.26				
28	1132		23	.28	.94	.43				
29	1133		28	.97	.80	.26				
30	1134		46	2.08	2.16	.29				
V-312 31	1199		23	2.20	2.90	.09				
32	1200		8	.24	.38	.11				
33	1201		40	3.08	3.70	.17				
34	1202		56	4.77	6.78	.05				
35	1203		69	5.00	5.66	.17				
36	1204		48	3.48	3.84	.17				
DY-12 37	1205		63	5.14	3.87	.10				
38	1206		79	5.56	6.28	.09				
39	1207		82	5.79	5.98	.05				
40	V 1208		76	5.74	5.27	.11				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R.N. Blanchard
Registered Assayer, Province of British Columbia

DDH V-30-R (2 / 8)

Cyprus Anvil Mining Corp.
Geochemical Log (Sampler's Copy)

Page ____ of ____
Logged By: DJH
Sampled By: ____

Code	From	To	Sample No.	Description		
1	10 14	16 20	22 27	LENGTH	UNIT	REC.
P	1/1705	1/1715 0	1 1 1 1 1 10	4.5	4A0	4.5
P	1/1715 0	1/1810 0	1 1 1 1 1 211	5.0	4A0	4.0
P	1/1810 0	1/1815 0	1 1 1 1 1 212	5.0	4A0	2.0
P	1/1815 0	1/1910 0	1 1 1 1 1 213	5.0	4A0	4.8
P	1/1910 0	1/1930	1 1 1 1 1 214	3.0	4A0	4.6
P	1/1930	1/1957	1 1 1 1 1 215	2.7	4E0	2.5
P	12115 5	12121 0	1 1 1 1 1 216	5.5	4E6	5.0
P	12121 0	12123 0	1 1 1 1 1 217	2.0	5D1	2.0
P	12123 0	12128 0	1 1 1 1 1 218	5.0	4E6	5.0
P	12128 0	12133 0	1 1 1 1 1 219	5.0	4E6	4.5
P	12133 0	12137 0	1 1 1 1 1 310	4.0	4E6	4.0
P	12137 0	12142 0	1 1 1 1 1 311	5.0	4EC	4.5
P	12142 0	12147 0	1 1 1 1 1 312	5.0	4EC	4.9
P	12147 0	12152 0	1 1 1 1 1 313	5.0	4CE	4.5
P	12152 0	12154 5	1 1 1 1 1 314	2.5	4CE/4L	1.5

SEP 10 1979

V-33-R

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Unit
1003	73.0	78.0	5.0	23.0		2.00	2.26	4.26		0.04						4A0
1004	78.0	83.0	5.0	54.0		3.53	5.49	9.02		0.03						4A0
1005	83.0	88.0	5.0	31.0		2.32	3.74	6.06		0.02						4A0
1006	88.0	93.5	5.5	57.0		3.85	4.47	8.32		0.04						4A0
1007	93.5	95.3	1.8	157.0		10.86	8.87	19.73		0.03						4E0
1008	95.3	98.6	3.3	71.0		4.39	8.25	12.64		0.03						4G4
1009	98.6	104.0	5.4	80.0		6.33	7.63	13.96		0.19						4E6
1010	104.0	109.0	5.0	67.0		4.69	6.02	10.71		0.09						4E6
1011	109.0	113.0	4.0	47.0		3.17	5.82	8.99		0.15						4G/5D
1012	113.0	116.5	3.5	86.0		4.74	4.60	9.34		0.48						4E1
1013	116.5	121.6	5.1	77.0		5.76	6.54	12.30		0.13						4E/4F
1014	121.6	126.3	4.7	43.0		3.26	3.64	6.90		0.11						4E6
1015	126.3	132.0	5.7	37.0		2.95	0.72	3.67		0.39						4E8
1016	132.0	138.7	6.7	16.0		0.57	0.76	1.33		0.39						4E8
1017	138.7	142.7	4.0	90.0		6.21	7.90	14.11		0.08						4G4
1018	142.7	147.7	5.0	60.0		3.72	7.29	11.01		TR						4G/5D
1019	147.7	153.0	5.3	63.0		3.35	8.05	11.40		TR						4G0
1020	153.0	158.0	5.0	90.0		6.37	6.94	13.31		0.02						4J/5D
1021	158.0	163.0	5.0	51.0		3.59	4.27	7.86		0.16						4G8/4K
1022	163.0	168.0	5.0	73.0		5.15	4.43	9.58		0.09						4K/4J
1023	168.0	173.0	5.0	49.0		3.06	5.18	8.24		0.06						4K/4G
1024	173.0	178.0	5.0	38.0		2.65	5.09	7.74		0.05						4G/4K/5D
1025	178.0	183.0	5.0	43.0		2.47	5.66	8.13		0.07						4G8
1026	183.0	188.0	5.0	74.0		3.56	5.39	8.95		0.15						4G8
1027	188.0	193.0	5.0	62.0		3.47	6.75	10.22		0.20						4E6
1028	193.0	197.0	4.0	62.0		4.27	6.75	11.02		0.04						4G8
1029	197.0	201.0	4.0	65.0		4.92	4.72	9.64		0.07						4K/4G
1030	201.0	207.3	6.3	37.0		3.03	4.83	7.86		0.13						4G8/4L
1031	207.3	213.0	5.7	11.0		0.17	0.07			0.29						4E1/4K
1032	213.0	219.6	6.6	10.0		0.07	0.06			0.32						4C0
1033	219.6	224.4	4.8	6.0		0.08	0.06			0.23						4C7
1034	224.4	230.0	5.6	12.0		0.35	0.10			0.31						4C8
1035	230.0	235.0	5.0	11.0		0.34	0.40			0.26						4C8

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Unit
1036	235.0	241.0	6.0	8.0		0.12	0.23			0.35						4C8
1037	241.0	247.0	6.0	9.0		0.40	0.52			0.35						4C8
1038	247.0	253.0	6.0	8.0		0.37	0.21			0.20						4C7
1039	253.0	259.0	6.0	7.0		0.16	0.08			0.25						4C8
1040	259.0	264.0	5.0	7.0		0.10	0.10			0.36						4C8
1041	264.0	270.0	6.0	12.0		0.89	0.84	1.73		0.22						4C8
1042	270.0	276.0	6.0	20.0		1.62	3.01	4.63		0.18						4C8
1043	276.0	282.0	6.0	26.0		1.97	4.03	6.00		0.16						4C8
1044	282.0	287.0	5.0	80.0		4.92	6.90	11.82		0.04						4C8/4L
1045	287.0	290.0	3.0	17.0		0.29	0.55	0.84		0.24						?
1046	294.0	300.0	6.0	21.0		1.11	2.10	3.21		0.21						4L/4C4
1047	300.0	306.0	6.0	40.0		3.40	5.06	8.46		0.06						4L/4C4
1048	306.0	312.0	6.0	29.0		3.69	0.70*	4.39		0.23						4L/4K
1049	312.0	318.0	6.0	11.0		0.75	0.67	1.42		0.23						4K/4C
1050	318.0	324.0	6.0	7.0		0.41	0.39			0.14						4C0
1051	324.0	330.0	6.0	8.0		0.37	0.30			0.16						4C0
1052	330.0	338.0	8.0	8.0		0.36	0.36			0.17						4C0

* to be checked

Kamloops Research & Assay Laboratory Ltd.
2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2207

Date August 21, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
21	V 0991		Tr	.06	.24	.02				
22	0992		64	4.61	6.68	.19				
23	0993		28	2.39	2.76	.37				
24	0994		27	2.18	2.44	.26				
25	0995		22	1.74	1.70	.41				
26	0996		13	.97	1.65	.13				
27	0997		9	.70	.66	.11				
28	0998		37	2.49	3.71	.14				
V-308 29	0999		40	2.52	3.10	.19				
30	1000		2	.07	.49	.10				
31	1001		14	.13	.86	.11				
32	1002		2	.08	.32	.06				
33	1003		23	2.00	2.26	.04				
34	1004		54	3.53	5.49	.03				
35	1005		31	2.32	3.74	.02				
36	1006		57	3.85	4.47	.04				
V-33 37	1007		157	10.86	8.87	.03				
38	1008		71	4.39	8.25	.03				
39	1009		80	6.33	7.63	.19				
40	V 1010		67	4.69	6.02	.09				

Tr denotes "trace"

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R.B. Blundell
Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.
2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 - TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2207

Date August 21, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

V-33

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
41	V 1011		47	3.17	5.82	.15				
42	1012		86	4.74	4.60	.48				
43	1013		77	5.76	6.54	.13				
44	1014		43	3.26	3.64	.11				
45	1015		37	2.95	.72	.27				
46	1016		16	.57	.76	.39				
47	1017		90	6.21	7.90	.08				
48	1018		60	3.72	7.29	Tr				
49	1019		63	3.35	8.05	Tr				
50	1020		90	6.37	6.94	.02				
51	1021		51	3.59	4.27	.16				
52	1022		73	5.15	4.43	.09				
53	1023		49	3.06	5.18	.06				
54	1024		38	2.65	5.09	.05				
55	1025		43	2.47	5.66	.07				
56	1026		74	3.56	5.39	.15				
57	1027		62	3.47	6.75	.20				
58	1028		62	4.27	6.75	.04				
59	1029		65	4.92	4.72	.07				
60	V 1030		37	3.03	4.83	.13				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R.B. Sinclair
Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2207

Date August 21, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

V-33

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
61	V 1031		11	.17	.07	.29				
62	1032		10	.07	.06	.32				
63	1033		6	.08	.06	.23				
64	1034		12	.35	.10	.31				
65	1035		11	.34	.40	.26				
66	1036		8	.12	.23	.35				
67	1037		9	.40	.52	.35				
68	1038		8	.37	.21	.20				
69	1039		7	.16	.08	.25				
70	1040		7	.10	.10	.36				
71	1041		12	.89	.84	.22				
72	1042		20	1.62	3.01	.18				
73	1043		26	1.97	4.03	.16				
74	1044		80	4.92	6.90	.04				
75	1045		17	.29	.55	.24				
76	1046		21	1.11	2.10	.21				
77	1047		40	3.40	5.06	.06				
78	1048		29	3.69	.70	.23				
79	1049		11	.75	.67	.23				
80	V 1050		7	.41	.39	.14				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R.B. Blundell

Registered Assayer, Province of British Columbia

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 - TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2207

Date August 21, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-33 81	V 1051		8	.37	.30	.16				
82	1052		8	.36	.36	.17				
83	1053		46	2.82	3.14	.05				
84	1054		34	2.24	4.76	.05				
85	1055		22	1.34	2.74	.06				
86	1056		55	4.27	4.35	.11				
87	1057		16	.92	1.17	.13				
88	1058		21	1.04	.88	.12				
89	1059		12	.35	.48	.18				
90	1060		17	.64	.68	.13				
V-310 91	1061		18	.52	.38	.16				
92	1062		13	.38	.66	.13				
93	1063		21	1.49	1.40	.20				
94	1064		62	3.56	5.32	.10				
95	1065		42	2.66	3.22	.06				
96	1066		20	1.26	.87	.08				
97	1067		19	.86	1.13	.12				
98	1068		11	.34	1.61	.08				
99	1069		35	1.98	2.79	.08				
100	V 1070		14	.91	1.21	.09				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R.B. Blundell
Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.
2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2207

Date August 21, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-63 121	V 1091		15	.08	.17	.20				
122	V 1092		13	.05	.21	.19				
	Repeats: V 0979 307		9	.16	.06	.29				
	V 1086 63		15	.41	.45	.28				
	V 0988 308		8	.77	1.11	.04				
	V 1061 310		18	.52	.38	.16				
	V 0984 307		2	.09	.20	.07				
	V 1021 33		50	3.59	4.37	.15				
	Standards:									
	Tailings Std. Actual			.49	.96					
	MP-1		58	1.90	15.97	-				
	Tails		-	.48	.95	-				
	100		95	5.60	9.09	.09				
	200		82	5.00	6.72	.14				
	300		41	2.21	4.32	.03				
	MP-1		58	1.88	15.87	-				
	Tails		-	.49	.97	-				
	100		94	5.52	9.02	.11				
	200		83	4.93	6.59	.16				
	300		41	2.27	4.40	.04				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

c.c. Mr. Darryl Hanson

R.G. Blundell
Registered Assayer, Province of British Columbia

[redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted]

DDH V 33-R

Cyprus Anvil Mining Corp.

Geochemical Log (Sampler's Copy)

Page _____ of _____

Logged By: MVH

Sampled By: _____

SEQ	From	To	Sample No.	Description			
1	10 14	16 20	22 27	UNIT	LENGTH	REC	
C	1171	1171					
C	1173 0	1178 0	VA 1101013	4AO	50	4.9	
C	1178 0	1183 0	1101014	4AO	50	4.9	
C	1183 0	1188 0	1101015	4AO	50	2.5	
C	1188 0	1935	VA 1101016	4AO	55	3.0	
C	1935	1953	1101017	4EO	1.8	1.8	
C	1953	1986	1101018	4G4	3.3	1.3	
C	1986	1/040	VA 1101019	4E6	54	4.9	
C	1/040	1/090	1101110	4E6	50	4.8	
C	1/090	1/130	1101111	4G/5D	40	4.0	
C	1/130	1/165	VA 1101112	4 E1	3.5	3.4	
C	1/165	1/216	1101113	4EF	5.1	3.5	
C	1/216	1/263	VA 1101114	4E6	4.7	4.7	
C	1/263	1/312 0	1101115	4E8	57	5.7	
C	1/312 0	1/387	1101116	4E8	67	6.7	
C	1/387	1/427	VA 1101117	4G4	40	4.1	
C	1/427	1/477	1101119	4G/5D	50	5.0	
C	1/477	1/530	1101119	4G0	53	5.3	
C	1/530	1/580	VA 1101210	4J/5D	5.0	5.1	
C	1/158	1/630	VA 1101211	4G8/K	50	5.0	
C	1/630	1/680	VA 1101212	4KJ	50	5.0	
C	1/680	1/730	1101213	4KG	50	5.0	
C	1/730	1/780	VA 1101214	4GK/5D	50	5.0	
C	1/780	1/830	1101215	4G8	50	5.0	
C	1/830	1/880	VA 1101216	4G8	50	5.0	
C	1/880	1/930	1101217	4EG	50	5.0	
C	1/930	1/970	1101218	4G8	40	4.0	
C	1/970	2101	VA 1101219	4KG	40	4.0	
C	2101	2017 3	1101310	4G8/L	63	6.3	
C	2017 3	2/130	VA 1101311	4E1/K	47	4.7	
C	2/130	2/196	1101312	4C0	6.6	6.6	
C	2/196	2/244	VA 1101313	4C7	4.8	4.8	
C	2/244	2310	1101314	4C8	5.6	5.6	
C	2300	2350	1101315	4C8	50	5.0	
C	2350	2401 0	VA 1101316	4C8	60	6.0	
C	2401	2442	1101317	4C8	40	4.0	

TO: G. SIMPSON - 3 PGS

DDH 88-13-B

Cyprus Anvil Mining Corp.
Geochemical Log (Sampler's Copy)

Page _____ of _____
Logged By: TWM
Sampled By: _____

Cards 1	From 10–15	To 16–20	Sample No. 23–37	Description: UNIT	LENGTH	REC
0	2412	2513	1 1 10318	4C7	6.0	6.0
0	2513	2519	1 1 10319	4C8	6.0	6.0
0	2519	2564	1 1 10410	4C8	5.0	5.0
0	2564	2170	1 1 10411	4C8	6.0	6.0
0	2170	2176	1 1 10412	4C8	6.0	6.0
0	2176	2182	1 1 10413	4C8	6.0	6.0
0	2182	2187	1 1 10414	4C8/4L	6.0	6.0
0	2187	2190	1 1 10415		3.0	3.0
0	2194	3000	1 1 10416	4LC4	6.0	6.0
0	3000	3006	1 1 10417	4LC4	6.0	6.0
0	3006	3012	1 1 10418	4L/4K	6.0	6.0
0	3012	3018	1 1 10419	4K/4C	6.0	6.0
0	3018	3024	1 1 10510	4C0	6.0	6.0
0	3024	3030	1 1 10511	4C0	6.0	6.0
0	3030	3038	1 1 10512	4C0	8.0	8.0

V-35-R

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Sample No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
3425	67.6	74.3	6.7	30.0		0.20	2.78	2.98		0.04							4A0
3426	127.0	132.0	5.0	TR		0.10	0.20	0.30		TR							4L3
3427	132.0	134.2	2.2	17.0		1.23	2.07	3.30		0.04							4A/5D
3428	134.2	138.0	3.8	42.0		2.46	3.87	6.33		0.11							4A/4G
3429	138.0	142.8	4.8	17.0		1.04	2.37	3.41		0.01							4A0
3430	142.8	148.0	5.2	55.0		3.23	2.58	5.81		0.21							4E/4A
3431	148.0	154.0	6.0	16.0		0.37	0.79	1.16		0.34							4E/4C8
3432	154.0	160.0	6.0	12.0		0.34	0.60			0.30							4C8
3433	160.0	168.0	8.0	9.0		0.31	0.17			0.36							4C8
3434	168.0	174.0	6.0	11.0		0.12	0.06			0.41							4C8
3435	174.0	'80.0	6.0	9.0		0.30	0.21			0.21							4C8
3436	180.0	186.0	6.0	8.0		0.11	0.14			0.35							4C8
3437	186.0	192.0	6.0	7.0		0.03	0.09			0.38							4C8
3438	192.0	198.0	6.0	3.0		0.09	0.11			0.34							4C8
3439	198.0	204.0	6.0	4.0		0.18	0.18			0.40							4C8
3440	204.0	210.0	6.0	9.0		0.19	0.46			0.67							4C8
3441	210.0	216.0	6.0	11.0		0.19	0.27			0.56							4C8
3442	216.0	222.0	6.0	18.0		0.42	0.36			0.65							4C8
3443	222.0	228.0	6.0	21.0		0.57	0.37			0.49							4C8
3444	228.0	234.0	6.0	22.0		0.50	0.60			0.44							4C8
3445	234.0	240.0	6.0	16.0		0.48	0.37			0.41							4C8
3446	240.0	246.0	6.0	13.0		0.17	0.19			0.78							4C8
3447	246.0	252.0	6.0	8.0		0.11	0.18			0.42							4C8
3448	252.0	257.0	5.0	4.0		0.11	0.29			0.25							4C0
3449	257.0	263.0	6.0	3.0		0.08	0.16			0.20							4A0
3450	263.0	269.0	6.0	15.0		0.67	0.34			0.21							4A/5B
3451	269.0	272.0	3.0	10.0		0.57	0.74			0.06							4A0
* 3452	272.0	278.0	6.0	-		-	-			0.21		TR					4L7
3453	278.0	284.0	6.0	-		-	-			0.09		TR					4L0.7

GEOCHEMICAL LOG

V-35-R

Sample No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
3454	327.0	333.0	6.0							0.08		TR					4L7
3455	333.0	339.0	6.0							0.14		TR					4L7
3456	339.0	345.0	6.0							0.08		TR					4L7
3457	345.0	351.0	6.0							0.10		TR					4L7
3458	351.0	357.0	6.0							0.12		TR					4L7
3459	420.0	426.0	6.0							0.09		TR					4L6,7
3460	426.0	432.0	6.0							0.05		TR					4L6,7
3461	432.0	438.0	6.0							0.07		TR					4L6,7
* 3462	438.0	444.0	6.0							0.02		TR					4L6,7

* Sample Nos. 3452 - 3462: Au, Cu only.

DDH 85-8 (2 of 8)

Cyprus Anvil Mining Corp.

Geochemical Log (Sampler's Copy)

Page ____ of ____

Logged By: ____

Sampled By: ____

Code	From	To	Sample No.	Description		
	10 14	18 20	22 27	ROCK	LENGTH	SEC.
A	1162 6	1174 3	1 3442 5	440	6.7	6.4
	1 1 1	1 1 1	1 1 1 1 1 1			
D	1182 0	1212 0	1 3426	443	5.0	5.0
D	1212 0	1214 2	1 3427	441/50	2.2	2.2
B	1214 2	1239 0	1 3428	441/45	3.8	3.8
A	1239 0	1243 9	1 3429	440	4.8	4.9
D	1243 9	1248 0	1 3430	442	5.2	5.2
B	1248 0	1254 0	1 3431	445	6.0	6.0
D	1254 0	1260 0	1 3432	443	6.0	6.0
D	1260 0	1266 0	1 3433	443	6.0	6.0
A	1266 0	1272 0	1 3434	443	6.0	6.0
D	1272 0	1278 0	1 3435	443	6.0	6.0
A	1278 0	1284 0	1 3436	443	6.0	6.0
A	1284 0	1290 0	1 3437	443	6.0	6.0
D	1290 0	1296 0	1 3438	443	6.0	6.0
A	1296 0	1302 0	1 3439	443	6.0	6.0
D	1302 0	1308 0	1 3440	443	6.0	6.0
D	1308 0	1314 0	1 3441	443	6.0	6.0
A	1314 0	1320 0	1 3442	443	6.0	6.0
D	1320 0	1326 0	1 3443	443	6.0	6.0
A	1326 0	1332 0	1 3444	443	6.0	6.0
D	1332 0	1338 0	1 3445	443	6.0	6.0
D	1338 0	1344 0	1 3446	443	6.0	6.0
D	1344 0	1350 0	1 3447	443	6.0	6.0
D	1350 0	1357 0	1 3448	440	5.0	6.0
A	1357 0	1363 0	1 3449	440	6.0	6.0
A	1363 0	1369 0	1 3450	441/50	6.0	6.0
D	1369 0	1372 0	1 3451	440	3.0	3.0
A	1372 0	1378 0	1 3452	447	6.0	6.0 Au, Cu only.
D	1378	1384 0	1 3453	447	4.0	5.6 " " "
	1 1 1	1 1 1	1 1 1 1 1 1			
D	1327 0	1338 0	1 3454	447	6.0	6.0 Au, Cu only
D	1333 0	1339 0	1 3455	447	6.0	6.0 " " "
A	1339 0	1345 0	1 3456	447	6.0	6.0 " " "
A	1345 0	1351 0	1 3457	447	6.0	6.0 " " "

351.0 357.0 3458 447 6.0 6.0 " " "

DDH 2 LEC-8 8

Cyprus Anvil Mining Corp.
Geochemical Log (Sampler's Copy)

Page _____ of _____
Logged By: _____
Sampled By: _____

Drill	From	To	Sample No.	Description			
1	10 14	19 23	22 27	UNIT	LENGTH	REC.	
D	4150	4216	53453	467	6.6	6.0	Ag. Cu. Pb. Zn
D	4216	4322	53462	467	6.0	6.0	" " " "
D	4322	4382	53461	467	6.0	6.0	" " " "
D	4382	4444	53462	467	6.0	6.0	" " " "

V-45-R

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Sample No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
3214	103.9	109.0	5.1	89.0		5.79	8.80	14.59		0.07							4G4
3215	109.0	114.0	5.0	63.0		3.70	6.89	10.59		0.09							4G/E/L
3216	114.0	119.0	5.0	56.0		3.59	8.24	11.83		0.02							4G4
3217	119.0	124.0	5.0	56.0		3.65	8.88	12.53		0.01							4G4
3218	124.0	129.0	5.0	59.0		3.91	8.34	12.25		0.01							4G4
3219	129.0	134.0	5.0	46.0		2.91	7.40	10.31		0.01							4G4
3220	134.0	139.0	5.0	59.0		3.87	7.65	11.52		0.05							4G/5D
3221	139.0	144.0	5.0	69.0		4.61	7.43	12.04		0.01							4G4
3222	144.0	149.0	5.0	67.0		5.65	8.96	14.61		0.07							4G8
3223	149.0	154.0	5.0	86.0		5.32	7.18	12.50		0.05							4G8
3224	154.0	159.0	5.0	40.0		2.76	3.74	6.50		0.13							4GE/5D
3225	159.0	164.0	5.0	20.0		0.55	0.80	1.35		0.22							4ED
3226	164.0	169.0	5.0	22.0		0.59	0.62	1.21		0.26							4D4
3227	169.0	174.0	5.0	45.0		2.75	3.35	6.10		0.25							4ED
3228	174.0	179.0	5.0	45.0		2.34	1.47	3.81		0.30							4E1
3229	179.0	184.0	5.0	22.0		0.24	0.21			0.32							4E1
3230	184.0	189.0	5.0	16.0		0.10	0.10			0.34							4C8
3231	189.0	194.0	5.0	11.0		0.07	0.05			0.27							4C8
3232	194.0	199.0	5.0	11.0		0.12	0.09			0.21							4C8
3233	199.0	204.0	5.0	26.0		0.22	0.06			0.22							4CA
3234	204.0	209.0	5.0	8.0		0.31	0.28			0.27							4C8
3235	209.0	214.0	5.0	7.0		0.24	0.15			0.49							4C8
3236	214.0	219.0	5.0	8.0		0.60	0.41	1.01		0.21							4C8
3237	219.0	224.0	5.0	14.0		0.44	0.63	1.07		0.32							4C8
3238	224.0	229.0	5.0	78.0		13.16	0.17	13.33		0.30							4C8
3239	229.0	234.0	5.0	11.0		1.53	0.13	1.66		0.30							4C8
3240	234.0	239.0	5.0	16.0		0.56	1.19	1.75		0.20							4CD
3241	239.0	244.0	5.0	51.0		3.62	7.91	11.53		0.12							4D4
3242	244.0	249.0	5.0	12.0		0.57	1.40	1.97		0.27							4D0
3243	249.0	254.0	5.0	31.0		1.93	3.85	5.78		0.36							4D0
3244	254.0	259.0	5.0	27.0		1.89	3.80	5.69		0.29							4D0
3245	259.0	264.0	5.0	17.0		1.06	2.12	3.18		0.24							4D0

GEOCHEMICAL LOG

V-45-R

Sample No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
3246	264.0	269.0	5.0	36.0		2.22	2.13	4.35		0.32							4D0
3247	269.0	274.0	5.0	44.0		3.20	5.57	8.77		0.24							4D0
3248	274.0	279.0	5.0	45.0		3.78	4.94	8.72		0.21							?
3184	279.0	284.0	5.0	14.0		1.42	1.46	2.88		0.44							4C8
3185	284.0	289.0	5.0	10.0		1.01	0.98	1.99		0.17							4C8
3186	289.0	294.0	5.0	5.0		0.39	0.51	0.90		0.16							4CL
3187	294.0	302.0	8.0	4.0		0.24	0.22	0.46		0.08							4LC
3188	540.3	546.0	5.7	30.0		1.75	1.48	3.23		0.16							4C7
3189	546.0	551.0	5.0	31.0		1.78	1.93	3.71		0.21							4C0
3190	551.0	556.0	5.0	25.0		1.87	2.94	4.81		0.18							4C0
3191	556.0	561.0	5.0	36.0		3.33	6.17	9.50		0.08							4AC
3192	561.0	566.0	5.0	30.0		2.26	3.27	5.53		0.17							4D5
3193	566.0	571.0	5.0	65.0		3.64	3.85	7.49		0.14							4D5
3194	571.0	576.0	5.0	15.0		0.57	0.50	1.07		0.14							4E1
3195	576.0	581.0	5.0	26.0		0.70	0.92	1.62		0.18							4AE
3196	581.0	586.0	5.0	16.0		0.26	0.29	0.55		0.12							4EH
3197	586.0	591.0	5.0	18.0		0.19	0.14	0.33		0.25							4EC
3198	591.0	595.0	4.0	16.0		0.17	0.31	0.48		0.22							4EC

Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation,
330 - 355 Burrard St.,
Vancouver, B. C. V6C 2G8 Attention: Dr. G. Simpson

Certificate No. K-2377
Date October 29, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-316 1	V 3121		14	1.01	1.28	.27				
2	3122		6	.31	.80	.42				
3	3123		12	.60	.67	.20				
4	3124		7	.84	1.13	.07				
5	3125		6	.38	.46	.16				
V-320 6	3126		14	.36	.40	.22				
7	3127		15	.67	.74	.23				
8	3193		65	3.64	3.85	.14				
9	3194		15	.57	.50	.14				
10	3195		26	.70	.92	.18				
V-45-R 11	3196		16	.26	.29	.12				
12	3197		18	.19	.14	.25				
13	3198		16	.17	.31	.22				
V-47-R 14	3199		21	1.36	2.65	.08				
15	3200		49	3.30	3.52	.04				
16	3234		8	.31	.28	.27				
17	3235		7	.24	.15	.49				
18	3236		8	.60	.41	.21				
V-45-R 19	3237		14	.44	.63	.32				
20	V 3238		78	13.16	.17	.30				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Davis for Davis
Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2377

Date October 29, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
21	V 3239		11	1.53	.13	.30				
22	3240		16	.56	1.19	.20				
23	3241		51	3.62	7.91	.12				
V-45-R 24	3242		12	.57	1.40	.27				
25	3243		31	1.93	3.85	.36				
26	3244		27	1.89	3.80	.29				
27	3245		17	1.06	2.12	.24				
28	3246		36	2.22	2.13	.32				
29	3247		44	3.20	5.57	.24				
30	3248		45	3.78	4.94	.21				
31	3249		44	2.92	4.17	.72				
32	3250		25	1.58	2.31	.34				
33	3251		44	3.85	4.96	.07				
34	3252		38	4.00	3.07	.04				
35	3253		51	4.46	3.94	.05				
V-321 36	3254		39	3.14	4.64	.02				
37	3255		47	4.24	3.82	.04				
38	3256		85	5.45	9.20	.15				
39	3257		79	6.56	10.09	.18				
40	V 3258		94	6.30	9.75	.11				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for RGB

Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2377

Date October 29, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
101	V 3351	.34	-	-	-	.27				
102	3352	Tr	-	-	-	.07				
103	3355	.55	-	-	-	Tr				
104	3356	.69	-	-	-	Tr				
105	3357	Tr	-	-	-	.12				
106	3358	Tr	-	-	-	.05				
V-47-R 107	3359	Tr	-	-	-	.09				
108	3360	Tr	-	-	-	.13				
109	3361	Tr	-	-	-	.41				
110	3362	Tr	-	-	-	.34				
111	3363	Tr	-	-	-	.37				
112	V 3364	Tr	-	-	-	.10				
	Repeats:									
	V 3330 47-R		7	.77	1.21	.19				
	3241 45-R		49	3.62	7.89	.12				
	3261 321		79	5.36	7.38	.10				
	3250 "		23	1.57	2.30	.33				
	3301 47-R		45	3.30	3.87	.05				
	V 3315 "		30	1.42	2.78	.05				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Tr denotes "trace"

DAS for RGS

Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2352

Date October 19, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
87	V 3184		14	1.42	1.46	.44				
88	3185		10	1.01	.98	.17				
89	3186		5	.39	.51	.16				
90	3187		4	.24	.22	.08				
91	3188		30	1.75	1.48	.16				
V-45-R 92	3189		31	1.78	1.93	.21				
93	3190		25	1.87	2.94	.18				
94	3191		36	3.33	6.17	.08				
95	3192		30	2.26	3.27	.17				
96	3201		162	10.39	8.61	.06				
97	3202		153	10.64	8.47	.04				
98	3203		31	1.38	1.73	L .01				
99	3204		124	9.69	8.65	.04				
100	3205		119	9.73	9.59	.06				
V-30-R 101	3206	Tr	-	-	-	.02				
102	3207		185	13.08	13.01	.11				
103	3208		57	3.22	3.64	.19				
104	3209		1	.05	.20	.01				
105	3210		10	.39	1.33	.01				
106	V 3211		60	2.85	4.63	.10				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2352

Date October 19, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda ~~drill core~~ samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-20-R 107	V 3212		64	2.83	3.57	.18				
108	3213	Tr	-	-	-	.06				
109	3214		89	5.79	8.80	.07				
110	3215		63	3.70	6.89	.09				
111	3216		56	3.59	8.24	.02				
112	3217		56	3.65	8.88	.01				
113	3218		59	3.91	8.34	.01				
114	3219		46	2.91	7.40	.01				
V-45-R 115	3220		59	3.87	7.65	.05				
116	3221		69	4.61	7.43	.01				
117	3222		67	5.65	8.96	.07				
118	3223		86	5.32	7.18	.05				
119	3224		40	2.76	3.74	.13				
120	3225		20	.55	.80	.22				
121	3226		22	.59	.62	.26				
122	3227		45	2.75	3.35	.25				
123	3228		45	2.34	1.47	.30				
124	3229		22	.24	.21	.32				
125	3230		16	.10	.10	.34				
126	V 3231		11	.07	.05	.27				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Tr denotes "trace"

DAS for RGS

Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2352

Date October 19, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V45-R 127	V 3222		11	.22	.09	.21				
128	V 3223		26	.22	.06	.22				
	Repeats:									
	V 3215- V-45-R		63	3.64	6.87	.09				
	V 3216-		60	3.65	8.26	.02				
	V 3205- V-20-R		121	9.75	9.55	.06				
	Standards:									
	MP-1		58	1.91	16.05	-				
	RU-1		7	-	2.26	.85				
	100		95	5.52	9.05	.10				
	200		82	4.96	6.67	.16				
	300		40	2.26	4.31	.04				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

c.c. Mr. Darryl Hanson

Registered Assayer, Province of British Columbia

DDH L-85-R (2 8)

Cyprus Anvil Mining Corp.

Geochemical Log (Sampler's Copy)

Page ____ of ____

Logged By: LMM

Sampled By: ____

Code	From	To	Sample No.	Description		
1	10 16	16 20	22 27	LENGTH	UNIT	REC.
R	1/103 9	1/109 0	1 32119	5.1	464	5.1
R	1/109 0	1/114 0	1 32115	5.0	4GEL	4.9
R	1/114 0	1/119 0	1 32116	5.0	469	4.8
R	1/119 0	1/124 0	1 32117	5.0	469	4.9
R	1/124 0	1/129 0	1 32118	5.0	464	5.0
D	1/129 0	1/134 0	1 32119	5.0	469	5.0
D	1/134 0	1/139 0	1 32210	5.0	46/5D	5.0
D	1/139 0	1/144 0	1 32211	5.0	464	4.9
D	1/144 0	1/149 0	1 32212	5.0	468	5.0
R	1/149 0	1/154 0	1 32213	5.0	468	5.0
D	1/154 0	1/159 0	1 32214	5.0	4GE/5D	5.0
D	1/159 0	1/164 0	1 32215	5.0	4ED	5.0
D	1/164 0	1/169 0	1 32216	5.0	4DA	5.0
D	1/169 0	1/174 0	1 32217	5.0	4ED	5.0
R	1/174 0	1/179 0	1 32218	5.0	4E1	5.0
R	1/179 0	1/184 0	1 32219	5.0	4E1	5.0
D	1/184 0	1/189 0	1 32230	5.0	4C8	5.0
D	1/189 0	1/194 0	1 32231	5.0	4C8	5.0
R	1/194 0	1/199 0	1 32232	5.0	4C8	5.0
R	1/199 0	2/004 0	1 32233	5.0	4CA	5.0
R	2/004 0	2/009 0	1 32234	5.0	4C8	5.0
R	2/009 0	2/014 0	1 32235	5.0	4C8	5.0
R	2/014 0	2/019 0	1 32236	5.0	4C8	4.8
R	2/019 0	2/024 0	1 32237	5.0	4C8	5.0
R	2/024	2/029 0	1 32238	5.0	4C8	5.0
R	2/029 0	2/034 0	1 32239	5.0	4C8	5.0
R	2/034 0	2/039 0	1 32240	5.0	4CD	5.0
D	2/039 0	2/044 0	1 32241	5.0	4D4	5.0
R	2/044 0	2/049 0	1 32242	5.0	4DD	5.0
R	2/049 0	2/054 0	1 32243	5.0	4DD	5.0
R	2/054 0	2/059 0	1 32244	5.0	4DD	5.0
R	2/059 0	2/064 0	1 32245	5.0	4DD	5.0
R	2/064 0	2/069 0	1 32246	5.0	4DD	5.0
R	2/069 0	2/074 0	1 32247	5.0	4DD	5.0

DDH 1-45-R (2 of 8)

Cyprus Anvil Mining Corp.
Geochemical Log (Sampler's Copy)

Page ____ of ____
Logged By: ____
Sampled By: ____

From	To	Sample No.	Description			
			LENGTH	UNIT	REC	
1270	1284	131819	50	4C8	4.7	
1284	1289	131815	50	4C8	5.0	
1280	1294	131816	50	4CL	5.0	Cu Au only
1294	1302	131817	8.0	4LC	8.0	Cu Au only
15910	15946	131818	5.7	4C7	5.7	
15946	15511	131819	5.0	4C0	5.0	
15511	15516	131910	5.0	4C0	5.0	
15516	15561	131911	5.0	4AC	5.0	
15561	15616	131912	5.0	4D5	5.0	
15616	15711	131913	5.0	4D5	5.0	
15711	15716	131914	5.0	4E1	5.0	
15761	15811	131915	5.0	4AE	5.0	
15811	15816	131916	5.0	4EH	5.0	
15816	1591	131917	5.0	4EC	5.0	
15911	15935	131918	4.0	4EC	4.0	

V-46-R



CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research & Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
1338	205.7	208.9	3.2	29.0		2.25	2.42	4.67		0.28							4E8
1339	208.9	213.9	5.0	11.0		0.35	0.17	0.52		0.09							4LC
1340	213.9	217.6	3.7	24.0		1.10	0.75	1.85		0.30							4KE
1341	217.6	221.5	3.9	21.0		1.36	1.26	2.62		0.30							4LE
1342	221.5	226.4	4.9	23.0		1.22	1.14	2.36		0.33							4E8
1343	226.4	227.9	1.5	4.0		0.10	0.10	0.20		0.05							4C0
1344	227.9	232.6	4.7	37.0		2.35	2.76	5.11		0.15							4F8
1345	232.6	233.7	1.1	10.0		0.33	0.30	0.63		0.11							4CL
1346	233.7	235.8	2.1	35.0		1.65	0.64	2.29		0.13							4E8
1347	235.8	237.0	1.2	44.0		3.99	3.30	7.29		0.16							4G4
1348	237.0	238.0	1.0	16.0		0.39	0.16	0.55		0.16							4B0
1349	238.0	239.7	1.7	26.0		2.27	1.45	3.72		0.12							4E8
1350	239.7	243.0	3.3	2.0		0.07	0.23	0.30		0.12							4L3
1351	314.5	315.9	1.4	110.0		6.63	7.69	14.32		0.09							4F6
1352	315.9	323.5	7.6	10.0		0.60	0.89	1.49		0.06							4L3,7
1353	323.5	326.5	3.0	51.0		4.03	5.65	9.68		0.04							4L3,7/4F4
1354	326.5	327.7	1.2	32.0		2.30	5.00	7.30		0.04							4LD
1355	327.7	336.0	8.3	125.0		6.02	11.14	17.16		0.16							4E0
1356	336.0	347.0	11.0	2.0		0.08	0.67	0.75		0.13							4L6

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation,
330 - 355 Burrard St.,
Vancouver, B. C. V6C 2G8 Attention: Dr. G. Simpson

Certificate No. K-2260
Date September 13, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu			Ag	
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1	V 1325		43	1.39	1.17	.64				
2	1326		32	2.33	1.63	.31				
3	1327		12	.27	.57	.13				
4	1328		32	1.67	1.66	.15				
5	1329		13	.30	.39	.15				
6	1330		39	2.70	2.68	.36				
7	1331		32	2.75	3.33	.13				
8	1332		17	1.09	1.28	.18				
9	1333		23	1.81	2.32	.36				
10	1334		9	.78	1.05	.09				
11	1335		1	.08	.18	.02				
12	1336		25	1.59	2.22	.04				
13	1337		29	2.01	3.21	.09				
14	1338		29	2.25	2.42	.28				
15	1339		11	.35	.17	.09				
16	1340		24	1.10	.75	.30				
17	1341		21	1.36	1.26	.30				
18	1342		23	1.22	1.14	.33				
19	1343		4	.10	.10	.05				
20	1344		37	2.35	2.76	.15				
21	V 1345		10	.33	.30	.11				

V-117-R

V-46R

NOTE:
Rejects retained three weeks.
Pulps retained three months unless otherwise arranged.

DAB for RGS
Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation,
330 - 355 Burrard St.,
Vancouver, B. C. V6C 2G8 Attention: Dr. G. Simpson

Certificate No. K-2274
Date September 13, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1	V 1346		35	1.65	.64	.13				
2	1347		44	3.99	3.30	.16				
3	1348		16	.39	.16	.16				
4	1349		26	2.27	1.45	.12				
5	1350		2	.07	.23	.12				
6	1351		110	6.63	7.69	.09				
7	1352		10	.60	.89	.06				
8	1353		51	4.03	5.65	.04				
9	1354		32	2.30	5.00	.04				
10	1355		125	6.02	11.14	.16				
11	1356		2	.08	.67	.13				
12	1357		17	.98	2.30	.08				
13	1358		53	3.19	8.19	.04				
14	1359		91	4.98	9.82	.09				
15	1360		15	.77	1.54	.08				
16	1361		12	.49	1.06	.07				
17	1362		9	.27	.38	.09				
18	1363		2	.39	.56	.05				
19	1364		22	2.91	1.02	.05				
20	V 1365		23	2.17	2.14	.05				

V-46-R

V-26-R

NOTE:
Rejects retained three weeks.
Pulps retained three months unless otherwise arranged.

DAS for GSS
Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. V-2274

Date September 13, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-26-R 41	V 1386		12	.30	.48	.25				
42	1387		19	1.15	1.17	.07				
43	1388		67	5.78	9.44	.14				
44	1389		6	.33	.34	.19				
45	1390		7	.39	.25	.20				
46	1391		17	1.35	1.52	.47				
47	V 1392		6	.34	.42	.21				
	Repeats:									
V-26-R	V 1372		7	.19	.50	.01				
V-46-R	V 1351		110	6.59	7.76	.08				
V-26-R	V 1388		66	5.80	9.33	.14				
	Standards:									
	MP-1		58	1.70	15.85	1.86				
	RU-1		-	-	2.30	.85				
	Tails		-	.48	.89	.11				
	100		95	5.63	9.12	.10				
	200		82	4.99	6.67	.14				
	300		40	2.28	4.50	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months unless otherwise arranged.

c.c. Mr. Darryl Hanson

DAB for RJB

Registered Assayer, Province of British Columbia

DDH V-96-R-28

Cyprus Anvil Mining Corp.

Geochemical Log (Sampler's Copy)

Page _____ of _____

Logged By: JWM

Sampled By: _____

Code	From	To	Sample No.	Description		
1	10 14	16 20	22 27	UNIT	LENGTH	REC.
P	12105 7	12108 9	1 1/13318	4E8	3.2	3.2
P	12108 9	12113 9	1 1/13319	4LC	5.0	5.0
~~P~~	~~12109 5~~	~~12113 9~~	~~1 1 1 1 1~~	~~4L~~		
P	12113 9	12117 6	1 1/13410	4KE	3.7	3.7
P	12117 6	12121 5	1 1/13411	4LE	3.9	3.9
P	12121 5	12126 4	1 1/13412	4E8	4.9	4.9
P	12126 4	12127 9	1 1/13413	4CO	1.5	1.5
P	12127 9	12132 6	1 1/13414	4F8	4.7	4.7
P	12132 6	12133 7	1 1/13415	4CL	1.1	1.1
P	12133 7	12135 8	1 1/13416	4E8	2.1	2.1
P	12135 8	12137 0	1 1/13417	4G4	1.2	1.2
P	12137 0	12138 0	1 1/13418	4BO	1.0	1.0
P	12138 0	12139 7	1 1/13419	4E8	1.7	1.7
P	12139 7	12143 0	1 1/13510	4L3	3.3	3.3
P	13114 5	13115 9	1 1/13511	4F6	2.4 (1.4)	2.4
P	13115 9	13121 5	1 1/13512	4L37	7.6	7.6
P	13121 5	13126 5	1 1/13513	4L37/4F4	3.0	3.0
P	13126 5	13127 7	1 1/13514	4LD	1.2	1.2
P	13127 7	13136 0	1 1/13515	4EO	8.3	5.0
P	13136 0	13147 0	1 1/13516	4L6	11.0	4.0

V-47-R

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Sample No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
3199	110.6	115.0	4.4	21.0		1.36	2.65	4.01		0.08							4A0
3200	115.0	120.0	5.0	49.0		3.30	3.52	6.82		0.04							4A0
3301	120.0	125.0	5.0	47.0		3.24	3.82	7.06		0.05							4A0
3302	125.0	130.0	5.0	64.0		4.62	5.40	10.02		0.06							4A0
3303	130.0	133.0	3.0	69.0		4.38	6.14	10.52		0.07							4A0
3304	133.0	138.0	5.0	82.0		5.04	6.77	11.81		0.13							4G0
3305	138.0	143.0	5.0	54.0		3.98	4.04	8.02		0.16							4E/F/K
3306	143.0	148.0	5.0	54.0		3.16	5.21	8.37		0.12							4G8/E
3307	148.0	150.0	2.0	130.0		9.93	8.18	18.11		0.05							4G8
3308	150.0	158.0	8.0	18.0		0.98	1.04	2.02		0.05							4L3,7
3309	158.0	160.8	2.8	92.0		5.16	6.61	11.77		0.09							4G8
3310	160.8	164.1	3.3	58.0		3.30	3.93	7.23		0.03							4L0
3311	164.1	170.5	6.4	52.0		2.96	3.78	6.74		0.04							4E0
3312	170.5	174.5	4.0	61.0		3.66	7.22	10.88		0.04							4G8
3313	174.5	178.5	4.0	55.0		2.88	6.44	9.32		0.02							4G8
3314	178.5	183.5	5.0	72.0		5.06	7.34	12.40		0.07							4E/5D
3315	183.5	188.5	5.0	32.0		1.43	2.80	4.23		0.04							4E0
3316	188.5	193.0	4.5	43.0		2.22	4.17	6.39		0.02							4G8
3317	193.0	198.0	5.0	91.0		5.72	7.42	13.14		0.06							4G8
3318	198.0	203.8	5.8	70.0		4.22	6.93	11.15		0.06							4G8
3319	203.8	206.7	2.9	10.0		0.57	0.60	1.17		0.05							4L1
3320	206.7	212.5	5.8	21.0		1.32	1.34	2.66		0.33							4E8
3321	212.5	218.0	5.5	19.0		0.24	0.36	0.60		0.28							4C0
3322	218.0	223.0	5.0	11.0		0.16	0.13	0.29		0.32							4C0
3323	223.0	229.0	6.0	14.0		0.39	0.14	0.53		0.41							4C0
3324	229.0	235.0	6.0	10.0		0.21	0.14	0.35		0.22							4C0
3325	235.0	241.0	6.0	4.0		0.49	0.66	1.15		0.41							4C0
3326	241.0	247.0	6.0	2.0		0.20	0.14	0.34		0.26							4C0
3327	247.0	253.0	6.0	100.0		11.54	0.57	12.11		0.34							4C0
3328	253.0	256.0	3.0	224.0		23.23	1.88	25.11		0.19							4C0
3329	256.0	262.0	6.0	25.0		2.88	0.80	3.68		0.58							4C0
3330	262.0	268.0	6.0	7.0		0.77	1.20	1.97		0.21							4C8

GEOCHEMICAL LOG

V-47-R

Sample No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
3331	268.0	272.0	4.0	8.0		0.56	0.21	0.77		0.28		-					4C8
3332	272.0	278.0	6.0	2.0		0.52	0.45	0.97		0.05		-					4C8
3333	278.0	282.5	4.5	10.0		1.44	2.81	4.25		0.06		-					4C8
3293	282.5	288.0	5.5	50.0		3.30	9.01	12.31		0.13		-					4D0/7
3294	288.0	294.0	6.0	51.0		2.98	3.57	6.55		0.05		-					4C0
3295	294.0	300.0	6.0	13.0		0.81	1.32	2.13		0.31		-					4C0
3296	300.0	306.0	6.0	10.0		0.43	0.93	1.36		0.19		-					4C0
* 3297	306.0	312.0	6.0	-		-	-	-		0.06		TR					4L0
3298	312.0	318.0	6.0	-		-	-	-		0.13		TR					4L0
3299	318.0	324.0	6.0	-		-	-	-		0.16		0.55					4L0
3300	324.0	329.0	5.0	-		-	-	-		0.39		0.14					4L0
3351	329.0	334.0	5.0	-		-	-	-		0.27		0.34					4L0
3352	334.0	338.0	4.0	-		-	-	-		0.07		TR					4L0
3353	384.0	390.0	6.0	-		-	-	-		0.04		TR					4L0
3354	390.0	396.0	6.0	-		-	-	-		TR		TR					4L0
3355	396.0	402.0	6.0	-		-	-	-		TR		0.55					4L0
3356	402.0	408.0	6.0	-		-	-	-		TR		0.69					4L0
3357	408.0	414.0	6.0	-		-	-	-		0.12		TR					4L0
3358	414.0	420.0	6.0	-		-	-	-		0.05		TR					4L0
3359	420.0	426.0	6.0	-		-	-	-		0.09		TR					4L0
3360	426.0	432.0	6.0	-		-	-	-		0.13		TR					4L0
3361	432.0	438.0	6.0	-		-	-	-		0.41		TR					4L0
3362	438.0	444.0	6.0	-		-	-	-		0.34		TR					4L0
3363	444.0	450.0	6.0	-		-	-	-		0.37		TR					4L0
* 3364	450.0	458.0	8.0	-		-	-	-		0.10		TR					4L0

* Sample Nos. 3297 - 3364: Cu, Au only.

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation,
330 - 355 Burrard St.,
Vancouver, B. C. V6C 2G8 Attention: Dr. G. Simpson

Certificate No. K-2377
Date October 29, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-316 1	V 3121		14	1.01	1.28	.27				
2	3122		6	.31	.80	.42				
3	3123		12	.60	.67	.20				
4	3124		7	.84	1.13	.07				
5	3125		6	.38	.46	.16				
V-320 6	3126		14	.36	.40	.22				
7	3127		15	.67	.74	.23				
8	3193		65	3.64	3.85	.14				
9	3194		15	.57	.50	.14				
10	3195		26	.70	.92	.18				
V-45-R 11	3196		16	.26	.29	.12				
12	3197		18	.19	.14	.25				
13	3198		16	.17	.31	.22				
V-47-R 14	3199		21	1.36	2.65	.08				
15	3200		49	3.30	3.52	.04				
16	3234		8	.31	.28	.27				
17	3235		7	.24	.15	.49				
18	3236		8	.60	.41	.21				
V-45-R 19	3237		14	.44	.63	.32				
20	V 3238		78	13.16	.17	.30				

NOTE:
Rejects retained three weeks.
Pulps retained three months unless otherwise arranged.

Data for Deer

Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2377

Date October 29, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
X-16 61	V 3279		24	1.74	2.22	.10				
62	3280		35	1.78	.38	.30				
63	3291		1	.04	.03	.03				
64	3294		51	2.98	3.57	.05				
65	3295		13	.81	1.32	.31				
V-47-R 66	3296		10	.43	.93	.19				
67	3297 X	Tr	-	-	-	.06				
68	3301		47	3.24	3.82	.05				
69	3302		64	4.62	5.40	.06				
70	3303		69	4.38	6.14	.07				
71	3304		82	5.04	6.77	.13				
V 47-R 72	3305		54	3.98	4.04	.16				
73	3306		54	3.16	5.21	.12				
74	3307		130	9.93	8.18	.05				
75	3308		18	.98	1.04	.05				
76	3309		92	5.16	6.61	.09				
77	3310		58	3.30	3.93	.03				
78	3311		52	2.96	3.78	.04				
79	3312		61	3.66	7.22	.04				
80	3313		55	2.88	6.44	.02				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAS for JMB

Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2377

Date October 29, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
81	V 3314		72	5.06	7.34	.07				
82	3315		32	1.43	2.80	.04				
V-41-R 83	3316		43	2.22	4.17	.02				
84	3317		91	5.72	7.42	.06				
85	3318		70	4.22	6.93	.06				
86	3319		10	.57	.60	.05				
87	3320		21	1.32	1.34	.33				
88	3321		19	.24	.36	.28				
89	3322		11	.16	.13	.32				
90	3323		14	.39	.14	.41				
91	3324		10	.21	.14	.22				
92	3325		4	.49	.66	.41				
93	3326		2	.20	.14	.26				
94	3327		100	11.54	.57	.34				
95	3328		224	23.23	1.88	.19				
96	3329		25	2.88	.80	.58				
97	3330		7	.77	1.20	.21				
98	3331		8	.56	.21	.28				
99	3332		2	.52	.45	.05				
100	V 3333		10	1.44	2.81	.06				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAS for RGS

Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2377

Date October 29, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
101	V 3351	.34	-	-	-	.27				
102	3352	Tr	-	-	-	.07				
103	3355	.55	-	-	-	Tr				
104	3356	.69	-	-	-	Tr				
105	3357	Tr	-	-	-	.12				
106	3358	Tr	-	-	-	.05				
V-47-R 107	3359	Tr	-	-	-	.09				
108	3360	Tr	-	-	-	.13				
109	3361	Tr	-	-	-	.41				
110	3362	Tr	-	-	-	.34				
111	3363	Tr	-	-	-	.37				
112	V 3364	Tr	-	-	-	.10				
	Repeats:									
	V 3330 47-R		7	.77	1.21	.19				
	3241 45-R		49	3.62	7.89	.12				
	3261 321		79	5.36	7.38	.10				
	3250 "		23	1.57	2.30	.33				
	3301 47-R		45	3.30	3.87	.05				
	V 3315 "		30	1.42	2.78	.05				

NOTE:
Rejects retained three weeks.
Pulps retained three months unless otherwise arranged.

Tr denotes "trace"

DAB for RGB

Registered Assayer, Province of British Columbia

DDH 87-47-R (2 of 8)

Cyprus Anvil Mining Corp.
Geochemical Log (Sampler's Copy)

Page ____ of ____
Logged By: LWM
Sampled By: ____

Code	From	To	Sample No.	Description		
1	10 14	16 20	22 27	UNIT	LENGTH	REC.
P	1/1/10 6	1/1/50	V1 13119	4A0	4.4	4.1
P	1/1/50	1/2100	V1 13210	4A0	5.0	5.0
P	1/2100	1/2150	V1 13301	4A0	5.0	5.0
P	1/2150	1/3100	V1 13302	4A0	5.0	5.0
P	1/3100	1/3330	V1 13303	4A0	3.0	3.0
P	1/3330	1/3180	V1 13304	4G0	5.0	5.0
P	1/3180	1/4130	V1 13305	4EFK	5.0	5.0
P	1/4130	1/4180	V1 13306	468/E	5.0	5.0
P	1/4180	1/5100	V1 13307	468	2.0	2.0
P	1/5100	1/5180	V1 13308	4L37	8.0	8.0
P	1/5180	1/6108	V1 13309	468	2.8	2.8
P	1/6108	1/6A1	V1 13310	4L0	3.3	3.3
P	1/6A1	1/7105	V1 13311	4E0	6.4	6.4
P	1/7105	1/7A5	V1 13312	468	4.0	4.0
P	1/7A5	1/7185	V1 13313	468	4.0	4.0
P	1/7185	1/8335	V1 13314	4E/5D	5.0	5.0
P	1/8335	1/8185	V1 13315	4E0	5.0	5.0
P	1/8185	1/9130	V1 13316	468	4.5	4.5
P	1/9130	1/9180	V1 13317	468	5.0	5.0
P	1/9180	2/0385	V1 13318	468	5.8	5.8
P	2/0385	2/0667	V1 13319	4L1	2.9	2.9
P	2/0667	2/1255	V1 13320	4E8	5.8	5.8
P	2/1255	2/1800	V1 13321	4C0	5.5	5.5
P	2/1800	2/2330	V1 13322	4C0	5.0	5.0
P	2/2330	2/2900	V1 13323	4CC	6.0	6.0
P	2/2900	2/3500	V1 13324	4C0	6.0	6.0
P	2/3500	2/4100	V1 13325	4C0	6.0	6.0
P	2/4100	2/4700	V1 13326	4C0	6.0	6.0
P	2/4700	2/5130	V1 13327	4C0	6.0	6.0
P	2/5130	2/5600	V1 13328	4C0	3.0	3.0
P	2/5600	2/6230	V1 13329	4C0	6.0	6.0
P	2/6230	2/6800	V1 13330	4C8	6.0	6.0
P	2/6800	2/7200	V1 13331	4C8	4.0	4.0
P	2/7200	2/7800	V1 13332	4C8	6.0	6.0
P	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

278.0 282.5 3333 4C8 4.5

C KENT

DDH 84-AZ-R-2 (8)

Cyprus Anvil Mining Corp.

Geochemical Log (Sampler's Copy)

Page ____ of ____

Logged By: ____

Sampled By: ____

Code	From	To	Sample No.	Description			
1	10 14	16 20	22 27	UNIT	LENGTH	REC	
P	12812.5	12818.0	V1 132913	9D07	5.5	5.5	
P	12818.0	12894.0	V1 132914	4CO	6.0	6.0	
P	12894.0	13000	V1 132915	4CO	6.0	6.0	
P	13000	13060	V1 132916	4CO	6.0	6.0	
P	13060	13120	V1 132917	4LO	6.0	6.0	Cu, Au only
P	13120	13180	V1 132918	4LO	6.0	6.0	" " "
P	13180	13240	V1 132919	4LO	6.0	6.0	" " "
P	13240	13290	V1 13300	4LO	5.0	5.0	" " "
P	13290	13340	V1 133151	4LO	5.0	5.0	" " "
P	13340	13380	V1 133152	4LO	4.0	4.0	" " "
P	13840	13900	V1 133153	4LO	6.0	6.0	Cu, Au only
P	13900	13960	V1 133154	4LO	6.0	6.0	" " "
P	13960	A1020	V1 133155	4LO	6.0	6.0	" " "
P	A1020	A1080	V1 133156	4LO	6.0	6.0	" " "
P	A1080	A1140	V1 133157	4LO	6.0	6.0	" " "
P	A1140	A1200	V1 133158	4LO	6.0	5.8	" " "
P	A1200	A1260	V1 133159	4LO	6.0	5.6	" " "
P	A1260	A1320	V1 133160	4LO	6.0	6.0	" " "
P	A1320	A1380	V1 133161	4LO	6.0	6.0	" " "
P	A1380	A1440	V1 133162	4LO	6.0	6.0	" " "
P	A1440	A1500	V1 133163	4LO	6.0	6.0	" " "
P	A1500	A1580	V1 133164	4LO	8.0	8.0	" " "

V-49-R

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
1164	130.0	135.0	5.0	28.0		1.70	2.36	4.06		0.17							4E/4L
1165	135.0	140.0	5.0	14.0		0.57	0.70	1.27		0.07							4A/4L
1166	140.0	145.0	5.0	36.0		1.44	0.87	2.31		0.07							4L4
1167	145.0	150.0	5.0	34.0		0.98	0.41	1.39		0.22							4E1
1168	150.0	154.6	4.6	60.0		3.85	6.89	10.74		0.17							4D/4G
1169	238.9	240.4	1.5	149.0		5.32	7.88	13.20		0.29							4K6
1170	378.2	384.0	5.8	8.0		0.37	0.81	1.18		0.19							4A0
1171	384.0	389.0	5.0	44.0		2.34	3.02	5.36		0.04							4A0
1172	389.0	394.0	5.0	6.0		0.53	0.67	1.20		0.08							4A0
1173	394.0	399.0	5.0	19.0		1.30	0.93	2.23		0.11							4A0
1174	399.0	404.0	5.0	21.0		1.45	2.17	3.62		0.11							4A0
1175	404.0	409.0	5.0	7.0		0.43	0.59	1.02		0.05							4A0
1176	409.0	414.0	5.0	5.0		0.13	0.19	0.32		0.08							4A0
1177	414.0	420.0	6.0	7.0		0.16	0.13	0.29		0.08							4A0
1178	420.0	426.0	6.0	5.0		0.20	0.21	0.41		0.08							4A0
1179	426.0	432.0	6.0	18.0		1.10	0.91	2.01		0.08							4A0
1180	432.0	438.0	6.0	41.0		2.78	5.21	7.99		0.03							4A0
1181	438.0	444.0	6.0	19.0		1.20	1.37	2.57		0.08							4A/4C
1182	444.0	450.0	6.0	6.0		0.25	0.46	0.71		0.17							4C0
1183	450.0	456.0	6.0	5.0		0.24	0.32	0.56		0.10							4C0
1184	456.0	462.0	6.0	8.0		0.34	0.85	1.19		0.10							4C/4A
1185	462.0	468.0	6.0	13.0		0.75	1.27	2.02		0.06							5A/4C
1186	468.0	474.0	6.0	18.0		1.42	1.43	2.85		0.06							4C7
1187	474.0	479.5	5.5	7.0		0.25	0.17	0.42		0.06							4C7

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation,
330 - 355 Burrard St.,
Vancouver, B. C. V6C 2G8 Attention: Dr. G. Simpson

Certificate No. K-2230
Date September 4, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1	V 1171		44	2.34	3.02	.04				
2	1172		6	.53	.67	.08				
3	1173		19	1.30	.93	.11				
4	1174		21	1.45	2.17	.11				
5	1175		7	.43	.59	.05				
6	1176		5	.13	.19	.08				
7	1177		7	.16	.13	.08				
8	1178		5	.20	.21	.08				
9	1179		18	1.10	.91	.08				
10	1180		41	2.78	5.21	.03				
11	1181		19	1.20	1.37	.08				
12	1182		6	.25	.46	.17				
13	1183		5	.24	.32	.10				
14	1184		8	.34	.85	.10				
15	1185		13	.75	1.27	.06				
16	1186		18	1.42	1.43	.06				
17	1187		7	.25	.17	.06				
18	1188		22	2.18	2.76	.05				
19	1189		4	.28	.23	.01				
20	V 1190		13	1.17	1.09	.04				

V-49-R

V-312

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

DAS for RJS
Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2230

Date September 4, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
21	V 1191		38	2.20	2.74	.11				
22	1192		44	3.01	6.80	.04				
23	1193		25	1.64	3.29	.09				
24	1194		19	.84	.57	.09				
V312 25	1195		19	1.23	1.62	.04				
26	1196		57	3.82	6.74	.03				
27	1197		17	.48	.40	.11				
28	V 1198		19	1.18	1.76	.07				
	Repeats: V 1185 49		12	.76	1.28	.06				
	V 1197 3,12		16	.48	.39	.11				
	Standards: MP-1		58	-	15.52	-				
	Tails		-	.48	.96	.06				
	100		95	5.47	9.01	.05				
	200		82	4.97	6.69	.07				
	300		40	-	4.44	.02				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

c.c. Mr. Darryl Hanson

DAB for RGS
Registered Assayer, Province of British Columbia

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2220

Date August 29, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
21	V 1099		2	Tr	.09	.07				
22	1100		3	.05	.14	.49				
V-63 23	1101		7	.02	.06	.88				
24	1102		6	.01	.07	.98				
25	1103		14	.03	.08	.38				
26	1151 *		66	4.47	4.41	.37				
27	1152		3	.21	.55	.04				
28	1153		7	.11	.59	.12				
29	1154		6	.14	.57	.11				
V-309 30	1155		11	.41	1.44	.17				
31	1156		7	.33	.35	.11				
32	1157		13	.42	.39	.18				
33	1158		61	4.77	7.46	.25				
34	1159		31	1.82	2.51	.31				
V-311 35	1160		29	1.91	2.20	.39				
36	1161		27	1.30	1.93	.35				
37	1162		19	.82	1.14	.65				
38	1163		6	.22	.34	.15				
39	1164		28	1.70	2.36	.17				
V-49 40	V 1165		14	.57	.70	.07				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

Tr denotes "trace"

K.B. Blundell
Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.
2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2220

Date August 29, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-49 41	V 1166		36	1.44	.87	.07				
42	1167		34	.98	.41	.22				
43	1168		60	3.85	6.89	.17				
44	1169		149	5.32	7.88	.29				
45	V 1170		8	.37	.81	.19				
	Repeats:									
	V 1155 309		10	.42	1.41	.16				
	1168 49		59	3.85	6.89	.16				
	0741 309		58	4.26	8.05	.11				
	V 1100 63		3	.05	.15	.49				
	Standards:									
	MP1		58	1.70	15.63	-				
	Tails		-	.44	.96	.14				
	100		95	5.54	9.31	.10				
	200		82	5.02	6.68	.14				
	300		40	2.23	4.29	.04				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

c.c. Mr. Darryl Hanson

R.A. Blundell
Registered Assayer, Province of British Columbia

DDH V-49-R (2 / 8)

Cyprus Anvil Mining Corp.
Geochemical Log (Sampler's Copy)

Page _____ of _____
Logged By: _____
Sampled By: _____

Code	From	To	Sample No.	Description		
1	10 14	16 20	22 27	UNIT	LENGTH	REC.
L	1310	1350	111164	4E/4L	5.0	5.0
L	1350	1410	111165	4A/4L	5.0	3.8
L	1410	1450	111166	4L4	5.0	2.8
L	1450	1510	111167	4E1	5.0	5.0
L	1510	1514	111168	4D/4G	4.6	4.6
L	12389	12404	111169	4K6	1.5	1.5
L	37182	38140	111170	4A0	5.8	5.8
L	38140	38190	111171	4A0	5.0	5.0
L	38190	39140	111172	4A0	5.0	5.0
L	39140	39190	111173	4A0	5.0	5.0
L	39190	40140	111174	4A0	5.0	5.0
L	40940	40190	111175	4A0	5.0	5.0
L	40990	41140	111176	4A0	5.0	5.0
L	41140	41210	111177	4A0	5.0	6.0
L	41210	41260	111178	4A0	5.0	6.0
L	41260	41320	111179	4A0	6.0	6.0
L	41320	41380	111180	4A0	6.0	6.0
L	41380	41440	111181	4A/4C	6.0	6.0
L	41440	41510	111182	4C0	6.0	6.0
L	41510	41560	111183	4C0	6.0	6.0
L	41560	41620	111184	4C/4A	6.0	6.0
L	41620	41680	111185	5A/4C	6.0	6.0
L	41680	41740	111186	4C7	6.0	6.0
L	41740	41795	111187	4C7	5.5	5.5

V-50-R

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research & Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
1401	112.0	114.0	2.0	41.0		4.09	5.84	9.93		0.10							4G4
1402	114.0	119.0	5.0	33.0		4.61	4.16	8.77		0.13							4E8
1403	119.0	124.5	5.5	57.0		5.42	5.34	10.76		0.07							4E8
1404	124.5	131.5	7.0	52.0		5.86	8.80	14.66		0.05							4E1?
1405	131.5	137.0	5.5	111.0		7.85	7.31	15.16		0.07							4G4
1406	137.0	142.0	5.0	88.0		6.54	6.77	13.31		0.08							4G4
1407	142.0	147.0	5.0	96.0		6.42	7.52	13.94		0.10							4G4
1408	147.0	152.0	5.0	86.0		6.02	8.49	14.51		0.05							4G4
1409	152.0	157.1	5.1	92.0		6.63	8.92	15.55		0.05							4G4
1410	157.1	159.9	2.8	11.0		1.13	2.00	3.13		0.02							4L3
1411	159.9	164.0	4.1	56.0		5.79	8.56	14.35		0.08							4G4
1412	164.0	169.0	5.0	58.0		6.15	9.47	15.62		0.07							4G4
1413	169.0	174.0	5.0	72.0		6.96	10.24	17.20		0.03							4G4
1414	174.0	177.1	3.1	44.0		5.02	8.44	13.46		0.02							4G4
1415	177.1	181.1	4.0	38.0		3.84	6.05	9.89		0.15							4GE
1416	181.1	185.0	3.9	45.0		3.60	3.05	6.65		0.25							4GE
1417	185.0	187.0	2.0	41.0		2.14	3.91	6.05		0.27							4A4
1418	187.0	192.0	5.0	7.0		0.25	0.54	0.79		0.07							4L6
1419	222.6	226.1	3.5	44.0		5.00	6.65	11.65		0.06							4GE
1420	226.1	232.0	5.9	55.0		5.94	7.59	13.53		0.04							4E4
1421	232.0	237.0	5.0	20.0		2.01	3.48	5.49		0.06							4LA

GEOCHEMICAL LOG

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
1422	242.4	247.0	4.6	97.0		6.08	9.52	15.60		0.06							4G4
1423	247.0	251.5	4.5	58.0		5.82	7.73	13.55		0.10							4GE
1424	251.5	257.0	5.5	31.0		3.28	4.44	7.72		0.23							4E8
1425	257.0	262.0	5.0	34.0		2.02	2.80	4.82		0.28							4E8
1426	262.0	267.0	5.0	44.0		3.27	3.46	6.73		0.33							4E8
1427	267.0	272.0	5.0	30.0		2.95	3.33	6.28		0.26							4E8
1428	272.0	275.5	3.5	46.0		3.05	4.26	7.31		0.24							4E8
1429	275.5	279.6	4.1	21.0		0.15	0.12	0.27		0.44							4E8
1430	493.4	497.8	4.4	51.0		2.70	4.63	7.33		0.13							4D0
1431	511.0	514.6	3.6	35.0		1.73	2.30	4.03		0.14							4C0
1432	514.6	516.6	2.0	18.0		0.72	0.40	1.12		0.25							4H1
1433	516.6	520.0	3.4	2.0		0.13	0.10	0.23		0.04							4A0

Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation,
330 - 355 Burrard St.,
Vancouver, B. C. V6C 2G8 Attention: Dr. G. Simpson

Certificate No. K-2288
Date September 29, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1	V 1393		19	.60	.56	.18				
2	1394		5	.09	.28	.11				
3	1395		Tr	.08	.07	.07				
V-26-R 4	1396		4	.27	.27	.09				
5	1397		2	.23	.61	.14				
6	1398		6	.47	.71	.18				
7	1399		4	.61	1.73	.19				
8	1400		4	.30	.76	.14				
9	1401		41	4.09	5.84	.10				
10	1402		33	4.61	4.16	.13				
11	1403		57	5.42	5.34	.07				
J-50-R 12	1404		52	5.86	8.80	.05				
13	1405		111	7.85	7.31	.07				
14	1406		88	6.54	6.77	.08				
15	1407		96	6.42	7.52	.10				
16	1408		86	6.02	8.49	.05				
17	1409		92	6.63	8.92	.05				
18	1410		11	1.13	2.00	.02				
19	1411		56	5.79	8.56	.08				
20	V 1412		58	6.15	9.47	.07				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2288

Date September 29, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

V-50-R

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
21	V 1413		72	6.96	10.24	.03				
22	1414		44	5.02	8.44	.02				
23	1415		38	3.84	6.05	.15				
24	1416		45	3.60	3.05	.25				
25	1417		41	2.14	3.91	.27				
26	1418		7	.25	.54	.07				
27	1419		44	5.00	6.65	.06				
28	1420		55	5.94	7.59	.04				
29	1421		20	2.01	3.48	.06				
30	1422		97	6.08	9.52	.06				
31	1423		58	5.82	7.73	.10				
32	1424		31	3.28	4.44	.23				
33	1425		34	2.02	2.80	.28				
34	1426		44	3.27	3.46	.33				
35	1427		30	2.95	3.33	.26				
36	1428		46	3.05	4.26	.24				
37	1429		21	.15	.12	.44				
38	1430		51	2.70	4.63	.13				
39	1431		35	1.73	2.30	.14				
40	V 1432		18	.72	.40	.25				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2288

Date September 29, 1979.

Vangorda

I hereby certify that the following are the results of assays made by us upon the herein described drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-50-R 41	1433		2	.13	.10	.04				
42	1434		19	1.76	3.20	.06				
43	1435		20	1.19	2.68	.02				
44	1436		12	.83	1.75	.03				
45	1437		13	.66	.63	.10				
46	1438		9	.38	.77	.12				
V-60-R 47	1439		49	2.95	5.38	.04				
48	1440		48	3.66	6.57	.09				
49	1441		14	2.56	2.67	.05				
50	1442		4	.65	1.48	.04				
51	1443		25	1.52	2.23	.28				
52	1444		10	.63	.67	.19				
53	1445		8	.26	.23	.22				
54	1446		14	.10	.13	.31				
55	1447		2	.03	.86	.07				
56	1448		14	.05	.29	.19				
57	1449		8	.08	.55	.23				
58	1450		1	.02	.70	.06				
59	1451		8	.03	.40	.26				
60	V 1452		19	.08	.15	.34				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

B.A. Blundell

Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2288

Date September 29, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD Ounces Per Ton	SILVER g/tonne	Pb Percent	Zn Percent	Cu Percent				
							Percent	Percent	Percent	Percent
61	V 1453		15	.10	.15	.32				
62	1454		10	.05	.14	.23				
V-60-R 63	1455		4	.08	.23	.05				
64	1456		11	1.02	1.22	.17				
65	V 1457		10	.80	.96	.17				
	Repeats:									
	V 1405 50—		110	7.91	7.34	.06				
	1435 60		20	1.20	2.73	.02				
	1402 50—		35	4.59	4.16	.14				
	V 1446 60		12	.10	.12	.31				
	Standards:									
	MP-1		57	1.79	15.96	-				
	RU-1		-	-	2.26	-				
	100		93	5.53	8.98	.107				
	200		81	4.89	6.66	.152				
	300		40	2.28	4.43	.02				

NOTE:
Rejects retained three weeks.
Pulps retained three months unless otherwise arranged.

c.c. Mr. Darrel Hanson

B.G. Blundell
Registered Assayer, Province of British Columbia

DDH V-50-2 (2 / 8)

Cyprus Anvil Mining Corp.
Geochemical Log (Sampler's Copy)

Page ____ of ____
Logged By: DJH
Sampled By: ____

Code	From	To	Sample No.	Description		
1	10 14	15 20	22 27	UNIT	LENGTH	REC
D	1/1 6 0	1/1 4 0	1 1/4 01 1	464	2.0	2.0
D	1/1 9 0	1/1 3 0	1 1/4 10 2	4E8	5.0	5.0
D	1/1 9 0	1/2 4 5	1 1/4 10 3	4E8	5.5	5.5
D	1/2 4 5	1/3 1 5	1 1/4 10 4	4E1?	7.0	4.9
D	1/3 1 5	1/3 7 0	1 1/4 10 5	464	5.5	5.5
D	1/3 7 0	1/4 2 0	1 1/4 10 6	464	5.0	5.0
D	1/4 2 0	1/4 7 0	1 1/4 10 7	464	5.0	5.0
D	1/4 7 0	1/5 2 0	1 1/4 10 8	464	5.0	5.0
D	1/5 2 0	1/5 7 1	1 1/4 10 9	464	5.1	5.1
D	1/5 7 1	1/5 9 9	1 1/4 11 0	4L3	2.8	2.8
D	1/5 9 9	1/6 4 0	1 1/4 11 1	464	4.1	4.1
D	1/6 4 0	1/6 9 0	1 1/4 11 2	464	5.0	5.0
D	1/6 9 0	1/7 4 0	1 1/4 11 3	464	5.0	5.0
D	1/7 4 0	1/7 7 1	1 1/4 11 4	464	3.1	3.1
D	1/7 7 1	1/8 1 1	1 1/4 11 5	46E	4.0	4.0
D	1/8 1 1	1/8 5 0	1 1/4 11 6	46E	3.9	3.9
D	1/8 5 0	1/8 7 0	1 1/4 11 7	4A4	2.0	2.0
D	1/8 7 0	1/9 2 0	1 1/4 11 8	4L6	5.0	5.0
D	12 12 6	12 6 1	1 1/4 11 9	46E	3.5	3.5
D	12 6 1	13 1 2 0	1 1/4 12 0	4E4	5.9	5.9
D	13 1 2 0	13 7 0	1 1/4 12 1	4L4	5.0	5.0
~~D~~	~~12 3 4 9~~	~~12 3 7 0~~		~~44~~		
~~D~~	~~12 3 7 0~~	~~12 4 2 0~~		~~4L0~~		
D	12 4 2 4	12 4 7 0	1 1/4 12 2	464	4.6	4.6
D	12 4 7 0	12 5 1 5	1 1/4 12 3	46E	4.5	4.5
D	12 5 1 5	12 5 7 0	1 1/4 12 4	4E8	5.5	5.5
D	12 5 7 0	12 6 2 0	1 1/4 12 5	4E8	5.0	5.0
D	12 6 2 0	12 6 7 0	1 1/4 12 6	4E8	5.0	5.0
D	12 6 7 0	12 7 2 0	1 1/4 12 7	4E8	5.0	5.0
D	12 7 2 0	12 7 5 5	1 1/4 12 8	4E8	3.5	3.4
D	12 7 5 5	13 3 9 6	1 1/4 12 9	4E8	4.1	4.1
D	14 9 3 4	14 9 7 6	1 1/4 13 0	4D0	4.4	4.4

02

DDH V-50-R

Cyprus Anvil Mining Corp.

Geochemical Log (Sampler's Copy)

Page ____ of ____

Logged By: DJH

Sampled By: ____

From	To	Sample No.	Description
1 10 14	15 20	22 27	UNIT LENGTH REC
2 5120	5116	1 1 4 3 1	4CO 3.6 3.6
2 5116	5116	1 1 4 3 2	4H1 2.0 2.0
2 5116	5200	1 1 4 3 3	4AO 3.4 3.4

V-53-R

DDH V-53 B (2 / 5)

Cyprus Anvil Mining Corp.

Geochemical Log (Sampler's Copy)

Page ____ of ____

Logged By: [illegible]

Sampled By: ____

Code	From	To	Sample No.	Description		
1	10 14	16 20	23 27			
D	1858	1871	13587	[illegible]	0.5	
P	1871	1876	13588	[illegible] X	2.5	
P	1876	1885	13589	[illegible]	0.9	
D	1885	1890	13590	[illegible]	1.3	
P	1890	1895	13591	4LD	5.2	
P	1895	1900	13592	4LD	4.3	
P	1900	1905	13593	4LD	5.0	
P	1905	1910	13594	4LD	5.0	
P	1910	1915	13595	4LD	6.5	
P	1915	1920	13596	4LD	5.0	
P	1920	1925	13597	4LD X	4.5	
P	1925	1930	13598	4L67	5.7	Cu Mo Only
P	1930	1935	13599	4L67	6.0	Cu Mo Only
P	1935	1940	13600	4L67	6.0	Cu Mo Only
P	1940	1945	13601	4LD	4.5	
P	1945	1950	13602	4HD	4.7	2.8
D	1950	1955	13603	4HD	5.0	4.9
P	1955	1960	13604	4LE5 X	5.0	5.0
P	1960	1965	13605	4E86	5.0	4.0
D	1965	1970	13606	4E86	5.0	5.0
P	1970	1975	13607	4AD	7.0	7.0

V-055-R

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
567	28.0	40.0	12.0	21.0		0.99	2.51	3.50		0.06							4E1
568	40.0	54.3	14.3	27.0		1.57	1.87	3.44		0.53							4C8
569	54.3	59.0	4.7	62.0		5.06	6.19	11.25		0.18							4D8
570	59.0	64.0	5.0	12.0		0.27	0.76			0.41							4C8
571	64.0	69.0	5.0	12.0		0.21	0.72			0.31							4C8
572	69.0	74.0	5.0	14.0		0.34	0.80			0.34							4C8
573	74.0	79.0	5.0	12.0		0.44	1.42			0.36							4C8
574	79.0	84.0	5.0	11.0		0.18	0.74			0.32							4C8
575	84.0	89.0	5.0	7.0		0.09	0.34			0.41							4C8
576	89.0	94.0	5.0	5.0		0.06	0.23			0.30							4C8
577	94.0	98.0	4.0	5.0		0.15	0.57			0.27							4C8
533	202.8	207.8	5.0	14.0		0.87	0.69			0.12							4A0
534	207.8	217.8	10.0	6.0		0.20	0.31			0.10							4A0
536	217.8	223.5	5.7	4.0		0.06	0.14			0.12							4A0
537	223.5	228.7	5.2	42.0	43.0	2.59	4.45	7.04	3.13	0.12	3.34	.020	2.80	11.5	.002	0.26	4D0
538	228.7	233.7	5.0	41.0	40.0	2.38	3.35	5.73	2.99	0.10	1.10	TR	2.20	7.8	.002	0.21	4A0
539	233.7	238.7	5.0	36.0	31.0	2.30	4.89	7.19	3.39	0.06	0.35	.008	1.90	14.9	.004	0.22	4A0
540	238.7	243.7	5.0	27.0	26.0	2.72	4.92	7.64	3.15	0.05	1.08	TR	1.60	11.0	.002	0.14	4A0
541	243.7	248.7	5.0	17.0	15.0	1.31	1.05	2.36	2.81	0.09	1.39	TR	0.70	7.6	.001	0.08	4A0
542	248.7	251.0	2.3	13.0	12.0	2.08	2.39	4.47	2.71	0.02	0.81	TR	0.90	5.0	.001	0.10	4A0
543	251.0	256.0	5.0	27.0	24.0	2.88	6.04	8.92	2.97	0.04	0.86	TR	1.80	7.9	.001	0.14	4DA
544	256.0	261.0	5.0	38.0	34.0	2.26	3.65	5.91	3.53	0.12	1.58	.003	2.70	16.2	.002	0.22	4DA
545	261.0	266.0	5.0	16.0		0.78	1.70	2.48		0.12							4DA
546	266.0	268.5	2.5	17.0		1.30	3.52	4.82		0.09							4DA

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2144

Date August 27, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent		Percent
41	V 0503	.011	58	.11	34.0	1.3	.003	.48	4.39	
42	0504	.018	65	.10	33.0	1.3	.004	3.03	4.46	
V-115 43	0505	.005	107	.21	13.2	2.2	.007	23.95	4.41	
44	0506	.005	69	.37	10.7	3.9	.005	25.97	4.07	
45	0507	.009	82	2.01	7.8	21.1	.002	3.54	3.73	
46	0508	.004	43	1.20	9.2	16.0	.002	1.22	3.52	
47	0537	.02	43	.26	11.5	2.8	.002	3.34	3.13	
48	0538	Tr	40	.21	7.8	2.2	.002	1.10	2.99	
49	0539	.008	31	.22	14.9	1.9	.004	.35	3.39	
50	0540	Tr	26	.14	11.0	1.6	.002	1.08	3.15	
V-055 51	0541	Tr	15	.08	7.6	.7	.001	1.39	2.81	
52	0542	Tr	12	.10	5.0	.9	.001	.81	2.71	
53	0543	Tr	24	.14	7.9	1.8	.001	.86	2.97	
54	0544	.003	34	.22	16.2	2.7	.002	1.58	3.53	
55	0553	Tr	23	.17	3.6	4.5	.001	.63	2.67	
56	0554	.004	91	.26	10.7	2.5	.004	27.33	4.24	
V-115 57	0555	.005	103	1.07	8.9	9.2	.005	20.02	4.25	
58	0556	.012	100	.65	11.9	5.5	.004	19.02	4.24	
59	0557	.01	91	.70	12.9	6.6	.004	19.97	4.37	
60	V 0558	.012	109	1.70	5.4	23.2	.002	4.71	4.20	

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

.....
Registered Assayer, Province of British Columbia

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. 2120

Date July 12, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	gm/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
41	V 0521		8	.04	.29	.18				
42	0522		23	.07	.31	.32				
43	0523		11	.05	.08	.29				
44	0524		13	.01	.12	.27				
45	0525		10	.06	.23	.24				
46	0526		4	.10	.12	.05				
47	0527		6	.31	.68	.08				
48	0528		6	.09	.22	.08				
49	0529		11	.20	.36	.10				
50	0530		11	.09	.34	.12				
V-115										
51	0531		4	.07	.20	.05				
52	0532		2	Tr	.12	.01				
055 53	0533		14	.87	.69	.12				
54	0534		6	.20	.31	.10				
55	0536		4	.06	.14	.12				
V-055 56	0537		42	2.59	4.45	.12				
57	0538		41	2.38	3.35	.10				
58	0539		36	2.30	4.89	.06				
59	0540		27	2.72	4.92	.05				
60	V 0541		17	1.31	1.05	.09				

NOTE: Tr denotes "trace"
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R.G. Blendell
Registered Assayer, Province of British Columbia

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2120

Date July 12, 1979

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	gm/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
61	V 0542		13	2.08	2.39	.02				
62	0543		27	2.88	6.04	.04				
V-055-A 63	0544		38	2.18	3.60	.12				
64	0545		16	.78	1.70	.12				
65	0546		17	1.30	3.52	.09				
66	0551		14	.71	.87	.17				
67	0552		16	.87	1.14	.10				
68	0553		25	1.63	3.38	.05				
69	0554		83	4.96	7.05	.05				
70	0555		100	6.85	7.62	.08				
V11-5 71	0556		104	8.19	6.73	.07				
72	0557		99	6.79	7.65	.04				
73	0558		115	9.65	7.36	.20				
74	0559		98	8.82	6.51	.10				
75	0560		89	6.05	4.72	.04				
76	0561		71	5.26	5.70	.17				
77	0562		34	1.98	6.07	.03				
78	0563		100	5.57	9.06	.05				
79	0564		105	8.49	10.60	.10				
80	V 0565		60	3.64	7.41	.08				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R.V. Blundell
Registered Assayer, Province of British Columbia

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2120

Date July 12, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	gm/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V115 81	V 0566		62	3.28	7.63	.09				
82	0567		21	.99	2.51	.60				
83	0568		27	1.57	1.87	.53				
84	0569		62	5.06	6.19	.18				
85	0570		14	.25	.72	.41				
86	0571		12	.21	.72	.31				
87	0572		14	.34	.80	.34				
055 88	0573		12	.44	1.42	.36				
89	0574		11	.18	.74	.32				
90	0575		7	.09	.34	.41				
91	0576		5	.06	.23	.30				
92	V 0577		5	.15	.57	.27				
	R V 0529		11	.25	.35	.1				
055	R V 0544		38	2.26	3.65	.12				
V	R V 0570		12	.27	.76	.41				
	Std. MP-1		59	2.02	-	-				
	KC-1		-	7.06	-	.12				
	RU-1		-	-	2.2	.85				
	100		88	5.40	8.92	.10				
	200		84	4.86	6.60	.15				
	300		43	2.27	4.28	.04				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

c.c. Mr. S. Buziak

R. G. Bleasdell
Registered Assayer, Province of British Columbia

DDH V-055-C / V-055-R

Cyprus Anvil Mining Corp.

Geochemical Log (Sampler's Copy)

Page ____ of ____

Logged By: TH

Sampled By: ____

Code	From	To	Sample No.	Description		
	10 14	16 20	22 27	REC.	Length	Unit
L	1 1218 0	1 1400	V 101516 17	2'	12	4E1
L	1 1400	1 1543	V 101516 18	5.5'	14.3	4C8
L	1 1543	1 1590	V 101516 19	4.7'	4.7	4D8
L	1 1590	1 1640	V1 101517 0	5'	5.0	4C8
L	1 1640	1 1690	V1 101517 1	4.8'	5.0	4C8
L	1 1690	1 1740	V1 101517 2	4.9'	5.0	4C8
L	1 1740	1 1790	V1 101517 3	5'	5.0	4C8
L	1 1790	1 1840	V1 101517 4	5'	5.0	4C8
L	1 1840	1 1890	V1 101517 5	5'	5.0	4C8
L	1 1890	1 1940	V1 101517 6	5'	5.0	4C8
L	1 1940	1 1980	V1 101517 7	4'	4.0	4C8
L	12 1012 8	12 1078	1 1 5133	5.	5.0	4A0
L	12 1078	12 1178	1 1 5134	8.2'	10.0	4A0
L	12 1178	12 1235	1 1 5136	5'	5.7	4A0
L	12 1235	12 1287	1 1 5137	5'	5.2	4D0
L	12 1287	12 1337	1 1 5138	5'	5.0	4A0
L	12 1337	12 1387	1 1 5139	5'	5.0	4A0
L	12 1387	12 1437	1 1 5140	5'	5.0	4A0
L	12 1437	12 1487	1 1 5141	5'	5.0	4A0
L	12 1487	12 1510	1 1 5142	2.3'	2.3	4A0
L	12 1510	12 1560	1 1 5143	5'	5.0	4DA
L	12 1560	12 1610	1 1 5144	5'	5.0	4DA
L	12 1610	12 1660	1 1 5145	4.7'	5.0	4DA
L	12 1660	12 1685	1 1 5146	2.5'	2.5	4DA

V-57-R

V-57-R

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
1243	137.0	142.0	5.0	7.0		0.58	0.90	1.48		0.08							5A9
1244	142.0	147.9	5.9	46.0		4.19	3.80	7.99		0.23							4H/4E/4K
1245	240.5	245.5	5.0	14.0		1.15	0.42	1.57		0.12							4A0
1246	245.5	246.5	1.0	8.0		0.45	0.37	0.82		0.06							4C9
1247	282.0	287.0	5.0	36.0		2.35	1.35	3.70		0.21							4A9
1248	287.0	293.5	6.5	19.0		1.16	1.01	2.17		0.18							4A9
1249	293.5	295.8	2.3	37.0		2.21	1.79	4.00		0.18							4C/4D
1250	402.0	408.2	6.2	23.0		0.98	0.87	1.85		0.08							4A/4E
1301	464.9	473.8	8.9	11.0		0.43	0.99	1.42		0.13							4A0

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation,
330 - 355 Burrard St.,
Vancouver, B. C. V6C 2G8 Attention: Dr. G. Simpson

Certificate No. K-2244
Date September 6, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

V-57-R

DY

79-X-11

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1	V 1243		7	.58	.90	.08				
2	1244		46	4.19	3.80	.23				
3	1245		14	1.15	.42	.12				
4	1246		8	.45	.37	.06				
5	1247		36	2.35	1.35	.21				
6	1248		19	1.16	1.01	.18				
7	1249		37	2.21	1.79	.18				
8	1250		23	.98	.87	.08				
9	1251		81	5.61	9.18	.04				
10	1252		29	1.91	3.60	.03				
11	1253		98	5.17	6.94	.15				
12	1254		36	1.78	2.76	.36				
13	1255		155	11.86	7.82	.12				
14	1256		105	7.24	5.00	.13				
15	1257		145	8.05	9.44	.20				
16	1258		53	2.56	.81	.26				
17	1259		99	7.36	8.45	.12				
18	1260		74	3.32	2.63	.22				
19	1261		100	7.26	8.79	.17				
20	V 1262		77	4.80	3.36	.17				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

B.A. Blundell
Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2244

Date September 6, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
21	V 1263		33	1.20	1.11	.48				
22	1264		95	6.02	6.27	.08				
23	1265		71	5.44	5.21	.09				
24	1266		35	3.23	2.16	.19				
25	1267		34	2.53	3.36	.51				
26	1268		28	1.77	3.48	.22				
27	1269		34	2.35	5.46	.19				
28	1301		11	.43	.99	.13				
29	1302		103	6.36	6.14	.19				
30	1303		4	.37	.56	.06				
31	1304		51	6.46	5.50	.16				
32	1305		10	.50	.82	.07				
33	1306		49	4.77	6.75	.23				
34	1307		17	1.28	1.42	.43				
35	1308		10	.34	.36	.34				
36	1309		13	.44	.74	.22				
37	1310		10	.22	.26	.30				
38	1311		2	.03	.02	.01				
39	1312		7	.05	.01	.25				
40	1313		8	.05	.01	.32				
41	V 1314		9	.04	.01	.32				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R. Blundell
Registered Assayer, Province of British Columbia

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2244

Date September 6, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
	Repeats:									
V-28-R	V 1305		11	.50	.82	.07				
SY 79-X-11	V 1265		73	5.26	5.07	.09				
V-51-R	V 1301		14	.44	.98	.13				
	V 1244		47	4.19	3.80	.23				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R.B. Blandell
Registered Assayer, Province of British Columbia

DDH 1-57-R (2 / 8)

Cyprus Anvil Mining Corp.
Geochemical Log (Sampler's Copy)

Page _____ of _____
Logged By: _____
Sampled By: JWM

Code	From	To	Sample No.	Description		
1	10 14	16 20	22 27	UNIT	LENGTH	REC.
P	1137 0	1142 0	V1 1 R143	5A9	5.0	5.0
P	1142 0	1147 9	V1 1 2144	4HEK	5.9	5.4
P	2410 5	2415 5	V1 1 2145	4A0	5.0	5.2
P	2415 5	2416 5	V1 1 2146	4C9	1.0	1.0
P	2820 0	2870 0	V1 1 2147	4A9	50	5.0
P	2870 0	2935	V1 1 2148	4A9	6.5	6.5
P	2935	2958	V1 1 2149	4CD	2.3	2.3
P	A102 0	A1022	V1 1 2510	4A-E	6.2	6.2
P	A164 9	A173 8	V1 1 3101	4A0	8.9	8.9

V-60-R

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research & Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
1434	126.5	131.5	5.0	19.0		1.76	3.20	4.96		0.06							4A0
1435	131.5	136.5	5.0	20.0		1.19	2.68	3.87		0.02							4A0
1436	136.5	141.6	5.1	12.0		0.83	1.75	2.58		0.03							4A0
1437	141.6	147.4	5.8	13.0		0.66	0.63	1.29		0.10							4C3
1438	147.4	153.4	6.0	9.0		0.38	0.77	1.15		0.12							4CA
1439	153.4	158.4	5.0	49.0		2.95	5.38	8.83		0.04							4A4
1440	158.4	163.4	5.0	48.0		3.66	6.57	10.23		0.09							4A4
1441	163.4	168.7	5.3	14.0		2.56	2.67	5.23		0.05							4A4
1442	168.7	174.2	5.5	4.0		0.65	1.48	2.13		0.04							4L3
1443	174.2	179.2	5.0	25.0		1.52	2.23	3.75		0.28							4A0
1444	179.2	185.3	6.1	10.0		0.63	0.67	1.30		0.19							4A0
1445	185.3	191.0	5.7	8.0		0.26	0.23	0.49		0.22							4C0
1446	191.0	197.6	6.6	14.0		0.10	0.13	0.23		0.31							4C0
1447	197.6	200.2	2.6	2.0		0.03	0.86	0.89		0.07							5D0
1448	200.2	205.2	5.0	14.0		0.05	0.29	0.34		0.19							4C0
1449	205.2	210.2	5.0	8.0		0.08	0.55	0.63		0.23							4C0
1450	210.2	215.3	5.1	1.0		0.02	0.70	0.72		0.06							4C0
1451	215.3	218.3	3.0	8.0		0.03	0.40	0.43		0.26							5D0
1452	218.3	222.3	4.0	19.0		0.08	0.15	0.23		0.34							4C0
1453	222.3	226.9	4.6	15.0		0.10	0.15	0.25		0.32							4C0
1454	226.9	228.7	1.8	10.0		0.05	0.14	0.19		0.23							4AE
1455	444.4	449.0	4.6	4.0		0.08	0.23	0.31		0.05							4A0
1456	449.0	454.0	5.0	11.0		1.02	1.22	2.24		0.17							4A0
1457	454.0	457.0	3.0	10.0		0.80	0.96	1.76		0.17							4A0

Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B C V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2288

Date September 29, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described drill core samples

Vangorda

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-50-R 41	1433		2	.13	.10	.04				
42	1434		19	1.76	3.20	.06				
43	1435		20	1.19	2.68	.02				
44	1436		12	.83	1.75	.03				
45	1437		13	.66	.63	.10				
V-60-R 46	1438		9	.38	.77	.12				
47	1439		49	2.95	5.38	.04				
48	1440		48	3.66	6.57	.09				
49	1441		14	2.56	2.67	.05				
50	1442		4	.65	1.48	.04				
51	1443		25	1.52	2.23	.28				
52	1444		10	.63	.67	.19				
53	1445		8	.26	.23	.22				
54	1446		14	.10	.13	.31				
55	1447		2	.03	.86	.07				
56	1448		14	.05	.29	.19				
57	1449		8	.08	.55	.23				
58	1450		1	.02	.70	.06				
59	1451		8	.03	.40	.26				
60	V 1452		19	.08	.15	.34				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2288

Date September 29, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
61	V 1453		15	.10	.15	.32				
62	1454		10	.05	.14	.23				
V-60-R 63	1455		4	.08	.23	.05				
64	1456		11	1.02	1.22	.17				
65	V 1457		10	.80	.96	.17				
	Repeats:									
	V 1405 50		110	7.91	7.34	.06				
	1435 60 X		20	1.20	2.73	.02				
	1402 50		35	4.59	4.16	.14				
	V 1446 60 X		12	.10	.12	.31				
	Standards:									
	MP-1		57	1.79	15.96	-				
	RU-1		-	-	2.26	-				
	100		93	5.53	8.98	.107				
	200		81	4.89	6.66	.152				
	300		40	2.28	4.43	.02				

NOTE:
Rejects retained three weeks.
Pulps retained three months unless otherwise arranged.

c.c. Mr. Darrel Hanson

R. G. Bloomfield
Registered Assayer, Province of British Columbia

DDH V-60-R (2 of 8)

Cyprus Anvil Mining Corp.

Geochemical Log (Sampler's Copy)

Page ____ of ____

Logged By: DJH

Sampled By: ____

Code	From	To	Sample No.	Description		
1	10 14	15 20	22 27	UNIT	LENGTH	REC.
P	1/216 5	1/316 5	1 1/2 13 14	4A0	5.0	2.8
P	1/316 5	1/416 5	1 1/4 13 15	4A0	5.0	5.0
P	1/416 5	1/516 6	1 1/4 13 16	4A0	5.1	5.1
P	1/516 6	1/617 4	1 1/4 13 17	453	5.2	5.2
P	1/617 4	1/518 4	1 1/4 13 18	4C4	6.0	6.0
P	1/518 4	1/518 4	1 1/4 13 19	4A4	5.0	5.0
P	1/518 4	1/613 4	1 1/4 14 10	4A4	5.0	5.0
P	1/613 4	1/618 7	1 1/4 14 11	4A4	5.3	5.3
P	1/618 7	1/714 2	1 1/4 14 12	4L3	5.5	3.3
P	1/714 2	1/719 2	1 1/4 14 13	4A0	5.0	5.0
P	1/719 2	1/815 3	1 1/4 14 14	4A0	6.1	6.1
P	1/815 3	1/921 0	1 1/4 14 15	4C0	5.7	5.7
P	1/921 0	1/927 6	1 1/4 14 16	4C0	6.6	6.6
P	1/927 6	2/010 2	1 1/4 14 17	5D0	2.6	2.4
P	2/010 2	2/052	1 1/4 14 18	4C0	5.0	5.0
P	2/052	2/102	1 1/4 14 19	4C0	5.0	5.0
P	2/102	2/153	1 1/4 15 10	4C0	5.1	5.1
P	2/153	2/183	1 1/4 15 11	5D0	3.0	3.0
P	2/183	2/223	1 1/4 15 12	4C0	4.0	4.0
P	2/223	2/263	1 1/453	4C0	4.6	4.6
P	2269	2287	1454	4AE	1.8	1.8
P	4444	4930	1 1/4 15 16	4A0	4.6	4.6
P	19419 0	19514 0	1 1/4 15 16	4A0	5.0	5.0
P	19514 0	19517 0	1 1/4 15 17	4A0	3.0	3.0

V-63-R

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Unit
1072	94.0	99.0	5.0	88.0		7.09	4.68	11.77		0.07						4EO
1073	99.0	104.0	5.0	35.0		2.90	3.96	6.86		0.07						?
1074	104.0	110.0	6.0	43.0		4.28	8.72	13.00		0.03						4G4
1075	110.0	117.0	7.0	46.0		3.14	3.95	7.09		0.20						4J/4L
1076	117.0	122.0	5.0	64.0		5.21	4.96	10.17		0.17						4J/4C
1077	122.0	127.0	5.0	18.0		0.81	0.98	1.79		0.31						4C7
1078	127.0	132.0	5.0	56.0		3.70	3.92	7.62		0.29						4C7
1079	132.0	137.0	5.0	47.0		5.25	4.89	10.14		0.16						4C7
1080	137.0	142.0	5.0	25.0		0.77	0.89	1.66		0.29						4C7
1081	142.0	147.0	5.0	10.0		0.50	0.32	0.82		0.23						4C7
1082	147.0	152.0	5.0	12.0		0.74	1.18	1.92		0.19						4C7
1083	152.0	157.0	5.0	13.0		0.55	1.20	1.75		0.27						4C7
1084	157.0	162.0	5.0	22.0		0.31	0.58	0.89		0.45						4C7
1085	162.0	167.0	5.0	16.0		0.22	0.44	0.66		0.32						4C7
1086	167.0	172.0	5.0	16.0		0.41	0.46	0.87		0.28						4C7
1087	172.0	180.0	8.0	7.0		0.13	0.37	0.50		0.25						4C7
1088	180.0	180.4	0.4	18.0		1.00	0.83	1.83		0.25						?
1089	180.4	186.0	5.6	15.0		0.16	0.61	0.77		0.25						4C7
1090	186.0	191.0	5.0	19.0		0.23	0.68	0.91		0.24						4C7
1091	191.0	196.0	5.0	15.0		0.08	0.17			0.20						4C7
1092	196.0	201.0	5.0	13.0		0.05	0.21			0.19						4C7
1093	201.0	207.0	6.0	8.0		0.05	0.15			0.19						4C7
1094	207.0	211.0	4.0	8.0		0.06	0.15			0.27						4L7
1095	211.0	213.4	2.4	21.0		1.00	0.75	2.75		0.06						?
1096	213.4	220.3	6.9	1.0		0.05	0.13			0.03						4L7
1097	220.3	226.0	5.7	4.0		0.05	0.12			0.26						4L7/3
1098	226.0	232.0	6.0	2.0		0.02	0.07			0.19						4L7/3
1099	232.0	238.0	6.0	2.0		TR	0.09			0.07						4L7/9
1100	238.0	244.0	6.0	3.0		0.05	0.14			0.49						4L7/9
1101	244.0	247.0	3.0	7.0		0.02	0.06			0.88						4HO ?
1102	247.0	252.0	5.0	6.0		0.01	0.07			0.98						4L7/9
1103	252.0	257.0	5.0	14.0		0.03	0.08			-						4L7/9

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation,
330 - 355 Burrard St.,
Vancouver, B. C. V6C 2G8 Attention: Dr. G. Simpson

Certificate No. K-2220
Date August 29, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1	V 0737		43	5.06	5.03	.11				
2	0738		20	.76	.65	.19				
3	0739		26	.91	.78	.23				
4	0740		39	2.74	3.58	.05				
5	0741		57	4.16	9.15	.11				
6	0742		51	3.76	3.70	.17				
7	0743		19	1.17	1.72	.09				
8	0744		52	5.75	13.27	.07				
9	0745		54	5.71	8.81	.11				
10	0746		58	4.28	8.05	.06				
11	0747		12	.95	1.35	.06				
12	0748		81	6.04	7.20	.12				
13	0749		63	5.60	6.32	.15				
14	0750		43	3.42	3.47	.15				
15	1093		8	.05	.15	.19				
16	1094		8	.06	.15	.27				
17	1095		21	1.00	.75	.06				
18	1096		1	.05	.13	.03				
19	1097		4	.05	.12	.26				
20	V 1098		2	.02	.07	.19				

V-309

V-63

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R. B. Blendell
Registered Assayer, Province of British Columbia

B.C. LICENSED ASSAYERS 2
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2220

Date August 29, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
21	V 1099		2	Tr	.09	.07				
22	1100		3	.05	.14	.49				
V-63 23	1101		7	.02	.06	.88				
24	1102		6	.01	.07	.98				
25	1103		14	.03	.08	.38				
26	1151 *		66	4.47	4.41	.37				
27	1152		3	.21	.55	.04				
28	1153		7	.11	.59	.12				
29	1154		6	.14	.57	.11				
V-309 30	1155		11	.41	1.44	.17				
31	1156		7	.33	.35	.11				
32	1157		13	.42	.39	.18				
33	1158		61	4.77	7.46	.25				
34	1159		31	1.82	2.51	.31				
V-311 35	1160		29	1.91	2.20	.39				
36	1161		27	1.30	1.93	.35				
37	1162		19	.82	1.14	.05				
38	1163		6	.22	.34	.15				
39	1164		28	1.70	2.36	.17				
V-49 40	V 1165		14	.57	.70	.07				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

Tr denotes "trace"

R.A. Blundell
Registered Assayer, Province of British Columbia

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2220

Date August 29, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-49 41	V 1166		36	1.44	.87	.07				
42	1167		34	.98	.41	.22				
43	1168		60	3.85	6.89	.17				
44	1169		149	5.32	7.88	.29				
45	V 1170		8	.37	.81	.19				
	Repeats:									
	V 1155 309		10	.42	1.41	.16				
	1168 49		59	3.85	6.89	.16				
	0741 309		58	4.26	8.05	.11				
	V 1100 63		3	.05	.15	.49				
	Standards:									
	MP1		58	1.70	15.63	-				
	Tails		-	.44	.96	.14				
	100		95	5.54	9.31	.10				
	200		82	5.02	6.68	.14				
	300		40	2.23	4.29	.04				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

c.c. Mr. Darryl Hanson

R.A. Blundell
Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.
2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2207

Date August 21, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V 310 101	V 1071		6	.31	.67	.04				
102	1072		88	7.09	4.68	.07				
103	1073		35	2.90	3.96	.07				
104	1074		43	4.28	8.72	.03				
105	1075		46	3.14	3.95	.20				
106	1076		64	5.21	4.96	.17				
107	1077		18	.81	.98	.31				
108	1078		56	3.70	3.92	.29				
109	1079		47	5.25	4.89	.16				
V-63 110	1080		25	.77	.89	.29				
111	1081		10	.50	.32	.23				
112	1082		12	.74	1.18	.19				
113	1083		13	.55	1.20	.27				
114	1084		22	.31	.58	.45				
115	1085		16	.22	.44	.32				
116	1086		16	.41	.46	.28				
117	1087		7	.13	.37	.25				
118	1088		18	1.00	.83	.17				
119	1089		15	.16	.61	.25				
120	1090		19	.23	.68	.24				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R. B. Blenderes
Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.
2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 - TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2207

Date August 21, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-63 121	V 1091		15	.08	.17	.20				
122	V 1092		13	.05	.21	.19				
	Repeats: V 0979 307		9	.16	.06	.29				
	V 1086 63		15	.41	.45	.28				
	V 0988 308		8	.77	1.11	.04				
	V 1061 310		18	.52	.38	.16				
	V 0984 307		2	.09	.20	.07				
	V 1021 33		50	3.59	4.37	.15				
	Standards:									
	Tailings Std. Actual			.49	.96					
	MP-1		58	1.90	15.97	-				
	Tails		-	.48	.95	-				
	100		95	5.60	9.09	.09				
	200		82	5.00	6.72	.14				
	300		41	2.21	4.32	.03				
	MP-1		58	1.88	15.87	-				
	Tails		-	.49	.97	-				
	100		94	5.52	9.02	.11				
	200		83	4.93	6.59	.16				
	300		41	2.27	4.40	.04				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

c.c. Mr. Darryl Hanson

R.G. Blandell
Registered Assayer, Province of British Columbia

DDH V-63-R (2 8)

Cyprus Anvil Mining Corp.

Geochemical Log (Sampler's Copy)

Page _____ of _____
Logged By: MM
Sampled By: _____

Code	From	To	Sample No.	Description		
1	10 14	16 20	22 27	UNIT	LENGTH	REC.
P	1940	1990	V1 111012	4EO	5.0	4.4
P	1990	2040	V1 111013	4EO	5.0	4.3
P	2040	2090	V1 111014	464	6.0	3.0
P	2090	2140	V1 111015	4JL	7.0	2.0
P	2140	2190	V1 111016	4J/4C	5.0	4.4
P	2190	2240	V1 111017	4C7	5.0	4.4
P	2240	2290	V1 111018	4C7	5.0	4.2
P	2290	2340	V1 111019	4C7	5.0	5.0
P	2340	2390	V1 111020	4C7	5.0	4.4
P	2390	2440	V1 111021	4C7	5.0	5.0
P	2440	2490	V1 111022	4C7	5.0	5.0
P	2490	2540	V1 111023	4C7	5.0	5.0
P	2540	2590	V1 111024	4C7	5.0	5.0
P	2590	2640	V1 111025	4C7	5.0	4.4
P	2640	2690	V1 111026	4C7	5.0	5.0
P	2690	2740	V1 111027	4C7	8.0	7.0
P	2740	2760	V1 111028	?	0.4	0.2
P	2760	2810	V1 111029	4C7	5.0	5.0
P	2810	2860	V1 111030	4C7	5.0	4.0
P	2860	2910	V1 111031	4C7	5.0	4.3
P	2910	2960	V1 111032	4C7	5.0	4.0
P	2960	3010	V1 111033	4C7	6.0	1.0
P	3010	3060	V1 111034	4L7	4.0	3.0
P	3060	3134	V1 111035	?	2.4	2.0
P	3134	3203	V1 111036	4L7	6.9	5.0
P	3203	3260	V1 111037	4L79	5.7	5.6
P	3260	3320	V1 111038	4L79	6.0	5.5
P	3320	3380	V1 111039	4L79	6.0	5.4
P	3380	3440	V1 111040	4L79	6.0	5.2
P	3440	3470	V1 111041	4H0	3.0	3.0
P	3470	3520	V1 111042	4L79	5.0	3.0
P	3520	3570	V1 111043	4L79	5.0	3.0

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Unit
2914	51.5	56.5	5.0	14.0		0.26	0.56			0.30						4E8,7,9
2915	56.5	61.5	5.0	10.0		0.14	0.23			0.39						"/4L9,7
2916	61.5	66.5	5.0	7.0		0.06	0.25			0.36						4L9,7
2917	66.5	71.5	5.0	14.0		0.50	0.80			0.57						4L9,7
2918	71.5	76.5	5.0	11.0		0.34	0.34			0.32						4L9,7
2919	76.5	81.5	5.0	12 0		0.44	0.54			0.28						4L9,7
2920	81.5	88.5	7.0	8.0		0.22	0.53			0.24						4L9,7
2921	89.2	94.2	5.0	9.0		0.37	1.07			0.13						4L9,7
2922	94.2	99.0	4.8	8.0		0.11	0.30			0.41						4L9,7
2923	108.5	109.5	1.0	36.0		0.04	0.35			5.80						L.S.
2924	109.5	115.0	5.5	13.0		0.12	0.33			1.93						4L9
2925	138.0	143.0	5.0	3.0		TR	0.04			0.12						4L7,9
2926	143.0	149.8	6.8	6.0		TR	0.03			0.78						4L9,7
2927	265.0	270.0	5.0	6.0		0.11	0.13			0.09						4L7
2928	270.0	275.0	5.0	14.0		0.63	1.05			0.22						4L7/4L3
2929	275.0	280.0	5.0	12.0		0.44	0.49			0.23						4L3/4L7,9
2930	280.0	285.0	5.0	10.0		0.55	1.13			0.16						4L7,9/4A9,7
2931	285.0	290.0	5.0	9.0		0.45	1.00			0.17						4A9,7/4L7,9
2932	290.0	293.0	3.0	16.0		1.18	1.75			0.21						4L7,9

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 - TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2135

Date July 18, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	gm/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
21	V 2901		47	3.28	6.36	1.21				
22	2902		45	2.94	5.41	1.62				
23	2903		50	3.85	4.95	.39				
24	2904		49	3.83	4.79	.37				
25	2905		55	4.48	5.57	.09				
26	2906		43	3.26	6.14	.05				
27	2907		75	5.25	8.35	.25				
28	2908		82	4.06	5.00	.30				
29	2909		61	3.04	6.57	.15				
30	2910		43	3.13	6.21	.04				
31	2911		120	6.79	9.22	.48				
32	2912		59	4.00	7.25	.17				
33	2913		45	2.91	3.90	.34				
34	2914		14	.26	.56	.30				
35	2915		10	.14	.23	.39				
36	2916		7	.06	.25	.36				
37	2917		14	.50	.80	.57				
38	2918		11	.34	.34	.32				
39	2919		12	.44	.54	.28				
40	V 2920		8	.22	.53	.24				

300

V-71-R

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 - TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2135

Date July 18, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	gm/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
41	V 2921		9	.37	1.07	.13				
42	2922		8	.11	.30	.41				
43	2923		36	.04	.35	5.8				
44	2924		13	.12	.33	1.93				
45	2925		3	Tr	.04	.12				
46	2926		6	Tr	.03	.78				
47	2927		6	.11	.13	.09				
48	2928		14	.63	1.05	.22				
49	2929		12	.44	.49	.23				
50	2930		10	.55	1.13	.16				
51	2931		9	.45	1.00	.17				
52	V 2932		16	1.18	1.75	.21				

71-R

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R. Blundell
Registered Assayer, Province of British Columbia

DDH V-71-R (2 8)

Cyprus Anvil Mining Corp.
Geochemical Log (Sampler's Copy)

Page _____ of _____

Logged By: JWM

Sampled By: _____

Code	From	To	Sample No.	Description		
1	10 14	16 20	22 27	REC	UNIT	FOOTAGE
P	51 5	56 5	29114	5'	4E879	5.0
P	56 5	61 5	29115	5'	" /4L97	5.0
P	61 5	66 5	29116	5'	4L97	5.0
P	66 5	71 5	29117	18" + 5'	4L97	5.0
P	71 5	76 5	29118	5'	4L97	5.0
P	76 5	81 5	29119	5'	4L97	5.0
P	81 5	88 5	29120	7'	4L97	7.0
P	89 2	94 2	29121	4.3'	4L97	5.0
P	94 2	99 0	29122	3.6'	4L97	4.8'
P	1018 5	1109 5	29123	1'	LIMESTONE	1.0
P	1109 5	1150	29124	2.7	4L9	5.5
P	1380	1430	29125	5'	4L79	5.0
P	1430	1498	29126	6.6	4L97	6.8
P	2650	2700	29127	5'	4L7	5.0
P	2700	2750	29128	4.3	4L7/4L3	5.0
P	2750	2810	29129	4.5	4L3/4L79	5.0
P	2810	2855	29130	4.7	4L79/4A97	5.0
P	2850	2910	29131	4.8	4A97/4L79	5.0
P	2910	2930	29132	2.5	4L79	3.0

Duplicating on [illegible] values [illegible]
either side of 2655-2913
[illegible] 5m [illegible]

V-72-R

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Unit
2940	39.0	43.0	4.0	33.0		2.45	3.58	6.03		0.27						4D8,6,7
2941	43.0	46.5	3.5	43.0		4.14	5.67	9.81		0.12						4D6,8
2942	46.5	50.5	4.0	67.0		4.85	6.14	10.99		0.06						4G8,7
2943	50.5	54.7	4.2	85.0		4.60	6.84	11.44		0.05						4G8,7
2944	54.7	60.0	5.3	34.0		2.03	2.59	4.62		0.23						4E8,7
2945	60.0	65.0	5.0	20.0		0.99	1.90	2.89		0.31						4E8,7
2946	65.0	70.0	5.0	22.0		0.99	2.08	3.07		0.31						4E8,7
2947	70.0	75.0	5.0	9.0		0.22	0.45	0.67		0.35						4E8,7
2948	75.0	78.8	3.8	22.0		1.51	0.36	1.87		0.25						4C0
2949	78.8	83.0	4.2	10.0		0.18	0.20	0.38		0.35						4C0
2950	83.0	86.0	3.0	14.0		0.49	0.31	0.80		0.38						4C7,9
547	227.0	232.0	5.0	5.0		0.04	0.04	0.08		0.06						4L6,7,1,9
548	232.0	237.0	5.0	3.0		0.01	0.04	0.05		0.07						4L9
549	237.0	241.2	4.2	16.0		0.30	0.22	0.52		0.21						4E8
550	242.2	244.3	2.1	TR		0.07	0.28	0.35		0.06						4A0
645	244.3	249.0	4.7	2.0		0.13	0.08	0.21		0.12						4L6/4A0
646	249.0	254.0	5.0	24.0		1.82	1.68	3.50		0.10						4A0
647	254.0	259.0	5.0	17.0		1.28	0.92	2.20		0.07						4A0
648	259.0	264.0	5.0	5.0		0.22	0.35	0.57		0.15						4A0
649	264.0	269.0	5.0	7.0		0.50	0.52	1.02		0.15						4A0
650	269.0	274.0	5.0	8.0		0.52	0.65	1.17		0.11						4A0
2970	274.0	279.0	5.0	6.0		0.12	0.12	0.24		0.10						4A0
2971	279.0	284.0	5.0	35.0		2.14	5.65	7.79		0.08						4A0
2972	284.0	289.0	5.0	45.0		2.97	4.22	7.19		0.09						4A0
2973	289.0	294.0	5.0	28.0		1.93	2.32	4.25		0.14						4A0/4E0
2974	294.0	299.0	5.0	16.0		0.65	1.58	2.23		0.19						4A0
2975	299.0	304.0	5.0	10.0		0.28	0.62	0.90		0.13						4L1
2976	304.0	309.0	5.0	7.0		0.22	0.68	0.90		0.13						4L7
2977	309.0	314.0	5.0	9.0		0.16	0.51	0.67		0.16						4L7
2978	333.0	338.0	5.0	14.0		0.26	0.84	1.10		0.24						4L7

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 - TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation,
330 - 355 Burrard St.,
Vancouver, B. C. V6C 2G8 Attention: Dr. G. Simpson

Certificate No. K-2151
Date July 31, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda d.d core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-72-R 1	V 0547		5	.04	.04	.06				
2	0548		3	.01	.04	.07				
3	0549		16	.30	.22	.21				
4	0550		Tr	.07	.28	.06				
5	0631		37	1.73	3.77	.06				
6	0632		39	2.1	5.34	.06				
7	0633		4	.24	.31	.02				
8	0634		74	4.33	6.64	.08				
9	0635		81	4.92	9.4	.04				
10	0636		28	1.66	2.86	.03				
11	0637		3	.19	.44	.02				
V-133-R 12	0638		8	.61	1.04	.03				
13	0639		13	.93	.96	.03				
14	0640		8	.52	1.50	.05				
15	0641		21	1.49	.73	.08				
16	0642		10	.76	.59	.08				
17	0643		2	.28	.47	.02				
18	0644		Tr	Tr	.15	.01				
19	0645		2	.13	.08	.12				
V-72-R 20	V 0646		24	1.82	1.68	.10				

NOTE: Tr denotes "trace"
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 - TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2151

Date July 31, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda d.d.core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-72-R 21	V 0647		17	1.28	.92	.07				
22	0648		5	.22	.35	.15				
23	0649		7	.50	.52	.15				
24	0650		8	.52	.65	.11				
25	0651		21	1.13	2.75	.16				
26	0652		25	1.73	2.76	.19				
27	0653		8	.21	.86	.09				
28	0654		7	.26	1.26	.08				
29	0655		5	.24	1.30	.04				
30	0656		21	.71	.83	.34				
31	0657		17	1.17	1.72	.17				
V-301-R 32	0658		44	2.96	2.39	.32				
33	0659		25	.92	.85	.28				
34	0660		8	.36	.79	.04				
35	0661		27	1.05	1.69	.10				
36	0662		42	2.91	3.89	.28				
37	0663		5	.18	.37	.04				
38	02933		21	1.50	2.51	.09				
39	02934		13	1.08	.89	.18				
V-101-R 40	V 02935		8	.39	.99	.32				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R. B. Blendell
Registered Assayer, Province of British Columbia

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 - TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2151

Date July 31, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda d.d.core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
41	V 02936		9	.43	.55	.17				
42	02937		10	.66	1.45	.07				
43	02938		13	.63	2.26	.09				
44	02939		11	.46	1.28	.12				
45	02940		33	2.45	3.58	.27				
46	02941		43	4.14	5.67	.12				
47	02942		67	4.85	6.14	.06				
48	02943		85	4.60	6.84	.05				
49	02944		34	2.03	2.59	.23				
50	02945		20	.99	1.90	.31				
51	02946		22	.99	2.08	.31				
52	02947		9	.22	.45	.35				
53	02948		22	1.51	.36	.25				
54	02949		10	.18	.20	.35				
55	02950		14	.49	.31	.38				
56	02951		14	.59	.46	.29				
57	02952		27	1.90	1.37	.21				
58	02953		11	.63	.67	.12				
59	02970		6	.12	.12	.10				
60	V 02971		35	2.14	5.65	.08				

V-101-R

V-72-R

DY-08

V-72-R

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

.....
Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 - TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2151

Date July 31, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda d.d.core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
61	V 02972		45	2.97	4.22	.09				
62	02973		28	1.93	2.32	.14				
63	02974		16	.65	1.58	.19				
64	02975		10	.28	.62	.13				
65	02976		7	.22	.68	.13				
66	02977		9	.16	.51	.16				
67	V 02978		14	.26	.84	.24				
	Repeats: V 02938 101		14	.68	2.48	.09				
	0659 301		24	.95	.92	.28				
	0637 133		2	.19	.43	.02				
	* V 0650 72		10	.48	.61	.10				
	Standards: MP-1		58	1.86	-	-				
	RU-1		6	-	2.22	.79				
	KC-1		-	6.81	-	.11				
	100		93	5.45	9.14	.11				
	200		82	4.86	6.58	.16				
	300		40	2.37	4.21	.04				

V-72-R

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R.B. Sewell
Registered Assayer, Province of British Columbia

DDH V-72-R (2 8)

Cyprus Anvil Mining Corp.

Geochemical Log (Sampler's Copy)

To G. SIMPSON 7PGS

Page ____ of ____

Logged By: JWM

Sampled By: ____

Code	From	To	Sample No.	Description		
	10 14	16 20	22 27	REC	UNIT	LENGTH
P	1390	1430	129410	4.0	4D867	4.0
P	1430	1465	129411	3.5	4D68	3.5
P	1465	1505	129412	4.0	4G87	4.0
P	1505	1547	129413	4.2	4G87	4.2
P	1547	1600	129414	5.1	4E87	5.3
P	1600	1650	129415	5.0	4E87	50
P	1650	1700	129416	5.0	4E87	50
P	1700	1775 1778	129417	4.7	4E87	4.8 5.0
P	1775 1778	1788	129418	3.7	4C0	4.0 5.8
P	1788	1830	129419	4.2	4C0	4.2
P	1830	1860	129510	3.0	4C79	3.0
P	2270	2320	5447	5.0	4L6719	5.0
P	2320	2370	5448	4.9	4L9	50
P	2370	2412	549	4.2	4E8	4.2
P	2422	2443	5500	2.0	4A0	2.1
P	2443	2490	6445	4.6	4L6/4A0	4.7
P	2490	2540	6446	5.0	4A0	50
P	2540	2590	6447	4.8	4A0	50
P	2590	2640	6448	4.9	4A0	50
P	2640	2690	6449	5.0	4A0	50
P	2690	2740	6450	5.0	4A0	5.0
P	2740	2790	129710	4.9	4A0	50
P	2790	2840	129711	4.9	4A0	50
P	2840	2890	129712	5.0	4A0	50
P	2890	2940	129713	4.0	4A0/4E0	50
P	2940	2990	129714	5.0	4A0	50
P	2990	3040	129715	5.0	4L1	5.0
P	3040	3090	129716	5.0	4L7	5.0
P	3090	3140	129717	5.0	4L7	5.0
P	3330	3380	129718	5.0	4L7	5.0

V-084-R

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Unit
578	52.7	55.3	2.6	89.0		4.60	7.11	11.71		0.18						4GO
579	55.3	60.3	5.0	71.0		5.33	6.44	11.77		0.30						4EG
580	60.3	65.0	4.7	95.0		9.16	8.78	17.94		0.26						4EG
581	65.0	69.0	4.0	74.0		5.72	5.31	11.03		0.26						4EG
582	69.0	73.0	4.0	56.0		5.55	5.73	11.28		0.24						4EO
583	73.0	76.7	3.7	90.0		6.00	2.98	8.98		0.24						4EO
584	76.7	81.7	5.0	21.0		0.96	2.58	3.54		0.27						4EC
585	81.7	86.7	5.0	39.0		1.02	1.85	2.87		0.39						4EC
586	86.7	92.7	6.0	15.0		0.32	0.38	0.70		0.53						4EC
587	92.7	98.1	5.4	25.0		0.29	0.17	0.46		0.95						4EC
588	98.1	107.3	9.2	10.0		0.12	0.57	0.69		0.38						4CO
589	208.4	213.4	5.0	21.0		0.25	0.39	0.64		0.31						4AO
590	213.4	218.8	5.4	11.0		0.22	0.28	0.50		0.32						4AO
591	218.8	223.8	5.0	39.0		1.69	1.28	2.97		0.31						4CE
592	223.8	228.8	5.0	21.0		0.82	0.88	1.70		0.20						4CE
593	228.8	231.4	2.6	30.0		1.55	1.19	2.74		0.34						4CE
594	231.4	234.2	2.8	37.0		1.61	3.37	4.98		0.08						4AO
595	234.2	239.7	5.5	55.0		3.37	4.18	7.55		0.12						4GE
596	239.7	243.7	4.0	32.0		2.12	3.40	5.52		0.06						4A4
597	243.7	247.0	3.3	27.0		2.08	5.83	7.91		0.07						4A4
598	247.0	250.0	3.0	38.0		3.22	3.09	6.31		0.09						4GC

(F)

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation,
330 - 355 Burrard St.,
Vancouver, B. C. V6C 2G8 Attention: Dr. Glen Simpson

Certificate No. K-2128
Date July 12, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	gm/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1	V 0578		89	4.60	7.11	.18				
2	0579		71	5.33	6.44	.30				
3	0580		95	9.16	8.78	.26				
4	0581		74	5.72	5.31	.26				
5	0582		56	5.55	5.73	.24				
6	0583		90	6.00	2.98	.24				
V084 7	0584		21	.96	2.58	.27				
8	0585		39	1.02	1.85	.39				
9	0586		15	.32	.38	.53				
10	0587		25	.29	.17	.95				
11	0588		10	.12	.57	.38				
12	0589		21	.25	.39	.31				
13	0590		13	.22	.30	.33				
14	0591		39	1.69	1.28	.31				
15	0592		21	.82	.88	.20				
16	0593		30	1.55	1.19	.34				
17	0594		37	1.61	3.37	.08				
18	0595		55	3.37	4.18	.12				
19	V 0596		32	2.12	3.40	.06				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2128

Date July 12, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	gm/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
	R V 0590		11	.22	.28	.32				
	Std. MP-1		57	1.88	-	-				
	100		93	5.52	8.92	.12				
	200		82	5.00	6.56	.18				
	300		40	2.44	4.36	.04				
	RU-1		-	-	2.18	.85				
	KC-1		-	6.88	-	.12				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

c.c. Mr. S. Buziak

.....
Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation,
330 -355 Burrard St.,
Vancouver, B. C. V6C 2G8 Attention: Dr. Glen Simpson

Certificate No. K-2135
Date July 18, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	gm/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1	V 0597		27	2.08	5.83	.07				
2	0598		38	3.22	3.09	.09				
3	0599		33	2.56	3.64	.51				
4	0600		40	2.79	2.83	.43				
5	0601		3	.22	.54	.07				
6	0602		29	2.94	2.47	.13				
7	0603		19	1.00	2.20	.40				
8	0604		10	1.29	1.77	.07				
9	0605		Tr	.02	.11	Tr				
10	0606		1	.04	.08	Tr				
11	0607		Tr	Tr	.02	.01				
12	0608		1	Tr	.01	.01				
13	0609		1	Tr	.02	.01				
14	0610		Tr	Tr	.02	.01				
15	0611		Tr	.03	.07	.03				
16	0612		4	.43	.85	.09				
17	0613		3	.19	.20	.17				
18	0614		4	.22	.41	.14				
19	0615		2	.10	.39	.13				
20	V 0616		1	.03	.25	.01				

V-084-R

300

NOTE: Tr denotes "trace"
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

J. H. Blundell
Registered Assayer, Province of British Columbia

DDH V-084-R (2 8)

Cyprus Anvil Mining Corp.

Geochemical Log (Sampler's Copy)

Page _____ of _____

Logged By: [redacted]

Sampled By: _____

Code	From	To	Sample No.	Description		
1	10 14	16 20	22 27	REC.	LENGTH	UNIT
P	1 1512 7	1 1553	V1 1015718	1.5'	2.6	4GO
P	1 1553	1 1603	V1 1015719	4.6'	5.0	4EG
P	1 1603	1 1650	V1 1015810	4.6'	4.7	4EG
P	1 1650	1 1690	V1 1015811	4.0"	4.0	4EG
P	1 1690	1 1730	V1 1015812	4.0'	4.0	4EO
P	1 1730	1 1767	V1 1015813	3.25'	3.7	4EO
P	1 1767	1 1817	V1 1015814	4.8'	5.0	4EC
P	1 1817	1 1867	V1 1015815	5.0'	5.0	4EC
P	1 1867	1 1927	V1 1015816	5.9'	6.0	4EC
P	1 1927	1 1981	V1 1015817	5.4	5.4	4EC
P	1 1981	1 2017 3	V1 1015818	6.3'	9.2	4CO
P	12018 4	12113 4	V1 1015819	5.0'	5.0	4AO
P	12113 4	12118 8	V1 1015910	5.4'	5.4	4AO
P	12118 8	12213 8	V1 1015911	5.0'	5.0	4CE
P	12213 8	12218 8	V1 1015912	5.0'	5.0	4CE
P	12218 8	12314	V1 1015913	2.4'	2.6	4CE
P	12314	12314 2	V1 1015914	2.8'	2.8	4AO
P	12314 2	12397	V1 1015915	5.5'	5.5	4GE
P	12397	12437	V1 1015916	3.6'	4.0	4A4
P	12437	12470	V1 1015917	3.3'	3.3	4A4
P	12470	12510 0	V1 1015918	3.0'	3.0	4GC

V-094-R

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Sample No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
169	82.5	86.2	3.7	95.0	92.0	6.84	6.03	12.87	4.08	0.08	10.94	0.55	14.50	24.8	.003	2.10	4GH
170	87.0	92.0	5.0	81.0	80.0	5.94	6.12	12.06	4.47	0.09	15.87	0.41	6.81	20.9	.004	0.96	4GH
171	92.0	95.2	3.2	109.0	101.0	8.54	8.56	17.10	4.66	0.07	20.37	0.27	2.90	18.6	.006	0.35	4G4
172	95.2	99.8	4.6	24.0	20.0	1.27	4.82	6.09	4.81	0.03	0.19	0.21	1.02	34.9	.003	0.17	4E0
173	99.8	101.5	1.7	71.0	71.0	4.68	7.58	12.26	4.52	0.03	21.21	0.27	3.45	20.5	.006	0.42	4G4
174	101.5	104.0	2.5	40.0	37.0	2.38	3.29	5.67	3.31	0.11	12.96	TR	7.21	12.1	.002	0.31	4L7
175	104.0	105.5	1.5	130.0	132.0	8.45	15.50	23.95	4.04	0.07	7.27	0.34	16.40	20.2	.003	0.60	4H1
176	105.5	108.1	2.6	4.0	7.0	0.51	0.57	1.08	3.03	0.03	10.81	TR	5.65	8.9	.001	0.60	5D6
177	108.1	112.3	4.2	130.0	131.0	9.55	6.97	16.52	3.86	0.11	1.75	0.34	21.30	25.1	.002	1.68	4H1
178	112.3	118.6	6.3	24.0	27.0	1.66	3.26	4.92	5.54	0.03	0.36	TR	3.33	6.1	.001	0.16	4A0
179	147.5	150.5	3.0	60.0	54.0	3.10	4.55	7.65	3.07	0.07	9.33	0.21	3.80	9.7	.006	0.21	4AG
180	150.5	155.0	4.5	17.0	17.0	1.07	2.22	3.29	2.98	0.02	0.91	TR	1.10	14.2	.003	0.09	4A0
181	155.0	160.0	5.0	16.0	17.0	1.20	3.46	4.66	2.58	0.02	1.52	TR	1.10	2.8	.002	0.07	4A0
182	160.0	164.0	4.0	30.0	35.0	2.07	4.93	7.00	2.79	0.03	0.87	0.21	1.20	8.5	.003	0.09	4A0
183	164.0	166.5	2.5	95.0	95.0	5.35	9.19	14.54	4.47	0.16	12.05	0.34	2.60	22.6	.006	0.27	4GE
184	168.0	173.0	5.0	111.0	112.0	8.15	5.84	13.99	4.52	0.05	17.53	0.55	14.40	24.3	.004	1.90	4GJ
185	173.0	178.0	5.0	90.0	88.0	5.26	8.55	13.81	4.31	0.04	28.77	0.41	4.30	12.1	.008	0.57	4G4
186	178.0	183.7	5.7	40.0	38.0	2.40	5.76	8.61	4.33	0.03	32.07	TR	2.70	11.9	.004	0.37	4G4
187	183.7	188.0	4.3	55.0	55.0	4.61	7.45	12.06	3.65	0.11	4.33	0.21	6.60	19.3	.003	0.73	4D0
188	188.0	193.0	5.0	27.0	23.0	2.19	3.17	5.36	3.55	0.16	4.65	TR	6.90	19.5	.002	0.77	4D0
189	193.0	195.5	2.5	1.0		0.27	0.81	1.08		0.09		-					4A0
190	195.5	198.5	3.0	26.0		2.02	0.87	2.89		0.23		2.06					4C7
191	198.5	203.5	5.0	13.0		0.99	0.27	1.26		0.28		0.82					4C8
192	203.5	207.5	4.0	13.0		1.00	0.55	1.55		0.32		1.92					4C8
193	207.5	211.0	3.5	13.0		0.75	0.60	1.35		0.55		1.44					4C8
194	211.0	216.0	5.0	8.0		0.79	0.39	1.18		0.28		5.49					4C9
195	216.0	221.0	5.0	4.0		0.50	0.33	0.83		0.30		0.82					4C9
196	221.0	226.0	5.0	28.0		2.33	1.71	4.04		0.29		3.57					4C9
197	226.0	231.0	5.0	34.0		2.88	1.29	4.17		0.30		2.74					4C9
198	231.0	236.0	5.0	52.0		4.08	1.89	5.97		0.33		1.92					4C9

V-094-R

GEOCHEMICAL LOG

Sample No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
199	236.0	241.0	5.0	19.0		1.00	1.82	2.82		0.31		0.21					4C9
200	241.0	246.0	5.0	21.0		1.06	1.58	2.64		0.27		1.23					4C9
201	246.0	252.7	6.7	5.0		0.12	0.22	0.34		0.15		3.09					4C9
202	252.7	257.0	4.3	17.0		1.21	2.26	3.47		0.20		0.82					4C7
203	257.0	262.0	5.0	14.0		0.63	1.18	1.81		0.48		0.69					4C7
204	262.0	267.0	5.0	14.0		0.67	1.41	2.08		0.66		0.75					4C7
205	267.0	272.0	5.0	5.0		0.39	0.88	1.27		0.29		TR					4C7
206	272.0	277.0	5.0	5.0		0.42	0.82	1.24		0.16							4C7
207	277.0	282.0	5.0	4.0		0.09	0.16	0.25		0.18							4C7
208	282.0	287.0	5.0	4.0		0.10	0.35	0.45		0.06			.				4L1

Kamloops Research & Assay Laboratory Ltd.
2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 - TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2104

Date August 13, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Mn	Hg	BaO	Py	Po	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-095 21	V 0153	Tr	93	.19	.008	28.83	14.9	2.1	4.49	
22	0154	.07	63	.32	.006	27.21	17.1	3.4	4.34	
23	0169	.55	92	2.10	.003	10.94	24.8	14.5	4.08	
24	0170	.41	80	.96	.004	15.87	20.9	6.81	4.47	
V-094 25	0171	.27	101	.35	.006	20.37	18.6	2.90	4.66	
26	0172	.21	20	.17	.003	.19	34.9	1.02	4.81	
27	0173	.27	71	.42	.006	21.21	20.5	3.45	4.52	
28	0174	Tr	37	.31	.002	12.96	12.1	7.21	3.31	
29	0175	.34	132	.60	.003	7.27	20.2	16.4	4.04	
30	0176	Tr	7	.60	.001	10.81	8.9	5.65	3.03	
31	0177	.34	131	1.68	.002	1.75	25.1	21.3	3.86	
32	0178	Tr	27	.16	.001	.36	6.1	3.33	5.54	
33	0179	.21	54	.21	.006	9.33	9.7	3.80	3.07	
34	0180	Tr	17	.09	.003	.91	14.2	1.1	2.98	
35	0181	Tr	17	.07	.002	1.52	2.8	1.1	2.58	
36	0182	.21	35	.09	.003	.87	8.5	1.2	2.79	
37	0183	.34	95	.27	.006	12.05	22.6	2.6	4.47	
38	0184	.55	112	1.90	.004	17.53	24.3	14.4	4.52	
39	0185	.41	88	.57	.008	28.77	12.1	4.3	4.31	
40	V 0186	Tr	38	.37	.004	32.07	11.9	2.7	4.33	

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

RRB for RSB

Registered Assayer, Province of British Columbia

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 - TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2104

Date August 13, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Mn	Hg	BaO	Py	Po	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-094 41	V 0187	.21	55	.73	.003	4.33	19.3	6.6	3.65	
42	0188	Tr	23	.77	.002	4.65	19.5	6.9	3.55	
43	0214	.21	60	.21	.005	.04	16.8	3.2	3.37	
44	0215	.69	64	.19	.006	.04	15.2	3.1	3.29	
V-126 45	0216	.69	80	.11	.007	.36	16.7	1.8	3.42	
46	0217	.62	72	.09	.006	.03	13.3	1.6	3.13	
47	0291	.07	60	.07	.008	37.94	7.7	.9	4.49	
48	0292	.07	33	.05	.003	25.94	6.4	2.0	3.60	
49	0293	.62	67	.19	.004	21.19	12.9	2.9	4.18	
50	0294	Tr	5	.21	.001	4.70	5.9	3.4	2.87	
V-114 51	0295	Tr	43	.34	.002	8.85	20.2	6.1	3.59	
52	0296	.55	47	.60	.001	12.86	25.9	6.7	4.29	
53	0297	Tr	28	.12	.001	1.44	11.9	3.8	3.00	
54	0298	.62	97	.16	.005	19.73	20.5	1.4	4.61	
55	V 0299	.55	80	.20	.005	18.67	21.0	1.9	4.45	

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

c.c. Mr. S. Buziak

DAB for RGB

Registered Assayer, Province of British Columbia

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2053

Date June 23, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	Grams per Metric Ton	Percent	Percent	Percent	Percent	Percent	Percent	Percent
21	V 0153		79	5.94	9.54	.15				
22	0154		61	4.50	6.66	.13				
23	0155		26	1.21	.67	.30				
24	0156		7	.27	.26	.24				
25	0157		10	.21	.26	.34				
26	0158		12	.12	.20	.38				
27	0159		14	.38	.26	.35				
28	0160		48	1.96	.38	.39				
29	0161		36	1.05	.51	.45				
30	0162		36	1.68	1.20	.20				
31	0163		27	1.62	1.94	.35				
32	0164		11	.35	.48	.40				
33	0165		16	.86	1.33	.46				
34	0166		13	.54	.83	.47				
35	0167		7	.26	.56	.36				
36	0168		3	.34	.92	.15				
37	0169		95	6.84	6.03	.08				
38	0170		81	5.94	6.12	.09				
39	0171		109	8.54	8.56	.07				
40	V 0172		24	1.27	4.82	.02				

V-094

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

DAS for RGB

Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

V-094-R

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2053

Date June 23, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	Grams per Metric Ton	Percent	Percent	Percent	Percent	Percent	Percent	Percent
41	V 0173		71	4.68	7.58	.03				
42	0174		40	2.38	3.29	.11				
43	0175		130	8.45	15.5	.07				
44	0176		4	.51	.57	.03				
45	0177		130	9.55	6.97	.11				
46	0178		24	1.66	3.26	.03				
47	0179		60	3.10	4.55	.07				
48	0180		17	1.07	2.22	.02				
49	0181		16	1.20	3.46	.02				
50	0182		30	2.07	4.92	.03				
51	0183		95	5.35	9.19	.16				
52	0184		111	8.15	5.84	.05				
53	0185		90	5.26	8.55	.04				
54	0186		40	2.40	5.76	.03				
55	0187		55	4.61	7.45	.11				
56	0188		27	2.19	3.17	.16				
57	0189		1	.27	.81	.09				
58	0190		26	2.02	.87	.23				
59	0191		13	.99	.27	.28				
60	0192		13	1.00	.55	.32				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

DAS for R20

Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

V-094-R

TO Cyprus Anvil Mining Corporation

Certificate No. K-2053

Date June 23, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	Grams per Metric Ton	Percent	Percent	Percent	Percent	Percent	Percent	Percent
61	V 0193		13	.75	.60	.55				
62	0194		8	.79	.39	.27				
63	0195		4	.50	.33	.30				
64	0196		28	2.33	1.71	.29				
65	0197		34	2.88	1.29	.20				
66	0198		52	4.08	1.89	.33				
67	0199		19	1.00	1.82	.31				
68	0200		21	1.06	1.58	.27				
69	0201		5	.12	.22	.15				
70	0202		17	1.21	2.26	.20				
71	0203		14	.63	1.18	.48				
72	0204		14	.67	1.41	.66				
73	0205		5	.39	.88	.29				
74	0206		5	.42	.82	.16				
75	0207		4	.09	.16	.18				
76	V 0208		4	.10	.35	.06				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

DAB for RJB
Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2053

Date June 23, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	Grams per Metric Ton	Percent	Percent	Percent	Percent	Percent	Percent	Percent
	V 0133 Repeat		70	4.83	7.13	.02				
	0134 Repeat		10	.83	1.66	.01				
	Standards 100		90	5.20	8.87	.11				
	200		82	4.90	6.68	.15				
	300		41	2.27	4.37	.04				
	MP-1		58	1.83	-	-				
	RU-1		-	-	2.21	.85				
	KC-1		-	6.88	-	.11				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

c.c. Mr. S. Buziak

DAS for RGB

.....

Registered Assayer, Province of British Columbia

DDH V-094-R (2 / 8)

Cyprus Anvil Mining Corp.
Geochemical Log (Sampler's Copy)

Page _____ of _____
Logged By: DJH
Sampled By: _____

Code	From ft	To ft	Sample No.	Unit	Rec	Description Length	% REC
1	10 14	16 20	22 27				
P	1 1825	1 1862	1V101/1619	4GH	3.7	3.7	100
P	1 1870	1 1920	1V101/1710	4GH	5.0	5.0	100
P	1 1920	1 1952	1V101/1711	4G4	3.2	3.2	100
P	1 1952	1 1998	1V101/1712	4EO	4.6	4.6	100
P	1 1998	1/101/5	1V101/1713	4G4	1.6	1.7	94
P	1/101/5	1/0140	1V101/1714	4L7	2.5	2.5	100
P	1/0140	1/0155	1V101/1715	4HI	1.5	1.5	100
P	1/0155	1/0181	1V101/1716	5D6	2.3	2.6	88
P	1/0181	1/1123	1V101/1717	4HI	4.2	4.2	100
P	1/1123	1/1186	1V101/1718	4AO	6.2	6.3	98
P	1/1417 5	1/1505	1V101/1719	4AG	3.0	3.0	100
P	1/1505	1/1550	1V101/1810	4AO	4.5	4.5	100
P	1/1550	1/1600	1V101/1811	4AO	5.0	5.0	100
P	1/1600	1/1640	1V101/1812	4AO	4.0	4.0	100
P	1/1640	1/1655	1V101/1813	4GE	2.5	2.5	100
P	1/1680	1/1730	1V101/1814	4GJ	4.9	5.0	98
P	1/1730	1/1780	1V101/1815	4G4	5.0	5.0	100
P	1/1780	1/1837	1V101/1816	4G4	5.0	5.7	88
P	1/1837	1/1880	1V101/1817	4DO	4.3	4.3	100
P	1/1880	1/1930	1V101/1818	4DO	5.0	5.0	100
P	1/1930	1/1955	1V101/1819	4AO	2.0	2.5	80
P	1/1955	1/1985	1V101/1910	4C7	3.0	3.0	100
P	1/1985	2/0355	1V101/1911	4C8	4.9	5.0	98
P	2/0355	2/0755	1V101/1912	4C8	4.0	4.0	100
P	2/0755	2/1/0	1V101/1913	4C8	3.5	3.5	100
P	2/1/0	2/1160	1V101/1914	4C9	5.0	5.0	100
P	2/1160	2/2210	1V101/1915	4C9	5.0	5.0	100
P	2/2210	2/2160	1V101/1916	4C9	5.0	5.0	100
P	2/2160	2/3310	1V101/1917	4C9	5.0	5.0	100
P	2/3310	2/3160	1V101/1918	4C9	5.0	5.0	100
P	2/3160	2/4110	1V101/1919	4C9	5.0	5.0	100
P	2/4110	2/4160	1V101/2000	4C9	5.0	5.0	100
P	2/4160	2/5127	1V101/2001	4C9	5.8	6.7	87

DDH V-094-R (2 / 8)

Cyprus Anvil Mining Corp.

Geochemical Log (Sampler's Copy)

Page _____ of _____

Logged By: DJH

Sampled By: _____

Code	From ft.	To ft.	Sample No.	Lith	Rec	Description Length	% REC
1	10 14	16 20	22 27				
P	12512 7	12517 0	1V10120 12	4C7	4.3	4.3	100
P	12517 0	12612 0	1V10120 13	4C7	5.0	5.0	100
P	12612 0	12617 0	1V10120 14	4C7	5.0	5.0	100
P	12617 0	12712 0	1V10120 15	4C7	5.0	5.0	100
P	12712 0	12717 0	1V10120 16	4C7	5.0	5.0	100
P	12717 0	12812 0	1V10120 17	4C7	5.0	5.0	100
P	12812 0	12817 0	1V10120 18	4L1	5.0	5.0	100
				TOT.	170.5	173.3	98%

V-095-R

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
133	157.7	163.5	5.8	70.0	66.0	4.83	7.13	11.96	4.11	0.02	29.11	0.17	3.02	9.5	.003	0.24	4G4
134	163.5	167.5	4.0	10.0	11.0	0.83	1.66	2.49	3.02	0.01	12.95	TR	5.05	7.3	.001	0.30	5D3
135	167.5	171.5	4.0	43.0	35.0	3.23	6.07	9.30	3.87	0.02	29.28	0.07	3.53	10.6	.002	0.37	4GL
136	171.5	174.0	2.5	110.0	110.0	8.62	8.52	17.14	4.25	0.02	17.84	0.34	6.44	16.0	.005	1.00	4G4
137	174.0	177.8	3.8	160.0	161.0	13.75	12.40	26.15	4.39	0.04	2.81	0.48	12.00	23.6	.007	1.65	4F4
138	177.8	182.0	4.2	39.0	32.0	2.75	6.25	9.00	4.37	0.03	38.90	0.10	4.46	12.2	.004	0.78	4G4
139	182.0	184.7	2.7	240.0	248.0	22.30	8.87	31.17	4.77	0.03	2.20	1.65	15.50	25.2	.006	1.90	4F4
140	184.7	189.7	5.0	93.0	100.0	6.88	8.83	15.71	4.42	0.03	21.19	0.68	11.60	18.2	.005	1.48	4G4
141	189.7	194.8	5.1	94.0	95.0	6.88	7.23	14.11	4.44	0.06	22.77	0.82	8.29	19.4	.004	1.02	4G4
142	194.8	199.0	4.2	53.0	49.0	3.95	5.93	9.88	3.69	0.13	12.28	0.34	12.50	23.3	.003	0.34	4F4
143	199.0	205.5	6.5	35.0	42.0	3.01	3.09	6.10	4.54	0.15	9.53	1.37	4.20	30.7	.002	0.42	4G4
144	205.5	213.4	7.9	7.0	8.0	0.73	0.13	0.86	4.45	0.07	0.76	TR	0.70	38.1	.001	0.04	4E0
145	213.4	217.6	4.2	58.0	55.0	6.09	6.63	12.72	4.78	0.12	16.97	1.37	1.23	25.4	.003	0.12	4E0
146	217.6	224.0	6.4	20.0	19.0	3.03	2.79	5.82	4.51	0.23	3.43	1.03	0.81	35.4	.002	0.05	4E0
147	224.0	229.0	5.0	13.0	8.0	1.13	1.32	2.45	4.21	0.05	7.20	0.68	1.07	29.2	.002	0.16	4E1
148	229.0	234.0	5.0	18.0	11.0	2.05	0.65	2.70	4.06	0.03	1.40	1.03	1.23	29.6	.001	0.19	4E1
149	234.0	240.9	6.9	50.0	53.0	4.40	2.58	6.98	4.42	0.11	7.96	1.03	3.96	30.4	.001	0.41	4E1
150	240.9	246.0	5.1	81.0	67.0	4.68	5.82	10.50	4.61	0.29	19.87	1.10	2.56	24.2	.004	0.27	4E1
151	246.0	251.0	5.0	65.0	66.0	3.67	4.95	8.62	4.66	0.19	11.84	1.20	2.96	29.7	.003	0.27	4E1
152	251.0	256.0	5.0	104.0	102.0	7.90	8.09	15.99	4.61	0.15	5.66	1.65	7.73	29.6	.006	0.75	4E1
153	256.0	261.0	5.0	79.0	93.0	5.94	9.54	15.48	4.49	0.15	28.83	TR	2.10	14.9	.008	0.19	4E1
154	261.0	266.0	5.0	61.0	63.0	4.50	6.66	11.16	4.34	0.13	27.21	0.07	3.40	17.1	.006	0.32	4E1
155	266.0	271.0	5.0	26.0		1.21	0.67	1.88		0.30							4CE
156	271.0	276.0	5.0	7.0		0.27	0.26	0.53		0.24							4CE
157	276.0	281.0	5.0	10.0		0.21	0.26	0.47		0.34							4CE
158	281.0	286.0	5.0	12.0		0.12	0.20	0.32		0.38							4CE
159	286.0	291.0	5.0	14.0		0.38	0.26	0.64		0.35							4CE
160	291.0	296.0	5.0	48.0		1.96	0.38	2.34		0.39							4CE
161	296.0	301.0	5.0	36.0		1.05	0.51	1.56		0.45							4CE
162	301.0	306.0	5.0	36.0		1.68	1.20	2.88		0.20							4CE
163	306.0	311.0	5.0	27.0		1.62	1.94	3.56		0.35							4CE
164	311.0	316.0	5.0	11.0		0.35	0.48	0.83		0.40							4CE
165	316.0	321.0	5.0	16.0		0.86	1.33	2.19		0.46							4CE
166	321.0	326.0	5.0	13.0		0.54	0.83	1.37		0.47							4CE
167	326.0	333.5	7.5	7.0		0.26	0.56	0.82		0.36							4CE
168	333.5	340.5	7.0	3.0		0.34	0.92	1.26		0.15							4L4

Kamloops Research & Assay Laboratory Ltd.
2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation,
330 - 355 Burrard St.,
Vancouver, B. C. V6C 2G8 Attention: Dr. G. Simpson

Certificate No. K-2104
Date August 13, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Mn	Hg	BaO	Py	Po	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-095 1	V 0133	.17	66	.24	.003	29.11	9.5	3.02	4.11	
2	0134	Tr	11	.30	.001	12.95	7.3	5.05	3.02	
3	0135	.07	35	.37	.002	29.28	10.6	3.53	3.87	
4	0136	.34	110	1.00	.005	17.84	16.0	6.44	4.25	
5	0137	.48	161	1.65	.007	2.81	23.6	12.0	4.39	
6	0138	.10	32	.78	.004	38.90	12.2	4.46	4.37	
7	0139	1.65	248	1.90	.006	2.20	25.2	15.5	4.77	
8	0140	.68	100	1.48	.005	21.19	18.2	11.6	4.42	
9	0141	.82	95	1.02	.004	22.77	19.4	8.29	4.44	
10	0142	.34	49	.34	.003	12.28	23.3	12.5	3.69	
11	0143	1.37	42	.42	.002	9.53	30.7	4.20	4.54	
12	0144	Tr	8	.04	.001	.76	38.1	.70	4.45	
13	0145	1.37	55	.12	.003	16.97	25.4	1.23	4.78	
14	0146	1.03	19	.05	.002	3.43	35.4	.81	4.51	
15	0147	.68	8	.16	.002	7.20	29.2	1.07	4.21	
16	0148	1.03	11	.19	.001	1.40	29.6	1.23	4.06	
17	0149	1.03	53	.41	.001	7.96	30.4	3.96	4.42	
18	0150	1.10	67	.27	.004	19.87	24.2	2.56	4.61	
19	0151	1.20	66	.27	.003	11.84	29.7	2.96	4.66	
20	V 0152	1.65	102	.75	.006	5.66	29.6	7.73	4.61	

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

Tr denotes "trace"

DAS for RGB
.....
Registered Assayer, Province of British Columbia

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2104

Date August 13, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Mn	Hg	BaO	Py	Po	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-095 21	V 0153	Tr	93	.19	.008	28.83	14.9	2.1	4.49	
22	0154	.07	63	.32	.006	27.21	17.1	3.4	4.34	
23	0169	.55	92	2.10	.003	10.94	24.8	14.5	4.08	
24	0170	.41	80	.96	.004	15.87	20.9	6.81	4.47	
V-094 25	0171	.27	101	.35	.006	20.37	18.6	2.90	4.66	
26	0172	.21	20	.17	.003	.19	34.9	1.02	4.81	
27	0173	.27	71	.42	.006	21.21	20.5	3.45	4.52	
28	0174	Tr	37	.31	.002	12.96	12.1	7.21	3.31	
29	0175	.34	132	.60	.003	7.27	20.2	16.4	4.04	
30	0176	Tr	7	.60	.001	10.81	8.9	5.65	3.03	
31	0177	.34	131	1.68	.002	1.75	25.1	21.3	3.86	
32	0178	Tr	27	.16	.001	.36	6.1	3.33	5.54	
33	0179	.21	54	.21	.006	9.33	9.7	3.80	3.07	
34	0180	Tr	17	.09	.003	.91	14.2	1.1	2.98	
35	0181	Tr	17	.07	.002	1.52	2.8	1.1	2.58	
36	0182	.21	35	.09	.003	.87	8.5	1.2	2.79	
37	0183	.34	95	.27	.006	12.05	22.6	2.6	4.47	
38	0184	.55	112	1.90	.004	17.53	24.3	14.4	4.52	
39	0185	.41	88	.57	.008	28.77	12.1	4.3	4.31	
40	V 0186	Tr	38	.37	.004	32.07	11.9	2.7	4.33	

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

RAB for RSB

Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

V-095-R

TO Cyprus Anvil Mining Corporation,
330 - 355 Burrard Street,
Vancouver, B. C. V6C 2G8 Attention: Dr. G. Simpson

Certificate No. K-2053
Date June 23, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	Grams per Metric Ton	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1	V 0133		70	4.90	7.24	.02				
2	0134		10	.83	1.66	.01				
3	0135		43	3.23	6.07	.02				
4	0136		110	8.62	8.52	.02				
5	0137		160	13.75	12.4	.04				
6	0138		39	2.75	6.25	.03				
7	0139		240	22.3	8.87	.03				
8	0140		93	6.88	8.83	.03				
9	0141		94	6.88	7.23	.06				
10	0142		53	3.95	5.93	.13				
11	0143		35	3.01	3.09	.15				
12	0144		7	.73	.13	.07				
13	0145		58	6.09	6.63	.12				
14	0146		20	3.03	2.79	.23				
15	0147		13	1.13	1.32	.05				
16	0148		18	2.05	.65	.03				
17	0149		50	4.40	2.58	.11				
18	0150		81	4.68	5.82	.29				
19	0151		65	3.67	4.95	.19				
20	V 0152		104	7.90	8.09	.15				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 - TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

V-095-R

TO Cyprus Anvil Mining Corporation

Certificate No. K-2053

Date June 23, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	Grams per Metric Ton	Percent	Percent	Percent	Percent	Percent	Percent	Percent
21	V 0153		79	5.94	9.54	.15				
22	0154		61	4.50	6.66	.13				
23	0155		26	1.21	.67	.30				
24	0156		7	.27	.26	.24				
25	0157		10	.21	.26	.34				
26	0158		12	.12	.20	.38				
27	0159		14	.38	.26	.35				
28	0160		48	1.96	.38	.39				
29	0161		36	1.05	.51	.45				
30	0162		36	1.68	1.20	.20				
31	0163		27	1.62	1.94	.35				
32	0164		11	.35	.48	.40				
33	0165		16	.86	1.33	.46				
34	0166		13	.54	.83	.47				
35	0167		7	.26	.56	.36				
36	0168		3	.34	.92	.15				
37	0169		95	6.84	6.03	.08				
38	0170		81	5.94	6.12	.09				
V-094 39	0171		109	8.54	8.56	.07				
40	V 0172		24	1.27	4.82	.02				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

DAB for RGB
.....
Registered Assayer, Province of British Columbia

DDH V-095-R (2 / 8)

Cyprus Anvil Mining Corp.
Geochemical Log (Sampler's Copy)

Page _____ of _____
Logged By: DTH
Sampled By: ALF

Code	From	To	Sample No.	Rec.	Unit	Length	Rec %
1	10 14	16 20	22 27				
P	1/1517	1/1635	1V101/1313	5.5	4G4	5.8	95
P	1/1635	1/1675	1V101/1314	4.0	5D3	4.0	100
P	1/1675	1/1715	1V101/1315	4.0	4GL	4.0	100
P	1/1715	1/1740	1V101/1316	2.5	4G4	2.5	100
P	1/1740	1/1778	1V101/1317	3.0	4F4	3.8	79
P	1/1778	1/1820	1V101/1318	4.2	4G4	4.2	100
P	1/1820	1/1847	1V101/1319	2.7	4F4	2.7	100
P	1/1847	1/1897	1V101/1410	5.0	4G4	5.0	100
P	1/1897	1/1948	1V101/1411	5.1	4G4	5.1	100
P	1/1948	1/1990	1V101/1412	4.2	4F4	4.2	100
P	1/1990	2/0155	1V101/1413	5.5	4G4	6.5	85
P	2/0155	2/1134	1V101/1414	2.2	4EO	7.9	28
P	2/1134	2/1176	1V101/1415	4.2	4EO	4.2	100
P	2/1176	2/1240	1V101/1416	4.7	4EO	6.4	73
P	2/1240	2/1290	1V101/1417	5.0	4EI	5.0	100
P	2/1290	2/1340	1V101/1418	5.0	4EI	5.0	100
P	2/1340	2/1409	1V101/1419	6.9	4EI	6.9	100
P	2/1409	2/1460	1V101/1510	5.1	4EG	5.1	100
P	2/1460	2/1510	1V101/1511	5.0	4EG	5.0	100
P	2/1510	2/1560	1V101/1512	5.0	4EG	5.0	100
P	2/1560	2/1610	1V101/1513	5.0	4EG	5.0	100
P	2/1610	2/1660	1V101/1514	5.0	4EG	5.0	100
P	2/1660	2/1710	1V101/1515	5.0	4CE	5.0	100
P	2/1710	2/1760	1V101/1516	5.0	4CE	5.0	100
P	2/1760	2/1810	1V101/1517	5.0	4CE	5.0	100
P	2/1810	2/1860	1V101/1518	5.0	4CE	5.0	100
P	2/1860	2/1910	1V101/1519	5.0	4CE	5.0	100
P	2/1910	2/1960	1V101/1610	5.0	4CE	5.0	100
P	2/1960	3/1010	1V101/1611	5.0	4CE	5.0	100
P	3/1010	3/1060	1V101/1612	5.0	4CE	5.0	100
P	3/1060	3/1110	1V101/1613	5.0	4CE	5.0	100
P	3/1110	3/1160	1V101/1614	5.0	4CE	5.0	100
P	3/1160	3/1210	1V101/1615	5.0	4CE	5.0	100
P	3/1210	3/1260	1V101/1616	5.0	4CE	5.0	100
P	3/1260	3/1335	1V101/1617	7.4	4CE	7.5	99
P	3/1335	3/1405	1V101/1618	7.0	4L4	7.0	100

V-096-R



CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Unit
269	249.2	252.0	2.8	35.0		2.32	2.27	4.59		0.34						4D8
270	252.0	257.5	5.5	38.0		3.01	2.54	5.55		0.66						4E8
271	257.5	260.5	3.0	33.0		1.64	1.79	3.43		0.53						4E0
272	260.5	264.0	3.5	20.0		1.13	1.87	3.00		0.26						4E0
273	264.0	265.2	1.2	9.0		0.41	1.26	1.67		0.12						5D6
274	265.2	266.6	1.4	83.0		6.11	8.31	14.42		0.06						4F4
275	266.6	271.0	4.4	8.0		0.14	0.93	1.07		0.06						4L0
276	271.0	274.5	3.5	39 0		2.68	2.70	5.38		0.22						4EG
277	274.5	276.7	2.2	4.0		0.28	0.61	0.89		0.07						5B7
278	276.7	278.0	1.3	16.0		0.55	0.42	0.97		0.20						4C0
279	278.0	280.5	2.5	7.0		0.33	1.09	1.42		0.06						4L0
280	280.5	282.6	2.1	67.0		3.89	4.34	8.23		0.27						4EG
281	282.6	285.1	2.5	9.0		0.49	1.39	1.88		0.10						5A/4L
282	285.1	290.0	4.9	40.0		2.66	2.37	5.03		0.22						4EG
283	290.0	292.9	2.9	33.0		2.32	2.48	4.80		0.24						4EG
284	491.0	494.0	3.0	15.0		0.45	0.40	0.85		0.18						4AE
285	494.0	498.5	4.5	14.0		0.25	0.25	0.50		0.12						4AE
286	498.5	503.5	5.0	25.0		1.34	0.85	2.19		0.19						4E8

Kamloops Research & Assay Laboratory Ltd.
2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 - TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

V-096-R

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2090

Date June 22, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda samples

Kral No.	Marked	GOLD Ounces Per Ton	SILVER Grams/M Ton ~~Ounces Per Ton~~	Pb Percent	Zn Percent	Cu Percent				
				Percent	Percent	Percent	Percent	Percent	Percent	Percent
27	V 0269		35	2.32	2.27	.34				
28	0270		38	3.01	2.54	.66				
29	0271		33	1.64	1.79	.53				
30	0272		20	1.13	1.87	.26				
31	0273		9	.41	1.26	.12				
32	0274		83	6.11	8.31	.06				
33	0275		8	.14	.93	.06				
34	0276		39	2.68	2.70	.22				
35	0277		4	.28	.61	.07				
36	0278		16	.55	.42	.20				
37	0279		7	.33	1.09	.06				
38	0280		67	3.89	4.34	.27				
39	0281		9	.49	1.39	.10				
40	0282		40	2.66	2.37	.22				
41	0283		33	2.32	2.48	.24				
42	0284		15	.45	.40	.18				
43	0285		14	.25	.25	.12				
44	V 0286		25	1.34	.85	.19				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

DAB for RGB
Registered Assayer, Province of British Columbia

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2090

Date June 22, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda samples

Kral No.	Marked	GOLD Ounces Per Ton	SILVER Grams/M Ton ~~Ounces Per Ton~~	Pb Percent	Zn Percent	Cu Percent				
	V 0274 Repeat		81	6.27	8.35	.06				
	Standards MP-1		58	1.93	-	-				
	100		92	5.53	8.96	.11				
	200		82	4.94	6.69	.16				
	300		40	2.26	4.30	.04				
	RU-1		-	-	2.20	.85				

- denotes either out of range for samples in run or element not applicable, therefore it was not assayed.

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

c.c. Mr. S. Buziak

DAB for RGS

Registered Assayer, Province of British Columbia

DDH V-096-R (2 of 8)

Cyprus Anvil Mining Corp.

Geochemical Log (Sampler's Copy)

Page ____ of ____
Logged By: DJH
Sampled By: ____

Code	From	To	Sample No.	UNIT	LENGTH	Description REC.
1	10 14	16 20	22 27			
P	12419 2	12512 0	1V0012619	4D8	2.8	2.6
P	12512 0	12517 5	1V0012710	4E8	5.5	5.3
P	12517 5	12610 5	1V0012711	4EO	3.0	3.0
P	12610 5	12614 0	1V0012712	4EO	3.5	3.5
P	12614 0	12615 2	1V0012713	5D6	1.2	1.2
P	12615 2	12616 6	1V0012714	4F4	1.4	1.4
P	12616 6	12711 0	1V0012715	4LO	4.4	4.1
P	12711 0	12714 5	1V0012716	4EG	3.5	3.5
P	12714 5	12716 7	1V0012717	5B7	2.2	2.2
P	12716 7	12718 0	1V0012718	4CO	1.3	1.2
P	12718 0	12810 5	1V0012719	4LO	2.5	2.5
P	12810 5	12812 6	1V0012810	4EG	2.1	2.1
P	12812 6	12815 1	1V0012811	5A/4L	2.5	2.5
P	12815 1	12900 0	1V0012812	4EG	4.9	4.9
P	12900 0	12912 9	1V0012813	4EG	2.9	2.9
					43.70	
P	14911 0	14914 0	1V0012814	4AE	3.0	3.0
P	14914 0	14918 5	1V0012815	4AE	4.5	4.5
P	14918 5	15013 5	1V0012816	4E8	5.0	5.0
					12.5	

JUN 22 1979

V-101-R

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Unit
2933	229.4	234.0	4.6	21.0		1.50	2.51	4.01		0.09						4A0
2934	234.0	239.0	5.0	13.0		1.08	0.89	1.97		0.18						4CD
2935	239.0	243.0	4.0	8.0		0.39	0.99	1.38		0.32						4C0
2936	243.0	247.7	4.7	9.0		0.43	0.55	0.98		0.17						4C0
2937	247.7	252.0	4.3	10.0		0.66	1.45	2.11		0.07						4A0
2938	252.0	256.0	4.0	13.0		0.63	2.26	2.89		0.09						4A0
2939	256.0	259.4	3.4	11.0		0.46	1.28	1.74		0.12						4C7

Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2151

Date July 31, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda d.d.core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-72-R 21	V 0647		17	1.28	.92	.07				
22	0648		5	.22	.35	.15				
23	0649		7	.50	.52	.15				
24	0650		8	.52	.65	.11				
25	0651		21	1.13	2.75	.16				
26	0652		25	1.73	2.76	.19				
27	0653		8	.21	.86	.09				
28	0654		7	.26	1.26	.08				
29	0655		5	.24	1.30	.04				
30	0656		21	.71	.83	.34				
31	0657		17	1.17	1.72	.17				
V-301-R 32	0658		44	2.96	2.39	.32				
33	0659		25	.92	.85	.28				
34	0660		8	.36	.79	.04				
35	0661		27	1.05	1.69	.10				
36	0662		42	2.91	3.89	.28				
37	0663		5	.18	.37	.04				
38	02933		21	1.50	2.51	.09				
V-101-R 39	02934		13	1.08	.89	.18				
40	V 02935		8	.39	.99	.32				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R. G. Shandro
Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2151

Date July 31, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda d.d.core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
41	V 02936		9	.43	.55	.17				
42	02937		10	.66	1.45	.07				
43	02938		13	.63	2.26	.09				
44	02939		11	.46	1.28	.12				
45	02940		33	2.45	3.58	.27				
46	02941		43	4.14	5.67	.12				
47	02942		67	4.85	6.14	.06				
48	02943		85	4.60	6.84	.05				
49	02944		34	2.03	2.59	.23				
50	02945		20	.99	1.90	.31				
51	02946		22	.99	2.08	.31				
52	02947		9	.22	.45	.35				
53	02948		22	1.51	.36	.25				
54	02949		10	.18	.20	.35				
55	02950		14	.49	.31	.38				
56	02951		14	.59	.46	.29				
57	02952		27	1.98	1.37	.21				
58	02953		11	.63	.67	.12				
59	02970		6	.12	.12	.10				
60	V 02971		35	2.14	5.65	.08				

V-101-R

V-72-R

DY-08

V-72-R

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R. Blanchard
Registered Assayer, Province of British Columbia

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2151

Date July 31, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda d.d.core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
61	V 02972		45	2.97	4.22	.09				
62	02973		28	1.93	2.32	.14				
63	02974		16	.65	1.58	.19				
64	02975		10	.28	.62	.13				
65	02976		7	.22	.68	.13				
66	02977		9	.16	.51	.16				
67	V 02978		14	.26	.84	.24				
	Repeats: *V 02938 101		14	.68	2.48	.09				
	0659 301		24	.95	.92	.28				
	0637 133		2	.19	.43	.02				
	V 0650 72		10	.48	.61	.10				
	Standards: MP-1		58	1.86	-	-				
	RU-1		6	-	2.22	.79				
	KC-1		-	6.81	-	.11				
	100		93	5.45	9.14	.11				
	200		82	4.86	6.58	.16				
	300		40	2.37	4.21	.04				

V-72-R

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R.G. Shandell
Registered Assayer, Province of British Columbia

DDH V-101-R

Cyprus Anvil Mining Corp.

Geochemical Log (Sampler's Copy)

Page _____ of _____

Logged By: DTH

Sampled By: _____

Code	From	To	Sample No.	Description		
					234.5 } 500 237.7 }	
1	10 14	16 20	22 27	Unit	REC	LENGTH
P	121219 4	121340	291331	4A0	52" - 4' 4"	4.6
P	121340	121390	291344	4CD	4'	5.0
P	121390	121430	291355	4CO	4' 4"	4.0
P	121430	121777	291366	4CO	5' 8"	4.7
P	121777	121520	291371	4A0	4.5	4.3
P	121520	121560	291381	4A0	4.5	4.0
P	121560	121594	291391	4C7	3.4	3.4

JUL 2 0 1979

V-110-R

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
351	151.0	156.0	5.0	61.0	11.0	7.75	8.13	15.88	3.97	0.12	0.19	.012	12.8	12.3	.002	2.12	4J4
352	156.0	161.0	5.0	56.0	58.0	6.51	9.77	16.28	3.84	0.11	1.11	.021	11.4	11.6	.001	1.93	4J4
353	161.0	166.6	5.6	60.0	60.0	6.94	10.58	17.52	3.74	0.10	1.52	.020	6.4	13.1	.001	1.19	4J4
354	166.6	171.0	4.4	20.0	16.0	0.90	3.04	3.94	3.45	0.10	0.47	TR	5.1	15.4	.001	0.88	4CO
355	171.0	176.0	5.0	24.0		1.43	0.94	2.37		0.34							4CO
356	176.0	181.0	5.0	15.0		0.95	1.05	2.00		0.40							4CO
357	181.0	186.0	5.0	18.0		0.56	1.38	1.94		0.33							4CO
358	186.0	191.0	5.0	28.0		1.45	2.22	3.67		0.50							4CO
359	191.0	196.0	5.0	21.0		0.53	0.52	1.05		0.37							4CO
360	196.0	201.0	5.0	26.0		0.95	0.60	1.55		0.42							4CO
361	201.0	206.0	5.0	24.0		1.12	1.15	2.27		0.25							4CO
362	206.0	211.0	5.0	18.0		0.65	1.67	2.32		0.20							4CO
363	211.0	216.0	5.0	17.0		0.41	1.03	1.44		0.23							4CE
364	216.0	221.0	5.0	16.0		0.24	1.05	1.29		0.22							4CE
365	221.0	225.0	4.0	22.0		0.11	0.23	0.34		0.38							4CE
366	225.0	230.0	5.0	5.0		0.13	0.42	0.55		0.08							4LO
367	230.0	238.8	8.8	1.0		0.03	0.23	0.26		0.05							4LO
368	238.8	245.5	6.7	18.0		0.44	0.48	0.92		0.34							4CE
369	245.5	249.8	4.3	1.0		0.01	0.11	0.12		0.04							4LO
370	249.8	253.5	3.7	19.0		1.05	3.18	4.23		0.24							4BC
371	461.9	466.1	4.2	22.0		1.13	1.14	2.27		0.24							4CO
372	466.1	471.0	4.9	49.0		3.03	7.13	10.16		0.06							4EB
373	471.0	476.0	5.0	31.0		2.39	3.98	6.37		0.09							4EA
374	476.0	480.1	4.1	9.0		0.16	0.11	0.27		0.27							4CA
375	480.1	486.0	5.9	16.0		0.34	0.12	0.46		0.22							4KO
376	486.0	491.5	5.5	17.0		0.22	0.15	0.37		0.10							4KO
377	491.5	493.4	1.9	4.0		0.04	0.04	0.08		0.16							4AO

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation,
330 - 355 Burrard St.,
Vancouver, B. C. B6C 2G8 Attention: Dr. G. Simpson

Certificate No. K-2144
Date August 27, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent		Percent
1	V 0351	.012	11	2.12	12.3	12.8	.002	.19	3.97	
V-110 2	0352	.021	58	1.93	11.6	11.4	.001	1.11	3.84	
3	0353	.020	60	1.19	13.1	6.4	.001	1.52	3.74	
4	0354	Tr	16	.88	15.4	5.1	.001	.47	3.45	
5	0401	.02	29	.08	5.4	.7	.002	.24	2.75	
6	0402	.003	34	.05	3.4	.7	.002	.14	2.73	
7	0403	.036	32	.06	3.7	.8	.001	.11	2.67	
8	0404	.022	31	.04	2.8	.8	.001	.11	2.64	
9	0405	.03	34	.05	2.2	.7	.003	.20	2.68	
10	0406	.005	33	.04	3.8	.6	.003	.19	2.70	
11	0407	.01	183	.09	33.2	1.0	.007	.32	4.69	
12	0408	.01	129	.70	18.0	5.2	.007	5.03	4.13	
13	0409	.015	224	.03	35.1	.7	.006	.11	4.68	
14	0416	.005	85	.37	12.9	6.4	.007	11.64	3.96	
V-119 15	0417	.01	106	.22	9.4	1.8	.009	31.14	4.59	
16	0418	.012	82	.16	6.4	1.2	.010	36.44	4.57	
17	0419	.008	101	.18	6.6	1.0	.009	36.19	4.53	
18	0420	.012	39	.26	32.7	2.3	.004	8.16	4.58	
19	0421	.015	68	.36	31.3	3.6	.005	4.43	4.46	
20	V 0422	.009	6	.18	7.8	4.8	.001	6.56	2.93	

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R. B. Sturdee
Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

(F)

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation,
330 - 355 Burrard St.,
Vancouver, B. C. V6C 2G8 Attention: Dr. Glen Simpson

Certificate No. K-2111
Date July 6, 1979

I hereby certify that the following are the results of assays made by us upon the herein described samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	gm/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-110-R 1	V 0351		61	7.75	8.13	.12				
2	0352		56	6.51	9.77	.11				
3	0353		60	6.94	10.58	.10				
4	0354		20	.90	3.04	.10				
5	0355		24	1.43	.94	.34				
6	0356		15	.95	1.05	.40				
7	0357		18	.56	1.38	.33				
8	0358		28	1.45	2.22	.50				
9	0359		21	.53	.52	.37				
10	0360		26	.95	.60	.42				
11	0361		24	1.12	1.15	.25				
12	0362		18	.65	1.67	.20				
13	0363		17	.41	1.03	.23				
14	0364		16	.24	1.05	.22				
15	0365		22	.11	.23	.38				
16	0366		5	.13	.42	.08				
17	0367		1	.03	.23	.05				
18	0368		18	.44	.48	.34				
19	0369		1	.01	.11	.04				
20	V 0370		19	1.05	3.18	.24				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

DAS for RGS
.....
Registered Assayer, Province of British Columbia

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2111

Date July 6, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	gm/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-110-R 21	V 0371		22	1.13	1.14	.24				
22	0372		49	3.03	7.13	.06				
23	0373		31	2.39	3.98	.09				
24	0374		9	.16	.11	.27				
25	0375		16	.34	.12	.22				
26	0376		17	.22	.15	.10				
27	0377		4	.04	.04	.16				
D-1 06 28	0381 X		1	.07	.06	.06				
29	0401		27	2.84	1.42	.16				
30	0402		30	3.41	4.43	.07				
V-119-R 31	0403		34	3.67	4.81	.06				
32	0404		30	3.32	4.71	.04				
33	0405		38	3.50	4.84	.05				
34	0406		33	2.97	3.80	.05				
35	0407		166	6.06	8.64	.22				
36	0408		127	10.22	4.87	.04				
37	0409		166	5.99	8.04	.22				
38	0410		Tr	.14	.42	Tr				
39	0411		3	.15	.45	.01				
40	V 0412		3	.22	.46	.10				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2111

Date July 6, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda & DY drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
	Repeats & Standards Cont'd.	Ounces Per Ton	Ounces Per Ton	Percent	Percent	Percent	Percent	Percent	Percent	Percent
	R V 0360 V110		25	.95	.64	.46				
	R X 0315 X05		14	1.45	2.21	.05				
	Std. MP-1		59	1.83	15.71	-				
	RU-1		-	-	2.11	.85				
	KC-1		-	6.86	-	.11				
	100		95	5.41	8.97	.11				
	200		84	4.86	6.57	.16				
	300		40	2.26	4.35	.04				
	R X 0328 X06		179	15.34	9.31	.17				
	R X 0334 ✓		23	.91	.92	.50				
	Std. MP-1		58	1.85	16.00	-				
	KC-1		-	6.84	20.07	.10				
	RU-1		-	-	2.18	.86				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

DAS for BC

Registered Assayer, Province of British Columbia

DDH V-11O-R (2 / 8)

Cyprus Anvil Mining Corp.
Geochemical Log (Sampler's Copy)

Page _____ of _____
Logged By: DJH.
Sampled By: _____

Code	From	To	Sample No.	Description		
1	10 14	18 20	22 27	Length	Rec	Unit
P	1151 0	1156 0	1V013151	5.0	3.9	4J4
P	1156 0	1161 0	1V013152	5.0	5.0	4J4
P	1161 0	1166 6	1V013153	5.6	5.5	4J4
P	1166 6	1171 0	1V013154	4.4	3.9	4CO
P	1171 0	1716 0	1V013155	5.0	4.6	4CO
P	1716 0	1181 0	1V013156	5.0	3.7	4CO
P	1181 0	1816 0	1V013157	5.0	4.0	4CO
P	1816 0	1191 0	1V013158	5.0	5.0	4CO
P	1191 0	1916 0	1V013159	5.0	5.0	4CO
P	1916 0	2101 0	1V013160	5.0	5.0	4CO
P	2101 0	2106 0	1V013161	5.0	3.8	4CO
P	2106 0	2111 0	1V013162	5.0	5.0	4CO
P	2111 0	2116 0	1V013163	5.0	4.5	4CE
P	2116 0	2121 0	1V013164	5.0	5.0	4CE
P	2121 0	2125 0	1V013165	4.0	5.0	4CE
P	2125 0	2130 0	1V013166	5.0	5.0	4LO
P	2130 0	2138 8	1V013167	8.8	8.6	4LO
P	2138 8	2145 5	1V013168	6.7	6.0	4CE
P	2145 5	2149 8	1V013169	4.3	4.3	4LO
P	2149 8	2553 5	1V013710	3.7	3.7	4BC
P	1461 9	1466 1	1V013711	4.2	4.2	4CO
P	1466 1	1471 0	1V013712	4.9	4.9	4EB
P	1471 0	1716 0	1V013713	5.0	5.0	4EA
P	1716 0	1810 1	1V013714	4.1	4.1	4CA
P	1810 1	1816 0	1V013715	5.9	5.6	4KO
P	1816 0	1915 5	1V013716	5.5	5.5	4KO
P	1915 5	1934	1V013717	1.9	1.75	4AO

V-114-R

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
291	108.0	110.0	2.0	69.0	60.0	4.61	7.99	12.60	4.49	0.06	37.94	0.07	0.9	7.7	.008	0.07	4GO
292	110.0	121.0	11.0	37.0	33.0	4.79	3.34	8.13	3.60	0.09	25.94	0.07	2.0	6.4	.003	0.05	
293	232.5	235.7	3.2	67.0	67.0	5.78	7.67	13.45	4.18	0.02	21.19	0.62	2.9	12.9	.004	0.19	4G4
294	235.7	240.7	5.0	5.0	5.0	0.34	0.65	0.99	2.87	0.02	4.70	TR	3.4	5.9	.001	0.21	4LO
295	240.7	245.0	4.3	48.0	43.0	2.88	4.75	7.63	3.59	0.21	8.85	TR	6.1	20.2	.002	0.34	4G4
296	245.0	249.2	4.2	47.0	47.0	4.67	5.86	10.53	4.29	0.22	12.86	0.55	6.7	25.9	.001	0.60	4G4
297	249.2	254.1	4.9	28.0	28.0	1.99	3.96	5.95	3.00	0.06	1.44	TR	3.8	11.9	.001	0.12	4DO
298	303.0	307.1	4.1	99.0	97.0	5.66	8.10	13.76	4.61	0.11	19.73	0.62	1.4	20.5	.005	0.16	4G4
299	307.1	311.2	4.1	81.0	80.0	5.75	8.09	13.84	4.45	0.16	18.67	0.55	1.9	21.0	.005	0.20	4G4
300	398.9	402.6	3.7	25.0		0.83	0.65	1.48		0.24							4KO
301	557.4	563.0	5.6	19.0		0.14	0.30			0.24							4AC
302	563.0	568.7	5.7	16.0		0.07	0.14			0.25							4AC
303	568.7	572.3	3.6	14.0		0.17	0.24			0.24							4CO
304	572.3	577.3	5.0	14.0		0.23	0.59			0.14							4CO

Kamloops Research & Assay Laboratory Ltd.
2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2104

Date August 13, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Mn	Hg	BaO	Py	Po	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-094 41	V 0187	.21	55	.73	.003	4.33	19.3	6.6	3.65	
42	0188	Tr	23	.77	.002	4.65	19.5	6.9	3.55	
43	0214	.21	60	.21	.005	.04	16.8	3.2	3.37	
44	0215	.69	64	.19	.006	.04	15.2	3.1	3.29	
V-126 45	0216	.69	80	.11	.007	.36	16.7	1.8	3.42	
46	0217	.62	72	.09	.006	.03	13.3	1.6	3.13	
47	0291	.07	60	.07	.008	37.94	7.7	.9	4.49	
48	0292	.07	33	.05	.003	25.94	6.4	2.0	3.60	
49	0293	.62	67	.19	.004	21.19	12.9	2.9	4.18	
50	0294	Tr	5	.21	.001	4.70	5.9	3.4	2.87	
V-114 51	0295	Tr	43	.34	.002	8.85	20.2	6.1	3.59	
52	0296	.55	47	.60	.001	12.86	25.9	6.7	4.29	
53	0297	Tr	28	.12	.001	1.44	11.9	3.8	3.00	
54	0298	.62	97	.16	.005	19.73	20.5	1.4	4.61	
55	V 0299	.55	80	.20	.005	18.67	21.0	1.9	4.45	

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

c.c. Mr. S. Buziak

DAB for RGB

Registered Assayer, Province of British Columbia

(F)

Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation,
330 - 355 Burrard St.,
Vancouver, B. C. V6C 2G8 Attention: Dr. G. Simpson

Certificate No. K-2100
Date June 29, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda samples

Kral No.	Marked	GOLD Ounces Per Ton	SILVER gm/tonne ~~Ounces Per Ton~~	Pb Percent	Zn Percent	Cu Percent				
V114-R 1	V 0291		69	4.61	7.99	.06				
2	0292		37	4.79	3.34	.09				
3	0293		67	5.78	7.67	.02				
4	0294		5	.34	.65	.02				
5	0295		48	2.88	4.75	.21				
6	0296		47	4.67	5.86	.22				
7	X 0297		28	1.99	3.89	.06				
8	0298		99	5.66	8.10	.11				
9	0299		81	5.75	8.09	.16				
10	0300		25	.83	.65	.24				
11	0301		19	.14	.30	.24				
12	0302		16	.07	.14	.25				
13	0303		14	.17	.24	.24				
14	V 0304		14	.23	.59	.14				
	V 0297 Repeat		28	1.99	3.96	.06				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

A.J. Sandell
Registered Assayer, Province of British Columbia

DDH V-114-R (2 / 8)

Cyprus Anvil Mining Corp.

Geochemical Log (Sampler's Copy)

Page ____ of ____

Logged By: DJH.

Sampled By: ____

Code	From	To	Sample No.	UNIT	LENGTH	REC.
1	10 14	16 20	22 27	Description		
P	12312 5	12315 7	1V1012913	4G4	3.2	3.1
P	12315 7	12410 7	1V1012914	4LO	5.0	5.0
P	12410 7	12415 0	1V1012915	4G4	4.3	4.3
P	12415 0	12419 2	1V1012916	4G4	4.2	4.2
P	12419 2	12514 1	1V1012917	4DO	4.9	4.9
P	13013 0	13017 1	1V1012918	4G4	4.1	4.1
P	13017 1	13111 2	1V1012919	4G4	4.1	4.1
P	13918 9	14012 6	1V1013010	4KO	3.7	3.5
P	15515 4	15613 0	1V1013011	4AC	5.6	5.6
P	15613 0	15618 7	1V1013012	4AC	5.7	5.6
P	15618 7	15712 3	1V1013013	4CO	3.6	3.6
P	15712 3	15717 3	1V1013014	4CO	5.0	4.2
P	11018 0	11110 0	1V1012911	4GO	2.0	2.0
P	11110 0	11211 0	1V1012912	?	11.0	2.1

TO: Glen Simpson
2 pages

V-115-R

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
492	73.5	78.5	5.0	10.0		0.53	1.28	1.81		0.02							5A9
493	78.5	83.5	5.0	24.0		1.13	2.41	3.54		0.04							5A/4A
494	83.5	88.5	5.0	56.0	56.0	3.88	7.03	10.91	2.70	0.07	0.06	0.015	1.7	2.9	.004	0.09	4A0
495	88.5	93.5	5.0	37.0	34.0	2.76	4.02	6.78	2.72	0.06	0.11	0.007	1.6	3.7	.003	0.10	4A0
496	93.5	97.5	4.0	34.0	35.0	1.93	3.73	5.66	2.63	0.07	0.03	0.010	1.8	3.2	.002	0.08	4A0
497	108.2	112.2	4.0	8.0		0.34	0.34			0.08							4A0
498	112.2	115.5	3.3	6.0		0.22	0.47			0.09							4A0
499	115.5	119.4	3.9	11.0		0.50	0.61			0.09							4L/4C
500	119.4	124.4	5.0	11.0		0.64	0.75			0.10							4A9
551	124.4	129.4	5.0	14.0		0.71	0.87			0.17							4A9
552	129.4	134.4	5.0	15.0		0.86	1.18			0.09							4A9
553	134.4	139.0	4.6	25.0	23.0	1.63	3.38	5.01	2.67	0.05	0.63	TR	4.5	3.6	.001	0.17	4A9/4C0
554	139.0	144.0	5.0	83.0	91.0	4.96	7.05	12.01	4.24	0.05	27.33	0.004	2.5	10.7	.004	0.26	4G7/8
555	144.0	149.0	5.0	100.0	103.0	6.85	7.62	14.47	4.25	0.08	20.02	0.005	9.2	8.9	.005	1.07	4G7/8
556	149.0	154.0	5.0	104.0	100.0	8.19	6.73	14.92	4.24	0.07	19.02	0.012	5.5	11.9	.004	0.65	4G7/8
557	154.0	159.0	5.0	99.0	91.0	6.79	7.65	14.44	4.37	0.04	19.97	0.010	6.6	12.9	.004	0.70	4G8/7/4
558	159.0	164.0	5.0	115.0	109.0	9.65	7.36	17.01	4.20	0.20	4.71	0.012	23.2	5.4	.002	1.70	4G8/7/4
559	164.0	168.0	4.0	98.0	99.0	8.82	6.51	15.33	4.41	0.10	11.51	0.005	14.3	16.1	.002	1.36	4G8/7/4
560	168.0	173.0	5.0	89.0	89.0	6.05	4.72	10.77	5.00	0.04	14.14	0.012	4.5	17.0	.003	0.56	4EG/8/4
561	173.0	178.0	5.0	71.0	73.0	5.26	5.70	10.96	4.37	0.17	13.04	0.009	9.1	17.5	.003	0.70	4EG/8/4
562	178.0	183.0	5.0	34.0	33.0	1.98	6.07	8.05	4.74	0.03	6.54	TR	1.7	30.1	.003	0.22	4E0
563	183.0	188.0	5.0	100.0	103.0	5.57	9.06	14.63	4.35	0.05	21.09	0.011	1.3	15.7	.006	0.15	4G4
564	188.0	193.0	5.0	105.0	108.0	8.49	10.60	19.09	4.33	0.01	11.98	0.017	2.9	17.4	.007	0.28	4F6
565	193.0	198.0	5.0	60.0	58.0	3.64	7.41	11.05	4.57	0.08	27.02	0.004	1.6	14.3	.006	0.22	4G4/8
566	198.0	203.0	5.0	62.0	62.0	3.28	7.63	10.91	4.46	0.09	30.51	0.005	3.0	11.0	.007	0.34	4G4/8
447	203.0	208.0	5.0	102.0	99.0	7.99	6.77	14.76	4.46	0.16	10.82	0.020	4.9	27.1	.003	0.41	4G4,8/4E8,4
448	208.0	213.0	5.0	53.0	45.0	3.45	3.79	7.24	4.48	0.30	4.37	0.012	8.9	38.3	.002	0.49	4E8/4
449	213.0	218.0	5.0	70.0	64.0	5.05	4.13	9.18	4.48	0.30	3.78	0.025	8.0	27.4	.002	0.52	4E8/4
450	218.0	222.0	4.0	62.0	58.0	4.59	4.89	9.48	4.39	0.25	5.24	0.014	5.5	28.0	.002	0.44	4E8/4
501	222.0	225.6	3.6	28.0	29.0	1.69	4.18	5.87	3.06	0.05	0.38	0.005	6.4	9.4	.002	0.18	4A7/9
502	225.6	228.7	3.1	25.0	28.0	1.46	3.23	4.69	3.31	0.02	0.40	TR	1.6	17.5	.002	0.16	4C/4A
503	228.7	233.7	5.0	57.0	58.0	1.97	4.38	6.35	4.39	0.07	0.48	0.011	1.3	34.0	.003	0.11	4E0

V-115-R

GEOCHEMICAL LOG

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	Bao %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
504	233.7	239.7	6.0	63.0	65.0	2.55	5.82	8.37	4.46	0.08	3.03	0.018	1.3	33.0	.004	0.10	
505	239.7	243.7	4.0	108.0	107.0	6.85	9.59	16.44	4.41	0.07	23.95	0.005	2.2	13.2	.007	0.21	4FG
506	243.7	247.0	3.3	71.0	69.0	4.33	6.63	10.96	4.07	0.06	25.97	0.005	3.9	10.7	.005	0.37	4FG
507	247.0	252.0	5.0	88.0	82.0	5.71	3.64	9.35	3.73	0.18	3.54	0.009	21.1	7.8	.002	2.01	4D9/8
508	252.0	256.0	4.0	45.0	43.0	2.65	4.13	6.78	3.52	0.28	1.22	0.004	16.0	9.2	.002	1.20	4D9/8
509	256.0	259.0	3.0	18.0		0.74	1.07	1.81		0.47							4D9/8
510	259.0	264.0	5.0	14.0		0.53	1.09	1.62		0.10							4C/D9,8
511	264.0	269.0	5.0	11.0		0.56	0.63	1.19		0.17							4C/D9,8
512	269.0	274.0	5.0	20.0		1.01	1.38	2.39		0.16							4C7/D
513	274.0	279.0	5.0	43.0		2.55	3.98	6.53		0.16							4C7/D
514	279.0	284.0	5.0	16.0		0.84	0.71	1.55		0.29							4C7/D
515	284.0	287.0	3.0	13.0		0.79	1.52			0.26							4C7/D
516	287.0	292.0	5.0	7.0		0.08	0.23			0.43							4L7/9
517	292.0	297.5	5.5	4.0		0.06	0.14			0.14							4L7/9
518	297.5	302.5	5.0	8.0		0.16	0.32			0.30							4L7/9
519	302.5	307.0	4.5	5.0		0.15	0.36			0.16							4L7/9
520	307.0	310.4	3.4	6.0		0.14	0.29			0.17							4L7/9
521	310.4	313.0	2.6	8.0		0.04	0.29			0.18							4D9/8
522	313.0	318.0	5.0	23.0		0.07	0.31			0.32							4A0
523	318.0	323.0	5.0	11.0		0.05	0.08			0.29							4A0
524	323.0	328.0	5.0	13.0		0.01	0.12			0.27							4A0
525	328.0	333.0	5.0	10.0		0.06	0.23			0.24							4A0
526	333.0	338.0	5.0	4.0		0.10	0.12			0.05							4L0
527	338.0	343.0	5.0	6.0		0.31	0.68			0.08							4L7
528	343.0	348.0	5.0	6.0		0.09	0.22			0.08							4L/4D
529	348.0	353.0	5.0	11.0		0.25	0.35			0.10							4L0
530	353.0	358.0	5.0	11.0		0.09	0.34			0.12							4L7
531	358.0	362.0	4.0	4.0		0.07	0.20			0.05							4L6
532	362.0	368.0	6.0	2.0		TR.	0.12			0.01							4L6

Kamloops Research & Assay Laboratory Ltd.
2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2144

Date August 27, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent		Percent
21	V 0423	.011	9	.23	31.8	1.3	.001	.14	4.00	
22	0424	.02	36	.22	26.8	1.4	.003	3.77	4.05	
23	0425	.025	59	.50	32.3	7.3	.005	7.26	4.52	
24	0426	.018	58	.39	35.0	3.4	.002	6.20	4.67	
25	0427	.005	51	.41	32.4	5.3	.002	8.03	4.54	
26	0428	.018	31	.54	40.7	7.6	.001	3.16	4.42	
V-119 27	0429	.020	20	.47	26.7	9.0	.001	.09	3.64	
28	0430	.016	28	.34	33.7	7.3	.001	.51	3.57	
29	0431	.01	10	.27	34.1	3.2	.001	2.45	4.08	
30	0432	.019	42	.52	27.0	6.2	.002	7.27	4.22	
31	0433	.017	36	.40	24.4	3.8	.002	6.96	3.85	
32	0447	.02	99	.41	27.1	4.9	.003	10.82	4.46	
33	0448	.012	45	.49	38.3	8.9	.002	4.37	4.48	
34	0449	.025	64	.52	27.4	8.0	.002	3.78	4.48	
35	0450	.014	58	.44	28.0	5.5	.002	5.24	4.39	
36	0494	.015	56	.09	2.9	1.7	.004	.06	2.70	
V-115 37	0495	.007	34	.10	3.7	1.6	.003	.11	2.72	
38	0496	.01	35	.08	3.2	1.8	.002	.03	2.63	
39	0501	.005	29	.18	9.4	6.4	.002	.38	3.06	
40	V 0502	Tr	28	.16	17.5	1.6	.002	.40	3.31	

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R. A. Blanchfield
Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.
2095 WEST TRANS CANADA HIGHWAY--KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2144

Date August 27, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent		Percent
41	V 0503	.011	58	.11	34.0	1.3	.003	.48	4.39	
42	0504	.018	65	.10	33.0	1.3	.004	3.03	4.46	
43	0505	.005	107	.21	13.2	2.2	.007	23.95	4.41	
44	0506	.005	69	.37	10.7	3.9	.005	25.97	4.07	
45	0507	.009	82	2.01	7.8	21.1	.002	3.54	3.73	
46	0508	.004	43	1.20	9.2	16.0	.002	1.22	3.52	
47	0537	.02	43	.26	11.5	2.8	.002	3.34	3.13	
48	0538	Tr	40	.21	7.8	2.2	.002	1.10	2.99	
49	0539	.008	31	.22	14.9	1.9	.004	.35	3.39	
50	0540	Tr	26	.14	11.0	1.6	.002	1.08	3.15	
51	0541	Tr	15	.08	7.6	.7	.001	1.39	2.81	
52	0542	Tr	12	.10	5.0	.9	.001	.81	2.71	
53	0543	Tr	24	.14	7.9	1.8	.001	.86	2.97	
54	0544	.003	34	.22	16.2	2.7	.002	1.58	3.53	
55	0553	Tr	23	.17	3.6	4.5	.001	.63	2.67	
56	0554	.004	91	.26	10.7	2.5	.004	27.33	4.24	
57	0555	.005	103	1.07	8.9	9.2	.005	20.02	4.25	
58	0556	.012	100	.65	11.9	5.5	.004	19.02	4.24	
59	0557	.01	91	.70	12.9	6.6	.004	19.97	4.37	
60	V 0558	.012	109	1.70	5.4	23.2	.002	4.71	4.20	

V-115

V-055

V-115

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R. B. Brandell

Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 - TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2144

Date August 27, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

V-115

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent		Percent
61	V 0559	.005	99	1.36	16.1	14.3	.002	11.51	4.41	
62	0560	.012	89	.56	17.0	4.5	.003	14.14	5.00	
63	0561	.009	73	.70	17.5	9.1	.003	13.04	4.37	
64	0562	Tr	33	.22	30.1	1.7	.003	6.54	4.74	
65	0563	.011	103	.15	15.7	1.3	.006	21.09	4.35	
66	0564	.017	108	.28	17.4	2.9	.007	11.98	4.33	
67	0565	.004	58	.22	14.3	1.6	.006	27.02	4.57	
68	V 0566	.005	62	.34	11.0	3.0	.007	30.51	4.46	

Tr denotes "trace"

c.c. Mr. Darryl Hanson

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

B. A. Blundell
Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation,
330 - 355 Burrard Street,
Vancouver, B. C. V6C 2G8 Attention: Dr. Glen Simpson

Certificate No. K-2120
Date July 12, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	gm/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V115 R 1	V 0447		102	7.99	6.77	.16				
2	0448		53	3.45	3.79	.30				
3	0449		70	5.05	4.13	.30				
4	0450		62	4.59	4.89	.25				
5	0485		10	.50	.75	.03				
6	0486		7	.26	.55	.03				
7	0487		25	1.67	1.02	.04				
V123 8	0488		12	.49	.66	.09				
9	0489		12	.41	.35	.13				
10	0490		16	.71	.61	.09				
11	0491		34	2.07	.93	.92				
12	0492		10	.53	1.28	.02				
V-115 13	0493		24	1.13	2.41	.04				
14	0494		56	3.88	7.03	.07				
15	0495		37	2.76	4.02	.06				
16	0496		34	1.93	3.73	.07				
17	0497		8	.34	.34	.08				
18	0498		6	.22	.47	.09				
19	0499		10	.48	.57	.08				
20	V 0500		11	.64	.75	.10				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

B.A. Sundell
Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2120

Date July 12, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.		Marked	GOLD	SILVER	Pb	Zn	Cu				
			Ounces Per Ton	gm/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V 115 R	21	V 0501		28	1.69	4.18	.05				
	22	0502		25	1.46	3.23	.02				
	23	0503		57	1.97	4.38	.07				
	24	0504		63	2.55	5.82	.08				
	25	0505		108	6.85	9.59	.07				
	26	0506		71	4.33	6.63	.06				
	27	0507		88	5.71	3.64	.18				
	28	0508		45	2.65	4.13	.28				
	29	0509		18	.74	1.07	.47				
	30	0510		14	.53	1.09	.10				
	31	0511		11	.56	.63	.17				
	32	0512		20	1.01	1.38	.16				
	33	0513		43	2.55	3.98	.16				
	34	0514		16	.84	.71	.29				
	35	0515		13	.79	1.52	.26				
	36	0516		7	.08	.23	.43				
	37	0517		4	.06	.14	.14				
	38	0518		8	.16	.32	.30				
	39	0519		5	.15	.36	.16				
"	40	V 0520		6	.14	.29	.17				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R.B. Shandell
Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 - TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. 2120

Date July 12, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	gm/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
41	V 0521		8	.04	.29	.18				
42	0522		23	.07	.31	.32				
43	0523		11	.05	.08	.29				
44	0524		13	.01	.12	.27				
45	0525		10	.06	.23	.24				
46	0526		4	.10	.12	.05				
47	0527		6	.31	.68	.08				
48	0528		6	.09	.22	.08				
49	0529		11	.20	.36	.10				
50	0530		11	.09	.34	.12				
V-115										
51	0531		4	.07	.20	.05				
52	0532		2	Tr	.12	.01				
~~055~~ 53	0533		14	.87	.69	.12				
54	0534		6	.20	.31	.10				
55	0536		4	.06	.14	.12				
V-055 56	0537		42	2.59	4.45	.12				
57	0538		41	2.38	3.35	.10				
58	0539		36	2.30	4.89	.06				
59	0540		27	2.72	4.92	.05				
60	V 0541		17	1.31	1.05	.09				

NOTE: Tr denotes "trace"
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R.A. Blendell
Registered Assayer, Province of British Columbia

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 - TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2120

Date July 12, 1979

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	gm/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
61	V 0542		13	2.08	2.39	.02				
62	0543		27	2.88	6.04	.04				
V-055-R 63	0544		38	2.18	3.60	.12				
64	0545		16	.78	1.70	.12				
65	0546		17	1.30	3.52	.09				
66	0551		14	.71	.87	.17				
67	0552		16	.87	1.14	.10				
68	0553		25	1.63	3.38	.05				
69	0554		83	4.96	7.05	.05				
70	0555		100	6.85	7.62	.08				
V11's 71	0556		104	8.19	6.73	.07				
72	0557		99	6.79	7.65	.04				
73	0558		115	9.65	7.36	.20				
74	0559		98	8.82	6.51	.10				
75	0560		89	6.05	4.72	.04				
76	0561		71	5.26	5.70	.17				
77	0562		34	1.98	6.07	.03				
78	0563		100	5.57	9.06	.05				
79	0564		105	8.49	10.60	.10				
80	V 0565		60	3.64	7.41	.08				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R. Blendell
Registered Assayer, Province of British Columbia

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 - TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2120

Date July 12, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	gm/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
X V115 81	V 0566		62	3.28	7.63	.09	X			
82	0567		21	.99	2.51	.60				
83	0568		27	1.57	1.87	.53				
84	0569		62	5.06	6.19	.18				
85	0570		14	.25	.72	.41				
86	0571		12	.21	.72	.31				
87	0572		14	.34	.80	.34				
055 88	0573		12	.44	1.42	.36				
89	0574		11	.18	.74	.32				
90	0575		7	.09	.34	.41				
91	0576		5	.06	.23	.30				
92	V 0577		5	.15	.57	.27				
	R V 0529 V-115		11	.25	.35	.1				
	R V 0544 V-055		38	2.26	3.65	.12				
	R V 0570 V-055		12	.27	.76	.41				
	Std. MP-1		59	2.02	-	-				
	KC-1		-	7.06	-	.12				
	RU-1		-	-	2.2	.85				
	100		88	5.40	8.92	.10				
	200		84	4.86	6.60	.15				
	300		43	2.27	4.28	.04				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

c.c. Mr. S. Buziak

R. V. Bleasdell
Registered Assayer, Province of British Columbia

DDH V-11.5-R (2 / 8)

Cyprus Anvil Mining Corp.

Geochemical Log (Sampler's Copy)

Page ____ of ____

Logged By: MH

Sampled By: ____

Code	From	To	Sample No.	Description		
1	10 14	16 20	22 27	REC	LINIT	LENGTH
P	1 1 7 3 5	1 1 7 8 5	1 1 4 9 2	5.5	5A9	5.0
P	1 1 7 8 5	1 1 8 3 5	1 1 4 9 3	5.2	5A/4A	5.0
P	1 1 8 3 5	1 1 8 8 5	1 1 4 9 4	5.5	4A0	5.0
P	1 1 8 8 5	1 1 9 3 5	1 1 4 9 5	6 ft	4A0	5.0
P	1 1 9 3 5	1 1 9 7 5	1 1 4 9 6	2.5	4A0	4.0
	1 1 1	1 1 1	1 1 1 1 1			
P	1 1 0 1 8 2	1 1 1 2 2	1 1 4 9 7	4	4A0	4.0
P	1 1 1 2 2	1 1 1 5 5	1 1 4 9 8	3.3	4A0	3.3
P	1 1 1 5 5	1 1 1 9 4	1 1 4 9 9	4	4L/4C	3.9
P	1 1 1 9 4	1 2 A 4	1 1 5 0 0	4.5	4A9	5.0
P	1 2 A 4	1 2 9 4	1 1 5 5 1	4.3	4A9	5.0
P	1 2 9 4	1 3 A 4	1 1 5 5 2	5	4A9	5.0
P	1 3 A 4	1 3 9 0	1 1 5 5 3	~~4.6~~ 100%	4A9/4C0	4.6
P	1 3 9 0	1 4 A 0	1 1 5 5 4	4.9 ft	4678	5.0
P	1 4 A 0	1 4 9 0	1 1 5 5 5	≈ 5 ft	4678	5.0
P	1 4 9 0	1 5 4 0	1 1 5 5 6	5 ft	467/4687	5.0
P	1 5 A 0	1 5 9 0	1 1 5 5 7	5 ft	4G874	5.0
P	1 5 9 0	1 6 4 0	1 1 5 5 8	5 ft	4G874	5.0
P	1 6 4 0	1 6 8 0	1 1 5 5 9	4 ft	4G874	4.0
P	1 6 8 0	1 7 3 0	1 1 5 6 0	5 ft.	4E684	5.0
P	1 7 3 0	1 7 8 0	1 1 5 6 1	5 ft	4E684	5.0
P	1 7 8 0	1 8 3 0	1 1 5 6 2	5 ft	4E0	5.0
P	1 8 3 0	1 8 8 0	1 1 5 6 3	5 ft	464	5.0
P	1 8 8 0	1 9 3 0	1 1 5 6 4	5'	4F6	5.0
P	1 9 3 0	1 9 8 0	1 1 5 6 5	5'	4648	5.0
P	1 9 8 0	2 0 3 0	1 1 5 6 6	5'	4648	5.0
P	2 0 3 0	2 0 8 0	V1 10 14 14 17	5'	4648/4E84	5.0
P	2 0 8 0	2 1 3 0	V1 10 14 14 18	5'	4E84	5.0
P	2 1 3 0	2 1 8 0	V1 10 14 14 19	5'	4E84	5.0
P	2 1 8 0	2 2 2 0	V1 10 14 15 10	5'	4E84	4.0
P	2 2 2 0	2 2 5 6	V1 10 15 10 11	3.5'	4A79	3.6
P	2 2 5 6	2 2 8 7	V1 10 15 10 12	3.1'	4C/4A	3.1
	1 1 1	1 1 1	1 1 1 1 1			
	1 1 1	1 1 1	1 1 1 1 1			
P	2 2 8 7	2 3 3 7	V1 10 15 10 13	4.6'	4E0	5.0

DDH 11-115-B (2 of 8)

Cyprus Anvil Mining Corp.

Geochemical Log (Sampler's Copy)

Page [redacted]

Logged By:

Sampled By:

Code	From	To	Sample No.	Description		
1	10 14	16 20	22 27	REC	UNIT	LENGTH
P	12,139 7	12,143 7	11 10 1 5 10 15	4'	4F6	4.0
P	12,143 7	12,147 6	11 10 5 10 16	3.75'	4F6	3.3
P	12,147 0	12,152 0	1 10 1 5 10 17	5'	4D98	5.0
P	12,152 0	12,156 0	1 10 1 5 10 18	4½'	4D98	4.0
P	12,156 0	12,159 0	1 10 1 5 15 19	3'	4D98	3.0
P	12,159 0	12,164 0	1 10 1 5 1 20	5'	4CD98	5.0
P	12,164 0	12,169 0	1 10 1 5 1 11	5'	4CD98	5.0
P	12,169 0	12,174 0	1 10 1 5 1 12	5'	4C7D	5.0
P	12,174 0	12,179 0	1 10 1 5 1 13	4.9'	4C7D	5.0
P	12,179 0	12,184 0	1 10 1 5 1 14	5'	4C7D	5.0
P	12,184 0	12,187 0	1 10 1 5 1 15	3'	4C7D	3.0
P	12,187 0	12,192 0	1 10 1 5 1 16	5'	4L79	5.0
P	12,192 0	12,197 5	1 10 1 5 1 17	5.4'	4L79	5.5
P	12,197 5	13,025	1 10 1 5 1 18	4.6'	4L79	5.0
P	13,025	13,070	1 10 1 5 1 19	4.5	4L79	4.5
P	13,070	13,110 4	1 10 1 5 2 10	3.94	4L79	3.9
P	13,110 4	13,143 0	1 10 1 5 2 11	2.6	4D98	2.6
P	13,143	13,180	1 10 1 5 2 12	5'	4A0	5.0
P	13,180	13,230	1 10 1 5 2 13	5'	4A0	5.0
P	13,230	13,280	1 10 1 5 2 14	5'	4A0	5.0
P	13,280	13,330	1 10 1 5 2 15	5'	4A0	5.0
P	13,330	13,380	1 10 1 5 2 16	5'	4L	5.0
P	13,380	13,430	1 10 1 5 2 17	5'	4L7	5.0
P	13,430	13,480	1 10 1 5 2 18	5'	4L/4D	5.0
P	13,480	13,530	1 10 1 5 2 A	5'	4L	5.0
P	13,530	13,580	1 10 1 5 2 19	5'	4L7	5.0
P	13,580	13,620	1 10 1 5 3 1	5'	4L6	4.0
P	13,620	13,680	1 10 1 5 3 2	6'	4L6	6.0

V-117-R

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research & Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
1325	112.8	117.0	4.2	43.0		1.39	1.17	2.56		0.64							4E8
1326	117.0	121.4	4.4	32.0		2.33	1.63	3.96		0.31							4E8
1327	121.4	124.4	3.0	12.0		0.27	0.57	0.84		0.13							5B1
1328	124.4	127.0	2.6	32.0		1.67	1.66	3.33		0.15							4E8
1329	127.0	130.1	3.1	13.0		0.30	0.39	0.69		0.15							5B6
1330	130.1	137.0	6.9	39.0		2.70	2.68	5.38		0.36							4E8
1331	137.0	146.3	9.3	32.0		2.75	3.33	6.08		0.13							4EH
1332	146.3	148.9	2.6	17.0		1.09	1.28	2.37		0.18							4L7
1333	148.9	155.5	6.6	23.0		1.81	2.32	4.13		0.36							4E8
1334	155.5	160.5	5.0	9.0		0.78	1.05	1.83		0.09							4LA
1335	160.5	164.8	4.3	1.0		0.08	0.18	0.26		0.02							5D6
1336	193.1	198.4	5.3	25.0		1.59	2.22	3.81		0.04							4AD
1337	198.4	200.8	2.4	29.0		2.01	3.21	5.22		0.09							4LH

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation,
330 - 355 Burrard St.,
Vancouver, B. C. V6C 2G8 Attention: Dr. G. Simpson

Certificate No. K-2260
Date September 13, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1	V 1325		43	1.39	1.17	.64				
2	1326		32	2.33	1.63	.31				
3	1327		12	.27	.57	.13				
4	1328		32	1.67	1.66	.15				
5	1329		13	.30	.39	.15				
6	1330		39	2.70	2.68	.36				
7	1331		32	2.75	3.33	.13				
8	1332		17	1.09	1.28	.18				
9	1333		23	1.81	2.32	.36				
10	1334		9	.78	1.05	.09				
11	1335		1	.08	.18	.02				
12	1336		25	1.59	2.22	.04				
13	1337		29	2.01	3.21	.09				
14	1338		29	2.25	2.42	.28				
15	1339		11	.35	.17	.09				
16	1340		24	1.10	.75	.30				
17	1341		21	1.36	1.26	.30				
18	1342		23	1.22	1.14	.33				
19	1343		4	.10	.10	.05				
20	1344		37	2.35	2.76	.15				
21	V 1345		10	.33	.30	.11				

V-117-R

V-46R

NOTE:
Rejects retained three weeks.
Pulps retained three months unless otherwise arranged.

Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2260

Date September 13, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
	Repeats:									
V-117-R	V 1331		29	2.72	3.29	.13				
	Standards:									
	MP-1		58	1.70	15.85	1.86				
	RU-1		-	-	2.30	.85				
	Tails		-	.48	.89	.11				
	100		95	5.63	9.12	.10				
	200		82	4.99	6.67	.14				
	300		40	2.28	4.50	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months unless otherwise arranged.

Registered Assayer, Province of British Columbia

DDH V-117-R

Cyprus Anvil Mining Corp.

Geochemical Log (Sampler's Copy)

Page _____ of _____
Logged By: DJH
Sampled By: _____

Code	From	To	Sample No.	Description		
1	10 14	16 20	22 27	UNIT	LENGTH	REC
P	1/1/12 8	1/1/17 0	1 1/13215	4E8	4.2	4.2
P	1/1/17 0	1/121/4	1 1/13216	4E8	4.4	4.4
P	1/121/4	1/12194	1 1/13217	5B1	3.0	3.0
P	1/12194	1/12170	1 1/13218	4E8	2.6	2.5
P	1/12170	1/13101	1 1/13219	5B6	3.1	3.1
P	1/13101	1/13170	1 1/13310	4E8	6.9	6.9
P	1/13170	1/14163	1 1/13311	4EH	9.3	2.2
~~P~~	~~1/14120~~	~~1/14163~~	1 1 1 1 1	~~4EH~~		
P	1/14163	1/14189	1 1/13312	4L7	2.6	2.6
P	1/14189	1/15155	1 1/13313	4E8	6.6	6.6
P	1/15155	1/16105	1 1/13314	4LA	5.0	4.5
P	1/16105	1/16148	1 1/13315	5D6	4.3	4.3
P	1/19131	1/19184	1 1/13316	4AD	5.3	5.3
P	1/19184	12008	1 1/13317	4LH	2.4	2.4

V-119-R

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
401	68.0	73.0	5.0	27.0	29.0	2.84	1.42	4.26	2.75	0.16	0.24	0.020	0.7	5.4	.002	0.08	4AO
402	73.0	78.0	5.0	30.0	34.0	3.41	4.43	7.84	2.73	0.07	0.14	0.003	0.7	3.4	.002	0.05	4AO
403	78.0	83.0	5.0	34.0	32.0	3.67	4.81	8.48	2.67	0.06	0.11	0.036	0.8	3.7	.001	0.06	4AO
404	83.0	88.0	5.0	30.0	31.0	3.32	4.71	8.03	2.64	0.04	0.11	0.022	0.8	2.8	.001	0.04	4AO
405	88.0	93.0	5.0	38.0	34.0	3.50	4.84	8.34	2.68	0.05	0.20	0.030	0.7	2.2	.003	0.05	4AO
406	93.0	98.0	5.0	33.0	33.0	2.97	3.80	6.77	2.70	0.05	0.19	0.005	0.6	3.8	.003	0.04	4AO
407	107.0	112.0	5.0	166.0	183.0	6.06	8.64	14.70	4.69	0.22	0.32	0.010	1.0	33.2	.007	0.09	4E3
408	112.0	118.0	6.0	127.0	129.0	10.22	4.87	15.09	4.13	0.04	5.03	0.010	5.2	18.0	.007	0.70	4E3
409	120.0	123.5	3.5	166.0	224.0	5.99	8.04	14.03	4.68	0.22	0.11	0.015	0.7	35.1	.006	0.03	4L3/2
410	123.5	125.0	1.5	TR.		0.14	0.42	0.56		TR.							4KO
411	125.0	130.0	5.0	3.0		0.15	0.45	0.60		0.01							5B6/4L
412	153.0	156.3	3.3	3.0		0.22	0.46			0.10							4L7
413	156.3	160.3	4.0	TR.		0.12	0.41			0.01							4L6/7
414	160.3	164.3	4.0	TR.		0.03	0.22			TR.							4L6/7
415	164.3	168.0	3.7	TR.		0.09	0.36			TR.							4L6/7
416	176.6	181.6	5.0	90.0	85.0	6.85	6.27	13.12	3.96	0.07	11.64	0.005	6.4	12.9	.007	0.37	4DO
417	181.6	186.0	4.4	111.0	106.0	7.48	8.86	16.34	4.59	0.06	31.14	0.010	1.8	9.4	.009	0.22	4G4
418	186.0	191.0	5.0	106.0	82.0	6.55	8.53	15.08	4.57	0.04	36.44	0.012	1.2	6.4	.010	0.16	4G4
419	191.0	196.2	5.2	109.0	101.0	6.87	7.96	14.83	4.53	0.04	36.19	0.008	1.0	6.6	.009	0.18	4G4
420	196.2	200.2	4.0	43.0	39.0	3.17	4.49	7.66	4.58	0.20	8.16	0.012	2.3	32.7	.004	0.26	4EO
421	200.2	204.3	4.1	68.0	68.0	5.41	5.87	11.28	4.46	0.21	4.43	0.015	3.6	31.3	.005	0.36	4EO
422	204.3	209.4	5.1	5.0	6.0	0.48	0.94	1.42	2.93	0.06	6.56	0.009	4.8	7.8	.001	0.18	4L6/7,1,5
423	209.4	212.6	3.2	11.0	9.0	0.48	0.19	0.67	4.00	0.09	0.14	0.011	1.3	31.8	.001	0.23	4K3
424	212.6	217.0	4.4	40.0	36.0	3.33	2.18	5.51	4.05	0.21	3.77	0.020	1.4	26.8	.003	0.22	4E3,8/4K3
425	217.0	222.0	5.0	58.0	59.0	4.26	4.21	8.47	4.52	0.32	7.26	0.025	7.3	32.3	.005	0.50	4E3
426	222.0	227.0	5.0	64.0	58.0	5.33	4.40	9.73	4.67	0.18	6.20	0.018	3.4	35.0	.002	0.39	4E3
427	227.0	232.0	5.0	51.0	51.0	4.12	3.98	8.10	4.54	0.24	8.03	0.005	5.3	32.4	.002	0.41	4E3
428	232.0	236.1	4.1	37.0	31.0	2.69	3.00	5.69	4.42	0.29	3.16	0.018	7.6	40.7	.001	0.54	4E8/3

V-119-R

GEOCHEMICAL LOG

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
429	236.1	239.1	3.0	26.0	20.0	2.27	2.20	4.47	3.64	0.38	0.09	0.020	9.0	26.7	.001	0.47	4L7/4E8
430	239.1	243.1	4.0	34.0	28.0	3.15	1.57	4.72	3.57	0.24	0.51	0.016	7.3	33.7	.001	0.34	4L7/4K3
431	243.1	247.2	4.1	12.0	10.0	0.90	0.90	1.80	4.08	0.08	2.45	0.010	3.2	34.1	.001	0.27	4K3
432	247.2	251.0	3.8	27.0	42.0	3.51	3.52	7.03	4.22	0.17	7.27	0.019	6.2	27.0	.002	0.52	4E1
433	251.0	254.0	3.0	44.0	36.0	3.06	2.83	5.89	3.85	0.22	6.96	0.017	3.8	24.4	.002	0.40	4E1
434	254.0	259.0	5.0	17.0		0.27	0.36	0.63		0.46							4E3/4C0
435	259.0	264.0	5.0	25.0		0.78	1.30	2.08		0.34							4E3
436	264.0	266.1	2.1	14.0		0.34	0.56			0.47							4E3/4L7
437	266.1	270.5	4.4	14.0		0.62	0.67			0.22							4L7/4E1
438	270.5	274.5	4.0	14.0		1.03	1.24			0.08							4L3/7
439	274.5	278.0	3.5	1.0		0.07	0.37			0.07							4L3/7
440	278.0	281.9	3.9	10.0		0.73	0.95			0.16							4D0,3/4L2,9
441	281.9	287.4	5.5	10.0		0.66	0.73			0.29							4L7/9
442	287.4	293.0	5.6	7.0		0.53	0.48			0.21							4L7
443	293.0	299.0	6.0	6.0		0.51	0.11			0.07							4L7
444	299.0	305.0	6.0	5.0		0.20	0.41			0.19							4L7
445	305.0	310.0	5.0	9.0		0.68	0.67			0.10							4L7
446	310.0	316.0	6.0	2.0		0.08	0.14			0.04							4L7
454	316.0	322.0	6.0	1.0		0.02	0.09			0.09							4L7
455	322.0	327.2	5.2	3.0		0.08	0.40			0.08							4L7/4A1
456	327.2	333.0	5.8	4.0		0.19	0.63			0.22							4L7/4A0
457	333.0	337.0	4.0	3.0		0.33	0.90			0.11							4D7,9/4L7,9,4
458	337.0	344.1	7.1	TR.		0.01	0.03			0.03							4L7/9

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation,
330 - 355 Burrard St.,
Vancouver, B. C. B6C 2G8 Attention: Dr. G. Simpson

Certificate No. K-2144
Date August 27, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent		Percent
1	V 0351	.012	11	2.12	12.3	12.8	.002	.19	3.97	
V-110 2	0352	.021	58	1.93	11.6	11.4	.001	1.11	3.84	
3	0353	.020	60	1.19	13.1	6.4	.001	1.52	3.74	
4	0354	Tr	16	.88	15.4	5.1	.001	.47	3.45	
5	0401	.02	29	.08	5.4	.7	.002	.24	2.75	
6	0402	.003	34	.05	3.4	.7	.002	.14	2.73	
7	0403	.036	32	.06	3.7	.8	.001	.11	2.67	
8	0404	.022	31	.04	2.8	.8	.001	.11	2.64	
9	0405	.03	34	.05	2.2	.7	.003	.20	2.68	
10	0406	.005	33	.04	3.8	.6	.003	.19	2.70	
11	0407	.01	183	.09	33.2	1.0	.007	.32	4.69	
12	0408	.01	129	.70	18.0	5.2	.007	5.03	4.13	
13	0409	.015	224	.03	35.1	.7	.006	.11	4.68	
14	0416	.005	85	.37	12.9	6.4	.007	11.64	3.96	
V-119 15	0417	.01	106	.22	9.4	1.8	.009	31.14	4.59	
16	0418	.012	82	.16	6.4	1.2	.010	36.44	4.57	
17	0419	.008	101	.18	6.6	1.0	.009	36.19	4.53	
18	0420	.012	39	.26	32.7	2.3	.004	8.16	4.58	
19	0421	.015	68	.36	31.3	3.6	.005	4.43	4.46	
20	V 0422	.009	6	.18	7.8	4.8	.001	6.56	2.93	

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R. B. Brandell
Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.
2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2144

Date August 27, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent		Percent
21	V 0423	.011	9	.23	31.8	1.3	.001	.14	4.00	
22	0424	.02	36	.22	26.8	1.4	.003	3.77	4.05	
23	0425	.025	59	.50	32.3	7.3	.005	7.26	4.52	
24	0426	.018	58	.39	35.0	3.4	.002	6.20	4.67	
25	0427	.005	51	.41	32.4	5.3	.002	8.03	4.54	
26	0428	.018	31	.54	40.7	7.6	.001	3.16	4.42	
27	0429	.020	20	.47	26.7	9.0	.001	.09	3.64	
28	0430	.016	28	.34	33.7	7.3	.001	.51	3.57	
29	0431	.01	10	.27	34.1	3.2	.001	2.45	4.08	
30	0432	.019	42	.52	27.0	6.2	.002	7.27	4.22	
31	0433	.017	36	.40	24.4	3.8	.002	6.96	3.85	
32	0447	.02	99	.41	27.1	4.9	.003	10.82	4.46	
33	0448	.012	45	.49	38.3	8.9	.002	4.37	4.48	
34	0449	.025	64	.52	27.4	8.0	.002	3.78	4.48	
35	0450	.014	58	.44	28.0	5.5	.002	5.24	4.39	
36	0494	.015	56	.09	2.9	1.7	.004	.06	2.70	
37	0495	.007	34	.10	3.7	1.6	.003	.11	2.72	
38	0496	.01	35	.08	3.2	1.8	.002	.03	2.63	
39	0501	.005	29	.18	9.4	6.4	.002	.38	3.06	
40	V 0502	Tr	28	.16	17.5	1.6	.002	.40	3.31	

V-119

V-115

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

P. M. Blanchett
Registered Assayer, Province of British Columbia

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2111

Date July 6, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	gm/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-110-R 21	V 0371		22	1.13	1.14	.24				
22	0372		49	3.03	7.13	.06				
23	0373		31	2.39	3.98	.09				
24	0374		9	.16	.11	.27				
25	0375		16	.34	.12	.22				
26	0376		17	.22	.15	.10				
27	0377		4	.04	.04	.16				
Dbl ob 28	0381 X		1	.07	.06	.06				
29	0401		27	2.84	1.42	.16				
30	0402		30	3.41	4.43	.07				
V-119-R 31	0403		34	3.67	4.81	.06				
32	0404		30	3.32	4.71	.04				
33	0405		38	3.50	4.84	.05				
34	0406		33	2.97	3.80	.05				
35	0407		166	6.06	8.64	.22				
36	0408		127	10.22	4.87	.04				
37	0409		166	5.99	8.04	.22				
38	0410		Tr	.14	.42	Tr				
39	0411		3	.15	.45	.01				
40	V 0412		3	.22	.46	.10				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2111

Date July 6, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	gm/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-119-R 41	V 0413		Tr	.12	.41	.01				
42	0414		Tr	.03	.22	Tr				
43	0415		Tr	.09	.36	Tr				
44	0416		90	6.85	6.27	.07				
45	0417		111	7.48	8.86	.06				
46	0418		106	6.55	8.53	.04				
47	0419		109	6.87	7.96	.04				
48	0420		43	3.17	4.49	.20				
49	0421		68	5.41	5.87	.21				
50	0422		5	.48	.94	.06				
51	0423		11	.48	.19	.09				
52	0424		40	3.33	2.18	.21				
53	0425		58	4.26	4.21	.32				
54	0426		64	5.33	4.40	.18				
55	0427		51	4.12	3.98	.24				
56	0428		37	2.69	3.00	.29				
57	0429		26	2.27	2.20	.38				
58	0430		34	3.15	1.57	.24				
59	0431		12	.90	.90	.08				
60	V 0432		27	3.51	3.52	.17				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

DAB for Ross
Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2111

Date July 6, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	gm/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-119-R 61	V 0433		44	3.06	2.83	.22				
62	0434		17	.27	.36	.46				
63	0435		25	.78	1.30	.34				
64	0436		14	.34	.56	.47				
65	0437		14	.62	.67	.22				
66	0438 - 439		14	1.03	1.24	.08				
67	0440		10	.73	.95	.16				
68	0441		10	.66	.73	.29				
69	0442		7	.53	.48	.21				
70	0443		6	.51	.11	.07				
71	0444		5	.20	.41	.19				
72	0445		9	.68	.67	.10				
73	0456 x 446².		2	.08	.14	.04				
74	0454		1	.02	.09	.09				
V 119-R 75	0455		3	.08	.40	.08				
76	0456		4	.19	.63	.22				
77	0457		3	.33	.90	.11				
78	V 0458		Tr	.01	.03	.03				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

DAS for RGB

Registered Assayer, Province of British Columbia

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 - TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2111

Date July 6, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described DY drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	gm/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
06 139	X 0400		2	.03	.03	.10				
V-119-R 140	0439		1	.07	.37	.07				
141	0451		29	1.97	3.57	.13				
142	0452		56	3.17	5.01	.19				
06 143	0453		15	.66	.47	.19				
144	0459		3	.20	.36	.01				
145	0460		22	1.31	3.50	.02				
146	0461		23	1.38	2.81	.02				
147	0462		35	1.69	3.85	.10				
148	0463		28	1.55	3.40	.01				
05 149	0464		69	4.55	1.66	.05				
150	0465		5	.44	1.31	.01				
151	0466		5	.35	.49	.01				
152	0467		17	1.26	2.20	.02				
153	0468		9	.80	1.30	.01				
154	0469		7	.43	.97	.01				
155	0470		9	.57	.82	.01				
156	0471		8	.69	1.17	.01				
157	0472		7	.50	.25	.03				
158	X 0473		Tr	.07	.13	.03				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

DAB for RGB
Registered Assayer, Province of British Columbia

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 - TELEX 048-8320

V-119

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2111

Date July 6, 1979

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda & DY drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
	Repeats and Standards	Ounces Per Ton	Ounces Per Ton	Percent	Percent	Percent	Percent	Percent	Percent	Percent
	R V 0410 -V119		Tr	.15	.42	Tr				
	R V 0433 ✓		44	3.06	2.83	.23				
	Std. MP-1		57	1.99	15.83	-				
	RU-1		-	-	2.13	.85				
	KC-1		-	6.86	-	.11				
	100		91	5.61	8.99	.11				
	200		81	5.00	6.57	.17				
	300		40	2.37	4.31	.03				
	R X 0460 X-05		23	1.31	3.51	.01				
	R X 0471 ✓		9	.75	1.13	.01				
	R X 0483 ✓		80	4.98	7.18	.06				
	Std. MP-1		59	1.90	-	-				
	RU-1		-	-	2.24	.84				
	KC-1		-	6.80	-	.11				
	100		91	5.37	8.92	.11				
	200		83	4.88	6.68	.16				
	300		41	2.29	4.34	.04				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

DAB for RSB
.....
Registered Assayer, Province of British Columbia

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2111

Date July 6, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda & DY drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	Ounces Per Ton	Percent	Percent	Percent	Percent	Percent	Percent	Percent
	Repeats & Standards Cont'd.									
	R X 0399 X06		2	.04	.02	.07				
	R V 0440 V119		8	.74	.93	.16				
	Std. MP-1		59	1.91	-	-				
	RU-1		-	-	2.22	.84				
	KC-1		-	6.77	-	.12				
	100		94	5.44	8.85	.11				
	200		82	4.97	6.65	.15				
	300		41	2.29	4.38	.04				
	R X 0340 X06		33	1.80	4.40	.02				
	R X 0350 ✓		7	.20	.21	.36				
	Std. MP-1		58	1.86	-	-				
	RU-1		-	-	2.20	.85				
	KC-1		-	6.92	-	.11				
	100		95	5.50	8.92	.10				
	200		82	4.90	6.66	.13				
	300		43	2.29	4.36	.04				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

DAB for RGB
.....
Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation,
330 - 355 Burrard St.,
Vancouver, B. C. V6C 2G8 Attention: Dr. G. Simpson

REVISED

Certificate No. K-2111; K-2182.

Date August 24, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
	K-2111: Typographical error in identification									
V-119 73	V 0446		2	.08	.14	.04 ✓	CK			
	K-2182: Typographical error in Silver									
85	V 0939		10	.42	.33	.37 ✓	CK			

ok JS

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

c.c. Mr. Darryl Hanson

R.B. Sanders

Registered Assayer, Province of British Columbia

DDH V-T19R (2 8)

Cyprus Anvil Mining Corp.

Geochemical Log (Sampler's Copy)

[redacted] Page [redacted] of [redacted]

Logged By: _____

Sampled By: _____

Code	From	To	Sample No.	Description				
1	10 14	16 20	22 27	REC.	UNIT	LENGTH	REC%	
P	16800	17300	V 104001	5.0	4A0	5.0'		
P	17300	17800	V 104002	5.0	4A0	5.0'		
P	17800	18300	V 104003	2.7	4A0	5.0'		
P	18300	18800	V 104004	5.0	4A0	5.0'		
P	18800	19300	V 104005	2.7	4A0	5.0'		
P	19300	19800	V 104006	2.8	4A0	5.0'		
				0.0	4A0	4.0'		NO CORE
				0.0	4A0	5.0'		NO CORE
P	10170	11120	V 104007	4.2	4E3	5.0'		POOR REC.
P	11120	11180	V 104008	3.6	4E3	6.0		POOR REC.
								NO CORE
P	11800	12350	V 104009	0.6	4L32	3.5		POOR REC.
P	12350	12500	V 104010	1.5	4K0	1.5		
P	12500	13100	V 104011	5.0	5B6/4L	5.0		
P	15300	15163	V 104012	3.3	4L7	3.3		
P	15163	16103	V 104013	4.0	4L67	4.0		
P	16103	16433	V 104014	4.0	4L67	4.0		
P	16433	16800	V 104015	3.7	4L67	3.7		
P	17663	18163	V 104016	5.0	4D0	5.0		
P	18163	18600	V 104017	4.4	464	4.4		
P	18600	19100	V 104018	5.0	464	5.0		
P	19100	19623	V 104019	5.2	464	5.2		
P	19623	21002	V 104020	4.0	4E0	4.0		
P	21002	21043	V 104021	4.3	4E0	4.3		
P	21043	21094	V 104022	5.1	4L67615	5.1		
P	21094	21126	V 104023	3.2	4K3	3.2		
P	21126	21170	V 104024	4.4	4E38/4K3	4.4		
P	21170	21220	V 104025	5.0	4E3	5.0		
P	21220	21270	V 104026	5.0	4E3	5.0		
P	21270	21320	V 104027	5.0	4E3	5.0		
P	21320	21361	V 104028	4.1	4E83	4.1		
P	21361	21391	V 104029	3.0	4L7/4E8	3.0		
P	21391	21431	V 104030	4.0	4L7/4K3	4.0		
P	21431	21472	V 104031	4.2	4K3	4.2		

DDH V-11-9-R (2 of 8)

Cyprus Anvil Mining Corp.
Geochemical Log (Sampler's Copy)

Page _____ of _____
Logged By: _____
Sampled By: _____

Code	From	To	Sample No.	Description				
	10 14	16 20	22 27	REC.	LIMIT	LENGTH	REC%	
P	12147 2	12151 0	V1 10432	3.8	4E1	3.8		
P	12151 0	12154 0	V1 10433	3.0	4E1	3.0		
P	12154 0	12159 0	V1 10434	5.0	4E3/4C0	5.0		
P	12159 0	12164 0	V1 10435	5.0	4E3	5.0		
P	12164 0	12166 1	V1 10436	2.1	4E3/4L7	2.1		
P	12166 1	12170 5	V1 10437	4.4	4L7/4E1	4.4		
P	12170 5	12174 5	V1 10438	4.0	4L37	4.0		
P	12174 5	12178 0	V1 10439	3.5	4L37	3.5		
P	12178 0	12181 9	V1 10441	3.9	4D09/4L29	3.9		
P	12181 9	12187 4	V1 10441	5.3	4L79	5.3		
P	12187 4	12193 0	V1 10442	5.6	4L7	5.6		
P	12938 0	12990	V1 10443	6.0	4L7	6.0		
P	12990	13050	V1 10444	6.0	4L7	6.0		
P	13050	13110	V1 10445	5.0	4L7	5.0		
P	13110	13160	V1 10446	6.0	4L7	6.0		
P	13160	13212	V1 14544	6.0	4L7	6.0		
P	13212 0	13217 2	V1 14545	5.2	4L7/4A1	5.2		
P	13272	13313 0	V1 14546	5.8	4L76/4A0	5.8		
P	13315 0	13317 0	V1 14547	4.0	4D79/4L79	4.0		
P	13170	13414 1	V1 14548	7.1	4L79	7.1		
						212.6		

V-123-R

V-123-R

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Unit
485	124.6	129.6	5.0	10.0		0.50	0.75			0.03						4A0
486	129.6	134.6	5.0	7.0		0.26	0.55			0.03						4A0
487	134.6	139.6	5.0	25.0		1.67	1.02	2.69		0.04						4A0
488	139.6	146.8	7.2	12.0		0.49	0.66			0.09						4A0
489	182.3	187.3	5.0	12.0		0.41	0.35			0.13						4A7
490	187.3	192.3	5.0	16.0		0.71	0.61			0.09						4A7
491	192.3	199.0	6.7	34.0		2.07	0.93	3.00		0.92						4A7

Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation,
330 - 355 Burrard Street,
Vancouver, B. C. V6C 2G8 Attention: Dr. Glen Simpson

Certificate No. K-2120
Date July 12, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	gm/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V115 R 1	V 0447		102	7.99	~~6.77~~	.16				
2	0448		~~53~~	3.45	3.79	.30				
3	0449		70	5.05	4.13	.30				
4	0450		62	4.59	4.89	.25				
5	0485		10	.50	.75	.03				
6	0486		7	.26	.55	.03				
7	0487		25	1.67	1.02	.04				
V123 8	0488		12	.49	.66	.09				
9	0489		12	.41	.35	.13				
10	0490		16	.71	.61	.09				
11	0491		34	2.07	.93	.92				
12	0492		10	.53	1.28	.02				
V-115 13	0493		24	1.13	~~2.41~~	.04				
14	0494		56	~~3.88~~	7.03	.07				
15	0495		~~37~~	2.76	4.02	.06				
16	0496		34	1.93	3.73	.07				
17	0497		8	.34	.34	.08				
18	0498		6	.22	.47	.09				
19	0499		10	.48	.57	.08				
20	V 0500		11	.64	.75	.10				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R. G. Shandell
Registered Assayer, Province of British Columbia

DDH V-12-3-B (2 / 8)

Cyprus Anvil Mining Corp.
Geochemical Log (Sampler's Copy)

Page _____ of _____
Logged By: DJH
Sampled By: _____

Code	From	To	Sample No.	Description		
1	10 14	16 20	22 27	Rec.	Length	Unit
P	1/1214 6	1/1219 6	1V0141815	5.0	5.0	4A0
P	1/1219 6	1/1314 6	1V0141816	4.5	5.0	4A0
P	1/1314 6	1/1319 6	1V0141817	4.0	5.0	4A0
P	1/1319 6	1/1416 8	1V0141818	7.2	7.2	4A0
P	1/1812 3	1/1817 3	1V0141819	5.0	5.0	4A7
P	1/1817 3	1/1912 3	1V0141910	5.0	5.0	4A7
P	1/1912 3	1/1919 0	1V0141911	6.0	6.7	4A7

V-126-R

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
209	85.0	90.0	5.0	20.0		1.25	2.43	3.68		0.03							4A0
210	90.0	95.0	5.0	24.0		1.53	2.43	3.96		0.08							4A0
211	95.0	98.0	3.0	22.0		1.37	1.75	3.12		0.15							4A0
212	98.0	101.5	3.5	21.0		1.33	1.51	2.84		0.14							4E1
213	101.5	105.0	3.5	27.0		1.38	1.04	2.42		0.15							4E1
214	105.0	110.0	5.0	63.0	60.0	4.20	5.47	9.67	3.37	0.10	0.04	0.21	3.2	16.8	.005	0.21	4A0
215	110.0	115.0	5.0	66.0	64.0	3.87	7.37	11.24	3.29	0.08	0.04	0.69	3.1	15.2	.006	0.19	4A0
216	115.0	120.0	5.0	81.0	80.0	4.73	8.69	13.42	3.42	0.12	0.36	0.69	1.8	16.7	.007	0.11	4A0
217	120.0	125.0	5.0	67.0	72.0	3.73	6.09	9.82	3.13	0.24	0.03	0.62	1.6	13.3	.006	0.09	4A0
218	125.0	130.0	5.0	20.0		0.98	1.67	2.65		0.09							4A0
219	130.0	135.0	5.0	30.0		1.46	2.18	3.64		0.17							4A0
220	135.0	140.0	5.0	27.0		1.21	1.99	3.20		0.20							4A0
221	140.0	145.0	5.0	37.0		2.09	3.48	5.57		0.18							4A0
222	145.0	150.0	5.0	23.0		1.01	2.40	3.41		0.15							4A0
223	150.0	155.0	5.0	27.0		0.53	0.97	1.50		0:18							4A0
224	155.0	160.0	5.0	36.0		0.89	2.45	3.34		0.19							4A0
225	160.0	166.7	6.7	25.0		0.67	2.27	2.94		0.14							4A0
226	188.9	194.0	5.1	24.0		1.08	1.26	2.34		0.22							4A0
227	194.0	199.0	5.0	13.0		0.35	0.23	0.58		0.25							4A0
228	199.0	203.0	4.0	11.0		0.22	0.36	0.58		0.19							4A0
229	203.0	207.0	4.0	10.0		0.35	0.43	0.78		0.05							4A0
230	224.0	229.0	5.0	28.0		1.26	0.50	1.76		0.34							4A0
231	229.0	232.0	3.0	25.0		1.33	0.98	2.31		0.20							4A/4C
232	232.0	237.0	5.0	4.0		0.07	0.05	0.12		0.07							4L7
233	237.0	242.0	5.0	4.0		0.04	0.03	0.07		0.12							4L7
234	242.0	247.0	5.0	1.0		0.05	0.04	0.09		0.11							4L7
235	247.0	252.0	5.0	1.0		0.05	0.04	0.09		0.07							4L7
236	252.0	257.0	5.0	4.0		0.17	0.30	0.47		0.15							4L7
237	257.0	262.0	5.0	4.0		0.13	0.28	0.41		0.20							4L7
238	262.0	267.0	5.0	2.0		0.02	0.02	0.04		0.08							4L7
239	267.0	272.0	5.0	5.0		0.20	0.22	0.42		0.15							4L7

V-126-R

GEOCHEMICAL LOG

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
240	272.0	277.0	5.0	6.0		0.23	0.25	0.48		0.21							4L7
241	277.0	282.0	5.0	5.0		0.12	0.12	0.24		0.14							4L7
242	282.0	287.0	5.0	3.0		0.04	0.03	0.07		0.06							4L7
243	287.0	292.0	5.0	4.0		0.10	0.14	0.24		0.10							4L7
244	292.0	297.0	5.0	6.0		0.13	0.11	0.24		0.16							4L7
245	297.0	302.0	5.0	6.0		0.23	0.29	0.52		0.08							4L7
246	302.0	307.0	5.0	4.0		0.20	0.16	0.36		0.05							4L7
247	307.0	312.0	5.0	4.0		0.09	0.22	0.31		0.06							4L7

Kamloops Research & Assay Laboratory Ltd.
2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 - TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2104

Date August 13, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Mn	Hg	BaO	Py	Po	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-094 41	V 0187	.21	55	.73	.003	4.33	19.3	6.6	3.65	
42	0188	Tr	23	.77	.002	4.65	19.5	6.9	3.55	
43	0214	.21	60	.21	.005	.04	16.8	3.2	3.37	
44	0215	.69	64	.19	.006	.04	15.2	3.1	3.29	
V-126 45	0216	.69	80	.11	.007	.36	16.7	1.8	3.42	
46	0217	.62	72	.09	.006	.03	13.3	1.6	3.13	
47	0291	.07	60	.07	.008	37.94	7.7	.9	4.49	
48	0292	.07	33	.05	.003	25.94	6.4	2.0	3.60	
49	0293	.62	67	.19	.004	21.19	12.9	2.9	4.18	
50	0294	Tr	5	.21	.001	4.70	5.9	3.4	2.87	
V-114 51	0295	Tr	43	.34	.002	8.85	20.2	6.1	3.59	
52	0296	.55	47	.60	.001	12.86	25.9	6.7	4.29	
53	0297	Tr	28	.12	.001	1.44	11.9	3.8	3.00	
54	0298	.62	97	.16	.005	19.73	20.5	1.4	4.61	
55	V 0299	.55	80	.20	.005	18.67	21.0	1.9	4.45	

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

c.c. Mr. S. Buziak

DAB for RJS

Registered Assayer, Province of British Columbia

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 - TELEX 048-8320

CERTIFICATE OF ASSAY

V-126-R

TO Cyprus Anvil Mining Corporation,
330 - 355 Burrard St.,
Vancouver, B. C. V6C 2G8 Attention: Dr. G. Simpson

Certificate No. K-2065
Date June 13, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	Gm/Metric T ~~Ounces Per Ton~~	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1	V 0209		20	1.25	2.43	.03				
2	0210		24	1.53	2.43	.08				
3	0211		22	1.37	1.75	.15				
4	0212		21	1.33	1.51	.14				
5	0213		27	1.38	1.04	.15				
6	0214		63	4.20	5.47	.10				
7	0215		66	3.87	7.37	.08				
8	0216		81	4.73	8.69	.12				
9	0217		67	3.73	6.09	.24				
10	0218		20	.98	1.67	.09				
11	0219		30	1.46	2.18	.17				
12	0220		27	1.21	1.99	.20				
13	0221		37	2.09	3.48	.18				
14	0222		23	1.01	2.40	.15				
15	0223		27	.53	.97	.18				
16	0224		36	.89	2.45	.19				
17	0225		25	.67	2.27	.14				
18	0226		24	1.08	1.26	.22				
19	0227		13	.35	.23	.25				
20	0228		11	.22	.36	.19				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

c.c. Mr. S. Buziak

DAB for RGB
.....
Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 - TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

V-126-R

TO Cyprus Anvil Mining Corporation

Certificate No. K-2065

Date June 13, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	Gm/Metric T ~~Ounces Per Ton~~	Percent	Percent	Percent	Percent	Percent	Percent	Percent
21	V 0229		10	.35	.43	.05				
22	0230		28	1.26	.50	.34				
23	0231		25	1.33	.98	.20				
24	0232		4	.07	.05	.07				
25	0233		4	.04	.03	.12				
26	0234		1	.05	.04	.11				
27	0235		1	.05	.04	.07				
28	0236		4	.17	.30	.15				
29	0237		4	.13	.28	.20				
30	0238		2	.02	.02	.08				
31	0239		5	.20	.22	.15				
32	0240		6	.23	.25	.21				
33	0241		5	.12	.12	.14				
34	0242		3	.04	.03	.06				
35	0243		4	.10	.14	.10				
36	0244		6	.13	.11	.16				
37	0245		6	.23	.29	.08				
38	0246		4	.20	.16	.05				
39	V 0247		4	.09	.22	.06				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

DAB for RGB
.....
Registered Assayer, Province of British Columbia

DDH V-126-B (2 of 8)

Cyprus Anvil Mining Corp.
Geochemical Log (Sampler's Copy)

Page _____ of _____
Logged By: DJH
Sampled By: AL

Code	From	To	Sample No.	Description		
				UNIT	LENGTH	REC
1	10 14	16 20	22 27			
P	1 1850	1 1900	1V1012019	4AO	5.0	5.0
P	1 1900	1 1950	1V1012110	4AO	5.0	5.0
P	1 1950	1 1980	1V1012111	4AO	3.0	3.0
P	1 1980	1 2015	1V1012112	4E1	3.5	3.5
P	1 2015	1 2050	1V1012113	4E1	3.5	3.5
P	1 2050	1 2100	1V1012114	4AO	5.0	5.0
P	1 2100	1 2150	1V1012115	4AO	5.0	4.1
P	1 2150	1 2200	1V1012116	4AO	5.0	5.0
P	1 2200	1 2250	1V1012117	4AO	5.0	5.0
P	1 2250	1 3100	1V1012118	4AO	5.0	5.0
P	1 3100	1 3150	1V1012119	4AO	5.0	5.0
P	1 3150	1 4100	1V1012120	4AO	5.0	5.0
P	1 4100	1 4150	1V1012121	4AO	5.0	5.0
P	1 4150	1 5100	1V1012212	4AO	5.0	5.0
P	1 5100	1 5550	1V1012213	4AO	5.0	5.0
P	1 5550	1 6100	1V1012214	4AO	5.0	5.0
P	1 6100	1 6167	1V1012215	4AO	6.7	6.7
					81.7	
P	1 1889	1 1940	1V1012216	4AO	5.1	4.9
P	1 1940	1 1990	1V1012217	4AO	5.0	5.0
P	1 1990	2 0330	1V1012218	4AO	4.0	4.0
P	2 0330	2 0770	1V1012219	4AO	4.0	4.0
					18.1	
P	2 2140	2 2190	1V1012310	4AO	5.0	5.0
P	2 2190	2 3120	1V1012311	4AO/4CO	3.0	3.0
P	2 3120	2 3170	1V1012312	4L7	5.0	5.0
P	2 3170	2 4200	1V1012313	4L7	5.0	5.0
P	2 4200	2 4700	1V1012314	4L7	5.0	5.0
P	2 4700	2 5200	1V1012315	4L7	5.0	5.0
P	2 5200	2 5700	1V1012316	4L7	5.0	5.0
P	2 5700	2 6200	1V1012317	4L7	5.0	5.0
P	2 6200	2 6700	1V1012318	4L7	5.0	5.0
P	2 6700	2 7200	1V1012319	4L7	5.0	5.0
P	2 7200	2 7700	1V1012410	4L7	5.0	5.0
P	2 7700	2 8200	1V1012411	4L7	5.0	5.0
P	2 8200	2 8700	1V1012412	4L7	5.0	5.0

DDH V-12.6-8 (2 / 8)

Cyprus Anvil Mining Corp.
Geochemical Log (Sampler's Copy)

Page _____ of _____
Logged By: DJH.
Sampled By: _____

Code	From	To	Sample No.	UNIT	LENGTH	Description REC.
1	10 14	16 20	22 27			
P	12817.0	12920	V102413	4L7	5.0	5.0
P	12920	12970	V102414	4L7	5.0	5.0
P	12970	13020	V102415	4L7	5.0	5.0
P	13020	13070	V102416	4L7	5.0	5.0
P	13070	13120	V102417	4L7	5.0	5.0
					88.0	
				tot. =	187.8	186.7 = 99%

JUN 18 1979

V-133-R

[redacted]

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Unit
631	232.3	237.0	4.7	37.0		1.73	3.77	5.50		0.06						4A0,4
632	237.0	242.0	5.0	39.0		2.10	5.34	7.44		0.06						4A0,4
633	242.0	247.0	5.0	4.0		0.24	0.31	0.55		0.02						4A0
634	247.0	252.0	5.0	74.0		4.33	6.64	10.97		0.08						4A0
635	252.0	257.0	5.0	81.0		4.92	9.40	14.32		0.04						4A0
636	257.0	262.0	5.0	28.0		1.66	2.86	4.52		0.03						4A0
637	262.0	267.0	5.0	3.0		0.19	0.44	0.63		0.02						4A0
638	267.0	272.0	5.0	8.0		0.61	1.04	1.65		0.03						4A0
639	272.0	277.0	5.0	13.0		0.93	0.96	1.89		0.03						4A0
640	277.0	282.0	5.0	8.0		0.52	1.50	2.02		0.05						4A0
641	282.0	287.0	5.0	21.0		1.49	0.73	2.22		0.08						4A0
642	287.0	292.0	5.0	10.0		0.76	0.59			0.08						4A0
643	292.0	297.0	5.0	2.0		0.28	0.47			0.02						4A0
644	297.0	302.0	5.0	TR		TR	0.15			0.01						4A0

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation,
330 - 355 Burrard St.,
Vancouver, B. C. V6C 2G8 Attention: Dr. G. Simpson

Certificate No. K-2151
Date July 31, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda d.d core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-72-R 1	V 0547		5	.04	.04	.06				
2	0548		3	.01	.04	.07				
3	0549		16	.30	.22	.21				
4	0550		Tr	.07	.28	.06				
5	0631		37	1.73	3.77	.06				
6	0632		39	2.1	5.34	.06				
7	0633		4	.24	.31	.02				
8	0634		74	4.33	6.64	.08				
9	0635		81	4.92	9.4	.04				
10	0636		28	1.66	2.86	.03				
11	0637		3	.19	.44	.02				
V-133-R 12	0638		8	.61	1.04	.03				
13	0639		13	.93	.96	.03				
14	0640		8	.52	1.50	.05				
15	0641		21	1.49	.73	.08				
16	0642		10	.76	.59	.08				
17	0643		2	.28	.47	.02				
18	0644		Tr	Tr	.15	.01				
19	0645		2	.13	.08	.12				
V-72-R 20	V 0646		24	1.82	1.68	.10				

NOTE: Tr denotes "trace"
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2151

Date July 31, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda d.d.core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
61	V 02972		45	2.97	4.22	.09				
62	02973		28	1.93	2.32	.14				
63	02974		16	.65	1.58	.19				
V-72-R 64	02975		10	.28	.62	.13				
65	02976		7	.22	.68	.13				
66	02977		9	.16	.51	.16				
67	V 02978		14	.26	.84	.24				
	Repeats: V 02938 101		14	.68	2.48	.09				
	0659 301		24	.95	.92	.28				
	0637 133		2	.19	.43	.02				
	V 0650 72		10	.48	.61	.10				
	Standards: MP-1		58	1.86	-	-				
	RU-1		6	-	2.22	.79				
	KC-1		-	6.81	-	.11				
	100		93	5.45	9.14	.11				
	200		82	4.86	6.58	.16				
	300		40	2.37	4.21	.04				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R. G. Shandley
Registered Assayer, Province of British Columbia

DDH V-133-R (2 of 8)

Cyprus Anvil Mining Corp.

Geochemical Log (Sampler's Copy)

Page _____ of _____

Logged By: _____

Sampled By: _____

Code	From	To	Sample No.	Description			
1	10 14	16 20	22 27	REC.	UNIT	FOOTAGE	
P	12312 3	12317 0	16311	4	4A0, 4A4	4-7	
P	12317 0	12412 0	16312	5'	4A0, 4A4	5.0	
P	12412 0	12417 0	16313	5'	4A0	5.0	
P	12417 0	12512 0	16314	5'	4A0	5.0	
P	12512 0	12517 0	16315	5'	4A0	5.0	
P	12517 0	12612 0	16316	5'	4A0	5.0	
P	12612 0	12617 0	16317	5'	4A0	5.0	
P	12617 0	12712 0	16318	5'	4A0	5.0	
P	12712 0	12717 0	16319	5'	4A0	5.0	
P	12717 0	12812 0	16410	5'	4A0	5.0	
P	12812 0	12817 0	16411	5'	4A0	5.0	
P	12817 0	12912 0	16412	5'	4A0	5.0	
P	12912 0	12917 0	16413	5'	4A0	5.0	
P	12917 0	13012 0	16414	5'	4A0	5.0	

V-143-R

V-143-R

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Sample No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
3051	183.8	189.0	5.2	40.0		2.19	3.32	5.51		0.04							4A0
3052	189.0	194.0	5.0	34.0		2.39	3.19	5.58		0.04							4A0
3053	194.0	199.0	5.0	25.0		1.63	1.52	3.15		0.05							4A0
3054	199.0	203.9	4.9	19.0		1.38	2.42	3.80		0.06							4A0
3055	272.8	277.0	4.2	10.0		0.66	1.18	1.84		0.03							5A9
3056	277.0	282.0	5.0	53.0		2.93	4.36	7.29		0.08							4E/A
3057	282.0	287.0	5.0	21.0		1.15	2.57	3.72		0.05							4A0
3058	291.0	296.0	5.0	64.0		3.63	6.68	10.31		0.08							4A0
3059	296.0	301.0	5.0	55.0		2.99	6.91	9.90		0.03							4A0
3060	301.0	306.0	4.1	32.0		1.56	3.02	4.58		0.02							4A0

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2321

Date October 9, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
41	V 3032		5	.03	.03	.07				
V317 42	3033		7	.10	.04	.09				
43	3034		10	.10	.11	.25				
44	3035		11	.24	.20	.12				
45	3036		10	.21	.27	.18				
46	3037		7	.05	.09	.12				
47	3038		8	.02	.04	.09				
48	3039		48	2.17	5.30	.03				
49	3040		54	2.76	6.38	.03				
50	3041		17	.74	1.08	.08				
51	3042		14	.25	.19	.09				
52	3043		10	.24	.48	.10				
53	3044		8	.18	.50	.04				
V316 54	3045		12	.32	.62	.09				
55	3046		16	1.08	1.36	.06				
56	3047		6	.12	.39	.06				
57	3048		23	1.19	2.16	.08				
58	3049		24	1.14	2.61	.05				
59	3050		35	2.17	5.59	.02				
V143-R 60	3051		40	2.19	3.32	.04				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

WAB for RGB

Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2321

Date October 9, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
61	V 3052		34	2.39	3.19	.04				
62	3053		25	1.63	1.52	.05				
V-143-R 63	3054		19	1.38	2.42	.06				
64	3055		10	.66	1.18	.03				
65	3056		53	2.93	4.36	.08				
66	3057		21	1.15	2.57	.05				
67	3058		64	3.63	6.68	.08				
68	3059		55	2.99	6.91	.03				
69	3060		32	1.56	3.02	.02				
70	3061		45	2.59	2.32	.35				
71	3062		28	1.52	.72	.47				
V-320 72	3063		6	.12	.55	.09				
73	3064		51	3.25	3.18	.14				
74	3065		44	3.05	3.59	.20				
75	3101		67	4.39	5.79	.04				
76	3102		92	4.79	8.39	.04				
77	3103		96	6.63	7.39	.03				
V 316 78	3104		124	8.29	7.73	.04				
79	3105		153	12.95	5.94	.06				
80	3106		148	13.11	3.98	.05				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2321

Date October 9, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
	Repeats:									
	V 3020 317		13	.17	.09	.20				
	3045 316		11	.32	.61	.09				
	*3060 143-R		29	1.56	3.07	.02				
	3110 316		96	8.21	6.68	.14				
	1500 317		24	.56	1.04	.03				
	V 3035 317		12	.24	.19	.11				
	Standards:									
	MP-1		58	1.84	15.9	1.97				
	RU-1		-	-	2.22	.82				
	100		95	5.44	8.83	.10				
	200		82	4.87	6.58	.14				
	300		40	2.34	4.32	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia

DDH V-143-R

Cyprus Anvil Mining Corp.

Geochemical Log (Sampler's Copy)

Page ____ of ____

Logged By: LWM

Sampled By: ____

Card	From	To	Sample No.	Description		
1	10 14	15 20	22 27	UNIT	LENGTH	REC.
1						
1	1183	1189	1310511	4AO	5.2	
1	1189	1194	1310512	4AO	5.0	
1	1194	1199	1310513	4AO	5.0	
1	1199	2039	1310514	4AO	4.9	
1						
1	2172	2177	1310515	5A9	4.2	
1	2177	2182	1310516	4E/A	5.0	
1	2182	2187	1310517	4AO	5.0	
1						
1	2911	2916	1310518	4AO	5.0	
1	2916	3011	1310519	4AO	5.0	
1	3011	3051	1310600	4AO	4.1	

V-300-R

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Unit
2901	69.0	74.0	5.0	47.0		3.28	6.36	9.64		1.21						4A0
2902	74.0	79.0	5.0	45.0		2.94	5.41	8.35		1.62						4A0
2903	79.0	84.0	5.0	50.0		3.85	4.95	8.80		0.39						4A0
2904	84.0	89.0	5.0	49.0		3.83	4.79	8.62		0.37						4A0
2905	89.0	94.0	5.0	55.0		4.48	5.57	10.05		0.09						4A0
2906	94.0	98.0	4.0	43.0		3.26	6.14	9.40		0.05						4A0
2907	98.0	103.0	5.0	75.0		5.25	8.35	13.60		0.25						4G/4E6
2908	103.0	109.0	6.0	82.0		4.06	5.00	9.06		0.30						4E6
2909	109.0	114.0	5.0	61.0		3.04	6.57	9.61		0.15						4G/4A
2910	114.0	120.3	6.3	43.0		3.13	6.21	9.34		0.04						4A0
2911	120.3	127.0	6.7	120.0		6.79	9.22	16.01		0.48						4E6
2912	163.0	168.0	5.0	59.0		4.00	7.25	11.25		0.17						4E6
2913	168.0	173.7	5.7	45.0		2.91	3.90	6.81		0.34						4E6
599	184.0	189.0	5.0	33.0		2.56	3.64	6.20		0.51						4H8
600	189.0	192.4	3.4	40.0		2.79	2.83	5.62		0.43						4E0
601	192.4	197.5	5.1	3.0		0.22	0.54	0.76		0.07						4L3/7
602	197.5	202.4	4.9	29.0		2.94	2.47	5.41		0.13						4L7
603	205.5	209.5	4.0	19.0		1.00	2.20	3.20		0.40						4EK
604	257.0	262.0	5.0	10.0		1.29	1.77	3.06		0.07						4A0
605	262.0	267.0	5.0	TR		0.02	0.11			TR						4A0
606	267.0	272.0	5.0	1.0		0.04	0.08			TR						4A0
607	272.0	277.0	5.0	TR		TR	0.02			0.01						4A0
608	277.0	282.0	5.0	1.0		TR	0.01			0.01						4AC
609	282.0	287.0	5.0	1.0		TR	0.02			0.01						4A0
610	287.0	292.0	5.0	TR		TR	0.02			0.01						4A0
611	292.0	297.0	5.0	TR		0.03	0.07			0.03						4A0
612	297.0	304.0	7.0	4.0		0.43	0.85			0.09						4A0
613	304.0	309.0	5.0	3.0		0.19	0.20			0.17						4A0/4L7
614	309.0	314.5	5.5	4.0		0.22	0.41			0.14						4L7/4A0
615	314.5	320.0	5.5	2.0		0.10	0.39			0.13						4L7
616	320.0	325.0	5.0	1.0		0.03	0.25			0.01						4L7

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 - TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation,
330 -355 Burrard St.,
Vancouver, B. C. V6C 2G8 Attention: Dr. Glen Simpson

Certificate No. K-2135
Date July 18, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	gm/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
084 1	V 0597		27	2.08	5.83	.07				
2	0598		38	3.22	3.09	.09				
3	0599		33	2.56	3.64	.51				
4	0600		40	2.79	2.83	.43				
5	0601		3	.22	.54	.07				
V-300-R 6	0602		29	2.94	2.47	.13				
7	0603		19	1.00	2.20	.40				
8	0604		10	1.29	1.77	.07				
9	0605		Tr	.02	.11	Tr				
10	0606		1	.04	.08	Tr				
11	0607		Tr	Tr	.02	.01				
12	0608		1	Tr	.01	.01				
13	0609		1	Tr	.02	.01				
14	0610		Tr	Tr	.02	.01				
15	0611		Tr	.03	.07	.03				
16	0612		4	.43	.85	.09				
17	0613		3	.19	.20	.17				
18	0614		4	.22	.41	.14				
19	0615		2	.10	.39	.13				
20	V 0616		1	.03	.25	.01				

NOTE: Tr denotes "trace"
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

K. A. Blundell
Registered Assayer, Province of British Columbia

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2135

Date July 18, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

V-300-R

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	gm/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
21	V 2901		47	3.28	6.36	1.21				
22	2902		45	2.94	5.41	1.62				
23	2903		50	3.85	4.95	.39				
24	2904		49	3.83	4.79	.37				
25	2905		55	4.48	5.57	.09				
26	2906		43	3.26	6.14	.05				
27	2907		75	5.25	8.35	.25				
28	2908		82	4.06	5.00	.30				
29	2909		61	3.04	6.57	.15				
30	2910		43	3.13	6.21	.04				
31	2911		120	6.79	9.22	.48				
32	2912		59	4.00	7.25	.17				
33	2913		45	2.91	3.90	.34				
34	2914		14	.26	.56	.30				
35	2915		10	.14	.23	.39				
36	2916		7	.06	.25	.36				
37	2917		14	.50	.80	.57				
38	2918		11	.34	.34	.32				
39	2919		12	.44	.54	.28				
40	V 2920		8	.22	.53	.24				

71

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R. B. Brandel
Registered Assayer, Province of British Columbia

DDH V-300 (2 8)

Cyprus Anvil Mining Corp.

Geochemical Log (Sampler's Copy)

Page ____ of ____

Logged By: JWM

Sampled By: ____

Code	From	To	Sample No.	Description		
1	10 14	16 20	22 27	REC	UNIT	FOOTAGE
F	1675	1690		NO CORE	4AO	4.5
P	1690	1740	V1 129011	5'	4AO	5.0
P	1740	1790	V1 129012	5'	4AO	5.0
P	1790	1840	V1 129013	5'	4AO	5.0
P	1840	1890	V1 129014	5'	4AO	5.0
P	1890	1940	V1 129015	4.2'	4AO	5.0
P	1940	1980	V1 129016	4.0'	4AO	4.0
P	1980	11030	V1 129017	4.8'	4E6/4E6	5.0
P	11030	11090	V1 129018	5'	4E6	6.0
P	11090	11140	V1 129019	4.7'	4E6/4A	5.0
P	11140	11203	V1 129110	6.0	4AO	6.3
P	11203	11270	V1 129111	2.5'	4E6	6.7
P	11630	11680	V1 129112	5.0	4E6	5.0
P	11680	11737	V1 129113	3.6'	4E6	5.7
P	11840	11890	V1 015919	5'	4H8.	5.0
P	11890	11924	V1 016010	3.4	4E0.	3.4
P	11924	11975	V1 016011	5.1	4L37	5.1
P	11975	12024	V1 016012	4.9	4L7	4.9
P	12055	12095	V1 016013	3.5	4EK	4.0
P	12517 0	12562 0	V1 016014	4.5	4AO	5.0
P	12620	12670	V1 016015	5.0	4AO	5.0
P	12670	12720	V1 016016	5.0	4AO	5.0
P	12720	12770	V1 016017	5.0	4AO	5.0
P	12770	12820	V1 016018	5.0	4AC	5.0
P	12820	12870	V1 016019	5.0	4AO	5.0
P	12870	12920	V1 016110	5.0	4AO	5.0
P	12920	12970	V1 016111	4.0	4AO	5.0
P	12970	13040	V1 016112	5.0	4AO	5.0
P	13040	13090	V1 016113	5.0	4AO/4L7	5.0
P	13090	13145	V1 016114	5.5	4L7/4A	5.5
P	13145	13210	V1 016115	5.5	4L7	5.5
P	13210	13250	V1 016116	5.0	4L7	5.0

V-301-R

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Unit
651	33.5	38.5	5.0	21.0		1.13	2.75	3.88		0.16						4C4
652	38.5	43.5	5.0	25.0		1.73	2.76	4.49		0.19						4C4
653	43.5	48.5	5.0	8.0		0.21	0.86	1.07		0.09						4C4
654	48.5	54.4	5.9	7.0		0.26	1.26	1.52		0.08						4C4
655	66.1	72.6	6.5	5.0		0.24	1.30	1.54		0.04						4LC
656	72.6	78.6	6.0	21.0		0.71	0.83	1.54		0.34						4KO
657	78.6	81.8	3.2	17.0		1.17	1.72	2.89		0.17						5DB/4E
658	81.8	84.0	2.2	44.0		2.96	2.39	5.35		0.32						4G8
659	84.0	87.5	3.5	25.0		0.92	0.85	1.77		0.28						4KO
660	87.5	93.0	5.5	8.0		0.36	0.79	1.15		0.04						4L/5A
661	93.0	99.7	6.7	27.0		1.05	1.69	2.74		0.10						5A1
662	99.7	106.2	6.5	42.0		2.91	3.89	6.80		0.28						4EO
663	192.2	197.4	5.2	5.0		0.18	0.37			0.04						4LA
664	197.4	200.9	3.5	10.0		0.53	0.43			0.12						4AO
665	200.9	205.3	4.4	15.0		0.54(R)	0.40			0.19						4KO
666	205.3	210.3	5.0	19.0		1.55	1.70	3.25		0.12						4AK
667	210.3	220.0	9.7	15.0		0.61	0.55	1.16		0.25						4KO

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2151

Date July 31, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda d.d.core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-72-R 21	V 0647		17	1.28	.92	.07				
22	0648		5	.22	.35	.15				
23	0649		7	.50	.52	.15				
24	0650		8	.52	.65	.11				
25	0651		21	1.13	2.75	.16				
26	0652		25	1.73	2.76	.19				
27	0653		8	.21	.86	.09				
28	0654		7	.26	1.26	.08				
29	0655		5	.24	1.30	.04				
30	0656		21	.71	.83	.34				
31	0657		17	1.17	1.72	.17				
V-301-R 32	0658		44	2.96	2.39	.32				
33	0659		25	.92	.85	.28				
34	0660		8	.36	.79	.04				
35	0661		27	1.05	1.69	.10				
36	0662		42	2.91	3.89	.28				
37	0663		5	.18	.37	.04				
38	02933		21	1.50	2.51	.09				
39	02934		13	1.08	.89	.18				
V-101-R 40	V 02935		8	.39	.99	.32				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R. G. Shandro
Registered Assayer, Province of British Columbia

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation,
330 - 355 Burrard St.,
Vancouver, B. C. Attention: Dr. G. Simpson

Certificate No. K-2163
Date July 31, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
301 1	V 0664		10	.53	.43	.12				
2	0665		15	4.46	.40	.19				
3	0666		19	1.55	1.70	.12				
4	0667		15	.61	.55	.25				
5	0668		9	.85	2.02	.05				
6	0669		25	2.84	2.79	.17				
7	0670		3	.17	.10	.02				
8	0671		3	.09	.07	.03				
9	0672		3	.14	.24	.01				
X-08 10	0673		14	.91	1.46	.26				
11	0674		36	2.51	3.45	.21				
X-08 12	0675		4	.08	.11	.05				
~~X-08~~ 13	0676		30	2.10	3.27	.09				
14	0677		69	3.73	5.38	.07				
15	0678		101	7.62	12.60	.06				
16	0679		12	1.09	.92	.01				
V-303-R 17	0680		71	5.93	7.79	.12				
18	0681		14	1.34	2.10	.04				
19	0682		68	3.63	6.53	.30				
20	V 0683		37	2.33	4.67	.03				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R.B. Blundell
Registered Assayer, Province of British Columbia

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2151

Date July 31, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda d.d.core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
~~61~~	V 02972		45	2.97	4.22	.09				
62	~~02973~~		28	1.93	2.32	.14				
63	02974		16	.65	1.58	.19				
V-72-R 64	02975		10	.28	.62	.13				
65	02976		7	.22	.68	.13				
66	02977		9	.16	.51	.16				
67	V 02978		14	.26	.84	.24				
	Repeats: V 02938 101		14	.68	2.48	.09				
	#0659 301		24	.95	.92	.28				
	0637 133		2	.19	.43	.02				
	V 0650 72		10	.48	.61	.10				
	Standards: MP-1		58	1.86	-	-				
	RU-1		6	-	2.22	.79				
	KC-1		-	6.81	-	.11				
	100		93	5.45	9.14	.11				
	200		82	4.86	6.58	.16				
	300		40	2.37	4.21	.04				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R.B. Sewell
Registered Assayer, Province of British Columbia

DDH V-301 (2 of 8)

Cyprus Anvil Mining Corp.
Geochemical Log (Sampler's Copy)

Page ____ of ____
Logged By: DJH
Sampled By: ____

Code	From	To	Sample No.	Description		
	10 14	16 20	22 27	Unit	REC.	Length
P	1335	1385	V 016511	4C4	1.2'	5.0
P	1385	1435	V 016512	4C4	4.5'	5.0
P	1435	1485	16513	4C4	4.6'	5.0
P	1485	1544	16514	4C4	6.0'	5.9
P	1616 1	1712 6	16515	4LC	6.5'	6.5
P	1712 6	1786	16516	4KO	6.0'	6.0
P	1786	1818	16517	5DB/4E	3.1'	3.2
P	1818	1840	16518	4G8	2.4'	2.2
P	1840	1875	16519	4KO	3.5'	3.5
P	1875	1930	16520	4L/5A	5.5'	5.5
P	1930	1997	16521	5A1	6.7'	6.7
P	1997	V 1016 2	16522	4EO	6.5'	6.5
P	V 1912 2	V 1974	16523	4LA	5.2'	5.2
P	V 1974	2010 9	16524	4AO	3.5'	3.5
P	2010 9	2015 3	16525	4KO	4.2'	4.4
P	2015 3	2110 3	16526	4AK	5.0'	5.0
P	2110 3	2200	16527	4KO	5.0'	9.7

V-302-R

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Unit
765	137.5	142.5	5.0	122.0		8.70	7.66	16.36		0.18						4H/4E/4G
766	142.5	146.5	4.0	63.0		4.79	5.41	10.20		0.23						4G/4E/4D
767	146.5	152.0	5.5	58.0		3.42	5.68	9.10		0.20						4G/4E
768	152.0	157.0	5.0	48.0		2.72	3.42	6.14		0.37						4E/4L
769	157.0	161.9	4.9	55.0		2.74	5.17	7.91		0.09						4E/4G
770	161.9	166.4	4.5	66.0		3.99	6.26	10.25		0.18						4E8
771	166.4	172.7	6.3	67.0		5.04	6.24	11.28		0.16						4E6
772	172.7	176.0	3.3	31.0		3.05	1.90	4.95		0.15						4E4
773	176.0	181.0	5.0	38.0		4.59	4.16	8.75		0.18						4G8
774	181.0	186.0	5.0	18.0		1.80	0.67	2.47		0.11						4K0
775	186.0	191.0	5.0	19.0		2.20	1.06	3.26		0.22						4K0
776	191.0	196.0	5.0	22.0		2.52	1.00	3.52		0.12						4K0
777	196.0	200.6	4.6	15.0		1.43	1.02	2.45		0.18						4K0
778	200.6	202.1	1.5	15.0		1.65	3.56	5.21		0.27						4J0
779	202.1	206.0	3.9	31.0		2.58	3.12	5.70		0.24						4K0
780	206.0	211.3	5.3	68.0		5.24	4.29	9.53		0.16						4E/4K
781	211.3	215.3	4.0	63.0		5.35	6.22	11.57		0.14						4G8/4E/4K
782	215.3	219.8	4.5	86.0		8.17	9.79	17.96		0.17						4E/4K8
783	219.8	224.8	5.0	36.0		3.02	1.88	4.90		0.22						4C0
784	224.8	229.0	4.2	57.0		4.40	5.16	9.56		0.06						4C/4G
785	229.0	234.0	5.0	30.0		1.03	0.89	1.92		0.25						4C0
786	234.0	239.0	5.0	15.0		0.11	0.02			0.31						4G/4E
787	239.0	244.0	5.0	14.0		0.16	0.24			0.29						4H/4C9
788	244.0	249.0	5.0	15.0		0.26	0.23			0.28						4C/4D
789	249.0	254.0	5.0	27.0		0.90	0.49			0.27						4E1
790	254.0	258.5	4.5	17.0		0.34	0.50			0.34						4E1
791	258.5	263.5	5.0	15.0		0.55	0.97			0.30						4C0
792	263.5	269.0	5.5	15.0		0.47	0.75			0.38						4C0
793	269.0	273.0	4.0	31.0		1.32	1.11	2.43		0.65						4E1
794	273.0	278.0	5.0	23.0		0.87	0.72	1.59		0.39						4C8
795	278.0	283.0	5.0	17.0		0.67	1.11	1.78		0.34						4C8

CYPRUS ANVIL MINING CORPORATION

V-302

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Unit
796	283.0	288.0	5.0	17.0		0.79	1.09	1.88		0.29						4C8
797	288.0	293.0	5.0	18.0		0.65	0.91	1.56		0.45						4C8
798	293.0	298.0	5.0	10.0		0.14	0.28	0.42		0.35						4C8/9
799	298.0	303.4	5.4	18.0		0.35	0.88	1.23		0.32						4C0/8
800	303.4	308.5	5.1	58.0		3.84	6.01	9.85		0.27						4E0
801	533.0	540.0	7.0	21.0		0.87	0.66	1.53		0.13						4E/4H
802	540.0	545.0	5.0	6.0		0.34	0.23	0.57		0.09						4A0
803	545.0	550.3	5.3	13.0		0.87	0.39	1.26		0.08						4A0
804	552.4	557.4	5.0	28.0		1.57	2.10	3.67		0.06						4A0
805	557.4	561.3	3.9	13.0		0.93	0.86	1.79		0.07						4A0

B.C. LICENSED ASS . :RS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2163

Date July 31, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda ~~drill core~~ samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
41	V 0704		16	.81	.92	.07				
X-08 42	0705		18	.92	1.41	.06				
43	0706		17	1.21	1.38	.06				
44	0707		14	.90	2.08	.03				
45	0751		10	.36	.43	.34				
46	0752		12	.64	.65	.27				
47	0753		13	.61	.95	.20				
48	0754		9	.33	.70	.34				
49	0755		11	.30	.36	.31				
V-303-R 50	0756		14	.51	.61	.29				
51	0757		13	.52	1.00	.48				
52	0758		12	.38	.68	.38				
53	0759		13	.26	.66	.36				
54	0760		7	.15	.44	.26				
55	0761		7	.27	.37	.18				
56	0762		7	.15	.41	.17				
57	0763		8	.07	.29	.14				
58	0764		6	.05	.14	.10				
59	0765		122	8.70	7.66	.18				
V-302-R 60	V 0766		63	4.79	5.41	.23				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R.A. Blundell
Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.
2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 - TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2163

Date July 31, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-302 61	V 0767		58	3.42	5.68	.20				
62	0768		48	2.72	3.42	.37				
63	0769		55	2.74	5.17	.09				
64	0770		66	3.99	6.26	.18				
65	0771		67	5.04	6.24	.16				
66	0772		31	3.05	1.90	.15				
67	0773		38	4.59	4.16	.18				
68	0774		18	1.80	.67	.11				
69	0775		19	2.20	1.06	.22				
70	0776		22	2.52	1.00	.12				
71	0777		15	1.43	1.02	.18				
72	0778		15	1.65	3.56	.27				
73	0779		31	2.58	3.12	.24				
74	0780		68	5.24	4.29	.16				
75	0781		63	5.35	6.22	.14				
76	0782		86	8.17	9.79	.17				
77	0783		36	3.02	1.88	.22				
78	0784		57	4.40	5.16	.06				
79	0785		30	1.03	.89	.25				
80	V 0786		15	.11	.02	.31				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R.S. Blundell
Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.
2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 - TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2163

Date July 31, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

V-302-R

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
81	V 0787		14	.16	.24	.29				
82	0788		15	.26	.23	.28				
83	0789		27	.90	.49	.27				
84	0790		17	.34	.50	.34				
85	0791		15	.55	.97	.30				
86	0792		15	.47	.75	.38				
87	0793		31	1.32	1.11	.65				
88	0794		23	.87	.72	.39				
89	0795		17	.67	1.11	.34				
90	0796		17	.79	1.09	.29				
91	0797		18	.65	.91	.45				
92	0798		10	.14	.28	.35				
93	0799		18	.35	.88	.32				
94	0800		58	3.84	6.01	.27				
95	0801		21	.87	.66	.13				
96	0802		6	.34	.23	.09				
97	0803		13	.87	.39	.08				
98	0804		28	1.57	2.10	.06				
99	V 0805		13	.93	.86	.07				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

P.B. Blandel
Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.
2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

B.C. LICENSED ASS...ERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2163

Date July 31, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
	Repeats & Standards									
	R V 0670		3	.18	.10	.02				
	Std. MP-1		58	1.83	-	-				
	RU-1		11	-	2.30	.85				
	KC-1		-	7.09	-	.11				
	100		95	5.43	8.86	.11				
	200		82	5.04	6.85	.16				
	300		40	2.27	4.19	.04				
	R V 0703 X 08		3	.02	.03	.01				
	V 0766 V 302		61	4.59	5.33	.22				
	V 0778 ✓		15	1.69	3.52	.28				
	V 0797 ✓		17	.66	.91	.45				
2	V 0889 V 306		29	.90	.50	.30				
	V 0803 V-302		15	.77	.38	.08				
	Std. MP-1		58	1.88	-	-				
	RU-1		-	-	2.19	.85				
	KC-1		-	6.93	-	.11				
	100		95	5.47	9.13	.11				
	200		82	4.94	6.67	.16				
	300		40	2.29	4.46	.04				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R.V. Blundell
Registered Assayer, Province of British Columbia

DDH V-302 Cyprus Anvil Mining Corp.

Geochemical Log (Sampler's Copy)

Page ____ of ____

Logged By: JWM

Sampled By: ____

Code	From	To	Sample No.	Description		
1	10 14	16 20	22 27	REC	UNIT	LENGTH
P	V375	V425	V 107165	5.0	4HE/4GO	5.0
P	V425	V465	107166	4.0	4G/4E/4D	4.0
P	V465	V520	107167	4.8	4G/4E	5.5
P	V520	V570	107168	5.0	4E/L	5.0
P	V570	V619	V 107169	4.9	4E/4G	4.9
P	V619	V664	107170	4.5	4E8	4.5
P	V664	V727	107171	6.3	4E6	6.3
P	V727	V760	107172	3.3	4E4	3.3
P	V760	V810	V 107173	4.8	4G8	5.0
P	V810	V860	107174	5.6	4KO	5.0
P	V860	V910	107175	5.0	4KO	5.0
P	V910	V960	107176	5.0	4KO	5.0
P	V960	2006	V 107177	4.6	4KO	4.6
P	2006	2021	107178	1.5	4J0	1.5
P	2021	2060	107179	3.9	4KO	3.9
P	2060	2113	107180	5.3	4EK	5.3
P	2113	2153	107181	4.0	4G8/4EK	4.0
P	2153	2198	V 107182	4.5	4EK8	4.5
P	2198	2248	107183	5.0	4CO	5.0
P	2248	2290	107184	4.2	4CO/4GO	4.2
P	2290	2340	107185	5.0	4CO	5.0
P	2340	2390	107186	5.0	4C/E	5.0
P	2390	2440	V 107187	5.0	4H/4C9	5.0
P	2440	2490	107188	5.0	4C/4D	5.0
P	2490	2540	107189	5.0	4E1	5.0
P	2540	2585	107190	4.5	4E1	4.5
P	2585	2635	107191	5.0	4CO	5.0
P	2635	2690	V 107192	5.5	4CO	5.5
P	2690	2730	107193	4.0	4E1	4.0
P	2730	2780	107194	5.0	4C8	5.0
P	2780	2830	107195	5.0	4C8	5.0
P	2830	2880	107196	5.0	4C8	5.0
P	2880	2930	V 107197	5.0	4C8	5.0
P	2930	2980	107198	5.0	4C89	5.0
P	2980	3034	107199	5.4	4CO8	5.4

DDH V-302

Cyprus Anvil Mining Corp.

Geochemical Log (Sampler's Copy)

Page _____ of _____

Logged By: _____

Sampled By: _____

Code	From	To	Sample No.	Description		
1	10 14	16 20	22 27	REC	UNIT	LENGTH
P	31034	31085	V 18100	5.1	4EO	51
P	15330	15410	V 18101	7.0	4EH	7.0
P	15410	15450	18102	5.0	4AO	50
P	15450	15503	18103	5.0	4AO	53
P	15524	15574	18104	3.0	4AO	50
P	15574	561V 3	18105	3.4	4AO	3.9
						5535-5620
						6.0' Rec.

V-303-R

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Unit
676	94.4	98.0	3.6	30.0		2.10	3.27	5.37		0.09						4A7
677	98.0	101.6	3.6	69.0		3.73	5.38	9.11		0.07						4A/4G
678	101.6	105.3	3.7	101.0		7.62	12.60	20.22		0.06						4F/4D
679	105.3	107.7	2.4	12.0		1.09	0.92	2.01		0.01						4C0
680	107.7	112.0	4.3	71.0		5.93	7.79	13.72		0.12						4G/4A
681	112.0	116.2	4.2	14.0		1.34	2.10	3.44		0.04						4A4
682	116.2	120.8	4.6	68.0		3.63	6.53	10.16		0.30						4D/4G
683	120.8	124.0	3.2	37.0		2.33	4.67	7.00		0.03						4A/4L
684	124.0	128.0	4.0	14.0		0.92	1.65	2.57		0.04						4A0
685	128.0	132.0	4.0	24.0		1.52	2.53	4.05		0.03						4A0
686	132.0	136.8	4.8	13.0		0.87	1.79	2.66		0.08						4D/4E
687	136.8	140.8	4.0	33.0		1.93	3.27	5.20		0.03						4A4
688	140.8	145.5	4.7	21.0		1.29	2.58	3.87		0.04						4A4
689	145.5	149.3	3.8	47.0		2.75	4.25	7.00		0.06						4G/4E/5D
690	149.3	153.3	4.0	112.0		8.60	9.01	17.61		0.06						4G/4J
691	153.3	158.8	5.5	98.0		8.82	12.79	21.61		0.06						4G/4J
692	158.8	162.2	3.4	15.0		0.65	2.61	3.26		0.20						4C0
693	162.2	165.3	3.1	6.0		0.52	0.71	1.23		0.09						5A1
694	165.3	169.7	4.4	56.0		4.25	2.18	6.43		0.20						4B/4D
695	169.7	174.3	4.6	21.0		1.45	1.25	2.70		0.42						4C2
696	174.3	181.3	7.0	13.0		0.64	0.77	1.41		0.12						4E/4H
697	181.3	184.7	3.4	14.0		0.32	0.42	0.74		1.16	??					4C2
698	184.7	188.3	3.6	14.0		0.55	1.08	1.63		0.39						4E7
699	188.3	193.3	5.0	9.0		0.15	0.38	0.53		0.62						4C8
700	193.3	198.3	5.0	9.0		0.12	0.32	0.44		0.76						4C8
751	198.3	203.3	5.0	10.0		0.36	0.43	0.79		0.34						4C8
752	203.3	208.3	5.0	12.0		0.64	0.65	1.29		0.27						4C8
753	208.3	212.5	4.2	13.0		0.61	0.95	1.56		0.20						4C8
754	212.5	217.5	5.0	9.0		0.33	0.70	1.03		0.34						4C7
755	217.5	222.5	5.0	11.0		0.30	0.36	0.66		0.31						4C7
756	222.5	227.5	5.0	14.0		0.51	0.61	1.12		0.29						4C7
757	227.5	232.5	5.0	13.0		0.52	1.00	1.52		0.48						4C7
758	232.5	237.5	5.0	12.0		0.38	0.68	1.06		0.38						4C7

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Unit
759	237.5	242.5	5.0	13.0		0.26	0.66			0.36						4C7
760	242.5	247.5	5.0	7.0		0.15	0.44			0.26						4C7
761	247.5	252.5	5.0	7.0		0.27	0.37			0.18						4C7
762	252.5	257.5	5.0	7.0		0.15	0.41			0.17						4C7
763	257.5	262.5	5.0	8.0		0.07	0.29			0.14						4C7
764	262.5	267.0	4.5	6.0		0.05	0.14			0.10						4C7

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation,
330 - 355 Burrard St.,
Vancouver, B. C. Attention: Dr. G. Simpson

Certificate No. K-2163
Date July 31, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
301 1	V 0664		10	.53	.43	.12				
2	0665		15	4.46	.40	.19				
3	0666		19	1.55	1.70	.12				
4	0667		15	.61	.55	.25				
5	0668		9	.85	2.02	.05				
6	0669		25	2.84	2.79	.17				
7	0670		3	.17	.10	.02				
8	0671		3	.09	.07	.03				
X-08 9	0672		3	.14	.24	.01				
10	0673		14	.91	1.46	.26				
11	0674		36	2.51	3.45	.21				
X-08 12	0675		4	.08	.11	.05				
~~X-08~~ 13	0676		30	2.10	3.27	.09				
14	0677		69	3.73	5.38	.07				
15	0678		101	7.62	12.60	.06				
16	0679		12	1.09	.92	.01				
V-303-R 17	0680		71	5.93	7.79	.12				
18	0681		14	1.34	2.10	.04				
19	0682		68	3.63	6.53	.30				
20	V 0683		37	2.33	4.67	.03				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R.A. Blundell
Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.
2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

B.C. LICENSED ASSA..RS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2163

Date July 31, 1979

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

V-303-R

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
21	V 0684		14	.92	1.65	.04				
22	0685		24	1.52	2.53	.03				
23	0686		13	.87	1.79	.08				
24	0687		33	1.93	3.27	.03				
25	0688		21	1.29	2.58	.04				
26	0689		47	2.75	4.25	.06				
27	0690		112	8.60	9.01	.06				
28	0691		98	8.82	12.79	.06				
29	0692		15	.65	2.61	.20				
30	0693		6	.52	.71	.09				
31	0694		56	4.25	2.18	.20				
32	0695		21	1.45	1.25	.42				
33	0696		13	.64	.77	.12				
34	0697		14	.32	.42	1.16				
35	0698		14	.55	1.08	.39				
36	0699		9	.15	.38	.62				
37	0700		9	.12	.32	.76				
38	0701		13	.74	1.35	.04				
39	0702		13	.65	.96	.06				
40	V 0703		3	.03	.03	.02				

X-08

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R. B. Brunelle
Registered Assayer, Province of British Columbia

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2163

Date July 31, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda ~~drill core~~ samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
41	V 0704		16	.81	.92	.07				
42	0705		18	.92	1.41	.06				
43	0706		17	1.21	1.38	.06				
44	0707		14	.90	2.08	.03				
45	0751		10	.36	.43	.34				
46	0752		12	.64	.65	.27				
47	0753		13	.61	.95	.20				
48	0754		9	.33	.70	.34				
49	0755		11	.30	.36	.31				
50	0756		14	.51	.61	.29				
51	0757		13	.52	1.00	.48				
52	0758		12	.38	.68	.38				
53	0759		13	.26	.66	.36				
54	0760		7	.15	.44	.26				
55	0761		7	.27	.37	.18				
56	0762		7	.15	.41	.17				
57	0763		8	.07	.29	.14				
58	0764		6	.05	.14	.10				
59	0765		122	8.70	7.66	.18				
60	V 0766		63	4.79	5.41	.23				

X-08

V-303-R

V-302-R

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R.G. Blandell
Registered Assayer, Province of British Columbia

DDH V-303 [redacted]
2 8

Cypress Anvil Mining Corp.

Geochemical Log (Sampler's Copy)

Page _____ of _____
Logged By: DTH
Sampled By: _____

Code	From	To	Sample No.	Description		
1	10 14	16 20	22 27	LENGTH	UNIT	REC
P	1914	1980	161716	3.6	4A7	3.6
P	1918	1/101/6	161717	3.6	4AG	3.6
P	1/101/6	1/1053	161718	3.7	4FD	3.7
P	1/1053	1/1077	161719	2.4	4CO	2.4
P	1/1077	1/1120	161810	4.3	4GA	3.0
P	1/1120	1/1162	161811	4.2	4A4	3.5
P	1/1162	1/1208	161812	4.6	4DG	4.6
P	1/1208	1/1240	161813	3.2	4AL	3.2
P	1/1240	1/1280	161814	4.0	4AO	4.0
P	1/1280	1/1320	161815	4.0	4AO	4.0
P	1/1320	1/1368	161816	4.8	4DE	4.8
P	1/1368	1/1408	161817	4.0	4A4	4.0
P	1/1408	1/1455	161818	4.7	4A4	4.7
P	1/1455	1/1493	161819	3.8	4GE/5D	3.8
P	1/1493	1/1533	161910	4.0	4GJ	4.0
P	1/1533	1/1588	161911	5.5	4GJ	5.5
P	1/1588	1/1622	161912	3.4	4CO	3.4
P	1/1622	1/1653	161913	3.1	5A1	3.1
P	1/1653	1/1697	161914	4.4	4BD	4.4
P	1/1697	1/1743	161915	4.6	4C2	4.6
P	1/1743	1/1813	161916	7.0	4EH	7.0
P	1/1813	1/1847	161917	3.4	4C2	3.4
P	1/1847	1/1883	161918	3.6	4E7	3.6
P	1/1883	1/1933	161919	5.0	4C8	5.0
P	1/1933	1/1983	171000	5.0	4C8	5.0
P	1/1983	2/0333	171511	5.0	4C8	5.0
P	2/0333	2/0833	171512	5.0	4C8	5.0
P	2/0833	2/1255	171513	4.2	4C8	4.2
P	2/1255	2/1755	171514	5.0	4C7	5.0
P	2/1755	2/2225	171515	5.0	4C7	5.0
P	2/2225	2/2775	171516	5.0	4C7	5.0
P	2/2775	2/3255	171517	5.0	4C7	5.0
P	2/3255	2/3755	171518	5.0	4C7	5.0
P	2/3755	2/4255	171519	5.0	4C7	5.0
P	2/4255	2/4755	171520	5.0	4C7	5.0

DDH V-303 (2 8)

Cyprus Anvil Mining Corp.
Geochemical Log (Sampler's Copy)

Page ____ of ____
Logged By: DJH
Sampled By: ____

Code	From	To	Sample No.	Description		
1	10 14	16 20	22 27	LENGTH	UNIT	REC.
P	12417 5	12512 5	17611	5.0	4C7	5.0
P	12512 5	12517 5	17612	5.0	4C7	5.0
P	12517 5	12612 5	17613	5.0	4C7	5.0
P	12612 5	12670	17614	4.5	4C7	4.5

V-304-R

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Unit
893	65.5	77.0	11.5	5.0		0.52	0.51	1.03		0.18						4A0
894	77.0	87.0	10.0	28.0		2.41	2.92	5.33		0.35						4A0
895	87.0	96.0	9.0	6.0		0.68	0.57	1.25		0.07						4A0
896	96.0	101.0	5.0	40.0		2.98	4.23	7.21		0.07						4A0
897	101.0	106.0	5.0	75.0		5.05	7.86	12.91		0.16						4A4
898	106.0	111.0	5.0	50.0		3.46	5.42	8.88		0.07						4A4
899	111.0	116.0	5.0	24.0		1.85	2.57	4.42		0.06						4A4
900	116.0	121.0	5.0	24.0		1.78	1.83	3.61		0.06						4A4
901	121.0	126.0	5.0	44.0		2.60	5.82	8.42		0.04						4A4
902	126.0	129.0	3.0	107.0		8.58	12.12	20.70		0.23						4E4
903	129.0	136.6	7.6	27.0		2.13	3.92	6.05		0.06						4L0
904	136.6	140.2	3.6	59.0		3.56	3.37	6.93		0.17						4E0
905	140.2	145.0	4.8	16.0		0.95	1.87	2.82		0.03						4L0
906	145.0	150.0	5.0	22.0		1.57	3.24	4.81		0.03						4L0
907	150.0	154.8	4.8	TR		0.05	0.19	0.24		0.001						4L0
908	173.8	178.8	5.0	119.0		8.14	9.86	18.00		0.05						4G4
909	178.8	183.8	5.0	67.0		4.25	6.86	11.11		0.17						4G4
910	183.8	187.0	3.2	64.0		4.77	6.41	11.18		0.13						4G/4A/4D
911	202.7	208.0	5.3	35.0		3.26	2.55	5.81		0.16						4K0
912	208.0	213.0	5.0	11.0		0.52	2.54	3.06		0.05						4K0
913	213.0	218.0	5.0	18.0		0.34	0.30	0.64		0.06						4K0
914	218.0	221.9	3.9	14.0		0.47	0.10	0.57		0.05						4K0
915	221.9	227.7	5.8	57.0		5.09	4.16	9.25		0.36						4E8
916	227.7	233.0	5.3	25.0		2.74	1.35	4.09		0.21						4K0
917	233.0	238.0	5.0	18.0		2.96	1.24	4.20		0.03						4K0
918	328.0	244.8	6.8	25.0		1.63	0.80	2.43		0.07						4K0
919	244.8	250.0	5.2	48.0		4.07	3.87	7.94		0.53						4G4
920	250.0	255.0	5.0	68.0		4.94	5.95	10.89		0.21						4G4
921	255.0	259.5	4.5	81.0		5.78	8.50	14.28		0.07						4G4
922	259.5	265.7	6.2	41.0		3.25	0.33	3.58		0.30						4K0
923	265.7	270.0	4.3	15.0		1.96	1.02	2.98		0.09						4J/4E

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Unit
924	270.0	275.0	5.0	12.0		1.39	0.50	1.89		0.09						4J/4E
925	275.0	279.1	4.1	24.0		2.30	1.27	3.57		0.11						4J/4E
926	279.1	285.0	5.9	34.0		2.45	2.95	5.40		0.25						4C0
927	285.0	290.0	5.0	11.0		0.15	0.14			0.29						4C0
928	290.0	295.0	5.0	14.0		0.20	0.19			0.27						4C0
929	295.0	300.0	5.0	22.0		0.23	0.53			0.47						4C0
930	300.0	306.6	6.6	16.0		0.33	0.30			0.46						4C0
931	306.6	312.0	5.4	12.0		0.15	0.17			0.28						4E1
932	312.0	317.0	5.0	12.0		0.14	0.21			0.31						4E1
933	317.0	323.0	6.0	32.0		0.78	0.48			0.40						4C0
934	338.2	344.0	5.8	27.0		1.88	2.03	3.91		0.14						4B4
935	344.0	350.2	6.2	34.0		2.50	4.32	6.82		0.05						4B4
936	350.2	357.6	7.4	6.0		0.25	0.07			0.10						4C0
937	373.5	378.0	4.5	18.0		0.87	0.47			0.59						4C5
938	378.0	382.0	4.0	14.0		0.69	0.51			0.36						4C5
939	418.2	424.8	6.6	10.0		0.42	0.33			0.37						4A/4C

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2182

Date August 10, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
21	V 0875		87	6.94	11.29	.07				
22	0876		88	9.07	11.66	.08				
23	0877		51	4.18	2.76	.33				
24	0878		44	4.05	2.24	.34				
25	0879		17	1.22	.86	.40				
26	0880		13	.83	.64	.34				
27	0881		13	1.09	1.21	.38				
28	0882		10	.50	.60	.72				
V-305 29	0883		8	.36	1.09	.58				
30	0884		14	.94	1.41	.68				
31	0885		7	.39	.63	.58				
32	0886		10	.51	.71	.26				
33	0887		4	.17	.40	.29				
34	0888		5	.16	.49	.20				
35	0889		4	.08	.21	.25				
36	0890		1	.05	.11	.10				
37	0891		1	.08	.29	.06				
38	0892		1	.09	.28	.02				
39	0893		5	.52	.51	.18				
V-304 40	V 0894		28	2.41	2.92	.35				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R.A. Sturdee
Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2182

Date August 10, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

V-304

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
41	V 0895		6	.68	.57	.07				
42	0896		40	2.98	4.23	.07				
43	0897		75	5.05	7.86	.16				
44	0898		50	3.46	5.42	.07				
45	0899		24	1.85	2.57	.06				
46	0900		24	1.78	1.83	.06				
47	0901		44	2.60	5.82	.04				
48	0902		107	8.58	12.12	.23				
49	0903		27	2.13	3.92	.06				
50	0904		59	3.56	3.37	.17				
51	0905		16	.95	1.87	.03				
52	0906		22	1.57	3.24	.03				
53	0907		Tr	.05	.19	.001				
54	0908		119	8.14	9.86	.05				
55	0909		67	4.25	6.86	.17				
56	0910		64	4.77	6.41	.13				
57	0911		35	3.26	2.55	.16				
58	0912		11	.52	2.54	.05				
59	0913		18	.34	.30	.06				
60	V 0914		14	.47	.10	.05				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

Tr denotes "trace"

R. G. Saunders

Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 - TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2182

Date August 10, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-304 61	V 0915		57	5.09	4.16	.36				
62	0916		25	2.74	1.35	.21				
63	0917		18	2.96	1.24	.03				
64	0918		25	1.63	.80	.07				
65	0919		48	4.07	3.87	.53				
66	0920		68	4.94	5.95	.21				
67	0921		81	5.78	8.50	.07				
68	0922		41	3.25	.33	.30				
69	0923		15	1.96	1.02	.09				
70	0924		12	1.39	.50	.09				
71	0925		24	2.30	1.27	.11				
72	0926		34	2.45	2.95	.25				
73	0927		11	.15	.14	.29				
74	0928		14	.20	.19	.27				
75	0929		22	.23	.53	.47				
76	0930		16	.33	.30	.46				
77	0931		12	.15	.17	.28				
78	0932		12	.14	.21	.31				
79	0933		32	.78	.48	.40				
80	V 0934		27	1.88	2.03	.14				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R.G. Blundell

Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.
2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 - TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS 5

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2182

Date August 10, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-304 81	V 0935		34	2.50	4.32	.05				
82	0936		6	.25	.07	.10				
83	0937		18	.87	.47	.59				
84	0938		14	.69	.51	.36				
85	V 0939		40	.42	.33	.37				
	Repeats:									
	V 0908 304		113	8.12	10.12	.04				
	0871 305		70	3.77	7.61	.04				
	0922 304		40	3.25	.33	.30				
	0935 304		36	2.50	4.30	.05				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R.K. Blundell
Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS 9

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2182

Date August 10, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described DY drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
	Standards:									
V-304	MP-1		58	1.88	16.61	2.09				
	RU-1		-	-	2.29	.85				
	KC-1		-	7.29	20.36	.114				
	100		95	5.51	9.09	.103				
	200		82	4.89	6.52	.155				
	300		40	2.31	4.32	.04				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

c.c. Mr. S. Buziak

R. A. Blundell

Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation,
330 - 355 Burrard St.,
Vancouver, B. C. V6C 2G8 Attention: Dr. G. Simpson

REVISED

Certificate No. K-2111; K-2182.

Date August 24, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
	K-2111: Typographical error in identification									
73	V 0446		2	.08	.14	.04 ✓	CK			
	K-2182: Typographical error in Silver									
V-30485	V 0939		10	.42	.33	.37 ✓	CK			

OK RS

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

c.c. Mr. Darryl Hanson

R. B. Clemes

Registered Assayer, Province of British Columbia

DDH V-304 (2 of 8)

Cyprus Anvil Mining Corp.
Geochemical Log (Sampler's Copy)

Page ____ of ____
Logged By: DTH
Sampled By: ____

Code	From	To	Sample No.	Description		
1	10 14	16 20	22 27	UNIT	LENGTH	REC.
P	1 1615	1 1717 0	V 1 018193	4AO	11.5	4.0
P	1 1717 0	1 1817 0	1 1018194	4AO	10.0	5.0
P	1 1817 0	1 1916 0	1 1 18915	4AO	9.0	7.0
P	1 1916 0	1/101/ 0	V 1 18916	4AO	5.0	4.0
P	1/101/ 0	1/1016 0	1 1 18917	4A4	5.0	5.0
P	1/1016 0	1/1/1/ 0	1 1 18918	4A4	5.0	4.8
P	1/1/1/ 0	1/1/16 0	V 1 18919	4A4	5.0	4.8
P	1/1/16 0	1/121/ 0	1 1 19010	4A4	5.0	4.9
P	1/121/ 0	1/1216 0	V 1 19011	4A4	5.0	5.0
P	1/1216 0	1/1290	1 1 19012	4E4	3.0	3.0
P	1/1290	1/1316 6	V 1 19013	4LO	7.6	7.6
P	1/1316 6	1/1402	1 1 19014	4EO	3.6	3.6
P	1/1402	1/1450	V 1 19015	4LO	4.8	4.8
P	1/1450	1/1500	1 1 19016	4LO	5.0	4.8
P	1/1500	1/1548	V 1 19017	4LO	4.8	4.8
P	1/1738	1/1788	V 1 19018	4G4	5.0	5.0
P	1/1788	1/1838	1 1 19019	4G4	5.0	5.0
P	1/1838	1/1870	1 1 19110	4G/4AD	3.2	3.2
P	12012 7	12018 0	V 1 19111	4KO	5.3	5.3
P	12018 0	12/130	V 1 A 112	4KO	5.0	5.0
P	12/130	12/180	V 1 19113	4KO	5.0	4.9
P	12/180	12212 9 48	V 1 19114	4KO	6.8 3.9	3.9
P	12212 9 48	12217 7	V 1 19115	4E8	2.9 5.8	5.8
P	12217 7	12313 0	V 1 19116	4KO	5.3	5.3
P	12313 0	12318 0	V 1 19117	4KO	5.0	5.0
P	12318 0	12418	V 1 19118	4KO	6.8	6.8
P	12418	12510 0	V 1 19119	4G4	5.2	5.2
P	12510 0	12550	V 1 19210	4G4	5.0	5.0
P	12550	12595	V 1 19211	4G4	4.5	4.5
P	12595	12657	V 1 19212	4KO	6.2	6.2
P	12657	12700	V 1 19213	4JE	4.3	4.3
P	12700	12750	V 1 19214	4JE	5.0	5.0
P	12750	12791	V 1 19215	4JE	4.1	4.1
P	12791	12850	V 1 19216	4CO	5.9	5.9

DDH V-304 (2 of 8)

Cyprus Anvil Mining Corp.
Geochemical Log (Sampler's Copy)

Page _____ of _____
Logged By: DJH
Sampled By: _____

Code	From	To	Sample No.	Description		
1	10 14	16 20	22 27	UNIT	LENGTH	REC.
P	12185 0	12190 0	V1 19217	4CO	5.0	5.0
P	12190 0	12195 0	V1 19218	4CO	5.0	5.0
P	12195 0	13010 0	V1 19219	4CO	5.0	5.0
P	13010 0	13016 6	V1 19310	4CO	6.6	6.6
P	13016 6	13120	V1 19311	4E1	5.4	5.4
P	13120	13170	V1 19312	4E1	5.0	5.0
P	13170	13230	V1 19313	4CO	6.0	6.0
P	13182	13440	V1 19314	4B4	5.8	5.8
P	13440	13502	V1 19315	4B4	6.2	6.2
P	13502	13576	V1 19316	4CO	7.4	7.3
P	13713 5	13780	V1 19317	4C5	4.5	4.5
P	13780	13820	V1 19318	4C5	4.0	4.0
P	14182	14248	V1 19319	4AC	6.6	6.5

V-305-R

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Unit
851	60.5	65.5	5.0	62.0		4.84	3.15	7.99		0.17						4J/4K8
852	65.5	69.7	4.2	71.0		6.01	4.65	10.66		0.11						4J/4K8
853	69.7	75.3	5.6	26.0		1.74	1.96	3.70		0.05						4L/4K
854	75.3	79.5	4.2	60.0		4.19	5.03	9.22		0.15						4J/4K8
855	79.5	82.5	3.0	57.0		3.59	6.42	10.01		0.05						4G/4K
856	84.0	90.0	6.0	54.0		3.97	4.23	8.20		0.17						4J/4K8
857	90.0	94.0	4.0	85.0		5.89	7.59	13.48		0.06						4G/4K
858	94.0	97.8	3.8	76.0		4.56	6.12	10.68		0.06						4G/4K
859	97.8	103.0	5.2	22.0		2.65	2.53	5.18		0.02						4L/4J
860	132.5	137.8	5.3	25.0		1.70	3.09	4.79		0.02						4A0
861	137.8	143.7	5.9	60.0		4.26	6.61	10.87		0.05						4A/4J
862	143.7	146.8	3.1	73.0		4.67	7.37	12.04		0.12						4A7
863	146.8	150.9	4.1	161.0		9.04	11.29	20.33		0.04						4F/4G
864	150.9	153.9	3.0	34.0		2.09	3.69	5.78		0.01						5D9
865	153.9	157.3	3.4	55.0		3.18	7.01	10.19		0.02						4G4
866	157.3	160.0	2.7	82.0		5.79	4.47	10.26		0.15						4J/4E
867	160.0	165.0	5.0	70.0		4.12	6.81	10.93		0.05						4G4
868	165.0	170.0	5.0	40.0		2.84	6.26	9.10		0.02						4G4
869	170.0	175.0	5.0	33.0		1.92	5.30	7.22		0.03						4G4
870	175.0	180.0	5.0	60.0		3.68	7.13	10.81		0.03						4G4
871	180.0	185.0	5.0	73.0		3.77	7.49	11.26		0.03						4G4
872	185.0	190.0	5.0	89.0		4.71	8.86	13.57		0.04						4G4
873	190.0	195.0	5.0	82.0		4.58	9.61	14.19		0.03						4G4
874	195.0	200.0	5.0	60.0		3.18	8.16	11.34		0.02						4G4
875	200.0	205.0	5.0	87.0		6.94	11.29	18.23		0.07						4G4
876	205.0	208.3	3.3	88.0		9.07	11.66	20.73		0.08						4G4
877	208.3	213.0	4.7	51.0		4.18	2.76	6.94		0.33						4D9
878	213.0	218.0	5.0	44.0		4.05	2.24	6.29		0.34						4D9
879	218.0	223.0	5.0	17.0		1.22	0.86	2.08		0.40						4D9
880	223.0	228.0	5.0	13.0		0.83	0.64	1.47		0.34						4C9

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Unit
881	228.0	233.0	5.0	13.0		1.09	1.21	2.30		0.38						4C9
882	233.0	238.0	5.0	10.0		0.50	0.60	1.10		0.72						4C9
883	238.0	243.0	5.0	8.0		0.36	1.09	1.45		0.58						4C9
884	243.0	248.0	5.0	14.0		0.94	1.41	2.35		0.68						4C9
885	248.0	253.0	5.0	7.0		0.39	0.63	1.02		0.58						4C9
886	253.0	258.0	5.0	10.0		0.51	0.71	1.22		0.26						4C9
887	258.0	263.0	5.0	4.0		0.17	0.40			0.29						4C9
888	263.0	268.0	5.0	5.0		0.16	0.49			0.20						4L7
889	268.0	273.0	5.0	4.0		0.08	0.21			0.25						4L7
890	273.0	278.0	5.0	1.0		0.05	0.11			0.10						4L7
891	278.0	283.0	5.0	1.0		0.08	0.29			0.06						4L7/9
892	283.0	286.0	3.0	1.0		0.09	0.28			0.02						4L9

Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation,
330 - 355 Burrard St.,
Vancouver, B. C. V6C 2G8 Attention: Dr. G. Simpson

Certificate No. K-2182
Date August 10, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

V-305-R

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1	V 0851		62	4.84	3.15	.17				
2	0852		71	6.01	4.65	.11				
3	0853		26	1.74	1.96	.05				
4	0854		60	4.19	5.03	.15				
5	0855		57	3.59	6.42	.05				
6	0856		54	3.97	4.23	.17				
7	0857		85	5.89	7.59	.06				
8	0862		73	4.67	7.37	.12				
9	0863		161	9.04	11.29	.04				
10	0864		34	2.09	3.69	.01				
11	0865		55	3.18	7.01	.02				
12	0866		82	5.79	4.47	.15				
13	0867		70	4.12	6.81	.05				
14	0868		40	2.84	6.26	.02				
15	0869		33	1.92	5.30	.03				
16	0870		60	3.68	7.13	.03				
17	0871		73	3.77	7.49	.03				
18	0872		89	4.71	8.86	.04				
19	0873		82	4.59	9.61	.03				
20	V 0874		60	3.18	8.16	.02				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R. G. Blewchell
Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.
2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 - TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2182

Date August 10, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
21	V 0875		87	6.94	11.29	.07				
22	0876		88	9.07	11.66	.08				
23	0877		51	4.18	2.76	.33				
24	0878		44	4.05	2.24	.34				
25	0879		17	1.22	.86	.40				
26	0880		13	.83	.64	.34				
27	0881		13	1.09	1.21	.38				
28	0882		10	.50	.60	.72				
V-305 29	0883		8	.36	1.09	.58				
30	0884		14	.94	1.41	.68				
31	0885		7	.39	.63	.58				
32	0886		10	.51	.71	.26				
33	0887		4	.17	.40	.29				
34	0888		5	.16	.49	.20				
35	0889		4	.08	.21	.25				
36	0890		1	.05	.11	.10				
37	0891		1	.08	.29	.06				
38	0892		1	.09	.28	.02				
39	0893		5	.52	.51	.18				
V-304 40	V 0894		28	2.41	2.92	.35				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R. A. Blundell
Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.
2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS 5

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2182

Date August 10, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-304 81	V 0935		34	2.50	4.32	.05				
82	0936		6	.25	.07	.10				
83	0937		18	.87	.47	.59				
84	0938		14	.69	.51	.36				
85	V 0939		40	.42	.33	.37				
	Repeats:									
	V 0908 304		113	8.12	10.12	.04				
	0871 305		70	3.77	7.61	.04				
	0922 304		40	3.25	.33	.30				
	0935 304		36	2.50	4.30	.05				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R.G. Shandell
Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS 8

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2182

Date August 10, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described DY drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
126	X 0843		34	2.31	5.15	.05				
127	0844		16	1.00	2.65	.06				
128	0845		5	.23	.35	.05				
129	0846		3	.09	.23	.02				
X-09 130	0847		7	.40	1.53	.06				
131	0848		26	1.60	4.54	.07				
132	0849		52	3.52	3.94	.08				
133	0850		24	1.54	1.37	.06				
134	0858		76	4.56	6.12	.06				
135	0859		22	2.65	2.53	.02				
V-305 136	0860		25	1.70	3.09	.02				
137	X 0861		60	4.26	6.61	.05				
	Repeats:									
	X 0723 09		55	3.58	5.38	.03				
	0847 09		7	.40	1.45	.05				
	0833 09		32	2.11	4.75	.03				
	0729 09		27	1.26	2.34	.11				
	X 0850 09		25	1.54	1.40	.06				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R. G. Blundell
Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS 9

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2182

Date August 10, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described DY drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
	Standards:									
V-305	MP-1		58	1.88	16.61	2.09				
	RU-1		-	-	2.29	.85				
	KC-1		-	7.29	20.36	.114				
	100		95	5.51	9.09	.103				
	200		82	4.89	6.52	.155				
	300		40	2.31	4.32	.04				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

c.c. Mr. S. Buziak

R.A. Blundell

Registered Assayer, Province of British Columbia

B.C. LICENSED ASS. ERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2163

Date July 31, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
	Repeats & Standards									
	R V 0670		3	.18	.10	.02				
	Std. MP-1		58	1.83	-	-				
	RU-1		11	-	2.30	.85				
	KC-1		-	7.09	-	.11				
	100		95	5.43	8.86	.11				
	200		82	5.04	6.85	.16				
	300		40	2.27	4.19	.04				
	R V 0703 X 08		3	.02	.03	.01				
	V 0766 V 302		61	4.59	5.33	.22				
	V 0778 ✓		15	1.69	3.52	.28				
	V 0797 ✓		17	.66	.91	.45				
	~~V 0889 V-306~~ V-305		29	.90	.50	.30				
	V 0803 V-302		15	.77	.38	.08				
	Std. MP-1		58	1.88	-	-				
	RU-1		-	-	2.19	.85				
	KC-1		-	6.93	-	.11				
	100		95	5.47	9.13	.11				
	200		82	4.94	6.67	.16				
	300		40	2.29	4.46	.04				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R.G. Blundell

Registered Assayer, Province of British Columbia

DDH V-305

Cyprus Anvil Mining Corp.

Geochemical Log (Sampler's Copy)

Page ____ of ____

Logged By: WM

Sampled By: ____

Code	From	To	Sample No.	Description		
1	10 14	16 20	22 27	REC.	UNIT	LENGTH
P	1605	1655	V1 018515 1	5.0	4JK8	5.0
P	1655	1697	V1 018515 2	4.1	4JK8	4.2
P	1697	1753	V1 018515 3	5.6	4LK	5.6
P	1753	1795	V1 018515 4	4.2	4JK8	4.2
P	1795	1825	V1 018515 5	3.0	4GK	3.0
P	1840	1900	V1 018516	6.0	4JK8	6.0
P	1900	1940	V1 018517	4.0	4GK	4.0
P	1940	1978	V1 018518	3.8	4GK	3.8
P	1978	2030	V1 018519	5.2	4LJ	5.2
P	13K5	1378	V1 018610	5.3 ✓	4A0	5.3
P	1378	1437	V1 018611	5.9 ✓	4A/4J	5.9
P	1437	1468	V1 018612	3.1 ✓	4A7	3.1
P	1468	1509	V1 018613	3.8 ✓	4F/4G	4.1 +
P	1509	1539	V1 018614	3.0 ✓	5D9	3.0
P	1539	1573	V1 018615	3.4	4G4	3.4
P	1573	1610	V1 018616	2.7	4JE	2.7
P	1610	1650	V1 018617	5.0	4G4	5.0
P	1650	1700	V1 018618	5.0	4G4	5.0
P	1700	1750	V1 018619	5.0	4G4	5.0
P	1750	1810	V1 018710	5.0	4G4	5.0
P	1810	1850	V1 018711	5.0	4G4	5.0
P	1850	1910	V1 018712	5.0	4G4	5.0
P	1910	1950	V1 018713	5.0	4G4	5.0
P	1950	2010	V1 018714	5.0	4G4	5.0
P	2010	2050	V1 018715	5.0	4G4	5.0
P	2050	2083	V1 018716	3.3	4G4	3.3
P	2083	2130	V1 018717	4.6	4D9	.7 (5.0)
P	2130	2180	V1 018718	5.0	4D9	5.0
P	2180	2230	V1 018719	5.0	4D9	5.0
P	2230	2280	V1 018810	4.8	4C9	5.0
P	2280	2330	V1 018811	4.9	4C9	5.0
P	2330	2380	V1 018812	5.0	4C9	5.0
P	2380	2430	V1 018813	5.0	4C9	5.0

DDH 1-305

Cyprus Anvil Mining Corp.

Geochemical Log (Sampler's Copy)

Page _____ of _____

Logged By: _____

Sampled By: _____

Code	From	To	Sample No.	Description		
1	10 14	16 20	22 27	REC	UNIT	LENGTH
P	12430	12480	1 1 1818 14	5.0	4C9	5.0
P	12480	12530	1 1 1818 15	5.0	4C9	5.0
P	12530	12580	1 1 1818 16	5.0	4C9	5.0
P	12580	12630	1 1 1818 17	5.0	4C9	5.0
P	12630	12680	1 1 1818 18	5.0	4L7	5.0
P	12680	12730	1 1 1818 19	5.0	4L7	5.0
P	12730	12780	1 1 1819 10	5.0	4L7	5.0
P	12780	12830	1 1 1819 11	5.0	4L7/4L9	5.0
P	12830	12860	1 1 1819 12	2.5	4L9	3.0

V-306-R

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Unit
940	198.0	203.0	5.0	108.0		9.01	9.66	18.67		0.06						4G4/8
941	203.0	208.0	5.0	103.0		8.15	7.68	15.83		0.07						4G4/8
942	208.0	213.6	5.6	93.0		8.78	8.55	17.33		0.16						4E6
943	232.0	237.0	5.0	25.0		2.30	2.63	4.93		0.31						4D8
944	237.0	242.0	5.0	38.0		2.74	3.05	5.79		0.39						4H8
945	242.0	247.0	5.0	105.0		9.99	8.70	18.69		0.18						5D/4G
946	247.0	252.0	5.0	48.0		5.21	5.20	10.41		0.08						5D/4G/4H
947	273.0	275.3	2.3	71.0		4.04	5.61	9.65		0.22						4A/4F/4G
948	310.7	317.0	6.3	6.0		0.48	0.88	1.36		0.03						4L3
949	317.0	323.4	6.4	57.0		5.56	3.94	9.50		0.25						4L3
950	323.4	329.0	5.6	32.0		0.91	1.15	2.06		0.07						4G8
951	329.0	332.0	3.0	58.0		5.12	5.56	10.68		0.14						4G8
952	332.0	337.0	5.0	87.0		6.39	6.12	12.51		0.17						4G0
953	337.0	342.5	5.5	72.0		4.08	5.87	9.95		0.24						4G0
954	342.5	347.5	5.0	64.0		3.88	5.02	8.90		0.24						4G8
955	347.5	352.7	5.2	46.0		3.42	4.72	8.14		0.17						4G8
956	352.7	358.0	5.3	41.0		2.34	2.84	5.18		0.21						4E8
957	358.0	363.0	5.0	34.0		1.98	2.96	4.94		0.29						4E8
958	363.0	368.0	5.0	49.0		3.31	4.22	7.53		0.28						4E8
959	368.0	374.0	6.0	45.0		2.82	3.13	5.95		0.16						4E8

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation,
330 - 355 Burrard St.,
Vancouver, B. C. V6C 2G8 Attention: Dr. G. Simpson

Certificate No. K-2184
Date August 10, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

V-30L-R

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1	V 0940		108	9.01	9.66	.06				
2	0941		103	8.15	7.68	.07				
3	0942		93	8.78	8.55	.16				
4	0943		25	2.30	2.63	.31				
5	0944		38	2.74	3.05	.39				
6	0945		105	9.99	8.70	.18				
7	0946		48	5.21	5.20	.08				
8	0947		71	4.04	5.61	.22				
9	0948		6	.48	.88	.03				
10	0949		57	5.56	3.94	.25				
11	0950		32	.91	1.15	.07				
12	0951		58	5.12	5.56	.14				
13	0952		87	6.39	6.12	.17				
14	0953		72	4.08	5.87	.24				
15	0954		64	3.88	5.02	.24				
16	0955		46	3.42	4.72	.17				
17	0956		41	2.34	2.84	.21				
18	0957		34	1.98	2.96	.29				
19	0958		49	3.31	4.22	.28				
20	V 0959		45	2.82	3.13	.16				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R. G. Blundell
Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2184

Date August 10, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

V-307

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
21	V 0960		10	.79	1.41	.04				
22	0961		62	4.24	4.77	.13				
23	0962		10	.22	.80	.42				
24	0963		8	.19	1.09	.34				
25	0964		12	.46	.94	.12				
26	0965		16	.39	.67	.29				
27	0966		12	.33	.28	.31				
28	0967		8	.33	.34	.28				
29	0968		8	.42	.73	.29				
30	0969		16	1.27	.44	.39				
31	V 0970		8	.12	.03	.42				
	Repeats & Standards:									
V-306	R V 0951		58	5.21	5.54	.16				
	R V 0964		15	.47	.94	.12				
	Std MP-1		58	1.95	15.48	-				
	RU-1		-	-	2.34	.85				
	Final Tails May		-	.45	.94	.12				
	100		95	5.46	8.85	.10				
	200		82	5.01	6.65	.16				
	300		40	2.28	4.36	.04				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

c.c. Mr. S. Buziak

R. B. Brunden

Registered Assayer, Province of British Columbia

DDH V-306

Cyprus Anvil Mining Corp.

Geochemical Log (Sampler's Copy)

Page _____ of _____

Logged By: JWM

Sampled By: _____

Code	From	To	Sample No.	Description		
1	10 14	16 20	22 27	UNIT	LENGTH	REC
P	11980	12030	V1 019410	4G4B	50	4.5
P	12030	12080	V1 019411	4G4B	50	5.0
P	12080	12136	V1 019412	4E6	5.6	5.0
P	12312 0	12370	V1 019413	4D8	50	5.0
P	12370	12420	V1 019414	4H8	50	4.8
P	12420	12470	V1 019415	5D/4G	50	5.0
P	12470	12520	V1 019416	5D/4G/4H	50	5.0
P	12720	12753	V1 019417	4A/4F/4G	2.3	2.3
P	13107	13170	V1 019418	4L3	6.3	5.0
P	13170	13234	V1 019419	4L3	6.4	6.4
P	13234	13290	V1 019510	4G8	5.6	5.0
P	13290	13320	V1 019511	4G8	3.0	3.0
P	13320	13370	V1 019512	4G0	5.0	5.0
P	13370	13425	V1 019513	4G0	5.5	5.5
P	13425	13475	V1 019514	4G8	5.0	5.0
P	13475	13527	V1 019515	4G8	5.2	5.2
P	13527	13580	V1 019516	4E8	5.3	5.3
P	13580	13630	V1 019517	4E8	5.0	5.0
P	13630	13680	V1 019518	4E8	5.0	5.0
P	13680	13740	V1 019519	4E8	6.0	6.0

V-307-R



CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Unit
960	139.0	144.0	5.0	10.0		0.79	1.41	2.20		0.04						4A/4L
961	144.0	149.0	5.0	62.0		4.24	4.77	9.01		0.13						4E/4G
962	149.0	154.0	5.0	10.0		0.22	0.80	1.02		0.42						4E8
963	154.0	159.0	5.0	8.0		0.19	1.09	1.28		0.34						4E8
964	159.0	164.0	5.0	12.0		0.46	0.94	1.40		0.12						4E8
965	164.0	169.0	5.0	16.0		0.39	0.67	1.06		0.29						4E8
966	169.0	174.0	5.0	12.0		0.33	0.28	0.61		0.31						4E/4C8
967	174.0	179.0	5.0	8.0		0.33	0.34	0.67		0.28						4E/4C8
968	179.0	184.0	5.0	8.0		0.42	0.73	1.15		0.29						4E/4C8
969	184.0	189.0	5.0	16.0		1.27	0.44	1.71		0.39						4E/4C8
970	189.0	194.0	5.0	8.0		0.12	0.03			0.42						4C8
971	194.0	199.0	5.0	7.0		0.07	0.14			0.35						4C8
972	199.0	204.0	5.0	7.0		0.05	0.05			0.29						4C8
973	204.0	210.0	6.0	10.0		0.19	0.31			0.38						4C8
974	210.0	216.0	6.0	13.0		0.20	0.43			0.47						4C8
975	216.0	222.0	6.0	20.0		0.48	0.60			0.51						4C8
976	222.0	228.0	6.0	22.0		0.45	0.52			0.40						4C8
977	228.0	234.0	6.0	17.0		0.26	0.29			0.41						4C8
978	234.0	240.0	6.0	10.0		0.13	0.17			0.35						4C8
979	240.0	246.0	6.0	10.0		0.15	0.06			0.30						4C8
980	246.0	252.0	6.0	9.0		0.12	0.13			0.30						4C7
981	252.0	258.0	6.0	7.0		0.18	0.32			0.28						4C7
982	258.0	264.0	6.0	3.0		0.10	0.31			0.14						4C7
983	264.0	270.0	6.0	6.0		0.38	0.86			0.11						4C7
984	270.0	276.0	6.0	2.0		0.08	0.19			0.07						4C7
985	327.4	333.4	6.0	12.0		0.63	0.56			0.14						4A7

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation,
330 - 355 Burrard St.,
Vancouver, B. C. V6C 2G8 Attention: Dr. G. Simpson

Certificate No. K-2207
Date August 21, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1	V 0971		7	.07	.14	.35				
2	0972		7	.05	.05	.29				
3	0973		10	.19	.31	.38				
4	0974		13	.20	.43	.47				
5	0975		20	.48	.60	.51				
6	0976		22	.45	.52	.40				
7	0977		17	.26	.29	.41				
8	0978		10	.13	.17	.35				
9	0979		10	.15	.06	.30				
V-307 10	0980		9	.12	.13	.30				
11	0981		7	.18	.32	.28				
12	0982		3	.10	.31	.14				
13	0983		6	.38	.86	.11				
14	0984		2	.08	.19	.07				
15	0985		12	.63	.56	.14				
16	0986		22	3.26	3.16	.05				
17	0987		2	.37	.44	.02				
18	0988		6	.77	1.15	.05				
V-308 19	0989		2	.15	.64	.06				
20	V 0990		1	.08	.47	.04				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R.A. Blundell
Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.
2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

B.C. LICENSED ASSA..RS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2207

Date August 21, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-63 121	V 1091		15	.08	.17	.20				
122	V 1092		13	.05	.21	.19				
	Repeats: V 0979 307		9	.16	.06	.29				
	V 1086 63		15	.41	.45	.28				
	V 0988 308		8	.77	1.11	.04				
	V 1061 310		18	.52	.38	.16				
	V 0984 307		2	.09	.20	.07				
	V 1021 33		50	3.59	4.37	.15				
	Standards:									
	Tailings Std. Actual			.49	.96					
	MP-1		58	1.90	15.97	-				
	Tails		-	.48	.95	-				
	100		95	5.60	9.09	.09				
	200		82	5.00	6.72	.14				
	300		41	2.21	4.32	.03				
	MP-1		58	1.88	15.87	-				
	Tails		-	.49	.97	-				
	100		94	5.52	9.02	.11				
	200		83	4.93	6.59	.16				
	300		41	2.27	4.40	.04				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

c.c. Mr. Darryl Hanson

R. G. Blendell
Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 - TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2184

Date August 10, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

V-307

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
21	V 0960		10	.79	1.41	.04				
22	0961		62	4.24	4.77	.13				
23	0962		10	.22	.80	.42				
24	0963		8	.19	1.09	.34				
25	0964		12	.46	.94	.12				
26	0965		16	.39	.67	.29				
27	0966		12	.33	.28	.31				
28	0967		8	.33	.34	.28				
29	0968		8	.42	.73	.29				
30	0969		16	1.27	.44	.39				
31	V 0970		8	.12	.03	.42				
	Repeats & Standards:									
	R V 0951		58	5.21	5.54	.16				
	R V 0964		15	.47	.94	.12				
	Std MP-1		58	1.95	15.48	-				
	RU-1		-	-	2.34	.85				
	Final Tails May		-	.45	.94	.12				
	100		95	5.46	8.85	.10				
	200		82	5.01	6.65	.16				
	300		40	2.28	4.36	.04				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

c.c. Mr. S. Buziak

R. G. Blaudeau

Registered Assayer, Province of British Columbia

TO [redacted] G. SIMPSON

DDH V-307 (2 8)

Cyprus Anvil Mining Corp. 13 PAGES

Geochemical Log (Sampler's Copy)

Page ____ of ____

Logged By: ____

Sampled By: JWM

Code	From	To	Sample No.	Description		
1	10 14	16 20	22 27	LENTH	UNIT	REC
P	1139 0	1144 0	V1 109610	5.0	4A/4L	5.0
P	1144 0	1149 0	V1 109611	5.0	4E/4G	5.0
P	1149 0	1154 0	V1 109612	5.0	4E8	5.0
P	1154 0	1159 0	V1 109613	5.0	4E8	5.0
P	1159 0	1164 0	V1 109614	5.0	4E8	5.0
P	1164 0	1169 0	V1 109615	5.0	4E8	5.0
P	1169 0	1174 0	V1 109616	5.0	4EC8	4.9
P	1174 0	1179 0	V1 109617	5.0	4EC8	4.9
P	1179 0	1184 0	V1 109618	5.0	4EC8	4.9
P	1184 0	1189 0	V1 109619	5.0	4EC8	4.9
P	1189 0	1194 0	V1 109710	5.0	4C8	5.0
P	1194 0	1199 0	V1 109711	5.0	4C8	5.0
P	1199 0	1204 0	V1 109712	5.0	4C8	5.0
P	1204 0	1210 0	V1 109713	6.0	4C8	5.0
P	1210 0	1216 0	1 109714	6.0	4C8	5.0
P	1216 0	1222 0	1 109715	6.0	4C8	5.0
P	1222 0	1228 0	1 109716	6.0	4C8	5.0
P	1228 0	1234 0	1 109717	6.0	4C8	5.0
P	1234 0	1240 0	1 109718	6.0	4C8	5.0
P	1240 0	1246 0	1 109719	6.0	4C8	5.0
P	1246 0	1252 0	1 109720	6.0	4C7	6.0
P	1252 0	1258 0	1 109721	6.0	4C7	6.0
P	1258 0	1264 0	109822	6.0	4C7	5.9
P	1264 0	1270 0	109823	6.0	4C7	6.0
P	1270 0	1276 0	109824	6.0	4C7	6.0
P	3274	3334	109825	6.0	4A7	6.0

V-308-R

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Unit
986	111.0	116.0	5.0	22.0		3.26	3.16	6.42		0.05						4BO
987	116.0	121.0	5.0	2.0		0.37	0.44	0.81		0.02						4BO
988	121.0	124.0	3.0	6.0		0.77	1.15	1.92		0.05						4BO
989	200.2	205.2	5.0	2.0		0.15	0.64	0.79		0.06						4AO
990	205.2	210.2	5.0	1.0		0.08	0.47	0.55		0.04						4A/4L
991	210.2	215.1	4.9	-1.0		0.06	0.24	0.30		0.02						?
992	227.0	232.0	5.0	64.0		4.61	6.68	11.29		0.19						4GO
993	232.0	237.0	5.0	28.0		2.39	2.76	5.15		0.37						4E1
994	237.0	242.0	5.0	27.0		2.18	2.44	4.62		0.26						4E8
995	242.0	245.0	3.0	22.0		1.74	1.70	3.44		0.41						4E8
996	252.1	257.1	5.0	13.0		0.97	1.65	2.62		0.13						4D/4L
997	257.1	262.4	5.3	9.0		0.70	0.66	1.36		0.11						4E/4L
998	262.9	266.5	3.6	37.0		2.49	3.71	6.20		0.14						4AO
999	308.7	313.0	4.3	40.0		2.52	3.10	5.62		0.19						4A/4H
1000	328.8	334.0	5.2	2.0		0.07	0.49	0.56		0.10						4BO
1001	334.0	339.0	5.0	14.0		0.13	0.86	0.99		0.11						4BO
1002	339.0	345.0	6.0	2.0		0.08	0.32	0.40		0.06						4BO

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation,
330 - 355 Burrard St.,
Vancouver, B. C. V6C 2G8 Attention: Dr. G. Simpson

Certificate No. K-2207
Date August 21, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1	V 0971		7	.07	.14	.35				
2	0972		7	.05	.05	.29				
3	0973		10	.19	.31	.38				
4	0974		13	.20	.43	.47				
5	0975		20	.48	.60	.51				
6	0976		22	.45	.52	.40				
7	0977		17	.26	.29	.41				
8	0978		10	.13	.17	.35				
9	0979		10	.15	.06	.30				
V-307 10	0980		9	.12	.13	.30				
11	0981		7	.18	.32	.28				
12	0982		3	.10	.31	.14				
13	0983		6	.38	.86	.11				
14	0984		2	.08	.19	.07				
15	0985		12	.63	.56	.14				
16	0986		22	3.26	3.16	.05				
17	0987		2	.37	.44	.02				
18	0988		6	.77	1.15	.05				
V-308 19	0989		2	.15	.64	.06				
20	V 0990		1	.08	.47	.04				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

A.B. Blundell
Registered Assayer, Province of British Columbia

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2207

Date August 21, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
21	V 0991		Tr	.06	.24	.02				
22	0992		64	4.61	6.68	.19				
23	0993		28	2.39	2.76	.37				
24	0994		27	2.18	2.44	.26				
25	0995		22	1.74	1.70	.41				
26	0996		13	.97	1.65	.13				
27	0997		9	.70	.66	.11				
V-308 28	0998		37	2.49	3.71	.14				
29	0999		40	2.52	3.10	.19				
30	1000		2	.07	.49	.10				
31	1001		14	.13	.86	.11				
32	1002		2	.08	.32	.06				
33	1003		23	2.00	2.26	.04				
34	1004		54	3.53	5.49	.03				
35	1005		31	2.32	3.74	.02				
36	1006		57	3.85	4.47	.04				
V-33 37	1007		157	10.86	8.87	.03				
38	1008		71	4.39	8.25	.03				
39	1009		80	6.33	7.63	.19				
40	V 1010		67	4.69	6.02	.09				

Tr denotes "trace"

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R.B. Blundell
Registered Assayer, Province of British Columbia

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2207

Date August 21, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-63 121	V 1091		15	.08	.17	.20				
122	V 1092		13	.05	.21	.19				
	Repeats: V 0979 307		9	.16	.06	.29				
	V 1086 63		15	.41	.45	.28				
	V 0988 308		8	.77	1.11	.04				
	V 1061 310		18	.52	.38	.16				
	V 0984 307		2	.09	.20	.07				
	V 1021 33		50	3.59	4.37	.15				
	Standards:									
	Tailings Std. Actual			.49	.96					
	MP-1		58	1.90	15.97	-				
	Tails		-	.48	.95	-				
	100		95	5.60	9.09	.09				
	200		82	5.00	6.72	.14				
	300		41	2.21	4.32	.03				
	MP-1		58	1.88	15.87	-				
	Tails		-	.49	.97	-				
	100		94	5.52	9.02	.11				
	200		83	4.93	6.59	.16				
	300		41	2.27	4.40	.04				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

c.c. Mr. Darryl Hanson

R.G. Blundell
Registered Assayer, Province of British Columbia

(Y-308)

DDH [redacted] Cyprus Anvil Mining Corp. [redacted]

Logged By: JWM

Sampled By:

Geochemical Log (Sampler's Copy)

Card	From	To	Sample No.	Description		
1	10 14	16 20	22 27	UNIT	LENGTH	ZEC
P	1 1 1 0	1 1 1 6	V 1 0 9 1 8 6	4B0	5.0	4.9
P	1 1 1 6	1 1 2 1	V 1 0 9 1 8 7	4B0	5.0	2.5
P	1 1 2 1	1 1 2 9	V 1 0 9 1 8 8	4B0	3.0	1.5
P	2 1 0 1 2	2 1 0 1 5 2	V 1 0 9 8 1 9	4A0	5.0	5.0
P	2 1 0 1 5 2	2 1 1 0 2	V 1 0 9 9 1 0	4AL	5.0	5.0
P	2 1 1 0 2	2 1 1 5 1	V 1 0 9 1 9 1		4.9	4.8
P	2 1 2 1 7 0	2 1 3 1 2 0	V 1 0 9 1 9 2	4G0	5.0	5.0
P	2 1 3 1 2 0	2 1 3 7 0	V 1 0 9 9 1 3	4E1	5.0	5.0
P	2 1 3 7 0	2 1 4 1 2 0	V 1 0 9 1 9 1 4	4E8	5.0	5.0
P	2 1 4 1 2 0	2 1 4 1 5 0	V 1 0 9 9 1 5	4E8	3.0	3.0
P	2 1 5 1 2 1	2 1 5 1 7 1	V 1 0 9 1 9 1 6	4DL	5.0	4.5
P	2 1 5 1 7 1	2 1 6 1 2 4	V 1 0 9 9 1 7	4EL	5.3	5.3
P	2 1 6 1 2 9	2 1 6 1 6 5	V 1 0 9 1 9 1 8	4A0	3.6	3.3
P	3 1 0 1 8 7	3 1 1 3 0	V 1 0 9 9 1 9	4AH	4.3	4.2
P	3 1 2 1 8 8	3 1 3 1 4 0	V 1 1 0 1 1 1 6	4B0	5.2	5.1
P	3 1 3 1 4 0	3 1 3 1 9 0	V 1 1 0 1 0 1 1	4B0	5.0	5.0
P	3 1 3 1 9 0	3 1 4 1 5 0	V 1 1 0 1 0 1 2	4B0	6.0	3.5

V-309-R

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
737	111.0	116.0	5.0	43.0		5.06	5.03	10.09		0.11							4KO
738	116.0	121.0	5.0	20.0		0.76	0.65	1.41		0.19							4KO
739	121.0	125.0	4.0	26.0		0.91	0.78	1.69		0.23							4KO
740	125.0	128.0	3.0	39.0		2.74	3.58	6.32		0.05							4G4
741	128.0	132.0	4.0	57.0		4.16	9.15	13.31		0.11							4E1
742	132.0	136.6	4.6	51.0		3.76	3.70	7.46		0.17							4E1
743	136.6	141.6	5.0	19.0		1.17	1.72	2.89		0.09							4A/4E/5D
744	141.6	145.6	4.0	52.0		5.75	13.27	19.02		0.07							4D/4L
745	145.6	156.2	10.6	54.0		5.71	8.81	14.52		0.11							4A4
746	173.0	178.2	5.2	58.0		4.28	8.05	12.33		0.06							4G4
747	185.6	191.0	5.4	12.0		0.95	1.35	2.30		0.06							4B3
748	191.0	196.0	5.0	81.0		6.04	7.20	13.24		0.12							4E8/6
749	196.0	201.0	5.0	63.0		5.60	6.32	11.92		0.15							4E8/6
750	201.0	208.0	7.0	43.0		3.42	3.47	6.89		0.15							4E8/6
1151	208.0	210.6	2.6	66.0		4.47	4.41	8.88		0.37							4H1
1152	376.7	382.0	5.3	3.0		0.21	0.55	0.76		0.04							4AO
1153	382.0	387.0	5.0	7.0		0.11	0.59	0.70		0.12							4AO
1154	387.0	392.0	5.0	6.0		0.14	0.57	0.71		0.11							4AO
1155	392.0	398.5	6.5	11.0		0.41	1.44	1.85		0.17							4AO
1156	437.0	443.0	6.0	7.0		0.33	0.35	0.68		0.11							4C7
1157	443.0	449.0	6.0	13.0		0.42	0.39	0.81		0.18							4C7

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation,
330 - 355 Burrard St.,
Vancouver, B. C. V6C 2G8 Attention: Dr. G. Simpson

Certificate No. K-2220
Date August 29, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1	V 0737		43	5.06	5.03	.11				
2	0738		20	.76	.65	.19				
3	0739		26	.91	.78	.23				
4	0740		39	2.74	3.58	.05				
5	0741		57	4.16	9.15	.11				
6	0742		51	3.76	3.70	.17				
7	0743		19	1.17	1.72	.09				
8	0744		52	5.75	13.27	.07				
9	0745		54	5.71	8.81	.11				
10	0746		58	4.28	8.05	.06				
11	0747		12	.95	1.35	.06				
12	0748		81	6.04	7.20	.12				
13	0749		63	5.60	6.32	.15				
14	0750		43	3.42	3.47	.15				
15	1093		8	.05	.15	.19				
16	1094		8	.06	.15	.27				
17	1095		21	1.00	.75	.06				
18	1096		1	.05	.13	.03				
19	1097		4	.05	.12	.26				
20	V 1098		2	.02	.07	.19				

V-309

V-63

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R. B. Blundell
Registered Assayer, Province of British Columbia

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 - TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2220

Date August 29, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
21	V 1099		2	Tr	.09	.07				
22	1100		3	.05	.14	.49				
V-63 23	1101		7	.02	.06	.88				
24	1102		6	.01	.07	.98				
25	1103		14	.03	.08	.38				
26	1151 *		66	4.47	4.41	.37				
27	1152		3	.21	.55	.04				
28	1153		7	.11	.59	.12				
29	1154		6	.14	.57	.11				
V-309 30	1155		11	.41	1.44	.17				
31	1156		7	.33	.35	.11				
32	1157		13	.42	.39	.18				
33	1158		61	4.77	7.46	.25				
34	1159		31	1.82	2.51	.31				
V-311 35	1160		29	1.91	2.20	.39				
36	1161		27	1.30	1.93	.35				
37	1162		19	.82	1.14	.05				
38	1163		6	.22	.34	.15				
39	1164		28	1.70	2.36	.17				
V-49 40	V 1165		14	.57	.70	.07				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

Tr denotes "trace"

F.R. Blendell
Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.
2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 - TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2220

Date August 29, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-49 41	V 1166		36	1.44	.87	.07				
42	1167		34	.98	.41	.22				
43	1168		60	3.85	6.89	.17				
44	1169		149	5.32	7.88	.29				
45	V 1170		8	.37	.81	.19				
	Repeats:									
	V 1155 309		10	.42	1.41	.16				
	1168 49		59	3.85	6.89	.16				
	0741 309		58	4.26	8.05	.11				
	V 1100 63		3	.05	.15	.49				
	Standards:									
	MP1		58	1.70	15.63	-				
	Tails		-	.44	.96	.14				
	100		95	5.54	9.31	.10				
	200		82	5.02	6.68	.14				
	300		40	2.23	4.29	.04				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

c.c. Mr. Darryl Hanson

B.K. Blendell
Registered Assayer, Province of British Columbia

DDH V-309

Cyprus Anvil Mining Corp.
Geochemical Log (Sampler's Copy)

Page _____ of _____
Logged By: DJH
Sampled By: _____

Code	From	To	Sample No.	Description		
1	10 14	16 20	22 27	LENGTH	UNIT	REC.
P	1/1/1 0	1/1/16 0	V1 1 17317	5.0	4KO	5'
P	1/1/16 0	1/121/0	V1 1 17318	5.0	4KO	5'
P	1/121/0	1/1250	V1 1 17319	4.0	4KO	4'
P	1/1250	1/1280	V1 1 17410	3.0	4G4	3'
P	1/1280	1/1320	V1 1 17411	4.0	4E1	4'
P	1/1320	1/1366	V1 1 17412	4.6	4E1	4' 6"
P	1/1366	1/141/6	V1 1 17413	5.0	4AE/5D	5'
P	1/141/6	1/1456	V1 1 17414	4.0	4DL	4'
P	1/1456	1/1562	V1 1 17415	10.6	4A4	7' 10"
P	1/1730	1/1782	V1 1 17416	5.2	4G4	5' 2"
P	1/1856	1/1910	V1 1 17417	5.4	4B3	5' 4"
P	1/1910	1/1960	V1 1 17418	5.0	4E86	3' 9"
P	1/1960	1210/0	V1 1 17419	5.0	4E86	5'
P	1210/0	12108 0	V1 1 17510	7.0	4E86	7'
P	12108 0	1211/06	V1 1 11 1511	2.6	4H1	2' 6"
P	13716 7	13820	V1 1 11 1512	5.0	4AO	4' 4"
P	13820	13870	V1 1 11 1513	5.0	4AO	5'
P	13870	13920	V1 1 11 1514	5.0	4AO	5'
P	13920	13985	V1 1 11 1515	6.5	4AO	6' 5"
P	14317 0	14430	V1 1 11 1516	6.0	4C7	6'
P	14430	14490	V1 1 11 1517	6.0	4C7	6'

V-310-R

[redacted]

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Unit
1053	120.8	125.0	4.2	46.0		2.82	3.14	5.96		0.05						4A0
1054	125.0	130.0	5.0	34.0		2.24	4.76	7.00		0.05						4A0
1055	130.0	135.0	5.0	22.0		1.34	2.74	4.08		0.06						4A0
1056	135.0	140.0	5.0	55.0		4.27	4.35	8.62		0.11						4A0
1057	140.0	145.0	5.0	16.0		0.92	1.17	2.09		0.13						4C0
1058	145.0	150.0	5.0	21.0		1.04	0.88	1.92		0.12						4C7
1059	150.0	155.0	5.0	12.0		0.35	0.48	0.83		0.18						4C0
1060	155.0	162.3	7.3	17.0		0.64	0.68	1.32		0.13						4C0
1061	164.4	169.0	4.6	18.0		0.52	0.38	0.90		0.16						4C7
1062	169.0	174.0	5.0	13.0		0.38	0.66	1.04		0.13						4C7
1063	174.0	179.0	5.0	21.0		1.49	1.40	2.89		0.20						4C7
1064	179.0	184.0	5.0	62.0		3.56	5.32	8.88		0.10						4A0
1065	184.0	189.0	5.0	42.0		2.66	3.22	5.88		0.06						4A0
1066	189.0	194.0	5.0	20.0		1.26	0.87	2.13		0.08						4A0
1067	194.0	199.0	5.0	19.0		0.86	1.13	1.99		0.12						4A0
1068	199.0	204.0	5.0	11.0		0.34	1.61	1.95		0.08						4A/4L
1069	204.0	209.0	5.0	35.0		1.98	2.79	4.77		0.08						4A/4L
1070	209.0	214.0	5.0	14.0		0.91	1.21	2.12		0.09						4A0
1071	214.0	216.2	2.2	6.0		0.31	0.67	0.98		0.04						4A0

Kamloops Research & Assay Laboratory Ltd.
2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 - TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2207

Date August 21, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-33 81	V 1051		8	.37	.30	.16				
82	1052		8	.36	.36	.17				
83	1053		46	2.82	3.14	.05				
84	1054		34	2.24	4.76	.05				
85	1055		22	1.34	2.74	.06				
86	1056		55	4.27	4.35	.11				
87	1057		16	.92	1.17	.13				
88	1058		21	1.04	.88	.12				
89	1059		12	.35	.48	.18				
90	1060		17	.64	.68	.13				
V-310 91	1061		18	.52	.38	.16				
92	1062		13	.38	.66	.13				
93	1063		21	1.49	1.40	.20				
94	1064		62	3.56	5.32	.10				
95	1065		42	2.66	3.22	.06				
96	1066		20	1.26	.87	.08				
97	1067		19	.86	1.13	.12				
98	1068		11	.34	1.61	.08				
99	1069		35	1.98	2.79	.08				
100	V 1070		14	.91	1.21	.09				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R.B. Blundell
Registered Assayer, Province of British Columbia

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2207

Date August 21, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V 310 101	V 1071		6	.31	.67	.04				
102	1072		88	7.09	4.68	.07				
103	1073		35	2.90	3.96	.07				
104	1074		43	4.28	8.72	.03				
105	1075		46	3.14	3.95	.20				
106	1076		64	5.21	4.96	.17				
107	1077		18	.81	.98	.31				
108	1078		56	3.70	3.92	.29				
109	1079		47	5.25	4.89	.16				
V-63 110	1080		25	.77	.89	.29				
111	1081		10	.50	.32	.23				
112	1082		12	.74	1.18	.19				
113	1083		13	.55	1.20	.27				
114	1084		22	.31	.58	.45				
115	1085		16	.22	.44	.32				
116	1086		16	.41	.46	.28				
117	1087		7	.13	.37	.25				
118	1088		18	1.00	.83	.17				
119	1089		15	.16	.61	.25				
120	1090		19	.23	.68	.24				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

B. Blundell
Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.
2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

B.C. LICENSED ASSA. .RS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2207

Date August 21, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-63 121	V 1091		15	.08	.17	.20				
122	V 1092		13	.05	.21	.19				
	Repeats: V 0979 307		9	.16	.06	.29				
	V 1086 63		15	.41	.45	.28				
	V 0988 308		8	.77	1.11	.04				
	V 1061 310		18	.52	.38	.16				
	V 0984 307		2	.09	.20	.07				
	V 1021 33		50	3.59	4.37	.15				
	Standards:									
	Tailings Std. Actual			.49	.96					
	MP-1		58	1.90	15.97	-				
	Tails		-	.48	.95	-				
	100		95	5.60	9.09	.09				
	200		82	5.00	6.72	.14				
	300		41	2.21	4.32	.03				
	MP-1		58	1.88	15.87	-				
	Tails		-	.49	.97	-				
	100		94	5.52	9.02	.11				
	200		83	4.93	6.59	.16				
	300		41	2.27	4.40	.04				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

c.c. Mr. Darryl Hanson

R.G. Blundell
Registered Assayer, Province of British Columbia

DDH V-31-0-2-8

Cyprus Anvil Mining Corp.
Geochemical Log (Sampler's Copy)

Page
Logged By: JWM
Sampled By:

Code	From	To	Sample No.	Description		
1	10 14	16 20	22 27	UNIT	LENGTH	REC.
P	1+20	1+25	V1 1+053	4A0	4.2	4.1
P	1+25	1+30	V1 1+054	4A0	5.0	5.0
P	1+30	1+35	V1 1+055	4A0	5.0	5.0
P	1+35	1+40	V1 1+056	4A0	5.0	4.4
P	1+40	1+46	V1 1+057	4C0	5.0	4.4
P	1+45	1+50	V1 1+058	4C7	5.0	4.2
P	1+50	1+55	V1 1+059	4C0	5.0	5.0
P	1+55	1+623	V1 1+060	4C0	7.3	7.1 x
P	1+644	1+690	V1 1+061	4C7	4.6	4.2
P	1+690	1+740	V1 1+062	4C7	5.0	4.3
P	1+740	1+790	V1 1+063	4C7	5.0	4.4
P	1+790	1+840	V1 1+064	4A0	5.0	4.2
P	1+840	1+890	V1 1+065	4A0	5.0	4.4
P	1+890	1+940	V1 1+066	4A0	5.0	4.3
P	1+940	1+990	V1 1+067	4A0	5.0	4.2
P	1+990	2+040	V1 1+068	4A/4L	5.0	4.1
P	2+040	2+090	V1 1+069	4A/4L	5.0	4.2
P	2+090	2+140	V1 1+070	4A0	5.0	4.4
P	2+140	2+162	V1 1+071	4A0	2.2	2.0

V-311-R

V-311

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
1158	161.7	167.5	5.8	61.0		4.77	7.46	12.23		0.25							4E8/6
1159	167.5	173.0	5.5	31.0		1.82	2.51	4.33		0.31							4E8
1160	173.0	178.0	5.0	29.0		1.91	2.20	4.11		0.39							4E8
1161	178.0	181.3	3.3	27.0		1.30	1.93	3.23		0.35							4E8
1162	~~184.8~~ 184.8	~~187.5~~ 187.5	2.7	19.0		0.82	1.14	1.96		0.05							4E/4A/4B
1163	261.4	268.0	6.6	6.0		0.22	0.34	0.56		0.15							4A7

Kamloops Research & Assay Laboratory Ltd.
2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

2

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2220

Date August 29, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
21	V 1099		2	Tr	.09	.07				
22	1100		3	.05	.14	.49				
V-63 23	1101		7	.02	.06	.88				
24	1102		6	.01	.07	.98				
25	1103		14	.03	.08	.38				
26	1151		66	4.47	4.41	.37				
27	1152		3	.21	.55	.04				
28	1153		7	.11	.59	.12				
29	1154		6	.14	.57	.11				
V-309 30	1155		11	.41	1.44	.17				
31	1156		7	.33	.35	.11				
32	1157		13	.42	.39	.18				
33	1158		61	4.77	7.46	.25				
34	1159		31	1.82	2.51	.31				
V-311 35	1160		29	1.91	2.20	.39				
36	1161		27	1.30	1.93	.35				
37	1162		19	.82	1.14	.05				
38	1163		6	.22	.34	.15				
39	1164		28	1.70	2.36	.17				
V-49 40	V 1165		14	.57	.70	.07				

NOTE:
Rejects retained three weeks
Pulps etained three months
unless otherwise arranged.

Tr denotes "trace"

K.R. Blundell
Registered Assayer, Province of British Columbia

DDH V-311 (2 8)

Cyprus Anvil Mining Corp.
Geochemical Log (Sampler's Copy)

Page _____ of _____
Logged By: DJH
Sampled By: _____

Code	From	To	Sample No.	Description		
1	10 14	16 20	22 27	UNIT	LENGTH	REC.
P	1161 7	1617 5	111518	4E86	5.8	3.6
P	1617 5	1730	111515A	4E8	5.5	4.6
P	1730	1780	111610	4E8	5.0	5.0
P	1780	1813	111616V	4E8	3.3	3.3
P	1914 8	1917 5	111612	4EA/B	2.7	2.6
P	2161 4	2180	111613	4A7	6.6	2.8

V-312-R

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
1188	115.8	120.2	4.4	22.0		2.18	2.76	4.94		0.05							4A0
1189	120.2	126.0	5.8	4.0		0.28	0.23	0.51		0.01							5A9
1190	126.0	131.0	5.0	13.0		1.17	1.09	2.26		0.04							4L3
1191	131.0	135.7	4.7	38.0		2.20	2.74	4.94		0.11							4E/4A
1192	135.7	141.0	5.3	44.0		3.01	6.80	9.81		0.04							4C7
1193	141.0	145.0	4.0	25.0		1.64	3.29	4.93		0.09							4A/4C
1194	314.2	319.0	4.8	19.0		0.84	0.57	1.41		0.09							4A0
1195	319.0	325.6	6.6	19.0		1.23	1.62	2.85		0.04							4E8
1196	392.0	395.5	3.5	57.0		3.82	6.74	10.56		0.03							4D6
1197	433.0	438.8	5.8	17.0		0.48	0.40	0.88		0.11							4A0
1198	438.8	444.0	5.2	19.0		1.18	1.76	2.94		0.07							4A0
1199	444.0	450.0	6.0	23.0		2.20	2.90	5.10		0.09							4A0
1200	450.0	456.0	6.0	8.0		0.24	0.38	0.62		0.11							4A/4K
1104	456.0	462.0	6.0	9.0		0.23	0.46	0.69		0.08							4A/4K
1105	462.0	468.0	6.0	22.0		0.12	0.33	0.45		0.24							4A/4K
1106	468.0	474.0	6.0	12.0		0.20	0.72	0.92		0.14							4A/4K
1107	474.0	480.0	6.0	9.0		0.76	1.49	2.25		0.18							4C7/9
1108	480.0	486.0	6.0	4.0		0.34	0.54	0.88		0.14							4C7/9
1109	486.0	492.0	6.0	10.0		0.50	0.85	1.35		0.11							4C7/9

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation,
330 - 355 Burrard St.,
Vancouver, B. C. V6C 2G8 Attention: Dr. G. Simpson

Certificate No. K-2230
Date September 4, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1	V 1171		44	2.34	3.02	.04				
2	1172		6	.53	.67	.08				
3	1173		19	1.30	.93	.11				
4	1174		21	1.45	2.17	.11				
5	1175		7	.43	.59	.05				
6	1176		5	.13	.19	.08				
7	1177		7	.16	.13	.08				
8	1178		5	.20	.21	.08				
9	1179		18	1.10	.91	.08				
10	1180		41	2.78	5.21	.03				
11	1181		19	1.20	1.37	.08				
12	1182		6	.25	.46	.17				
13	1183		5	.24	.32	.10				
14	1184		8	.34	.85	.10				
15	1185		13	.75	1.27	.06				
16	1186		18	1.42	1.43	.06				
17	1187		7	.25	.17	.06				
18	1188		22	2.18	2.76	.05				
19	1189		4	.28	.23	.01				
20	V 1190		13	1.17	1.09	.04				

V-49-R

V-312

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

DAB for RJB
Registered Assayer, Province of British Columbia

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2230

Date September 4, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
21	V 1191		38	2.20	2.74	.11				
22	1192		44	3.01	6.80	.04				
23	1193		25	1.64	3.29	.09				
24	1194		19	.84	.57	.09				
V312 25	1195		19	1.23	1.62	.04				
26	1196		57	3.82	6.74	.03				
27	1197		17	.48	.40	.11				
28	V 1198		19	1.18	1.76	.07				
	Repeats: V 1185 49		12	.76	1.28	.06				
	V 1197 312		16	.48	.39	.11				
	Standards: MP-1		58	-	15.52	-				
	Tails		-	.48	.96	.06				
	100		95	5.47	9.01	.05				
	200		82	4.97	6.69	.07				
	300		40	-	4.44	.02				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

c.c. Mr. Darryl Hanson

DWB for GEB

Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation
330 - 355 Burrard St.,
Vancouver, B. C. V6C 2G8 Attention: Dr. Glen Simpson

Certificate No. K-2238
Date August 29, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda Drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1	V 1104		9	.23	.46	.08				
2	1105		22	.12	.33	.24				
V-312 3	1106		12	.20	.72	.14				
4	1107		9	.76	1.49	.18				
5	1108		4	.34	.54	.14				
6	1109		10	.50	.85	.11				
V-30 7	1110		11	1.16	1.52	.07				
8	1111		18	.99	3.01	.14				
9	1112		8	.24	.59	.12				
10	1113		10	.34	.80	.10				
11	1114		8	.25	.55	.08				
V-313 12	1115		3	.23	.56	.06				
13	1116		8	.32	1.10	.05				
14	1117		16	1.15	.63	.06				
15	1118		50	3.55	4.97	.06				
16	1119		100	5.12	8.11	.23				
17	1121		36	3.49	4.33	.04				
18	1122		28	2.88	3.93	.05				
V-30 19	1123		24	2.24	3.12	.02				
20	V 1124		28	2.11	3.75	.03				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R.B. Blundell
Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.
2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2238

Date August 29, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
21	V 1125		56	3.88	5.57	.24				
22	1126		52	3.86	4.61	.17				
23	1127		13	1.41	1.15	.07				
24	1128		81	6.85	6.75	.15				
25	1129		77	6.07	7.16	.13				
26	1130		73	5.38	5.90	.14				
V-30 27	1131		22	.70	.72	.26				
28	1132		23	.28	.94	.43				
29	1133		28	.97	.80	.26				
30	1134		46	2.08	2.16	.29				
V-312 31	1199		23	2.20	2.90	.09				
32	1200		8	.24	.38	.11				
33	1201		40	3.08	3.70	.17				
34	1202		56	4.77	6.78	.05				
35	1203		69	5.00	5.66	.17				
36	1204		48	3.48	3.84	.17				
JY-12 37	1205		63	5.14	3.87	.10				
38	1206		79	5.56	6.28	.09				
39	1207		82	5.79	5.98	.05				
40	V 1208		76	5.74	5.27	.11				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R.G. Blaskett
Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.
2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2238

Date August 29, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
	Repeats:									
	V 1106 312		12	.21	.64	.14				
	1112 313		10	.26	.59	.12				
	1209 X12		41	1.90	1.37	.29				
	V 1224 X12		20	.84	.90	.10				
	Standards:									
	MP1		58	1.79	15.96	-				
	RU1		-	-	2.29	-				
	Tails		-	.49	.92	.13				
	100		95	5.47	9.00	.11				
	200		82	4.89	6.48	.16				
	300		40	2.33	4.35	.04				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

c.c. Mr. Darryl Hanson

A.J. Sinclair

Registered Assayer, Province of British Columbia

DDH V-312 (2 / 8)

Cyprus Anvil Mining Corp.
Geochemical Log (Sampler's Copy)

Page _____ of _____
Logged By: JWM
Sampled By: KM

Code	From	To	Sample No.	Description		
1	10 14	16 20	22 27	LENGTH	UNIT	REC
P	1115 8	1210 2	V1 1 1 18 18	4.4	4A0	4.4
P	1210 2	1216 0	V1 1 1 18 19	5.8	5A9	5.8
P	1216 0	1310	V1 1 1 9 10	5.0	4L3	5.0
P	1310	1357	V1 1 1 9 11	4.6	4E/A	4.6
P	1357	1410	V1 1 1 9 12	5.3	4C7	5.3
P	1410	1450	V1 1 1 9 13	4.0	4AC	4.0
P	3114 2	3190	V1 1 1 9A	4.8	4A0	4.8
P	3190	3256	V1 1 1 9 15	6.6	4E8	6.6
P	3926	3955	V1 1 1 9 16	3.5	4D6	3.5
P	4330	4388	V1 1 1 9 17	5.8	4A0	5.5
P	4388	4440	V1 1 1 9 18	5.2	4A0	5.2
P	4440	4510	V1 1 1 9 19	6.0	4A0	6.0
P	4510	4516	V1 1 R 10 10	6.0	4AK	6.0
P	4516	4620	V1 1 1 10A	6.0	4AK	6.0
P	4620	4680	V1 1 1 10 5	6.0	4AK	6.0
P	4680	4740	V1 1 1 10 6	6.0	4AK	6.0
P	4740	4810	V1 1 1 10 7	6.0	4C79	6.0
P	4810	4860	V1 1 1 10 8	6.0	4C79	6.0
P	4860	4920	V1 1 1 10 9	6.0	4C79	6.0

V-313-R

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
1111	69.0	74.6	5.6	18.0		0.99	3.01	4.00		0.14							4A0
1112	98.5	103.0	4.5	8.0		0.24	0.59	0.83		0.12							4A0
1113	103.0	108.0	5.0	10.0		0.34	0.80	1.14		0.10							4A0
1114	108.0	113.0	5.0	8.0		0.25	0.55	0.80		0.08							4A0
1115	113.0	118.0	5.0	3.0		0.23	0.56	0.79		0.06							4A0
1116	118.0	123.0	5.0	8.0		0.32	1.10	1.42		0.05							4A0
1117	123.0	128.0	5.0	16.0		1.15	0.63	1.78		0.06							4A0
1118	128.0	133.0	5.0	50.0		3.55	4.97	8.52		0.06							4A0
* 1119	133.0	135.8	2.8	100.0		5.12	8.11	13.23		0.23							4A0
* 1120	135.8	140.0	4.2														4E/4(

Check Sample Nos. (CK)

Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation
330 - 355 Burrard St.,
Vancouver, B. C. V6C 2G8 Attention: Dr. Glen Simpson

Certificate No. K-2238
Date August 29, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda Drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1	V 1104		9	.23	.46	.08				
2	1105		22	.12	.33	.24				
V-312 3	1106		12	.20	.72	.14				
4	1107		9	.76	1.49	.18				
5	1108		4	.34	.54	.14				
6	1109		10	.50	.85	.11				
V-30 7	1110		11	1.16	1.52	.07				
8	1111		18	.99	3.01	.14				
9	1112		8	.24	.59	.12				
10	1113		10	.34	.80	.10				
11	1114		8	.25	.55	.08				
V-313 12	1115		3	.23	.56	.06				
13	1116		8	.32	1.10	.05				
14	1117		16	1.15	.63	.06				
15	1118		50	3.55	4.97	.06				
16	1119		100	5.12	8.11	.23				
17	1121		36	3.49	4.33	.04				
18	1122		28	2.88	3.93	.05				
V-30 19	1123		24	2.24	3.12	.02				
20	V 1124		28	2.11	3.75	.03				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

A. J. Bluendell
Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.
2095 WEST TRANS CANADA HIGHWAY–KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2238

Date August 29, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
	Repeats:									
	V 1106 3/2		12	.21	.64	.14				
	1112 3/3		10	.26	.59	.12				
	1209 X/2		41	1.90	1.37	.29				
	V 1224 X/2		20	.84	.90	.10				
	Standards:									
	MP1		58	1.79	15.96	-				
	RU1		-	-	2.29	-				
	Tails		-	.49	.92	.13				
	100		95	5.47	9.00	.11				
	200		82	4.89	6.48	.16				
	300		40	2.33	4.35	.04				

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

c.c. Mr. Darryl Hanson

A.J. Blundell
Registered Assayer, Province of British Columbia

DDH 2-313 B

Cyprus Anvil Mining Corp.
Geochemical Log (Sampler's Copy)

Page ____ of ____
Logged By: DTH
Sampled By: ____

Code	From	To	Sample No.	Description		
1	10 14	15 20	22 27	UNIT	LENGTH	REC
A	1+90	1+94	1 1 1 1 1 1	490	5.6	5.0
A	1+925	1+930	1 1 1 1 1 2	490	4.5	3.5
A	1+930	1+980	1 1 1 1 1 3	490	5.0	3.0
A	1+980	2+030	1 1 1 1 1 4	490	5.0	3.5
A	2+030	2+080	1 1 1 1 1 5	490	5.0	4.0
A	2+080	2+130	1 1 1 1 1 6	490	5.0	2.0
A	2+130	2+180	1 1 1 1 1 7	490	5.0	1.5
A	2+180	2+230	1 1 1 1 1 8	490	5.0	2.0
A	2+230	2+258	1 1 1 1 1 8	490	2.8	2.0
A	2+258	2+290	1 1 1 1 1 9	TEG	4.2	4.0

V-314

[redacted]

V-315-R

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research & Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
1458	86.2	92.3	6.1	88.0		5.70	9.25	14.95		0.06							4A0/4E4
1459	92.3	98.0	5.7	51.0		3.20	5.13	8.33		0.12							4A0
1460	98.0	103.0	5.0	24.0		1.83	2.26	4.09		0.08							4A0
1461	103.0	108.0	5.0	14.0		1.48	0.72	2.20		0.04							4A0
1462	108.0	113.0	5.0	112.0		5.50	7.29	12.79		0.20							4G0
1463	113.0	117.9	4.9	101.0		5.79	8.11	13.90		0.20							4G0
1464	180.7	183.9	3.2	17.0		1.10	2.15	3.25		0.06							4C0
1465	183.9	188.0	4.1	46.0		3.62	3.17	6.79		0.21							4E3
1466	188.0	191.7	3.7	22.0		1.55	2.36	3.91		0.10							4C0
1467	191.7	194.3	2.6	27.0		1.09	0.83	1.92		0.23							4E8
1468	204.9	210.8	5.9	24.0		1.42	2.22	3.64		0.10							4L1
1469	210.8	215.8	5.0	53.0		5.28	3.15	8.43		0.18							4E8
1470	215.8	221.5	5.7	36.0		2.46	2.61	5.07		0.28							4E8
1471	221.5	227.6	6.1	21.0		1.49	0.90	2.39		0.22							4K0
1472	227.6	232.0	4.4	69.0		5.31	5.60	10.91		0.14							4E8
1473	232.0	237.0	5.0	60.0		5.64	5.85	11.49		0.16							4E8
1474	237.0	241.0	4.0	73.0		2.43	1.23	3.66		0.28							4E8
1475	241.0	247.0	6.0	52.0		3.18	4.77	7.95		0.27							4C0

Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation,
330 - 355 Burrard St.,
Vancouver, B. c. V6C 2G8

Certificate No. K-2321
Date October 9, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V315 1	V 1474		73	2.43	1.23	.28				
2	1475		52	3.18	4.77	.27				
3	1476		273	6.04	.57	.05				
V-26-R 4	1477		116	6.70	13.11	.57				
5	1478		107	5.14	11.6	.20				
6	1479		156	9.54	19.2	.50				
7	1498		25	1.25	2.33	.04				
8	1499		27	1.16	1.90	.03				
9	1500		22	.55	1.04	.03				
10	3001		75	4.13	8.86	.04				
V317 11	3002		23	.83	1.32	.13				
12	3003		55	3.69	5.61	.05				
13	3004		54	2.98	6.65	.07				
14	3005		42	2.50	5.31	.10				
15	3006		35	1.86	2.66	.12				
16	3007		12	.50	.91	.17				
17	3008		25	.87	1.90	.09				
18	3009		50	2.19	2.90	.18				
19	3010		35	1.08	1.73	.21				
20	3011		42	1.61	1.50	.19				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia

(F)

Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation,
330 - 355 Burrard St.,
Vancouver, B. C. V6C 2G8 Attention: Dr. G. Simpson

Certificate No. K-2291
Date September 27, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1	V 1458		88	5.70	9.25	.06				
2	1459		51	3.20	5.13	.12				
3	1460		24	1.83	2.26	.08				
4	1461		14	1.48	.72	.04				
5	1462		112	5.50	7.29	.20				
6	1463		101	5.79	8.11	.20				
7	1464		17	1.10	2.15	.06				
8	1465		46	3.62	3.17	.21				
9	1466		22	1.55	2.36	.10				
10	1467		27	1.09	.83	.23				
11	1468		24	1.42	2.22	.10				
12	1469		53	5.28	3.15	.18				
13	1470		36	2.46	2.61	.28				
14	1471		21	1.49	.90	.22				
15	1472		69	5.31	5.60	.14				
16	1473		60	5.64	5.85	.16				
17	1480		16	.67	.81	.04				
18	1481		96	9.40	19.03	.53				
19	1482		97	6.41	12.08	.23				
20	V 1483		45	4.12	2.95	.18				

V315

V-26

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for RGS
Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2291

Date September 27, 1979.

I Hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
21	V 1484		50	3.60	4.12	.06				
22	1485		65	3.14	3.24	.06				
V-26 23	1486		110	6.01	8.62	.30				
24	V 1487		18	.95	1.34	.14				
	Repeats:									
	V 1464 X 3/5		19	1.09	2.12	.06				
	V 1482		99	6.58	12.08	.22				
	Standards:									
	MP-1		58	1.78	15.7	-				
	RU-1		7	-	2.10	-				
	Tails		-	.49	.92	.12				
	100		95	5.44	8.94	.10				
	200		82	4.98	6.79	.15				
	300		40	2.18	4.35	.04				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for JSB

Registered Assayer, Province of British Columbia

DDH V-315 — Cyprus Anvil Mining Corp.

Geochemical Log (Sampler's Copy)

Logs:
Samples:

Type	From	To	Sample No.	Description		
				UNIT	LENGTH	REC
P	1816	1916	1/4518	4A0/4E4	6.1	6.1
P	1916	1980	1/4519	4A0	5.7	5.7
P	1980	2035	1/4520	4A0	5.5	5.5
P	2035	2080	1/4521	4A0	5.0	5.0
P	2080	2130	1/4522	4A0	5.0	5.0
P	2130	2179	1/4613	4G0	4.9	4.9
P	1807	1839	1/4664	4C0	3.2	1.8
P	1839	1880	1/4665	4E3	4.1	4.1
P	1880	1917	1/4666	4C0	3.7	3.7
P	1917	1943	1/4617	4E8	2.6	2.6
P	2009	2108	1/4618	4L1	5.9	5.9
P	2108	2158	1/4619	4E8	5.0	4.5
P	2158	2215	1/4710	4E8	5.7	5.7
P	2215	2276	1/4711	4K0	6.1	6.1
P	2276	2320	1/4712	4E8	4.4	4.4
P	2320	2370	1/4713	4E8	5.0	5.0
P	2370	2410	1/4714	4E8	4.0	4.0
P	2410	2470	1/4715	4C0	6.0	6.0

V-316

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Sample No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
3039	107.8	111.8	4.0	48.0		2.17	5.30	7.47		0.03							4A4
3040	111.8	115.2	3.4	54.0		2.76	6.38	9.14		0.03							4A4
3041	115.2	120.0	4.8	17.0		0.74	1.08	1.82		0.08							4A0
3042	120.0	125.0	5.0	14.0		0.25	0.19	0.44		0.09							4A0
3043	125.0	130.0	5.0	10.0		0.24	0.48	0.72		0.10							4A0
3044	130.0	135.0	5.0	8.0		0.18	0.50	0.68		0.04							4A0
3045	135.0	140.0	5.0	12.0		0.32	0.62	0.94		0.09							4A0
3046	140.0	146.4	6.4	16.0		1.08	1.36	2.44		0.06							4A0
3047	195.4	198.5	3.1	6.0		0.12	0.39	0.51		0.06							4L1
3048	198.5	204.0	5.5	23.0		1.19	2.16	3.35		0.08							4A0
3049	204.0	209.0	5.0	24.0		1.14	2.61	3.75		0.05							4A0
3050	209.0	214.8	5.8	35.0		2.17	5.59	7.76		0.02							4A0
3101	214.8	217.4	2.6	67.0		4.39	5.79	10.18		0.04							5D0
3102	217.4	221.0	3.6	92.0		4.79	8.39	13.18		0.04							4G4
3103	221.0	226.0	5.0	96.0		6.63	7.39	14.02		0.03							4G4
3104	226.0	231.5	5.5	124.0		8.29	7.73	16.02		0.04							4G4
3105	231.5	235.5	4.0	153.0		12.95	5.94	18.89		0.06							4D/H
3106	235.5	239.5	4.0	148.0		13.11	3.98	17.09		0.05							4D/H
3107	239.5	242.0	2.5	80.0		4.04	8.35	12.39		0.05							4G4
3108	242.0	245.4	3.4	221.0		19.12	8.14	27.26		0.06							4H1,4
3109	245.4	248.4	3.0	25.0		2.12	2.06	4.18		0.07							5D3
3110	248.4	254.0	5.6	99.0		8.23	6.74	14.97		0.14							4H1
3111	254.0	261.0	7.0	55.0		4.27	3.39	7.66		0.24							4H1
3112	261.0	266.0	5.0	87.0		5.26	6.30	11.56		0.04							4G4
3113	266.0	271.0	5.0	46.0		2.35	4.24	6.59		0.02							4G4
3114	271.0	274.5	3.5	60.0		3.80	5.34	9.14		0.06							4G4
3115	274.5	277.6	3.1	26.0		1.38	2.01	3.39		0.31							4E8
3116	277.6	283.0	5.4	68.0		4.59	6.05	10.64		0.10							4G4/5D6
3117	283.0	288.1	5.1	45.0		2.74	4.60	7.34		0.04							4G4/5D6
3118	288.1	293.0	4.9	70.0		5.44	7.73	13.17		0.06							4G4
3119	293.0	297.2	4.2	65.0		3.50	7.35	10.85		0.03							4E4/4G4
3120	297.2	302.0	4.8	26.0		1.37	2.35	3.72		0.28							4C8
3121	302.0	307.0	5.0	14.0		1.01	1.28	2.29		0.27							4C8
3122	307.0	312.2	5.2	6.0		0.31	0.80	1.11		0.42							4C8

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation,
330 - 355 Burrard St.,
Vancouver, B. C. V6C 2G8 Attention: Dr. G. Simpson

Certificate No. K-2377
Date October 29, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.		Marked	GOLD	SILVER	Pb	Zn	Cu				
			Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-316	1	V 3121		14	1.01	1.28	.27				
	2	3122		6	.31	.80	.42				
	3	3123		12	.60	.67	.20				
	4	3124		7	.84	1.13	.07				
	5	3125		6	.38	.46	.16				
V-320	6	3126		14	.36	.40	.22				
	7	3127		15	.67	.74	.23				
	8	3193		65	3.64	3.85	.14				
	9	3194		15	.57	.50	.14				
	10	3195		26	.70	.92	.18				
V-45-R	11	3196		16	.26	.29	.12				
	12	3197		18	.19	.14	.25				
	13	3198		16	.17	.31	.22				
V-47-R	14	3199		21	1.36	2.65	.08				
	15	3200		49	3.30	3.52	.04				
	16	3234		8	.31	.28	.27				
	17	3235		7	.24	.15	.49				
	18	3236		8	.60	.41	.21				
V-45-R	19	3237		14	.44	.63	.32				
	20	V 3238		78	13.16	.17	.30				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAS for JGS
Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2321

Date October 9, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
41	V 3032		5	.03	.03	.07				
V317 42	3033		7	.10	.04	.09				
43	3034		10	.10	.11	.25				
44	3035		11	.24	.20	.12				
45	3036		10	.21	.27	.18				
46	3037		7	.05	.09	.12				
47	3038		8	.02	.04	.09				
48	3039		48	2.17	5.30	.03				
49	3040		54	2.76	6.38	.03				
50	3041		17	.74	1.08	.08				
51	3042		14	.25	.19	.09				
52	3043		10	.24	.48	.10				
53	3044		8	.18	.50	.04				
V316 54	3045		12	.32	.62	.09				
55	3046		16	1.08	1.36	.06				
56	3047		6	.12	.39	.06				
57	3048		23	1.19	2.16	.08				
58	3049		24	1.14	2.61	.05				
59	3050		35	2.17	5.59	.02				
V143-R 60	3051		40	2.19	3.32	.04				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2321

Date October 9, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
61	V 3052		34	2.39	3.19	.04				
62	3053		25	1.63	1.52	.05				
V-143-R 63	3054		19	1.38	2.42	.06				
64	3055		10	.66	1.18	.03				
65	3056		53	2.93	4.36	.08				
66	3057		21	1.15	2.57	.05				
67	3058		64	3.63	6.68	.08				
68	3059		55	2.99	6.91	.03				
69	3060		32	1.56	3.02	.02				
70	3061		45	2.59	2.32	.35				
71	3062		28	1.52	.72	.47				
72	3063		6	.12	.55	.09				
V-320 73	3064		51	3.25	3.18	.14				
74	3065		44	3.05	3.59	.20				
75	3101		67	4.39	5.79	.04				
76	3102		92	4.79	8.39	.04				
77	3103		96	6.63	7.39	.03				
78	3104		124	8.29	7.73	.04				
V 316 79	3105		153	12.95	5.94	.06				
80	3106		148	13.11	3.98	.05				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2321

Date October 9, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
81	V 3107		80	4.04	8.35	.05				
82	3108		221	19.1	8.14	.06				
83	3109		25	2.12	2.06	.07				
84	3110		99	8.23	6.74	.14				
85	3111		55	4.27	3.39	.24				
86	3112		87	5.26	6.30	.04				
87	3113		46	2.35	4.24	.02				
V 316 88	3114		60	3.80	5.34	.06				
89	3115		26	1.38	2.01	.31				
90	3116		68	4.59	6.05	.10				
91	3117		45	2.74	4.60	.04				
92	3118		70	5.44	7.73	.06				
93	3119		65	3.50	7.35	.03				
94	V 3120		26	1.37	2.35	.28				

NOTE:
Rejects retained three weeks.
Pulps retained three months unless otherwise arranged.

c.c. Mr. Darryl Hanson

DAB for RGB
Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2321

Date October 9, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
	Repeats:									
	V 3020 317		13	.17	.09	.20				
	✗3045 316		11	.32	.61	.09✗				
	3060 143-R		29	1.56	3.07	.02				
	✗3110 316		96	8.21	6.68	.14✗				
	1500 317		24	.56	1.04	.03				
	V 3035 317		12	.24	.19	.11				
	Standards:									
	MP-1		58	1.84	15.9	1.97				
	RU-1		-	-	2.22	.82				
	100		95	5.44	8.83	.10				
	200		82	4.87	6.58	.14				
	300		40	2.34	4.32	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months unless otherwise arranged.

Registered Assayer, Province of British Columbia

DDH V-316 (2 - 8)

Cyprus Anvil Mining Corp.
Geochemical Log (Sampler's Copy)

Page ____ of ____
Logged By: DJH
Sampled By: ____

Card	From	To	Sample No.	Description		
1	10 14	16 20	22 27	UNIT	LENGTH	REC.
	1/10/7	1/11/	1 310939	4A4	4.0	4.0
	1/11/	1/11/5	1 310940	4A4	3.4	3.1
	1/11/5	1/12/0	1 310941	4AO	4.8	4.8
	1/12/0	1/12/5	1 310942	4AO	5.0	5.0
	1/12/5	1/13/0	1 310943	4AO	5.0	5.0
	1/13/0	1/13/5	1 310944	4AO	5.0	5.0
	1/13/5	1/14/0	1 310945	4AO	5.0	5.0
	1/14/0	1/14/6	1 310946	4AO	6.4	6.4
	1/3.5	1/3.8	3 0 4 7	4L'	3.1	3.1
	1/13/8	12/0/7	1 310948	4AO	5.5	5.5
	12/0/4	12/0/9	1 310949	4AO	5.0	5.0
	12/0/9	12/1/4	1 310950	4AO	5.8	5.8
	12/1/4	12/1/7	1 31/101	5DO	2.6	2.6
	12/1/7	12/2/1	1 31/102	4G4	3.6	3.6
	12/2/1	12/2/6	1 31/103	4G4	5.0	5.0
	12/2/6	12/3/1	1 31/104	4G4	5.5	5.5
	12/3/1	12/3/5	1 31/105	4DH	4.0	4.0
	12/3/5	12/3/9	1 31/106	4DH	4.0	4.0
	12/3/9	12/4/2	1 31/107	4G4	2.5	2.5
	12/4/2	12/4/5	1 31/108	4H/4	3.4	3.4
	12/4/5	12/4/8	1 31/109	5D3	3.0	3.0
	12/4/8	12/5/4	1 31/110	4H1	5.6	5.6
	12/5/4	12/6/1	1 31/111	4H1	7.0	7.0
	12/6/1	12/6/6	1 31/112	4G4	5.0	5.0
	12/6/6	12/7/1	1 31/113	4G4	5.0	5.0
	12/7/1	12/7/4	1 31/114	4G4	3.5	3.5
	12/7/4	12/7/7	1 31/115	4E8	3.1	3.1
	12/7/7	12/8/3	1 31/116	4G4/5D6	5.4	5.4
	12/8/3	12/8/8	1 31/117	4G4/5D6	5.1	5.1
	12/8/8	12/9/3	1 31/118	4G4	4.9	4.9
	12/9/3	12/9/7	1 31/119	4E4/4G4	4.2	4.2
	12/9/7	13/0/2	1 31/120	4C8	4.8	4.8
	13/0/2	13/0/7	1 31/121	4C8	5.0	5.0
	13/0/7	13/1/2	1 31/122	4C8	5.2	5.2

V-317

V-317

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Sample No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
1498	72.6	77.0	4.4	25.0		1.25	2.33	3.58		0.04							4A0
1499	77.0	82.0	5.0	27.0		1.16	1.90	3.06		0.03							4A0
1500	82.0	87.0	5.0	22.0		0.55	1.04	1.59		0.03							4A0
3001	87.0	91.5	4.5	75.0		4.13	8.86	12.99		0.04							4A4
3002	91.5	98.1	6.6	23.0		0.83	1.32	2.15		0.13							4A0
3003	98.1	103.0	4.9	55.0		3.69	5.61	9.30		0.05							4A4
3004	103.0	108.0	5.0	54.0		2.98	6.65	9.63		0.07							4A4
3005	108.0	113.0	5.0	42.0		2.50	5.31	7.81		0.10							4A4
3006	113.0	118.0	5.0	35.0		1.86	2.66	4.52		0.12							4A4
3007	118.0	122.7	4.7	12.0		0.50	0.91	1.41		0.17							4A4/5D3
3008	122.7	128.0	5.3	25.0		0.87	1.90	2.77		0.09							4A0
3009	128.0	133.0	5.0	50.0		2.19	2.90	5.09		0.18							4A0
3010	133.0	138.0	5.0	35.0		1.08	1.73	2.81		0.21							4A0
3011	138.0	143.0	5.0	42.0		1.61	1.50	3.11		0.19							4A0
3012	143.0	147.4	4.4	26.0		1.03	0.33	1.36		0.17							4A0/5D3
3013	147.4	153.0	5.6	17.0		0.71	0.18	0.89		0.26							4C3
3014	153.0	158.0	5.0	16.0		0.35	0.04	0.39		0.22							4C3
3015	158.0	160.6	2.6	39.0		1.08	0.02	1.10		0.29							4C3
3016	160.6	164.3	3.7	5.0		0.04	0.03			0.02							5D3
3017	164.3	169.0	4.7	28.0		0.62	0.19			0.20							4E1/A0
3018	169.0	174.0	5.0	15.0		0.26	0.26			0.15							4A0
3019	174.0	179.0	5.0	9.0		0.10	0.11			0.20							4A0
3020	179.0	183.4	4.4	14.0		0.17	0.09			0.20							4A0
3021	183.4	188.0	4.6	18.0		0.36	0.03			0.19							4C3
3022	188.0	193.0	5.0	14.0		0.08	0.05			0.33							4C3
3023	193.0	197.0	4.0	9.0		0.09	0.04			0.22							4C3
3024	197.0	201.8	4.8	16.0		0.22	0.20			0.31							4E1/A0
3025	212.0	217.0	5.0	4.0		0.07	0.15			0.13							4L7
3026	217.0	222.0	5.0	1.0		0.02	0.01			0.06							4L7
3027	222.0	227.0	5.0	4.0		0.05	0.02			0.06							4L7
3028	227.0	232.0	5.0	3.0		0.07	0.18			0.12							4L7
3029	232.0	237.0	5.0	8.0		0.16	0.26			0.08							4L7
3030	237.0	242.0	5.0	29.0		2.02	2.76	4.78		0.14							4L7

GEOCHEMICAL LOG

V-317

Sample No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
3031	242.0	247.0	5.0	6.0		0.06	0.07			0.14							4L7
3032	247.0	252.0	5.0	5.0		0.03	0.03			0.07							4L7
3033	252.0	257.0	5.0	7.0		0.10	0.04			0.09							4L7
3034	257.0	262.0	5.0	10.0		0.10	0.11			0.25							4L7
3035	262.0	267.0	5.0	11.0		0.24	0.20			0.12							4L7
3036	267.0	272.0	5.0	10.0		0.21	0.27			0.18							4L7
3037	272.0	278.0	6.0	7.0		0.05	0.09			0.12							4L7
3038	278.0	284.0	6.0	8.0		0.02	0.04			0.09							4L7

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation,
330 - 355 Burrard St.,
Vancouver, B. c. V6C 2G8

Certificate No. K-2321
Date October 9, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V315 1	V 1474		73	2.43	1.23	.28				
2	1475		52	3.18	4.77	.27				
3	1476		273	6.04	.57	.05				
V-01-R 4	1477		116	6.70	13.11	.57				
5	1478		107	5.14	11.6	.20				
6	1479		156	9.54	19.2	.50				
7	1498		25	1.25	2.33	.04				
8	1499		27	1.16	1.90	.03				
9	1500		22	.55	1.04	.03				
10	3001		75	4.13	8.86	.04				
V317 11	3002		23	.83	1.32	.13				
12	3003		55	3.69	5.61	.05				
13	3004		54	2.98	6.65	.07				
14	3005		42	2.50	5.31	.10				
15	3006		35	1.86	2.66	.12				
16	3007		12	.50	.91	.17				
17	3008		25	.87	1.90	.09				
18	3009		50	2.19	2.90	.18				
19	3010		35	1.08	1.73	.21				
20	3011		42	1.61	1.50	.19				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for JESS

Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2321

Date October 9, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

V-317

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
21	V 3012		26	1.03	.33	.17				
22	3013		17	.71	.18	.26				
23	3014		16	.35	.04	.22				
24	3015		39	1.08	.02	.29				
25	3016		5	.04	.03	.02				
26	3017		28	.62	.19	.20				
27	3018		15	.26	.26	.15				
28	3019		9	.10	.11	.20				
29	3020		14	.17	.09	.20				
30	3021		18	.36	.03	.19				
31	3022		14	.08	.05	.33				
32	3023		9	.09	.04	.22				
33	3024		16	.22	.20	.31				
34	3025		4	.07	.15	.13				
35	3026		1	.02	.01	.06				
36	3027		4	.05	.02	.06				
37	3028		3	.07	.18	.12				
38	3029		8	.16	.26	.08				
39	3030		29	2.02	2.76	.14				
40	3031		6	.06	.07	.14				

NOTE:
Rejects retained three weeks.
Pulps retained three months unless otherwise arranged.

DAB for GSB

Registered Assayer, Province of British Columbia

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2321

Date October 9, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
41	V 3032		5	.03	.03	.07				
V317 42	3033		7	.10	.04	.09				
43	3034		10	.10	.11	.25				
44	3035		11	.24	.20	.12				
45	3036		10	.21	.27	.18				
46	3037		7	.05	.09	.12				
47	3038		8	.02	.04	.09				
48	3039		48	2.17	5.30	.03				
49	3040		54	2.76	6.38	.03				
50	3041		17	.74	1.08	.08				
51	3042		14	.25	.19	.09				
52	3043		10	.24	.48	.10				
53	3044		8	.18	.50	.04				
V316 54	3045		12	.32	.62	.09				
55	3046		16	1.08	1.36	.06				
56	3047		6	.12	.39	.06				
57	3048		23	1.19	2.16	.08				
58	3049		24	1.14	2.61	.05				
59	3050		35	2.17	5.59	.02				
V143-R 60	3051		40	2.19	3.32	.04				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for RGB

Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2321

Date October 9, 1979.

Vangorda

I hereby certify that the following are the results of assays made by us upon the herein described drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
	Repeats:									
	V 3020 317		13	.17	.09	.20				
	3045 316		11	.32	.61	.09				
	3060 143-R		29	1.56	3.07	.02				
	3110 316		96	8.21	6.68	.14				
	1500 317		24	.56	1.04	.03				
	V 3035 317		12	.24	.19	.11				
	Standards:									
	MP-1		58	1.84	15.9	1.97				
	RU-1		-	-	2.22	.82				
	100		95	5.44	8.83	.10				
	200		82	4.87	6.58	.14				
	300		40	2.34	4.32	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months unless otherwise arranged.

Registered Assayer, Province of British Columbia

DDH K-317 (2 of 8)

Cyprus Anvil Mining Corp.
Geochemical Log (Sampler's Copy)

Page ____ of ____
Logged By: DJH
Sampled By: ____

Card	From	To	Sample No.	Description		
1	10 14	16 20	22 27	UNIT	LENGTH	REC.
P	1 1712 6	1 1717 0	1 1/19 18	4A0	4.4	4.4
P	1 1717 0	1 1812 0	1 1/19 19	4A0	5.0	5.0
P	1 1812 0	1 1817 0	1 1/15 19	4A0	5.0	5.0
P	1 1817 0	1 1915	1 13901	4A4	4.5	4.5
P	1 1915	1 1918 1	1 13010 12	4A0	6.6	6.6
P	1 1918 1	1/1213 0	1 13010 13	4A4	4.9	4.9
P	1/1030	1/1018 0	1 13010 14	4A4	5.0	5.0
P	1/1018 0	1/1/13 0	1 13010 15	4A4	5.0	5.0
P	1/1/13 0	1/1/18 0	1 13010 16	4A4	5.0	5.0
P	1/1/18 0	1/2127	1 13010 17	4A4/5D3	4.7	4.7
P	1/2127	1/2218 0	1 13010 18	4A0	5.3	5.3
P	1/2218 0	1/2323 0	1 13010 19	4A0	5.0	5.0
P	1/2323 0	1/2328 0	1 13011 10	4A0	5.0	5.0
P	1/2328 0	1/2430 0	1 13011 11	4A0	5.0	5.0
P	1/2430 0	1/2437	1 13011 12	4A0/5D3	4.4	4.4
P	1/2437	1/2515 0	1 13011 13	4C3	5.6	5.6
P	1/2515 0	1/2518 0	1 13011 14	4C3	5.0	5.0
P	1/2518 0	1/2610 6	1 13011 15	4C3	2.6	2.6
P	1/2610 6	1/2613	1 13011 16	5D3	3.7	3.7
P	1/2613	1/2619 0	1 13011 17	4E1/4A0	4.7	4.7
P	1/2619 0	1/2714 0	1 13011 18	4A0	5.0	5.0
P	1/2714 0	1/2719 0	1 13011 19	4A0	5.0	5.0
P	1/2719 0	1/2813	1 13012 10	4A0	4.4	4.4
P	1/2813	1/2818 0	1 13012 11	4C3	4.6	4.6
P	1/2818 0	1/2913 0	1 13012 12	4C3	5.0	5.0
P	1/2913 0	1/2917 0	1 13012 13	4C3	4.0	4.0
P	1/2917 0	1210/8	1 13012 14	4E1/4A0	4.8	4.8
	1 1 1	1 1 1	1 1 1 1 1 1			
P	12/12 0	12/17 0	1 13012 15	4L7	5.0	5.0
P	12/17 0	12212 0	1 13012 16	4L7	5.0	5.0
P	12212 0	12217 0	1 13012 17	4L7	5.0	5.0
P	12222 0	12312 0	1 13012 18	4L7	5.0	5.0
P	12312 0	12317 0	1 13012 19	4L7	5.0	5.0
P	2317 0	2412 0	1 13930	4L7	5.0	5.0
P	2412 0	12417 0	1 13931	4L7	5.0	5.0
P	2417 0	2512 0	1 13932	4L7	5.0	5.0

assay for Cu, Au only

DDH V-317

Cyprus Anvil Mining Corp.
Geochemical Log (Sampler's Copy)

Page _____ of _____
Logged By: _____
Sampled By: _____

Cards	From	To	Sample No.	Description
	7 13 14	15 19 20	22 27	UNIT LENGTH REC.
	12512	12517	1 13013 13	4L7 5.0
	12517	12612	1 13013 14	4L7 5.0
	12612	12617	1 13013 15	4L7 5.0
	12617	12712	1 13013 16	4L7 5.0
	12712	12718	1 13013 17	4L7 6.0
	12718	12784	1 13013 18	4L7 6.0

assay for Cu, Ag only

V-318

DDH V-318

Cyprus Anvil Mining Corp.

Geochemical Log (Sampler's Copy)

Page ____ of ____

Logged By: [illegible]

Sampled By: ____

Code	From	To	Sample No.	Description		
1	10 14	16 20	22 27	[illegible]	LENGTH	[illegible]
C	1 1617 8	1 1636 8	1 13631	[illegible]	4.0	3.2
	1 1 1	1 1 1	1 1 1 1 1			
P	1 1313 5	1 1350	1 13632	[illegible]	1.5	1.0
	1 1 1	1 1 1	1 1 1 1 1			
P	1 1350	1 1410	1 13633	[illegible]	4.5	3.0
	1 1 1	1 1 1	1 1 1 1 1			
C	2100 2	2 [illegible]	1 13634	[illegible]	[illegible]	45
P	2 [illegible]	2 [illegible]	1 13635	[illegible] /50	5.0	4.6
C	2 [illegible]	2 [illegible]	1 13636	[illegible] 500	5.0	4.8
C	2 [illegible]	2 [illegible]	1 13637	[illegible]	4.0	4.0
P	2 [illegible]	2 [illegible]	1 13638	[illegible]	5.3	5.3
P	2 [illegible]	2 [illegible]	1 13639	4664	2.9	2.8
P	2 [illegible]	2 [illegible]	1 13640	[illegible]	[illegible]	4.0
P	2 [illegible]	2 [illegible]	1 13641	[illegible]	5.0	5.2
P	2 [illegible]	2 [illegible]	1 13642	[illegible]	5.0	5.0
P	2 [illegible]	2 [illegible]	1 13643	[illegible]	5.0	4.9
P	2 [illegible]	2 [illegible]	1 13644	[illegible]	5.0	5.0
P	2 [illegible]	2 [illegible]	1 13645	[illegible]	5.0	4.8
P	2 [illegible]	2 [illegible]	1 13646	[illegible]	5.0	5.0
P	2 [illegible]	2 [illegible]	1 13647	[illegible]	7.4	7.2
	1 1 1	1 1 1	1 1 1 1 1			
P	2 [illegible]	2 [illegible]	1 13648	[illegible]	4.1	4.0
P	2 [illegible]	2 [illegible]	1 13649	[illegible]	5.0	5.0
P	2 [illegible]	2 [illegible]	1 13650	[illegible]	5.0	5.0
P	2 [illegible]	2 [illegible]	1 13651	[illegible]	5.0	4.8
P	2 [illegible]	3 [illegible]	1 13652	[illegible]	4.8	4.8
P	3 [illegible]	3 [illegible]	1 13653	[illegible]	5.2	5.1
P	3 [illegible]	3 [illegible]	1 13654	[illegible]	5.0	5.0
C	3 [illegible]	3 [illegible]	1 13655	[illegible]	7.8	7.2
P	3 [illegible]	3 [illegible]	1 13656	[illegible]	1.5	1.6

V-319

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Sample No.	From	To	Int.	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
3583	260.7	262.0	1.3	27.0		1.85	0.87	2.72		0.08							4A0
3584	274.0	278.0	4.0	2.0		0.08	0.17	0.25		0.01							4L3
3585	278.0	282.0	4.0	46.0		2.44	2.17	4.61		0.15							4E8,7
3586	282.0	286.0	4.0	2.0		0.17	0.38	0.55		0.01							4L0,7

DDH V-319

Cyprus Anvil Mining Corp.

Geochemical Log (Sampler's Copy)

Logged By: [illegible]

Sampled By:

Case	From	To	Sample No	Description
	10 14	16 20	22 27	[illegible] SILTY REC
A	1615	1620	25183	ARG 13
B	1720	1725	25184	ARG 40
C	1725	1730	25185	ARG 10
D	1730	1735	25186	ARG 90

V-320

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Sample No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py%%	Hg %	Mn %	Unit
3061	215.5	220.0	4.5	45.0		2.59	2.32	4.91		0.35							4D/E
3062	220.0	225.0	5.0	28.0		1.52	0.72	2.24		0.47							4E/C
3063	225.0	230.0	5.0	6.0		0.12	0.55	0.67		0.09							4E/K/I
3064	230.0	235.0	5.0	51.0		3.25	3.18	6.43		0.14							4G8
3065	235.0	241.9	6.9	44.0		3.05	3.59	6.64		0.20							4G/L
3123	402.5	409.1	6.6	12.0		0.60	0.67	1.27		0.20							4A0
3124	409.1	411.0	1.9	7.0		0.84	1.13	1.97		0.07							4D7
3125	424.6	430.0	5.4	6.0		0.38	0.46	0.84		0.16							4A0
3126	430.0	433.2	3.2	14.0		0.36	0.40	0.76		0.22							4E1
3127	435.0	440.0	5.0	15.0		0.67	0.74	1.41		0.23							4C7

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation,
330 - 355 Burrard St.,
Vancouver, B. C. V6C 2G8 Attention: Dr. G. Simpson

Certificate No. K-2377
Date October 29, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-316 1	V 3121		14	1.01	1.28	.27				
2	3122		6	.31	.80	.42				
3	3123		12	.60	.67	.20				
4	3124		7	.84	1.13	.07				
5	3125		6	.38	.46	.16				
V-320 6	3126		14	.36	.40	.22				
7	3127		15	.67	.74	.23				
8	3193		65	3.64	3.85	.14				
9	3194		15	.57	.50	.14				
10	3195		26	.70	.92	.18				
V-45-R 11	3196		16	.26	.29	.12				
12	3197		18	.19	.14	.25				
13	3198		16	.17	.31	.22				
V-47-R 14	3199		21	1.36	2.65	.08				
15	3200		49	3.30	3.52	.04				
16	3234		8	.31	.28	.27				
17	3235		7	.24	.15	.49				
18	3236		8	.60	.41	.21				
V-45-R 19	3237		14	.44	.63	.32				
20	V 3238		78	13.16	.17	.30				

NOTE:
Rejects retained three weeks.
Pulps retained three months unless otherwise arranged.

DAS for DSB
Registered Assayer, Province of British Columbia

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2321

Date October 9, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
61	V 3052		34	2.39	3.19	.04				
62	3053		25	1.63	1.52	.05				
V-143-R 63	3054		19	1.38	2.42	.06				
64	3055		10	.66	1.18	.03				
65	3056		53	2.93	4.36	.08				
66	3057		21	1.15	2.57	.05				
67	3058		64	3.63	6.68	.08				
68	3059		55	2.99	6.91	.03				
69	3060		32	1.56	3.02	.02				
70	3061		45	2.59	2.32	.35				
71	3062		28	1.52	.72	.47				
72	3063		6	.12	.55	.09				
V-320 73	3064		51	3.25	3.18	.14				
74	3065		44	3.05	3.59	.20				
75	3101		67	4.39	5.79	.04				
76	3102		92	4.79	8.39	.04				
77	3103		96	6.63	7.39	.03				
78	3104		124	8.29	7.73	.04				
V 316 79	3105		153	12.95	5.94	.06				
80	3106		148	13.11	3.98	.05				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia

DDH V-32.0

Cyprus Anvil Mining Corp.
Geochemical Log (Sampler's Copy)

Page _____ of _____
Logged By: DKM
Sampled By: _____

Code	From	To	Sample No.	Description		
1	10 14	16 20	22 27	UNIT	LENGTH	SEC.
P	12155	12210	131061	4DE	4.5	
D	12210	12250	131062	4EC	5.0	
D	12250	12300	131063	4EKL	5.0	
D	12300	12350	131064	468	5.0	
D	12350	12418	131065	46L	6.9	
P	A1025	A1091	131123	4A0	6.6	
F	A1091	A1110	131124	407	1.9	
P	A1219	A1310	131125	4A0	5.4	
F	A1310	A1532	131126	4E1	3.2	
F	A1350	A1410	131127	4C7	5.0	

V-321

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Sample No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
3249	66.3	73.0	6.7	44.0		2.92	4.17	7.09		0.72							4AO
3250	73.0	79.0	6.0	25.0		1.58	2.31	3.89		0.34							4AO
3251	79.0	85.0	6.0	44.0		3.85	4.96	8.81		0.07							4AO
3252	85.0	91.0	6.0	38.0		4.00	3.07	7.07		0.04							4AO
3253	91.0	97.0	6.0	51.0		4.46	3.94	8.40		0.05							4AO
3254	97.0	103.0	6.0	39.0		3.14	4.64	7.78		0.02							4AO
3255	103.0	107.5	4.5	47.0		4.24	3.82	8.06		0.04							4AO
3256	107.5	112.5	5.0	85.0		5.45	9.20	14.65		0.15							4GO
3257	112.5	116.0	3.5	79.0		6.56	10.09	16.65		0.18							4GO
3258	116.0	122.0	6.0	94.0		6.30	9.75	16.05		0.11							4E6
3259	122.0	127.0	5.0	98.0		7.01	9.79	16.80		0.21							4E6
3260	170.8	178.7	7.9	96.0		6.97	7.36	14.33		0.20							4EG
3261	206.1	207.3	1.2	77.0		5.38	7.36	12.74		0.10							4K4
3262	217.0	219.2	2.2	30.0		2.22	1.59	3.81		0.34							4E1
3263	238.3	243.0	4.7	26.0		1.54	2.05	3.59		0.12							4GL
3264	243.0	248.0	5.0	37.0		3.17	2.08	5.25		0.16							4KF
3265	248.0	253.0	5.0	45.0		3.00	2.90	5.90		0.16							4K/L/G
3266	253.0	258.0	5.0	34.0		1.95	2.07	4.02		0.16							4GK
3267	258.0	263.0	5.0	28.0		3.72	2.00	5.72		0.21							4KO
3268	263.0	268.0	5.0	54.0		4.91	4.43	9.34		0.21							4KG
3269	268.0	273.0	5.0	34.0		1.97	1.80	3.77		0.13							4GF
3270	273.0	278.0	5.0	65.0		3.83	4.72	8.55		0.23							4GF
3271	278.0	283.0	5.0	40.0		3.04	3.95	6.99		0.23							4GK
3272	283.0	288.0	5.0	47.0		3.93	5.19	9.12		0.17							4GK
3273	288.0	290.0	2.0	18.0		0.71	0.87	1.58		0.21							4EO
3274	301.0	306.2	5.2	14.0		0.16	0.09	0.25		0.31							4C7
3275	320.0	326.0	6.0	14.0		0.61	0.82	1.43		0.15							4C7
3276	326.0	331.7	5.7	7.0		0.30	0.78	1.08		0.14							4AC

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2377

Date October 29, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
21	V 3239		11	1.53	.13	.30				
22	3240		16	.56	1.19	.20				
23	3241		51	3.62	7.91	.12				
V-45-R 24	3242		12	.57	1.40	.27				
25	3243		31	1.93	3.85	.36				
26	3244		27	1.89	3.80	.29				
27	3245		17	1.06	2.12	.24				
28	3246		36	2.22	2.13	.32				
29	3247		44	3.20	5.57	.24				
30	3248		45	3.78	4.94	.21				
31	3249		44	2.92	4.17	.72				
32	3250		25	1.58	2.31	.34				
33	3251		44	3.85	4.96	.07				
34	3252		38	4.00	3.07	.04				
35	3253		51	4.46	3.94	.05				
V-321 36	3254		39	3.14	4.64	.02				
37	3255		47	4.24	3.82	.04				
38	3256		85	5.45	9.20	.15				
39	3257		79	6.56	10.09	.18				
40	V 3258		94	6.30	9.75	.11				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for RGB

Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2377

Date October 29,1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
41	V 3259		98	7.01	9.79	.21				
42	3260		96	6.97	7.36	.20				
43	3261		77	5.38	7.36	.10				
44	3262		30	2.22	1.59	.34				
45	3263		26	1.54	2.05	.12				
46	3264		37	3.17	2.08	.16				
47	3265		45	3.00	2.90	.16				
48	3266		34	1.95	2.07	.16				
49	3267		28	3.72	2.00	.21				
V-321 50	3268		54	4.91	4.43	.21				
51	3269		34	1.97	1.80	.13				
52	3270		65	3.83	4.72	.23				
53	3271		40	3.04	3.95	.23				
54	3272		47	3.93	5.19	.17				
55	3273		18	.71	.87	.21				
56	3274		14	.16	.09	.31				
57	3275		14	.61	.82	.15				
58	3276		7	.30	.78	.14				
59	3277		18	1.16	.65	.11				
X-16 60	V 3278		36	2.56	1.75	.23				

NOTE:
Rejects retained three weeks.
Pulps retained three months unless otherwise arranged.

WAB for PSB

Registered Assayer, Province of British Columbia

Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2377

Date October 29, 1979.

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda drill core samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
~~101~~	V 3351	.34	-	-	-	.27				
102	3352	Tr	-	-	-	.07				
103	3355	.55	-	-	-	Tr				
104	3356	.69	-	-	-	Tr				
105	3357	Tr	-	-	-	.12				
106	3358	Tr	-	-	-	.05				
V-47-R 107	3359	Tr	-	-	-	.09				
108	3360	Tr	-	-	-	.13				
109	3361	Tr	-	-	-	.41				
110	3362	Tr	-	-	-	.34				
111	3363	Tr	-	-	-	.37				
~~112~~	V 3364	Tr	-	-	-	.10				
	Repeats:									
	V 3330 47-R		7	.77	1.21	.19				
	3241 45-R		49	3.62	7.89	.12				
V-321	3261 321		79	5.36	7.38	.10				
	3250 "		23	1.57	2.30	.33				
	3301 47-R		45	3.30	3.87	.05				
	V 3315 "		30	1.42	2.78	.05				

NOTE:
Rejects retained three weeks.
Pulps retained three months unless otherwise arranged.

Tr denotes "trace"

DAB for RGB

Registered Assayer, Province of British Columbia

DDH V-321 (2 of 8)

Cyprus Anvil Mining Corp.
Geochemical Log (Sampler's Copy)

Page ____ of ____
Logged By: JWM
Sampled By: ____

Sample Type	From	To	Sample No.	Description		
1	10 14	16 20	22 27	UNIT	LENGTH	REC.
P	1 1663	1 1730	1 32419	4AO	5.7	5.2
P	1 1730	1 1790	1 32250	4AO	6.0	5.0
P	1 1790	1 1850	1 32251	4AO	6.0	5.0
P	1 1850	1 1910	1 32252	4AO	6.0	6.0
P	1 1910	1 1970	1 32253	4AO	6.0	6.0
P	1 1970	1 2030	1 32254	4AO	6.0	3.6
P	1 2030	1 2075	1 32255	4AO	4.5	4.0
P	1 2075	1 2125	1 32256	4GO	5.0	5.0
P	1 2125	1 2160	1 32257	4GO	3.5	3.5
P	1 2160	1 2220	1 32258	4E6	6.0	5.2
P	1 2220	1 2270	1 32259	4E6	5.0	4.7
P	1 7708	1 7787	1 32260	4E6	7.9	7.9
P	2 0613	2 0973	1 32261	4K4	1.2	1.2
P	2 1170	2 1922	1 32262	4E1	2.2	2.2
P	2 3183	2 4130	1 32263	4GL	4.7	4.7
P	2 4130	2 4180	1 32264	4KF	5.0	5.0
P	2 4180	2 5130	1 32265	4KLG	5.0	5.0
P	2 5130	2 5180	1 32266	4GK	5.0	5.0
P	2 5180	2 6130	1 32267	4KO	5.0	6.0
P	2 6130	2 6180	1 32268	4KG	5.0	5.0
P	2 6180	2 7730	1 32269	4GF	5.0	5.0
P	2 7730	2 7780	1 32270	4GF	5.0	5.0
P	2 7780	2 8130	1 32271	4GK	5.0	5.0
P	2 8130	2 8180	1 32272	4GK	5.0	5.0
P	2 8180	2 9100	1 32273	4EO	2.0	2.0
P	3 0610	3 0662	1 32274	4C7	5.2	5.2
P	3 2100	3 2160	1 32275	4C7	6.0	5.5
P	3 2160	3 3117	1 32276	4AC	5.7	5.0

V-322

CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Sample No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
3411	109.0	114.0	5.0	17.0		0.27	0.12			0.62							4E8
3412	114.0	118.0	4.0	11.0		0.39	0.68			0.43							4E8
3413	118.0	124.0	6.0	9.0		0.19	0.11			0.30							4L3?
3414	124.0	130.0	6.0	9.0		0.15	0.20			0.31							4C9
3415	130.0	136.0	6.0	12.0		0.15	0.35			0.41							4C9
3416	136.0	142.0	6.0	10.0		0.62	0.68			0.30							4C9
3417	142.0	148.0	6.0	4.0		0.26	0.39			0.17							4C0
3418	148.0	154.0	6.0	4.0		0.26	0.71			0.07							4C0
3419	154.0	160.0	6.0	5.0		0.34	0.56			0.16							4C0
3420	160.0	167.0	7.0	6.0		0.50	0.75			0.16							4C0
3421	169.8	175.0	5.2	3.0		0.44	0.89	1.33		0.04							4CL?
3422	175.0	180.0	5.0	10.0		0.88	1.57	2.45		0.13							4L0
* 3423	180.0	186.0	6.0	-		-	-	-		0.04		TR					4L0
* 3424	186.0	192.0	6.0	-		-	-	-		0.05		0.01					4L0

* Au, Cu only.

DDH 2-322-B

Cyprus Anvil Mining Corp.

Geochemical Log (Sampler's Copy)

Page _____ of _____

Logged By: [illegible]

Sampled By: _____

Code	From	To	Sample No.	Description			
	10 14	16 20	22 27	UNIT	LENGTH	SEC.	
B	1 1 0 2 B	1 1 4 8	1 3 4 1 1	FEET	5.0	5.0	
C	1 1 4 8	1 1 5 2	1 3 4 1 2	"	4.0	4.0	
D	1 1 5 2	1 1 5 8	1 3 4 1 3	"	6.0	6.0	
E	1 1 5 8	1 2 1 0	1 3 4 1 4	"	6.0	6.0	
F	1 2 1 0	1 2 3 6	1 3 4 1 5	"	6.0	6.0	
A	1 2 3 6	1 2 6 2	1 3 4 1 6	"	6.0	6.0	
B	1 2 6 2	1 2 8 8	1 3 4 1 7	"	6.0	6.0	
C	1 2 8 8	1 3 1 4	1 3 4 1 8	"	6.0	6.0	
D	1 3 1 4	1 3 4 0	1 3 4 1 9	"	6.0	6.0	
E	1 3 4 0	1 3 6 8	1 3 4 2 0	"	6.0	6.0	
A	1 3 6 8	1 3 9 2	1 3 4 2 1	"	5.2	5.2	
B	1 3 9 2	1 4 2 2	1 3 4 2 2	"	5.0	5.0	Au, Cu only
C	1 4 2 2	1 4 7 6	1 3 4 2 3	"	6.0	5.4	" " "
D	1 4 7 6	1 5 0 2	1 3 4 2 4	"	6.0	6.0	" " "