

VANGORDA (Redrill) 1979

ASSAY CERTIFICATES

(105 K 6)

019083



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED SAYERS
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

330 - 355 Burrard St.

Vancouver, B.C. V6C 2G8 Attention: Dr. G. Simpson

Certificate No. K-2417


Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1	V 0737	.39	38	.99	25.83	4.65	.003	1.96	3.75	
2	0738	.78	19	.10	32.31	8.71	.003	0.06	4.25	
3	0739	.89	27	.66	30.32	8.03	.002	0.31	4.27	
4	0740	.28	49	.47	12.63	3.02	.003	19.56	4.11	
5	0741	.18	60	.21	25.81	2.37	.002	4.88	4.24	
6	0742	.28	51	.45	27.23	3.80	.002	7.12	4.40	
7	0743	.14	20	.34	10.00	5.36	.002	5.29	3.11	
8	0744	.25	50	.12	12.31	3.58	.002	2.17	3.39	
9	0745	.21	54	.10	16.51	3.19	.002	0.34	3.48	
10	0746	.25	53	.14	11.70	1.86	.003	24.00	4.27	
11	V 0747	.39	14	.09	6.39	3.96	.002	2.38	3.00	
12	0748	2.14	87	.46	19.31	3.47	.005	17.10	4.50	
13	0749	2.35	63	1.25	22.69	12.29	.003	1.18	4.36	
14	0750	1.82	43	.72	26.17	7.27	.002	7.58	4.35	
15	0960	.24	12	.11	3.58	5.54	.003	0.15	2.73	
16	0961	1.13	62	.48	22.26	6.00	.005	11.78	4.33	
17	0962	1.51	9	.33	24.57	5.43	.003	0.15	3.75	
18	0963	1.47	8	.31	31.87	6.92	.003	0.10	4.06	
19	0964	1.20	13	.03	24.59	6.06	.004	0.39	4.12	
20	0986	.14	22	.03	2.95	1.98	.007	1.48	2.30	

NOTE
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

m. J. Pyrrhotite
Says for Revis
Merang
Karun
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED JAYERS 2
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation


Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
21	V 0992	1.78	65	.24	16.14	2.68	.010	24.11	4.00	
22	0993	.48	26	.88	17.63	17.52	.003	3.56	4.02	
23	0994	.82	27	.71	22.72	16.60	.003	1.54	4.27	
24	0995	.51	22	.49	26.04	13.12	.002	0.45	4.06	
25	0996	.34	13	.29	12.84	6.06	.002	3.32	3.18	
26	0997	.58	11	.13	22.77	4.27	.002	0.78	3.59	
27	0998	2.26	40	.10	11.94	5.37	.003	4.73	3.28	
28	0999	.69	40	.36	17.71	7.50	.003	5.31	3.47	
29	1000	.17	2	.05	3.19	5.03	.002	0.19	2.78	
30	1003	.41	24	.01	4.19	1.16	.003	0.30	2.72	
31	V 1004	.89	54	.01	4.60	1.17	.003	0.21	2.76	
32	1005	.55	29	.01	11.63	1.80	.003	0.45	2.91	
33	1006	.51	56	.01	7.29	1.15	.003	0.71	2.92	
34	1007	.41	157	.03	15.61	1.49	.006	7.32	3.88	
35	1008	.27	73	.13	8.72	1.00	.006	37.04	4.46	
36	1009	1.41	83	.03	31.02	1.00	.003	7.45	4.69	
37	1010	1.10	67	.01	24.21	.79	.005	23.71	4.57	
38	1011	1.23	47	.06	11.51	1.64	.005	29.78	4.06	
39	1012	3.43	89	.18	21.26	1.94	.005	12.96	4.04	
40	1013	1.58	78	.13	28.06	3.96	.005	11.06	4.50	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

B.C. LICENSED ASSAYERS 3
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
41	V 1014	.86	43	.62	21.67	5.51	.004	14.33	4.15	
42	1015	1.51	34	.86	28.76	9.73	.002	0.17	4.16	
43	1016	1.71	17	.65	32.84	8.88	.002	0.98	4.22	
44	1017	.79	84	.79	12.77	7.13	.005	19.01	4.13	
45	1018	.21	56	.21	9.59	2.64	.005	30.33	3.91	
46	1019	.17	56	.12	9.44	1.84	.006	36.94	3.98	
47	1020	.27	87	.60	6.95	6.99	.006	27.95	4.17	
48	1021	.55	48	.87	12.56	11.58	.004	16.02	3.83	
49	1022	.58	67	.89	12.22	10.55	.004	17.44	3.87	
50	1023	.72	46	.19	13.65	5.96	.004	20.92	3.59	
51	V 1024	.72	39	.11	16.49	1.90	.005	22.80	3.96	
52	1025	.68	39	.16	15.04	1.53	.005	30.84	4.23	
53	1026	1.89	69	.31	19.49	2.55	.008	23.85	4.45	
54	1027	1.17	58	.25	20.24	2.17	.008	17.89	4.34	
55	1028	.62	63	.38	5.85	2.40	.007	32.88	4.22	
56	1029	1.17	63	.35	13.71	2.31	.004	14.53	3.81	
57	1030	1.03	34	.84	11.17	5.50	.003	16.67	3.33	
58	1041	1.03	12	.86	15.70	8.19	L .001	0.05	3.45	
59	1042	1.03	22	1.56	11.62	11.25	.001	0.12	3.37	
60	1043	.96	26	1.66	11.16	11.34	.002	0.10	3.47	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

B.C. LICENSED ASSAYERS &
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
61	V 1044	.55	18	.36	9.63	4.91	.001	0.70	3.06	
62	1045	1.17	77	.02	6.93	1.04	.004	0.58	2.98	
63	1046	.79	16	.17	17.76	2.80	L .001	0.45	3.40	
64	1047	1.03	37	.12	5.47	4.24	.003	0.47	3.06	
65	1048	.99	27	.27	12.90	4.69	L .001	0.78	3.22	
66	1053	.58	44	.04	.59	5.51	.002	1.35	2.76	
67	1054	1.30	34	.18	10.91	3.35	.004	0.28	3.09	
68	1055	.86	20	.18	11.46	4.19	.003	0.34	2.96	
69	1056	1.20	52	.28	13.88	4.73	.003	0.14	3.47	
70	1057	1.30	16	.24	16.96	5.89	.001	0.14	3.38	
71	V 1058	1.65	21	.28	18.15	6.57	.001	0.10	3.30	
72	1059	.21	13	.12	21.97	5.80	L .001	0.05	3.74	
73	1060	2.09	17	.21	17.91	6.26	L .001	0.10	3.58	
74	1061	2.06	18	.19	17.55	6.43	L .001	0.06	3.46	
75	1062	1.82	14	.23	20.53	6.13	L .001	0.05	3.62	
76	1063	1.85	32	.29	15.57	8.25	.002	0.06	3.64	
77	1064	1.30	64	.09	10.68	3.30	.004	0.06	3.12	
78	1065	1.23	41	.03	.10	4.80	.003	0.10	2.88	
79	1066	1.30	20	.09	.35	8.10	L .001	0.13	2.70	
80	1067	.99	19	.02	10.85	2.58	.002	0.07	2.89	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Q.13 for P.123
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS 5
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation


Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No	Marked	GOLD	SILVER	Mn	Py	Po	Hg	S.G.		
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
81	V 1068	.62	10	.04	9.50	2.73	.002	0.11	2.02	
82	1069	.75	33	.06	7.95	2.95	.003	0.12	2.95	
83	1070	.34	15	.08	2.80	9.69	.002	0.13	2.76	
84	1071	.27	5	.11	.39	8.63	.001	0.13	2.60	
85	1072	.62	88	.01	37.63	0.73	.002	0.10	4.84	
86	1073	.51	31	.04	30.99	1.18	.002	0.43	3.91	
87	1074	.14	40	.24	9.85	2.34	.001	26.54	4.11	
88	1075	.72	45	.15	21.42	1.94	.001	2.95	3.94	
89	1076	1.58	63	1.31	13.45	9.38	.001	0.05	4.01	
90	1077	.79	15	1.13	.09	26.14	.001	0.23	3.33	
91	V 1078	.75	55	1.91	1.49	25.71	.002	1.97	3.58	
92	1079	.72	43	.92	9.79	11.42	.001	5.29	3.70	
93	1110	.46	17	.08	6.64	2.68	.001	0.15	2.67	
94	1111	.57	21	.04	12.76	1.44	.003	0.09	2.99	
95	1112	.32	9	.06	16.14	1.23	.002	0.03	3.08	
96	1113	.36	7	.06	11.09	1.41	.002	0.14	2.35	
97	1114	.43	7	.04	9.79	.87	.001	0.16	2.79	
98	1115	.10	3	.06	3.47	1.16	.001	0.13	2.75	
99	1116	.31	4	.13	8.30	1.33	.002	0.12	2.66	
100	1117	.41	11	.17	6.24	1.58	.002	0.23	2.66	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED. JAYERS 6
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation


Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
101	V 1118	.17	53	.10	10.74	1.87	.002	0.11	3.00	
102	1119	.62	105	.03	24.82	.84	.003	11.02	4.50	
103	1121	.58	41	.04	2.97	1.79	.001	0.13	2.71	
104	1122	.51	32	.03	3.15	1.68	L .001	0.18	2.70	
105	1123	.58	30	.05	4.64	1.66	.001	0.20	2.70	
106	1124	.38	27	.05	6.91	1.56	.001	0.19	2.72	
107	1125			.06	21.25	1.27	.001	1.55	3.76	
108	1126	.65	55	.43	27.60	2.99	.001	6.28	3.78	
109	1127	.34	15	.09	4.04	2.71	.001	9.32	2.91	
110	1128	1.13	86	1.10	15.83	10.38	.002	8.96	4.44	
111	V 1129	.79	82	.91	13.57	6.44	.004	15.70	4.37	
112	1130			1.11	15.20	8.60	.003	14.80	4.34	
113	1131	.65	22	.37	25.36	2.82	.001	0.40	3.75	
114	1132	.48	21	.23	27.51	2.56	.001	0.26	3.90	
115	1133	.45	25	.88	22.74	4.42	.001	0.50	3.72	
116	1134	.27	37	.41	12.74	4.54	.001	0.61	3.18	
117	1151	.45	58	.44	N.D.	25.75	.003	0.45	3.73	
118	1158	.79	55	.65	20.27	7.53	.004	12.03	4.52	
119	1159	.72	26	.62	17.67	12.93	.003	0.87	3.83	
120	1160	.14	26	.77	25.16	9.05	.001	0.59	4.29	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED SAYERS
GEOCHEMICAL ANALYSTS 7

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
121	V 1161	.24	20	.66	22.26	6.19	.001	2.56	3.78	
122	1162	.31	13	.06	22.70	1.27	.001	1.21	3.41	
123	1164	.55	23	.37	20.48	7.05	.001	5.18	3.87	
124	1165	.10	10	.21	7.01	5.18	.001	4.09	2.75	
125	1166	.34	29	.41	17.26	6.27	.001	0.67	3.29	
126	1167	.99	25	.51	23.14	6.76	.001	6.01	3.97	
127	1168	.62	53	.34	15.12	5.75	.004	10.11	3.92	
128	1169			.24	15.98	1.52	.005	12.61	4.15	
129	1170	.27	7	.17	2.58	8.57	.003	0.43	2.77	
130	1171	.62	42	.27	7.97	3.59	.003	0.76	2.93	
131	V 1172	1.34	8	.09	8.90	1.31	.001	1.15	2.76	
132	1173	.24	17	.25	9.11	2.24	.001	0.43	2.86	
133	1174	.21	18	.28	8.75	3.02	.001	0.93	2.91	
134	1188	.03	22	.03	6.83	1.97	.001	0.75	2.78	
135	1189	.07	4	.06	2.46	1.91	.001	1.92	2.59	
136	1190	.25	13	.10	5.07	2.03	.001	2.17	2.82	
137	1191	.75	37	.21	23.02	3.54	.003	3.44	3.73	
138	1192	.68	44	.22	12.11	6.48	.004	2.17	3.40	
139	1193	.68	25	.07	10.00	4.08	.004	0.22	2.99	
140	1194	.93	18	.26	16.55	6.44	.001	0.48	3.23	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

2417 / 11913
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS 8
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
141	V 1195	.28	17	.12	4.27	5.73	.002	0.25	2.83	
142	1196	.46	57	.35	12.70	5.45	.003	10.47	3.61	
143	1243	.04	8	.13	1.84	6.71	.001	2.04	2.70	
144	1244	.82	48	.74	26.77	14.63	.002	7.27	4.25	
145	1245	.71	16	.10	8.07	6.99	.001	0.09	2.92	
146	1246	.14	8	.09	1.48	6.42	.001	0.13	2.74	
147	1247	.71	34	.21	8.40	6.76	.001	0.10	2.92	
148	1248	.64	17	.08	9.59	2.86	.001	0.41	2.92	
149	1249	.71	28	.34	15.15	8.05	.001	3.76	3.28	
150	1302	.64	96	.05	36.10	1.71	.005	0.07	3.97	
151	V 1303	.18	5	.09	6.57	3.42	.001	0.15	2.90	
152	1304	.21	53	.06	12.34	2.92	.001	0.88	2.99	
153	1305	.14	8	.12	6.90	3.56	.001	1.40	2.88	
154	1306	.32	39	.09	35.61	2.50	.001	1.16	3.97	
155	1325	.27	41	.40	29.59	7.06	.003	1.47	4.13	
156	1326	.31	27	.60	30.92	8.84	.002	0.40	4.42	
157	1327	TR	7	.10	0.41	6.69	.001	4.53	2.76	
158	1328	.24	28	.77	4.87	21.98	.002	1.78	3.33	
159	1329	.14	7	.08	.03	7.04	.001	3.11	2.71	
160	1330	.79	35	.71	22.74	11.50	.002	2.21	4.17	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAIS L. RJA

Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED. SAYERS 9
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
161	V 1331	.34	30	1.46	7.64	24.43	.002	0.67	3.71	
162	1332	.27	19	.59	3.82	14.80	.002	2.07	3.01	
163	1333	.41	24	.44	26.91	10.26	.002	3.61	4.34	
164	1334	.10	10	.30	1.29	10.49	.002	0.70	2.88	
165	1335	.10	1	.14	2.88	7.06	.001	0.36	2.76	
166	1336	1.02	26	.04	7.07	4.51	.002	1.40	2.86	
167	1337	.24	31	.30	6.99	14.22	.002	5.27	3.46	
168	1338	.27	28	.63	26.63	11.19	.001	1.27	4.33	
169	1344	.82	38	.37	20.32	11.42	.002	9.33	4.19	
170	1345	.17	6	.15	5.37	7.45	.001	4.01	2.90	
171	V 1346	.99	31	.60	26.43	11.50	.001	5.72	4.18	
172	1347	1.13	42	.54	19.84	8.53	.002	13.02	4.36	
173	1348	.21	16	.27	2.05	8.91	.002	4.11	2.76	
174	1349	.65	24	.38	19.69	9.11	.001	4.18	3.90	
175	1351			.19	17.65	1.82	.006	14.93	4.50	
176	1352	.07	8	.11	2.41	4.82	.003	1.51	2.79	
177	1353	.27	51	.14	1.91	7.82	.003	2.70	3.05	
178	1354	.21	31	.27	2.71	7.64	.003	1.58	2.90	
179	1355			.43	15.49	8.28	.007	1.16	4.30	
180	1357	.31	19	.56	5.45	6.23	.002	0.16	2.78	

NOTE
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

E. A. Sayers
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED JAYERS 10
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
181	V 1358	.65	52	.13	10.05	3.17	.005	0.14	3.08	
182	1359	1.27	95	.02	13.64	2.86	.008	0.11	3.34	
183	1360	.48	11	.06	10.05	4.60	.003	0.13	2.72	
184	1361	.38	6	.05	10.02	4.53	.003	0.11	2.81	
185	1362	.38	5	.05	6.88	4.60	.003	0.17	2.69	
186	1363	.51	5	.07	4.52	4.60	.003	0.21	2.52	
187	1364	.86	23	.07	2.88	7.06	.003	0.24	2.66	
188	1365	.72	24	.09	3.13	7.83	.003	0.26	2.60	
189	1366	.82	43	.04	2.71	3.21	.003	0.19	2.70	
190	1367	1.06	42	.04	3.23	3.55	.004	0.14	2.73	
191	V 1368	.75	40	.08	2.66	6.25	.004	0.17	2.72	
192	1369	.89	42	.04	7.46	5.55	.004	0.22	2.94	
193	1370			.02	25.41	1.11	.007	16.68	4.63	
194	1371	.89	91	.03	25.60	1.36	.007	14.90	4.59	
195	1372			.14	2.23	7.61	.003	2.42	2.70	
196	1373	.78	61	.30	25.13	4.00	.004	14.86	4.50	
197	1374	1.57	68	.32	25.77	3.36	.004	9.44	4.44	
198	1375			.59	9.25	21.73	.004	11.87	4.06	
199	1376	.46	59	.58	9.37	8.46	.005	20.64	3.83	
200	1377	1.32	23	.23	27.40	1.51	.003	3.69	3.70	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

[Handwritten Signature]
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED SAYERS 11
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
201	V 1378	1.74	15	.19	31.90	1.69	.003	0.88	3.92	
202	1379	.78	56	.26	17.24	3.97	.006	22.61	4.38	
203	1380	1.10	86	.61	16.19	6.35	.005	23.32	4.54	
204	1388	1.14	69	.36	9.73	8.41	.006	0.19	3.37	
205	1401	.89	45	.64	12.98	8.84	.004	21.65	4.26	
206	1402	1.14	41	.35	22.66	13.54	.003	1.41	4.39	
207	1403	.96	54	.33	21.71	11.88	.004	4.21	4.62	
208	1404	.39	56	.61	11.32	8.38	.004	15.56	3.81	
209	1405	.50	118	.44	12.40	2.35	.006	25.38	4.38	
210	1406	.71	78	.38	12.98	2.70	.006	23.50	4.26	
211	V 1407	.68	110	.22	10.27	1.62	.006	32.84	4.15	
212	1408	.50	90	.18	8.26	1.58	.006	29.59	4.25	
213	1409	.53	88	.18	11.50	1.72	.006	23.30	4.18	
214	1410	.14	14	.21	2.04	3.65	.003	9.04	2.89	
215	1411	.14	57	.15	14.01	1.87	.003	21.10	4.26	
216	1412			.10	10.73	1.77	.003	25.95	4.35	
217	1413	.14	74	.13	11.71	1.92	.003	23.55	4.33	
218	1414	.17	44	.15	17.79	2.29	.003	21.72	4.47	
219	1415	.17	43	.29	20.56	2.80	.003	19.62	4.25	
220	1416	.65	40	.53	24.99	6.64	.003	.	4.24	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

David J. B. 13
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED. ANALYSTS 12
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation


Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
221	V 1417	.21	39	.23	6.67	6.65	.003	2.49	2.86	
222	1418	.07	6	.20	5.78	7.44	.003	1.87	2.93	
223	1419	.17	39	.22	24.66	2.84	.003	11.93	4.68	
224	1420	.14	55	.22	18.88	3.35	.003	4.19	3.73	
225	1421	.14	17	.12	6.88	2.65	.003	4.79	2.93	
226	1422	.62	92	.24	14.08	2.21	.007	22.14	4.27	
227	1423	.27	54	.40	19.88	2.76	.004	21.05	4.46	
228	1424	1.61	38	.75	29.96	8.40	.003	5.55	4.50	
229	1425	1.54	34	1.04	31.18	7.07	.003	0.46	4.57	
230	1426	.51	56	.46	23.57	11.00	.003	3.38	4.33	
231	V 1427	.86	38	.60	24.59	7.37	.003	1.56	3.93	
232	1428	.93	44	.66	26.77	4.53	.004	3.11	4.03	
233	1429	.86	18	.26	36.33	7.74	.003	0.10	4.10	
234	1430	.86	46	.36	19.70	5.20	.005	2.98	3.75	
235	1434	.41	23	.12	4.25	3.45	.003	0.10	2.74	
236	1435	.41	23	.11	3.46	3.20	.003	0.56	2.62	
237	1436	.38	16	.12	3.25	2.95	.003	0.55	2.58	
238	1437	1.10	14	.24	21.52	5.98	.003	0.20	3.55	
239	1438	.86	10	.25	24.47	3.36	.003	0.07	3.55	
240	1439			.12	11.36	2.27	.003	0.10	2.97	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS 13
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
241	V 1440	.99	50	.08	10.24	1.75	.003	0.11	2.98	
242	1441			.17	6.18	2.94	.003	0.14	2.96	
243	1442	.24	8	.25	6.10	7.12	.003	0.31	2.92	
244	1443	.51	25	.10	21.56	1.70	.003	0.09	3.37	
245	1458	1.27	90	.06	8.17	1.67	.007	0.12	3.01	
246	1459	.93	52	.06	14.61	1.48	.004	0.30	3.18	
247	1460	.55	23	.05	7.21	1.02	.003	0.65	2.82	
248	1461	.45	14	.06	5.29	1.13	.003	1.62	2.65	
249	1462	.93	121	.04	29.02	.87	.004	12.33	4.63	
250	1463	2.02	104	.04	31.38	.69	.006	9.97	4.58	
251	V 1464	.24	15	.24	12.85	4.16	.003	10.70	3.28	
252	1465	.79	46	.46	29.47	3.68	.003	2.23	4.23	
253	1466	.17	21	.37	13.22	7.99	.003	4.78	3.19	
254	1467	.38	21	.32	33.77	3.51	.003	1.54	4.09	
255	1468	.17	21	.17	10.31	3.93	.003	5.04	3.07	
256	1469	.45	54	.34	26.16	6.01	.003	5.97	4.38	
257	1470	1.10	34	.36	32.77	7.53	.003	3.83	4.56	
258	1471	.69	20	.27	30.67	2.70	.003	0.34	3.56	
259	1472	.79	70	.51	29.01	5.23	.003	10.06	4.51	
260	1473	.51	64	.35	28.34	2.31	.003	13.94	4.58	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Davis for P&B
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS 14
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation


Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
261	V 1474			.46	42.76	2.18	.001	0.17	4.60	
262	1475	.58	47	.83	31.98	7.34	.001	1.87	4.03	
263	1476	1.74	256	.01	3.48	7.45	.019	28.46	4.02	
264	1477	1.77	107	.02	15.83	.54	.018	18.06	4.34	
265	1478	1.27	104	.02	13.09	.47	.015	26.88	4.47	
266	1479	1.81	152	.03	22.07	.82	.015	4.51	5.04	
267	1480			.04	21.75	1.00	.020	6.10	4.29	
268	1481			.06	11.90	.91	.004	0.39	2.79	
269	1482	1.30	106	.05	15.40	.89	.007	7.63	3.79	
270	1483	1.13	46	.07	14.36	1.21	.003	0.11	2.99	
271	V 1484	.65	44	.08	7.62	1.32	.003	0.15	2.98	
272	1485			.10	9.02	1.43	.003	0.45	2.90	
273	1486	.72	123	.07	25.78	.96	.005	11.14	4.46	
274	1487	.10	18	.08	7.62	2.22	.003	2.20	2.88	
275	3039	.39	44	.10	1.92	2.21	.003	0.09	2.69	
276	3040	.35	50	.08	2.23	1.58	.002	0.09	2.73	
277	3041	.46	15	.09	9.32	1.23	.001	0.14	2.84	
278	3042	.31	9	.09	9.27	1.10	.001	0.17	2.75	
279	3043	.62	9	.11	12.76	1.20	.001	0.12	2.92	
280	3044	.27	7	.10	5.70	2.36	.001	0.16	2.73	

NOTE
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS 15
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7.
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation


Certificate No. K-2417


Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
281	V 3045	.50	11	.09	9.61	1.36	.001	0.13	2.65	
282	3046	.35	13	.12	6.06	2.18	.001	0.13	2.72	
283	3047	.85	4	.11	3.87	4.52	.001	0.14	2.84	
284	3048	.66	19	.12	3.33	5.13	.001	0.16	2.79	
285	3049	.08	22	.11	2.46	3.93	.001	0.31	2.63	
286	3050	.42	32	.21	2.44	4.76	.002	0.29	2.72	
287	3051	.50	31	.16	2.59	2.82	.002	0.18	2.71	
288	3052	.40	33	.19	4.21	2.39	.003	0.38	2.64	
289	3053	.37	28	.14	3.35	3.24	.002	0.18	2.65	
290	3054	.28	21	.15	6.28	3.90	.002	0.21	2.80	
291	V 3055	.12	10	.11	2.55	3.43	.001	0.43	2.52	
292	3056	.65	52	.16	17.65	4.04	.002	1.23	3.41	
293	3057	.31	22	.21	10.88	3.08	.002	0.12	2.88	
294	3058	.52	63	.18	11.52	2.94	.002	0.13	3.06	
295	3059	.56	67	.19	5.90	2.86	.003	0.16	2.97	
296	3060	.25	47	.12	6.79	2.20	.002	0.36	2.81	
297	3061	.49	45	.82	30.90	11.27	.002	7.18	4.14	
298	3062	.40	22	.62	35.51	8.84	.001	2.37	4.19	
299	3063	.34	5	.16	34.04	3.54	.001	1.77	3.68	
300	3064	.62	45	.56	28.97	8.07	.002	11.46	4.02	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS 16
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
301	V 3065	.77	40	.47	31.18	7.69	.002	15.75	4.61	
302	3101	.15	64	.25	9.18	5.68	.002	4.14	5.21	
303	3102	.34	84	.17	14.09	2.38	.008	19.79	4.27	
304	3103	.46	92	.58	12.00	3.36	.006	19.32	4.06	
305	3104	.46	112	1.09	15.49	7.10	.005	13.44	4.35	
306	3105	.40	146	3.03	15.20	24.50	.003	0.44	4.15	
307	3106	1.04	138	2.41	19.93	17.00	.002	1.61	4.00	
308	3107	.26	77	.59	7.47	7.59	.003	19.38	4.02	
309	3108	.22	212	2.04	14.71	20.00	.002	0.82	4.29	
310	3109	.15	20	.62	4.69	9.97	.001	7.55	5.29	
311	V 3110	.22	94	1.31	14.18	24.63	.002	1.86	4.07	
312	3111	.22	49	1.35	14.97	30.38	.001	0.30	4.09	
313	3112	.41	86	.41	18.23	4.76	.003	11.00	5.37	
314	3113	.22	43	.19	10.75	1.70	.004	22.92	5.86	
315	3114	.93	55	.23	17.15	2.33	.005	14.91	4.03	
316	3115	1.19	23	.56	36.00	7.76	.002	1.67	4.39	
317	3116	1.22	62	.31	17.23	4.66	.005	11.81	4.02	
318	3117	.33	39	.32	6.66	5.03	.004	15.78	5.47	
319	3118	.70	67	1.43	14.81	11.73	.005	15.76	4.30	
320	3119	.37	63	.71	7.14	4.17	.006	30.51	4.28	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

WAS / JB

Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

B.C. LICENSED ASSAYERS 17
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation


Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
321	V 3120	2.04	22	1.19	27.01	9.23	.002	0.79	3.68	
322	3121	1.07	14	.72	27.11	9.13	.003	0.47	3.58	
323	3122	.70	9	.37	12.20	9.69	.002	0.83	3.29	
324	3184	1.00	14	.63	22.67	8.47	.002	0.07	3.68	
325	3185	.81	13	.32	13.71	5.77	.002	0.08	3.22	
326	3186	.46	4	.09	8.41	4.95	.002	0.15	3.08	
327	3187	.04	1	.16	4.95	4.85	.002	0.14	2.73	
328	3188	.85	28	.30	14.67	7.02	.003	0.15	3.45	
329	3189	1.12	26	.37	16.51	7.09	.003	0.11	3.46	
330	3190	.39	26	.48	10.52	9.16	.003	0.16	3.30	
331	V 3191	.50	48	.32	11.49	8.29	.004	0.44	3.40	
332	3192	.50	37	.26	11.85	5.22	.003	0.29	3.06	
333	3193	1.12	56	.26	16.89	5.50	.003	0.28	3.44	
334	3201	1.50	163	.15	14.94	2.03	.007	17.01	4.52	
335	3202	1.39	144	.80	22.47	6.11	.005	2.32	4.38	
336	3203	.19	31	.82	1.37	4.97	.002	2.47	3.00	
337	3204	1.47	116	.36	13.96	2.61	.006	16.87	4.43	
338	3205	1.16	118	.41	11.45	2.71	.007	22.84	4.24	
339	3207	1.85	175	.33	15.72	2.56	.009	8.19	4.40	
340	3208	1.16	50	.58	28.30	9.33	.003	9.76	4.32	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS 18
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation


Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
341	V 3209	.04	4	.11	.78	2.88	.002	1.63	2.58	
342	3210	.27	7	.05	1.22	3.08	.002	1.85	2.61	
343	3211	.85	55	.31	12.04	3.22	.005	8.20	3.56	
344	3212			.40	N.D.	47.88	.003	0.09	4.30	
345	3214	.75	88	.21	12.10	2.26	.007	30.68	4.63	
346	3215	.68	58	.08	18.44	1.44	.006	22.49	4.42	
347	3216			.38	9.31	3.09	.007	35.21	4.34	
348	3217			.17	9.31	1.53	.007	36.54	4.44	
349	3218			.59	7.48	4.77	.006	35.07	4.60	
350	3219			.81	5.64	5.76	.006	34.40	4.33	
351	V 3220			.15	12.10	1.96	.006	28.78	4.25	
352	3221			.22	10.12	1.94	.006	33.11	4.53	
353	3222			.67	11.20	5.27	.006	24.06	4.44	
354	3223	.36	87	.51	8.34	3.25	.005	28.62	4.06	
355	3224	.75	39	.59	16.74	6.15	.004	15.24	3.95	
356	3225	2.10	16	1.84	22.01	20.75	.002	0.42	4.21	
357	3226	2.56	14	2.18	22.75	20.13	.002	0.13	4.23	
358	3227	1.07	36	2.30	19.80	22.13	.002	0.73	4.26	
359	3228			.85	32.38	9.29	.002	1.31	4.38	
360	3238	.57	79	.60	17.48	4.71	.001	0.10	3.71	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEEX 048-8320

B.C. LICENSED ASSAYERS 19
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation


Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
361	V 3239	.89	11	.12	21.31	2.09	.001	0.09	3.51	
362	3240	.46	10	.61	13.14	6.24	.001	0.07	3.19	
363	3241	.46	44	2.18	11.63	19.00	.003	0.07	3.56	
364	3242	.63	11	.76	6.83	10.34	.002	0.21	3.08	
365	3243	.56	26	1.05	14.92	17.87	.002	0.13	3.43	
366	3244	.93	25	1.25	10.16	16.38	.002	0.14	3.53	
367	3245	.48	16	.75	9.71	11.08	.002	0.15	3.29	
368	3246	.89	35	.70	10.76	9.92	.002	0.11	3.24	
369	3247	.70	42	1.55	2.51	18.88	.003	0.08	3.51	
370	3248	1.00	44	.72	10.95	9.23	.003	0.05	3.40	
371	V 3249	1.33	43	.02	14.03	.63	.004	0.04	3.31	
372	3250	.74	23	.01	9.18	.53	.003	0.07	2.94	
373	3251	.93	40	.02	3.44	.94	.003	0.03	2.72	
374	3252	1.56	34	.01	6.91	.65	.003	0.10	2.90	
375	3253	1.07	50	.02	3.35	.88	.003	0.14	2.76	
376	3254	.93	39	.01	2.18	1.13	.003	0.13	2.75	
377	3255	.56	47	.01	4.03	.63	.002	0.25	2.81	
378	3256	1.00	88	.01	30.05	.58	.006	10.33	4.77	
379	3257			.01	23.27	.43	.007	12.43	4.67	
380	3258	1.63	97	.01	37.21	.52	.008	5.96	4.80	

NOTE
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS 20
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2417

Date February 26, 1980


I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
381	V 3259			.01	27.56	.51	.008	11.36	4.71	
382	3260	.74	89	.32	34.66	3.15	.003	5.00	4.60	
383	3261	1.75	86	.20	18.88	1.80	.005	17.26	4.59	
384	3262	.72	24	.26	35.86	5.31	.002	1.25	4.33	
385	3263	.45	23	.24	7.58	7.68	.001	3.80	3.24	
386	3264	1.54	31	.25	35.62	4.90	.002	2.26	4.36	
387	3265	1.47	44	.46	33.11	5.00	.002	6.13	4.24	
388	3266	2.02	31	.16	34.24	3.98	.003	5.57	3.89	
389	3267	2.23	27	.32	33.91	4.20	.002	1.00	4.00	
390	3268	2.30	54	.32	32.91	2.82	.003	10.21	4.25	
391	V 3269	.93	35	.65	32.99	6.41	.002	2.10	4.21	
392	3270	2.09	62	.34	24.23	3.33	.003	10.64	4.32	
393	3271	.99	41	.64	30.16	7.42	.001	5.35	4.22	
394	3272	.69	45	.42	21.09	4.94	.001	8.70	4.22	
395	3273	.65	14	.24	36.26	7.73	.001	0.22	4.56	
396	3274	.55	8	.12	28.48	5.72	.001	0.39	3.54	
397	3275	.21	16	.05	4.28	8.47	.001	0.89	2.88	
398	3276	.14	4	.31	5.77	7.28	.001	1.12	2.87	

L denotes 'less than'

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

c.c. Darryl Hanson


Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 - TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

*please file with
Vancouver drill
logs in binder*

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

330 -355 Burrard St.,

Vancouver, B.C. V6C 2G8 Attention: Dr. G. Simpson

Certificate No. K-2225

Date January 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described pulp samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	Percent
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	
1	V 0545	.27	14	0.33	5.62	6.17	.003	1.12	2.65	
2	0546	.09	15	0.73	2.11	12.28	.003	1.73	3.06	
3	0567	.87	18	0.08	22.48	1.08	.003	0.34	3.49	
4	0568	.60	24	0.62	16.77	5.11	.003	1.29	3.49	
5	0569	.47	57	0.96	11.73	11.84	.005	4.33	3.57	
6	0578	.89	85	0.26	8.75	3.16	.010	24.76	4.02	
7	0579	1.89	68	0.65	24.11	6.01	.007	9.18	4.53	
8	0580	1.59	96	1.32	17.39	10.95	.008	4.90	4.46	
9	0581	2.79	72	0.69	23.99	5.75	.005	11.06	4.51	
10	0582	2.70	55	1.20	22.40	12.06	.005	2.45	4.57	
11	V 0583	2.08	90	0.69	28.77	7.48	.004	0.28	4.51	
12	0584	1.83	18	0.65	21.17	6.91	.004	0.16	3.82	
13	0585	1.61	36	0.29	32.33	3.66	.003	0.06	4.09	
14	0593	.57	26	0.60	21.45	7.39	.003	3.86	3.81	
15	0594	.45	25	0.24	9.04	3.09	.003	0.48	2.84	
16	0595	.21	50	0.51	17.04	5.44	.005	11.32	3.96	
17	0596	.44	28	0.30	9.22	3.89	.004	1.19	3.14	
18	0597	.16	28	0.14	6.23	1.74	.003	0.47	2.98	
19	0598	.69	34	0.42	15.53	3.70	.003	7.45	3.67	
20	0599	.32	35	1.14	5.30	29.17	.001	0.52	4.24	

NOTE:

Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

Das for Pgs
.....
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
 TELEPHONE 372-2784 - TELEX 048-8320

B.C. LICENSED ASSAYERS
 GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2225

Date January 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described pulp samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
21	V 0600	.35	43	0.96	16.63	15.41	.004	2.29	4.32	
22	0601	.34	5	0.28	0.54	5.24	.003	3.74	2.79	
23	0602	.31	30	0.72	12.14	9.73	.003	1.31	3.36	
24	0603	.78	23	0.25	23.52	6.86	.001	3.80	3.99	
25	0604	.27	23	0.32	13.94	3.98	.002	2.31	3.22	
26	0631	.36	32	0.21	1.04	8.96	.004	0.52	2.84	
27	0632	.49	40	0.22	1.82	6.63	.006	0.21	2.74	
28	0633	.07	4	0.16	0.16	3.53	.001	0.53	2.45	
29	0634	.94	74	0.24	8.73	4.73	.006	0.09	3.17	
30	0635	1.14	81	0.14	7.72	2.04	.006	0.07	3.00	
31	V 0636	.57	31	0.17	1.50	3.13	.002	0.13	2.59	
32	0651	.38	19	0.37	8.29	8.29	.003	0.68	3.10	
33	0652	.20	19	0.28	6.33	4.03	.003	0.69	2.94	
34	0661	.30	26	0.30	13.25	5.62	L.001	0.87	2.96	
35	0662	.50	42	0.84	28.55	5.28	L.001	1.23	4.26	
36	0676	.21	31	0.07	0.86	12.22	.003	7.37	3.03	
37	0677	.37	68	0.05	9.83	3.73	.006	11.61	3.33	
38	0678	.12		0.12	16.30	2.98	L.001	2.67	3.84	
39	0679	.15	12	0.16	9.63	1.64	.003	3.63	2.96	
40	0680	.21	80	0.11	11.51	1.18	.003	12.22	3.62	

NOTE:

Rejects retained three weeks
 Pulps retained three months
 unless otherwise arranged.

.....
DAB for JGB
 Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 - TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

3

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2225

Date January 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described pulp samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
41	V 0681	.24	16	0.06	5.24	2.34	.003	1.66	2.72	
42	0682	.61	72	0.21	9.91	1.74	.005	10.50	3.49	
43	0683	.75	42	0.17	25.69	1.90	.004	0.59	3.85	
44	0684	.51	16	0.01	13.43	2.20	.003	0.30	2.92	
45	0685	.73	28	0.08	14.57	2.98	.004	0.49	3.06	
46	0686	.41	15	0.12	10.71	3.46	.004	0.69	2.85	
47	0687	1.01	36	0.08	13.27	1.44	.005	0.54	3.00	
48	0688	.80	22	0.08	16.79	1.40	.005	0.48	3.20	
49	0689	.68	43	0.61	19.45	5.82	.005	12.73	4.05	
50	0690	.87	109	2.32	10.96	12.34	.006	14.59	4.34	
51	V 0691	.78	91	1.17	10.39	7.06	.006	3.69	5.38	
52	0692	.87	14	0.90	6.36	12.10	.004	1.21	3.29	
53	0693	.73	7	0.16	0.86	5.86	.001	2.70	3.40	
54	0694	2.80	61	0.45	5.19	8.34	.001	0.88	3.45	
55	0695	2.56	21	0.45	8.23	16.94	.003	0.18	4.39	
56	0765	1.60	123	1.56	14.04	12.34	.004	6.38	4.29	
57	0766	.79	61	0.71	19.40	7.28	.005	14.90	4.58	
58	0767	1.59	57	0.25	26.13	3.07	.005	12.19	4.67	
59	0768	1.17	48	0.34	23.96	5.44	.004	9.75	4.30	
60	0769	.75	52	0.05	20.53	1.95	.004	15.36	4.28	

NOTE:

Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

.....
DAS for PLS
.....
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 - TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

4

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2225

Date January 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described pulp samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
61	V 0770	.71	59	0.26	20.58	5.09	.005	18.12	4.40	
62	0771	1.98	67	0.28	21.96	3.21	.005	16.94	4.65	
63	0772	1.96	31	0.26	29.77	2.55	.003	10.92	4.51	
64	0773	1.72	39	0.11	26.60	2.50	.003	9.63	4.49	
65	0774	.94	15	0.29	28.53	1.37	.003	0.85	3.98	
66	0775	1.51	18	0.24	30.28	1.37	.003	0.79	4.16	
67	0776	1.29	22	0.18	25.03	1.85	.003	1.03	3.88	
68	0777	.83	14	0.66	21.93	4.75	.003	0.15	3.74	
69	0778	.87	15	0.63	22.02	9.59	.003	0.45	3.84	
70	0779	3.33	34	0.30	19.53	2.68	.004	7.29	3.82	
71	V 0780	.85	68	1.21	23.24	9.18	.005	4.92	4.55	
72	0781	1.91	66	1.87	18.93	7.45	.005	15.46	4.36	
73	0782	1.95	89	1.57	19.37	7.71	.006	9.38	4.60	
74	0783	1.26	35	1.21	22.14	7.36	.004	3.13	4.04	
75	0784	1.53	60	0.95	17.31	5.63	.005	10.58	4.30	
76	0851	.80	58	3.31	0.11	27.68	.003	7.94	4.41	
77	0852	.51	73	2.94	14.19	5.64	.004	7.38	3.92	
78	0853	.08	27	0.49	1.02	6.75	.001	16.27	3.18	
79	0854	.10	60	1.05	0.25	19.67	.004	11.87	3.88	
80	0855	.42	62	0.19	17.34	1.76	.007	22.92	4.45	

NOTE:

Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

DAB for PAB
.....
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 - TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2225

Date January 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described pulp samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
81	V 0856	1.15	53	0.47	23.42	6.68	.003	3.98	4.22	
82	0857	.35	85	0.11	13.32	2.31	.007	23.08	4.54	
83	0858	.31	78	0.51	9.91	5.63	.004	19.70	4.05	
84	0859	.10	21	0.20	2.76	7.76	.001	4.25	3.02	
85	0860	.22	23	0.02	1.04	3.09	.001	0.71	2.65	
86	0861	.15	59	0.18	2.31	9.34	.001	3.21	3.27	
87	0862	.86	71	0.13	2.26	13.46	.005	5.62	3.55	
88	0863	.77	159	0.37	16.36	3.56	.009	12.57	4.74	
89	0864	.07	32	0.32	4.61	3.72	.003	15.59	3.34	
90	0865	.14	53	0.50	7.74	4.00	.006	31.86	4.10	
91	V 0866	.76	81	1.60	16.55	13.55	.004	8.24	4.25	
92	0867	.52	77	0.77	10.50	3.15	.007	31.30	4.41	
93	0868	.31	40	0.27	6.03	1.36	.005	36.07	4.23	
94	0869	.39	36	0.01	7.38	0.67	.007	32.69	4.00	
95	0870	.36	60	0.34	10.72	2.17	.006	33.96	4.33	
96	0871	.27	67	0.28	12.35	1.40	.007	33.47	4.41	
97	0872	.31	88	0.36	12.52	1.90	.008	27.50	4.32	
98	0873	.36	81	0.16	11.79	1.48	.008	25.67	4.24	
99	0874	.39	58	0.28	8.61	1.81	.007	34.30	4.42	
100	0875	.93	91	0.71	11.89	2.73	.007	20.04	4.33	

NOTE:

Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

DAB for PAB
.....
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 · TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2225

Date January 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described pulp samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
101	V 0876	1.36	81	0.86	9.46	5.25	.007	14.39	4.16	
102	0877	2.81	53	0.46	10.71	5.56	.002	2.88	3.77	
103	0878	3.61	49	0.28	13.70	13.79	.001	0.13	3.61	
104	0893	.17	8	L0.01	1.06	0.81	.001	0.16	2.57	
105	0894	.90	31	L0.01	6.41	0.41	.002	0.14	2.82	
106	0895	.27	9	L0.01	3.07	0.53	.001	0.20	2.55	
107	0896	.45	39	L0.01	3.46	0.65	.003	0.15	2.82	
108	0897	.99	72	L0.01	11.56	0.66	.005	0.14	3.21	
109	0898	.71	47	L0.01	4.00	0.72	.004	0.14	2.91	
110	0899	.57	26	L0.01	4.19	1.04	.002	0.29	2.83	
111	V 0900	1.07	25	L0.01	5.57	1.06	.002	0.27	2.81	
112	0901	.78	37	0.01	4.84	1.79	.005	0.19	2.87	
113	0902	1.47	107	0.02	21.42	1.61	.011	3.58	4.19	
114	0903	.34	25	0.07	4.75	5.48	.003	0.87	2.98	
115	0904	2.01	57	0.30	30.31	3.82	.003	0.37	4.42	
116	0905	.16	15	0.19	3.63	5.37	L.001	7.01	3.10	
117	0906	.03	16	0.34	5.96	7.11	.003	6.23	3.41	
118	0907	.14	1	0.13	0.62	4.92	L.001	2.65	2.83	
119	0908	1.12	127	0.18	11.89	1.64	.007	23.34	4.50	
120	0909	1.15	64	0.26	14.81	3.92	.005	17.24	4.14	

NOTE:

Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

.....
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 - TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

7

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2225

Date January 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described pulp samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
121	V 0910	.63	68	0.51	13.50	7.15	.004	12.83	4.01	
122	0911	1.45	37	0.23	28.90	2.71	.004	3.66	4.16	
123	0912	2.07	12	0.24	31.10	1.52	.003	0.09	4.16	
124	0913	3.57	18	0.09	39.86	0.95	.003	0.09	4.68	
125	0914	1.99	14	0.10	38.69	1.04	.003	0.04	4.60	
126	0915	1.96	57	0.47	30.94	7.70	.004	0.77	4.78	
127	0916	1.81	25	0.30	28.92	2.59	.004	0.75	4.13	
128	0917	1.37	19	0.20	25.55	1.33	.004	4.04	4.01	
129	0918	1.41	21	0.25	32.04	2.19	.003	0.29	4.19	
130	0919	4.18	49	0.57	22.62	7.48	.004	1.74	4.10	
131	V 0920	1.41	69	0.59	18.07	5.69	.005	17.61	4.63	
132	0921	2.05	86	0.54	11.59	3.76	.006	22.56	4.51	
133	0922	.96	41	0.64	25.39	5.02	.003	0.15	3.90	
134	0923	1.25	15	3.08	18.11	26.80	.003	0.14	4.10	
135	0924	1.16	12	2.42	9.46	25.48	.003	0.28	3.95	
136	0925	.71	22	2.45	12.55	21.77	.003	0.10	4.31	
137	0926	1.11	36	0.46	22.21	3.87	.003	5.79	3.92	
138	0934	.40	31	0.07	2.12	5.55	.003	1.01	2.94	
139	0935	.27	38	0.03	1.07	2.02	.004	0.44	2.83	
140	0940	.68	128	0.31	7.87	5.78	.008	25.14	4.49	

NOTE:

Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

D. B. for J. B.
.....
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 - TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

8

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2225

Date January 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described pulp samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
141	V 0941	.68	124	0.30	8.53	2.35	.008	35.28	4.64	
142	0942	1.44	110	0.39	20.60	2.98	.007	13.28	4.64	
143	0943	.44	26	0.70	19.17	9.74	.004	2.87	3.70	
144	0944	.16	37	0.73	4.02	25.99	.003	8.70	3.70	
145	0945	2.18	122	0.31	13.54	10.30	.005	7.68	4.38	
146	0946	1.03	67	0.17	5.10	14.93	.005	17.94	4.03	
147	0947	.98	77	0.12	15.71	2.36	.006	4.64	4.07	
148	0948	.03	5	0.08	1.92	4.18	.003	4.00	2.83	
149	0949	1.22	64	0.62	26.88	6.18	.004	7.89	4.36	
150	0950	.51	32	0.14	2.99	3.44	.001	4.70	3.02	
151	V 0951	1.37	65	0.82	24.18	7.18	.004	13.58	4.70	
152	0952	1.89	96	0.21	28.22	2.18	.005	12.54	4.74	
153	0953	1.68	76	0.34	19.07	2.93	.005	15.31	4.19	
154	0954	1.54	69	0.33	20.13	5.81	.006	10.54	4.16	
155	0955	.71	48	0.23	19.03	7.01	.002	8.51	4.00	
156	0956	.81	43	0.18	22.67	9.01	.001	5.88	4.09	
157	0957	.96	36	0.21	25.49	12.16	.004	5.84	4.42	
158	0958	2.65	56	0.28	21.88	7.88	.004	10.65	4.35	
159	0959	.35	42	0.44	13.09	23.60	.002	5.27	4.33	
160	2901	.71	48	0.02	3.40	0.41	.006	0.15	3.00	

NOTE:

Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

..... *DAB* / *QCB*
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 - TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

9

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2225

Date January 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described pulp samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
161	V 2902	.51	47	LO.01	2.69	0.49	.005	0.16	2.94	
162	2903	1.04	48	0.05	7.13	0.88	.005	0.08	2.93	
163	2904	.90	51	0.03	5.92	0.73	.004	0.07	2.70	
164	2905	.91	57	0.01	4.64	0.92	.003	0.06	3.02	
165	2906	.51	42	0.02	2.26	0.78	.003	0.11	2.78	
166	2907	2.13	87	LO.01	27.58	0.58	.007	10.31	4.99	
167	2908	1.60	90	LO.01	35.57	0.48	.005	9.37	5.19	
168	2909	1.02	62	0.02	10.85	0.63	.007	17.48	3.83	
169	2910	.73	42	LO.01	3.03	0.67	.005	0.57	2.90	
170	2911	2.59	128	LO.01	29.10	0.55	.009	11.14	4.82	
171	V 2912	2.10	52	0.17	34.17	1.78	.007	5.29	4.71	
172	2913	1.35	47	0.58	32.97	8.24	.004	1.06	4.53	
173	2940	1.12	32	1.23	23.17	10.22	.002	4.88	3.93	
174	2941	.95	43	0.60	16.41	4.90	.006	13.36	3.86	
175	2942	.52	61	0.36	8.53	3.14	.008	28.00	4.03	
176	2943	.53	80	0.61	8.28	4.51	.008	30.90	4.14	
177	2944	1.64	31	0.58	22.32	7.18	.002	6.98	4.81	
178	2945	.81	17	1.08	17.78	14.03	.001	0.15	4.13	
179	2946	.88	16	1.24	17.94	14.98	.001	0.16	4.10	
180	2971	.57	35	0.08	12.20	1.69	.003	0.63	3.37	

NOTE:

Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

WAB for JEB
.....
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY—KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 - TELEEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

10

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2225

Date January 30, 1980


I hereby certify that the following are the results of assays made by us upon the herein described pulp samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
181	V 2972	.22	36	0.10	9.42	2.42	.001	0.58	3.24	
182	2973	.25	23	0.22	24.59	3.20	.001	0.29	4.21	
183	2974	.08	13	0.06	11.52	2.13	.001	0.48	3.04	
	L denotes 'less than'									

NOTE:

Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

c.c. Mr. Darryl Hanson


.....
Registered Assayer, Province of British Columbia

VANGORDA ASSAY - 1979

N.B. TYPE 1 ASSAY - (from KRAL via Telex, Ag, Pb, Zn, Cu)
 TYPE 2 ASSAY - (from KRAL, Certificate, to include Fire Assay, Po, Py, etc.)

	<u>1</u>	<u>2</u>		<u>1</u>	<u>2</u>
V-094-R	✓	✓	V-307-R	✓	
V-095-R	✓	✓	V-308-R	✓	
V-126-R	✓	✓	V 33-R	✓	
V-096-R	✓		V-309-R	✓	
V-114-R	✓	✓	V-310-R	✓	
V-110-R	✓	✓	V-311-R	✓	
V-119-R	✓	✓	V- 63-R	✓	
V-115-R	✓	✓	V- 49-R	✓	
V-123-R	✓		V- 26-R	✓	
V-055-R	✓	✓	V- 28-R	✓	
V-084-R	✓		V-312-R	✓	
V-300-R	✓		V- 57-R	✓	
V- 71-R	✓		V- 46-R	✓	
V-133-R	✓		V-117-R	✓	
V-301-R	✓		V- 30-R	✓	
V-101-R	✓		V-313-R	✓	
V- 72-R	✓		V-315	✓	
V-302-R	✓		V-60-R	✓	
V-303-R	✓		V-50-R	✓	
V-304-R	✓		V-316		
V-305-R	✓		V-317	✓	
V-306-R	✓		V-20-R		

V-319

V-319

CYPRUS ANVIL MINING CORPORATION

Page 1 of 1

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

<u>Sample No.</u>	<u>From</u>	<u>To</u>	<u>Int.</u>	<u>Ag/AA GMS/MT</u>	<u>Ag/FA GMS/MT</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Pb+Zn %</u>	<u>S.G.</u>	<u>Cu %</u>	<u>BaO %</u>	<u>Au GMS/MT</u>	<u>Po %</u>	<u>Py %</u>	<u>Hg %</u>	<u>Mn %</u>	<u>Unit</u>
3583	260.7	262.0	1.3	27.0		1.85	0.87	2.72		0.08							4A0
3584	274.0	278.0	4.0	2.0		0.08	0.17	0.25		0.01							4L3
3585	278.0	282.0	4.0	46.0		2.44	2.17	4.61		0.15							4E8,7
3586	282.0	286.0	4.0	2.0		0.17	0.38	0.55		0.01							4L0,7

V-30R.



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

Explanation Copy

TO Cyprus Anvil Mining Corporation
330 - 355 Burrard St.
Vancouver, B.C. V6E 2G8

Certificate No. K-2675

Date June 6, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Py	Po	BaO	S.G.	
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
095-R 1	142	-	-	-	-	-	-	-	3.84	
094-R 2	178	-	-	-	-	-	-	-	2.79	
3	292	-	-	-	-	-	-	-	3.61	
114-R 4	295	-	45	2.89	4.94	-	-	-	3.68	
119-R 5	409	-	190	5.79	8.03	38.92	.70	-	4.85	
115-R 6	560	-	-	-	-	18.28	4.09	-	4.47	
7	681	-	19	1.25	2.01	-	-	-	-	
8	683	-	-	-	-	-	-	-	3.96	
303 9	691	-	-	-	-	-	-	-	3.99	
10	695	-	-	-	-	-	-	-	3.46	
307 11	737	-	-	-	-	-	-	-	4.23	
12	772	-	33	3.02	-	-	-	-	-	
13	782	-	91	7.87	-	-	-	-	-	
302 14	783	-	-	-	-	-	-	-	4.27	
15	784	-	-	-	-	-	-	-	4.29	
305 16	853	-	-	-	-	-	-	17.9	-	
17	906	-	-	-	-	-	-	-	3.24	
304 18	919	-	55	4.24	3.48	-	-	1.9	-	
19	949	-	57	5.30	3.78	26.98	6.37	7.8	4.42	
306 20	950	-	36	.97	1.15	3.14	3.53	4.6	2.91	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Das Jan 1980

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 2

TO Cyprus Anvil Mining Corporation

Certificate No. K-2675

Date June 6, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Py	Po	BaO	S.G.	
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
307	21	962	-	-	-	-	-	-	3.80	
	22	1007	162	10.96	8.92	-	-	-	-	
33-R	23	1012	93	5.01	4.88	-	-	-	-	
	24	1022	-	-	-	-	-	17.9	-	
310	25	1068	-	-	-	-	-	-	2.96	
	26	1072	88	7.02	4.63	-	-	-	-	
63-R	27	1078	55	3.77	3.98	-	-	-	-	
	28	1079	45	5.08	4.86	-	-	-	-	
	29	1128	83	6.76	6.87	-	-	-	-	
	30	1129	76	5.58	7.26	-	-	-	-	
30-R	31	1130	79	5.49	6.10	-	-	-	-	
	32	1159	-	-	-	-	-	-	3.79	
311	33	1161	-	-	-	-	-	-	3.71	
	34	1192	45	3.11	7.06	-	-	-	-	
312	35	1195	-	-	-	4.59	5.86	-	2.82	
	36	1302	103	6.26	6.35	-	-	-	-	
28-R	37	1304	51	6.31	5.87	-	-	-	-	
	38	1306	44	4.95	6.94	-	-	-	-	
46-R	39	1355	113	6.92	11.43	-	-	-	-	
50-R	40	1404	56	5.86	8.69	-	-	-	-	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Denis J. Paris

Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS 6
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-313 101	V 1118	.17	53	.10	10.74	1.87	.002	0.11	3.00	
102	1119	.62	105	.03	24.82	.84	.003	11.02	4.50	
103	1121	.58	41	.04	2.97	1.79	.001	0.13	2.71	
104	1122	.51	32	.03	3.15	1.68	L .001	0.18	2.70	
105	1123	.58	30	.05	4.64	1.66	.001	0.20	2.70	
106	1124	.38	27	.05	6.91	1.56	.001	0.19	2.72	
107	1125	.45	73	.06	21.25	1.27	.001	1.55	3.76	
108	1126	.65	55	.43	27.60	2.99	.001	6.28	3.78	
109	1127	.34	15	.09	4.04	2.71	.001	9.82	2.91	
110	1128	1.13	86	1.10	15.83	10.38	.002	8.96	4.44	
V-30-R 111	V 1129	.79	82	.91	13.57	6.44	.004	15.70	4.37	
112	1130	.69	82	1.11	15.20	8.60	.003	14.80	4.34	
113	1131	.65	22	.37	25.36	2.82	.001	0.40	3.75	
114	1132	.48	21	.23	27.51	2.56	.001	0.26	3.90	
115	1133	.45	25	.88	22.74	4.42	.001	0.50	3.72	
116	1134	.27	37	.41	12.74	4.54	.001	0.61	3.18	
V-309 117	1151	.45	58	.44	N.D.	25.75	.003	0.45	3.73	
118	1158	.79	55	.65	20.27	7.53	.004	12.03	4.52	
119	1159	.72	26	.62	17.67	12.93	.003	0.87	3.83	
V-311 120	1160	.14	26	.77	25.16	9.05	.001	0.59	4.29	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

W. J. J. J.
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS 5
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	S.G.		
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-310	81 V 1068	.62	10	.04	9.50	2.73	.002	0.11	2.02	
	82 1069	.75	33	.06	7.95	2.95	.003	0.12	2.95	
	83 1070	.34	15	.08	2.80	9.69	.002	0.18	2.76	
	84 1071	.27	5	.11	.39	8.63	.001	0.18	2.60	
V-311	85 1072	.62	88	.01	37.63	0.73	.002	0.10	4.84	
	86 1073	.51	31	.04	30.99	1.18	.002	0.43	3.91	
	87 1074	.14	40	.24	9.85	2.34	.001	26.54	4.11	
	88 1075	.72	45	.15	21.42	1.94	.001	2.95	3.94	
	89 1076	1.58	63	1.31	18.45	9.38	.001	0.05	4.01	
	90 1077	.79	15	1.13	.09	26.14	.001	0.28	3.33	
	91 V 1078	.75	55	1.91	1.49	25.71	.002	1.97	3.58	
92 1079	.72	43	.92	9.79	11.42	.001	5.29	3.70		
V-30-R	93 1110	.46	17	.08	6.64	2.68	.001	0.15	2.67	
V-313	94 1111	.57	21	.04	12.76	1.44	.003	0.09	2.99	
	95 1112	.32	9	.06	16.14	1.23	.002	0.08	3.08	
	96 1113	.36	7	.06	11.09	1.41	.002	0.14	2.85	
	97 1114	.43	7	.04	9.79	.87	.001	0.16	2.79	
	98 1115	.10	3	.06	8.47	1.16	.001	0.13	2.75	
	99 1116	.31	4	.13	8.30	1.33	.002	0.12	2.66	
	100 1117	.41	11	.17	6.24	1.58	.002	0.28	2.66	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

WAS for Pops
Registered Assayer, Province of British Columbia

V-313



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS 6
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-313 101	V 1118	.17	53	.10	10.74	1.87	.002	0.11	3.00	
102	1119	.62	105	.03	24.82	.84	.003	11.02	4.50	
103	1121	.58	41	.04	2.97	1.79	.001	0.13	2.71	
104	1122	.51	32	.03	3.15	1.68	L .001	0.18	2.70	
105	1123	.58	30	.05	4.64	1.66	.001	0.20	2.70	
106	1124	.38	27	.05	6.91	1.56	.001	0.19	2.72	
107	1125	.45	73	.06	21.25	1.27	.001	1.55	3.76	
108	1126	.65	55	.43	27.60	2.99	.001	6.28	3.78	
109	1127	.34	15	.09	4.04	2.71	.001	9.82	2.91	
110	1128	1.13	86	1.10	15.83	10.38	.002	8.96	4.44	
V-30-R 111	V 1129	.79	82	.91	13.57	6.44	.004	15.70	4.37	
112	1130	.69	82	1.11	15.20	8.60	.003	14.80	4.34	
113	1131	.65	22	.37	25.36	2.82	.001	0.40	3.75	
114	1132	.48	21	.23	27.51	2.56	.001	0.26	3.90	
115	1133	.45	25	.88	22.74	4.42	.001	0.50	3.72	
116	1134	.27	37	.41	12.74	4.54	.001	0.61	3.18	
V-309 117	1151	.45	58	.44	N.D.	25.75	.003	0.45	3.73	
118	1158	.79	55	.65	20.27	7.53	.004	12.03	4.52	
119	1159	.72	26	.62	17.67	12.93	.003	0.87	3.83	
V-311 120	1160	.14	26	.77	25.16	9.05	.001	0.59	4.29	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Wass for Ogas
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS 5
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	S.G.		
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
81	V 1068	.62	10	.04	9.50	2.73	.002	0.11	2.02	
82	1069	.75	33	.06	7.95	2.95	.003	0.12	2.95	
V-310 83	1070	.34	15	.08	2.80	9.69	.002	0.18	2.76	
84	1071	.27	5	.11	.39	8.63	.001	0.18	2.60	
85	1072	.62	88	.01	37.63	0.73	.002	0.10	4.84	
86	1073	.51	31	.04	30.99	1.18	.002	0.43	3.91	
87	1074	.14	40	.24	9.85	2.34	.001	26.54	4.11	
88	1075	.72	45	.15	21.42	1.94	.001	2.95	3.94	
89	1076	1.58	63	1.31	18.45	9.38	.001	0.05	4.01	
V-311 90	1077	.79	15	1.13	.09	26.14	.001	0.28	3.33	
91	V 1078	.75	55	1.91	1.49	25.71	.002	1.97	3.58	
92	1079	.72	43	.92	9.79	11.42	.001	5.29	3.70	
V-30-R 93	1110	.46	17	.08	6.64	2.68	.001	0.15	2.67	
94	1111	.57	21	.04	12.76	1.44	.003	0.09	2.99	
95	1112	.32	9	.06	16.14	1.23	.002	0.08	3.08	
96	1113	.36	7	.06	11.09	1.41	.002	0.14	2.85	
V-313 97	1114	.43	7	.04	9.79	.87	.001	0.16	2.79	
98	1115	.10	3	.06	8.47	1.16	.001	0.13	2.75	
99	1116	.31	4	.13	8.30	1.33	.002	0.12	2.66	
100	1117	.41	11	.17	6.24	1.58	.002	0.28	2.66	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

WAS for Pops
Registered Assayer, Province of British Columbia

V-313

CYPRUS ANVIL MINING CORPORATION

Page 1 of 1

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

<u>Samp. No.</u>	<u>From (Ft.)</u>	<u>To (Ft.)</u>	<u>Int. (Ft.)</u>	<u>Ag/AA GMS/MT</u>	<u>Ag/FA GMS/MT</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Pb+Zn %</u>	<u>S.G.</u>	<u>Cu %</u>	<u>BaO %</u>	<u>Au GMS/MT</u>	<u>Po %</u>	<u>Py %</u>	<u>Hg %</u>	<u>Mn %</u>	<u>Unit</u>
1111	69.0	74.6	5.6	18.0		0.99	3.01	4.00		0.14							4A0
1112	98.5	103.0	4.5	8.0		0.24	0.59	0.83		0.12							4A0
1113	103.0	108.0	5.0	10.0		0.34	0.80	1.14		0.10							4A0
1114	108.0	113.0	5.0	8.0		0.25	0.55	0.80		0.08							4A0
1115	113.0	118.0	5.0	3.0		0.23	0.56	0.79		0.06							4A0
1116	118.0	123.0	5.0	8.0		0.32	1.10	1.42		0.05							4A0
1117	123.0	128.0	5.0	16.0		1.15	0.63	1.78		0.06							4A0
1118	128.0	133.0	5.0	50.0		3.55	4.97	8.52		0.06							4A0
* 1119	133.0	135.8	2.8	100.0		5.12	8.11	13.23		0.23							4A0
* 1120	135.8	140.0	4.2														4E/4G

Check Sample Nos. (CK)

V-28R



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation

Certificate No. K-2675

Date June 6, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD Ounces Per Ton	SILVER g/tonne	Pb Percent	Zn Percent	Py Percent	Po Percent	BaO Percent	S.G. Percent	Percent
307	21	962	-	-	-	-	-	-	3.80	
	22	1007	162	10.96	8.92	-	-	-	-	
33-R	23	1012	93	5.01	4.88	-	-	-	-	
	24	1022	-	-	-	-	-	17.9	-	
310	25	1068	-	-	-	-	-	-	2.96	
	26	1072	88	7.02	4.63	-	-	-	-	
63-R	27	1078	55	3.77	3.98	-	-	-	-	
	28	1079	45	5.08	4.86	-	-	-	-	
	29	1128	83	6.76	6.87	-	-	-	-	
30-R	30	1129	76	5.58	7.26	-	-	-	-	
	31	1130	79	5.49	6.10	-	-	-	-	
311	32	1159	-	-	-	-	-	-	3.79	
	33	1161	-	-	-	-	-	-	3.71	
312	34	1192	45	3.11	7.06	-	-	-	-	
	35	1195	-	-	-	4.59	5.86	-	2.82	
	36	1302	103	6.26	6.35	-	-	-	-	
28-R	37	1304	51	6.31	5.87	-	-	-	-	
	38	1306	44	4.95	6.94	-	-	-	-	
46-R	39	1355	113	6.92	11.43	-	-	-	-	
50-R	40	1404	56	5.86	8.69	-	-	-	-	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Ray J. P. B.

Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

8

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-312 141	V 1195	.28	17	.12	4.27	5.73	.002	0.25	2.83	
142	1196	.46	57	.35	12.70	5.45	.003	10.47	3.61	
143	1243	.04	8	.13	1.84	6.71	.001	2.04	2.70	
144	1244	.82	48	.74	26.77	14.63	.002	7.27	4.25	
145	1245	.71	16	.10	8.07	6.99	.001	0.09	2.92	
V-57-R 146	1246	.14	8	.09	1.48	6.42	.001	0.13	2.74	
147	1247	.71	34	.21	8.40	6.76	.001	0.10	2.92	
148	1248	.64	17	.08	9.59	2.86	.001	0.41	2.92	
149	1249	.71	28	.34	15.15	8.05	.001	3.76	3.28	
150	1302	.64	96	.05	36.10	1.71	.005	0.07	3.97	
V-28-R 151	V 1303	.18	5	.09	6.57	3.42	.001	0.15	2.90	
152	1304	.21	53	.06	12.34	2.92	.001	0.88	2.99	
153	1305	.14	8	.12	6.90	3.56	.001	1.40	2.88	
154	1306	.32	39	.09	35.61	2.50	.001	1.16	3.97	
155	1325	.27	41	.40	29.59	7.06	.003	1.47	4.13	
156	1326	.31	27	.60	30.92	8.84	.002	0.40	4.42	
157	1327	TR	7	.10	0.41	6.69	.001	4.53	2.76	
V-117-R 158	1328	.24	28	.77	14.87	21.98	.002	1.78	3.33	
159	1329	.14	7	.08	.08	7.04	.001	3.11	2.71	
160	1330	.79	35	.71	22.74	11.50	.002	2.21	4.17	

NOTE: . . .
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia

V-28-R

CYPRUS ANVIL MINING CORPORATION

Page 1 of 1

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

<u>Samp.</u> <u>No.</u>	<u>From</u> <u>(Ft.)</u>	<u>To</u> <u>(Ft.)</u>	<u>Int.</u> <u>(Ft.)</u>	<u>Ag/AA</u> <u>GMS/MT</u>	<u>Ag/FA</u> <u>GMS/MT</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Pb+Zn</u> <u>%</u>	<u>S.G.</u>	<u>Cu %</u>	<u>BaO %</u>	<u>Au</u> <u>GMS/MT</u>	<u>Po %</u>	<u>Py %</u>	<u>Hg %</u>	<u>Mn %</u>	<u>Unit</u>
1302	63.8	65.2	1.4	103.0		6.36	6.14	12.50		0.19							4A0
1303	65.2	73.0	7.8	4.0		0.37	0.56	0.93		0.06							4L3
1304	73.0	75.7	2.7	51.0		6.46	5.50	11.96		0.16							4A0
1305	75.7	81.0	5.3	10.0		0.50	0.82	1.32		0.07							4L1
1306	81.0	88.0	7.0	49.0		4.77	6.75	11.52		0.23							4E0

SECT. 00

V-143 R



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS 15
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
281	V 3045	.50	11	.09	9.61	1.36	.001	0.13	2.65	
282	3046	.35	13	.12	6.06	2.18	.001	0.13	2.72	
283	3047	.85	4	.11	3.87	4.52	.001	0.14	2.84	
V-316 284	3048	.66	19	.12	3.33	5.13	.001	0.16	2.79	
285	3049	.08	22	.11	2.46	3.93	.001	0.31	2.63	
286	3050	.42	32	.21	2.44	4.76	.002	0.29	2.72	
287	3051	.50	31	.16	2.59	2.82	.002	0.18	2.71	
V-143-R 288	3052	.40	33	.19	4.21	2.39	.003	0.38	2.64	
289	3053	.37	28	.14	3.35	3.24	.002	0.18	2.65	
290	3054	.28	21	.15	6.28	3.90	.002	0.21	2.80	
291	V 3055	.12	10	.11	2.55	3.43	.001	0.43	2.52	
292	3056	.65	52	.16	17.65	4.04	.002	1.23	3.41	
293	3057	.31	22	.21	10.88	3.08	.002	0.12	2.88	
294	3058	.52	63	.18	11.52	2.94	.002	0.13	3.06	
295	3059	.56	67	.19	5.90	2.86	.003	0.16	2.97	
296	3060	.25	47	.12	6.79	2.20	.002	0.36	2.81	
297	3061	.49	45	.82	30.90	11.27	.002	7.18	4.14	
298	3062	.40	22	.62	35.51	8.84	.001	2.37	4.19	
V-320 299	3063	.34	5	.16	34.04	3.54	.001	1.77	3.68	
300	3064	.62	45	.56	28.97	8.07	.002	11.46	4.02	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

David J. Ross
Registered Assayer, Province of British Columbia

V-143-R

CYPRUS ANVIL MINING CORPORATION


Page 1 of 1

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

<u>Sample No.</u>	<u>From (Ft.)</u>	<u>To (Ft.)</u>	<u>Int. (Ft.)</u>	<u>Ag/AA GMS/MT</u>	<u>Ag/FA GMS/MT</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Pb+Zn %</u>	<u>S.G.</u>	<u>Cu %</u>	<u>BaO %</u>	<u>Au GMS/MT</u>	<u>Po %</u>	<u>Py %</u>	<u>Hg %</u>	<u>Mn %</u>	<u>Unit</u>
3051	183.8	189.0	5.2	40.0		2.19	3.32	5.51		0.04							4A0
3052	189.0	194.0	5.0	34.0		2.39	3.19	5.58		0.04							4A0
3053	194.0	199.0	5.0	25.0		1.63	1.52	3.15		0.05							4A0
3054	199.0	203.9	4.9	19.0		1.38	2.42	3.80		0.06							4A0
3055	272.8	277.0	4.2	10.0		0.66	1.18	1.84		0.03							5A9
3056	277.0	282.0	5.0	53.0		2.93	4.36	7.29		0.08							4E/A
3057	282.0	287.0	5.0	21.0		1.15	2.57	3.72		0.05							4A0
3058	291.0	296.0	5.0	64.0		3.63	6.68	10.31		0.08							4A0
3059	296.0	301.0	5.0	55.0		2.99	6.91	9.90		0.03							4A0
3060	301.0	306.0	4.1	32.0		1.56	3.02	4.58		0.02							4A0

V-316



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS 17
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-316 321	V 3120	2.04	22	1.19	27.01	9.23	.002	0.79	3.68	
322	3121	1.07	14	.72	27.11	9.13	.003	0.47	3.58	
323	3122	.70	9	.37	12.20	9.69	.002	0.83	3.29	
324	3184	1.00	14	.63	22.67	8.47	.002	0.07	3.68	
325	3185	.81	13	.32	13.71	5.77	.002	0.08	3.22	
326	3186	.46	4	.09	8.41	4.95	.002	0.15	3.08	
327	3187	.04	1	.16	4.95	4.85	.002	0.14	2.73	
328	3188	.85	28	.30	14.67	7.02	.003	0.15	3.45	
329	3189	1.12	26	.37	16.51	7.09	.003	0.11	3.46	
V-45-R 330	3190	.39	26	.48	10.52	9.16	.003	0.16	3.30	
331	V 3191	.50	48	.32	11.49	8.29	.004	0.44	3.40	
332	3192	.50	37	.26	11.85	5.22	.003	0.29	3.06	
333	3193	1.12	56	.26	16.89	5.50	.003	0.28	3.44	
334	3201	1.50	163	.15	14.94	2.03	.007	17.01	4.52	
335	3202	1.39	144	.80	22.47	6.11	.005	2.32	4.38	
336	3203	.19	31	.82	1.37	4.97	.002	2.47	3.00	
V-20-R 337	3204	1.47	116	.36	13.96	2.61	.006	16.87	4.43	
338	3205	1.16	118	.41	11.45	2.71	.007	22.84	4.24	
339	3207	1.85	175	.33	15.72	2.56	.009	8.19	4.40	
340	3208	1.16	50	.58	28.30	9.33	.003	9.76	4.32	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

David J. O'Sullivan
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS 16
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation


Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-320 301	V 3065	.77	40	.47	31.18	7.69	.002	15.75	4.61	
302	3101	.15	64	.25	9.18	5.68	.002	4.14	3.21	
303	3102	.34	84	.17	14.09	2.38	.008	19.79	4.27	
304	3103	.46	92	.58	12.00	3.36	.006	19.32	4.06	
V-316 305	3104	.46	112	1.09	15.49	7.10	.005	13.44	4.35	
306	3105	.40	146	3.03	15.20	24.50	.003	0.44	4.15	
307	3106	1.04	138	2.41	19.93	17.00	.002	1.61	4.00	
308	3107	.26	77	.59	7.47	7.59	.003	19.38	4.02	
309	3108	.22	212	2.04	14.71	20.00	.002	0.82	4.29	
310	3109	.15	20	.62	4.69	9.97	.001	7.55	3.29	
311	V 3110	.22	94	1.31	14.18	24.63	.002	1.86	4.07	
312	3111	.22	49	1.35	14.97	30.38	.001	0.30	4.09	
313	3112	.41	86	.41	18.23	4.76	.003	11.00	3.87	
314	3113	.22	43	.19	10.75	1.70	.004	22.92	3.86	
315	3114	.93	55	.23	17.15	2.33	.005	14.91	4.08	
316	3115	1.19	23	.56	36.00	7.76	.002	1.67	4.39	
317	3116	1.22	62	.31	17.23	4.66	.005	11.81	4.02	
318	3117	.33	39	.32	6.66	5.03	.004	15.78	3.47	
319	3118	.70	67	1.43	14.81	11.73	.005	15.76	4.30	
320	3119	.37	63	.71	7.14	4.17	.006	30.51	4.28	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS 15
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
281	V 3045	.50	11	.09	9.61	1.36	.001	0.13	2.65	
282	3046	.35	13	.12	6.06	2.18	.001	0.13	2.72	
283	3047	.85	4	.11	3.87	4.52	.001	0.14	2.84	
284	3048	.66	19	.12	3.33	5.13	.001	0.16	2.79	
285	3049	.08	22	.11	2.46	3.93	.001	0.31	2.63	
286	3050	.42	32	.21	2.44	4.76	.002	0.29	2.72	
287	3051	.50	31	.16	2.59	2.82	.002	0.18	2.71	
288	3052	.40	33	.19	4.21	2.39	.003	0.38	2.64	
289	3053	.37	28	.14	3.35	3.24	.002	0.18	2.65	
290	3054	.28	21	.15	6.28	3.90	.002	0.21	2.80	
291	V 3055	.12	10	.11	2.55	3.43	.001	0.43	2.52	
292	3056	.65	52	.16	17.65	4.04	.002	1.23	3.41	
293	3057	.31	22	.21	10.88	3.08	.002	0.12	2.88	
294	3058	.52	63	.18	11.52	2.94	.002	0.13	3.06	
295	3059	.56	67	.19	5.90	2.86	.003	0.16	2.97	
296	3060	.25	47	.12	6.79	2.20	.002	0.36	2.81	
297	3061	.49	45	.82	30.90	11.27	.002	7.18	4.14	
298	3062	.40	22	.62	35.51	8.84	.001	2.37	4.19	
299	3063	.34	5	.16	34.04	3.54	.001	1.77	3.68	
300	3064	.62	45	.56	28.97	8.07	.002	11.46	4.02	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

D. J. G. G. G.
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS 14
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V 315 261	V 1474	.28	67	.46	42.76	2.18	.001	0.17	4.60	
	262	1475	.58	47	.83	31.98	.001	1.87	4.03	
263	1476	1.74	256	.01	3.48	7.45	.019	28.46	4.02	
264	1477	1.77	107	.02	15.83	.54	.018	18.06	4.34	
265	1478	1.27	104	.02	13.09	.47	.015	26.88	4.47	
266	1479	1.81	152	.03	22.07	.82	.015	4.51	5.04	
267	1480	.45	13	.04	21.75	1.00	.020	6.10	4.29	
268	1481	2.30	140	.06	11.90	.91	.004	0.39	2.79	
269	1482	1.30	106	.05	15.40	.89	.007	7.63	3.79	
V-01-R 270	1483	1.13	46	.07	14.36	1.21	.003	0.11	2.99	
271	V 1484	.65	44	.08	7.62	1.32	.003	0.15	2.98	
272	1485	.79	46	.10	9.02	1.43	.003	0.45	2.90	
273	1486	.72	123	.07	25.78	.96	.005	11.14	4.46	
274	1487	.10	18	.08	7.62	2.22	.003	2.20	2.88	
275	3039	.39	44	.10	1.92	2.21	.003	0.09	2.69	
276	3040	.35	50	.08	2.23	1.58	.002	0.09	2.73	
277	3041	.46	15	.09	9.32	1.23	.001	0.14	2.84	
V.316 278	3042	.31	9	.09	9.27	1.10	.001	0.17	2.75	
279	3043	.62	9	.11	12.76	1.20	.001	0.12	2.92	
280	3044	.27	7	.10	5.70	2.36	.001	0.16	2.73	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAN FOR OJB
Registered Assayer, Province of British Columbia

V-26 R

GEOCHEMICAL LOG

Kamloops Research & Assay Lab.

<u>Samp. No.</u>	<u>From (Ft.)</u>	<u>To (Ft.)</u>	<u>Int. (Ft.)</u>	<u>Ag/AA GMS/MT</u>	<u>Ag/FA GMS/MT</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Pb+Zn %</u>	<u>S.G.</u>	<u>Cu %</u>	<u>BaO %</u>	<u>Au GMS/MT</u>	<u>Po %</u>	<u>Py %</u>	<u>Mn %</u>	<u>Hg %</u>	<u>Unit</u>
1357	99.0	105.2	6.2	17.0		0.98	2.30	3.28		0.08							4A0
1358	105.2	110.0	4.8	53.0		3.19	8.19	11.38		0.04							4A4
1359	110.0	114.6	4.6	91.0		4.98	9.82	14.80		0.09							4A4
1360	114.6	120.0	5.4	15.0		0.77	1.54	2.31		0.08							4A0
1361	120.0	125.0	5.0	12.0		0.49	1.06	1.55		0.07							4A0
1362	125.0	130.0	5.0	9.0		0.27	0.38	0.65		0.09							4A0
1363	130.0	135.0	5.0	2.0		0.39	0.56	0.95		0.05							4A0
1364	135.0	140.0	5.0	22.0		2.91	1.02	3.93		0.05							4A0
1365	140.0	145.4	5.4	23.0		2.17	2.14	4.31		0.05							4A0
1366	145.4	150.0	4.6	44.0		4.13	4.69	8.82		0.03							4A0
1367	150.0	155.0	5.0	40.0		3.47	4.48	7.95		0.02							4A0
1368	155.0	160.0	5.0	40.0		3.39	4.19	7.58		0.02							4A0
1369	160.0	165.0	5.0	49.0		3.64	4.39	8.03		0.04							4A0
1370	165.0	168.5	3.5	50.0		5.48	8.45	13.93		-0.27							4G4
1371	168.5	172.6	4.1	87.0		5.61	9.05	14.66		0.26							4G4
1372	197.0	200.7	3.7	6.0		0.20	0.51	0.71		0.02							4L0
1373	200.7	206.0	5.3	62.0		4.24	4.98	9.22		0.14							4G4
1374	206.0	211.0	5.0	65.0		5.05	5.94	10.99		0.15							4G4
1375	211.0	215.1	4.1	49.0		5.21	5.67	10.88		0.22							4H1
1376	215.1	217.3	2.2	58.0		3.71	5.53	9.24		0.13							4G4
1377	217.3	222.3	5.0	21.0		1.00	0.79	1.79		0.20							4K0
1378	222.3	227.6	5.3	15.0		0.61	0.27	0.88		0.09							4K0
1379	227.6	232.6	5.0	55.0		3.61	6.18	9.79		0.14							4G4
1380	232.6	237.5	4.9	82.0		6.82	5.14	11.96		0.08							4G4
1381	237.5	242.5	5.0	7.0		0.51	0.41	0.92		0.08							4K0
1382	242.5	247.8	5.3	16.0		0.56	0.40	0.96		0.10							4K0
1383	247.8	254.3	6.5	27.0		1.70	0.96	2.66		0.32							4E1
1384	254.3	259.0	4.7	15.0		0.15	0.17	0.32		0.30							4C3
1385	259.0	264.0	5.0	22.0		0.14	0.17	0.31		0.40							4C3
1386	264.0	268.1	4.1	12.0		0.30	0.48	0.78		0.25							4C3
1387	268.1	274.0	5.9	19.0		1.15	1.17	2.32		0.07							4L0
1388	274.0	276.2	2.2	67.0		5.78	9.44	15.22		0.14							4J4

GEOCHEMICAL LOG

Page 2 of 2

V-26-R

<u>Samp. No.</u>	<u>From (Ft.)</u>	<u>To (Ft.)</u>	<u>Int. (Ft.)</u>	<u>Ag/AA GMS/MT</u>	<u>Ag/FA GMS/MT</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Pb+Zn %</u>	<u>S.G.</u>	<u>Cu %</u>	<u>BaO %</u>	<u>Au GMS/MT</u>	<u>Po %</u>	<u>Py %</u>	<u>Mn %</u>	<u>Hg %</u>	<u>Unit</u>
1389	276.2	281.0	4.8	6.0		0.33	0.34	0.67		0.19							4CL
1390	281.0	286.0	5.0	7.0		0.39	0.25	0.64		0.20							4CL
1391	286.0	291.0	5.0	17.0		1.35	1.52	2.87		0.47							4L1
1392	291.0	296.0	5.0	6.0		0.34	0.42	0.76		0.21							4L1
1393	296.0	302.2	6.2	19.0		0.60	0.56	1.16		0.18							4L1
1394	400.0	403.8	3.8	5.0		0.09	0.28	0.37		0.11							4C7
1395	403.8	408.0	4.2	TR		0.08	0.07	0.15		0.07							4AL
1396	408.0	413.0	5.0	4.0		0.27	0.27	0.54		0.09							4L7
1397	413.0	417.0	4.0	2.0		0.23	0.61	0.84		0.14							4L7
1398	417.0	422.0	5.0	6.0		0.47	0.71	1.18		0.18							4C7
1399	422.0	427.0	5.0	4.0		0.61	1.73	2.34		0.19							4C7
1400	427.0	431.8	4.8	4.0		0.30	0.76	1.06		0.14							4C7



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 16

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
301	1198	.34	11	.002	4.07					
302	1199	TR	22	.002	2.31					
303	1200	.07	10	.002	3.47					
304	1250	.48	26	.002	3.32					
305	1301	TR	10	.002	2.89					
306	1339	.07	9	.001	2.82					
307	1340	.41	23	.001	2.99					
308	1341	.34	20	.001	3.48					
309	1342	.27	23	.001	4.68					
310	1343	.21	3	.001	3.42					
311	1381	.89	10	.002	3.91					
312	1382	2.33	15	.001	3.83					
313	1383	1.23	26	.001	3.41					
314	1384	.41	15	.001	4.14					
315	1385	.62	20	.001	3.75					
316	1386	.34	15	.001	3.52					
317	1387	.48	31	.001	3.03					
318	1389	.41	8	.001	3.47					
319	1390	.34	9	.001	3.44					
320	1391	.21	17	.002	3.09					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAIS for OUB
Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 17

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
321	1392	.07	8	.001	3.32					
322	1393	.07	9	.001	3.01					
323	1394	.14	5	.001	4.36					
324	1395	.07	3	.001	2.71					
V-24-R 325	1396	.07	7	.001	3.18					
326	1397	.14	6	.001	4.04					
327	1398	.07	9	.001	2.45					
328	1399	.07	9	.001	3.13					
329	1400	.07	5	.001	2.96					
V-20-R 330	1431	.34	30	.002	3.45					
331	1432	.14	20	.001	3.57					
332	1433	.48	6	.001	2.33					
333	1444	.62	14	.001	3.66					
334	1445	.34	13	.003	3.65					
335	1446	.27	17	.002	3.72					
V-60-R 336	1447	.07	5	.002	2.93					
337	1448	.27	11	.001	3.34					
338	1449	.21	13	.002	3.03					
339	1450	.07	4	.001	3.08					
340	1451	.27	13	.002	3.67					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for DAB
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEEX 048-8320

B.C. LICENSED ASSAYERS 11
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-26-R 201	V 1378	1.74	15	.19	31.90	1.69	.003	0.88	3.92	
202	1379	.78	56	.26	17.24	3.97	.006	22.61	4.38	
203	1380	1.10	86	.61	16.19	6.35	.005	23.32	4.54	
204	1388	1.14	69	.36	9.73	8.41	.006	0.19	3.37	
205	1401	.89	45	.64	12.98	8.84	.004	21.65	4.26	
206	1402	1.14	41	.35	22.66	13.54	.003	1.41	4.39	
207	1403	.96	54	.33	21.71	11.88	.004	4.21	4.62	
208	1404	.39	56	.61	11.32	8.38	.004	15.56	3.81	
V-50-R 209	1405	.50	118	.44	12.40	2.35	.006	25.38	4.38	
210	1406	.71	78	.38	12.98	2.70	.006	23.50	4.26	
211	V 1407	.68	110	.22	10.27	1.62	.006	32.84	4.15	
212	1408	.50	90	.18	8.26	1.58	.006	29.59	4.25	
213	1409	.53	88	.18	11.50	1.72	.006	23.30	4.18	
214	1410	.14	14	.21	2.04	3.65	.003	9.04	2.89	
215	1411	.14	57	.15	14.01	1.87	.003	21.10	4.26	
216	1412	.82	54	.10	10.73	1.77	.003	25.95	4.35	
217	1413	.14	74	.13	11.71	1.92	.003	23.55	4.33	
218	1414	.17	44	.15	17.79	2.29	.003	21.72	4.47	
219	1415	.17	43	.29	20.56	2.80	.003	19.62	4.25	
220	1416	.65	40	.53	24.99	6.64	.003	19.62	4.24	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAS for OAS
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEEX 048-8320

B.C. LICENSED ASSAYERS 10
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
181	V 1358	.65	52	.13	10.05	3.17	.005	0.14	3.08	
182	1359	1.27	95	.02	13.64	2.86	.008	0.11	3.34	
183	1360	.48	11	.06	10.05	4.60	.003	0.13	2.72	
184	1361	.38	6	.05	10.02	4.53	.003	0.11	2.81	
185	1362	.38	5	.05	6.88	4.60	.003	0.17	2.69	
186	1363	.51	5	.07	4.52	4.60	.003	0.21	2.52	
187	1364	.86	23	.07	2.88	7.06	.003	0.24	2.66	
188	1365	.72	24	.09	3.13	7.83	.003	0.26	2.60	
189	1366	.82	43	.04	2.71	3.21	.003	0.19	2.70	
190	1367	1.06	42	.04	3.23	3.55	.004	0.14	2.73	
191	V 1368	.75	40	.08	2.66	6.25	.004	0.17	2.72	
192	1369	.89	42	.04	7.46	5.55	.004	0.22	2.84	
193	1370	2.13	85	.02	25.41	1.11	.007	16.68	4.63	
194	1371	.89	91	.03	25.60	1.36	.007	14.90	4.59	
195	1372	.07	3	.14	2.23	7.61	.003	2.42	2.70	
196	1373	.78	61	.30	25.13	4.00	.004	14.86	4.50	
197	1374	1.57	68	.32	25.77	3.36	.004	9.44	4.44	
198	1375	.82	65	.59	9.25	21.73	.004	11.87	4.06	
199	1376	.46	59	.58	9.37	8.46	.005	20.64	3.83	
200	1377	1.32	23	.23	27.40	1.51	.003	3.69	3.70	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

[Signature]
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS 9
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation


Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
161	V 1331	.34	30	1.46	7.64	24.43	.002	0.67	3.71	
162	1332	.27	19	.59	3.82	14.80	.002	2.07	3.01	
163	1333	.41	24	.44	26.91	10.26	.002	3.61	4.34	
164	1334	.10	10	.30	1.29	10.49	.002	0.70	2.88	
V-117-R 165	1335	.10	1	.14	2.88	7.06	.001	0.36	2.76	
166	1336	1.02	26	.04	7.07	4.51	.002	1.40	2.86	
167	1337	.24	31	.30	6.99	14.22	.002	5.27	3.46	
168	1338	.27	28	.63	26.63	11.19	.001	1.27	4.33	
169	1344	.82	38	.37	20.32	11.42	.002	9.33	4.19	
170	1345	.17	6	.15	5.87	7.45	.001	4.01	2.90	
171	V 1346	.99	31	.60	26.43	11.50	.001	5.72	4.18	
172	1347	1.13	42	.54	19.84	8.53	.002	13.02	4.36	
V-46-R 173	1348	.21	16	.27	2.05	8.91	.002	4.11	2.76	
174	1349	.65	24	.38	19.69	9.11	.001	4.18	3.90	
175	1351	1.47	114	.19	17.65	1.82	.006	14.93	4.50	
176	1352	.07	8	.11	2.41	4.82	.003	1.51	2.79	
177	1353	.27	51	.14	1.91	7.82	.003	2.70	3.05	
178	1354	.21	31	.27	2.71	7.64	.003	1.58	2.90	
179	1355	1.65	113	.43	15.49	8.28	.007	1.16	4.30	
V-26-R 180	1357	.31	19	.56	5.45	6.23	.002	0.16	2.78	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia

V 27 R



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 23

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
441	3602	.55	12	.001	2.88					
442	3603	.55	7	.001	3.06					
443	3604	.48	12	.001	3.28					
444	3605	.55	19	.001	3.54					
445	3606	1.17	17	.001	4.12					
446	3607	.21	23	.002	3.13					
447	3626	1.17	13	.001	3.74					
448	3627	.82	11	.001	3.30					
449	3628	1.10	17	.001	2.69					
450	3629	1.03	9	.001	3.55					
451	3630	.34	2	.001	4.09					
452	3642	.62	23	.002	2.85					
453	3643	1.58	8	.001	4.10					
454	3644	.82	11	.001	3.56					
455	3645	2.26	15	.001	3.68					
456	3646	2.81	21	.001	4.07					
457	3647	.07	10	.001	2.88					
458	3648	.41	12	.002	3.58					
459	3649	.75	13	.002	3.67					
460	3650	.69	11	.001	3.39					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAM for Pers
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS 9

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2602

Date April 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	BaO	Hg	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
161	3612	.51	75	.30	6.9	6.2	5.20	L.001	3.34	
162	3613	.62	124	.23	8.8	5.9	25.13	.009	4.44	
163	3614	.10	25	.27	5.8	1.9	6.78	L.001	3.04	
164	3615	.51	147	.27	6.4	3.0	9.16	.012	4.06	
165	3616	.41	23	.11	2.2	6.2	0.52	.001	2.86	
166	3617	.10	TR	.06	2.9	2.2	3.09	.002	2.82	
167	3618	.34	63	.17	7.4	6.2	12.59	.003	3.73	
168	3619	.41	25	.04	2.8	2.8	0.40	.003	2.85	
169	3620	1.03	38	.08	22.2	.7	0.65	.004	3.46	
170	3621	.72	24	.07	14.4	1.0	0.35	.004	3.24	
171	3622	.86	28	.07	12.1	.8	0.39	.004	2.97	
172	3623	.79	27	.12	17.0	1.5	0.37	.004	3.29	
173	3624	.82	67	.15	21.4	1.3	20.79	.006	4.31	
174	3625	1.68	49	.46	22.3	6.2	7.88	.003	3.92	
175	3631	1.17	12	.12	22.2	1.8	0.08	.002	3.41	
176	3632	.31	17	.05	1.4	1.1	0.08	.002	2.64	
177	3633	.41	75	.23	14.1	2.1	1.46	.004	3.16	
178	3634	.51	7	.04	1.33	5.2	0.11	.002	2.68	
179	3635	.45	10	.09	1.6	3.8	0.35	.003	2.72	
180	3636	TR	5	.09	1.1	5.5	0.26	.002	2.69	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for PAB
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS 8

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation


Certificate No. K-2602

Date April 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	BaO	Hg	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
141	3566	.27	14	.31	6.2	3.5	15.49	.001	3.34	
142	3567	.48	92	.41	12.1	3.1	27.90	.009	4.42	
143	3568	.45	83	.48	13.6	3.4	26.46	.003	4.45	
144	3569	.99	92	.90	24.0	8.7	0.39	.002	4.40	
145	3570	.65	21	.80	19.4	8.2	0.38	.002	3.79	
146	3587	3.22	262	.22	15.9	1.6	9.51	.002	4.44	
147	3588	.51	324	.06	18.8	1.7	2.36	.004	5.21	
148	3589	.38	70	.53	3.79	29.0	0.06	.005	3.85	
149	3590	.34	36	.26	21.1	2.9	4.15	.002	3.78	
150	3591	.21	3	.09	3.1	2.4	2.34	.002	2.75	
151	3592	.82	77	.11	14.7	.6	29.99	.016	4.48	
152	3593	.82	70	.15	12.5	1.2	29.28	.015	4.12	
153	3594	.82	84	.14	11.9	.9	29.67	.016	4.33	
154	3595	1.44	102	.17	13.7	1.0	26.12	.016	4.31	
155	3596	1.03	108	.26	17.7	3.8	8.31	.007	4.07	
156	3597	1.34	119	.25	16.5	4.5	9.23	.008	4.05	
157	3608	.51	22	.04	2.1	2.4	0.15	L.001	2.72	
158	3609	.61	32	.06	5.4	1.8	0.10	.001	2.89	
159	3610	.82	52	.05	3.5	1.4	0.14	.003	2.76	
160	3611	.82	61	.07	5.5	1.1	0.44	.002	2.84	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia

V-315



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 3**

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2675

Date June 6, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Py	Po	BaO	S.G.	
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
315 41	1471	-	-	-	-	-	-	-	4.04	
42	1479	-	-	-	-	-	-	-	5.16	
01-R 43	1480		138	8.64	18.97	-	-	-	-	
44	1481		17	.65	.84	-	-	-	-	
45	1482		98	6.49	12.15	-	-	-	-	
317 46	3112		-	-	-	-	-	-	4.13	
47	3113		-	-	-	-	-	-	3.92	
300 48	2908		-	-	-	-	-	-	4.95	
49	3225		19	.56	.82	31.17	15.47	-	-	
50	3226		19	.60	.61	23.72	21.04	-	-	
45-R 51	3227		41	2.58	3.48	20.18	22.28	-	-	
52	3238		79	12.99	.16	-	-	-	-	
53	3256		83	5.02	9.86	-	-	12.5	-	
54	3257		96	6.69	10.69	-	-	14.8	-	
55	3258		93	5.82	9.95	-	-	6.8	-	
56	3263		23	1.45	2.19	-	-	4.3	-	
321 57	3267		29	3.81	2.15	-	-	1.1	-	
58	3269		33	1.92	1.76	-	-	2.4	-	
59	3270		68	4.03	4.97	-	-	11.8	-	
60	3271		45	2.96	4.15	-	-	5.9	-	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

David J. Pegg
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS 14
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V315 261	V 1474	.28	67	.46	42.76	2.18	.001	0.17	4.60	
	262 1475	.58	47	.83	31.98	7.34	.001	1.87	4.03	
263	1476	1.74	256	.01	3.48	7.45	.019	28.46	4.02	
264	1477	1.77	107	.02	15.83	.54	.018	18.06	4.34	
265	1478	1.27	104	.02	13.09	.47	.015	26.88	4.47	
266	1479	1.81	152	.03	22.07	.82	.015	4.51	5.04	
267	1480	.45	13	.04	21.75	1.00	.020	6.10	4.29	
268	1481	2.30	140	.06	11.90	.91	.004	0.39	2.79	
269	1482	1.30	106	.05	15.40	.89	.007	7.63	3.79	
V-01-R 270	1483	1.13	46	.07	14.36	1.21	.003	0.11	2.99	
271	V 1484	.65	44	.08	7.62	1.32	.003	0.15	2.98	
272	1485	.79	46	.10	9.02	1.43	.003	0.45	2.90	
273	1486	.72	123	.07	25.78	.96	.005	11.14	4.46	
274	1487	.10	18	.08	7.62	2.22	.003	2.20	2.88	
275	3039	.39	44	.10	1.92	2.21	.003	0.09	2.69	
276	3040	.35	50	.08	2.23	1.58	.002	0.09	2.73	
277	3041	.46	15	.09	9.32	1.23	.001	0.14	2.84	
V.316 278	3042	.31	9	.09	9.27	1.10	.001	0.17	2.75	
279	3043	.62	9	.11	12.76	1.20	.001	0.12	2.92	
280	3044	.27	7	.10	5.70	2.36	.001	0.16	2.73	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

D. Aris for O.S.B.
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

13

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation


Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
241	V 1440	.99	50	.08	10.24	1.75	.003	0.11	2.98	
V-60-R 242	1441	.72	34	.17	6.18	2.94	.003	0.14	2.96	
243	1442	.24	8	.25	6.10	7.12	.003	0.31	2.92	
244	1443	.51	25	.10	21.56	1.70	.003	0.09	3.37	
245	1458	1.27	90	.06	8.17	1.67	.007	0.12	3.01	
246	1459	.93	52	.06	14.61	1.48	.004	0.30	3.18	
247	1460	.55	23	.05	7.21	1.02	.003	0.65	2.82	
248	1461	.45	14	.06	5.29	1.13	.003	1.62	2.65	
249	1462	.93	121	.04	29.02	.87	.004	12.33	4.63	
250	1463	2.02	104	.04	31.38	.69	.006	9.97	4.58	
V-315 251	V 1464	.24	15	.24	12.85	4.16	.003	10.70	3.28	
252	1465	.79	46	.46	29.47	3.68	.003	2.23	4.23	
253	1466	.17	21	.37	13.22	7.99	.003	4.78	3.19	
254	1467	.38	21	.32	33.77	3.51	.003	1.54	4.09	
255	1468	.17	21	.17	10.31	3.93	.003	5.04	3.07	
256	1469	.45	54	.34	26.16	6.01	.003	5.97	4.38	
257	1470	1.10	34	.36	32.77	7.53	.003	3.83	4.56	
258	1471	.69	20	.27	30.67	2.70	.003	0.34	3.56	
259	1472	.79	70	.51	29.01	5.23	.003	10.06	4.51	
260	1473	.51	64	.35	28.34	2.31	.003	13.94	4.58	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia

V-315

CYPRUS ANVIL MINING CORPORATION

Page 1 of 1

GEOCHEMICAL LOG

Kamloops Research & Assay Lab.

<u>Samp. No.</u>	<u>From (Ft.)</u>	<u>To (Ft.)</u>	<u>Int. (Ft.)</u>	<u>Ag/AA GMS/MT</u>	<u>Ag/FA GMS/MT</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Pb+Zn %</u>	<u>S.G.</u>	<u>Cu %</u>	<u>BaO %</u>	<u>Au GMS/MT</u>	<u>Po %</u>	<u>Py %</u>	<u>Hg %</u>	<u>Mn %</u>	<u>Unit</u>
1458	86.2	92.3	6.1	88.0		5.70	9.25	14.95		0.06							4A0/4E4
1459	92.3	98.0	5.7	51.0		3.20	5.13	8.33		0.12							4A0
1460	98.0	103.0	5.0	24.0		1.83	2.26	4.09		0.08							4A0
1461	103.0	108.0	5.0	14.0		1.48	0.72	2.20		0.04							4A0
1462	108.0	113.0	5.0	112.0		5.50	7.29	12.79		0.20							4G0
1463	113.0	117.9	4.9	101.0		5.79	8.11	13.90		0.20							4G0
1464	180.7	183.9	3.2	17.0		1.10	2.15	3.25		0.06							4C0
1465	183.9	188.0	4.1	46.0		3.62	3.17	6.79		0.21							4E3
1466	188.0	191.7	3.7	22.0		1.55	2.36	3.91		0.10							4C0
1467	191.7	194.3	2.6	27.0		1.09	0.83	1.92		0.23							4E8
1468	204.9	210.8	5.9	24.0		1.42	2.22	3.64		0.10							4L1
1469	210.8	215.8	5.0	53.0		5.28	3.15	8.43		0.18							4E8
1470	215.8	221.5	5.7	36.0		2.46	2.61	5.07		0.28							4E8
1471	221.5	227.6	6.1	21.0		1.49	0.90	2.39		0.22							4K0
1472	227.6	232.0	4.4	69.0		5.31	5.60	10.91		0.14							4E8
1473	232.0	237.0	5.0	60.0		5.64	5.85	11.49		0.16							4E8
1474	237.0	241.0	4.0	73.0		2.43	1.23	3.66		0.28							4E8
1475	241.0	247.0	6.0	52.0		3.18	4.77	7.95		0.27							4C0

V-01R



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 3

TO Cyprus Anvil Mining Corporation

Certificate No. K-2675

Date June 6, 1980


I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Py	Po	BaO	S.G.	
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
315 41	1471	-	-	-	-	-	-	-	4.04	
42	1479	-	-	-	-	-	-	-	5.16	
01-R 43	1480	-	138	8.64	18.97	-	-	-	-	
44	1481	-	17	.65	.84	-	-	-	-	
45	1482	-	98	6.49	12.15	-	-	-	-	
317 46	3112	-	-	-	-	-	-	-	4.13	
47	3113	-	-	-	-	-	-	-	3.92	
300 48	2908	-	-	-	-	-	-	-	4.95	
49	3225	-	19	.56	.82	31.17	15.47	-	-	
50	3226	-	19	.60	.61	23.72	21.04	-	-	
45-R 51	3227	-	41	2.58	3.48	20.18	22.28	-	-	
52	3238	-	79	12.99	.16	-	-	-	-	
53	3256	-	83	5.02	9.86	-	-	12.5	-	
54	3257	-	96	6.69	10.69	-	-	14.8	-	
55	3258	-	93	5.82	9.95	-	-	6.8	-	
56	3263	-	23	1.45	2.19	-	-	4.3	-	
321 57	3267	-	29	3.81	2.15	-	-	1.1	-	
58	3269	-	33	1.92	1.76	-	-	2.4	-	
59	3270	-	68	4.03	4.97	-	-	11.8	-	
60	3271	-	45	2.96	4.15	-	-	5.9	-	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

David A. Ross

Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS 14
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V 315 261	V 1474	.28	67	.46	42.76	2.18	.001	0.17	4.60	
	262	1475	.58	47	.83	31.98	.001	1.87	4.03	
263	1476	1.74	256	.01	3.48	7.45	.019	28.46	4.02	
264	1477	1.77	107	.02	15.83	.54	.018	18.06	4.34	
265	1478	1.27	104	.02	13.09	.47	.015	26.88	4.47	
266	1479	1.81	152	.03	22.07	.82	.015	4.51	5.04	
267	1480	.45	138	.04	21.75	1.00	.020	6.10	4.29	
268	1481	2.30	140 ¹⁷	.06	11.90	.91	.004	0.39	2.79	
269	1482	1.30	106 ⁷⁸	.05	15.40	.89	.007	7.63	3.79	
V-01-R 270	1483	1.13	46	.07	14.36	1.21	.003	0.11	2.99	
271	V 1484	.65	44	.08	7.62	1.32	.003	0.15	2.98	
272	1485	.79	46	.10	9.02	1.43	.003	0.45	2.90	
273	1486	.72	123	.07	25.78	.96	.005	11.14	4.46	
274	1487	.10	18	.08	7.62	2.22	.003	2.20	2.88	
275	3039	.39	44	.10	1.92	2.21	.003	0.09	2.69	
276	3040	.35	50	.08	2.23	1.58	.002	0.09	2.73	
277	3041	.46	15	.09	9.32	1.23	.001	0.14	2.84	
V-316 278	3042	.31	9	.09	9.27	1.10	.001	0.17	2.75	
279	3043	.62	9	.11	12.76	1.20	.001	0.12	2.92	
280	3044	.27	7	.10	5.70	2.36	.001	0.16	2.73	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

D. A. S. for O.S.B.
Registered Assayer, Province of British Columbia

V-01-R

CYPRUS ANVIL MINING CORPORATION

Page 1 of 1

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

<u>Samp. No.</u>	<u>From (Ft.)</u>	<u>To (Ft.)</u>	<u>Int. (Ft.)</u>	<u>Ag/AA GMS/MT</u>	<u>Ag/FA GMS/MT</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Pb+Zn %</u>	<u>S.G.</u>	<u>Cu %</u>	<u>BaO %</u>	<u>Au GMS/MT</u>	<u>Po %</u>	<u>Py %</u>	<u>Hg %</u>	<u>Mn %</u>	<u>Unit</u>
1476	25.0	38.0	13.0	273.0		6.04	0.57	6.61		0.05							?
1477	38.0	43.0	5.0	116.0		6.70	13.11	19.81		0.57							4G4
1478	43.0	48.0	5.0	107.0		5.14	11.60	16.74		0.20							4G4
1479	48.0	53.0	5.0	156.0		9.54	19.20	28.74		0.50							4E4
1480	53.0	57.5	4.5	16.0		0.67	0.81	1.48		0.04							4E4
1481	57.5	67.0	9.5	96.0		9.40	19.03	28.43		0.53							4A0
1482	67.0	73.0	6.0	97.0		6.41	12.08	18.49		0.23							4A0
1483	73.0	78.0	5.0	45.0		4.12	2.95	7.07		0.18							4A0
1484	78.0	83.0	5.0	50.0		3.60	4.12	7.72		0.06							4A0
1485	83.0	88.0	5.0	65.0		3.14	3.24	6.38		0.06							4A0
1486	88.0	93.0	5.0	110.0		6.01	8.62	14.63		0.30							4G4
1487	93.0	98.0	5.0	18.0		0.95	1.34	2.29		0.14							4L3

SECT. 2E

V-133 R



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 8

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
141	0641	2.60	20	.002	2.74					
142	0642	.41	12	.002	2.75					
143	0643	.48	3	.002	2.62					
144	0644	.96	TR	.003	2.70					
145	0696	2.67	8	.002	3.92					
146	0697	.89	10	.002	3.43					
147	0698	.96	9	.002	4.04					
148	0699	1.03	8	.002	3.73					
149	0700	.14	6	.002	3.56					
150	0751	.89	8	.002	3.66					
151	0752	.55	10	.002	3.59					
152	0753	.48	10	.002	3.67					
153	0754	1.58	7	.001	3.19					
154	0755	.14	6	.001	3.06					
155	0756	.21	10	.002	3.11					
156	0757	.55	10	.002	3.31					
157	0758	.41	9	.002	3.17					
158	0759	.27	7	.002	3.09					
159	0760	.07	3	.002	3.03					
160	0761	.21	5	.002	3.09					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAAS for RLSB
Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS ?

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-115-R 121	0531	TR	4	.001	2.84					
	122	0532	TR	2	.001	2.84				
" 123	0551	.41	12	.001	2.82					
	124	0552	.21	20	.002	2.83				
125	0605	.07	2	.001	2.56					
126	0606	.07	1	.001	2.48					
127	0607	.07	1	.001	2.56					
128	0608	.07	1	.001	2.57					
129	0609	.07	1	.001	2.54					
130	0610	.07	1	.001	2.52					
V-300 131	0611	.07	4	.001	2.62					
	132	0612	.07	8	.001	2.69				
	133	0613	.21	7	.002	3.03				
	134	0614	.14	8	.001	2.98				
	135	0615	.10	4	.002	2.76				
	136	0616	.21	2	.001	2.72				
137	0637	1.37	4	.001	2.69					
V-133-R 138	0638	.55	8	.002	2.49					
	139	0639	.48	12	.002	2.68				
	140	0640	1.37	11	.002	2.65				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

WAS for QMB
Registered Assayer, Province of British Columbia

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

<u>Samp. No.</u>	<u>From (Ft.)</u>	<u>To (Ft.)</u>	<u>Int. (Ft.)</u>	<u>Ag/AA GMS/MT</u>	<u>Ag/FA GMS/MT</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Pb+Zn %</u>	<u>S.G.</u>	<u>Cu %</u>	<u>BaO %</u>	<u>Au GMS/MT</u>	<u>Po %</u>	<u>Py %</u>	<u>Hg %</u>	<u>Mn %</u>	<u>Unit</u>
631	232.3	237.0	4.7	37.0	32.0	1.73	3.77	5.50	2.84	0.06	0.52	0.36	8.96	1.04	.004	0.21	4A0,4
632	237.0	242.0	5.0	39.0	40.0	2.10	5.34	7.44	2.74	0.06	0.21	0.49	6.63	1.82	.006	0.22	4A0,4
633	242.0	247.0	5.0	4.0	4.0	0.24	0.31	0.55	2.45	0.02	0.53	0.07	3.53	0.16	.001	0.16	4A0
634	247.0	252.0	5.0	74.0	74.0	4.33	6.64	10.97	3.17	0.08	0.09	0.94	4.73	8.73	.006	0.24	4A0
635	252.0	257.0	5.0	81.0	81.0	4.92	9.40	14.32	3.00	0.04	0.07	1.14	2.04	7.72	.006	0.14	4A0
636	257.0	262.0	5.0	28.0	31.0	1.66	2.86	4.52	2.59	0.03	0.13	0.57	3.13	1.50	.002	0.17	4A0
637	262.0	267.0	5.0	3.0		0.19	0.44	0.63		0.02							4A0
638	267.0	272.0	5.0	8.0		0.61	1.04	1.65		0.03							4A0
639	272.0	277.0	5.0	13.0		0.93	0.96	1.89		0.03							4A0
640	277.0	282.0	5.0	8.0		0.52	1.50	2.02		0.05							4A0
641	282.0	287.0	5.0	21.0		1.49	0.73	2.22		0.08							4A0
642	287.0	292.0	5.0	10.0		0.76	0.59			0.08							4A0
643	292.0	297.0	5.0	2.0		0.28	0.47			0.02							4A0
644	297.0	302.0	5.0	TR		TR	0.15			0.01							4A0

V-115R



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation
330 - 355 Burrard St.
Vancouver, B.C. V6E 2G8

Certificate No. K-2675

Date June 6, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No	Marked	GOLD Ounces Per Ton	SILVER g/tonne	Pb Percent	Zn Percent	Py Percent	Po Percent	BaO Percent	S.G. Percent
095-R 1	142	-	-	-	-	-	-	-	3.84
094-R 2	178	-	-	-	-	-	-	-	2.79
3 3	292	-	-	-	-	-	-	-	3.61
114-R 4	295	45	2.89	4.94	-	-	-	-	3.68
119-R 5	409	190	5.79	8.03	38.92	.70	-	-	4.85
115-R 6	560	-	-	-	18.28	4.09	-	-	4.47
7	681	-	19	1.25	2.01	-	-	-	-
8	683	-	-	-	-	-	-	-	3.96
303 9	691	-	-	-	-	-	-	-	3.99
10	695	-	-	-	-	-	-	-	3.46
309 11	737	-	-	-	-	-	-	-	4.23
12	772	-	33	3.02	-	-	-	-	-
13	782	-	91	7.87	-	-	-	-	-
302 14	783	-	-	-	-	-	-	-	4.27
15	784	-	-	-	-	-	-	-	4.29
305 16	853	-	-	-	-	-	-	17.9	-
17	906	-	-	-	-	-	-	-	3.24
304 18	919	-	55	4.24	3.48	-	-	1.9	-
19	949	-	57	5.30	3.78	26.98	6.37	7.8	4.42
306 20	950	-	36	.97	1.15	3.14	3.53	4.6	2.91

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

David J. Ross

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 7

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-115-R 121	0531	TR	4	.001	2.84					
122	0532	TR	2	.001	2.84					
" 123	0551	.41	12	.001	2.82					
124	0552	.21	20	.002	2.83					
125	0605	.07	2	.001	2.56					
126	0606	.07	1	.001	2.48					
127	0607	.07	1	.001	2.56					
128	0608	.07	1	.001	2.57					
129	0609	.07	1	.001	2.54					
130	0610	.07	1	.001	2.52					
V-300 131	0611	.07	4	.001	2.62					
132	0612	.07	8	.001	2.69					
133	0613	.21	7	.002	3.03					
134	0614	.14	8	.001	2.98					
135	0615	.10	4	.002	2.76					
136	0616	.21	2	.001	2.72					
V-133-R 137	0637	1.37	4	.001	2.69					
138	0638	.55	8	.002	2.49					
139	0639	.48	12	.002	2.68					
140	0640	1.37	11	.002	2.65					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

WAS for PWS
Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 6

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
101	0511	.62	14	.001	3.47					
102	0512	.51	22	.002	3.30					
103	0513	.51	41	.002	3.73					
104	0514	1.44	17	.001	3.47					
105	0515	.41	13	.001	3.43					
106	0516	.41	10	.001	3.03					
107	0517	.21	2	.001	2.96					
108	0518	.41	6	.001	3.21					
109	0519	.31	4	.001	3.02					
110	0520	.41	6	.001	3.29					
111	0521	.21	5	.001	3.03					
112	0522	.51	20	.001	3.51					
113	0523	.51	9	.001	3.45					
114	0524	.72	10	.001	3.29					
115	0525	.51	9	.001	3.46					
116	0526	.10	2	.001	2.85					
117	0527	.10	7	.001	2.86					
118	0528	.10	9	.001	2.78					
119	0529	TR	7	.001	2.93					
120	0530	.10	10	.001	2.86					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

WAB for PJB
Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 5

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
81	0445	TR	10	L.001	2.75					
82	0446	.68	1	L.001	2.58					
83	0454	.14	TR	L.001	2.78					
84	0455	.21	4	L.001	2.88					
85	0456	.21	4	L.001	3.03					
86	0457	.27	5	L.001	3.03					
87	0458	.07	1	L.001	2.69					
88	0485	.27	9	L.001	2.59					
89	0486	.10	6	L.001	2.61					
90	0487	.41	23	L.001	2.63					
91	0488	.21	10	L.001	2.69					
92	0489	TR	8	L.001	2.96					
93	0490	.10	10	L.001	2.90					
94	0491	.10	34	L.001	3.09					
95	0497	.62	8	L.001	2.73					
96	0498	.62	6	L.001	3.02					
97	0499	.31	10	L.001	2.85					
98	0500	.51	11	.003	3.25					
99	0509	1.54	19	.001	3.51					
100	0510	1.03	15	.002	3.75					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for ASB
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS 3

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2602

Date April 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	BaO	Hg	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
41	0276	.93	37	.67	22.8	8.3	10.08	.001	4.25	
42	0277	.21	3	.15	3.7	6.1	3.02	.001	2.86	
43	0278	1.13	13	.32	23.9	3.8	0.50	.001	3.69	
44	0279	.21	5	.18	2.7	3.3	2.17	.001	2.86	
45	0280	.89	66	.52	14.0	8.7	6.08	.001	3.66	
46	0281	.41	9	.17	3.1	5.0	2.78	.001	2.73	
47	0282	1.47	37	.58	21.0	8.9	5.98	.001	4.16	
48	0283	.14	31	.32	21.1	5.4	3.62	.001	3.73	
49	0284	.07	11	.28	21.1	7.0	0.15	.001	3.69	
50	0285	.55	8	.17	24.3	2.9	0.06	.001	3.55	
51	0286	.55	21	.44	23.5	8.4	1.63	.001	4.30	
52	0492	.31	8	.14	2.1	2.6	0.10	.001	2.58	
53	0493	.17	22	.16	2.5	3.1	0.22	.001	2.76	
54	1498	.45	17	.12	4.4	3.8	0.09	.001	2.76	
55	1499	.38	21	.11	4.0	3.0	0.60	.001	2.81	
56	1500	.14	11	.11	3.4	2.0	0.90	.001	2.69	
57	3001	.93	70	.24	9.4	3.3	0.11	.007	3.16	
58	3002	1.13	16	.18	19.4	2.9	0.10	.002	3.39	
59	3003	1.17	53	.15	13.7	2.2	0.07	.005	3.19	
60	3004	1.27	52	.11	12.9	1.8	0.05	.004	3.11	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for PGB
Registered Assayer, Province of British Columbia

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
492	73.5	78.5	5.0	10.0		0.53	1.28	1.81		0.02							5A9
493	78.5	83.5	5.0	24.0		1.13	2.41	3.54		0.04							5A/4A
494	83.5	88.5	5.0	56.0	56.0	3.88	7.03	10.91	2.70	0.07	0.06	0.015	1.7	2.9	.004	0.09	4A0
495	88.5	93.5	5.0	37.0	34.0	2.76	4.02	6.78	2.72	0.06	0.11	0.007	1.6	3.7	.003	0.10	4A0
496	93.5	97.5	4.0	34.0	35.0	1.93	3.73	5.66	2.63	0.07	0.03	0.010	1.8	3.2	.002	0.08	4A0
497	108.2	112.2	4.0	8.0		0.34	0.34			0.08							4A0
498	112.2	115.5	3.3	6.0		0.22	0.47			0.09							4A0
499	115.5	119.4	3.9	11.0		0.50	0.61			0.09							4L/4C
500	119.4	124.4	5.0	11.0		0.64	0.75			0.10							4A9
551	124.4	129.4	5.0	14.0		0.71	0.87			0.17							4A9
552	129.4	134.4	5.0	15.0		0.86	1.18			0.09							4A9
553	134.4	139.0	4.6	25.0	23.0	1.63	3.38	5.01	2.67	0.05	0.63	TR	4.5	3.6	.001	0.17	4A9/4C0
554	139.0	144.0	5.0	83.0	91.0	4.96	7.05	12.01	4.24	0.05	27.33	0.004	2.5	10.7	.004	0.26	4G7/8
555	144.0	149.0	5.0	100.0	103.0	6.85	7.62	14.47	4.25	0.08	20.02	0.005	9.2	8.9	.005	1.07	4G7/8
556	149.0	154.0	5.0	104.0	100.0	8.19	6.73	14.92	4.24	0.07	19.02	0.012	5.5	11.9	.004	0.65	4G7/8
557	154.0	159.0	5.0	99.0	91.0	6.79	7.65	14.44	4.37	0.04	19.97	0.010	6.6	12.9	.004	0.70	4G8/7/4
558	159.0	164.0	5.0	115.0	109.0	9.65	7.36	17.01	4.20	0.20	4.71	0.012	23.2	5.4	.002	1.70	4G8/7/4
559	164.0	168.0	4.0	98.0	99.0	8.82	6.51	15.33	4.41	0.10	11.51	0.005	14.3	16.1	.002	1.36	4G8/7/4
560	168.0	173.0	5.0	89.0	89.0	6.05	4.72	10.77	5.00	0.04	14.14	0.012	4.5	17.0	.003	0.56	4EG/8/4
561	173.0	178.0	5.0	71.0	73.0	5.26	5.70	10.96	4.37	0.17	13.04	0.009	9.1	17.5	.003	0.70	4EG/8/4
562	178.0	183.0	5.0	34.0	33.0	1.98	6.07	8.05	4.74	0.03	6.54	TR	1.7	30.1	.003	0.22	4E0
563	183.0	188.0	5.0	100.0	103.0	5.57	9.06	14.63	4.35	0.05	21.09	0.011	1.3	15.7	.006	0.15	4G4
564	188.0	193.0	5.0	105.0	108.0	8.49	10.60	19.09	4.33	0.01	11.98	0.017	2.9	17.4	.007	0.28	4F6
565	193.0	198.0	5.0	60.0	58.0	3.64	7.41	11.05	4.57	0.08	27.02	0.004	1.6	14.3	.006	0.22	4G4/8
566	198.0	203.0	5.0	62.0	62.0	3.28	7.63	10.91	4.46	0.09	30.51	0.005	3.0	11.0	.007	0.34	4G4/8
447	203.0	208.0	5.0	102.0	99.0	7.99	6.77	14.76	4.46	0.16	10.82	0.020	4.9	27.1	.003	0.41	4G4,8/4E8,4
448	208.0	213.0	5.0	53.0	45.0	3.45	3.79	7.24	4.48	0.30	4.37	0.012	8.9	38.3	.002	0.49	4E8/4
449	213.0	218.0	5.0	70.0	64.0	5.05	4.13	9.18	4.48	0.30	3.78	0.025	8.0	27.4	.002	0.52	4E8/4
450	218.0	222.0	4.0	62.0	58.0	4.59	4.89	9.48	4.39	0.25	5.24	0.014	5.5	28.0	.002	0.44	4E8/4
501	222.0	225.6	3.6	28.0	29.0	1.69	4.18	5.87	3.06	0.05	0.38	0.005	6.4	9.4	.002	0.18	4A7/9
502	225.6	228.7	3.1	25.0	28.0	1.46	3.23	4.69	3.31	0.02	0.40	TR	1.6	17.5	.002	0.16	4C/4A
503	228.7	233.7	5.0	57.0	58.0	1.97	4.38	6.35	4.39	0.07	0.48	0.011	1.3	34.0	.003	0.11	4E0

V-115-R

GEOCHEMICAL LOG

Page 2 of 2

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	Bao %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
504	233.7	239.7	6.0	63.0	65.0	2.55	5.82	8.37	4.46	0.08	3.03	0.018	1.3	33.0	.004	0.10	
505	239.7	243.7	4.0	108.0	107.0	6.85	9.59	16.44	4.41	0.07	23.95	0.005	2.2	13.2	.007	0.21	4FG
506	243.7	247.0	3.3	71.0	69.0	4.33	6.63	10.96	4.07	0.06	25.97	0.005	3.9	10.7	.005	0.37	4FG
507	247.0	252.0	5.0	88.0	82.0	5.71	3.64	9.35	3.73	0.18	3.54	0.009	21.1	7.8	.002	2.01	4D9/8
508	252.0	256.0	4.0	45.0	43.0	2.65	4.13	6.78	3.52	0.28	1.22	0.004	16.0	9.2	.002	1.20	4D9/8
509	256.0	259.0	3.0	18.0		0.74	1.07	1.81		0.47							4D9/8
510	259.0	264.0	5.0	14.0		0.53	1.09	1.62		0.10							4C/D9,8
511	264.0	269.0	5.0	11.0		0.56	0.63	1.19		0.17							4C/D9,8
512	269.0	274.0	5.0	20.0		1.01	1.38	2.39		0.16							4C7/D
513	274.0	279.0	5.0	43.0		2.55	3.98	6.53		0.16							4C7/D
514	279.0	284.0	5.0	16.0		0.84	0.71	1.55		0.29							4C7/D
515	284.0	287.0	3.0	13.0		0.79	1.52			0.26							4C7/D
516	287.0	292.0	5.0	7.0		0.08	0.23			0.43							4L7/9
517	292.0	297.5	5.5	4.0		0.06	0.14			0.14							4L7/9
518	297.5	302.5	5.0	8.0		0.16	0.32			0.30							4L7/9
519	302.5	307.0	4.5	5.0		0.15	0.36			0.16							4L7/9
520	307.0	310.4	3.4	6.0		0.14	0.29			0.17							4L7/9
521	310.4	313.0	2.6	8.0		0.04	0.29			0.18							4D9/8
522	313.0	318.0	5.0	23.0		0.07	0.31			0.32							4A0
523	318.0	323.0	5.0	11.0		0.05	0.08			0.29							4A0
524	323.0	328.0	5.0	13.0		0.01	0.12			0.27							4A0
525	328.0	333.0	5.0	10.0		0.06	0.23			0.24							4A0
526	333.0	338.0	5.0	4.0		0.10	0.12			0.05							4L0
527	338.0	343.0	5.0	6.0		0.31	0.68			0.08							4L7
528	343.0	348.0	5.0	6.0		0.09	0.22			0.08							4L/4D
529	348.0	353.0	5.0	11.0		0.25	0.35			0.10							4L0
530	353.0	358.0	5.0	11.0		0.09	0.34			0.12							4L7
531	358.0	362.0	4.0	4.0		0.07	0.20			0.05							4L6
532	362.0	368.0	6.0	2.0		TR.	0.12			0.01							4L6

V-15R.



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 22

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V.35.R 421	3448	.48	6	.002	3.04					
422	3449	.41	5	.002	2.88					
423	3450	.41	19	.002	4.19					
424	3451	.34	12	.002	3.15					
425	3571	.82	12	.002	3.79					
V.15.R 426	3572	.89	7	.002	4.13					
427	3573	1.66	9	.002	2.79					
428	3574	.89	10	.002	3.89					
429	3575	.82	8	.002	3.56					
430	3576	.68	22	.002	3.60					
431	3577	.82	59	.007	3.49					
432	3578	.75	12	.001	2.53					
433	3579	.07	2	.001	2.80					
434	3580	.07	5	.001	3.13					
435	3581	.07	3	.001	2.98					
436	3582	.07	5	.001	3.05					
437	3598	.07	2	.002	2.96					
V.53.R 438	3599	.14	2	.001	2.61					
439	3600	.07	2	.001	3.25					
440	3601	.34	12	.001	2.91					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for PAB
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS 8

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2602

Date April 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	BaO	Hg	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
141	3566	.27	14	.31	6.2	3.5	15.49	.001	3.34	
142	3567	.48	92	.41	12.1	3.1	27.90	.009	4.42	
V-15-R 143	3568	.45	83	.48	13.6	3.4	26.46	.003	4.45	
144	3569	.99	92	.90	24.0	8.7	0.39	.002	4.40	
145	3570	.65	21	.80	19.4	8.2	0.38	.002	3.79	
146	3587	3.22	262	.22	15.9	1.6	9.51	.002	4.44	
147	3588	.51	324	.06	18.8	1.7	2.36	.004	5.21	
148	3589	.38	70	.53	3.79	29.0	0.06	.005	3.85	
V-53-R 149	3590	.34	36	.26	21.1	2.9	4.15	.002	3.78	
150	3591	.21	3	.09	3.1	2.4	2.34	.002	2.75	
151	3592	.82	77	.11	14.7	.6	29.99	.016	4.48	
152	3593	.82	70	.15	12.5	1.2	29.28	.015	4.12	
153	3594	.82	84	.14	11.9	.9	29.67	.016	4.33	
154	3595	1.44	102	.17	13.7	1.0	26.12	.016	4.31	
155	3596	1.03	108	.26	17.7	3.8	8.31	.007	4.07	
156	3597	1.34	119	.25	16.5	4.5	9.23	.008	4.05	
157	3608	.51	22	.04	2.1	2.4	0.15	L.001	2.72	
V-27-R 158	3609	.61	32	.06	5.4	1.8	0.10	.001	2.89	
159	3610	.82	52	.05	3.5	1.4	0.14	.003	2.76	
160	3611	.82	61	.07	5.5	1.1	0.44	.002	2.84	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Assay for Pulp
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2602

Date April 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	BaO	Hg	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
121	3427	.45	21	.06	.08	4.2	0.10	.003	2.57	
122	3428	.48	43	.05	10.0	1.7	2.48	.002	3.21	
123	3429	.48	21	.05	10.7	1.2	0.61	.003	2.75	
124	3430	1.65	50	.42	26.5	5.9	1.70	.004	4.32	
125	3431	1.64	13	.28	25.68	6.0	0.10	.002	4.14	
126	3551	.45	74	.04	9.0	1.4	0.33	.004	3.08	
127	3552	.65	101	.61	17.9	8.6	1.83	.002	4.13	
128	3553	.24	60	.17	8.8	3.4	12.24	.001	3.49	
129	3554	.89	93	.34	13.7	2.3	22.93	.001	4.13	
130	3555	.21	6	.22	5.0	4.3	6.73	.001	2.96	
131	3556	.89	58	.22	19.7	2.0	23.31	.001	4.53	
132	3557	1.03	90	.20	15.8	9.2	4.66	.002	4.48	
133	3558	2.26	83	.29	9.9	4.3	23.89	.001	4.25	
134	3559	1.47	21	.75	26.0	6.4	1.75	.001	4.22	
135	3560	1.03	23	.70	24.2	7.9	1.98	.002	4.23	
136	3561	.82	85	.60	11.9	4.9	26.74	.003	4.45	
137	3562	.69	108	1.19	10.0	8.5	21.58	.006	4.39	
138	3563	.55	65	.52	16.5	4.5	19.82	.002	4.21	
139	3564	.62	75	1.16	13.7	8.5	13.59	.002	4.18	
140	3565	.41	41	1.37	15.9	14.4	10.55	.001	4.53	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Darwin P. B.

Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS 6

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2602

Date April 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	BaO	Hg	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
101	3328	4.49	204	.12	12.9	1.8	0.02	.003	3.89	
102	3329	2.06	24	.13	19.56	2.64	0.06	.002	3.63	
V-47-R 103	3330	.65	10	1.90	11.6	15.3	0.02	.002	3.62	
104	3331	.31	13	.55	17.9	5.7	0.13	.008	3.65	
105	3332	.27	6	.57	14.6	5.5	0.10	.004	3.46	
106	3333	.55	15	1.02	9.1	10.5	0.12	.002	3.28	
107	3339	.27	17	.01	2.1	.9	0.09	.001	2.59	
108	3340	.86	12	.01	12.1	.8	0.12	.002	3.10	
109	3341	.69	3	.01	13.5	.9	0.11	.003	3.17	
110	3342	.72	10	L .01	13.3	.6	0.12	L .001	2.95	
111	3343	.55	4	.01	9.8	.7	0.12	.005	2.77	
V-15-R 112	3344	.72	9	.01	12.9	.9	0.11	.002	2.97	
113	3345	.65	11	.05	10.6	1.7	0.11	.004	2.93	
114	3346	.65	10	.01	14.6	.9	0.10	.005	3.06	
115	3347	.99	21	.02	9.1	.8	0.10	.002	2.92	
116	3348	1.30	13	.06	7.3	1.2	0.14	.007	2.76	
117	3349	.41	18	.03	2.6	1.0	0.30	.004	2.70	
118	3350	.55	28	.02	2.9	.7	0.43	.002	2.63	
V-35-R 119	3425	.82	32	.04	5.3	1.5	0.12	.004	2.78	
120	3426	.34	4	.07	1.6	3.5	0.08	.004	2.63	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

[Signature]
Registered Assayer, Province of British Columbia

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Sample No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
3339	57.0	63.0	6.0	13.0		1.45	2.35	3.80		0.01							4A0
3340	63.0	69.0	6.0	11.0		0.46	0.70	1.16		0.09							4A0
3341	69.0	75.0	6.0	3.0		0.14	0.17	0.31		0.13							4A0
3342	75.0	81.0	6.0	4.0		0.17	0.18	0.35		0.09							4A0
3343	81.0	87.0	6.0	TR		0.22	0.17	0.39		0.08							4A0
3344	87.0	93.0	6.0	8.0		0.46	0.83	1.29		0.12							4A0
3345	93.0	99.0	6.0	8.0		0.45	0.81	1.26		0.12							4A0
3346	99.0	105.0	6.0	6.0		0.29	0.59	0.88		0.18							4A0
3347	105.0	111.0	6.0	21.0		2.10	2.20	4.30		0.08							4A0
3348	111.0	117.0	6.0	7.0		0.94	0.97	1.91		0.07							4A0
3349	117.0	123.0	6.0	15.0		1.88	2.17	4.05		0.04							4A0
3350	123.0	126.4	3.4	29.0		1.95	0.27	2.22		0.06							4A0
3351	126.4	131.0	4.6	75.0		4.65	9.03	13.68		0.04							4D0
3552	137.0	140.6	3.6	106.0		8.02	5.35	13.37		0.09							4E/F8
3553	147.7	148.9	1.2	67.0		4.19	9.79	13.98		0.04							4E0
3554	166.1	169.9	3.8	99.0		5.89	7.80	13.69		0.09							4G8
3555	169.9	172.6	2.7	2.0		0.50	0.60	1.10		0.03							4L3,4
3556	172.6	179.6	7.0	61.0		3.75	5.73	9.48		0.14							4E6,8
3557	179.6	184.6	5.0	95.0		7.10	7.90	15.00		0.13							4E6,8
3558	184.6	189.8	5.2	81.0		5.45	7.23	12.68		0.18							4G8
3559	189.8	194.8	5.0	20.0		0.95	1.04	1.99		0.30							4E8,6
3560	194.8	198.2	3.4	19.0		1.34	2.10	3.44		0.17							4E8,6
3561	198.2	201.3	3.1	81.0		4.97	7.23	12.20		0.07							4G8
3562	201.3	202.6	1.3	111.0		7.78	8.73	16.51		0.05							4J8
3563	202.6	208.6	6.0	63.0		3.93	6.07	10.00		0.09							4E8/J6
3564	208.6	214.6	6.0	74.0		5.97	5.06	11.03		0.15							4L/E8
3565	214.6	218.3	3.7	42.0		3.16	2.54	5.70		0.18							4E8
3566	218.3	220.6	2.3	18.0		1.49	2.41	3.90		0.05							4L4
3567	220.6	227.2	6.6	90.0		5.10	7.65	12.75		0.05							4G8

<u>Sample No.</u>	<u>From (Ft.)</u>	<u>To (Ft.)</u>	<u>Int. (Ft.)</u>	<u>Ag/AA GMS/MT</u>	<u>Ag/FA GMS/MT</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Pb+Zn %</u>	<u>S.G.</u>	<u>Cu %</u>	<u>BaO %</u>	<u>Au GMS/MT</u>	<u>Po %</u>	<u>Py %</u>	<u>Hg %</u>	<u>Mn %</u>	<u>Unit</u>
3568	231.6	236.7	5.1	81.0		5.62	6.45	12.07		0.05							4G8
3569	236.7	243.0	6.3	96.0		5.37	1.47	6.84		0.20							4E8
3570	243.0	249.0	6.0	21.0		1.23	1.96	3.19		0.29							4C8
3571	249.0	255.0	6.0	8.0		0.49	0.43	0.92		0.32							4C8
3572	255.0	261.0	6.0	4.0		0.16	0.28	0.44		0.30							4C8
3573	261.0	267.0	6.0	6.0		0.23	0.32	0.55		0.49							4C8
3574	267.0	273.0	6.0	7.0		0.47	1.15	1.62		0.44							4C8
3575	273.0	279.0	6.0	6.0		0.51	0.65	1.16		0.25							4C8
3576	279.0	283.2	4.2	19.0		1.63	2.54	4.17		0.17							4C8
3577	283.2	286.8	3.6	56.0		3.91	9.22	13.13		0.15							4D6
3578	286.8	288.3	1.5	12.0		0.75	0.41	1.16		0.28							4L4
3579	327.0	328.0	1.0	3.0		0.06	0.15	0.21		0.03							4A0
3580	329.6	335.0	5.4	5.0		0.26	1.40	1.66		0.09							4A/4L4
3581	335.0	340.0	5.0	4.0		0.23	0.45	0.68		0.09							4L4,7
3582	340.0	345.3	5.3	3.0		0.23	0.37	0.60		0.07							4L4

V-119R



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 5

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
81	0445	TR	10	L.001	2.75					
82	0446	.68	1	L.001	2.58					
83	0454	.14	TR	L.001	2.78					
84	0455	.21	4	L.001	2.88					
85	0456	.21	4	L.001	3.03					
86	0457	.27	5	L.001	3.03					
87	0458	.07	1	L.001	2.69					
88	0485	.27	9	L.001	2.59					
89	0486	.10	6	L.001	2.61					
90	0487	.41	23	L.001	2.63					
91	0488	.21	10	L.001	2.69					
92	0489	TR	8	L.001	2.96					
93	0490	.10	10	L.001	2.90					
94	0491	.10	34	L.001	3.09					
95	0497	.62	8	L.001	2.73					
96	0498	.62	6	L.001	3.02					
97	0499	.31	10	L.001	2.85					
98	0500	.51	11	.003	3.25					
99	0509	1.54	19	.001	3.51					
100	0510	1.03	15	.002	3.75					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for ASB
Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation

330 - 355 Burrard St.

Vancouver, B.C. V6E 2G8

Certificate No. K-2675

Date June 6, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Py	Po	BaO	S.G.	
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
095-R 1	142	-	-	-	-	-	-	-	-	3.84
094-R 2	178	-	-	-	-	-	-	-	-	2.79
3 3	292	-	-	-	-	-	-	-	-	3.61
114-R 4	295	-	45	2.89	4.94	-	-	-	-	3.68
119-R 5	409	-	190	5.79	8.03	38.92	.70	-	-	4.85
115-R 6	560	-	-	-	-	18.28	4.09	-	-	4.47
7	681	-	19	1.25	2.01	-	-	-	-	-
8	683	-	-	-	-	-	-	-	-	3.96
303 9	691	-	-	-	-	-	-	-	-	3.99
10	695	-	-	-	-	-	-	-	-	3.46
307 11	737	-	-	-	-	-	-	-	-	4.23
12	772	-	33	3.02	-	-	-	-	-	-
13	782	-	91	7.87	-	-	-	-	-	-
302 14	783	-	-	-	-	-	-	-	-	4.27
15	784	-	-	-	-	-	-	-	-	4.29
305 16	853	-	-	-	-	-	-	17.9	-	-
17	906	-	-	-	-	-	-	-	-	3.24
304 18	919	-	55	4.24	3.48	-	-	1.9	-	-
19	949	-	57	5.30	3.78	26.98	6.37	7.8	-	4.42
306 20	950	-	36	.97	1.15	3.14	3.53	4.6	-	2.91

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Das Jan 1983

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 4

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-110.R 61	0375	.55	19	.001	4.07					
62	0375	.68	19	.001	4.31					
63	0377	.27	8	L.001	2.80					
64	0410	.07	3	.001	2.60					
65	0411	.14	8	.001	2.79					
66	0412	.21	5	.001	2.89					
67	0413	.14	3	L.001	2.77					
68	0414	.07	2	L.001	2.63					
69	0415	.14	2	L.001	2.79					
V-119.R 70	0434	.68	19	L.001	3.82					
71	0435	1.30	26	L.001	4.36					
72	0436	.14	17	L.001	4.02					
73	0437	.62	16	L.001	3.48					
74	0438	.27	17	L.001	2.85					
75	0439	.21	TR	L.001	2.82					
76	0440	.27	8	L.001	3.07					
77	0441	.07	8	L.001	2.86					
78	0442	.14	6	.001	2.88					
79	0443	.07	4	L.001	2.68					
80	0444	.14	5	L.001	2.72					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for OAB
Registered Assayer, Province of British Columbia

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
401	68.0	73.0	5.0	27.0	29.0	2.84	1.42	4.26	2.75	0.16	0.24	0.020	0.7	5.4	.002	0.08	4A0
402	73.0	78.0	5.0	30.0	34.0	3.41	4.43	7.84	2.73	0.07	0.14	0.003	0.7	3.4	.002	0.05	4A0
403	78.0	83.0	5.0	34.0	32.0	3.67	4.81	8.48	2.67	0.06	0.11	0.036	0.8	3.7	.001	0.06	4A0
404	83.0	88.0	5.0	30.0	31.0	3.32	4.71	8.03	2.64	0.04	0.11	0.022	0.8	2.8	.001	0.04	4A0
405	88.0	93.0	5.0	38.0	34.0	3.50	4.84	8.34	2.68	0.05	0.20	0.030	0.7	2.2	.003	0.05	4A0
406	93.0	98.0	5.0	33.0	33.0	2.97	3.80	6.77	2.70	0.05	0.19	0.005	0.6	3.8	.003	0.04	4A0
407	107.0	112.0	5.0	166.0	183.0	6.06	8.64	14.70	4.69	0.22	0.32	0.010	1.0	33.2	.007	0.09	4E3
408	112.0	118.0	6.0	127.0	129.0	10.22	4.87	15.09	4.13	0.04	5.03	0.010	5.2	18.0	.007	0.70	4E3
409	120.0	123.5	3.5	166.0	224.0	5.99	8.04	14.03	4.68	0.22	0.11	0.015	0.7	35.1	.006	0.03	4L3/2
410	123.5	125.0	1.5	TR.		0.14	0.42	0.56		TR.							4K0
411	125.0	130.0	5.0	3.0		0.15	0.45	0.60		0.01							5B6/4L
412	153.0	156.3	3.3	3.0		0.22	0.46			0.10							4L7
413	156.3	160.3	4.0	TR.		0.12	0.41			0.01							4L6/7
414	160.3	164.3	4.0	TR.		0.03	0.22			TR.							4L6/7
415	164.3	168.0	3.7	TR.		0.09	0.36			TR.							4L6/7
416	176.6	181.6	5.0	90.0	85.0	6.85	6.27	13.12	3.96	0.07	11.64	0.005	6.4	12.9	.007	0.37	4D0
417	181.6	186.0	4.4	111.0	106.0	7.48	8.86	16.34	4.59	0.06	31.14	0.010	1.8	9.4	.009	0.22	4G4
418	186.0	191.0	5.0	106.0	82.0	6.55	8.53	15.08	4.57	0.04	36.44	0.012	1.2	6.4	.010	0.16	4G4
419	191.0	196.2	5.2	109.0	101.0	6.87	7.96	14.83	4.53	0.04	36.19	0.008	1.0	6.6	.009	0.18	4G4
420	196.2	200.2	4.0	43.0	39.0	3.17	4.49	7.66	4.58	0.20	8.16	0.012	2.3	32.7	.004	0.26	4E0
421	200.2	204.3	4.1	68.0	68.0	5.41	5.87	11.28	4.46	0.21	4.43	0.015	3.6	31.3	.005	0.36	4E0
422	204.3	209.4	5.1	5.0	6.0	0.48	0.94	1.42	2.93	0.06	6.56	0.009	4.8	7.8	.001	0.18	4L6/7,1,5
423	209.4	212.6	3.2	11.0	9.0	0.48	0.19	0.67	4.00	0.09	0.14	0.011	1.3	31.8	.001	0.23	4K3
424	212.6	217.0	4.4	40.0	36.0	3.33	2.18	5.51	4.05	0.21	3.77	0.020	1.4	26.8	.003	0.22	4E3,8/4K3
425	217.0	222.0	5.0	58.0	59.0	4.26	4.21	8.47	4.52	0.32	7.26	0.025	7.3	32.3	.005	0.50	4E3
426	222.0	227.0	5.0	64.0	58.0	5.33	4.40	9.73	4.67	0.18	6.20	0.018	3.4	35.0	.002	0.39	4E3
427	227.0	232.0	5.0	51.0	51.0	4.12	3.98	8.10	4.54	0.24	8.03	0.005	5.3	32.4	.002	0.41	4E3
428	232.0	236.1	4.1	37.0	31.0	2.69	3.00	5.69	4.42	0.29	3.16	0.018	7.6	40.7	.001	0.54	4E8/3

V-321



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 4

TO Cyprus Anvil Mining Corporation

Certificate No. K-2675

Date June 6, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Py	Po	BaO	S.G.	
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
321 61	3272		48	3.80	5.43	-	-	9.6	-	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Daryl B. B.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 3

TO Cyprus Anvil Mining Corporation

Certificate No. K-2675

Date June 6, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Py	Po	BaO	S.G.	
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
315 41	1471	-	-	-	-	-	-	-	4.04	
42	1479	-	-	-	-	-	-	-	5.16	
01-R 43	1480	-	138	8.64	18.97	-	-	-	-	
44	1481	-	17	.65	.84	-	-	-	-	
45	1482	-	98	6.49	12.15	-	-	-	-	
317 46	3112	-	-	-	-	-	-	-	4.13	
47	3113	-	-	-	-	-	-	-	3.92	
300 48	2908	-	-	-	-	-	-	-	4.95	
49	3225	-	19	.56	.82	31.17	15.47	-	-	
50	3226	-	19	.60	.61	23.72	21.04	-	-	
45-R 51	3227	-	41	2.58	3.48	20.18	22.28	-	-	
52	3238	-	79	12.99	.16	-	-	-	-	
53	3256	-	83	5.02	9.86	-	-	12.5	-	
54	3257	-	96	6.69	10.69	-	-	14.8	-	
55	3258	-	93	5.82	9.95	-	-	6.8	-	
56	3263	-	23	1.45	2.19	-	-	4.3	-	
321 57	3267	-	29	3.81	2.15	-	-	1.1	-	
58	3269	-	33	1.92	1.76	-	-	2.4	-	
59	3270	-	68	4.03	4.97	-	-	11.8	-	
60	3271	-	45	2.96	4.15	-	-	5.9	-	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Daryl A. Pels
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS 20
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
381	V 3259	2.33	103	.01	27.56	.51	.008	11.36	4.71	
382	3260	.74	89	.32	34.66	3.15	.003	5.00	4.60	
383	3261	1.75	86	.20	18.88	1.80	.005	17.26	4.59	
384	3262	.72	24	.26	35.86	5.31	.002	1.25	4.33	
385	3263	.45	23	.24	7.58	7.68	.001	3.80	3.24	
386	3264	1.54	31	.25	35.62	4.90	.002	2.26	4.36	
387	3265	1.47	44	.46	33.11	5.00	.002	6.13	4.24	
388	3266	2.02	31	.16	34.24	3.98	.003	5.57	3.89	
389	3267	2.23	27	.32	33.91	4.20	.002	1.00	4.00	
390	3268	2.30	54	.32	32.91	2.82	.003	10.21	4.25	
391	V 3269	.93	35	.65	32.99	6.41	.002	2.10	4.21	
392	3270	2.09	62	.34	24.23	3.33	.003	10.64	4.32	
393	3271	.99	41	.64	30.16	7.42	.001	5.35	4.22	
394	3272	.69	45	.42	21.09	4.94	.001	8.70	4.22	
395	3273	.65	14	.24	36.26	7.73	.001	0.22	4.56	
396	3274	.55	8	.12	28.48	5.72	L .001	0.39	3.54	
397	3275	.21	16	.05	4.28	8.47	.001	0.89	2.88	
398	3276	.14	4	.31	5.77	7.28	.001	1.12	2.87	

L denotes 'less than'

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

c.c. Darryl Hanson

Darryl Hanson
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS 19
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation


Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
361	V 3239	.89	11	.12	21.31	2.09	.001	0.09	3.51	
362	3240	.46	10	.61	13.14	6.24	.001	0.07	3.19	
363	3241	.46	44	2.18	11.63	19.00	.003	0.07	3.56	
364	3242	.63	11	.76	6.83	10.34	.002	0.21	3.08	
365	3243	.56	26	1.05	14.92	17.87	.002	0.13	3.48	
366	3244	.93	25	1.25	10.16	16.38	.002	0.14	3.53	
V-45-R 367	3245	.48	16	.75	9.71	11.08	.002	0.15	3.28	
368	3246	.89	35	.70	10.76	9.92	.002	0.11	3.24	
369	3247	.70	42	1.55	2.51	18.88	.003	0.08	3.51	
370	3248	1.00	44	.72	10.95	9.23	.003	0.05	3.40	
371	V 3249	1.33	43	.02	14.03	.63	.004	0.04	3.31	
372	3250	.74	23	.01	9.18	.53	.003	0.07	2.94	
V321 373	3251	.93	40	.02	3.44	.94	.003	0.08	2.72	
374	3252	1.56	34	.01	6.91	.65	.003	0.10	2.90	
375	3253	1.07	50	.02	3.35	.88	.003	0.14	2.76	
376	3254	.93	39	.01	2.18	1.13	.003	0.18	2.75	
377	3255	.56	47	.01	4.03	.63	.002	0.25	2.81	
378	3256	1.00	88	.01	30.05	.58	.006	10.88	4.77	
379	3257	2.22	85	.01	23.27	.43	.007	12.48	4.67	
380	3258	1.63	97	.01	37.21	.52	.008	5.96	4.80	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Sample No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
3249	66.3	73.0	6.7	44.0		2.92	4.17	7.09		0.72							4A0
3250	73.0	79.0	6.0	25.0		1.58	2.31	3.89		0.34							4A0
3251	79.0	85.0	6.0	44.0		3.85	4.96	8.81		0.07							4A0
3252	85.0	91.0	6.0	38.0		4.00	3.07	7.07		0.04							4A0
3253	91.0	97.0	6.0	51.0		4.46	3.94	8.40		0.05							4A0
3254	97.0	103.0	6.0	39.0		3.14	4.64	7.78		0.02							4A0
3255	103.0	107.5	4.5	47.0		4.24	3.82	8.06		0.04							4A0
3256	107.5	112.5	5.0	85.0		5.45	9.20	14.65		0.15							4G0
3257	112.5	116.0	3.5	79.0		6.56	10.09	16.65		0.18							4G0
3258	116.0	122.0	6.0	94.0		6.30	9.75	16.05		0.11							4E6
3259	122.0	127.0	5.0	98.0		7.01	9.79	16.80		0.21							4E6
3260	170.8	178.7	7.9	96.0		6.97	7.36	14.33		0.20							4EG
3261	206.1	207.3	1.2	77.0		5.38	7.36	12.74		0.10							4K4
3262	217.0	219.2	2.2	30.0		2.22	1.59	3.81		0.34							4E1
3263	238.3	243.0	4.7	26.0		1.54	2.05	3.59		0.12							4GL
3264	243.0	248.0	5.0	37.0		3.17	2.08	5.25		0.16							4KF
3265	248.0	253.0	5.0	45.0		3.00	2.90	5.90		0.16							4K/L/G
3266	253.0	258.0	5.0	34.0		1.95	2.07	4.02		0.16							4GK
3267	258.0	263.0	5.0	28.0		3.72	2.00	5.72		0.21							4K0
3268	263.0	268.0	5.0	54.0		4.91	4.43	9.34		0.21							4KG
3269	268.0	273.0	5.0	34.0		1.97	1.80	3.77		0.13							4GF
3270	273.0	278.0	5.0	65.0		3.83	4.72	8.55		0.23							4GF
3271	278.0	283.0	5.0	40.0		3.04	3.95	6.99		0.23							4GK
3272	283.0	288.0	5.0	47.0		3.93	5.19	9.12		0.17							4GK
3273	288.0	290.0	2.0	18.0		0.71	0.87	1.58		0.21							4E0
3274	301.0	306.2	5.2	14.0		0.16	0.09	0.25		0.31							4C7
3275	320.0	326.0	6.0	14.0		0.61	0.82	1.43		0.15							4C7
3276	326.0	331.7	5.7	7.0		0.30	0.78	1.08		0.14							4AC



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 23

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
441	3602	.55	12	.001	2.88					
442	3603	.55	7	.001	3.06					
443	3604	.48	12	.001	3.28					
444	3605	.55	19	.001	3.54					
445	3606	1.17	17	.001	4.12					
446	3607	.21	23	.002	3.13					
447	3626	1.17	13	.001	3.74					
448	3627	.82	11	.001	3.30					
449	3628	1.10	17	.001	2.69					
450	3629	1.03	9	.001	3.55					
451	3630	.34	2	.001	4.09					
452	3642	.62	23	.002	2.85					
453	3643	1.58	8	.001	4.10					
454	3644	.82	11	.001	3.56					
455	3645	2.26	15	.001	3.68					
456	3646	2.81	21	.001	4.07					
457	3647	.07	10	.001	2.88					
458	3648	.41	12	.002	3.58					
459	3649	.75	13	.002	3.67					
460	3650	.69	11	.001	3.39					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Assay for PessB
Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 24

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
461	3651	.41	9	.001	3.83					
462	3652	.69	11	.001	3.77					
463	3653	1.17	10	.001	3.04					
464	3654	1.92	9	.001	4.04					
465	3655	1.51	11	.002	3.59					
466	3656	.27	11	.002	3.13					
467	3661	1.51	19	.002	3.86					
468	3662	1.51	12	.002	4.00					
469	3663	2.06	13	.002	3.76					
470	3664	1.99	5	.002	3.70					
471	3665	1.78	15	.002	3.90					
472	3666	1.30	13	.002	3.62					
473	3667	1.44	13	.002	3.98					
474	3668	.89	10	.002	3.72					
475	3678	.69	14	.002	3.52					
476	3679	.89	14	.002	3.37					
477	3680	1.30	15	.002	3.44					
478	3681	.55	11	.002	3.62					
479	3682	.48	8	.002	4.77					
480	3683	.21	5	.002	2.83					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAS for OesB
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS 9

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation


Certificate No. K-2602

Date April 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	BaO	Hg	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
161	3612	.51	75	.30	6.9	6.2	5.20	L.001	3.34	
162	3613	.62	124	.23	8.8	5.9	25.13	.009	4.44	
163	3614	.10	25	.27	5.8	1.9	6.78	L.001	3.04	
164	3615	.51	147	.27	6.4	3.0	9.16	.012	4.06	
165	3616	.41	23	.11	2.2	6.2	0.52	.001	2.86	
166	3617	.10	TR	.06	2.9	2.2	3.09	.002	2.82	
167	3618	.34	63	.17	7.4	6.2	12.59	.003	3.73	
168	3619	.41	25	.04	2.8	2.8	0.40	.003	2.85	
169	3620	1.03	38	.08	22.2	.7	0.65	.004	3.46	
170	3621	.72	24	.07	14.4	1.0	0.35	.004	3.24	
171	3622	.86	28	.07	12.1	.8	0.39	.004	2.97	
172	3623	.79	27	.12	17.0	1.5	0.37	.004	3.29	
173	3624	.82	67	.15	21.4	1.3	20.79	.006	4.31	
174	3625	1.68	49	.46	22.3	6.2	7.88	.003	3.92	
175	3631	1.17	12	.12	22.2	1.8	0.08	.002	3.41	
176	3632	.31	17	.05	1.4	1.1	0.08	.002	2.64	
177	3633	.41	75	.23	14.1	2.1	1.46	.004	3.16	
178	3634	.51	7	.04	1.33	5.2	0.11	.002	2.68	
179	3635	.45	10	.09	1.6	3.8	0.35	.003	2.72	
180	3636	TR	5	.09	1.1	5.5	0.26	.002	2.69	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS 10

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2602

Date April 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	BaO	Hg	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
181	3637	.27	12	.02	.2	4.6	1.46	.002	2.61	
182	3638	.93	52	.12	14.0	4.4	9.06	.005	3.65	
183	3639	.96		.14	15.0	1.8	5.77	.007	3.69	
184	3640	1.20	25	.34	15.8	6.8	0.20	.003	3.54	
185	3641	1.92	29	.16	21.6	5.2	0.08	.002	3.72	
186	3657	.24	41	.06	4.2	3.8	2.65	.002	2.85	
187	3658	.65	32	.14	15.9	1.9	0.26	.004	3.28	
188	3659	1.17	96	.10	29.9	1.1	3.38	.005	4.65	
189	3660	1.44	101	.69	19.1	7.5	0.10	.005	4.08	
190	3669	1.27	21	.37	20.5	6.2	0.04	.003	3.59	
191	3670	1.51	25	.74	18.9	9.7	0.04	.002	3.72	
192	3671	1.13	34	1.30	9.9	16.6	0.05	.002	3.62	
193	3672	.82	23	1.28	12.1	13.1	0.07	.002	3.30	
194	3673	.58	28	1.45	5.4	15.0	0.17	.003	3.23	
195	3674	1.30	44	1.60	7.7	9.5	0.15	.002	3.27	
196	3675	.99	14	2.05	11.7	18.0	0.07	.002	3.61	
197	3676	.93	1	.57	5.0	9.0	0.07	.002	2.91	
198	3677	.89	23	1.27	11.2	14.3	0.04	.002	3.39	

N.D. indicates 'none detected'
TR indicates 'trace'
L indicates 'less than'

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

cc Mr. Darryl Hanson

[Signature]
Registered Assayer, Province of British Columbia

V-300



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 3

TO Cyprus Anvil Mining Corporation

Certificate No. K-2675

Date June 6, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Py	Po	BaO	S.G.	
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
315 41	1471	-	-	-	-	-	-	-	4.04	
42	1479	-	-	-	-	-	-	-	5.16	
01-R 43	1480	-	138	8.64	18.97	-	-	-	-	
44	1481	-	17	.65	.84	-	-	-	-	
45	1482	-	98	6.49	12.15	-	-	-	-	
46	3112	-	-	-	-	-	-	-	4.13	
317 47	3113	-	-	-	-	-	-	-	3.92	
300 48	2908	-	-	-	-	-	-	-	4.95	
49	3225	-	19	.56	.82	31.17	15.47	-	-	
50	3226	-	19	.60	.61	23.72	21.04	-	-	
45-R 51	3227	-	41	2.58	3.48	20.18	22.28	-	-	
52	3238	-	79	12.99	.16	-	-	-	-	
53	3256	-	83	5.02	9.86	-	-	12.5	-	
54	3257	-	96	6.69	10.69	-	-	14.8	-	
55	3258	-	93	5.82	9.95	-	-	6.8	-	
56	3263	-	23	1.45	2.19	-	-	4.3	-	
321 57	3267	-	29	3.81	2.15	-	-	1.1	-	
58	3269	-	33	1.92	1.76	-	-	2.4	-	
59	3270	-	68	4.03	4.97	-	-	11.8	-	
60	3271	-	45	2.96	4.15	-	-	5.9	-	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

David J. Ross

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 7

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-115-R 121	0531	TR	4	.001	2.84					
122	0532	TR	2	.001	2.84					
" 123	0551	.41	12	.001	2.82					
124	0552	.21	20	.002	2.83					
125	0605	.07	2	.001	2.56					
126	0606	.07	1	.001	2.48					
127	0607	.07	1	.001	2.56					
128	0608	.07	1	.001	2.57					
129	0609	.07	1	.001	2.54					
130	0610	.07	1	.001	2.52					
V-300 131	0611	.07	4	.001	2.62					
132	0612	.07	8	.001	2.69					
133	0613	.21	7	.002	3.03					
134	0614	.14	8	.001	2.98					
135	0615	.10	4	.002	2.76					
136	0616	.21	2	.001	2.72					
V-133-R 137	0637	1.37	4	.001	2.69					
138	0638	.55	8	.002	2.49					
139	0639	.48	12	.002	2.68					
140	0640	1.37	11	.002	2.65					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

WAS for PMS

Registered Assayer, Province of British Columbia

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
2901	69.0	74.0	5.0	47.0	48.0	3.28	6.36	9.64	3.00	1.21	0.15	0.71	0.41	3.40	.006	0.02	4A0
2902	74.0	79.0	5.0	45.0	47.0	2.94	5.41	8.35	2.94	1.62	0.16	0.51	0.49	2.69	.005	LO.01	4A0
2903	79.0	84.0	5.0	50.0	48.0	3.85	4.95	8.80	2.93	0.39	0.08	1.04	0.88	7.13	.005	0.05	4A0
2904	84.0	89.0	5.0	49.0	51.0	3.83	4.79	8.62	2.70	0.37	0.07	0.90	0.73	5.92	.004	0.03	4A0
2905	89.0	94.0	5.0	55.0	57.0	4.48	5.57	10.05	3.02	0.09	0.06	0.91	0.92	4.64	.003	0.01	4A0
2906	94.0	98.0	4.0	43.0	42.0	3.26	6.14	9.40	2.78	0.05	0.11	0.51	0.78	2.26	.003	0.02	4A0
2907	98.0	103.0	5.0	75.0	87.0	5.25	8.35	13.60	4.99	0.25	10.31	2.13	0.58	27.58	.007	LO.01	4G/4E6
2908	103.0	109.0	6.0	82.0	90.0	4.06	5.00	9.06	5.19	0.30	9.37	1.60	0.48	35.57	.005	LO.01	4E6
2909	109.0	114.0	5.0	61.0	62.0	3.04	6.57	9.61	3.83	0.15	17.48	1.02	0.63	10.85	.007	0.02	4G/4A
2910	114.0	120.3	6.3	43.0	42.0	3.13	6.21	9.34	2.90	0.04	0.57	0.73	0.67	3.03	.005	LO.01	4A0
2911	120.3	127.0	6.7	120.0	128.0	6.79	9.22	16.01	4.82	0.48	11.14	2.59	0.55	29.10	.009	LO.01	4E6
2912	163.0	168.0	5.0	59.0	52.0	4.00	7.25	11.25	4.71	0.17	5.29	2.10	1.78	34.17	.007	0.17	4E6
2913	168.0	173.7	5.7	45.0	47.0	2.91	3.90	6.81	4.53	0.34	1.06	1.35	8.24	32.97	.004	0.58	4E6
599	184.0	189.0	5.0	33.0	35.0	2.56	3.64	6.20	4.24	0.51	0.52	0.32	29.17	5.30	.001	1.14	4H8
600	189.0	192.4	3.4	40.0	43.0	2.79	2.83	5.62	4.32	0.43	2.29	0.35	15.41	16.63	.004	0.96	4E0
601	192.4	197.5	5.1	3.0	5.0	0.22	0.54	0.76	2.79	0.07	3.74	0.34	5.24	0.54	.003	0.28	4L3/7
602	197.5	202.4	4.9	29.0	30.0	2.94	2.47	5.41	3.36	0.13	1.31	0.31	9.73	12.14	.003	0.72	4L7
603	205.5	209.5	4.0	19.0	23.0	1.00	2.20	3.20	3.99	0.40	3.80	0.78	6.86	23.52	.001	0.25	4EK
604	257.0	262.0	5.0	10.0	23.0	1.29	1.77	3.06	3.22	0.07	2.31	0.27	3.98	13.94	.002	0.32	4A0
605	262.0	267.0	5.0	TR		0.02	0.11			TR							4A0
606	267.0	272.0	5.0	1.0		0.04	0.08			TR							4A0
607	272.0	277.0	5.0	TR		TR	0.02			0.01							4A0
608	277.0	282.0	5.0	1.0		TR	0.01			0.01							4AC
609	282.0	287.0	5.0	1.0		TR	0.02			0.01							4A0
610	287.0	292.0	5.0	TR		TR	0.02			0.01							4A0
611	292.0	297.0	5.0	TR		0.03	0.07			0.03							4A0
612	297.0	304.0	7.0	4.0		0.43	0.85			0.09							4A0
613	304.0	309.0	5.0	3.0		0.19	0.20			0.17							4A0/4L7
614	309.0	314.5	5.5	4.0		0.22	0.41			0.14							4L7/4A0
615	314.5	320.0	5.5	2.0		0.10	0.39			0.13							4L7
616	320.0	325.0	5.0	1.0		0.03	0.25			0.01							4L7

V-311



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation

Certificate No. K-2675

Date June 6, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Py	Po	BaO	S.G.	
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
307	21	962	-	-	-	-	-	-	3.80	
	22	1007	162	10.96	8.92	-	-	-	-	
33-R	23	1012	93	5.01	4.88	-	-	-	-	
	24	1022	-	-	-	-	-	17.9	-	
310	25	1068	-	-	-	-	-	-	2.96	
	26	1072	88	7.02	4.63	-	-	-	-	
63-R	27	1078	55	3.77	3.98	-	-	-	-	
	28	1079	45	5.08	4.86	-	-	-	-	
	29	1128	83	6.76	6.87	-	-	-	-	
	30	1129	76	5.58	7.26	-	-	-	-	
30-R	31	1130	79	5.49	6.10	-	-	-	-	
	32	1159	-	-	-	-	-	-	3.79	
311	33	1161	-	-	-	-	-	-	3.71	
	34	1192	45	3.11	7.06	-	-	-	-	
312	35	1195	-	-	-	4.59	5.86	-	2.82	
	36	1302	103	6.26	6.35	-	-	-	-	
28-R	37	1304	51	6.31	5.87	-	-	-	-	
	38	1306	44	4.95	6.94	-	-	-	-	
46-R	39	1355	113	6.92	11.43	-	-	-	-	
50-R	40	1404	56	5.86	8.69	-	-	-	-	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia

Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

7

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-311 121	V 1161	.24	20	.66	22.26	6.19	.001	2.56	3.78	
	122	1162	.31	13	.06	22.70	1.27	1.21	3.41	
123	1164	.55	23	.37	20.48	7.05	.001	5.18	3.87	
124	1165	.10	10	.21	7.01	5.18	.001	4.09	2.75	
125	1166	.34	29	.41	17.26	6.27	.001	0.67	3.29	
126	1167	.99	25	.51	23.14	6.76	.001	6.01	3.97	
127	1168	.62	53	.34	15.12	5.75	.004	10.11	3.92	
128	1169	1.89	120	.24	15.98	1.52	.005	12.61	4.15	
V-49-R 129	1170	.27	7	.17	2.58	8.57	.003	0.43	2.77	
	130	1171	.62	42	.27	7.97	.003	0.76	2.93	
131	V 1172	1.34	8	.09	8.90	1.31	.001	1.15	2.76	
132	1173	.24	17	.25	9.11	2.24	.001	0.43	2.86	
133	1174	.21	18	.28	8.75	3.02	.001	0.93	2.91	
134	1188	.03	22	.03	6.83	1.97	.001	0.75	2.78	
135	1189	.07	4	.06	2.46	1.91	.001	1.92	2.59	
V-312 136	1190	.25	13	.10	5.07	2.03	.001	2.17	2.82	
	137	1191	.75	37	.21	23.02	3.54	.003	3.44	3.73
	138	1192	.68	44	.22	12.11	6.48	.004	2.17	3.40
	139	1193	.68	25	.07	10.00	4.08	.004	0.22	2.99
	140	1194	.93	18	.26	16.55	6.44	.001	0.48	3.23

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

JAS for OJB
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS 6
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-313 101	V 1118	.17	53	.10	10.74	1.87	.002	0.11	3.00	
102	1119	.62	105	.03	24.82	.84	.003	11.02	4.50	
103	1121	.58	41	.04	2.97	1.79	.001	0.13	2.71	
104	1122	.51	32	.03	3.15	1.68	L .001	0.18	2.70	
105	1123	.58	30	.05	4.64	1.66	.001	0.20	2.70	
106	1124	.38	27	.05	6.91	1.56	.001	0.19	2.72	
107	1125	.45	73	.06	21.25	1.27	.001	1.55	3.76	
108	1126	.65	55	.43	27.60	2.99	.001	6.28	3.78	
109	1127	.34	15	.09	4.04	2.71	.001	9.82	2.91	
110	1128	1.13	86	1.10	15.83	10.38	.002	8.96	4.44	
V-30-R 111	V 1129	.79	82	.91	13.57	6.44	.004	15.70	4.37	
112	1130	.69	82	1.11	15.20	8.60	.003	14.80	4.34	
113	1131	.65	22	.37	25.36	2.82	.001	0.40	3.75	
114	1132	.48	21	.23	27.51	2.56	.001	0.26	3.90	
115	1133	.45	25	.88	22.74	4.42	.001	0.50	3.72	
116	1134	.27	37	.41	12.74	4.54	.001	0.61	3.18	
V-309 117	1151	.45	58	.44	N.D.	25.75	.003	0.45	3.73	
118	1158	.79	55	.65	20.27	7.53	.004	12.03	4.52	
119	1159	.72	26	.62	17.67	12.93	.003	0.87	3.83	
V-311 120	1160	.14	26	.77	25.16	9.05	.001	0.59	4.29	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

W. J. J. J.
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS 5
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	S.G.			
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
V-310 81	V 1068	.62	10	.04	9.50	2.73	.002	0.11	2.02		
	82	1069	.75	33	.06	7.95	.003	0.12	2.95		
	83	1070	.34	15	.08	2.80	.002	0.18	2.76		
	84	1071	.27	5	.11	.39	8.63	.001	0.18	2.60	
V-311 85	1072	.62	88	.01	37.63	0.73	.002	0.10	4.84		
	86	1073	.51	31	.04	30.99	.002	0.43	3.91		
	87	1074	.14	40	.24	9.85	2.34	.001	26.54	4.11	
	88	1075	.72	45	.15	21.42	1.94	.001	2.95	3.94	
	89	1076	1.58	63	1.31	18.45	9.38	.001	0.05	4.01	
	90	1077	.79	15	1.13	.09	26.14	.001	0.28	3.33	
V-312 91	V 1078	.75	55	1.91	1.49	25.71	.002	1.97	3.58		
	92	1079	.72	43	.92	9.79	.001	5.29	3.70		
V-313 93	1110	.46	17	.08	6.64	2.68	.001	0.15	2.67		
V-313 94	1111	.57	21	.04	12.76	1.44	.003	0.09	2.99		
	95	1112	.32	9	.06	16.14	1.23	.002	0.08	3.08	
	96	1113	.36	7	.06	11.09	1.41	.002	0.14	2.85	
	97	1114	.43	7	.04	9.79	.87	.001	0.16	2.79	
	98	1115	.10	3	.06	8.47	1.16	.001	0.13	2.75	
	99	1116	.31	4	.13	8.30	1.33	.002	0.12	2.66	
	100	1117	.41	11	.17	6.24	1.58	.002	0.28	2.66	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

WAB for PAB
Registered Assayer, Province of British Columbia

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

<u>Samp. No.</u>	<u>From (Ft.)</u>	<u>To (Ft.)</u>	<u>Int. (Ft.)</u>	<u>Ag/AA GMS/MT</u>	<u>Ag/FA GMS/MT</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Pb+Zn %</u>	<u>S.G.</u>	<u>Cu %</u>	<u>BaO %</u>	<u>Au GMS/MT</u>	<u>Po %</u>	<u>Py %</u>	<u>Hg %</u>	<u>Mn %</u>	<u>Unit</u>
1158	161.7	167.5	5.8	61.0		4.77	7.46	12.23		0.25							4E8/6
1159	167.5	173.0	5.5	31.0		1.82	2.51	4.33		0.31							4E8
1160	173.0	178.0	5.0	29.0		1.91	2.20	4.11		0.39							4E8
1161	178.0	181.3	3.3	27.0		1.30	1.93	3.23		0.35							4E8
1162	184.8	187.5	2.7	19.0		0.82	1.14	1.96		0.05							4E/4A/4B
1163	261.4	268.0	6.6	6.0		0.22	0.34	0.56		0.15							4A7

SECT. 4E

V-310



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 2

TO Cyprus Anvil Mining Corporation

Certificate No. K-2675

Date June 6, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Py	Po	BaO	S.G.	
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
307	21	962	-	-	-	-	-	-	3.80	
	22	1007	162	10.96	8.92	-	-	-	-	
33-R	23	1012	93	5.01	4.88	-	-	-	-	
	24	1022	-	-	-	-	-	17.9	-	
310	25	1068	-	-	-	-	-	-	2.96	
	26	1072	88	7.02	4.63	-	-	-	-	
63-R	27	1078	55	3.77	3.98	-	-	-	-	
	28	1079	45	5.08	4.86	-	-	-	-	
	29	1128	83	6.76	6.87	-	-	-	-	
	30	1129	76	5.58	7.26	-	-	-	-	
30-R	31	1130	79	5.49	6.10	-	-	-	-	
	32	1159	-	-	-	-	-	-	3.79	
311	33	1161	-	-	-	-	-	-	3.71	
	34	1192	45	3.11	7.06	-	-	-	-	
312	35	1195	-	-	-	4.59	5.86	-	2.82	
	36	1302	103	6.26	6.35	-	-	-	-	
28-R	37	1304	51	6.31	5.87	-	-	-	-	
	38	1306	44	4.95	6.94	-	-	-	-	
46-R	39	1355	113	6.92	11.43	-	-	-	-	
50-R	40	1404	56	5.86	8.69	-	-	-	-	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Ray Yon P. B. B.

Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	S.G.		
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
81	V 1068	.62	10	.04	9.50	2.73	.002	0.11	2.02	
82	1069	.75	33	.06	7.95	2.95	.003	0.12	2.95	
V-31a 83	1070	.34	15	.08	2.80	9.69	.002	0.18	2.76	
84	1071	.27	5	.11	.39	8.63	.001	0.18	2.60	
85	1072	.62	88	.01	37.63	0.73	.002	0.10	4.84	
86	1073	.51	31	.04	30.99	1.18	.002	0.43	3.91	
87	1074	.14	40	.24	9.85	2.34	.001	26.54	4.11	
88	1075	.72	45	.15	21.42	1.94	.001	2.95	3.94	
89	1076	1.58	63	1.31	18.45	9.38	.001	0.05	4.01	
V-311 90	1077	.79	15	1.13	.09	26.14	.001	0.28	3.33	
91	V 1078	.75	55	1.91	1.49	25.71	.002	1.97	3.58	
92	1079	.72	43	.92	9.79	11.42	.001	5.29	3.70	
V-30-R 93	1110	.46	17	.08	6.64	2.68	.001	0.15	2.67	
94	1111	.57	21	.04	12.76	1.44	.003	0.09	2.99	
95	1112	.32	9	.06	16.14	1.23	.002	0.08	3.08	
96	1113	.36	7	.06	11.09	1.41	.002	0.14	2.85	
V-313 97	1114	.43	7	.04	9.79	.87	.001	0.16	2.79	
98	1115	.10	3	.06	8.47	1.16	.001	0.13	2.75	
99	1116	.31	4	.13	8.30	1.33	.002	0.12	2.66	
100	1117	.41	11	.17	6.24	1.58	.002	0.28	2.66	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAS for Pops
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS 4
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
61	V 1044	.55	18	.36	9.63	4.91	.001	0.70	3.06	
62	1045	1.17	77	.02	6.93	1.04	.004	0.58	2.98	
v-33-R 63	1046	.79	16	.17	17.76	2.80	L .001	0.45	3.40	
64	1047	1.03	37	.12	5.47	4.24	.003	0.47	3.06	
65	1048	.99	27	.27	12.90	4.69	L .001	0.78	3.22	
66	1053	.58	44	.04	.59	5.51	.002	1.85	2.76	
67	1054	1.30	34	.18	10.91	3.35	.004	0.28	3.09	
68	1055	.86	20	.18	11.46	4.19	.003	0.34	2.96	
69	1056	1.20	52	.28	13.88	4.73	.003	0.14	3.47	
70	1057	1.30	16	.24	16.96	5.89	.001	0.14	3.38	
71	V 1058	1.65	21	.28	18.15	6.57	.001	0.10	3.30	
72	1059	.21	13	.12	21.97	5.80	L .001	0.05	3.74	
V-310 73	1060	2.09	17	.21	17.91	6.26	L .001	0.10	3.58	
74	1061	2.06	18	.19	17.55	6.43	L .001	0.06	3.46	
75	1062	1.82	14	.23	20.53	6.13	L .001	0.05	3.62	
76	1063	1.85	32	.29	15.57	8.25	.002	0.06	3.64	
77	1064	1.30	64	.09	10.68	3.30	.004	0.06	3.12	
78	1065	1.23	41	.03	.10	4.80	.003	0.10	2.88	
79	1066	1.30	20	.09	.35	8.10	L .001	0.13	2.70	
80	1067	.99	19	.02	10.85	2.58	.002	0.07	2.89	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Jan for 0213
Registered Assayer, Province of British Columbia

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

<u>Samp. No.</u>	<u>From (Ft.)</u>	<u>To (Ft.)</u>	<u>Int. (Ft.)</u>	<u>Ag/AA GMS/MT</u>	<u>Ag/FA GMS/MT</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Pb+Zn %</u>	<u>S.G.</u>	<u>Cu %</u>	<u>BaO %</u>	<u>Au GMS/MT</u>	<u>Po %</u>	<u>Py %</u>	<u>Hg %</u>	<u>Unit</u>
1053	120.8	125.0	4.2	46.0		2.82	3.14	5.96		0.05						4A0
1054	125.0	130.0	5.0	34.0		2.24	4.76	7.00		0.05						4A0
1055	130.0	135.0	5.0	22.0		1.34	2.74	4.08		0.06						4A0
1056	135.0	140.0	5.0	55.0		4.27	4.35	8.62		0.11						4A0
1057	140.0	145.0	5.0	16.0		0.92	1.17	2.09		0.13						4C0
1058	145.0	150.0	5.0	21.0		1.04	0.88	1.92		0.12						4C7
1059	150.0	155.0	5.0	12.0		0.35	0.48	0.83		0.18						4C0
1060	155.0	162.3	7.3	17.0		0.64	0.68	1.32		0.13						4C0
1061	164.4	169.0	4.6	18.0		0.52	0.38	0.90		0.16						4C7
1062	169.0	174.0	5.0	13.0		0.38	0.66	1.04		0.13						4C7
1063	174.0	179.0	5.0	21.0		1.49	1.40	2.89		0.20						4C7
1064	179.0	184.0	5.0	62.0		3.56	5.32	8.88		0.10						4A0
1065	184.0	189.0	5.0	42.0		2.66	3.22	5.88		0.06						4A0
1066	189.0	194.0	5.0	20.0		1.26	0.87	2.13		0.08						4A0
1067	194.0	199.0	5.0	19.0		0.86	1.13	1.99		0.12						4A0
1068	199.0	204.0	5.0	11.0		0.34	1.61	1.95		0.08						4A/4L
1069	204.0	209.0	5.0	35.0		1.98	2.79	4.77		0.08						4A/4L
1070	209.0	214.0	5.0	14.0		0.91	1.21	2.12		0.09						4A0
1071	214.0	216.2	2.2	6.0		0.31	0.67	0.98		0.04						4A0

V-307



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

330 - 355 Burrard St.

Vancouver, B.C. V6C 2G8 Attention: Dr. G. Simpson

Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1	V 0737	.39	38	.99	25.83	4.65	.003	1.96	3.75	
2	0738	.78	19	.10	32.31	8.71	.003	0.06	4.25	
3	0739	.89	27	.66	30.32	8.03	.002	0.31	4.27	
4	0740	.28	49	.47	12.63	3.02	.003	19.56	4.11	
5	0741	.18	60	.21	25.81	2.37	.002	4.88	4.24	
6	0742	.28	51	.45	27.23	3.80	.002	7.12	4.40	
7	0743	.14	20	.34	10.00	5.36	.002	5.29	3.11	
8	0744	.25	50	.12	12.31	3.58	.002	2.17	3.39	
9	0745	.21	54	.10	16.51	3.19	.002	0.34	3.48	
10	0746	.25	53	.14	11.70	1.86	.003	24.00	4.27	
11	V 0747	.39	14	.09	6.39	3.96	.002	2.38	3.00	
12	0748	2.14	87	.46	19.31	3.47	.005	17.10	4.50	
13	0749	2.35	63	1.25	22.69	12.29	.003	1.18	4.36	
14	0750	1.82	43	.72	26.17	7.27	.002	7.58	4.35	
15	0960	.24	12	.11	3.58	5.54	.003	0.15	2.78	
16	0961	1.13	62	.48	22.26	6.00	.005	11.78	4.33	
17	0962	1.51	9	.33	24.57	5.43	.003	0.15	3.75	
18	0963	1.47	8	.31	31.87	6.92	.003	0.10	4.06	
19	0964	1.20	13	.03	24.59	6.06	.004	0.39	4.12	
20	0986	.14	22	.03	2.95	1.98	.007	1.48	2.80	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Das La Pies

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 2

TO Cyprus Anvil Mining Corporation

Certificate No. K-2675

Date June 6, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Py	Po	BaO	S.G.	
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
307 21	962	-	-	-	-	-	-	-	3.80	
22	1007		162	10.96	8.92	-	-	-	-	
33-R 23	1012		93	5.01	4.88	-	-	-	-	
24	1022		-	-	-	-	-	17.9	-	
310 25	1068		-	-	-	-	-	-	2.96	
26	1072		88	7.02	4.63	-	-	-	-	
63-R 27	1078		55	3.77	3.98	-	-	-	-	
28	1079		45	5.08	4.86	-	-	-	-	
29	1128		83	6.76	6.87	-	-	-	-	
30-R 30	1129		76	5.58	7.26	-	-	-	-	
31	1130		79	5.49	6.10	-	-	-	-	
32	1159		-	-	-	-	-	-	3.79	
311 33	1161		-	-	-	-	-	-	3.71	
34	1192		45	3.11	7.06	-	-	-	-	
312 35	1195		-	-	-	4.59	5.86	-	2.82	
36	1302		103	6.26	6.35	-	-	-	-	
28-R 37	1304		51	6.31	5.87	-	-	-	-	
38	1306		44	4.95	6.94	-	-	-	-	
46-R 39	1355		113	6.92	11.43	-	-	-	-	
50-R 40	1404		56	5.86	8.69	-	-	-	-	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Assay for P&S

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 11

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
201	0929	.55	23	.002	3.92					
202	0930	1.03	19	.002	3.51					
203	0931	2.06	12	.002	4.68					
204	0932	1.65	13	.002	4.48					
205	0933	1.85	37	.002	4.01					
206	0936	.34	9	.002	2.74					
V.304 207	0937	.55	24	.002	3.49					
208	0938	.96	18	.002	3.27					
209	0939	.41	11	.002	3.19					
210	0965	1.23	18	.002	4.16					
211	0966	1.44	14	.002	4.15					
212	0967	1.85	11	.002	3.98					
V.307 213	0968	1.58	11	.002	4.03					
214	0969	2.13	20	.002	3.99					
215	0970	1.30	7	.002	3.92					
216	0971	.55	9	.002	3.86					
217	0972	3.70	7	.002	3.88					
218	0973	.69	10	.002	3.82					
219	0974	1.03	13	.002	3.76					
220	0975	.82	20	.002	3.75					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

[Handwritten Signature]
Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 12

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
221	0976	1.10	22	.002	3.60					
222	0977	.89	18	.002	3.40					
223	0978	TR	9	.002	3.43					
224	0979	.82	15	.002	3.53					
225	0980	.14	8	.002	3.25					
226	0981	.41	8	.002	3.10					
227	0982	.14	4	.002	2.97					
228	0983	.07	7	.002	2.98					
229	0984	TR	4	.002	2.89					
230	0987	.07	2	.002	2.81					
231	0988	.07	7	.002	2.81					
232	0989	.14	3	.002	2.77					
233	0990	TR	6	.002	2.80					
234	0991	TR	1	.002	2.79					
235	1001	.07	6	.002	2.99					
236	1002	.07	3	.002	2.88					
237	1031	.82	12	.002	4.36					
238	1032	1.17	9	.002	4.28					
239	1033	1.03	6	.002	4.09					
240	1034	1.37	12	.002	3.98					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

WAS for OGB
Registered Assayer, Province of British Columbia

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

<u>Samp. No.</u>	<u>From (Ft.)</u>	<u>To (Ft.)</u>	<u>Int. (Ft.)</u>	<u>Ag/AA GMS/MT</u>	<u>Ag/FA GMS/MT</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Pb+Zn %</u>	<u>S.G.</u>	<u>Cu %</u>	<u>BaO %</u>	<u>Au GMS/MT</u>	<u>Po %</u>	<u>Py %</u>	<u>Hg %</u>	<u>Unit</u>
960	139.0	144.0	5.0	10.0		0.79	1.41	2.20		0.04						4A/4L
961	144.0	149.0	5.0	62.0		4.24	4.77	9.01		0.13						4E/4G
962	149.0	154.0	5.0	10.0		0.22	0.80	1.02		0.42						4E8
963	154.0	159.0	5.0	8.0		0.19	1.09	1.28		0.34						4E8
964	159.0	164.0	5.0	12.0		0.46	0.94	1.40		0.12						4E8
965	164.0	169.0	5.0	16.0		0.39	0.67	1.06		0.29						4E8
966	169.0	174.0	5.0	12.0		0.33	0.28	0.61		0.31						4E/4C8
967	174.0	179.0	5.0	8.0		0.33	0.34	0.67		0.28						4E/4C8
968	179.0	184.0	5.0	8.0		0.42	0.73	1.15		0.29						4E/4C8
969	184.0	189.0	5.0	16.0		1.27	0.44	1.71		0.39						4E/4C8
970	189.0	194.0	5.0	8.0		0.12	0.03			0.42						4C8
971	194.0	199.0	5.0	7.0		0.07	0.14			0.35						4C8
972	199.0	204.0	5.0	7.0		0.05	0.05			0.29						4C8
973	204.0	210.0	6.0	10.0		0.19	0.31			0.38						4C8
974	210.0	216.0	6.0	13.0		0.20	0.43			0.47						4C8
975	216.0	222.0	6.0	20.0		0.48	0.60			0.51						4C8
976	222.0	228.0	6.0	22.0		0.45	0.52			0.40						4C8
977	228.0	234.0	6.0	17.0		0.26	0.29			0.41						4C8
978	234.0	240.0	6.0	10.0		0.13	0.17			0.35						4C8
979	240.0	246.0	6.0	10.0		0.15	0.06			0.30						4C8
980	246.0	252.0	6.0	9.0		0.12	0.13			0.30						4C7
981	252.0	258.0	6.0	7.0		0.18	0.32			0.28						4C7
982	258.0	264.0	6.0	3.0		0.10	0.31			0.14						4C7
983	264.0	270.0	6.0	6.0		0.38	0.86			0.11						4C7
984	270.0	276.0	6.0	2.0		0.08	0.19			0.07						4C7
985	327.4	333.4	6.0	12.0		0.63	0.56			0.14						4A7

V-305



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

330 - 355 Burrard St.

Vancouver, B.C. V6E 2G8

Certificate No. K-2675

Date June 6, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Py	Po	BaO	S.G.	
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
095-R 1	142	-	-	-	-	-	-	-	-	3.84
094-R 2	178	-	-	-	-	-	-	-	-	2.79
3	292	-	-	-	-	-	-	-	-	3.61
114-R 4	295	-	45	2.89	4.94	-	-	-	-	3.68
119-R 5	409	-	190	5.79	8.03	38.92	.70	-	-	4.85
115-R 6	560	-	-	-	-	18.28	4.09	-	-	4.47
7	681	-	19	1.25	2.01	-	-	-	-	-
8	683	-	-	-	-	-	-	-	-	3.96
303 9	691	-	-	-	-	-	-	-	-	3.99
10	695	-	-	-	-	-	-	-	-	3.46
307 11	737	-	-	-	-	-	-	-	-	4.23
12	772	-	33	3.02	-	-	-	-	-	-
13	782	-	91	7.87	-	-	-	-	-	-
302 14	783	-	-	-	-	-	-	-	-	4.27
15	784	-	-	-	-	-	-	-	-	4.29
305 16	853	-	-	-	-	-	-	17.9	-	-
17	906	-	-	-	-	-	-	-	-	3.24
304 18	919	-	55	4.24	3.48	-	-	1.9	-	-
19	949	-	57	5.30	3.78	26.98	6.37	7.8	-	4.42
306 20	950	-	36	.97	1.15	3.14	3.53	4.6	-	2.91

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

David J. Ross

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 10

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
181	0802	.48	8	.002	2.96					
182	0803	.68	14	.002	2.92					
V.302 183	0804	.48	29	.003	3.08					
184	0805	.27	13	.002	2.82					
185	0879	2.40	17	.002	3.61					
186	0880	1.78	12	.002	3.27					
187	0881	1.37	14	.002	3.50					
188	0882	1.65	12	.002	3.38					
189	0883	.14	10	.002	3.08					
190	0884	.34	17	.002	3.47					
191	0885	.62	10	.002	3.04					
V.305 192	0886	.41	11	.002	3.42					
193	0887	.21	6	.002	3.14					
194	0888	.14	5	.002	3.10					
195	0889	.34	4	.002	3.25					
196	0890	.07	4	.002	3.00					
197	0891	.07	3	.002	2.82					
198	0892	TR	3	.002	2.80					
V.304 199	0927	.41	10	.002	3.45					
200	0928	.48	21	.002	3.69					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for PAB
Registered Assayer, Province of British Columbia

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
851	60.5	65.5	5.0	62.0	58.0	4.84	3.15	7.99	4.41	0.17	7.94	0.80	27.68	0.11	.003	3.31	4J/4K8
852	65.5	69.7	4.2	71.0	73.0	6.01	4.65	10.66	3.92	0.11	7.38	0.51	5.64	14.19	.004	2.94	4J/4K8
853	69.7	75.3	5.6	26.0	27.0	1.74	1.96	3.70	3.18	0.05	16.27	0.08	6.75	1.02	.001	0.49	4L/4K
854	75.3	79.5	4.2	60.0	60.0	4.19	5.03	9.22	3.88	0.15	11.87	0.10	19.67	0.25	.004	1.05	4J/4K8
855	79.5	82.5	3.0	57.0	62.0	3.59	6.42	10.01	4.45	0.05	22.92	0.42	1.76	17.34	.007	0.19	4G/4K
856	84.0	90.0	6.0	54.0	53.0	3.97	4.23	8.20	4.22	0.17	3.98	1.15	6.68	23.42	.003	0.47	4J/4K8
857	90.0	94.0	4.0	85.0	85.0	5.89	7.59	13.48	4.54	0.06	23.08	0.35	2.31	13.32	.007	0.11	4G/4K
858	94.0	97.8	3.8	76.0	78.0	4.56	6.12	10.68	4.05	0.06	19.70	0.31	5.63	9.91	.004	0.51	4G/4K
859	97.8	103.0	5.2	22.0	21.0	2.65	2.53	5.18	3.02	0.02	4.25	0.10	7.76	2.76	.001	0.20	4L/4J
860	132.5	137.8	5.3	25.0	23.0	1.70	3.09	4.79	2.65	0.02	0.71	0.22	3.09	1.04	.001	0.02	4A0
861	137.8	143.7	5.9	60.0	59.0	4.26	6.61	10.87	3.27	0.05	3.21	0.15	9.34	2.31	.001	0.18	4A/4J
862	143.7	146.8	3.1	73.0	71.0	4.67	7.37	12.04	3.55	0.12	5.62	0.86	13.46	2.26	.005	0.13	4A7
863	146.8	150.9	4.1	161.0	159.0	9.04	11.29	20.33	4.74	0.04	12.57	0.77	3.56	16.36	.009	0.37	4F/4G
864	150.9	153.9	3.0	34.0	32.0	2.09	3.69	5.78	3.34	0.01	15.59	0.07	3.72	4.61	.003	0.32	5D9
865	153.9	157.3	3.4	55.0	53.0	3.18	7.01	10.19	4.10	0.02	31.86	0.14	4.00	7.74	.006	0.50	4G4
866	157.3	160.0	2.7	82.0	81.0	5.79	4.47	10.26	4.25	0.15	8.24	0.76	13.55	16.55	.004	1.60	4J/4E
867	160.0	165.0	5.0	70.0	77.0	4.12	6.81	10.93	4.41	0.05	31.30	0.52	3.15	10.50	.007	0.77	4G4
868	165.0	170.0	5.0	40.0	40.0	2.84	6.26	9.10	4.23	0.02	36.07	0.31	1.36	6.03	.005	0.27	4G4
869	170.0	175.0	5.0	33.0	36.0	1.92	5.30	7.22	4.00	0.03	32.69	0.39	0.67	7.38	.007	0.01	4G4
870	175.0	180.0	5.0	60.0	60.0	3.68	7.13	10.81	4.33	0.03	33.96	0.36	2.17	10.72	.006	0.34	4G4
871	180.0	185.0	5.0	73.0	67.0	3.77	7.49	11.26	4.41	0.03	33.47	0.27	1.40	12.35	.007	0.28	4G4
872	185.0	190.0	5.0	89.0	88.0	4.71	8.86	13.57	4.32	0.04	27.50	0.31	1.90	12.52	.008	0.36	4G4
873	190.0	195.0	5.0	82.0	81.0	4.58	9.61	14.19	4.24	0.03	25.67	0.36	1.48	11.79	.008	0.16	4G4
874	195.0	200.0	5.0	60.0	58.0	3.18	8.16	11.34	4.42	0.02	34.30	0.39	1.81	8.61	.007	0.28	4G4
875	200.0	205.0	5.0	87.0	91.0	6.94	11.29	18.23	4.33	0.07	20.04	0.93	2.73	11.89	.007	0.71	4G4
876	205.0	208.3	3.3	88.0	81.0	9.07	11.66	20.73	4.16	0.08	14.39	1.36	5.25	9.46	.007	0.86	4G4
877	208.3	213.0	4.7	51.0	53.0	4.18	2.76	6.94	3.77	0.33	2.88	2.81	5.56	10.71	.002	0.46	4D9
878	213.0	218.0	5.0	44.0	49.0	4.05	2.24	6.29	3.61	0.34	0.13	3.61	13.79	13.70	.001	0.28	4D9
879	218.0	223.0	5.0	17.0		1.22	0.86	2.08		0.40							4D9
880	223.0	228.0	5.0	13.0		0.83	0.64	1.47		0.34							4C9

V-305

CYPRUS ANVIL MINING CORPORATION

Page 2 of 2

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

<u>Samp. No.</u>	<u>From (Ft.)</u>	<u>To (Ft.)</u>	<u>Int. (Ft.)</u>	<u>Ag/AA GMS/MT</u>	<u>Ag/FA GMS/MT</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Pb+Zn %</u>	<u>S.G.</u>	<u>Cu %</u>	<u>BaO %</u>	<u>Au GMS/MT</u>	<u>Po %</u>	<u>Py %</u>	<u>Hg %</u>	<u>Unit</u>
881	228.0	233.0	5.0	13.0		1.09	1.21	2.30		0.38						4C9
882	233.0	238.0	5.0	10.0		0.50	0.60	1.10		0.72						4C9
883	238.0	243.0	5.0	8.0		0.36	1.09	1.45		0.58						4C9
884	243.0	248.0	5.0	14.0		0.94	1.41	2.35		0.68						4C9
885	248.0	253.0	5.0	7.0		0.39	0.63	1.02		0.58						4C9
886	253.0	258.0	5.0	10.0		0.51	0.71	1.22		0.26						4C9
887	258.0	263.0	5.0	4.0		0.17	0.40			0.29						4C9
888	263.0	268.0	5.0	5.0		0.16	0.49			0.20						4L7
889	268.0	273.0	5.0	4.0		0.08	0.21			0.25						4L7
890	273.0	278.0	5.0	1.0		0.05	0.11			0.10						4L7
891	278.0	283.0	5.0	1.0		0.08	0.29			0.06						4L7/9
892	283.0	286.0	3.0	1.0		0.09	0.28			0.02						4L9

V-33R



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 32

TO Cyprus Anvil Mining Corporation

Certificate No. K-2675

Date June 6, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Py	Po	BaO	S.G.	
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
307 21	962	-	-	-	-	-	-	-	3.80	
22	1007		162	10.96	8.92	-	-	-	-	
23	1012		93	5.01	4.88	-	-	-	-	
33-R 24	1022		-	-	-	-	-	17.9	-	
310 25	1068		-	-	-	-	-	-	2.96	
26	1072		88	7.02	4.63	-	-	-	-	
63-R 27	1078		55	3.77	3.98	-	-	-	-	
28	1079		45	5.08	4.86	-	-	-	-	
29	1128		83	6.76	6.87	-	-	-	-	
30-R 30	1129		76	5.58	7.26	-	-	-	-	
31	1130		79	5.49	6.10	-	-	-	-	
311 32	1159		-	-	-	-	-	-	3.79	
33	1161		-	-	-	-	-	-	3.71	
312 34	1192		45	3.11	7.06	-	-	-	-	
35	1195		-	-	-	4.59	5.86	-	2.82	
36	1302		103	6.26	6.35	-	-	-	-	
28-R 37	1304		51	6.31	5.87	-	-	-	-	
38	1306		44	4.95	6.94	-	-	-	-	
46-R 39	1355		113	6.92	11.43	-	-	-	-	
50-R 40	1404		56	5.86	8.69	-	-	-	-	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Ray J. P. B.

Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS 4
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
61	V 1044	.55	18	.36	9.63	4.91	.001	0.70	3.06	
62	1045	1.17	77	.02	6.93	1.04	.004	0.58	2.98	
63	1046	.79	16	.17	17.76	2.80	L .001	0.45	3.40	
64	1047	1.03	37	.12	5.47	4.24	.003	0.47	3.06	
65	1048	.99	27	.27	12.90	4.69	L .001	0.78	3.22	
66	1053	.58	44	.04	.59	5.51	.002	1.85	2.76	
67	1054	1.30	34	.18	10.91	3.35	.004	0.28	3.09	
68	1055	.86	20	.18	11.46	4.19	.003	0.34	2.96	
69	1056	1.20	52	.28	13.88	4.73	.003	0.14	3.47	
70	1057	1.30	16	.24	16.96	5.89	.001	0.14	3.38	
71	V 1058	1.65	21	.28	18.15	6.57	.001	0.10	3.30	
72	1059	.21	13	.12	21.97	5.80	L .001	0.05	3.74	
73	1060	2.09	17	.21	17.91	6.26	L .001	0.10	3.58	
74	1061	2.06	18	.19	17.55	6.43	L .001	0.06	3.46	
75	1062	1.82	14	.23	20.53	6.13	L .001	0.05	3.62	
76	1063	1.85	32	.29	15.57	8.25	.002	0.06	3.64	
77	1064	1.30	64	.09	10.68	3.30	.004	0.06	3.12	
78	1065	1.23	41	.03	.10	4.80	.003	0.10	2.88	
79	1066	1.30	20	.09	.35	8.10	L .001	0.13	2.70	
80	1067	.99	19	.02	10.85	2.58	.002	0.07	2.89	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

James J. O'Neil
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS 3
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
41	V 1014	.86	43	.62	21.67	5.51	.004	14.33	4.15	
42	1015	1.51	34	.86	28.76	9.73	.002	0.17	4.16	
43	1016	1.71	17	.65	32.84	8.88	.002	0.98	4.22	
44	1017	.79	84	.79	12.77	7.13	.005	19.01	4.13	
45	1018	.21	56	.21	9.59	2.64	.005	30.33	3.91	
46	1019	.17	56	.12	9.44	1.84	.006	36.94	3.98	
47	1020	.27	87	.60	6.95	6.99	.006	27.95	4.17	
48	1021	.55	48	.87	12.56	11.58	.004	16.02	3.83	
49	1022	.58	67	.89	12.22	10.55	.004	17.44	3.87	
50	1023	.72	46	.19	13.65	5.96	.004	20.92	3.59	
51	V 1024	.72	39	.11	16.49	1.90	.005	22.80	3.96	
52	1025	.68	39	.16	15.04	1.53	.005	30.84	4.28	
53	1026	1.89	69	.31	19.49	2.55	.008	23.85	4.45	
54	1027	1.17	58	.25	20.24	2.17	.008	17.89	4.34	
55	1028	.62	63	.38	5.85	2.40	.007	32.88	4.22	
56	1029	1.17	63	.35	13.71	2.31	.004	14.53	3.81	
57	1030	1.03	34	.84	11.17	5.50	.003	16.67	3.83	
58	1041	1.03	12	.86	15.70	8.19	L .001	0.05	3.45	
59	1042	1.03	22	1.56	11.62	11.25	.001	0.12	3.37	
60	1043	.96	26	1.66	11.16	11.34	.002	0.10	3.47	

V-33-R

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Das for OAB
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS 2
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation


Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
21	V 0992	1.78	65	.24	16.14	2.68	.010	24.11	4.00	
22	0993	.48	26	.88	17.63	17.52	.003	3.56	4.02	
23	0994	.82	27	.71	22.72	16.60	.003	1.54	4.27	
24	0995	.51	22	.49	26.04	13.12	.002	0.45	4.06	
V-308 25	0996	.34	13	.29	12.84	6.06	.002	3.32	3.18	
26	0997	.58	11	.13	22.77	4.27	.002	0.78	3.59	
27	0998	2.26	40	.10	11.94	5.37	.003	4.73	3.28	
28	0999	.69	40	.36	17.71	7.50	.003	5.31	3.47	
29	1000	.17	2	.05	3.19	5.03	.002	0.19	2.78	
30	1003	.41	24	.01	4.19	1.16	.003	0.30	2.72	
31	V 1004	.89	54	.01	4.60	1.17	.003	0.21	2.76	
32	1005	.55	29	.01	11.63	1.80	.003	0.45	2.91	
33	1006	.51	56	.01	7.29	1.15	.003	0.71	2.92	
V-33-R 34	1007	.41	157	.03	15.61	1.49	.006	7.32	3.88	
35	1008	.27	73	.13	8.72	1.00	.006	37.04	4.46	
36	1009	1.41	83	.03	31.02	1.00	.003	7.45	4.69	
37	1010	1.10	67	.01	24.21	.79	.005	23.71	4.57	
38	1011	1.23	47	.06	11.51	1.64	.005	29.78	4.06	
39	1012	3.43	89	.18	21.26	1.94	.005	12.96	4.04	
40	1013	1.58	78	.13	28.06	3.96	.005	11.06	4.50	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 13

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
241	1035	1.03	13	.002	3.78					
242	1036	1.51	10	.002	3.83					
243	1037	.89	10	.002	3.74					
244	1038	.48	9	.002	3.23					
245	1039	.41	7	.002	3.33					
246	1040	.34	7	.002	4.44					
247	1049	.55	12	.002	3.26					
248	1050	.55	7	.002	3.13					
249	1051	.41	8	.002	3.33					
250	1052	.41	8	.002	3.19					
251	1080	.62	25	.002	3.80					
252	1081	1.78	10	.002	3.35					
253	1082	6.65	12	.002	3.31					
254	1083	.62	13	.002	3.30					
255	1084	.14	22	.002	3.34					
256	1085	.55	15	.002	3.32					
257	1086	.34	17	.001	2.56					
258	1087	.07	8	.002	3.48					
259	1088	1.10	17	.001	3.12					
260	1089	.14	14	.002	3.49					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAS for DAS
Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 12

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
221	0976	1.10	22	.002	3.60					
222	0977	.89	18	.002	3.40					
223	0978	TR	9	.002	3.43					
224	0979	.82	15	.002	3.53					
225	0980	.14	8	.002	3.25					
V.307 226	0981	.41	8	.002	3.10					
227	0982	.14	4	.002	2.97					
228	0983	.07	7	.002	2.98					
229	0984	TR	4	.002	2.89					
230	0987	.07	2	.002	2.81					
231	0988	.07	7	.002	2.81					
232	0989	.14	3	.002	2.77					
V.308 233	0990	TR	6	.002	2.80					
234	0991	TR	1	.002	2.79					
235	1001	.07	6	.002	2.99					
236	1002	.07	3	.002	2.88					
237	1031	.82	12	.002	4.36					
V.33.R 238	1032	1.17	9	.002	4.28					
239	1033	1.03	6	.002	4.09					
240	1034	1.37	12	.002	3.98					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Wans for PGB
Registered Assayer, Province of British Columbia

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Unit
1003	73.0	78.0	5.0	23.0		2.00	2.26	4.26		0.04						4A0
1004	78.0	83.0	5.0	54.0		3.53	5.49	9.02		0.03						4A0
1005	83.0	88.0	5.0	31.0		2.32	3.74	6.06		0.02						4A0
1006	88.0	93.5	5.5	57.0		3.85	4.47	8.32		0.04						4A0
1007	93.5	95.3	1.8	157.0		10.86	8.87	19.73		0.03						4E0
1008	95.3	98.6	3.3	71.0		4.39	8.25	12.64		0.03						4G4
1009	98.6	104.0	5.4	80.0		6.33	7.63	13.96		0.19						4E6
1010	104.0	109.0	5.0	67.0		4.69	6.02	10.71		0.09						4E6
1011	109.0	113.0	4.0	47.0		3.17	5.82	8.99		0.15						4G/5D
1012	113.0	116.5	3.5	86.0		4.74	4.60	9.34		0.48						4E1
1013	116.5	121.6	5.1	77.0		5.76	6.54	12.30		0.13						4E/4F
1014	121.6	126.3	4.7	43.0		3.26	3.64	6.90		0.11						4E6
1015	126.3	132.0	5.7	37.0		2.95	0.72	3.67		0.39						4E8
1016	132.0	138.7	6.7	16.0		0.57	0.76	1.33		0.39						4E8
1017	138.7	142.7	4.0	90.0		6.21	7.90	14.11		0.08						4G4
1018	142.7	147.7	5.0	60.0		3.72	7.29	11.01		TR						4G/5D
1019	147.7	153.0	5.3	63.0		3.35	8.05	11.40		TR						4G0
1020	153.0	158.0	5.0	90.0		6.37	6.94	13.31		0.02						4J/5D
1021	158.0	163.0	5.0	51.0		3.59	4.27	7.86		0.16						4G8/4K
1022	163.0	168.0	5.0	73.0		5.15	4.43	9.58		0.09						4K/4J
1023	168.0	173.0	5.0	49.0		3.06	5.18	8.24		0.06						4K/4G
1024	173.0	178.0	5.0	38.0		2.65	5.09	7.74		0.05						4G/4K/5D
1025	178.0	183.0	5.0	43.0		2.47	5.66	8.13		0.07						4G8
1026	183.0	188.0	5.0	74.0		3.56	5.39	8.95		0.15						4G8
1027	188.0	193.0	5.0	62.0		3.47	6.75	10.22		0.20						4E6
1028	193.0	197.0	4.0	62.0		4.27	6.75	11.02		0.04						4G8
1029	197.0	201.0	4.0	65.0		4.92	4.72	9.64		0.07						4K/4G
1030	201.0	207.3	6.3	37.0		3.03	4.83	7.86		0.13						4G8/4L
1031	207.3	213.0	5.7	11.0		0.17	0.07			0.29						4E1/4K
1032	213.0	219.6	6.6	10.0		0.07	0.06			0.32						4C0
1033	219.6	224.4	4.8	6.0		0.08	0.06			0.23						4C7
1034	224.4	230.0	5.6	12.0		0.35	0.10			0.31						4C8
1035	230.0	235.0	5.0	11.0		0.34	0.40			0.26						4C8

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

<u>Samp. No.</u>	<u>From (Ft.)</u>	<u>To (Ft.)</u>	<u>Int. (Ft.)</u>	<u>Ag/AA GMS/MT</u>	<u>Ag/FA GMS/MT</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Pb+Zn %</u>	<u>S.G.</u>	<u>Cu %</u>	<u>BaO %</u>	<u>Au GMS/MT</u>	<u>Po %</u>	<u>Py %</u>	<u>Hg %</u>	<u>Unit</u>
1036	235.0	241.0	6.0	8.0		0.12	0.23			0.35						4C8
1037	241.0	247.0	6.0	9.0		0.40	0.52			0.35						4C8
1038	247.0	253.0	6.0	8.0		0.37	0.21			0.20						4C7
1039	253.0	259.0	6.0	7.0		0.16	0.08			0.25						4C8
1040	259.0	264.0	5.0	7.0		0.10	0.10			0.36						4C8
1041	264.0	270.0	6.0	12.0		0.89	0.84	1.73		0.22						4C8
1042	270.0	276.0	6.0	20.0		1.62	3.01	4.63		0.18						4C8
1043	276.0	282.0	6.0	26.0		1.97	4.03	6.00		0.16						4C8
1044	282.0	287.0	5.0	80.0		4.92	6.90	11.82		0.04						4C8/4L
1045	287.0	290.0	3.0	17.0		0.29	0.55	0.84		0.24						?
1046	294.0	300.0	6.0	21.0		1.11	2.10	3.21		0.21						4L/4C4
1047	300.0	306.0	6.0	40.0		3.40	5.06	8.46		0.06						4L/4C4
1048	306.0	312.0	6.0	29.0		3.69	0.70*	4.39		0.23						4L/4K
1049	312.0	318.0	6.0	11.0		0.75	0.67	1.42		0.23						4K/4C
1050	318.0	324.0	6.0	7.0		0.41	0.39			0.14						4C0
1051	324.0	330.0	6.0	8.0		0.37	0.30			0.16						4C0
1052	330.0	338.0	8.0	8.0		0.36	0.36			0.17						4C0

* to be checked

V-304



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

330 - 355 Burrard St.

Vancouver, B.C. V6E 2G8

Certificate No. K-2675

Date June 6, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Py	Po	BaO	S.G.	
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
095-R 1	142	-	-	-	-	-	-	-	-	3.84
094-R 2	178	-	-	-	-	-	-	-	-	2.79
3	292	-	-	-	-	-	-	-	-	3.61
114-R 4	295	-	45	2.89	4.94	-	-	-	-	3.68
119-R 5	409	-	190	5.79	8.03	38.92	.70	-	-	4.85
115-R 6	560	-	-	-	-	18.28	4.09	-	-	4.47
7	681	-	19	1.25	2.01	-	-	-	-	-
8	683	-	-	-	-	-	-	-	-	3.96
303 9	691	-	-	-	-	-	-	-	-	3.99
10	695	-	-	-	-	-	-	-	-	3.46
309 11	737	-	-	-	-	-	-	-	-	4.23
12	772	-	33	3.02	-	-	-	-	-	-
13	782	-	91	7.87	-	-	-	-	-	-
302 14	783	-	-	-	-	-	-	-	-	4.27
15	784	-	-	-	-	-	-	-	-	4.29
305 16	853	-	-	-	-	-	-	-	17.9	-
17	906	-	-	-	-	-	-	-	-	3.24
304 18	919	-	55	4.24	3.48	-	-	-	1.9	-
19	949	-	57	5.30	3.78	26.98	6.37	7.8	-	4.42
306 20	950	-	36	.97	1.15	3.14	3.53	4.6	-	2.91

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

[Signature]

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 11

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
201	0929	.55	23	.002	3.92					
202	0930	1.03	19	.002	3.51					
203	0931	2.06	12	.002	4.68					
204	0932	1.65	13	.002	4.48					
205	0933	1.85	37	.002	4.01					
206	0936	.34	9	.002	2.74					
V.304 207	0937	.55	24	.002	3.49					
208	0938	.96	18	.002	3.27					
209	0939	.41	11	.002	3.19					
210	0965	1.23	18	.002	4.16					
211	0966	1.44	14	.002	4.15					
212	0967	1.85	11	.002	3.98					
V.307 213	0968	1.58	11	.002	4.03					
214	0969	2.13	20	.002	3.99					
215	0970	1.30	7	.002	3.92					
216	0971	.55	9	.002	3.86					
217	0972	3.70	7	.002	3.88					
218	0973	.69	10	.002	3.82					
219	0974	1.03	13	.002	3.76					
220	0975	.82	20	.002	3.75					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for AGO
Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 10

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
181	0802	.48	8	.002	2.96					
182	0803	.68	14	.002	2.92					
V.302 183	0804	.48	29	.003	3.08					
184	0805	.27	13	.002	2.82					
185	0879	2.40	17	.002	3.61					
186	0880	1.78	12	.002	3.27					
187	0881	1.37	14	.002	3.50					
188	0882	1.65	12	.002	3.38					
189	0883	.14	10	.002	3.08					
190	0884	.34	17	.002	3.47					
191	0885	.62	10	.002	3.04					
V.305 192	0886	.41	11	.002	3.42					
193	0887	.21	6	.002	3.14					
194	0888	.14	5	.002	3.10					
195	0889	.34	4	.002	3.25					
196	0890	.07	4	.002	3.00					
197	0891	.07	3	.002	2.82					
198	0892	TR	3	.002	2.80					
V.304 199	0927	.41	10	.002	3.45					
200	0928	.48	21	.002	3.69					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB Jr 0203
Registered Assayer, Province of British Columbia

4 E

V-304

CYPRUS ANVIL MINING CORPORATION

Page 1 of 2

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
893	65.5	77.0	11.5	5.0	8.0	0.52	0.51	1.03	2.57	0.18	0.16	0.17	0.81	1.06	.001	LO.01	4A0
894	77.0	87.0	10.0	28.0	31.0	2.41	2.92	5.33	2.82	0.35	0.14	0.90	0.41	6.41	.002	LO.01	4A0
895	87.0	96.0	9.0	6.0	9.0	0.68	0.57	1.25	2.55	0.07	0.20	0.27	0.53	3.07	.001	LO.01	4A0
896	96.0	101.0	5.0	40.0	39.0	2.98	4.23	7.21	2.82	0.07	0.15	0.45	0.65	3.46	.003	LO.01	4A0
897	101.0	106.0	5.0	75.0	72.0	5.05	7.86	12.91	3.21	0.16	0.14	0.99	0.66	11.56	.005	LO.01	4A4
898	106.0	111.0	5.0	50.0	47.0	3.46	5.42	8.88	2.91	0.07	0.14	0.71	0.72	4.00	.004	LO.01	4A4
899	111.0	116.0	5.0	24.0	26.0	1.85	2.57	4.42	2.83	0.06	0.29	0.57	1.04	4.19	.002	LO.01	4A4
900	116.0	121.0	5.0	24.0	25.0	1.78	1.83	3.61	2.81	0.06	0.27	1.07	1.06	5.57	.002	LO.01	4A4
901	121.0	126.0	5.0	44.0	37.0	2.60	5.82	8.42	2.87	0.04	0.19	0.78	1.79	4.84	.005	0.01	4A4
902	126.0	129.0	3.0	107.0	107.0	8.58	12.12	20.70	4.19	0.23	3.58	1.47	1.61	21.42	.011	0.02	4E4
903	129.0	136.6	7.6	27.0	25.0	2.13	3.92	6.05	2.98	0.06	0.87	0.34	5.48	4.75	.003	0.07	4L0
904	136.6	140.2	3.6	59.0	57.0	3.56	3.37	6.93	4.42	0.17	0.37	2.01	3.82	30.31	.003	0.30	4E0
905	140.2	145.0	4.8	16.0	15.0	0.95	1.87	2.82	3.10	0.03	7.01	0.16	5.37	3.63	L.001	0.19	4L0
906	145.0	150.0	5.0	22.0	16.0	1.57	3.24	4.81	3.41	0.03	6.23	0.03	7.11	5.96	.003	0.34	4L0
907	150.0	154.8	4.8	TR	1.0	0.05	0.19	0.24	2.83	0.001	2.65	0.14	4.92	0.62	L.001	0.13	4L0
908	173.8	178.8	5.0	119.0	127.0	8.14	9.86	18.00	4.50	0.05	23.34	1.12	1.64	11.89	.007	0.18	4G4
909	178.8	183.8	5.0	67.0	64.0	4.25	6.86	11.11	4.14	0.17	17.24	1.15	3.92	14.81	.005	0.26	4G4
910	183.8	187.0	3.2	64.0	68.0	4.77	6.41	11.18	4.01	0.13	12.83	0.63	7.15	13.50	.004	0.51	4G/4A/4D
911	202.7	208.0	5.3	35.0	37.0	3.26	2.55	5.81	4.16	0.16	3.66	1.45	2.71	28.90	.004	0.23	4K0
912	208.0	213.0	5.0	11.0	12.0	0.52	2.54	3.06	4.16	0.05	0.09	2.07	1.52	31.10	.003	0.24	4K0
913	213.0	218.0	5.0	18.0	18.0	0.34	0.30	0.64	4.68	0.06	0.09	3.57	0.95	39.86	.003	0.09	4K0
914	218.0	221.9	3.9	14.0	14.0	0.47	0.10	0.57	4.60	0.05	0.04	1.99	1.04	38.69	.003	0.10	4K0
915	221.9	227.7	5.8	57.0	57.0	5.09	4.16	9.25	4.78	0.36	0.77	1.96	7.70	30.94	.004	0.47	4E8
916	227.7	233.0	5.3	25.0	25.0	2.74	1.35	4.09	4.13	0.21	0.75	1.81	2.59	28.92	.004	0.30	4K0
917	233.0	238.0	5.0	18.0	19.0	2.96	1.24	4.20	4.01	0.03	4.04	1.37	1.33	25.55	.004	0.20	4K0
918	238.0	244.8	6.8	25.0	21.0	1.63	0.80	2.43	4.19	0.07	0.29	1.41	2.19	32.04	.003	0.25	4K0
919	244.8	250.0	5.2	48.0	49.0	4.07	3.87	7.94	4.10	0.53	1.74	4.18	7.48	22.62	.004	0.57	4G4
920	250.0	255.0	5.0	68.0	69.0	4.94	5.95	10.89	4.63	0.21	17.61	1.41	5.69	18.07	.005	0.59	4G4
921	255.0	259.5	4.5	81.0	86.0	5.78	8.50	14.28	4.51	0.07	22.56	2.05	3.76	11.59	.006	0.54	4G4
922	259.5	265.7	6.2	41.0	41.0	3.25	0.33	3.58	3.90	0.30	0.15	0.96	5.02	25.39	.003	0.64	4K0
923	265.7	270.0	4.3	15.0	15.0	1.96	1.02	2.98	4.10	0.09	0.14	1.25	26.80	18.11	.003	3.08	4J/4E

V-306



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation
330 - 355 Burrard St.
Vancouver, B.C. V6E 2G8

Certificate No. K-2675

Date June 6, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Py	Po	BaO	S.G.	
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
095-R 1	142	-	-	-	-	-	-	-	-	3.84
094-R 2	178	-	-	-	-	-	-	-	-	2.79
3 3	292	-	-	-	-	-	-	-	-	3.61
114-R 4	295	-	45	2.89	4.94	-	-	-	-	3.68
119-R 5	409	-	190	5.79	8.03	38.92	.70	-	-	4.85
115-R 6	560	-	-	-	-	18.28	4.09	-	-	4.47
7	681	-	19	1.25	2.01	-	-	-	-	-
8	683	-	-	-	-	-	-	-	-	3.96
303 9	691	-	-	-	-	-	-	-	-	3.99
10	695	-	-	-	-	-	-	-	-	3.46
309 11	737	-	-	-	-	-	-	-	-	4.23
12	772	-	33	3.02	-	-	-	-	-	-
13	782	-	91	7.87	-	-	-	-	-	-
302 14	783	-	-	-	-	-	-	-	-	4.27
15	784	-	-	-	-	-	-	-	-	4.29
305 16	853	-	-	-	-	-	-	17.9	-	-
17	906	-	-	-	-	-	-	-	-	3.24
304 18	919	-	55	4.24	3.48	-	-	1.9	-	-
19	949	-	57	5.30	3.78	26.98	6.37	7.8	-	4.42
306 20	950	-	36	.97	1.15	3.14	3.53	4.6	-	2.91

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Das Jon R. B.

Registered Assayer, Province of British Columbia

4E

CYPRUS ANVIL MINING CORPORATION

V-306

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
940	198.0	203.0	5.0	108.0	128.0	9.01	9.66	18.67	4.49	0.06	25.14	0.68	5.78	7.87	.008	0.31	4G4/8
941	203.0	208.0	5.0	103.0	124.0	8.15	7.68	15.83	4.64	0.07	35.28	0.68	2.35	8.53	.008	0.30	4G4/8
942	208.0	213.6	5.6	93.0	110.0	8.78	8.55	17.33	4.64	0.16	13.28	1.44	2.98	20.60	.007	0.39	4E6
943	232.0	237.0	5.0	25.0	26.0	2.30	2.63	4.93	3.70	0.31	2.87	0.44	9.74	19.17	.004	0.70	4D8
944	237.0	242.0	5.0	38.0	37.0	2.74	3.05	5.79	3.70	0.39	8.70	0.16	25.99	4.02	.003	0.73	4H8
945	242.0	247.0	5.0	105.0	122.0	9.99	8.70	18.69	4.38	0.18	7.68	2.18	10.30	13.54	.005	0.31	5D/4G
946	247.0	252.0	5.0	48.0	67.0	5.21	5.20	10.41	4.03	0.08	17.94	1.03	14.93	5.10	.005	0.17	5D/4G/4H
947	273.0	275.3	2.3	71.0	77.0	4.04	5.61	9.65	4.07	0.22	4.64	0.98	2.36	15.71	.006	0.12	4A/4F/4G
948	310.7	317.0	6.3	6.0	5.0	0.48	0.88	1.36	2.83	0.03	4.00	0.03	4.18	1.92	.003	0.08	4L3
949	317.0	323.4	6.4	57.0	64.0	5.56	3.94	9.50	4.36	0.25	7.89	1.22	6.18	26.88	.004	0.62	4L3
950	323.4	329.0	5.6	32.0	32.0	0.91	1.15	2.06	3.02	0.07	4.70	0.51	3.44	2.99	.001	0.14	4G8
951	329.0	332.0	3.0	58.0	65.0	5.12	5.56	10.68	4.70	0.14	13.58	1.37	7.18	24.18	.004	0.82	4G8
952	332.0	337.0	5.0	87.0	96.0	6.39	6.12	12.51	4.74	0.17	12.54	1.89	2.18	28.22	.005	0.21	4G0
953	337.0	342.5	5.5	72.0	76.0	4.08	5.87	9.95	4.19	0.24	15.31	1.68	2.93	19.07	.005	0.34	4G0
954	342.5	347.5	5.0	64.0	69.0	3.88	5.02	8.90	4.16	0.24	10.54	1.54	5.81	20.13	.006	0.33	4G8
955	347.5	352.7	5.2	46.0	48.0	3.42	4.72	8.14	4.00	0.17	8.51	0.71	7.01	19.03	.002	0.23	4G8
956	352.7	358.0	5.3	41.0	43.0	2.34	2.84	5.18	4.09	0.21	5.88	0.81	9.01	22.67	.001	0.18	4E8
957	358.0	363.0	5.0	34.0	36.0	1.98	2.96	4.94	4.42	0.29	5.84	0.96	12.16	25.49	.004	0.21	4E8
958	363.0	368.0	5.0	49.0	56.0	3.31	4.22	7.53	4.35	0.28	10.65	2.65	7.88	21.88	.004	0.28	4E8
959	368.0	374.0	6.0	45.0	42.0	2.82	3.13	5.95	4.33	0.16	5.27	0.35	23.60	13.09	.002	0.44	4E8

V-308



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 12

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
221	0976	1.10	22	.002	3.60					
222	0977	.89	18	.002	3.40					
223	0978	TR	9	.002	3.43					
224	0979	.82	15	.002	3.53					
225	0980	.14	8	.002	3.25					
226	0981	.41	8	.002	3.10					
227	0982	.14	4	.002	2.97					
228	0983	.07	7	.002	2.98					
229	0984	TR	4	.002	2.89					
230	0987	.07	2	.002	2.81					
231	0988	.07	7	.002	2.81					
232	0989	.14	3	.002	2.77					
233	0990	TR	6	.002	2.80					
234	0991	TR	1	.002	2.79					
235	1001	.07	6	.002	2.99					
236	1002	.07	3	.002	2.88					
237	1031	.82	12	.002	4.36					
238	1032	1.17	9	.002	4.28					
239	1033	1.03	6	.002	4.09					
240	1034	1.37	12	.002	3.98					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Wass for P&B
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

330 - 355 Burrard St.

Vancouver, B.C. V6C 2G8 Attention: Dr. G. Simpson

Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1	V 0737	.39	38	.99	25.83	4.65	.003	1.96	3.75	
2	0738	.78	19	.10	32.31	8.71	.003	0.06	4.25	
3	0739	.89	27	.66	30.32	8.03	.002	0.31	4.27	
4	0740	.28	49	.47	12.63	3.02	.003	19.56	4.11	
5	0741	.18	60	.21	25.81	2.37	.002	4.88	4.24	
6	0742	.28	51	.45	27.23	3.80	.002	7.12	4.40	
7	0743	.14	20	.34	10.00	5.36	.002	5.29	3.11	
8	0744	.25	50	.12	12.31	3.58	.002	2.17	3.39	
9	0745	.21	54	.10	16.51	3.19	.002	0.34	3.48	
10	0746	.25	53	.14	11.70	1.86	.003	24.00	4.27	
11	V 0747	.39	14	.09	6.39	3.96	.002	2.38	3.00	
12	0748	2.14	87	.46	19.31	3.47	.005	17.10	4.50	
13	0749	2.35	63	1.25	22.69	12.29	.003	1.18	4.36	
14	0750	1.82	43	.72	26.17	7.27	.002	7.58	4.35	
15	0960	.24	12	.11	3.58	5.54	.003	0.15	2.78	
16	0961	1.13	62	.48	22.26	6.00	.005	11.78	4.33	
17	0962	1.51	9	.33	24.57	5.43	.003	0.15	3.75	
18	0963	1.47	8	.31	31.87	6.92	.003	0.10	4.06	
19	0964	1.20	13	.03	24.59	6.06	.004	0.39	4.12	
20	0986	.14	22	.03	2.95	1.98	.007	1.48	2.80	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Das for PMS

Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
 TELEPHONE 372-2784 TELEEX 048-8320

B.C. LICENSED ASSAYERS 2
 GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
21	V 0992	1.78	65	.24	16.14	2.68	.010	24.11	4.00	
22	0993	.48	26	.88	17.63	17.52	.003	3.56	4.02	
23	0994	.82	27	.71	22.72	16.60	.003	1.54	4.27	
24	0995	.51	22	.49	26.04	13.12	.002	0.45	4.06	
25	0996	.34	13	.29	12.84	6.06	.002	3.32	3.18	
26	0997	.58	11	.13	22.77	4.27	.002	0.78	3.59	
27	0998	2.26	40	.10	11.94	5.37	.003	4.73	3.28	
28	0999	.69	40	.36	17.71	7.50	.003	5.31	3.47	
29	1000	.17	2	.05	3.19	5.03	.002	0.19	2.78	
30	1003	.41	24	.01	4.19	1.16	.003	0.30	2.72	
31	V 1004	.89	54	.01	4.60	1.17	.003	0.21	2.76	
32	1005	.55	29	.01	11.63	1.80	.003	0.45	2.91	
33	1006	.51	56	.01	7.29	1.15	.003	0.71	2.92	
34	1007	.41	157	.03	15.61	1.49	.006	7.32	3.88	
35	1008	.27	73	.13	8.72	1.00	.006	37.04	4.46	
36	1009	1.41	83	.03	31.02	1.00	.003	7.45	4.69	
37	1010	1.10	67	.01	24.21	.79	.005	23.71	4.57	
38	1011	1.23	47	.06	11.51	1.64	.005	29.78	4.06	
39	1012	3.43	89	.18	21.26	1.94	.005	12.96	4.04	
40	1013	1.58	78	.13	28.06	3.96	.005	11.06	4.50	

NOTE:
 Rejects retained three weeks.
 Pulps retained three months
 unless otherwise arranged.

[Signature]
 Registered Assayer, Province of British Columbia

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

<u>Samp. No.</u>	<u>From (Ft.)</u>	<u>To (Ft.)</u>	<u>Int. (Ft.)</u>	<u>Ag/AA GMS/MT</u>	<u>Ag/FA GMS/MT</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Pb+Zn %</u>	<u>S.G.</u>	<u>Cu %</u>	<u>BaO %</u>	<u>Au GMS/MT</u>	<u>Po %</u>	<u>Py %</u>	<u>Hg %</u>	<u>Unit</u>
986	111.0	116.0	5.0	22.0		3.26	3.16	6.42		0.05						4B0
987	116.0	121.0	5.0	2.0		0.37	0.44	0.81		0.02						4B0
988	121.0	124.0	3.0	6.0		0.77	1.15	1.92		0.05						4B0
989	200.2	205.2	5.0	2.0		0.15	0.64	0.79		0.06						4A0
990	205.2	210.2	5.0	1.0		0.08	0.47	0.55		0.04						4A/4L
991	210.2	215.1	4.9	-1.0		0.06	0.24	0.30		0.02						?
992	227.0	232.0	5.0	64.0		4.61	6.68	11.29		0.19						4G0
993	232.0	237.0	5.0	28.0		2.39	2.76	5.15		0.37						4E1
994	237.0	242.0	5.0	27.0		2.18	2.44	4.62		0.26						4E8
995	242.0	245.0	3.0	22.0		1.74	1.70	3.44		0.41						4E8
996	252.1	257.1	5.0	13.0		0.97	1.65	2.62		0.13						4D/4L
997	257.1	262.4	5.3	9.0		0.70	0.66	1.36		0.11						4E/4L
998	262.9	266.5	3.6	37.0		2.49	3.71	6.20		0.14						4A0
999	308.7	313.0	4.3	40.0		2.52	3.10	5.62		0.19						4A/4H
1000	328.8	334.0	5.2	2.0		0.07	0.49	0.56		0.10						4B0
1001	334.0	339.0	5.0	14.0		0.13	0.86	0.99		0.11						4B0
1002	339.0	345.0	6.0	2.0		0.08	0.32	0.40		0.06						4B0

SECT. 6E

V-126 R



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 2

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
21	0233	.03	2	.002	2.89					
22	0234	.10	2	.002	2.77					
23	0235	.03	1	.002	2.62					
24	0236	.03	4	.002	2.88					
25	0237	.03	5	.002	2.87					
26	0238	.14	1	.002	2.80					
27	0239	.03	4	.002	2.80					
28	0240	.03	6	.002	2.86					
29	0241	.14	3	.002	2.71					
30	0242	.14	1	.002	2.78					
V-126-R 31	0243	TR	2	.002	2.76					
32	0244	.14	3	.002	2.92					
33	0245	TR	4	.002	2.79					
34	0246	.27	4	.001	2.79					
35	0247	.07	1	.001	2.72					
36	0300	.17	26	.001	3.83					
37	0301	.10	15	L.001	2.97					
V-114-R 38	0302	.10	17	.001	3.26					
39	0303	.07	17	.003	3.12					
40	0304	.10	14	L.001	3.11					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

W. J. J. J.
Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation

330 - 355 Burrard St.

Vancouver, B.C. V6C 2G8 Attention: Dr. G. Simpson

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1	0155	2.95	27	.002	3.65					
2	0156	.24	9	.002	3.29					
3	0157	.38	10	.002	3.69					
4	0158	.34	7	.002	3.62					
5	0159	.27	15	.002	3.90					
6	0160	.38	47	.002	3.97					
7	0161	.55	36	.002	3.92					
8	0162	1.09	36	.002	3.92					
9	0163	.69	27	.002	4.19					
10	0164	.55	13	.002	3.85					
V.095-R 11	0165	1.13	21	.002	3.86					
12	0166	1.78	17	.002	3.93					
13	0167	.46	11	.002	3.92					
14	0168	.21	8	.002	3.09					
15	0227	.79	12	.002	3.90					
16	0228	.58	9	.002	3.66					
V-126-R 17	0229	.17	8	.002	2.99					
18	0230	.78	26	.002	3.33					
19	0231	.55	24	.002	3.44					
20	0232	.10	2	.002	2.71					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DRB for Assay

Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

330 - 355 Burrard St.

Vancouver, B.C. V6C 2G8

Attention: Dr. G. Simpson

Certificate No. K-2602

Date April 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	BaO	Hg	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1	0189	.31	5	.25	5.8	5.1	1.00	.003	2.82	
2	0190	.65	23	.66	9.4	9.5	0.96	.002	3.20	
3	0191	.10	15	1.20	8.9	15.2	1.09	.002	3.37	
4	0192	.07	16	1.30	8.5	17.1	0.47	.002	3.53	
5	0193	1.78	19	1.40	11.4	21.8	0.41	.003	3.99	
6	0194	6.37	9	.67	5.3	20.0	0.30	.002	3.37	
7	0195	.21	10	.31	6.8	11.5	0.31	.002	3.05	
8	0196	2.57	31	.53	10.9	11.8	0.34	.003	3.44	
9	0197	.10	34	.21	13.8	7.3	0.51	.003	3.35	
10	0198	1.89	52	.60	14.9	9.2	0.36	.003	3.53	
11	0199	.82	17	.93	16.0	8.1	1.62	.003	3.49	
12	0200	1.41	19	.43	21.5	6.0	2.12	.003	3.80	
13	0201	1.30	6	.24	11.3	10.9	0.78	.003	3.32	
14	0202	.02	16	.60	6.21	24.6	0.10	.002	3.43	
15	0203	.10	13	.46	3.9	14.3	0.12	.003	3.14	
16	0204	.10	14	.30	4.5	14.1	0.10	.008	3.08	
17	0205	.03	7	.26	2.0	16.0	0.22	.002	3.11	
18	0206	1.99	6	.19	2.1	15.1	0.12	.002	2.96	
19	0207	.03	3	.16	1.1	12.0	0.10	.002	2.89	
20	0209	.41	23	.12	1.8	3.6	0.12	.003	2.55	

V-094-R

V-126-R

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Dr. G. Simpson

Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS 2

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2602

Date April 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	BaO	Hg	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
21	0210	.14	26	.17	8.4	2.5	0.73	.003	2.80	
22	0211	1.03	27	.30	21.6	3.0	0.07	.003	3.57	
23	0212	.75	22	.28	23.8	4.1	0.05	.003	3.76	
24	0213	1.27	28	.21	20.2	4.6	0.08	.003	3.58	
25	0218	.27	19	.11	11.2	1.9	0.11	.003	2.90	
26	0219	.07	28	.08	16.6	1.0	0.07	.004	3.13	
27	0220	.07	25	.08	15.6	1.0	0.06	.004	3.03	
28	0221	.79	32	.08	12.1	1.2	0.07	.004	3.03	
29	0222	.55	19	.07	12.7	.8	0.08	.004	3.01	
30	0223	.24	15	.10	15.5	1.2	0.07	.003	3.03	
31	0224	.17	32	.11	19.5	2.2	0.06	.004	3.40	
32	0225	.41	21	.12	11.5	3.2	0.07	.003	3.01	
33	0226	.14	22	.14	21.6	2.4	0.03	.003	3.46	
34	0269	.07	32	.87	14.4	9.8	5.18	.001	3.71	
35	0270	.14	33	.56	25.7	8.2	5.72	.001	4.37	
36	0271	.07	32	.37	27.6	5.4	2.35	.001	4.44	
37	0272	.38	14	.48	28.9	7.1	1.32	.001	4.70	
38	0273	.48	3	.25	6.0	8.4	2.89	.001	2.91	
39	0274	2.06	83	.33	22.1	3.7	10.13	.004	4.57	
40	0275	.24	3	.19	3.9	4.1	3.84	.001	2.82	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Assay for PyB
Registered Assayer, Province of British Columbia

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

<u>Samp. No.</u>	<u>From (Ft.)</u>	<u>To (Ft.)</u>	<u>Int. (Ft.)</u>	<u>Ag/AA GMS/MT</u>	<u>Ag/FA GMS/MT</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Pb+Zn %</u>	<u>S.G.</u>	<u>Cu %</u>	<u>BaO %</u>	<u>Au GMS/MT</u>	<u>Po %</u>	<u>Py %</u>	<u>Hq %</u>	<u>Mn %</u>	<u>Unit</u>
209	85.0	90.0	5.0	20.0		1.25	2.43	3.68		0.03							4A0
210	90.0	95.0	5.0	24.0		1.53	2.43	3.96		0.08							4A0
211	95.0	98.0	3.0	22.0		1.37	1.75	3.12		0.15							4A0
212	98.0	101.5	3.5	21.0		1.33	1.51	2.84		0.14							4E1
213	101.5	105.0	3.5	27.0		1.38	1.04	2.42		0.15							4E1
214	105.0	110.0	5.0	63.0	60.0	4.20	5.47	9.67	3.37	0.10	0.04	0.21	3.2	16.8	.005	0.21	4A0
215	110.0	115.0	5.0	66.0	64.0	3.87	7.37	11.24	3.29	0.08	0.04	0.69	3.1	15.2	.006	0.19	4A0
216	115.0	120.0	5.0	81.0	80.0	4.73	8.69	13.42	3.42	0.12	0.36	0.69	1.8	16.7	.007	0.11	4A0
217	120.0	125.0	5.0	67.0	72.0	3.73	6.09	9.82	3.13	0.24	0.03	0.62	1.6	13.3	.006	0.09	4A0
218	125.0	130.0	5.0	20.0		0.98	1.67	2.65		0.09							4A0
219	130.0	135.0	5.0	30.0		1.46	2.18	3.64		0.17							4A0
220	135.0	140.0	5.0	27.0		1.21	1.99	3.20		0.20							4A0
221	140.0	145.0	5.0	37.0		2.09	3.48	5.57		0.18							4A0
222	145.0	150.0	5.0	23.0		1.01	2.40	3.41		0.15							4A0
223	150.0	155.0	5.0	27.0		0.53	0.97	1.50		0.18							4A0
224	155.0	160.0	5.0	36.0		0.89	2.45	3.34		0.19							4A0
225	160.0	166.7	6.7	25.0		0.67	2.27	2.94		0.14							4A0
226	188.9	194.0	5.1	24.0		1.08	1.26	2.34		0.22							4A0
227	194.0	199.0	5.0	13.0		0.35	0.23	0.58		0.25							4A0
228	199.0	203.0	4.0	11.0		0.22	0.36	0.58		0.19							4A0
229	203.0	207.0	4.0	10.0		0.35	0.43	0.78		0.05							4A0
230	224.0	229.0	5.0	28.0		1.26	0.50	1.76		0.34							4A0
231	229.0	232.0	3.0	25.0		1.33	0.98	2.31		0.20							4A/4C
232	232.0	237.0	5.0	4.0		0.07	0.05	0.12		0.07							4L7
233	237.0	242.0	5.0	4.0		0.04	0.03	0.07		0.12							4L7
234	242.0	247.0	5.0	1.0		0.05	0.04	0.09		0.11							4L7
235	247.0	252.0	5.0	1.0		0.05	0.04	0.09		0.07							4L7
236	252.0	257.0	5.0	4.0		0.17	0.30	0.47		0.15							4L7
237	257.0	262.0	5.0	4.0		0.13	0.28	0.41		0.20							4L7
238	262.0	267.0	5.0	2.0		0.02	0.02	0.04		0.08							4L7
239	267.0	272.0	5.0	5.0		0.20	0.22	0.42		0.15							4L7

V-126-R

GEOCHEMICAL LOG

Page 2 of 2

<u>Samp.</u> <u>No.</u>	<u>From</u> <u>(Ft.)</u>	<u>To</u> <u>(Ft.)</u>	<u>Int.</u> <u>(Ft.)</u>	<u>Ag/AA</u> <u>GMS/MT</u>	<u>Ag/FA</u> <u>GMS/MT</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Pb+Zn</u> <u>%</u>	<u>S.G.</u>	<u>Cu %</u>	<u>BaO %</u>	<u>Au</u> <u>GMS/MT</u>	<u>Po %</u>	<u>Py %</u>	<u>Hg %</u>	<u>Mn %</u>	<u>Unit</u>
240	272.0	277.0	5.0	6.0		0.23	0.25	0.48		0.21							4L7
241	277.0	282.0	5.0	5.0		0.12	0.12	0.24		0.14							4L7
242	282.0	287.0	5.0	3.0		0.04	0.03	0.07		0.06							4L7
243	287.0	292.0	5.0	4.0		0.10	0.14	0.24		0.10							4L7
244	292.0	297.0	5.0	6.0		0.13	0.11	0.24		0.16							4L7
245	297.0	302.0	5.0	6.0		0.23	0.29	0.52		0.08							4L7
246	302.0	307.0	5.0	4.0		0.20	0.16	0.36		0.05							4L7
247	307.0	312.0	5.0	4.0		0.09	0.22	0.31		0.06							4L7

354A

V-35-R

CYPRUS ANVIL MINING CORPORATION

Page 1 of 2

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Sample No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
3425	67.6	74.3	6.7	30.0		0.20	2.78	2.98		0.04							4A0
3426	127.0	132.0	5.0	TR		0.10	0.20	0.30		TR							4L3
3427	132.0	134.2	2.2	17.0		1.23	2.07	3.30		0.04							4A/5D
3428	134.2	138.0	3.8	42.0		2.46	3.87	6.33		0.11							4A/4G
3429	138.0	142.8	4.8	17.0		1.04	2.37	3.41		0.01							4A0
3430	142.8	148.0	5.2	55.0		3.23	2.58	5.81		0.21							4E/4A
3431	148.0	154.0	6.0	16.0		0.37	0.79	1.16		0.34							4E/4C8
3432	154.0	160.0	6.0	12.0		0.34	0.60			0.30							4C8
3433	160.0	168.0	8.0	9.0		0.31	0.17			0.36							4C8
3434	168.0	174.0	6.0	11.0		0.12	0.06			0.41							4C8
3435	174.0	180.0	6.0	9.0		0.30	0.21			0.21							4C8
3436	180.0	186.0	6.0	8.0		0.11	0.14			0.35							4C8
3437	186.0	192.0	6.0	7.0		0.03	0.09			0.38							4C8
3438	192.0	198.0	6.0	3.0		0.09	0.11			0.34							4C8
3439	198.0	204.0	6.0	4.0		0.18	0.18			0.40							4C8
3440	204.0	210.0	6.0	9.0		0.19	0.46			0.67							4C8
3441	210.0	216.0	6.0	11.0		0.19	0.27			0.56							4C8
3442	216.0	222.0	6.0	18.0		0.42	0.36			0.65							4C8
3443	222.0	228.0	6.0	21.0		0.57	0.37			0.49							4C8
3444	228.0	234.0	6.0	22.0		0.50	0.60			0.44							4C8
3445	234.0	240.0	6.0	16.0		0.48	0.37			0.41							4C8
3446	240.0	246.0	6.0	13.0		0.17	0.19			0.78							4C8
3447	246.0	252.0	6.0	8.0		0.11	0.18			0.42							4C8
3448	252.0	257.0	5.0	4.0		0.11	0.29			0.25							4C0
3449	257.0	263.0	6.0	3.0		0.08	0.16			0.20							4A0
3450	263.0	269.0	6.0	15.0		0.67	0.34			0.21							4A/5B
3451	269.0	272.0	3.0	10.0		0.57	0.74			0.06							4A0
* 3452	272.0	278.0	6.0	-		-	-			0.21		TR					4L7
3453	278.0	284.0	6.0	-		-	-			0.09		TR					4L0,7

GEOCHEMICAL LOG

V-35-R

Page 2 of 2

<u>Sample No.</u>	<u>From (Ft.)</u>	<u>To (Ft.)</u>	<u>Int. (Ft.)</u>	<u>Ag/AA GMS/MT</u>	<u>Ag/FA GMS/MT</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Pb+Zn %</u>	<u>S.G.</u>	<u>Cu %</u>	<u>BaO %</u>	<u>Au GMS/MT</u>	<u>Po %</u>	<u>Py %</u>	<u>Hg %</u>	<u>Mn %</u>	<u>Unit</u>
3454	327.0	333.0	6.0							0.08		TR					4L7
3455	333.0	339.0	6.0							0.14		TR					4L7
3456	339.0	345.0	6.0							0.08		TR					4L7
3457	345.0	351.0	6.0							0.10		TR					4L7
3458	351.0	357.0	6.0							0.12		TR					4L7
3459	420.0	426.0	6.0							0.09		TR					4L6,7
3460	426.0	432.0	6.0							0.05		TR					4L6,7
3461	432.0	438.0	6.0							0.07		TR					4L6,7
* 3462	438.0	444.0	6.0							0.02		TR					4L6,7

* Sample Nos. 3452 - 3462: Au, Cu only.

V 096 R



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS 3

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2602

Date April 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	BaO	Hg	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
41	0276	.93	37	.67	22.8	8.3	10.08	.001	4.25	
42	0277	.21	3	.15	3.7	6.1	3.02	.001	2.86	
43	0278	1.13	13	.32	23.9	3.8	0.50	.001	3.69	
44	0279	.21	5	.18	2.7	3.3	2.17	.001	2.86	
45	0280	.89	66	.52	14.0	8.7	6.08	.001	3.66	
46	0281	.41	9	.17	3.1	5.0	2.78	.001	2.73	
47	0282	1.47	37	.58	21.0	8.9	5.98	.001	4.16	
48	0283	.14	31	.32	21.1	5.4	3.62	.001	3.73	
49	0284	.07	11	.28	21.1	7.0	0.15	.001	3.69	
50	0285	.55	8	.17	24.3	2.9	0.06	.001	3.55	
51	0286	.55	21	.44	23.5	8.4	1.63	.001	4.30	
V-115-R 52	0492	.31	8	.14	2.1	2.6	0.10	.001	2.58	
53	0493	.17	22	.16	2.5	3.1	0.22	.001	2.76	
54	1498	.45	17	.12	4.4	3.8	0.09	.001	2.76	
55	1499	.38	21	.11	4.0	3.0	0.60	.001	2.81	
56	1500	.14	11	.11	3.4	2.0	0.90	.001	2.69	
V-317 57	3001	.93	70	.24	9.4	3.3	0.11	.007	3.16	
58	3002	1.13	16	.18	19.4	2.9	0.10	.002	3.39	
59	3003	1.17	53	.15	13.7	2.2	0.07	.005	3.19	
60	3004	1.27	52	.11	12.9	1.8	0.05	.004	3.11	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for OGB
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS 2

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2602

Date April 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	BaO	Hg	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
21	0210	.14	26	.17	8.4	2.5	0.73	.003	2.80	
22	0211	1.03	27	.30	21.6	3.0	0.07	.003	3.57	
23	0212	.75	22	.28	23.8	4.1	0.05	.003	3.76	
24	0213	1.27	28	.21	20.2	4.6	0.08	.003	3.58	
25	0218	.27	19	.11	11.2	1.9	0.11	.003	2.90	
26	0219	.07	28	.08	16.6	1.0	0.07	.004	3.13	
27	0220	.07	25	.08	15.6	1.0	0.06	.004	3.03	
28	0221	.79	32	.08	12.1	1.2	0.07	.004	3.03	
29	0222	.55	19	.07	12.7	.8	0.08	.004	3.01	
30	0223	.24	15	.10	15.5	1.2	0.07	.003	3.03	
31	0224	.17	32	.11	19.5	2.2	0.06	.004	3.40	
32	0225	.41	21	.12	11.5	3.2	0.07	.003	3.01	
33	0226	.14	22	.14	21.6	2.4	0.03	.003	3.46	
34	0269	.07	32	.87	14.4	9.8	5.18	.001	3.71	
35	0270	.14	33	.56	25.7	8.2	5.72	.001	4.37	
36	0271	.07	32	.37	27.6	5.4	2.35	.001	4.44	
37	0272	.38	14	.48	28.9	7.1	1.32	.001	4.70	
38	0273	.48	3	.25	6.0	8.4	2.89	.001	2.91	
39	0274	2.06	83	.33	22.1	3.7	10.13	.004	4.57	
40	0275	.24	3	.19	3.9	4.1	3.84	.001	2.82	

V-126-K

V-096-K

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

David J. O'Neil

Registered Assayer, Province of British Columbia

V-094R



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation

330 - 355 Burrard St.

Vancouver, B.C. V6E 2G8

Certificate No. K-2675

Date June 6, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Py	Po	BaO	S.G.	
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
095-R 1	142	-	-	-	-	-	-	-	-	3.84
094-R 2	178	-	-	-	-	-	-	-	-	2.79
3 3	292	-	-	-	-	-	-	-	-	3.61
114-R 4	295	-	45	2.89	4.94	-	-	-	-	3.68
119-R 5	409	-	190	5.79	8.03	38.92	.70	-	-	4.85
115-R 6	560	-	-	-	-	18.28	4.09	-	-	4.47
7	681	-	19	1.25	2.01	-	-	-	-	-
8	683	-	-	-	-	-	-	-	-	3.96
303 9	691	-	-	-	-	-	-	-	-	3.99
10	695	-	-	-	-	-	-	-	-	3.46
309 11	737	-	-	-	-	-	-	-	-	4.23
12	772	-	33	3.02	-	-	-	-	-	-
13	782	-	91	7.87	-	-	-	-	-	-
302 14	783	-	-	-	-	-	-	-	-	4.27
15	784	-	-	-	-	-	-	-	-	4.29
305 16	853	-	-	-	-	-	-	17.9	-	-
17	906	-	-	-	-	-	-	-	-	3.24
304 18	919	-	55	4.24	3.48	-	-	1.9	-	-
19	949	-	57	5.30	3.78	26.98	6.37	7.8	-	4.42
306 20	950	-	36	.97	1.15	3.14	3.53	4.6	-	2.91

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB

Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2602

330 - 355 Burrard St.

Date April 30, 1980

Vancouver, B.C. V6C 2G8 Attention: Dr. G. Simpson

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	BaO	Hg	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1	0189	.31	5	.25	5.8	5.1	1.00	.003	2.82	
2	0190	.65	23	.66	9.4	9.5	0.96	.002	3.20	
3	0191	.10	15	1.20	8.9	15.2	1.09	.002	3.37	
4	0192	.07	16	1.30	8.5	17.1	0.47	.002	3.53	
5	0193	1.78	19	1.40	11.4	21.8	0.41	.003	3.99	
6	0194	6.37	9	.67	5.3	20.0	0.30	.002	3.37	
7	0195	.21	10	.31	6.8	11.5	0.31	.002	3.05	
8	0196	2.57	31	.53	10.9	11.8	0.34	.003	3.44	
9	0197	.10	34	.21	13.8	7.3	0.51	.003	3.35	
10	0198	1.89	52	.60	14.9	9.2	0.36	.003	3.53	
11	0199	.82	17	.93	16.0	8.1	1.62	.003	3.49	
12	0200	1.41	19	.43	21.5	6.0	2.12	.003	3.80	
13	0201	1.30	6	.24	11.3	10.9	0.78	.003	3.32	
14	0202	.02	16	.60	6.21	24.6	0.10	.002	3.43	
15	0203	.10	13	.46	3.9	14.3	0.12	.003	3.14	
16	0204	.10	14	.30	4.5	14.1	0.10	.008	3.08	
17	0205	.03	7	.26	2.0	16.0	0.22	.002	3.11	
18	0206	1.99	6	.19	2.1	15.1	0.12	.002	2.96	
19	0207	.03	3	.16	1.1	12.0	0.10	.002	2.89	
20	0209	.41	23	.12	1.8	3.6	0.12	.003	2.55	

V-094-R

1/126R

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Dr. G. Simpson

Registered Assayer, Province of British Columbia

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Sample No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
169	82.5	86.2	3.7	95.0	92.0	6.84	6.03	12.87	4.08	0.08	10.94	0.55	14.50	24.8	.003	2.10	4GH
170	87.0	92.0	5.0	81.0	80.0	5.94	6.12	12.06	4.47	0.09	15.87	0.41	6.81	20.9	.004	0.96	4GH
171	92.0	95.2	3.2	109.0	101.0	8.54	8.56	17.10	4.66	0.07	20.37	0.27	2.90	18.6	.006	0.35	4G4
172	95.2	99.8	4.6	24.0	20.0	1.27	4.82	6.09	4.81	0.03	0.19	0.21	1.02	34.9	.003	0.17	4E0
173	99.8	101.5	1.7	71.0	71.0	4.68	7.58	12.26	4.52	0.03	21.21	0.27	3.45	20.5	.006	0.42	4G4
174	101.5	104.0	2.5	40.0	37.0	2.38	3.29	5.67	3.31	0.11	12.96	TR	7.21	12.1	.002	0.31	4L7
175	104.0	105.5	1.5	130.0	132.0	8.45	15.50	23.95	4.04	0.07	7.27	0.34	16.40	20.2	.003	0.60	4H1
176	105.5	108.1	2.6	4.0	7.0	0.51	0.57	1.08	3.03	0.03	10.81	TR	5.65	8.9	.001	0.60	5D6
177	108.1	112.3	4.2	130.0	131.0	9.55	6.97	16.52	3.86	0.11	1.75	0.34	21.30	25.1	.002	1.68	4H1
178	112.3	118.6	6.3	24.0	27.0	1.66	3.26	4.92	5.54	0.03	0.36	TR	3.33	6.1	.001	0.16	4A0
179	147.5	150.5	3.0	60.0	54.0	3.10	4.55	7.65	3.07	0.07	9.33	0.21	3.80	9.7	.006	0.21	4AG
180	150.5	155.0	4.5	17.0	17.0	1.07	2.22	3.29	2.98	0.02	0.91	TR	1.10	14.2	.003	0.09	4A0
181	155.0	160.0	5.0	16.0	17.0	1.20	3.46	4.66	2.58	0.02	1.52	TR	1.10	2.8	.002	0.07	4A0
182	160.0	164.0	4.0	30.0	35.0	2.07	4.93	7.00	2.79	0.03	0.87	0.21	1.20	8.5	.003	0.09	4A0
183	164.0	166.5	2.5	95.0	95.0	5.35	9.19	14.54	4.47	0.16	12.05	0.34	2.60	22.6	.006	0.27	4GE
184	168.0	173.0	5.0	111.0	112.0	8.15	5.84	13.99	4.52	0.05	17.53	0.55	14.40	24.3	.004	1.90	4GJ
185	173.0	178.0	5.0	90.0	88.0	5.26	8.55	13.81	4.31	0.04	28.77	0.41	4.30	12.1	.008	0.57	4G4
186	178.0	183.7	5.7	40.0	38.0	2.40	5.76	8.61	4.33	0.03	32.07	TR	2.70	11.9	.004	0.37	4G4
187	183.7	188.0	4.3	55.0	55.0	4.61	7.45	12.06	3.65	0.11	4.33	0.21	6.60	19.3	.003	0.73	4D0
188	188.0	193.0	5.0	27.0	23.0	2.19	3.17	5.36	3.55	0.16	4.65	TR	6.90	19.5	.002	0.77	4D0
189	193.0	195.5	2.5	1.0		0.27	0.81	1.08		0.09		-					4A0
190	195.5	198.5	3.0	26.0		2.02	0.87	2.89		0.23		2.06					4C7
191	198.5	203.5	5.0	13.0		0.99	0.27	1.26		0.28		0.82					4C8
192	203.5	207.5	4.0	13.0		1.00	0.55	1.55		0.32		1.92					4C8
193	207.5	211.0	3.5	13.0		0.75	0.60	1.35		0.55		1.44					4C8
194	211.0	216.0	5.0	8.0		0.79	0.39	1.18		0.28		5.49					4C9
195	216.0	221.0	5.0	4.0		0.50	0.33	0.83		0.30		0.82					4C9
196	221.0	226.0	5.0	28.0		2.33	1.71	4.04		0.29		3.57					4C9
197	226.0	231.0	5.0	34.0		2.88	1.29	4.17		0.30		2.74					4C9
198	231.0	236.0	5.0	52.0		4.08	1.89	5.97		0.33		1.92					4C9

V-094-R

GEOCHEMICAL LOG

Page 2 of 2

<u>Sample No.</u>	<u>From (Ft.)</u>	<u>To (Ft.)</u>	<u>Int. (Ft.)</u>	<u>Ag/AA GMS/MT</u>	<u>Ag/FA GMS/MT</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Pb+Zn %</u>	<u>S.G.</u>	<u>Cu %</u>	<u>BaO %</u>	<u>Au GMS/MT</u>	<u>Po %</u>	<u>Py %</u>	<u>Hg %</u>	<u>Mn %</u>	<u>Unit</u>
199	236.0	241.0	5.0	19.0		1.00	1.82	2.82		0.31		0.21					4C9
200	241.0	246.0	5.0	21.0		1.06	1.58	2.64		0.27		1.23					4C9
201	246.0	252.7	6.7	5.0		0.12	0.22	0.34		0.15		3.09					4C9
202	252.7	257.0	4.3	17.0		1.21	2.26	3.47		0.20		0.82					4C7
203	257.0	262.0	5.0	14.0		0.63	1.18	1.81		0.48		0.69					4C7
204	262.0	267.0	5.0	14.0		0.67	1.41	2.08		0.66		0.75					4C7
205	267.0	272.0	5.0	5.0		0.39	0.88	1.27		0.29		TR					4C7
206	272.0	277.0	5.0	5.0		0.42	0.82	1.24		0.16							4C7
207	277.0	282.0	5.0	4.0		0.09	0.16	0.25		0.18							4C7
208	282.0	287.0	5.0	4.0		0.10	0.35	0.45		0.06							4L1

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Sample No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
3199	110.6	115.0	4.4	21.0		1.36	2.65	4.01		0.08							4A0
3200	115.0	120.0	5.0	49.0		3.30	3.52	6.82		0.04							4A0
3301	120.0	125.0	5.0	47.0		3.24	3.82	7.06		0.05							4A0
3302	125.0	130.0	5.0	64.0		4.62	5.40	10.02		0.06							4A0
3303	130.0	133.0	3.0	69.0		4.38	6.14	10.52		0.07							4A0
3304	133.0	138.0	5.0	82.0		5.04	6.77	11.81		0.13							4G0
3305	138.0	143.0	5.0	54.0		3.98	4.04	8.02		0.16							4E/F/K
3306	143.0	148.0	5.0	54.0		3.16	5.21	8.37		0.12							4G8/E
3307	148.0	150.0	2.0	130.0		9.93	8.18	18.11		0.05							4G8
3308	150.0	158.0	8.0	18.0		0.98	1.04	2.02		0.05							4L3,7
3309	158.0	160.8	2.8	92.0		5.16	6.61	11.77		0.09							4G8
3310	160.8	164.1	3.3	58.0		3.30	3.93	7.23		0.03							4L0
3311	164.1	170.5	6.4	52.0		2.96	3.78	6.74		0.04							4E0
3312	170.5	174.5	4.0	61.0		3.66	7.22	10.88		0.04							4G8
3313	174.5	178.5	4.0	55.0		2.88	6.44	9.32		0.02							4G8
3314	178.5	183.5	5.0	72.0		5.06	7.34	12.40		0.07							4E/5D
3315	183.5	188.5	5.0	32.0		1.43	2.80	4.23		0.04							4E0
3316	188.5	193.0	4.5	43.0		2.22	4.17	6.39		0.02							4G8
3317	193.0	198.0	5.0	91.0		5.72	7.42	13.14		0.06							4G8
3318	198.0	203.8	5.8	70.0		4.22	6.93	11.15		0.06							4G8
3319	203.8	206.7	2.9	10.0		0.57	0.60	1.17		0.05							4L1
3320	206.7	212.5	5.8	21.0		1.32	1.34	2.66		0.33							4E8
3321	212.5	218.0	5.5	19.0		0.24	0.36	0.60		0.28							4C0
3322	218.0	223.0	5.0	11.0		0.16	0.13	0.29		0.32							4C0
3323	223.0	229.0	6.0	14.0		0.39	0.14	0.53		0.41							4C0
3324	229.0	235.0	6.0	10.0		0.21	0.14	0.35		0.22							4C0
3325	235.0	241.0	6.0	4.0		0.49	0.66	1.15		0.41							4C0
3326	241.0	247.0	6.0	2.0		0.20	0.14	0.34		0.26							4C0
3327	247.0	253.0	6.0	100.0		11.54	0.57	12.11		0.34							4C0
3328	253.0	256.0	3.0	224.0		23.23	1.88	25.11		0.19							4C0
3329	256.0	262.0	6.0	25.0		2.88	0.80	3.68		0.58							4C0
3330	262.0	268.0	6.0	7.0		0.77	1.20	1.97		0.21							4C8

GEOCHEMICAL LOG

Page 2 of 2

V-47-R

Sample No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
3331	268.0	272.0	4.0	8.0		0.56	0.21	0.77		0.28		-					4C8
3332	272.0	278.0	6.0	2.0		0.52	0.45	0.97		0.05		-					4C8
3333	278.0	282.5	4.5	10.0		1.44	2.81	4.25		0.06		-					4C8
3293	282.5	288.0	5.5	50.0		3.30	9.01	12.31		0.13		-					4D0/7
3294	288.0	294.0	6.0	51.0		2.98	3.57	6.55		0.05		-					4C0
3295	294.0	300.0	6.0	13.0		0.81	1.32	2.13		0.31		-					4C0
3296	300.0	306.0	6.0	10.0		0.43	0.93	1.36		0.19		-					4C0
* 3297	306.0	312.0	6.0	-		-	-	-		0.06		TR					4L0
3298	312.0	318.0	6.0	-		-	-	-		0.13		TR					4L0
3299	318.0	324.0	6.0	-		-	-	-		0.16		0.55					4L0
3300	324.0	329.0	5.0	-		-	-	-		0.39		0.14					4L0
3351	329.0	334.0	5.0	-		-	-	-		0.27		0.34					4L0
3352	334.0	338.0	4.0	-		-	-	-		0.07		TR					4L0
3353	384.0	390.0	6.0	-		-	-	-		0.04		TR					4L0
3354	390.0	396.0	6.0	-		-	-	-		TR		TR					4L0
3355	396.0	402.0	6.0	-		-	-	-		TR		0.55					4L0
3356	402.0	408.0	6.0	-		-	-	-		TR		0.69					4L0
3357	408.0	414.0	6.0	-		-	-	-		0.12		TR					4L0
3358	414.0	420.0	6.0	-		-	-	-		0.05		TR					4L0
3359	420.0	426.0	6.0	-		-	-	-		0.09		TR					4L0
3360	426.0	432.0	6.0	-		-	-	-		0.13		TR					4L0
3361	432.0	438.0	6.0	-		-	-	-		0.41		TR					4L0
3362	438.0	444.0	6.0	-		-	-	-		0.34		TR					4L0
3363	444.0	450.0	6.0	-		-	-	-		0.37		TR					4L0
* 3364	450.0	458.0	8.0	-		-	-	-		0.10		TR					4L0

* Sample Nos. 3297 - 3364: Cu, Au only.

V-095R



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation
330 - 355 Burrard St.
Vancouver, B.C. V6E 2G8

Certificate No. K-2675

Date June 6. 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Py	Po	BaO	S.G.	Percent
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	
095-R 1	142		-	-	-	-	-	-	3.84	
094-R 2	178		-	-	-	-	-	-	2.79	
3	292		-	-	-	-	-	-	3.61	
114-R 4	295		45	2.89	4.94	-	-	-	3.68	
119-R 5	409		190	5.79	8.03	38.92	.70	-	4.85	
115-R 6	560		-	-	-	18.28	4.09	-	4.47	
7	681		19	1.25	2.01	-	-	-	-	
8	683		-	-	-	-	-	-	3.96	
303 9	691		-	-	-	-	-	-	3.99	
10	695		-	-	-	-	-	-	3.46	
309 11	737		-	-	-	-	-	-	4.23	
12	772		33	3.02	-	-	-	-	-	
13	782		91	7.87	-	-	-	-	-	
302 14	783		-	-	-	-	-	-	4.27	
15	784		-	-	-	-	-	-	4.29	
305 16	853		-	-	-	-	-	17.9	-	
17	906		-	-	-	-	-	-	3.24	
304 18	919		55	4.24	3.48	-	-	1.9	-	
19	949		57	5.30	3.78	26.98	6.37	7.8	4.42	
306 20	950		36	.97	1.15	3.14	3.53	4.6	2.91	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Das Jan Ass

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation

330 - 355 Burrard St.

Vancouver, B.C. V6C 2G8

Attention: Dr. G. Simpson

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1	0155	2.95	27	.002	3.65					
2	0156	.24	9	.002	3.29					
3	0157	.38	10	.002	3.69					
4	0158	.34	7	.002	3.62					
5	0159	.27	15	.002	3.90					
6	0160	.38	47	.002	3.97					
7	0161	.55	36	.002	3.92					
8	0162	1.09	36	.002	3.92					
9	0163	.69	27	.002	4.19					
10	0164	.55	13	.002	3.85					
11	0165	1.13	21	.002	3.86					
12	0166	1.78	17	.002	3.93					
13	0167	.46	11	.002	3.92					
14	0168	.21	8	.002	3.09					
15	0227	.79	12	.002	3.90					
16	0228	.58	9	.002	3.66					
17	0229	.17	8	.002	2.99					
18	0230	.78	26	.002	3.33					
19	0231	.55	24	.002	3.44					
20	0232	.10	2	.002	2.71					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for RGS
Registered Assayer, Province of British Columbia

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
133	157.7	163.5	5.8	70.0	66.0	4.83	7.13	11.96	4.11	0.02	29.11	0.17	3.02	9.5	.003	0.24	4G4
134	163.5	167.5	4.0	10.0	11.0	0.83	1.66	2.49	3.02	0.01	12.95	TR	5.05	7.3	.001	0.30	5D3
135	167.5	171.5	4.0	43.0	35.0	3.23	6.07	9.30	3.87	0.02	29.28	0.07	3.53	10.6	.002	0.37	4GL
136	171.5	174.0	2.5	110.0	110.0	8.62	8.52	17.14	4.25	0.02	17.84	0.34	6.44	16.0	.005	1.00	4G4
137	174.0	177.8	3.8	160.0	161.0	13.75	12.40	26.15	4.39	0.04	2.81	0.48	12.00	23.6	.007	1.65	4F4
138	177.8	182.0	4.2	39.0	32.0	2.75	6.25	9.00	4.37	0.03	38.90	0.10	4.46	12.2	.004	0.78	4G4
139	182.0	184.7	2.7	240.0	248.0	22.30	8.87	31.17	4.77	0.03	2.20	1.65	15.50	25.2	.006	1.90	4F4
140	184.7	189.7	5.0	93.0	100.0	6.88	8.83	15.71	4.42	0.03	21.19	0.68	11.60	18.2	.005	1.48	4G4
141	189.7	194.8	5.1	94.0	95.0	6.88	7.23	14.11	4.44	0.06	22.77	0.82	8.29	19.4	.004	1.02	4G4
142	194.8	199.0	4.2	53.0	49.0	3.95	5.93	9.88	3.69	0.13	12.28	0.34	12.50	23.3	.003	0.34	4F4
143	199.0	205.5	6.5	35.0	42.0	3.01	3.09	6.10	4.54	0.15	9.53	1.37	4.20	30.7	.002	0.42	4G4
144	205.5	213.4	7.9	7.0	8.0	0.73	0.13	0.86	4.45	0.07	0.76	TR	0.70	38.1	.001	0.04	4E0
145	213.4	217.6	4.2	58.0	55.0	6.09	6.63	12.72	4.78	0.12	16.97	1.37	1.23	25.4	.003	0.12	4E0
146	217.6	224.0	6.4	20.0	19.0	3.03	2.79	5.82	4.51	0.23	3.43	1.03	0.81	35.4	.002	0.05	4E0
147	224.0	229.0	5.0	13.0	8.0	1.13	1.32	2.45	4.21	0.05	7.20	0.68	1.07	29.2	.002	0.16	4E1
148	229.0	234.0	5.0	18.0	11.0	2.05	0.65	2.70	4.06	0.03	1.40	1.03	1.23	29.6	.001	0.19	4E1
149	234.0	240.9	6.9	50.0	53.0	4.40	2.58	6.98	4.42	0.11	7.96	1.03	3.96	30.4	.001	0.41	4E1
150	240.9	246.0	5.1	81.0	67.0	4.68	5.82	10.50	4.61	0.29	19.87	1.10	2.56	24.2	.004	0.27	4EG
151	246.0	251.0	5.0	65.0	66.0	3.67	4.95	8.62	4.66	0.19	11.84	1.20	2.96	29.7	.003	0.27	4EG
152	251.0	256.0	5.0	104.0	102.0	7.90	8.09	15.99	4.61	0.15	5.66	1.65	7.73	29.6	.006	0.75	4EG
153	256.0	261.0	5.0	79.0	93.0	5.94	9.54	15.48	4.49	0.15	28.83	TR	2.10	14.9	.008	0.19	4EG
154	261.0	266.0	5.0	61.0	63.0	4.50	6.66	11.16	4.34	0.13	27.21	0.07	3.40	17.1	.006	0.32	4EG
155	266.0	271.0	5.0	26.0		1.21	0.67	1.88		0.30							4CE
156	271.0	276.0	5.0	7.0		0.27	0.26	0.53		0.24							4CE
157	276.0	281.0	5.0	10.0		0.21	0.26	0.47		0.34							4CE
158	281.0	286.0	5.0	12.0		0.12	0.20	0.32		0.38							4CE
159	286.0	291.0	5.0	14.0		0.38	0.26	0.64		0.35							4CE
160	291.0	296.0	5.0	48.0		1.96	0.38	2.34		0.39							4CE
161	296.0	301.0	5.0	36.0		1.05	0.51	1.56		0.45							4CE
162	301.0	306.0	5.0	36.0		1.68	1.20	2.88		0.20							4CE
163	306.0	311.0	5.0	27.0		1.62	1.94	3.56		0.35							4CE
164	311.0	316.0	5.0	11.0		0.35	0.48	0.83		0.40							4CE
165	316.0	321.0	5.0	16.0		0.86	1.33	2.19		0.46							4CE
166	321.0	326.0	5.0	13.0		0.54	0.83	1.37		0.47							4CE
167	326.0	333.5	7.5	7.0		0.26	0.56	0.82		0.36							4CE
168	333.5	340.5	7.0	3.0		0.34	0.92	1.26		0.15							4L4

V 47 R



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS 6

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2602

Date April 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	BaO	Hg	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
101	3328	4.49	204	.12	12.9	1.8	0.02	.003	3.89	
102	3329	2.06	24	.13	19.56	2.64	0.06	.002	3.63	
V-47-R 103	3330	.65	10	1.90	11.6	15.3	0.02	.002	3.62	
104	3331	.31	13	.55	17.9	5.7	0.13	.008	3.65	
105	3332	.27	6	.57	14.6	5.5	0.10	.004	3.46	
106	3333	.55	15	1.02	9.1	10.5	0.12	.002	3.28	
107	3339	.27	17	.01	2.1	.9	0.09	.001	2.59	
108	3340	.86	12	.01	12.1	.8	0.12	.002	3.10	
109	3341	.69	3	.01	13.5	.9	0.11	.003	3.17	
110	3342	.72	10	L .01	13.3	.6	0.12	L .001	2.95	
V-15-R 111	3343	.55	4	.01	9.8	.7	0.12	.005	2.77	
112	3344	.72	9	.01	12.9	.9	0.11	.002	2.97	
113	3345	.65	11	.05	10.6	1.7	0.11	.004	2.93	
114	3346	.65	10	.01	14.6	.9	0.10	.005	3.06	
115	3347	.99	21	.02	9.1	.8	0.10	.002	2.92	
116	3348	1.30	13	.06	7.3	1.2	0.14	.007	2.76	
117	3349	.41	18	.03	2.6	1.0	0.30	.004	2.70	
118	3350	.55	28	.02	2.9	.7	0.43	.002	2.63	
V-35-R 119	3425	.82	32	.04	5.3	1.5	0.12	.004	2.78	
120	3426	.34	4	.07	1.6	3.5	0.08	.004	2.63	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

D. J. ...
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS 5

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2602

Date April 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	BaO	Hg	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
81	3308	.27	15	.20	4.7	4.8	4.99	.002	3.03	
82	3309	.72	88	.10	15.4	1.6	24.09	.002	4.85	
83	3310	.34	52	.26	7.0	4.3	9.67	.002	3.45	
84	3311	.86	49	.11	25.2	1.8	7.00	.003	4.52	
85	3312	.24	58	.17	15.1	1.3	26.98	.003	4.75	
86	3313	.24	52	.80	8.9	4.2	30.52	.002	4.51	
87	3314	.58	72	.22	14.1	3.1	11.08	.003	3.94	
88	3315	.45	31	.07	31.5	.6	4.39	.004	4.98	
89	3316	.21	42	.11	17.8	1.4	23.16	.003	4.83	
90	3317	.27	81	.55	13.3	2.6	24.02	.003	4.50	
91	3318	.34	64	.41	10.6	1.9	24.87	.005	4.20	
92	3319	.21	10	.40	1.7	3.6	8.83	.004	2.95	
93	3320	.93	21	.84	26.1	6.9	0.44	.003	4.70	
94	3321	1.20	18	.26	28.9	2.5	0.65	.005	4.53	
95	3322	1.06	11	.21	28.2	2.6	0.08	.002	4.26	
96	3323	.72	13	.12	23.5	2.7	0.11	.005	3.73	
97	3324	1.27	11	.18	23.4	2.3	0.18	.004	3.53	
98	3325	2.37	6	.13	21.3	4.0	0.08	.002	3.71	
99	3326	1.20	2	.14	22.84	4.06	0.02	.005	3.68	
100	3327	1.47	90	.10	17.7	2.2	0.09	.002	3.89	

V-47-R

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAOS for OGB
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS 4

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2602

Date April 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	BaO	Hg	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
61	3005	.99	40	.12	9.6	1.8	0.06	.006	3.06	
62	3006	1.20	34	.16	4.9	7.3	0.08	.002	2.96	
63	3007	.41	7	.12	6.1	3.2	0.12	.001	2.85	
64	3008	.96	21	.09	10.9	3.7	0.08	.001	3.06	
65	3009	1.37	46	.09	19.6	1.2	0.04	.001	3.34	
66	3010	1.85	30	.10	22.7	1.3	0.06	.001	3.51	
67	3011	1.82	33	.11	22.6	1.7	0.07	.003	3.54	
68	3199	.69	20	.03	6.7	1.2	0.30	.002	2.69	
69	3200	.96	47	.02	8.8	1.2	0.15	.002	2.86	
70	3293	.62	49	.54	15.9	5.6	0.11	.002	3.59	
"	71	3294	.96	56	.09	8.4	2.1	0.18	.002	3.03
"	72	3295	.86	10	.68	16.7	6.9	0.04	.002	3.39
"	73	3296	.75	8	.19	15.4	4.2	0.07	.002	3.27
74	3301	.31	47	.03	6.2	1.3	0.20	.002	2.88	
75	3302	.75	64	.03	9.3	1.6	0.45	.002	3.02	
"	76	3303	.58	67	.10	10.3	2.4	2.30	.002	3.22
"	77	3304	.96	83	.19	18.6	2.6	12.53	.002	4.25
78	3305	1.47	50	.40	23.7	4.7	5.01	.002	4.38	
79	3306	.99	49	.57	17.4	5.5	14.74	.002	4.56	
80	3307	.58	122	1.52	11.6	10.0	8.37	.002	4.42	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

David J. Ross
Registered Assayer, Province of British Columbia

V-20R



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

17

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2417


Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-316 321	V 3120	2.04	22	1.19	27.01	9.23	.002	0.79	3.68	
322	3121	1.07	14	.72	27.11	9.13	.003	0.47	3.58	
323	3122	.70	9	.37	12.20	9.69	.002	0.83	3.29	
324	3184	1.00	14	.63	22.67	8.47	.002	0.07	3.68	
325	3185	.81	13	.32	13.71	5.77	.002	0.08	3.22	
326	3186	.46	4	.09	8.41	4.95	.002	0.15	3.08	
327	3187	.04	1	.16	4.95	4.85	.002	0.14	2.73	
328	3188	.85	28	.30	14.67	7.02	.003	0.15	3.45	
329	3189	1.12	26	.37	16.51	7.09	.003	0.11	3.46	
V-45-R 330	3190	.39	26	.48	10.52	9.16	.003	0.16	3.30	
331	V 3191	.50	48	.32	11.49	8.29	.004	0.44	3.40	
332	3192	.50	37	.26	11.85	5.22	.003	0.29	3.06	
333	3193	1.12	56	.26	16.89	5.50	.003	0.28	3.44	
334	3201	1.50	163	.15	14.94	2.03	.007	17.01	4.52	
335	3202	1.39	144	.80	22.47	6.11	.005	2.32	4.38	
336	3203	.19	31	.82	1.37	4.97	.002	2.47	3.00	
V-20-R 337	3204	1.47	116	.36	13.96	2.61	.006	16.87	4.43	
338	3205	1.16	118	.41	11.45	2.71	.007	22.84	4.24	
339	3207	1.85	175	.33	15.72	2.56	.009	8.19	4.40	
340	3208	1.16	50	.58	28.30	9.33	.003	9.76	4.32	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS 18
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-20-R 341	V 3209	.04	4	.11	.78	2.88	.002	1.63	2.58	
342	3210	.27	7	.05	1.22	3.08	.002	1.85	2.61	
343	3211	.85	55	.31	12.04	3.22	.005	8.20	3.56	
344	3212	.19	53	.40	N.D.	47.88	.003	0.09	4.30	
345	3214	.75	88	.21	12.10	2.26	.007	30.68	4.63	
346	3215	.68	58	.08	18.44	1.44	.006	22.49	4.42	
347	3216	.25	68	.38	8.31	3.09	.007	35.21	4.34	
348	3217	.25	69	.17	9.31	1.53	.007	36.54	4.44	
349	3218	.07	79	.59	7.48	4.77	.006	35.07	4.60	
350	3219	.11	57	.81	5.64	5.76	.006	34.40	4.33	
V-45-R 351	V 3220	.53	69	.15	12.10	1.96	.006	28.78	4.25	
352	3221	.18	89	.22	10.12	1.94	.006	33.11	4.53	
353	3222	.36	85	.67	11.20	5.27	.006	24.06	4.44	
354	3223	.36	87	.51	8.34	3.25	.005	28.62	4.06	
355	3224	.75	39	.59	16.74	6.15	.004	15.24	3.95	
356	3225	2.10	16	1.84	22.01	20.75	.002	0.42	4.21	
357	3226	2.56	14	2.18	22.75	20.13	.002	0.13	4.28	
358	3227	1.07	36	2.30	19.80	22.13	.002	0.73	4.26	
359	3228	1.78	35	.85	32.88	9.29	.002	1.31	4.38	
360	3238	.57	79	.60	17.48	4.71	.001	0.10	3.71	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

D. P. B. for P. B. B.
Registered Assayer, Province of British Columbia

V-20-R

CYPRUS ANVIL MINING CORPORATION

Page 1 of 1

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Sample No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
3201	187.0	189.0	2.0	162.0		10.39	8.61	19.00		0.06							4F6
3202	201.3	202.8	1.5	153.0		10.64	8.47	19.11		0.04							4F6
* 3203	202.8	204.2	1.4	31.0		1.38	1.73	3.11		(L)0.01		- x					4L3
3204	204.2	205.8	1.6	124.0		9.69	8.65	18.34		0.04							4G4
3205	217.5	220.0	2.5	119.0		9.73	9.59	19.32		0.06							4G/K
* 3206	220.0	225.2	5.2	-		-	-	-		0.02		TR					4L3
3207	225.2	227.1	1.9	185.0		13.08	13.01	26.09		0.11							4F6
3208	256.0	262.0	6.0	57.0		3.22	3.64	6.86		0.19							4G0
3209	327.0	330.0	3.0	1.0		0.05	0.20	0.25		0.01							4L4
3210	330.0	335.4	5.4	10.0		0.39	1.33	1.72		0.01							4L4
3211	343.3	345.1	1.8	60.0		2.85	4.63	7.48		0.10							4K0
3212	396.5	397.9	1.4	64.0		2.83	3.57	6.40		0.18							4H4
* 3213	397.9	400.9	3.0	-		-	-	-		0.06		- x					4L9

* Cu, Au only.

V-096R

V-096-R

CYPRUS ANVIL MINING CORPORATION

Page 1 of 1

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

<u>Samp. No.</u>	<u>From (Ft.)</u>	<u>To (Ft.)</u>	<u>Int. (Ft.)</u>	<u>Ag/AA GMS/MT</u>	<u>Ag/FA GMS/MT</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Pb+Zn %</u>	<u>S.G.</u>	<u>Cu %</u>	<u>BaO %</u>	<u>Au GMS/MT</u>	<u>Po %</u>	<u>Py %</u>	<u>Hg %</u>	<u>Unit</u>
269	249.2	252.0	2.8	35.0		2.32	2.27	4.59		0.34						4D3
270	252.0	257.5	5.5	38.0		3.01	2.54	5.55		0.66						4E8
271	257.5	260.5	3.0	33.0		1.64	1.79	3.43		0.53						4E0
272	260.5	264.0	3.5	20.0		1.13	1.87	3.00		0.26						4E0
273	264.0	265.2	1.2	9.0		0.41	1.26	1.67		0.12						5D6
274	265.2	266.6	1.4	83.0		6.11	8.31	14.42		0.06						4F4
275	266.6	271.0	4.4	8.0		0.14	0.93	1.07		0.06						4L0
276	271.0	274.5	3.5	39.0		2.68	2.70	5.38		0.22						4EG
277	274.5	276.7	2.2	4.0		0.28	0.61	0.89		0.07						5B7
278	276.7	278.0	1.3	16.0		0.55	0.42	0.97		0.20						4C0
279	278.0	280.5	2.5	7.0		0.33	1.09	1.42		0.06						4L0
280	280.5	282.6	2.1	67.0		3.89	4.34	8.23		0.27						4EG
281	282.6	285.1	2.5	9.0		0.49	1.39	1.88		0.10						5A/4L
282	285.1	290.0	4.9	40.0		2.66	2.37	5.03		0.22						4EG
283	290.0	292.9 294.0	2.9 4.0	33.0		2.32	2.48	4.80		0.24						4EG
284	491.0	494.0	3.0	15.0		0.45	0.40	0.85		0.18						4AE
285	494.0	498.5	4.5	14.0		0.25	0.25	0.50		0.12						4AE
286	498.5	503.5	5.0	25.0		1.34	0.85	2.19		0.19						4E8

V-35R



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 22

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-35-R 421	3448	.48	6	.002	3.04					
422	3449	.41	5	.002	2.88					
423	3450	.41	19	.002	4.19					
424	3451	.34	12	.002	3.15					
V-15-R 425	3571	.82	12	.002	3.79					
426	3572	.89	7	.002	4.13					
427	3573	1.66	9	.002	2.79					
428	3574	.89	10	.002	3.89					
429	3575	.82	8	.002	3.56					
430	3576	.68	22	.002	3.60					
431	3577	.82	59	.007	3.49					
432	3578	.75	12	.001	2.53					
433	3579	.07	2	.001	2.80					
434	3580	.07	5	.001	3.13					
435	3581	.07	3	.001	2.98					
436	3582	.07	5	.001	3.05					
V-53-R 437	3598	.07	2	.002	2.96					
438	3599	.14	2	.001	2.61					
439	3600	.07	2	.001	3.25					
440	3601	.34	12	.001	2.91					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for PJB
Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 21

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
401	3419	.21	7	.002	4.46					
402	3420	.21	8	.002	2.26					
403	3421	.21	6	.002	2.90					
404	3422	.14	12	.002	2.80					
405	3432	1.10	11	.002	3.93					
406	3433	2.67	10	.002	3.78					
407	3434	.96	10	.002	2.69					
408	3435	.69	11	.002	3.79					
409	3436	.89	8	.002	3.67					
410	3437	.75	7	.002	3.39					
411	3438	.75	8	.002	3.64					
412	3439	.89	10	.002	3.54					
413	3440	.89	11	.002	2.97					
414	3441	.41	12	.002	3.97					
415	3442	1.23	19	.002	3.57					
416	3443	.82	21	.002	3.56					
417	3444	1.10	22	.002	3.46					
418	3445	.96	17	.002	3.63					
419	3446	1.23	16	.002	3.42					
420	3447	.41	10	.002	3.16					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for DGB
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2602

Date April 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	BaO	Hg	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
121	3427	.45	21	.06	.08	4.2	0.10	.003	2.57	
122	3428	.48	43	.05	10.0	1.7	2.48	.002	3.21	
123	3429	.48	21	.05	10.7	1.2	0.61	.003	2.75	
124	3430	1.65	50	.42	26.5	5.9	1.70	.004	4.32	
125	3431	1.64	13	.28	25.68	6.0	0.10	.002	4.14	
126	3551	.45	74	.04	9.0	1.4	0.33	.004	3.08	
127	3552	.65	101	.61	17.9	8.6	1.83	.002	4.13	
128	3553	.24	60	.17	8.8	3.4	12.24	.001	3.49	
129	3554	.89	93	.34	13.7	2.3	22.93	.001	4.13	
130	3555	.21	6	.22	5.0	4.3	6.73	.001	2.96	
131	3556	.89	58	.22	19.7	2.0	23.31	.001	4.53	
132	3557	1.03	90	.20	15.8	9.2	4.66	.002	4.48	
133	3558	2.26	83	.29	9.9	4.3	23.89	.001	4.25	
134	3559	1.47	21	.75	26.0	6.4	1.75	.001	4.22	
135	3560	1.03	23	.70	24.2	7.9	1.98	.002	4.23	
136	3561	.82	85	.60	11.9	4.9	26.74	.003	4.45	
137	3562	.69	108	1.19	10.0	8.5	21.58	.006	4.39	
138	3563	.55	65	.52	16.5	4.5	19.82	.002	4.21	
139	3564	.62	75	1.16	13.7	8.5	13.59	.002	4.18	
140	3565	.41	41	1.37	15.9	14.4	10.55	.001	4.53	

V-35-R

V-15-R

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Handwritten signature

Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS 6

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation


Certificate No. K-2602

Date April 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	BaO	Hg	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
101	3328	4.49	204	.12	12.9	1.8	0.02	.003	3.89	
102	3329	2.06	24	.13	19.56	2.64	0.06	.002	3.63	
V-47-R 103	3330	.65	10	1.90	11.6	15.3	0.02	.002	3.62	
104	3331	.31	13	.55	17.9	5.7	0.13	.008	3.65	
105	3332	.27	6	.57	14.6	5.5	0.10	.004	3.46	
106	3333	.55	15	1.02	9.1	10.5	0.12	.002	3.28	
107	3339	.27	17	.01	2.1	.9	0.09	.001	2.59	
108	3340	.86	12	.01	12.1	.8	0.12	.002	3.10	
109	3341	.69	3	.01	13.5	.9	0.11	.003	3.17	
110	3342	.72	10	L .01	13.3	.6	0.12	L.001	2.95	
V-15-R 111	3343	.55	4	.01	9.8	.7	0.12	.005	2.77	
112	3344	.72	9	.01	12.9	.9	0.11	.002	2.97	
113	3345	.65	11	.05	10.6	1.7	0.11	.004	2.93	
114	3346	.65	10	.01	14.6	.9	0.10	.005	3.06	
115	3347	.99	21	.02	9.1	.8	0.10	.002	2.92	
116	3348	1.30	13	.06	7.3	1.2	0.14	.007	2.76	
117	3349	.41	18	.03	2.6	1.0	0.30	.004	2.70	
118	3350	.55	28	.02	2.9	.7	0.43	.002	2.63	
V-35-R 119	3425	.82	32	.04	5.3	1.5	0.12	.004	2.78	
120	3426	.34	4	.07	1.6	3.5	0.08	.004	2.63	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia

V-317



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 3

TO Cyprus Anvil Mining Corporation

Certificate No. K-2675

Date June 6, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Py	Po	BaO	S.G.	
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
315 41	1471	-	-	-	-	-	-	-	4.04	
42	1479	-	-	-	-	-	-	-	5.16	
01-R 43	1480	-	138	8.64	18.97	-	-	-	-	
44	1481	-	17	.65	.84	-	-	-	-	
45	1482	-	98	6.49	12.15	-	-	-	-	
317 46	3112	-	-	-	-	-	-	-	4.13	
47	3113	-	-	-	-	-	-	-	3.92	
300 48	2908	-	-	-	-	-	-	-	4.95	
49	3225	-	19	.56	.82	31.17	15.47	-	-	
50	3226	-	19	.60	.61	23.72	21.04	-	-	
45-R 51	3227	-	41	2.58	3.48	20.18	22.28	-	-	
52	3238	-	79	12.99	.16	-	-	-	-	
53	3256	-	83	5.02	9.86	-	-	12.5	-	
54	3257	-	96	6.69	10.69	-	-	14.8	-	
55	3258	-	93	5.82	9.95	-	-	6.8	-	
56	3263	-	23	1.45	2.19	-	-	4.3	-	
321 57	3267	-	29	3.81	2.15	-	-	1.1	-	
58	3269	-	33	1.92	1.76	-	-	2.4	-	
59	3270	-	68	4.03	4.97	-	-	11.8	-	
60	3271	-	45	2.96	4.15	-	-	5.9	-	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

David Ross

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 19

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
361	3026	.14	1	.001	2.98					
362	3027	.55	2	.001	2.85					
363	3028	.55	3	.001	2.70					
364	3029	.62	4	.001	3.09					
365	3030	.62	25	.001	3.19					
366	3031	1.10	4	.001	2.91					
367	3032	.34	3	.001	2.86					
368	3033	.62	5	.001	2.81					
369	3034	.07	7	.001	2.86					
370	3035	.07	7	.001	2.81					
371	3036	TR	6	.001	2.98					
372	3037	.07	3	.001	2.76					
373	3038	.07	2	.001	3.99					
374	3123	.34	12	.001	2.78					
375	3124	.14	11	.001	3.17					
376	3125	.41	9	.001	4.35					
377	3126	.55	17	.001	2.99					
378	3127	.07	17	.001	3.84					
379	3194	.34	12	.001	3.15					
380	3195	.21	20	.001	2.84					

V.317

V.320

V.45.R

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for OASB
Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENS^d ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 18

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
341	1452	.48	17	.002	4.01					
342	1453	.62	16	.001	3.62					
343	1454	.27	12	.002	3.31					
V.60.R 344	1455	.14	3	.001	2.66					
345	1456	.21	14	.001	2.78					
346	1457	.21	12	.002	3.03					
347	3012	1.37	21	.002	3.26					
348	3013	1.99	14	.002	3.97					
349	3014	1.85	12	.002	4.18					
350	3015	2.06	35	.001	3.90					
351	3016	.14	2	.001	3.96					
352	3017	1.03	25	.001	2.91					
353	3018	1.03	12	.001	3.56					
354	3019	.82	7	.001	2.89					
355	3020	1.30	10	.001	3.60					
356	3021	2.13	15	.001	3.37					
357	3022	.75	12	.001	2.96					
358	3023	1.17	8	.001	3.76					
359	3024	1.30	14	.001	3.94					
360	3025	.07	3	.001	3.05					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAS for P. B.

Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS 3

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2602

Date April 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	BaO	Hg	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
41	0276	.93	37	.67	22.8	8.3	10.08	.001	4.25	
42	0277	.21	3	.15	3.7	6.1	3.02	.001	2.86	
43	0278	1.13	13	.32	23.9	3.8	0.50	.001	3.69	
44	0279	.21	5	.18	2.7	3.3	2.17	.001	2.86	
45	0280	.89	66	.52	14.0	8.7	6.08	.001	3.66	
46	0281	.41	9	.17	3.1	5.0	2.78	.001	2.73	
47	0282	1.47	37	.58	21.0	8.9	5.98	.001	4.16	
48	0283	.14	31	.32	21.1	5.4	3.62	.001	3.73	
49	0284	.07	11	.28	21.1	7.0	0.15	.001	3.69	
50	0285	.55	8	.17	24.3	2.9	0.06	.001	3.55	
51	0286	.55	21	.44	23.5	8.4	1.63	.001	4.30	
52	0492	.31	8	.14	2.1	2.6	0.10	.001	2.58	
53	0493	.17	22	.16	2.5	3.1	0.22	.001	2.76	
54	1498	.45	17	.12	4.4	3.8	0.09	.001	2.76	
55	1499	.38	21	.11	4.0	3.0	0.60	.001	2.81	
56	1500	.14	11	.11	3.4	2.0	0.90	.001	2.69	
57	3001	.93	70	.24	9.4	3.3	0.11	.007	3.16	
58	3002	1.13	16	.18	19.4	2.9	0.10	.002	3.39	
59	3003	1.17	53	.15	13.7	2.2	0.07	.005	3.19	
60	3004	1.27	52	.11	12.9	1.8	0.05	.004	3.11	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for PGB
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS 4

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2602

Date April 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	BaO	Hg	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
61	3005	.99	40	.12	9.6	1.8	0.06	.006	3.06	
62	3006	1.20	34	.16	4.9	7.3	0.08	.002	2.96	
63	3007	.41	7	.12	6.1	3.2	0.12	.001	2.85	
64	3008	.96	21	.09	10.9	3.7	0.08	.001	3.06	
V-317 65	3009	1.37	46	.09	19.6	1.2	0.04	.001	3.34	
66	3010	1.85	30	.10	22.7	1.3	0.06	.001	3.51	
67	3011	1.82	33	.11	22.6	1.7	0.07	.003	3.54	
68	3199	.69	20	.03	6.7	1.2	0.30	.002	2.69	
V-41-R 69	3200	.96	47	.02	8.8	1.2	0.15	.002	2.86	
70	3293	.62	49	.54	15.9	5.6	0.11	.002	3.59	
" 71	3294	.96	56	.09	8.4	2.1	0.18	.002	3.03	
72	3295	.86	10	.68	16.7	6.9	0.04	.002	3.39	
73	3296	.75	8	.19	15.4	4.2	0.07	.002	3.27	
74	3301	.31	47	.03	6.2	1.3	0.20	.002	2.88	
75	3302	.75	64	.03	9.3	1.6	0.45	.002	3.02	
" 76	3303	.58	67	.10	10.3	2.4	2.30	.002	3.22	
77	3304	.96	83	.19	18.6	2.6	12.53	.002	4.25	
78	3305	1.47	50	.40	23.7	4.7	5.01	.002	4.38	
79	3306	.99	49	.57	17.4	5.5	14.74	.002	4.56	
80	3307	.58	122	1.52	11.6	10.0	8.37	.002	4.42	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAVID L. RUSSELL
Registered Assayer, Province of British Columbia

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Sample No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
1498	72.6	77.0	4.4	25.0		1.25	2.33	3.58		0.04							4A0
1499	77.0	82.0	5.0	27.0		1.16	1.90	3.06		0.03							4A0
1500	82.0	87.0	5.0	22.0		0.55	1.04	1.59		0.03							4A0
3001	87.0	91.5	4.5	75.0		4.13	8.86	12.99		0.04							4A4
3002	91.5	98.1	6.6	23.0		0.83	1.32	2.15		0.13							4A0
3003	98.1	103.0	4.9	55.0		3.69	5.61	9.30		0.05							4A4
3004	103.0	108.0	5.0	54.0		2.98	6.65	9.63		0.07							4A4
3005	108.0	113.0	5.0	42.0		2.50	5.31	7.81		0.10							4A4
3006	113.0	118.0	5.0	35.0		1.86	2.66	4.52		0.12							4A4
3007	118.0	122.7	4.7	12.0		0.50	0.91	1.41		0.17							4A4/5D3
3008	122.7	128.0	5.3	25.0		0.87	1.90	2.77		0.09							4A0
3009	128.0	133.0	5.0	50.0		2.19	2.90	5.09		0.18							4A0
3010	133.0	138.0	5.0	35.0		1.08	1.73	2.81		0.21							4A0
3011	138.0	143.0	5.0	42.0		1.61	1.50	3.11		0.19							4A0
3012	143.0	147.4	4.4	26.0		1.03	0.33	1.36		0.17							4A0/5D3
3013	147.4	153.0	5.6	17.0		0.71	0.18	0.89		0.26							4C3
3014	153.0	158.0	5.0	16.0		0.35	0.04	0.39		0.22							4C3
3015	158.0	160.6	2.6	39.0		1.08	0.02	1.10		0.29							4C3
3016	160.6	164.3	3.7	5.0		0.04	0.03			0.02							5D3
3017	164.3	169.0	4.7	28.0		0.62	0.19			0.20							4E1/A0
3018	169.0	174.0	5.0	15.0		0.26	0.26			0.15							4A0
3019	174.0	179.0	5.0	9.0		0.10	0.11			0.20							4A0
3020	179.0	183.4	4.4	14.0		0.17	0.09			0.20							4A0
3021	183.4	188.0	4.6	18.0		0.36	0.03			0.19							4C3
3022	188.0	193.0	5.0	14.0		0.08	0.05			0.33							4C3
3023	193.0	197.0	4.0	9.0		0.09	0.04			0.22							4C3
3024	197.0	201.8	4.8	16.0		0.22	0.20			0.31							4E1/A0
3025	212.0	217.0	5.0	4.0		0.07	0.15			0.13							4L7
3026	217.0	222.0	5.0	1.0		0.02	0.01			0.06							4L7
3027	222.0	227.0	5.0	4.0		0.05	0.02			0.06							4L7
3028	227.0	232.0	5.0	3.0		0.07	0.18			0.12							4L7
3029	232.0	237.0	5.0	8.0		0.16	0.26			0.08							4L7
3030	237.0	242.0	5.0	29.0		2.02	2.76	4.78		0.14							4L7

GEOCHEMICAL LOGV-317

Page 2 of 2

<u>Sample No.</u>	<u>From (Ft.)</u>	<u>To (Ft.)</u>	<u>Int. (Ft.)</u>	<u>Ag/AA GMS/MT</u>	<u>Ag/FA GMS/MT</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Pb+Zn %</u>	<u>S.G.</u>	<u>Cu %</u>	<u>BaO %</u>	<u>Au GMS/MT</u>	<u>Po %</u>	<u>Py %</u>	<u>Hg %</u>	<u>Mn %</u>	<u>Unit</u>
3031	242.0	247.0	5.0	6.0		0.06	0.07			0.14							4L7
3032	247.0	252.0	5.0	5.0		0.03	0.03			0.07							4L7
3033	252.0	257.0	5.0	7.0		0.10	0.04			0.09							4L7
3034	257.0	262.0	5.0	10.0		0.10	0.11			0.25							4L7
3035	262.0	267.0	5.0	11.0		0.24	0.20			0.12							4L7
3036	267.0	272.0	5.0	10.0		0.21	0.27			0.18							4L7
3037	272.0	278.0	6.0	7.0		0.05	0.09			0.12							4L7
3038	278.0	284.0	6.0	8.0		0.02	0.04			0.09							4L7

V-303



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation
330 - 355 Burrard St.
Vancouver, B.C. V6E 2G8

Certificate No. K-2675
Date June 6, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Py	Po	BaO	S.G.	
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
095-R 1	142	-	-	-	-	-	-	-	-	3.84
094-R 2	178	-	-	-	-	-	-	-	-	2.79
3 3	292	-	-	-	-	-	-	-	-	3.61
114-R 4	295	-	45	2.89	4.94	-	-	-	-	3.68
119-R 5	409	-	190	5.79	8.03	38.92	.70	-	-	4.85
115-R 6	560	-	-	-	-	18.28	4.09	-	-	4.47
7	681	-	19	1.25	2.01	-	-	-	-	-
8	683	-	-	-	-	-	-	-	-	3.96
303 9	691	-	-	-	-	-	-	-	-	3.99
10	695	-	-	-	-	-	-	-	-	3.46
309 11	737	-	-	-	-	-	-	-	-	4.23
12	772	-	33	3.02	-	-	-	-	-	-
13	782	-	91	7.87	-	-	-	-	-	-
302 14	783	-	-	-	-	-	-	-	-	4.27
15	784	-	-	-	-	-	-	-	-	4.29
305 16	853	-	-	-	-	-	-	17.9	-	-
17	906	-	-	-	-	-	-	-	-	3.24
304 18	919	-	55	4.24	3.48	-	-	1.9	-	-
19	949	-	57	5.30	3.78	26.98	6.37	7.8	-	4.42
306 20	950	-	36	.97	1.15	3.14	3.53	4.6	-	2.91

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

[Signature]

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 9

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
161	0762	.21	5	.003	3.05					
V-303 162	0763	.07	3	.004	2.97					
163	0764	TR	3	.003	2.79					
164	0785	1.23	27	.003	4.04					
165	0786	1.44	15	.003	4.07					
166	0787	.89	14	.002	3.47					
167	0788	2.06	14	.002	3.53					
168	0789	2.06	28	.002	3.87					
169	0790	1.10	19	.002	4.44					
170	0791	.96	15	.002	3.88					
V-302 171	0792	.89	14	.002	4.00					
172	0793	2.95	29	.002	3.94					
173	0794	.89	23	.002	4.13					
174	0795	.69	19	.002	4.15					
175	0796	.75	17	.002	4.15					
176	0797	.96	19	.002	4.06					
177	0798	.82	10	.002	4.03					
178	0799	.69	13	.002	3.68					
179	0800	.89	56	.003	4.07					
180	0801	.21	19	.002	4.05					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for OGB
Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 8

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
141	0641	2.60	20	.002	2.74					
142	0642	.41	12	.002	2.75					
143	0643	.48	3	.002	2.62					
144	0644	.96	TR	.003	2.70					
145	0696	2.67	8	.002	3.92					
146	0697	.89	10	.002	3.43					
147	0698	.96	9	.002	4.04					
148	0699	1.03	8	.002	3.73					
149	0700	.14	6	.002	3.56					
150	0751	.89	8	.002	3.66					
151	0752	.55	10	.002	3.59					
152	0753	.48	10	.002	3.67					
153	0754	1.58	7	.001	3.19					
154	0755	.14	6	.001	3.06					
155	0756	.21	10	.002	3.11					
156	0757	.55	10	.002	3.31					
157	0758	.41	9	.002	3.17					
158	0759	.27	7	.002	3.09					
159	0760	.07	3	.002	3.03					
160	0761	.21	5	.002	3.09					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

David J. Ross
Registered Assayer, Province of British Columbia

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
676	94.4	98.0	3.6	30.0	31.0	2.10	3.27	5.37	3.03	0.09	7.37	0.21	12.22	0.86	.003	0.07	4A7
677	98.0	101.6	3.6	69.0	68.0	3.73	5.38	9.11	3.33	0.07	11.61	0.37	3.73	9.83	.006	0.05	4A/4G
678	101.6	105.3	3.7	101.0	-	7.62	12.60	20.22	3.84	0.06	2.67	0.12	2.98	16.30	L.001	0.12	4F/4D
679	105.3	107.7	2.4	12.0	12.0	1.09	0.92	2.01	2.96	0.01	3.63	0.15	1.64	9.63	.003	0.16	4C0
680	107.7	112.0	4.3	71.0	80.0	5.93	7.79	13.72	3.62	0.12	12.22	0.21	1.18	11.51	.003	0.11	4G/4A
681	112.0	116.2	4.2	14.0	16.0	1.34	2.10	3.44	2.72	0.04	1.66	0.24	2.34	5.24	.003	0.06	4A4
682	116.2	120.8	4.6	68.0	72.0	3.63	6.53	10.16	3.49	0.30	10.50	0.61	1.74	9.91	.005	0.21	4D/4G
683	120.8	124.0	3.2	37.0	42.0	2.33	4.67	7.00	3.85 ^{3.96}	0.03	0.59	0.75	1.90	25.69	.004	0.17	4A/4L
684	124.0	128.0	4.0	14.0	16.0	0.92	1.65	2.57	2.92	0.04	0.30	0.51	2.20	13.43	.003	0.01	4A0
685	128.0	132.0	4.0	24.0	28.0	1.52	2.53	4.05	3.06	0.03	0.49	0.73	2.98	14.57	.004	0.08	4A0
686	132.0	136.8	4.8	13.0	15.0	0.87	1.79	2.66	2.85	0.08	0.69	0.41	3.46	10.71	.004	0.12	4D/4E
687	136.8	140.8	4.0	33.0	36.0	1.93	3.27	5.20	3.00	0.03	0.54	1.01	1.44	13.27	.005	0.08	4A4
688	140.8	145.5	4.7	21.0	22.0	1.29	2.58	3.87	3.20	0.04	0.48	0.80	1.40	16.79	.005	0.08	4A4
689	145.5	149.3	3.8	47.0	43.0	2.75	4.25	7.00	4.05	0.06	12.73	0.68	5.82	19.45	.005	0.61	4G/4E/5D
690	149.3	153.3	4.0	112.0	109.0	8.60	9.01	17.61	4.34	0.06	14.59	0.87	12.34	10.96	.006	2.32	4G/4J
691	153.3	158.8	5.5	98.0	91.0	8.82	12.79	21.61	5.38 ^{3.99}	0.06	3.69	0.78	7.06	10.39	.006	1.17	4G/4J
692	158.8	162.2	3.4	15.0	14.0	0.65	2.61	3.26	3.29	0.20	1.21	0.87	12.10	6.36	.004	0.90	4C0
693	162.2	165.3	3.1	6.0	7.0	0.52	0.71	1.23	3.40	0.09	2.70	0.73	5.86	0.86	.001	0.16	5A1
694	165.3	169.7	4.4	56.0	61.0	4.25	2.18	6.43	3.45	0.20	0.88	2.80	8.34	5.19	.001	0.45	4B/4D
695	169.7	174.3	4.6	21.0	21.0	1.45	1.25	2.70	4.39 ^{3.46}	0.42	0.18	2.56	16.94	8.23	.003	0.45	4C2
696	174.3	181.3	7.0	13.0		0.64	0.77	1.41		0.12							4E/4H
697	181.3	184.7	3.4	14.0		0.32	0.42	0.74		1.16 ??							4C2
698	184.7	188.3	3.6	14.0		0.55	1.08	1.63		0.39							4E7
699	188.3	193.3	5.0	9.0		C.15	0.38	0.53		0.62							4C8
700	193.3	198.3	5.0	9.0		0.12	0.32	0.44		0.76							4C8
751	198.3	203.3	5.0	10.0		0.36	0.43	0.79		0.34							4C8
752	203.3	208.3	5.0	12.0		0.64	0.65	1.29		0.27							4C8
753	208.3	212.5	4.2	13.0		0.61	0.95	1.56		0.20							4C8
754	212.5	217.5	5.0	9.0		0.33	0.70	1.03		0.34							4C7
755	217.5	222.5	5.0	11.0		0.30	0.36	0.66		0.31							4C7
756	222.5	227.5	5.0	14.0		0.51	0.61	1.12		0.29							4C7
757	227.5	232.5	5.0	13.0		0.52	1.00	1.52		0.48							4C7
758	232.5	237.5	5.0	12.0		0.38	0.68	1.06		0.38							4C7

V-303

CYPRUS ANVIL MINING CORPORATION

Page 2 of 2

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

<u>Samp.</u> <u>No.</u>	<u>From</u> <u>(Ft.)</u>	<u>To</u> <u>(Ft.)</u>	<u>Int.</u> <u>(Ft.)</u>	<u>Ag/AA</u> <u>GMS/MT</u>	<u>Ag/FA</u> <u>GMS/MT</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Pb+Zn</u> <u>%</u>	<u>S.G.</u>	<u>Cu %</u>	<u>BaO %</u>	<u>Au</u> <u>GMS/MT</u>	<u>Po %</u>	<u>Py %</u>	<u>Hg %</u>	<u>Unit</u>
759	237.5	242.5	5.0	13.0		0.26	0.66			0.36						4C7
760	242.5	247.5	5.0	7.0		0.15	0.44			0.26						4C7
761	247.5	252.5	5.0	7.0		0.27	0.37			0.18						4C7
762	252.5	257.5	5.0	7.0		0.15	0.41			0.17						4C7
763	257.5	262.5	5.0	8.0		0.07	0.29			0.14						4C7
764	262.5	267.0	4.5	6.0		0.05	0.14			0.10						4C7

V 53 R



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 22

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
421	3448	.48	6	.002	3.04					
V.35.R 422	3449	.41	5	.002	2.88					
423	3450	.41	19	.002	4.19					
424	3451	.34	12	.002	3.15					
425	3571	.82	12	.002	3.79					
V.15.R 426	3572	.89	7	.002	4.13					
427	3573	1.66	9	.002	2.79					
428	3574	.89	10	.002	3.89					
429	3575	.82	8	.002	3.56					
430	3576	.68	22	.002	3.60					
431	3577	.82	59	.007	3.49					
432	3578	.75	12	.001	2.53					
433	3579	.07	2	.001	2.80					
434	3580	.07	5	.001	3.13					
435	3581	.07	3	.001	2.98					
436	3582	.07	5	.001	3.05					
437	3598	.07	2	.002	2.96					
V.53.R 438	3599	.14	2	.001	2.61					
439	3600	.07	2	.001	3.25					
440	3601	.34	12	.001	2.91					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for PAB
Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 23

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
441	3602	.55	12	.001	2.88					
442	3603	.55	7	.001	3.06					
443	3604	.48	12	.001	3.28					
444	3605	.55	19	.001	3.54					
445	3606	1.17	17	.001	4.12					
446	3607	.21	23	.002	3.13					
447	3626	1.17	13	.001	3.74					
448	3627	.82	11	.001	3.30					
449	3628	1.10	17	.001	2.69					
450	3629	1.03	9	.001	3.55					
451	3630	.34	2	.001	4.09					
452	3642	.62	23	.002	2.85					
453	3643	1.58	8	.001	4.10					
454	3644	.82	11	.001	3.56					
455	3645	2.26	15	.001	3.68					
456	3646	2.81	21	.001	4.07					
457	3647	.07	10	.001	2.88					
458	3648	.41	12	.002	3.58					
459	3649	.75	13	.002	3.67					
460	3650	.69	11	.001	3.39					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Dans for Pess
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS 8

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation


Certificate No. K-2602

Date April 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	BaO	Hg	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
141	3566	.27	14	.31	6.2	3.5	15.49	.001	3.34	
142	3567	.48	92	.41	12.1	3.1	27.90	.009	4.42	
V-15-R 143	3568	.45	83	.48	13.6	3.4	26.46	.003	4.45	
144	3569	.99	92	.90	24.0	8.7	0.39	.002	4.40	
145	3570	.65	21	.80	19.4	8.2	0.38	.002	3.79	
146	3587	3.22	262	.22	15.9	1.6	9.51	.002	4.44	
147	3588	.51	324	.06	18.8	1.7	2.36	.004	5.21	
V-53-R 148	3589	.38	70	.53	3.79	29.0	0.06	.005	3.85	
149	3590	.34	36	.26	21.1	2.9	4.15	.002	3.78	
150	3591	.21	3	.09	3.1	2.4	2.34	.002	2.75	
151	3592	.82	77	.11	14.7	.6	29.99	.016	4.48	
152	3593	.82	70	.15	12.5	1.2	29.28	.015	4.12	
153	3594	.82	84	.14	11.9	.9	29.67	.016	4.33	
154	3595	1.44	102	.17	13.7	1.0	26.12	.016	4.31	
155	3596	1.03	108	.26	17.7	3.8	8.31	.007	4.07	
156	3597	1.34	119	.25	16.5	4.5	9.23	.008	4.05	
157	3608	.51	22	.04	2.1	2.4	0.15	.001	2.72	
V-27-R 158	3609	.61	32	.06	5.4	1.8	0.10	.001	2.89	
159	3610	.82	52	.05	3.5	1.4	0.14	.003	2.76	
160	3611	.82	61	.07	5.5	1.1	0.44	.002	2.84	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia

V-45R



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 3

TO Cyprus Anvil Mining Corporation

Certificate No. K-2675

Date June 6, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Py	Po	BaO	S.G.	
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
315 41	1471	-	-	-	-	-	-	-	4.04	
42	1479	-	-	-	-	-	-	-	5.16	
01-R 43	1480	-	138	8.64	18.97	-	-	-	-	
44	1481	-	17	.65	.84	-	-	-	-	
45	1482	-	98	6.49	12.15	-	-	-	-	
317 46	3112	-	-	-	-	-	-	-	4.13	
47	3113	-	-	-	-	-	-	-	3.92	
300 48	2908	-	-	-	-	-	-	-	4.95	
49	3225	-	19	.56	.82	31.17	15.47	-	-	
50	3226	-	19	.60	.61	23.72	21.04	-	-	
45-R 51	3227	-	41	2.58	3.48	20.18	22.28	-	-	
52	3238	-	79	12.99	.16	-	-	-	-	
53	3256	-	83	5.02	9.86	-	-	12.5	-	
54	3257	-	96	6.69	10.69	-	-	14.8	-	
55	3258	-	93	5.82	9.95	-	-	6.8	-	
56	3263	-	23	1.45	2.19	-	-	4.3	-	
321 57	3267	-	29	3.81	2.15	-	-	1.1	-	
58	3269	-	33	1.92	1.76	-	-	2.4	-	
59	3270	-	68	4.03	4.97	-	-	11.8	-	
60	3271	-	45	2.96	4.15	-	-	5.9	-	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

David J. Ross

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 19

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
361	3026	.14	1	.001	2.98					
362	3027	.55	2	.001	2.85					
363	3028	.55	3	.001	2.70					
364	3029	.62	4	.001	3.09					
365	3030	.62	25	.001	3.19					
366	3031	1.10	4	.001	2.91					
367	3032	.34	3	.001	2.86					
368	3033	.62	5	.001	2.81					
369	3034	.07	7	.001	2.86					
370	3035	.07	7	.001	2.81					
371	3036	T.R	6	.001	2.98					
372	3037	.07	3	.001	2.76					
373	3038	.07	2	.001	3.99					
374	3123	.34	12	.001	2.78					
375	3124	.14	11	.001	3.17					
376	3125	.41	9	.001	4.35					
377	3126	.55	17	.001	2.99					
378	3127	.07	17	.001	3.84					
379	3194	.34	12	.001	3.15					
380	3195	.21	20	.001	2.84					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

RAB for OESB

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 20**

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
v.45.R 381	3196	1.10	13	.001	3.82					
382	3197	.07	13	.001	2.85					
383	3198	.41	14	.001	3.86					
384	3229	1.10	13	.001	4.22					
385	3230	1.03	8	.001	3.78					
" 386	3231	1.51	6	.001	3.97					
387	3232	.96	8	.001	3.43					
388	3233	.75	9	.001	2.90					
389	3234	1.03	9	.001	4.21					
390	3235	.41	7	.001	3.27					
391	3236	.27	10	.001	3.47					
392	3237	.69	15	.001	3.58					
393	3411	.96	19	.001	3.87					
394	3412	.75	10	.001	3.61					
395	3413	.62	8	.001	3.21					
396	3414	.41	10	.001	3.26					
v.322 397	3415	.21	11	.002	3.23					
398	3416	.27	13	.001	3.26					
399	3417	.07	5	.002	3.19					
400	3418	.07	4	.002	3.07					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

WAS for Ours
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS 19
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
361	V 3239	.89	11	.12	21.31	2.09	.001	0.09	3.51	
362	3240	.46	10	.61	13.14	6.24	.001	0.07	3.19	
363	3241	.46	44	2.18	11.63	19.00	.003	0.07	3.56	
364	3242	.63	11	.76	6.83	10.34	.002	0.21	3.08	
365	3243	.56	26	1.05	14.92	17.87	.002	0.13	3.48	
366	3244	.93	25	1.25	10.16	16.38	.002	0.14	3.53	
367	3245	.48	16	.75	9.71	11.08	.002	0.15	3.28	
368	3246	.89	35	.70	10.76	9.92	.002	0.11	3.24	
369	3247	.70	42	1.55	2.51	18.88	.003	0.08	3.51	
370	3248	1.00	44	.72	10.95	9.23	.003	0.05	3.40	
371	V 3249	1.33	43	.02	14.03	.63	.004	0.04	3.31	
372	3250	.74	23	.01	9.18	.53	.003	0.07	2.94	
373	3251	.93	40	.02	3.44	.94	.003	0.08	2.72	
374	3252	1.56	34	.01	6.91	.65	.003	0.10	2.90	
375	3253	1.07	50	.02	3.35	.88	.003	0.14	2.76	
376	3254	.93	39	.01	2.18	1.13	.003	0.18	2.75	
377	3255	.56	47	.01	4.03	.63	.002	0.25	2.81	
378	3256	1.00	88	.01	30.05	.58	.006	10.88	4.77	
379	3257	2.22	85	.01	23.27	.43	.007	12.48	4.67	
380	3258	1.63	97	.01	37.21	.52	.008	5.96	4.80	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAS for 0930
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS 18
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation


Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
341	V 3209	.04	4	.11	.78	2.88	.002	1.63	2.58	
V-20-R 342	3210	.27	7	.05	1.22	3.08	.002	1.85	2.61	
343	3211	.85	55	.31	12.04	3.22	.005	8.20	3.56	
344	3212	.19	53	.40	N.D.	47.88	.003	0.09	4.30	
345	3214	.75	88	.21	12.10	2.26	.007	30.68	4.63	
346	3215	.68	58	.08	18.44	1.44	.006	22.49	4.42	
347	3216	.25	68	.38	8.31	3.09	.007	35.21	4.34	
348	3217	.25	69	.17	9.31	1.53	.007	36.54	4.44	
349	3218	.07	79	.59	7.48	4.77	.006	35.07	4.60	
350	3219	.11	57	.81	5.64	5.76	.006	34.40	4.33	
V-45-R 351	V 3220	.53	69	.15	12.10	1.96	.006	28.78	4.25	
352	3221	.18	89	.22	10.12	1.94	.006	33.11	4.53	
353	3222	.36	85	.67	11.20	5.27	.006	24.06	4.44	
354	3223	.36	87	.51	8.34	3.25	.005	28.62	4.06	
355	3224	.75	39	.59	16.74	6.15	.004	15.24	3.95	
356	3225	2.10	16	1.84	22.01	20.75	.002	0.42	4.21	
357	3226	2.56	14	2.18	22.75	20.13	.002	0.13	4.28	
358	3227	1.07	36	2.30	19.80	22.13	.002	0.73	4.26	
359	3228	1.78	35	.85	32.88	9.29	.002	1.31	4.38	
360	3238	.57	79	.60	17.48	4.71	.001	0.10	3.71	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS 17
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation


Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-316 321	V 3120	2.04	22	1.19	27.01	9.23	.002	0.79	3.68	
322	3121	1.07	14	.72	27.11	9.13	.003	0.47	3.58	
323	3122	.70	9	.37	12.20	9.69	.002	0.83	3.29	
324	3184	1.00	14	.63	22.67	8.47	.002	0.07	3.68	
325	3185	.81	13	.32	13.71	5.77	.002	0.08	3.22	
326	3186	.46	4	.09	8.41	4.95	.002	0.15	3.08	
327	3187	.04	1	.16	4.95	4.85	.002	0.14	2.73	
328	3188	.85	28	.30	14.67	7.02	.003	0.15	3.45	
329	3189	1.12	26	.37	16.51	7.09	.003	0.11	3.46	
V-45-R 330	3190	.39	26	.48	10.52	9.16	.003	0.16	3.30	
331	V 3191	.50	48	.32	11.49	8.29	.004	0.44	3.40	
332	3192	.50	37	.26	11.85	5.22	.003	0.29	3.06	
333	3193	1.12	56	.26	16.89	5.50	.003	0.28	3.44	
334	3201	1.50	163	.15	14.94	2.03	.007	17.01	4.52	
335	3202	1.39	144	.80	22.47	6.11	.005	2.32	4.38	
336	3203	.19	31	.82	1.37	4.97	.002	2.47	3.00	
V-20-R 337	3204	1.47	116	.36	13.96	2.61	.006	16.87	4.43	
338	3205	1.16	118	.41	11.45	2.71	.007	22.84	4.24	
339	3207	1.85	175	.33	15.72	2.56	.009	8.19	4.40	
340	3208	1.16	50	.58	28.30	9.33	.003	9.76	4.32	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Sample No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
3214	103.9	109.0	5.1	89.0		5.79	8.80	14.59		0.07							4G4
3215	109.0	114.0	5.0	63.0		3.70	6.89	10.59		0.09							4G/E/L
3216	114.0	119.0	5.0	56.0		3.59	8.24	11.83		0.02							4G4
3217	119.0	124.0	5.0	56.0		3.65	8.88	12.53		0.01							4G4
3218	124.0	129.0	5.0	59.0		3.91	8.34	12.25		0.01							4G4
3219	129.0	134.0	5.0	46.0		2.91	7.40	10.31		0.01							4G4
3220	134.0	139.0	5.0	59.0		3.87	7.65	11.52		0.05							4G/5D
3221	139.0	144.0	5.0	69.0		4.61	7.43	12.04		0.01							4G4
3222	144.0	149.0	5.0	67.0		5.65	8.96	14.61		0.07							4G8
3223	149.0	154.0	5.0	86.0		5.32	7.18	12.50		0.05							4G8
3224	154.0	159.0	5.0	40.0		2.76	3.74	6.50		0.13							4GE/5D
3225	159.0	164.0	5.0	20.0		0.55	0.80	1.35		0.22							4ED
3226	164.0	169.0	5.0	22.0		0.59	0.62	1.21		0.26							4D4
3227	169.0	174.0	5.0	45.0		2.75	3.35	6.10		0.25							4ED
3228	174.0	179.0	5.0	45.0		2.34	1.47	3.81		0.30							4E1
3229	179.0	184.0	5.0	22.0		0.24	0.21			0.32							4E1
3230	184.0	189.0	5.0	16.0		0.10	0.10			0.34							4C8
3231	189.0	194.0	5.0	11.0		0.07	0.05			0.27							4C8
3232	194.0	199.0	5.0	11.0		0.22	0.09			0.21							4C8
3233	199.0	204.0	5.0	26.0		0.22	0.06			0.22							4CA
3234	204.0	209.0	5.0	8.0		0.31	0.28			0.27							4C8
3235	209.0	214.0	5.0	7.0		0.24	0.15			0.49							4C8
3236	214.0	219.0	5.0	8.0		0.60	0.41	1.01		0.21							4C8
3237	219.0	224.0	5.0	14.0		0.44	0.63	1.07		0.32							4C8
3238	224.0	229.0	5.0	78.0		13.16	0.17	13.33		0.30							4C8
3239	229.0	234.0	5.0	11.0		1.53	0.13	1.66		0.30							4C8
3240	234.0	239.0	5.0	16.0		0.56	1.19	1.75		0.20							4CD
3241	239.0	244.0	5.0	51.0		3.62	7.91	11.53		0.12							4D4
3242	244.0	249.0	5.0	12.0		0.57	1.40	1.97		0.27							4D0
3243	249.0	254.0	5.0	31.0		1.93	3.85	5.78		0.36							4D0
3244	254.0	259.0	5.0	27.0		1.89	3.80	5.69		0.29							4D0
3245	259.0	264.0	5.0	17.0		1.06	2.12	3.18		0.24							4D0

GEOCHEMICAL LOG

V-45-R

Page 2 of 2

<u>Sample No.</u>	<u>From (Ft.)</u>	<u>To (Ft.)</u>	<u>Int. (Ft.)</u>	<u>Ag/AA GMS/MT</u>	<u>Ag/FA GMS/MT</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Pb+Zn %</u>	<u>S.G.</u>	<u>Cu %</u>	<u>BaO %</u>	<u>Au GMS/MT</u>	<u>Po %</u>	<u>Py %</u>	<u>Hg %</u>	<u>Mn %</u>	<u>Unit</u>
3246	264.0	269.0	5.0	36.0		2.22	2.13	4.35		0.32							4D0
3247	269.0	274.0	5.0	44.0		3.20	5.57	8.77		0.24							4D0
3248	274.0	279.0	5.0	45.0		3.78	4.94	8.72		0.21							?
3184	279.0	284.0	5.0	14.0		1.42	1.46	2.88		0.44							4C8
3185	284.0	289.0	5.0	10.0		1.01	0.98	1.99		0.17							4C8
3186	289.0	294.0	5.0	5.0		0.39	0.51	0.90		0.16							4CL
3187	294.0	302.0	8.0	4.0		0.24	0.22	0.46		0.08							4LC
3188	540.3	546.0	5.7	30.0		1.75	1.48	3.23		0.16							4C7
3189	546.0	551.0	5.0	31.0		1.78	1.93	3.71		0.21							4C0
3190	551.0	556.0	5.0	25.0		1.87	2.94	4.81		0.18							4C0
3191	556.0	561.0	5.0	36.0		3.33	6.17	9.50		0.08							4AC
3192	561.0	566.0	5.0	30.0		2.26	3.27	5.53		0.17							4D5
3193	566.0	571.0	5.0	65.0		3.64	3.85	7.49		0.14							4D5
3194	571.0	576.0	5.0	15.0		0.57	0.50	1.07		0.14							4E1
3195	576.0	581.0	5.0	26.0		0.70	0.92	1.62		0.18							4AE
3196	581.0	586.0	5.0	16.0		0.26	0.29	0.55		0.12							4EH
3197	586.0	591.0	5.0	18.0		0.19	0.14	0.33		0.25							4EC
3198	591.0	595.0	4.0	16.0		0.17	0.31	0.48		0.22							4EC

V-302



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation

330 - 355 Burrard St.

Vancouver, B.C. V6E 2G8

Certificate No. K-2675

Date June 6, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Py	Po	BaO	S.G.	
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
095-R 1	142	-	-	-	-	-	-	-	-	3.84
094-R 2	178	-	-	-	-	-	-	-	-	2.79
3 3	292	-	-	-	-	-	-	-	-	3.61
114-R 4	295	-	45	2.89	4.94	-	-	-	-	3.68
119-R 5	409	-	190	5.79	8.03	38.92	.70	-	-	4.85
115-R 6	560	-	-	-	-	18.28	4.09	-	-	4.47
7	681	-	19	1.25	2.01	-	-	-	-	-
8	683	-	-	-	-	-	-	-	-	3.96
303 9	691	-	-	-	-	-	-	-	-	3.99
10	695	-	-	-	-	-	-	-	-	3.46
309 11	737	-	-	-	-	-	-	-	-	4.23
12	772	-	33	3.02	-	-	-	-	-	-
13	782	-	91	7.87	-	-	-	-	-	-
302 14	783	-	-	-	-	-	-	-	-	4.27
15	784	-	-	-	-	-	-	-	-	4.29
305 16	853	-	-	-	-	-	-	17.9	-	-
17	906	-	-	-	-	-	-	-	-	3.24
304 18	919	-	55	4.24	3.48	-	-	1.9	-	-
19	949	-	57	5.30	3.78	26.98	6.37	7.8	-	4.42
306 20	950	-	36	.97	1.15	3.14	3.53	4.6	-	2.91

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Signature

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 10

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
181	0802	.48	8	.002	2.96					
182	0803	.68	14	.002	2.92					
183	0804	.48	29	.003	3.08					
184	0805	.27	13	.002	2.82					
185	0879	2.40	17	.002	3.61					
186	0880	1.78	12	.002	3.27					
187	0881	1.37	14	.002	3.50					
188	0882	1.65	12	.002	3.38					
189	0883	.14	10	.002	3.08					
190	0884	.34	17	.002	3.47					
191	0885	.62	10	.002	3.04					
192	0886	.41	11	.002	3.42					
193	0887	.21	6	.002	3.14					
194	0888	.14	5	.002	3.10					
195	0889	.34	4	.002	3.25					
196	0890	.07	4	.002	3.00					
197	0891	.07	3	.002	2.82					
198	0892	TR	3	.002	2.80					
199	0927	.41	10	.002	3.45					
200	0928	.48	21	.002	3.69					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for PAB
Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 9

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
161	0762	.21	5	.003	3.05					
162	0763	.07	3	.004	2.97					
163	0764	TR	3	.003	2.79					
164	0785	1.23	27	.003	4.04					
165	0786	1.44	15	.003	4.07					
166	0787	.89	14	.002	3.47					
167	0788	2.06	14	.002	3.53					
168	0789	2.06	28	.002	3.87					
169	0790	1.10	19	.002	4.44					
170	0791	.96	15	.002	3.88					
171	0792	.89	14	.002	4.00					
172	0793	2.95	29	.002	3.94					
173	0794	.89	23	.002	4.13					
174	0795	.69	19	.002	4.15					
175	0796	.75	17	.002	4.15					
176	0797	.96	19	.002	4.06					
177	0798	.82	10	.002	4.03					
178	0799	.69	13	.002	3.68					
179	0800	.89	56	.003	4.07					
180	0801	.21	19	.002	4.05					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for [Signature]
Registered Assayer, Province of British Columbia

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
765	137.5	142.5	5.0	122.0	123.0	8.70	7.66	16.36	4.29	0.18	6.38	1.60	12.34	14.04	.004	1.56	4H/4E/4G
766	142.5	146.5	4.0	63.0	61.0	4.79	5.41	10.20	4.58	0.23	14.90	0.79	7.28	19.40	.005	0.71	4G/4E/4D
767	146.5	152.0	5.5	58.0	57.0	3.42	5.68	9.10	4.67	0.20	12.19	1.59	3.07	26.13	.005	0.25	4G/4E
768	152.0	157.0	5.0	48.0	48.0	2.72	3.42	6.14	4.30	0.37	9.75	1.17	5.44	23.96	.004	0.34	4E/4L
769	157.0	161.9	4.9	55.0	52.0	2.74	5.17	7.91	4.28	0.09	15.36	0.75	1.95	20.53	.004	0.05	4E/4G
770	161.9	166.4	4.5	66.0	59.0	3.99	6.26	10.25	4.40	0.18	18.12	0.71	5.09	20.58	.005	0.26	4E8
771	166.4	172.7	6.3	67.0	67.0	5.04	6.24	11.28	4.65	0.16	16.94	1.98	3.21	21.96	.005	0.28	4E6
772	172.7	176.0	3.3	31.0	31.0	3.05	1.90	4.95	4.51	0.15	10.92	1.96	2.55	29.77	.003	0.26	4E4
773	176.0	181.0	5.0	38.0	39.0	4.59	4.16	8.75	4.49	0.18	9.63	1.72	2.50	26.60	.003	0.11	4G8
774	181.0	186.0	5.0	18.0	15.0	1.80	0.67	2.47	3.98	0.11	0.85	0.94	1.37	28.53	.003	0.29	4K0
775	186.0	191.0	5.0	19.0	18.0	2.20	1.06	3.26	4.16	0.22	0.79	1.51	1.37	30.28	.003	0.24	4K0
776	191.0	196.0	5.0	22.0	22.0	2.52	1.00	3.52	3.88	0.12	1.03	1.29	1.85	25.03	.003	0.18	4K0
777	196.0	200.6	4.6	15.0	14.0	1.43	1.02	2.45	3.74	0.18	0.15	0.83	4.75	21.93	.003	0.66	4K0
778	200.6	202.1	1.5	15.0	15.0	1.65	3.56	5.21	3.84	0.27	0.45	0.87	9.59	22.02	.003	0.63	4J0
779	202.1	206.0	3.9	31.0	34.0	2.58	3.12	5.70	3.82	0.24	7.29	3.33	2.68	19.53	.004	0.30	4K0
780	206.0	211.3	5.3	68.0	68.0	5.24	4.29	9.53	4.55	0.16	4.92	0.85	9.18	23.24	.005	1.21	4E/4K
781	211.3	215.3	4.0	63.0	66.0	5.35	6.22	11.57	4.36	0.14	15.46	1.91	7.45	18.93	.005	1.87	4G8/4E/4K
782	215.3	219.8	4.5	86.0	89.0	8.17	9.79	17.96	4.60	0.17	9.38	1.95	7.71	19.37	.006	1.57	4E/4K8
783	219.8	224.8	5.0	36.0	35.0	3.02	1.88	4.90	4.04	0.22	3.13	1.26	7.36	22.14	.004	1.21	4C0
784	224.8	229.0	4.2	57.0	60.0	4.40	5.16	9.56	4.30	0.06	10.58	1.53	5.63	17.31	.005	0.95	4C/4G
785	229.0	234.0	5.0	30.0		1.03	0.89	1.92		0.25							4C0
786	234.0	239.0	5.0	15.0		0.11	0.02			0.31							4G/4E
787	239.0	244.0	5.0	14.0		0.16	0.24			0.29							4H/4C9
788	244.0	249.0	5.0	15.0		0.26	0.23			0.28							4C/4D
789	249.0	254.0	5.0	27.0		0.90	0.49			0.27							4E1
790	254.0	258.5	4.5	17.0		0.34	0.50			0.34							4E1
791	258.5	263.5	5.0	15.0		0.55	0.97			0.30							4C0
792	263.5	269.0	5.5	15.0		0.47	0.75			0.38							4C0
793	269.0	273.0	4.0	31.0		1.32	1.11	2.43		0.65							4E1
794	273.0	278.0	5.0	23.0		0.87	0.72	1.59		0.39							4C8
795	278.0	283.0	5.0	17.0		0.67	1.11	1.78		0.34							4C8

CYPRUS ANVIL MINING CORPORATION

Page 2 of 2

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

V-302

<u>Samp. No.</u>	<u>From (Ft.)</u>	<u>To (Ft.)</u>	<u>Int. (Ft.)</u>	<u>Ag/AA GMS/MT</u>	<u>Ag/FA GMS/MT</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Pb+Zn %</u>	<u>S.G.</u>	<u>Cu %</u>	<u>BaO %</u>	<u>Au GMS/MT</u>	<u>Po %</u>	<u>Py %</u>	<u>Hg %</u>	<u>Unit</u>
796	283.0	288.0	5.0	17.0		0.79	1.09	1.88		0.29						4C8
797	288.0	293.0	5.0	18.0		0.65	0.91	1.56		0.45						4C8
798	293.0	298.0	5.0	10.0		0.14	0.28	0.42		0.35						4C8/9
799	298.0	303.4	5.4	18.0		0.35	0.88	1.23		0.32						4C0/8
800	303.4	308.5	5.1	58.0		3.84	6.01	9.85		0.27						4E0
801	533.0	540.0	7.0	21.0		0.87	0.66	1.53		0.13						4E/4H
802	540.0	545.0	5.0	6.0		0.34	0.23	0.57		0.09						4A0
803	545.0	550.3	5.3	13.0		0.87	0.39	1.26		0.08						4A0
804	552.4	557.4	5.0	28.0		1.57	2.10	3.67		0.06						4A0
805	557.4	561.3	3.9	13.0		0.93	0.86	1.79		0.07						4A0

V-320



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 19

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
361	3026	.14	1	.001	2.98					
362	3027	.55	2	.001	2.85					
363	3028	.55	3	.001	2.70					
364	3029	.62	4	.001	3.09					
365	3030	.62	25	.001	3.19					
366	3031	1.10	4	.001	2.91					
367	3032	.34	3	.001	2.86					
368	3033	.62	5	.001	2.81					
369	3034	.07	7	.001	2.86					
370	3035	.07	7	.001	2.81					
371	3036	T.R	6	.001	2.98					
372	3037	.07	3	.001	2.76					
373	3038	.07	2	.001	3.99					
374	3123	.34	12	.001	2.78					
375	3124	.14	11	.001	3.17					
376	3125	.41	9	.001	4.35					
377	3126	.55	17	.001	2.99					
378	3127	.07	17	.001	3.84					
379	3194	.34	12	.001	3.15					
380	3195	.21	20	.001	2.84					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for OSB

Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS 16
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation


Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-320 301	V 3065	.77	40	.47	31.18	7.69	.002	15.75	4.61	
302	3101	.15	64	.25	9.18	5.68	.002	4.14	3.21	
303	3102	.34	84	.17	14.09	2.38	.008	19.79	4.27	
304	3103	.46	92	.58	12.00	3.36	.006	19.32	4.06	
305	3104	.46	112	1.09	15.49	7.10	.005	13.44	4.35	
V-316 306	3105	.40	146	3.03	15.20	24.50	.003	0.44	4.15	
307	3106	1.04	138	2.41	19.93	17.00	.002	1.61	4.00	
308	3107	.26	77	.59	7.47	7.59	.003	19.38	4.02	
309	3108	.22	212	2.04	14.71	20.00	.002	0.82	4.29	
310	3109	.15	20	.62	4.69	9.97	.001	7.55	3.29	
311	V 3110	.22	94	1.31	14.18	24.63	.002	1.86	4.07	
312	3111	.22	49	1.35	14.97	30.38	.001	0.30	4.09	
313	3112	.41	86	.41	18.23	4.76	.003	11.00	3.87	
314	3113	.22	43	.19	10.75	1.70	.004	22.92	3.86	
315	3114	.93	55	.23	17.15	2.33	.005	14.91	4.08	
316	3115	1.19	23	.56	36.00	7.76	.002	1.67	4.39	
317	3116	1.22	62	.31	17.23	4.66	.005	11.81	4.02	
318	3117	.33	39	.32	6.66	5.03	.004	15.78	3.47	
319	3118	.70	67	1.43	14.81	11.73	.005	15.76	4.30	
320	3119	.37	63	.71	7.14	4.17	.006	30.51	4.28	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS 15
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
281	V 3045	.50	11	.09	9.61	1.36	.001	0.13	2.65	
282	3046	.35	13	.12	6.06	2.18	.001	0.13	2.72	
283	3047	.85	4	.11	3.87	4.52	.001	0.14	2.84	
284	3048	.66	19	.12	3.33	5.13	.001	0.16	2.79	
285	3049	.08	22	.11	2.46	3.93	.001	0.31	2.63	
286	3050	.42	32	.21	2.44	4.76	.002	0.29	2.72	
287	3051	.50	31	.16	2.59	2.82	.002	0.18	2.71	
288	3052	.40	33	.19	4.21	2.39	.003	0.38	2.64	
289	3053	.37	28	.14	3.35	3.24	.002	0.18	2.65	
290	3054	.28	21	.15	6.28	3.90	.002	0.21	2.80	
291	V 3055	.12	10	.11	2.55	3.43	.001	0.43	2.52	
292	3056	.65	52	.16	17.65	4.04	.002	1.23	3.41	
293	3057	.31	22	.21	10.88	3.08	.002	0.12	2.88	
294	3058	.52	63	.18	11.52	2.94	.002	0.13	3.06	
295	3059	.56	67	.19	5.90	2.86	.003	0.16	2.97	
296	3060	.25	47	.12	6.79	2.20	.002	0.36	2.81	
297	3061	.49	45	.82	30.90	11.27	.002	7.18	4.14	
298	3062	.40	22	.62	35.51	8.84	.001	2.37	4.19	
299	3063	.34	5	.16	34.04	3.54	.001	1.77	3.68	
300	3064	.62	45	.56	28.97	8.07	.002	11.46	4.02	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Das for PEB
Registered Assayer, Province of British Columbia

V-320

CYPRUS ANVIL MINING CORPORATION

Page 1 of 1

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Sample No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	PPy%%	Hg %	Mn %	Unit
3061	215.5	220.0	4.5	45.0		2.59	2.32	4.91		0.35							4D/E
3062	220.0	225.0	5.0	28.0		1.52	0.72	2.24		0.47							4E/C
3063	225.0	230.0	5.0	6.0		0.12	0.55	0.67		0.09							4E/K/L
3064	230.0	235.0	5.0	51.0		3.25	3.18	6.43		0.14							4G8
3065	235.0	241.9	6.9	44.0		3.05	3.59	6.64		0.20							4G/L
3123	402.5	409.1	6.6														4A0
3124	409.1	411.0	1.9														4D7
3125	424.6	430.0	5.4														4A0
3126	430.0	433.2	3.2														4E1
3127	435.0	440.0	5.0														4C7

results incomplete

V 18 R



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 24

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
461	3651	.41	9	.001	3.83					
462	3652	.69	11	.001	3.77					
463	3653	1.17	10	.001	3.04					
464	3654	1.92	9	.001	4.04					
465	3655	1.51	11	.002	3.59					
466	3656	.27	11	.002	3.13					
467	3661	1.51	19	.002	3.86					
468	3662	1.51	12	.002	4.00					
469	3663	2.06	13	.002	3.76					
470	3664	1.99	5	.002	3.70					
471	3665	1.78	15	.002	3.90					
472	3666	1.30	13	.002	3.62					
473	3667	1.44	13	.002	3.98					
474	3668	.89	10	.002	3.72					
475	3678	.69	14	.002	3.52					
476	3679	.89	14	.002	3.37					
477	3680	1.30	15	.002	3.44					
478	3681	.55	11	.002	3.62					
479	3682	.48	8	.002	4.77					
480	3683	.21	5	.002	2.83					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for PAB
Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 25

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
481	3684	.34	4	.002	3.29					
482	3585	.14	2	.002	2.07					
483	3686	.34	4	.002	3.44					
484	3687	.14	2	.002	2.87					
485	3688	.27	4	.002	2.97					

TR indicates 'trace'
L indicates 'less than'

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

cc Mr. Darryl Hanson

DAS for PAB
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS 10

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2602

Date April 30, 1980


I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	BaO	Hg	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
181	3637	.27	12	.02	.2	4.6	1.46	.002	2.61	
182	3638	.93	52	.12	14.0	4.4	9.06	.005	3.65	
183	3639	.96		.14	15.0	1.8	5.77	.007	3.69	
184	3640	1.20	25	.34	15.8	6.8	0.20	.003	3.54	
185	3641	1.92	29	.16	21.6	5.2	0.08	.002	3.72	
186	3657	.24	41	.06	4.2	3.8	2.65	.002	2.85	
187	3658	.65	32	.14	15.9	1.9	0.26	.004	3.28	
188	3659	1.17	96	.10	29.9	1.1	3.38	.005	4.65	
189	3660	1.44	101	.69	19.1	7.5	0.10	.005	4.08	
190	3669	1.27	21	.37	20.5	6.2	0.04	.003	3.59	
191	3670	1.51	25	.74	18.9	9.7	0.04	.002	3.72	
192	3671	1.13	34	1.30	9.9	16.6	0.05	.002	3.62	
193	3672	.82	23	1.28	12.1	13.1	0.07	.002	3.30	
194	3673	.58	28	1.45	5.4	15.0	0.17	.003	3.23	
195	3674	1.30	44	1.60	7.7	9.5	0.15	.002	3.27	
196	3675	.99	14	2.05	11.7	18.0	0.07	.002	3.61	
197	3676	.93	1	.57	5.0	9.0	0.07	.002	2.91	
198	3677	.89	23	1.27	11.2	14.3	0.04	.002	3.39	

N.D. indicates 'none detected'
TR indicates 'trace'
L indicates 'less than'

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

cc Mr. Darryl Hanson


Registered Assayer, Province of British Columbia

V-123R



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 5

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
81	0445	TR	10	L.001	2.75					
82	0446	.68	1	L.001	2.58					
83	0454	.14	TR	L.001	2.78					
V-119.R 84	0455	.21	4	L.001	2.88					
85	0456	.21	4	L.001	3.03					
86	0457	.27	5	L.001	3.03					
87	0458	.07	1	L.001	2.69					
88	0485	.27	9	L.001	2.59					
89	0486	.10	6	L.001	2.61					
90	0487	.41	23	L.001	2.63					
V-123.R 91	0488	.21	10	L.001	2.69					
92	0489	TR	8	L.001	2.96					
93	0490	.10	10	L.001	2.90					
94	0491	.10	34	L.001	3.09					
95	0497	.62	8	L.001	2.73					
96	0498	.62	6	L.001	3.02					
V-115.R 97	0499	.31	10	L.001	2.85					
98	0500	.51	11	.003	3.25					
99	0509	1.54	19	.001	3.51					
100	0510	1.03	15	.002	3.75					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for ASB
Registered Assayer, Province of British Columbia

V-123-RCYPRUS ANVIL MINING CORPORATION

Page 1 of 1

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

<u>Samp. No.</u>	<u>From (Ft.)</u>	<u>To (Ft.)</u>	<u>Int. (Ft.)</u>	<u>Ag/AA GMS/MT</u>	<u>Ag/FA GMS/MT</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Pb+Zn %</u>	<u>S.G.</u>	<u>Cu %</u>	<u>BaO %</u>	<u>Au GMS/MT</u>	<u>Po %</u>	<u>Py %</u>	<u>Hg %</u>	<u>Unit</u>
485	124.6	129.6	5.0	10.0		0.50	0.75			0.03						4A0
486	129.6	134.6	5.0	7.0		0.26	0.55			0.03						4A0
487	134.6	139.6	5.0	25.0		1.67	1.02	2.69		0.04						4A0
488	139.6	146.8	7.2	12.0		0.49	0.66			0.09						4A0
489	182.3	187.3	5.0	12.0		0.41	0.35			0.13						4A7
490	187.3	192.3	5.0	16.0		0.71	0.61			0.09						4A7
491	192.3	199.0	6.7	34.0		2.07	0.93	3.00		0.92						4A7

V-60R



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 18

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
341	1452	.48	17	.002	4.01					
342	1453	.62	16	.001	3.62					
343	1454	.27	12	.002	3.31					
344	1455	.14	3	.001	2.66					
345	1456	.21	14	.001	2.78					
346	1457	.21	12	.002	3.03					
347	3012	1.37	21	.002	3.26					
348	3013	1.99	14	.002	3.97					
349	3014	1.85	12	.002	4.18					
350	3015	2.06	35	.001	3.90					
351	3016	.14	2	.001	3.96					
352	3017	1.03	25	.001	2.91					
353	3018	1.03	12	.001	3.56					
354	3019	.82	7	.001	2.89					
355	3020	1.30	10	.001	3.60					
356	3021	2.13	15	.001	3.37					
357	3022	.75	12	.001	2.96					
358	3023	1.17	8	.001	3.76					
359	3024	1.30	14	.001	3.94					
360	3025	.07	3	.001	3.05					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Ass for Reg
Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 17

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
321	1392	.07	8	.001	3.32					
322	1393	.07	9	.001	3.01					
323	1394	.14	5	.001	4.36					
324	1395	.07	3	.001	2.71					
V-24-R 325	1396	.07	7	.001	3.18					
326	1397	.14	6	.001	4.04					
327	1398	.07	9	.001	2.45					
328	1399	.07	9	.001	3.13					
329	1400	.07	5	.001	2.96					
V-50-R 330	1431	.34	30	.002	3.45					
331	1432	.14	20	.001	3.57					
332	1433	.48	6	.001	2.33					
333	1444	.62	14	.001	3.66					
334	1445	.34	13	.003	3.65					
335	1446	.27	17	.002	3.72					
V-60-R 336	1447	.07	5	.002	2.93					
337	1448	.27	11	.001	3.34					
338	1449	.21	13	.002	3.03					
339	1450	.07	4	.001	3.08					
340	1451	.27	13	.002	3.67					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for AssB
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

13

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-60-R 241	V 1440	.99	50	.08	10.24	1.75	.003	0.11	2.98	
242	1441	.72	34	.17	6.18	2.94	.003	0.14	2.96	
243	1442	.24	8	.25	6.10	7.12	.003	0.31	2.92	
244	1443	.51	25	.10	21.56	1.70	.003	0.09	3.37	
245	1458	1.27	90	.06	8.17	1.67	.007	0.12	3.01	
246	1459	.93	52	.06	14.61	1.48	.004	0.30	3.18	
247	1460	.55	23	.05	7.21	1.02	.003	0.65	2.82	
248	1461	.45	14	.06	5.29	1.13	.003	1.62	2.65	
249	1462	.93	121	.04	29.02	.87	.004	12.33	4.63	
250	1463	2.02	104	.04	31.38	.69	.006	9.97	4.58	
V-315 251	V 1464	.24	15	.24	12.85	4.16	.003	10.70	3.28	
252	1465	.79	46	.46	29.47	3.68	.003	2.23	4.23	
253	1466	.17	21	.37	13.22	7.99	.003	4.78	3.19	
254	1467	.38	21	.32	33.77	3.51	.003	1.54	4.09	
255	1468	.17	21	.17	10.31	3.93	.003	5.04	3.07	
256	1469	.45	54	.34	26.16	6.01	.003	5.97	4.38	
257	1470	1.10	34	.36	32.77	7.53	.003	3.83	4.56	
258	1471	.69	20	.27	30.67	2.70	.003	0.34	3.56	
259	1472	.79	70	.51	29.01	5.23	.003	10.06	4.51	
260	1473	.51	64	.35	28.34	2.31	.003	13.94	4.58	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Dans for OSB
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS 12
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation


Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-50-R	V 1417	.21	39	.23	6.67	6.65	.003	2.49	2.86	
	1418	.07	6	.20	5.78	7.44	.003	1.87	2.93	
	1419	.17	39	.22	24.66	2.84	.003	11.93	4.68	
	1420	.14	55	.22	18.88	3.35	.003	4.19	3.73	
	1421	.14	17	.12	6.88	2.65	.003	4.79	2.93	
U	1422	.62	92	.24	14.08	2.21	.007	22.14	4.27	
	1423	.27	54	.40	19.88	2.76	.004	21.05	4.46	
	1424	1.61	38	.75	29.96	8.40	.003	5.55	4.50	
	1425	1.54	34	1.04	31.18	7.07	.003	0.46	4.57	
	1426	.51	56	.46	23.57	11.00	.003	3.38	4.33	
	V 1427	.86	38	.60	24.59	7.37	.003	1.56	3.93	
V-60-R	1428	.93	44	.66	26.77	4.53	.004	3.11	4.03	
	1429	.86	18	.26	36.33	7.74	.003	0.10	4.10	
	1430	.86	46	.36	19.70	5.20	.005	2.98	3.75	
	1434	.41	23	.12	4.25	3.45	.003	0.10	2.74	
	1435	.41	23	.11	3.46	3.20	.003	0.56	2.62	
	1436	.38	16	.12	3.25	2.95	.003	0.55	2.58	
	1437	1.10	14	.24	21.52	5.98	.003	0.20	3.55	
	1438	.86	10	.25	24.47	3.36	.003	0.07	3.55	
1439	.96	36	.12	11.36	2.27	.003	0.10	2.97		

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia

GEOCHEMICAL LOG

Kamloops Research & Assay Lab.

<u>Samp. No.</u>	<u>From (Ft.)</u>	<u>To (Ft.)</u>	<u>Int. (Ft.)</u>	<u>Ag/AA GMS/MT</u>	<u>Ag/FA GMS/MT</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Pb+Zn %</u>	<u>S.G.</u>	<u>Cu %</u>	<u>BaO %</u>	<u>Au GMS/MT</u>	<u>Po %</u>	<u>Py %</u>	<u>Hg %</u>	<u>Mn %</u>	<u>Unit</u>
1434	126.5	131.5	5.0	19.0		1.76	3.20	4.96		0.06							4A0
1435	131.5	136.5	5.0	20.0		1.19	2.68	3.87		0.02							4A0
1436	136.5	141.6	5.1	12.0		0.83	1.75	2.58		0.03							4A0
1437	141.6	147.4	5.8	13.0		0.66	0.63	1.29		0.10							4C3
1438	147.4	153.4	6.0	9.0		0.38	0.77	1.15		0.12							4CA
1439	153.4	158.4	5.0	49.0		2.95	5.38	8.83		0.04							4A4
1440	158.4	163.4	5.0	48.0		3.66	6.57	10.23		0.09							4A4
1441	163.4	168.7	5.3	14.0		2.56	2.67	5.23		0.05							4A4
1442	168.7	174.2	5.5	4.0		0.65	1.48	2.13		0.04							4L3
1443	174.2	179.2	5.0	25.0		1.52	2.23	3.75		0.28							4A0
1444	179.2	185.3	6.1	10.0		0.63	0.67	1.30		0.19							4A0
1445	185.3	191.0	5.7	8.0		0.26	0.23	0.49		0.22							4C0
1446	191.0	197.6	6.6	14.0		0.10	0.13	0.23		0.31							4C0
1447	197.6	200.2	2.6	2.0		0.03	0.86	0.89		0.07							5D0
1448	200.2	205.2	5.0	14.0		0.05	0.29	0.34		0.19							4C0
1449	205.2	210.2	5.0	8.0		0.08	0.55	0.63		0.23							4C0
1450	210.2	215.3	5.1	1.0		0.02	0.70	0.72		0.06							4C0
1451	215.3	218.3	3.0	8.0		0.03	0.40	0.43		0.26							5D0
1452	218.3	222.3	4.0	19.0		0.08	0.15	0.23		0.34							4C0
1453	222.3	226.9	4.6	15.0		0.10	0.15	0.25		0.32							4C0
1454	226.9	228.7	1.8	10.0		0.05	0.14	0.19		0.23							4AE
1455	444.4	449.0	4.6	4.0		0.08	0.23	0.31		0.05							4A0
1456	449.0	454.0	5.0	11.0		1.02	1.22	2.24		0.17							4A0
1457	454.0	457.0	3.0	10.0		0.80	0.96	1.76		0.17							4A0

V-110R



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 4

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-110-R 61	0375	.55	19	.001	4.07					
62	0375 1/2	.68	19	.001	4.31					
63	0377	.27	8	L.001	2.80					
64	0410	.07	3	.001	2.60					
65	0411	.14	8	.001	2.79					
66	0412	.21	5	.001	2.89					
67	0413	.14	3	L.001	2.77					
68	0414	.07	2	L.001	2.63					
V-119-R 69	0415	.14	2	L.001	2.79					
70	0434	.68	19	L.001	3.82					
71	0435	1.30	26	L.001	4.36					
72	0436	.14	17	L.001	4.02					
73	0437	.62	16	L.001	3.48					
74	0438	.27	17	L.001	2.85					
75	0439	.21	TR	L.001	2.82					
76	0440	.27	8	L.001	3.07					
77	0441	.07	8	L.001	2.86					
78	0442	.14	6	.001	2.88					
79	0443	.07	4	L.001	2.68					
80	0444	.14	5	L.001	2.72					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for OBB
Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 3

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S. G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-110-R 41	0355	1.85	30	.001	3.17					
42	0356	1.78	17	.001	3.51					
43	0357	TR	19	.001	3.54					
44	0358	.31	29	.001	3.70					
45	0359	.03	23	L.001	3.62					
46	0360	.45	30	.001	3.41					
47	0361	.17	28	L.001	3.28					
48	0362	.14	18	.001	3.43					
49	0363	.10	17	.001	3.75					
50	0364	.34	16	.001	3.41					
51	0365	.41	26	.001	4.06					
52	0366	.21	11	L.001	2.82					
53	0367	.21	1	L.001	2.78					
54	0368	.55	20	.001	3.93					
55	0369	.07	2	.001	2.73					
56	0370	.34	25	L.001	3.03					
57	0371	.68	27	.001	3.41					
58	0372	.75	51	.001	3.94					
59	0373	.41	34	.001	3.60					
60	0374	.82	13	L.001	3.30					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Assay for Pb
Registered Assayer, Province of British Columbia

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
351	151.0	156.0	5.0	61.0	11.0	7.75	8.13	15.88	3.97	0.12	0.19	.012	12.8	12.3	.002	2.12	4J4
352	156.0	161.0	5.0	56.0	58.0	6.51	9.77	16.28	3.84	0.11	1.11	.021	11.4	11.6	.001	1.93	4J4
353	161.0	166.6	5.6	60.0	60.0	6.94	10.58	17.52	3.74	0.10	1.52	.020	6.4	13.1	.001	1.19	4J4
354	166.6	171.0	4.4	20.0	16.0	0.90	3.04	3.94	3.45	0.10	0.47	TR	5.1	15.4	.001	0.88	4C0
355	171.0	176.0	5.0	24.0		1.43	0.94	2.37		0.34							4C0
356	176.0	181.0	5.0	15.0		0.95	1.05	2.00		0.40							4C0
357	181.0	186.0	5.0	18.0		0.56	1.38	1.94		0.33							4C0
358	186.0	191.0	5.0	28.0		1.45	2.22	3.67		0.50							4C0
359	191.0	196.0	5.0	21.0		0.53	0.52	1.05		0.37							4C0
360	196.0	201.0	5.0	26.0		0.95	0.60	1.55		0.42							4C0
361	201.0	206.0	5.0	24.0		1.12	1.15	2.27		0.25							4C0
362	206.0	211.0	5.0	18.0		0.65	1.67	2.32		0.20							4C0
363	211.0	216.0	5.0	17.0		0.41	1.03	1.44		0.23							4CE
364	216.0	221.0	5.0	16.0		0.24	1.05	1.29		0.22							4CE
365	221.0	225.0	4.0	22.0		0.11	0.23	0.34		0.38							4CE
366	225.0	230.0	5.0	5.0		0.13	0.42	0.55		0.08							4L0
367	230.0	238.8	8.8	1.0		0.03	0.23	0.26		0.05							4L0
368	238.8	245.5	6.7	18.0		0.44	0.48	0.92		0.34							4CE
369	245.5	249.8	4.3	1.0		0.01	0.11	0.12		0.04							4L0
370	249.8	253.5	3.7	19.0		1.05	3.18	4.23		0.24							4BC
371	461.9	466.1	4.2	22.0		1.13	1.14	2.27		0.24							4C0
372	466.1	471.0	4.9	49.0		3.03	7.13	10.16		0.06							4EB
373	471.0	476.0	5.0	31.0		2.39	3.98	6.37		0.09							4EA
374	476.0	480.1	4.1	9.0		0.16	0.11	0.27		0.27							4CA
375	480.1	486.0	5.9	16.0		0.34	0.12	0.46		0.22							4K0
376	486.0	491.5	5.5	17.0		0.22	0.15	0.37		0.10							4K0
377	491.5	493.4	1.9	4.0		0.04	0.04	0.08		0.16							4A0

V-50R



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 32

TO Cyprus Anvil Mining Corporation

Certificate No. K-2675

Date June 6, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD Ounces Per Ton	SILVER g/tonne	Pb Percent	Zn Percent	Py Percent	Po Percent	BaO Percent	S.G. Percent	Percent
307	21	962	-	-	-	-	-	-	3.80	
	22	1007	162	10.96	8.92	-	-	-	-	
33-R	23	1012	93	5.01	4.88	-	-	-	-	
	24	1022	-	-	-	-	-	17.9	-	
310	25	1068	-	-	-	-	-	-	2.96	
	26	1072	88	7.02	4.63	-	-	-	-	
63-R	27	1078	55	3.77	3.98	-	-	-	-	
	28	1079	45	5.08	4.86	-	-	-	-	
	29	1128	83	6.76	6.87	-	-	-	-	
30-R	30	1129	76	5.58	7.26	-	-	-	-	
	31	1130	79	5.49	6.10	-	-	-	-	
311	32	1159	-	-	-	-	-	-	3.79	
	33	1161	-	-	-	-	-	-	3.71	
312	34	1192	45	3.11	7.06	-	-	-	-	
	35	1195	-	-	-	4.59	5.86	-	2.82	
	36	1302	103	6.26	6.35	-	-	-	-	
28-R	37	1304	51	6.31	5.87	-	-	-	-	
	38	1306	44	4.95	6.94	-	-	-	-	
46-R	39	1355	113	6.92	11.43	-	-	-	-	
50-R	40	1404	56	5.86	8.69	-	-	-	-	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Denis J. Paris

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 17

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
321	1392	.07	8	.001	3.32					
322	1393	.07	9	.001	3.01					
323	1394	.14	5	.001	4.36					
324	1395	.07	3	.001	2.71					
V-24-R 325	1396	.07	7	.001	3.18					
326	1397	.14	6	.001	4.04					
327	1398	.07	9	.001	2.45					
328	1399	.07	9	.001	3.13					
329	1400	.07	5	.001	2.96					
V-50-R 330	1431	.34	30	.002	3.45					
331	1432	.14	20	.001	3.57					
332	1433	.48	6	.001	2.33					
333	1444	.62	14	.001	3.66					
334	1445	.34	13	.003	3.65					
335	1446	.27	17	.002	3.72					
V-60-R 336	1447	.07	5	.002	2.93					
337	1448	.27	11	.001	3.34					
338	1449	.21	13	.002	3.03					
339	1450	.07	4	.001	3.08					
340	1451	.27	13	.002	3.67					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS 11
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
201	V 1378	1.74	15	.19	31.90	1.69	.003	0.88	3.92	
V-26-R 202	1379	.78	56	.26	17.24	3.97	.006	22.61	4.38	
203	1380	1.10	86	.61	16.19	6.35	.005	23.32	4.54	
204	1388	1.14	69	.36	9.73	8.41	.006	0.19	3.37	
205	1401	.89	45	.64	12.98	8.84	.004	21.65	4.26	
206	1402	1.14	41	.35	22.66	13.54	.003	1.41	4.39	
207	1403	.96	54	.33	21.71	11.88	.004	4.21	4.62	
208	1404	.39	56	.61	11.32	8.38	.004	15.56	3.81	
V-50-R 209	1405	.50	118	.44	12.40	2.35	.006	25.38	4.38	
210	1406	.71	78	.38	12.98	2.70	.006	23.50	4.26	
211	V 1407	.68	110	.22	10.27	1.62	.006	32.84	4.15	
212	1408	.50	90	.18	8.26	1.58	.006	29.59	4.25	
213	1409	.53	88	.18	11.50	1.72	.006	23.30	4.18	
214	1410	.14	14	.21	2.04	3.65	.003	9.04	2.89	
215	1411	.14	57	.15	14.01	1.87	.003	21.10	4.26	
216	1412	.82	54	.10	10.73	1.77	.003	25.95	4.35	
217	1413	.14	74	.13	11.71	1.92	.003	23.55	4.33	
218	1414	.17	44	.15	17.79	2.29	.003	21.72	4.47	
219	1415	.17	43	.29	20.56	2.80	.003	19.62	4.25	
220	1416	.65	40	.53	24.99	6.64	.003	19.62	4.24	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS 12
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
221	V 1417	.21	39	.23	6.67	6.65	.003	2.49	2.86	
222	1418	.07	6	.20	5.78	7.44	.003	1.87	2.93	
223	1419	.17	39	.22	24.66	2.84	.003	11.93	4.68	
224	1420	.14	55	.22	18.88	3.35	.003	4.19	3.73	
225	1421	.14	17	.12	6.88	2.65	.003	4.79	2.93	
226	1422	.62	92	.24	14.08	2.21	.007	22.14	4.27	
227	1423	.27	54	.40	19.88	2.76	.004	21.05	4.46	
228	1424	1.61	38	.75	29.96	8.40	.003	5.55	4.50	
229	1425	1.54	34	1.04	31.18	7.07	.003	0.46	4.57	
230	1426	.51	56	.46	23.57	11.00	.003	3.38	4.33	
231	V 1427	.86	38	.60	24.59	7.37	.003	1.56	3.93	
232	1428	.93	44	.66	26.77	4.53	.004	3.11	4.03	
233	1429	.86	18	.26	36.33	7.74	.003	0.10	4.10	
234	1430	.86	46	.36	19.70	5.20	.005	2.98	3.75	
235	1434	.41	23	.12	4.25	3.45	.003	0.10	2.74	
236	1435	.41	23	.11	3.46	3.20	.003	0.56	2.62	
237	1436	.38	16	.12	3.25	2.95	.003	0.55	2.58	
238	1437	1.10	14	.24	21.52	5.98	.003	0.20	3.55	
239	1438	.86	10	.25	24.47	3.36	.003	0.07	3.55	
240	1439	.96	36	.12	11.36	2.27	.003	0.10	2.97	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAS for PGR
Registered Assayer, Province of British Columbia

GEOCHEMICAL LOG

Kamloops Research & Assay Lab.

<u>Samp. No.</u>	<u>From (Ft.)</u>	<u>To (Ft.)</u>	<u>Int. (Ft.)</u>	<u>Ag/AA GMS/MT</u>	<u>Ag/FA GMS/MT</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Pb+Zn %</u>	<u>S.G.</u>	<u>Cu %</u>	<u>BaO %</u>	<u>Au GMS/MT</u>	<u>Po %</u>	<u>Py %</u>	<u>Hg %</u>	<u>Mn %</u>	<u>Unit</u>
1401	112.0	114.0	2.0	41.0		4.09	5.84	9.93		0.10							4G4
1402	114.0	119.0	5.0	33.0		4.61	4.16	8.77		0.13							4E8
1403	119.0	124.5	5.5	57.0		5.42	5.34	10.76		0.07							4E8
1404	124.5	131.5	7.0	52.0		5.86	8.80	14.66		0.05							4E1?
1405	131.5	137.0	5.5	111.0		7.85	7.31	15.16		0.07							4G4
1406	137.0	142.0	5.0	88.0		6.54	6.77	13.31		0.08							4G4
1407	142.0	147.0	5.0	96.0		6.42	7.52	13.94		0.10							4G4
1408	147.0	152.0	5.0	86.0		6.02	8.49	14.51		0.05							4G4
1409	152.0	157.1	5.1	92.0		6.63	8.92	15.55		0.05							4G4
1410	157.1	159.9	2.8	11.0		1.13	2.00	3.13		0.02							4L3
1411	159.9	164.0	4.1	56.0		5.79	8.56	14.35		0.08							4G4
1412	164.0	169.0	5.0	58.0		6.15	9.47	15.62		0.07							4G4
1413	169.0	174.0	5.0	72.0		6.96	10.24	17.20		0.03							4G4
1414	174.0	177.1	3.1	44.0		5.02	8.44	13.46		0.02							4G4
1415	177.1	181.1	4.0	38.0		3.84	6.05	9.89		0.15							4GE
1416	181.1	185.0	3.9	45.0		3.60	3.05	6.65		0.25							4GE
1417	185.0	187.0	2.0	41.0		2.14	3.91	6.05		0.27							4A4
1418	187.0	192.0	5.0	7.0		0.25	0.54	0.79		0.07							4L6
1419	222.6	226.1	3.5	44.0		5.00	6.65	11.65		0.06							4GE
1420	226.1	232.0	5.9	55.0		5.94	7.59	13.53		0.04							4E4
1421	232.0	237.0	5.0	20.0		2.01	3.48	5.49		0.06							4LA

GEOCHEMICAL LOG

<u>Samp. No.</u>	<u>From (Ft.)</u>	<u>To (Ft.)</u>	<u>Int. (Ft.)</u>	<u>Ag/AA GMS/MT</u>	<u>Ag/FA GMS/MT</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Pb+Zn %</u>	<u>S.G.</u>	<u>Cu %</u>	<u>BaO %</u>	<u>Au GMS/MT</u>	<u>Po %</u>	<u>Py %</u>	<u>Hg %</u>	<u>Mn %</u>	<u>Unit</u>
1422	242.4	247.0	4.6	97.0		6.08	9.52	15.60		0.06							4G4
1423	247.0	251.5	4.5	58.0		5.82	7.73	13.55		0.10							4GE
1424	251.5	257.0	5.5	31.0		3.28	4.44	7.72		0.23							4E8
1425	257.0	262.0	5.0	34.0		2.02	2.80	4.82		0.28							4E8
1426	262.0	267.0	5.0	44.0		3.27	3.46	6.73		0.33							4E8
1427	267.0	272.0	5.0	30.0		2.95	3.33	6.28		0.26							4E8
1428	272.0	275.5	3.5	46.0		3.05	4.26	7.31		0.24							4E8
1429	275.5	279.6	4.1	21.0		0.15	0.12	0.27		0.44							4E8
1430	493.4	497.8	4.4	51.0		2.70	4.63	7.33		0.13							4D0
1431	511.0	514.6	3.6	35.0		1.73	2.30	4.03		0.14							4C0
1432	514.6	516.6	2.0	18.0		0.72	0.40	1.12		0.25							4H1
1433	516.6	520.0	3.4	2.0		0.13	0.10	0.23		0.04							4A0

V-114R



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation

330 - 355 Burrard St.

Vancouver, B.C. V6E 2G8

Certificate No. K-2675

Date June 6, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Py	Po	BaO	S.G.	
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
095-R 1	142	-	-	-	-	-	-	-	-	3.84
094-R 2	178	-	-	-	-	-	-	-	-	2.79
3 3	292	-	-	-	-	-	-	-	-	3.61
114-R 4	295	-	45	2.89	4.94	-	-	-	-	3.68
119-R 5	409	-	190	5.79	8.03	38.92	.70	-	-	4.85
115-R 6	560	-	-	-	-	18.28	4.09	-	-	4.47
7	681	-	19	1.25	2.01	-	-	-	-	-
8	683	-	-	-	-	-	-	-	-	3.96
303 9	691	-	-	-	-	-	-	-	-	3.99
10	695	-	-	-	-	-	-	-	-	3.46
309 11	737	-	-	-	-	-	-	-	-	4.23
12	772	-	33	3.02	-	-	-	-	-	-
13	782	-	91	7.87	-	-	-	-	-	-
302 14	783	-	-	-	-	-	-	-	-	4.27
15	784	-	-	-	-	-	-	-	-	4.29
305 16	853	-	-	-	-	-	-	17.9	-	-
17	906	-	-	-	-	-	-	-	-	3.24
304 18	919	-	55	4.24	3.48	-	-	1.9	-	-
19	949	-	57	5.30	3.78	26.98	6.37	7.8	-	4.42
306 20	950	-	36	.97	1.15	3.14	3.53	4.6	-	2.91

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

David J. Ross

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 2

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
21	0233	.03	2	.002	2.89					
22	0234	.10	2	.002	2.77					
23	0235	.03	1	.002	2.62					
24	0236	.03	4	.002	2.88					
25	0237	.03	5	.002	2.87					
26	0238	.14	1	.002	2.80					
27	0239	.03	4	.002	2.80					
28	0240	.03	6	.002	2.86					
29	0241	.14	3	.002	2.71					
30	0242	.14	1	.002	2.78					
V-126-R 31	0243	TR	2	.002	2.76					
32	0244	.14	3	.002	2.92					
33	0245	TR	4	.002	2.79					
34	0246	.27	4	.001	2.79					
35	0247	.07	1	.001	2.72					
36	0300	.17	26	.001	3.83					
37	0301	.10	15	L.001	2.97					
38	0302	.10	17	.001	3.26					
39	0303	.07	17	.003	3.12					
40	0304	.10	14	L.001	3.11					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

W. J. ...
Registered Assayer, Province of British Columbia

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
291	108.0	110.0	2.0	69.0	60.0	4.61	7.99	12.60	4.49	0.06	37.94	0.07	0.9	7.7	.008	0.07	4G0
292	110.0	121.0	11.0	37.0	33.0	4.79	3.34	8.13	3.60 ^{3.61}	0.09	25.94	0.07	2.0	6.4	.003	0.05	
293	232.5	235.7	3.2	67.0	67.0	5.78	7.67	13.45	4.18	0.02	21.19	0.62	2.9	12.9	.004	0.19	4G4
294	235.7	240.7	5.0	5.0	5.0	0.34	0.65	0.99	2.87	0.02	4.70	TR	3.4	5.9	.001	0.21	4L0
295	240.7	245.0	4.3	48.0	43.0	2.88	4.75 ^{4.94}	7.63	3.59 ^{3.48}	0.21	8.85	TR	6.1	20.2	.002	0.34	4G4
296	245.0	249.2	4.2	47.0	47.0	4.67	5.86	10.53	4.29	0.22	12.86	0.55	6.7	25.9	.001	0.60	4G4
297	249.2	254.1	4.9	28.0	28.0	1.99	3.96	5.95	3.00	0.06	1.44	TR	3.8	11.9	.001	0.12	4D0
298	303.0	307.1	4.1	99.0	97.0	5.66	8.10	13.76	4.61	0.11	19.73	0.62	1.4	20.5	.005	0.16	4G4
299	307.1	311.2	4.1	81.0	80.0	5.75	8.09	13.84	4.45	0.16	18.67	0.55	1.9	21.0	.005	0.20	4G4
300	398.9	402.6	3.7	25.0		0.83	0.65	1.48		0.24							4K0
301	557.4	563.0	5.6	19.0		0.14	0.30			0.24							4AC
302	563.0	568.7	5.7	16.0		0.07	0.14			0.25							4AC
303	568.7	572.3	3.6	14.0		0.17	0.24			0.24							4C0
304	572.3	577.3	5.0	14.0		0.23	0.59			0.14							4C0

V-46 R



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 2

TO Cyprus Anvil Mining Corporation

Certificate No. K-2675

Date June 6, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Py	Po	BaO	S.G.	
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
307	21	962	-	-	-	-	-	-	3.80	
	22	1007	162	10.96	8.92	-	-	-	-	
33-R	23	1012	93	5.01	4.88	-	-	-	-	
	24	1022	-	-	-	-	-	17.9	-	
310	25	1068	-	-	-	-	-	-	2.96	
	26	1072	88	7.02	4.63	-	-	-	-	
63-R	27	1078	55	3.77	3.98	-	-	-	-	
	28	1079	45	5.08	4.86	-	-	-	-	
	29	1128	83	6.76	6.87	-	-	-	-	
	30	1129	76	5.58	7.26	-	-	-	-	
30-R	31	1130	79	5.49	6.10	-	-	-	-	
	32	1159	-	-	-	-	-	-	3.79	
311	33	1161	-	-	-	-	-	-	3.71	
	34	1192	45	3.11	7.06	-	-	-	-	
312	35	1195	-	-	-	4.59	5.86	-	2.82	
	36	1302	103	6.26	6.35	-	-	-	-	
28-R	37	1304	51	6.31	5.87	-	-	-	-	
	38	1306	44	4.95	6.94	-	-	-	-	
46-R	39	1355	113	6.92	11.43	-	-	-	-	
50-R	40	1404	56	5.86	8.69	-	-	-	-	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Ray J. P. P.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 16

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
301	1198	.34	11	.002	4.07					
302	1199	TR	22	.002	2.31					
303	1200	.07	10	.002	3.47					
304	1250	.48	26	.002	3.32					
305	1301	TR	10	.002	2.89					
306	1339	.07	9	.001	2.82					
307	1340	.41	23	.001	2.99					
308	1341	.34	20	.001	3.48					
309	1342	.27	23	.001	4.68					
310	1343	.21	3	.001	3.42					
311	1381	.89	10	.002	3.91					
312	1382	2.33	15	.001	3.83					
313	1383	1.23	26	.001	3.41					
314	1384	.41	15	.001	4.14					
315	1385	.62	20	.001	3.75					
316	1386	.34	15	.001	3.52					
317	1387	.48	31	.001	3.03					
318	1389	.41	8	.001	3.47					
319	1390	.34	9	.001	3.44					
320	1391	.21	17	.002	3.09					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAAS for PWB
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS 9
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
161	V 1331	.34	30	1.46	7.64	24.43	.002	0.67	3.71	
162	1332	.27	19	.59	3.82	14.80	.002	2.07	3.01	
163	1333	.41	24	.44	26.91	10.26	.002	3.61	4.34	
164	1334	.10	10	.30	1.29	10.49	.002	0.70	2.88	
V-117-R 165	1335	.10	1	.14	2.88	7.06	.001	0.36	2.76	
166	1336	1.02	26	.04	7.07	4.51	.002	1.40	2.86	
167	1337	.24	31	.30	6.99	14.22	.002	5.27	3.46	
168	1338	.27	28	.63	26.63	11.19	.001	1.27	4.33	
169	1344	.82	38	.37	20.32	11.42	.002	9.33	4.19	
170	1345	.17	6	.15	5.87	7.45	.001	4.01	2.90	
171	V 1346	.99	31	.60	26.43	11.50	.001	5.72	4.18	
172	1347	1.13	42	.54	19.84	8.53	.002	13.02	4.36	
V-46-R 173	1348	.21	16	.27	2.05	8.91	.002	4.11	2.76	
174	1349	.65	24	.38	19.69	9.11	.001	4.18	3.90	
175	1351	1.47	114	.19	17.65	1.82	.006	14.93	4.50	
176	1352	.07	8	.11	2.41	4.82	.003	1.51	2.79	
177	1353	.27	51	.14	1.91	7.82	.003	2.70	3.05	
178	1354	.21	31	.27	2.71	7.64	.003	1.58	2.90	
179	1355	1.65	113	.43	15.49	8.28	.007	1.16	4.30	
V-26-R 180	1357	.31	19	.56	5.45	6.23	.002	0.16	2.78	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Doris J. O'S
Registered Assayer, Province of British Columbia

GEOCHEMICAL LOG

Kamloops Research & Assay Lab.

<u>Samp. No.</u>	<u>From (Ft.)</u>	<u>To (Ft.)</u>	<u>Int. (Ft.)</u>	<u>Ag/AA GMS/MT</u>	<u>Ag/FA GMS/MT</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Pb+Zn %</u>	<u>S.G.</u>	<u>Cu %</u>	<u>BaO %</u>	<u>Au GMS/MT</u>	<u>Po %</u>	<u>Py %</u>	<u>Hg %</u>	<u>Mn %</u>	<u>Unit</u>
1338	205.7	208.9	3.2	29.0		2.25	2.42	4.67		0.28							4E8
1339	208.9	213.9	5.0	11.0		0.35	0.17	0.52		0.09							4LC
1340	213.9	217.6	3.7	24.0		1.10	0.75	1.85		0.30							4KE
1341	217.6	221.5	3.9	21.0		1.36	1.26	2.62		0.30							4LE
1342	221.5	226.4	4.9	23.0		1.22	1.14	2.36		0.33							4E8
1343	226.4	227.9	1.5	4.0		0.10	0.10	0.20		0.05							4C0
1344	227.9	232.6	4.7	37.0		2.35	2.76	5.11		0.15							4F8
1345	232.6	233.7	1.1	10.0		0.33	0.30	0.63		0.11							4CL
1346	233.7	235.8	2.1	35.0		1.65	0.64	2.29		0.13							4E8
1347	235.8	237.0	1.2	44.0		3.99	3.30	7.29		0.16							4G4
1348	237.0	238.0	1.0	16.0		0.39	0.16	0.55		0.16							4B0
1349	238.0	239.7	1.7	26.0		2.27	1.45	3.72		0.12							4E8
1350	239.7	243.0	3.3	2.0		0.07	0.23	0.30		0.12							4L3
1351	314.5	315.9	1.4	110.0		6.63	7.69	14.32		0.09							4F6
1352	315.9	323.5	7.6	10.0		0.60	0.89	1.49		0.06							4L3,7
1353	323.5	326.5	3.0	51.0		4.03	5.65	9.68		0.04							4L3,7/4F4
1354	326.5	327.7	1.2	32.0		2.30	5.00	7.30		0.04							4LD
1355	327.7	336.0	8.3	125.0		6.02	11.14	17.16		0.16							4E0
1356	336.0	347.0	11.0	2.0		0.08	0.67	0.75		0.13							4L6

V-117R



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

9

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
161	V 1331	.34	30	1.46	7.64	24.43	.002	0.67	3.71	
162	1332	.27	19	.59	3.82	14.80	.002	2.07	3.01	
163	1333	.41	24	.44	26.91	10.26	.002	3.61	4.34	
164	1334	.10	10	.30	1.29	10.49	.002	0.70	2.88	
V-117-R 165	1335	.10	1	.14	2.88	7.06	.001	0.36	2.76	
166	1336	1.02	26	.04	7.07	4.51	.002	1.40	2.86	
167	1337	.24	31	.30	6.99	14.22	.002	5.27	3.46	
168	1338	.27	28	.63	26.63	11.19	.001	1.27	4.33	
169	1344	.82	38	.37	20.32	11.42	.002	9.33	4.19	
170	1345	.17	6	.15	5.87	7.45	.001	4.01	2.90	
171	V 1346	.99	31	.60	26.43	11.50	.001	5.72	4.18	
172	1347	1.13	42	.54	19.84	8.53	.002	13.02	4.36	
V-46-R 173	1348	.21	16	.27	2.05	8.91	.002	4.11	2.76	
174	1349	.65	24	.38	19.69	9.11	.001	4.18	3.90	
175	1351	1.47	114	.19	17.65	1.82	.006	14.93	4.50	
176	1352	.07	8	.11	2.41	4.82	.003	1.51	2.79	
177	1353	.27	51	.14	1.91	7.82	.003	2.70	3.05	
178	1354	.21	31	.27	2.71	7.64	.003	1.58	2.90	
179	1355	1.65	113	.43	15.49	8.28	.007	1.16	4.30	
V-26-R 180	1357	.31	19	.56	5.45	6.23	.002	0.16	2.78	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

[Signature]
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS 8
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-312 141	V 1195	.28	17	.12	4.27	5.73	.002	0.25	2.83	
142	1196	.46	57	.35	12.70	5.45	.003	10.47	3.61	
143	1243	.04	8	.13	1.84	6.71	.001	2.04	2.70	
144	1244	.82	48	.74	26.77	14.63	.002	7.27	4.25	
145	1245	.71	16	.10	8.07	6.99	.001	0.09	2.92	
V-57-R 146	1246	.14	8	.09	1.48	6.42	.001	0.13	2.74	
147	1247	.71	34	.21	8.40	6.76	.001	0.10	2.92	
148	1248	.64	17	.08	9.59	2.86	.001	0.41	2.92	
149	1249	.71	28	.34	15.15	8.05	.001	3.76	3.28	
150	1302	.64	96	.05	36.10	1.71	.005	0.07	3.97	
V-28-R 151	V 1303	.18	5	.09	6.57	3.42	.001	0.15	2.90	
152	1304	.21	53	.06	12.34	2.92	.001	0.88	2.99	
153	1305	.14	8	.12	6.90	3.56	.001	1.40	2.88	
154	1306	.32	39	.09	35.61	2.50	.001	1.16	3.97	
155	1325	.27	41	.40	29.59	7.06	.003	1.47	4.13	
156	1326	.31	27	.60	30.92	8.84	.002	0.40	4.42	
157	1327	TR	7	.10	0.41	6.69	.001	4.53	2.76	
V-117-R 158	1328	.24	28	.77	14.87	21.98	.002	1.78	3.33	
159	1329	.14	7	.08	.08	7.04	.001	3.11	2.71	
160	1330	.79	35	.71	22.74	11.50	.002	2.21	4.17	

NOTE: . . .
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Wass for Osgo
Registered Assayer, Province of British Columbia

GEOCHEMICAL LOG

Kamloops Research & Assay Lab.

<u>Samp. No.</u>	<u>From (Ft.)</u>	<u>To (Ft.)</u>	<u>Int. (Ft.)</u>	<u>Ag/AA GMS/MT</u>	<u>Ag/FA GMS/MT</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Pb+Zn %</u>	<u>S.G.</u>	<u>Cu %</u>	<u>BaO %</u>	<u>Au GMS/MT</u>	<u>Po %</u>	<u>Py %</u>	<u>Hg %</u>	<u>Mn %</u>	<u>Unit</u>
1325	112.8	117.0	4.2	43.0		1.39	1.17	2.56		0.64							4E8
1326	117.0	121.4	4.4	32.0		2.33	1.63	3.96		0.31							4E8
1327	121.4	124.4	3.0	12.0		0.27	0.57	0.84		0.13							5B1
1328	124.4	127.0	2.6	32.0		1.67	1.66	3.33		0.15							4E8
1329	127.0	130.1	3.1	13.0		0.30	0.39	0.69		0.15							5B6
1330	130.1	137.0	6.9	39.0		2.70	2.68	5.38		0.36							4E8
1331	137.0	146.3	9.3	32.0		2.75	3.33	6.08		0.13							4EH
1332	146.3	148.9	2.6	17.0		1.09	1.28	2.37		0.18							4L7
1333	148.9	155.5	6.6	23.0		1.81	2.32	4.13		0.36							4E8
1334	155.5	160.5	5.0	9.0		0.78	1.05	1.83		0.09							4LA
1335	160.5	164.8	4.3	1.0		0.08	0.18	0.26		0.02							5D6
1336	193.1	198.4	5.3	25.0		1.59	2.22	3.81		0.04							4AD
1337	198.4	200.8	2.4	29.0		2.01	3.21	5.22		0.09							4LH

SECT. 12E

V-322



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 20

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V.45.R 381	3196	1.10	13	.001	3.82					
382	3197	.07	13	.001	2.85					
383	3198	.41	14	.001	3.86					
384	3229	1.10	13	.001	4.22					
385	3230	1.03	8	.001	3.78					
" 386	3231	1.51	6	.001	3.97					
387	3232	.96	8	.001	3.43					
388	3233	.75	9	.001	2.90					
389	3234	1.03	9	.001	4.21					
390	3235	.41	7	.001	3.27					
391	3236	.27	10	.001	3.47					
392	3237	.69	15	.001	3.58					
393	3411	.96	19	.001	3.87					
394	3412	.75	10	.001	3.61					
395	3413	.62	8	.001	3.21					
396	3414	.41	10	.001	3.26					
V.322 397	3415	.21	11	.002	3.23					
398	3416	.27	13	.001	3.26					
399	3417	.07	5	.002	3.19					
400	3418	.07	4	.002	3.07					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

WAS for Ours
Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 21

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.				
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent
401	3419	.21	7	.002	4.46				
402	3420	.21	8	.002	2.26				
403	3421	.21	6	.002	2.90				
404	3422	.14	12	.002	2.80				
405	3432	1.10	11	.002	3.93				
406	3433	2.67	10	.002	3.78				
407	3434	.96	10	.002	2.69				
408	3435	.69	11	.002	3.79				
409	3436	.89	8	.002	3.67				
410	3437	.75	7	.002	3.39				
411	3438	.75	8	.002	3.64				
412	3439	.89	10	.002	3.54				
413	3440	.89	11	.002	2.97				
414	3441	.41	12	.002	3.97				
415	3442	1.23	19	.002	3.57				
416	3443	.82	21	.002	3.56				
417	3444	1.10	22	.002	3.46				
418	3445	.96	17	.002	3.63				
419	3446	1.23	16	.002	3.42				
420	3447	.41	10	.002	3.16				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for DAB
Registered Assayer, Province of British Columbia

12E

V-322

CYPRUS ANVIL MINING CORPORATION

Page 1 of 1

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Sample No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
3411	109.0	114.0	5.0	17.0		0.27	0.12			0.62							4E8
3412	114.0	118.0	4.0	11.0		0.39	0.68			0.43							4E8
3413	118.0	124.0	6.0	9.0		0.19	0.11			0.30							4L3?
3414	124.0	130.0	6.0	9.0		0.15	0.20			0.31							4C9
3415	130.0	136.0	6.0	12.0		0.15	0.35			0.41							4C9
3416	136.0	142.0	6.0	10.0		0.62	0.68			0.30							4C9
3417	142.0	148.0	6.0	4.0		0.26	0.39			0.17							4C0
3418	148.0	154.0	6.0	4.0		0.26	0.71			0.07							4C0
3419	154.0	160.0	6.0	5.0		0.34	0.56			0.16							4C0
3420	160.0	167.0	7.0	6.0		0.50	0.75			0.16							4C0
3421	169.8	175.0	5.2	3.0		0.44	0.89	1.33		0.04							4CL?
3422	175.0	180.0	5.0	10.0		0.88	1.57	2.45		0.13							4L0
* 3423	180.0	186.0	6.0	-		-	-	-		0.04		TR					4L0
* 3424	186.0	192.0	6.0	-		-	-	-		0.05		0.01					4L0

* Au, Cu only.

V-63R



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 2

TO Cyprus Anvil Mining Corporation

Certificate No. K-2675

Date June 6, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD Ounces Per Ton	SILVER g/tonne	Pb Percent	Zn Percent	Py Percent	Po Percent	BaO Percent	S.G. Percent	Percent
307 21	962	-	-	-	-	-	-	-	3.80	-
22	1007	-	162	10.96	8.92	-	-	-	-	-
33-R 23	1012	-	93	5.01	4.88	-	-	-	-	-
24	1022	-	-	-	-	-	-	17.9	-	-
310 25	1068	-	-	-	-	-	-	-	2.96	-
26	1072	-	88	7.02	4.63	-	-	-	-	-
63-R 27	1078	-	55	3.77	3.98	-	-	-	-	-
28	1079	-	45	5.08	4.86	-	-	-	-	-
29	1128	-	83	6.76	6.87	-	-	-	-	-
30	1129	-	76	5.58	7.26	-	-	-	-	-
30-R 31	1130	-	79	5.49	6.10	-	-	-	-	-
32	1159	-	-	-	-	-	-	-	3.79	-
311 33	1161	-	-	-	-	-	-	-	3.71	-
34	1192	-	45	3.11	7.06	-	-	-	-	-
312 35	1195	-	-	-	-	4.59	5.86	-	2.82	-
36	1302	-	103	6.26	6.35	-	-	-	-	-
28-R 37	1304	-	51	6.31	5.87	-	-	-	-	-
38	1306	-	44	4.95	6.94	-	-	-	-	-
46-R 39	1355	-	113	6.92	11.43	-	-	-	-	-
50-R 40	1404	-	56	5.86	8.69	-	-	-	-	-

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Ray J. Pitt

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 13

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
241	1035	1.03	13	.002	3.78					
242	1036	1.51	10	.002	3.83					
243	1037	.89	10	.002	3.74					
244	1038	.48	9	.002	3.23					
245	1039	.41	7	.002	3.33					
246	1040	.34	7	.002	4.44					
247	1049	.55	12	.002	3.26					
248	1050	.55	7	.002	3.13					
249	1051	.41	8	.002	3.33					
250	1052	.41	8	.002	3.19					
251	1080	.62	25	.002	3.80					
252	1081	1.78	10	.002	3.35					
253	1082	6.65	12	.002	3.31					
254	1083	.62	13	.002	3.30					
255	1084	.14	22	.002	3.34					
256	1085	.55	15	.002	3.32					
257	1086	.34	17	.001	2.56					
258	1087	.07	8	.002	3.48					
259	1088	1.10	17	.001	3.12					
260	1089	.14	14	.002	3.49					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for DAB
Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 14

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonnes	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
261	1090	.21	19	.002	3.41					
262	1091	.14	17	.002	3.59					
263	1092	TR	15	.002	3.29					
264	1093	.14	8	.002	2.97					
265	1094	.07	8	.002	2.91					
266	1095	.41	20	.002	2.83					
267	1096	.07	4	.002	2.81					
268	1097	.48	5	.002	3.41					
269	1098	.21	5	.002	2.98					
270	1099	TR	2	.002	2.88					
271	1100	.07	4	.002	3.02					
272	1101	.27	8	.002	3.71					
273	1102	.14	8	.002	4.49					
274	1103	.21	13	.002	3.42					
275	1104	.14	7	.002	2.68					
276	1105	.14	21	.002	4.42					
277	1106	.07	11	.002	2.31					
278	1107	.07	10	.002	3.23					
279	1108	TR	9	.002	2.94					
280	1109	TR	12	.002	3.07					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB In Oys
Registered Assayer, Province of British Columbia

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

<u>Samp. No.</u>	<u>Frcm (Ft.)</u>	<u>To (Ft.)</u>	<u>Int. (Ft.)</u>	<u>Ag/AA GMS/MT</u>	<u>Ag/FA GMS/MT</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Pb+Zn %</u>	<u>S.G.</u>	<u>Cu %</u>	<u>BaO %</u>	<u>Au GMS/MT</u>	<u>Po %</u>	<u>Py %</u>	<u>Hg %</u>	<u>Unit</u>
1072	94.0	99.0	5.0	88.0		7.09	4.68	11.77		0.07						4E0
1073	99.0	104.0	5.0	35.0		2.90	3.96	6.86		0.07						?
1074	104.0	110.0	6.0	43.0		4.28	8.72	13.00		0.03						4G4
1075	110.0	117.0	7.0	46.0		3.14	3.95	7.09		0.20						4J/4L
1076	117.0	122.0	5.0	64.0		5.21	4.96	10.17		0.17						4J/4C
1077	122.0	127.0	5.0	18.0		0.81	0.98	1.79		0.31						4C7
1078	127.0	132.0	5.0	56.0		3.70	3.92	7.62		0.29						4C7
1079	132.0	137.0	5.0	47.0		5.25	4.89	10.14		0.16						4C7
1080	137.0	142.0	5.0	25.0		0.77	0.89	1.66		0.29						4C7
1081	142.0	147.0	5.0	10.0		0.50	0.32	0.82		0.23						4C7
1082	147.0	152.0	5.0	12.0		0.74	1.18	1.92		0.19						4C7
1083	152.0	157.0	5.0	13.0		0.55	1.20	1.75		0.27						4C7
1084	157.0	162.0	5.0	22.0		0.31	0.58	0.89		0.45						4C7
1085	162.0	167.0	5.0	16.0		0.22	0.44	0.66		0.32						4C7
1086	167.0	172.0	5.0	16.0		0.41	0.46	0.87		0.28						4C7
1087	172.0	180.0	8.0	7.0		0.13	0.37	0.50		0.25						4C7
1088	180.0	180.4	0.4	18.0		1.00	0.83	1.83		0.25						?
1089	180.4	186.0	5.6	15.0		0.16	0.61	0.77		0.25						4C7
1090	186.0	191.0	5.0	19.0		0.23	0.68	0.91		0.24						4C7
1091	191.0	196.0	5.0	15.0		0.08	0.17			0.20						4C7
1092	196.0	201.0	5.0	13.0		0.05	0.21			0.19						4C7
1093	201.0	207.0	6.0	8.0		0.05	0.15			0.19						4C7
1094	207.0	211.0	4.0	8.0		0.06	0.15			0.27						4L7
1095	211.0	213.4	2.4	21.0		1.00	0.75	2.75		0.06						?
1096	213.4	220.3	6.9	1.0		0.05	0.13			0.03						4L7
1097	220.3	226.0	5.7	4.0		0.05	0.12			0.26						4L7/3
1098	226.0	232.0	6.0	2.0		0.02	0.07			0.19						4L7/3
1099	232.0	238.0	6.0	2.0		TR	0.09			0.07						4L7/9
1100	238.0	244.0	6.0	3.0		0.05	0.14			0.49						4L7/9
1101	244.0	247.0	3.0	7.0		0.02	0.06			0.88						4H0 ?
1102	247.0	252.0	5.0	6.0		0.01	0.07			0.98						4L7/9
1103	252.0	257.0	5.0	14.0		0.03	0.08			-						4L7/9

V-309



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation

330 - 355 Burrard St.

Vancouver, B.C. V6E 2G8

Certificate No. K-2675

Date June 6, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Py	Po	BaO	S.G.	
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
095-R 1	142	-	-	-	-	-	-	-	-	3.84
094-R 2	178	-	-	-	-	-	-	-	-	2.79
3	292	-	-	-	-	-	-	-	-	3.61
114-R 4	295	-	45	2.89	4.94	-	-	-	-	3.68
119-R 5	409	-	190	5.79	8.03	38.92	.70	-	-	4.85
115-R 6	560	-	-	-	-	18.28	4.09	-	-	4.47
7	681	-	19	1.25	2.01	-	-	-	-	-
8	683	-	-	-	-	-	-	-	-	3.96
303 9	691	-	-	-	-	-	-	-	-	3.99
10	695	-	-	-	-	-	-	-	-	3.46
307 11	737	-	-	-	-	-	-	-	-	4.23
12	772	-	33	3.02	-	-	-	-	-	-
13	782	-	91	7.87	-	-	-	-	-	-
302 14	783	-	-	-	-	-	-	-	-	4.27
15	784	-	-	-	-	-	-	-	-	4.29
305 16	853	-	-	-	-	-	-	17.9	-	-
17	906	-	-	-	-	-	-	-	-	3.24
304 18	919	-	55	4.24	3.48	-	-	1.9	-	-
19	949	-	57	5.30	3.78	26.98	6.37	7.8	-	4.42
306 20	950	-	36	.97	1.15	3.14	3.53	4.6	-	2.91

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

[Signature]

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 15**

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
281	1152	TR	5	.002	2.68					
282	1153	.27	7	.002	2.30					
283	1154	.21	7	.002	2.98					
284	1155	.21	12	.002	3.13					
285	1156	TR	7	.002	2.93					
286	1157	.07	11	.002	3.32					
287	1175	.21	9	.002	2.81					
288	1176	.14	4	.002	2.94					
289	1177	.27	6	.001	3.01					
290	1178	.21	4	.001	2.99					
291	1179	.69	16	.002	3.11					
292	1180	.55	41	.003	3.11					
293	1181	.48	21	.002	3.07					
294	1182	.14	6	.002	3.18					
295	1183	.27	5	.002	3.12					
296	1184	TR	8	.002	3.10					
297	1185	.07	10	.002	2.84					
298	1186	TR	19	.002	4.62					
299	1187	TR	7	.002	3.27					
300	1197	.48	15	.002	3.47					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

[Handwritten Signature]
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

330 - 355 Burrard St.

Vancouver, B.C. V6C 2G8 Attention: Dr. G. Simpson

Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1	V 0737	.39	38	.99	25.83	4.65	.003	1.96	4.23	3.75
2	0738	.78	19	.10	32.31	8.71	.003	0.06	4.25	
3	0739	.89	27	.66	30.32	8.03	.002	0.31	4.27	
4	0740	.28	49	.47	12.63	3.02	.003	19.56	4.11	
5	0741	.18	60	.21	25.81	2.37	.002	4.88	4.24	
6	0742	.28	51	.45	27.23	3.80	.002	7.12	4.40	
7	0743	.14	20	.34	10.00	5.36	.002	5.29	3.11	
8	0744	.25	50	.12	12.31	3.58	.002	2.17	3.39	
9	0745	.21	54	.10	16.51	3.19	.002	0.34	3.48	
10	0746	.25	53	.14	11.70	1.86	.003	24.00	4.27	
11	V 0747	.39	14	.09	6.39	3.96	.002	2.38	3.00	
12	0748	2.14	87	.46	19.31	3.47	.005	17.10	4.50	
13	0749	2.35	63	1.25	22.69	12.29	.003	1.18	4.36	
14	0750	1.82	43	.72	26.17	7.27	.002	7.58	4.35	
15	0960	.24	12	.11	3.58	5.54	.003	0.15	2.78	
16	0961	1.13	62	.48	22.26	6.00	.005	11.78	4.33	
17	0962	1.51	9	.33	24.57	5.43	.003	0.15	3.75	
18	0963	1.47	8	.31	31.87	6.92	.003	0.10	4.06	
19	0964	1.20	13	.03	24.59	6.06	.004	0.39	4.12	
20	0986	.14	22	.03	2.95	1.98	.007	1.48	2.80	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Das for P.S.S.

Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS 6
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation


Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-313 101	V 1118	.17	53	.10	10.74	1.87	.002	0.11	3.00	
102	1119	.62	105	.03	24.82	.84	.003	11.02	4.50	
103	1121	.58	41	.04	2.97	1.79	.001	0.13	2.71	
104	1122	.51	32	.03	3.15	1.68	L .001	0.18	2.70	
105	1123	.58	30	.05	4.64	1.66	.001	0.20	2.70	
106	1124	.38	27	.05	6.91	1.56	.001	0.19	2.72	
107	1125	.45	73	.06	21.25	1.27	.001	1.55	3.76	
108	1126	.65	55	.43	27.60	2.99	.001	6.28	3.78	
109	1127	.34	15	.09	4.04	2.71	.001	9.82	2.91	
110	1128	1.13	86	1.10	15.83	10.38	.002	8.96	4.44	
V-30-R 111	V 1129	.79	82	.91	13.57	6.44	.004	15.70	4.37	
112	1130	.69	82	1.11	15.20	8.60	.003	14.80	4.34	
113	1131	.65	22	.37	25.36	2.82	.001	0.40	3.75	
114	1132	.48	21	.23	27.51	2.56	.001	0.26	3.90	
115	1133	.45	25	.88	22.74	4.42	.001	0.50	3.72	
116	1134	.27	37	.41	12.74	4.54	.001	0.61	3.18	
V-309 117	1151	.45	58	.44	N.D.	25.75	.003	0.45	3.73	
118	1158	.79	55	.65	20.27	7.53	.004	12.03	4.52	
119	1159	.72	26	.62	17.67	12.93	.003	0.87	3.83	
V-311 120	1160	.14	26	.77	25.16	9.05	.001	0.59	4.29	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

<u>Samp. No.</u>	<u>From (Ft.)</u>	<u>To (Ft.)</u>	<u>Int. (Ft.)</u>	<u>Ag/AA GMS/MT</u>	<u>Ag/FA GMS/MT</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Pb+Zn %</u>	<u>S.G.</u>	<u>Cu %</u>	<u>BaO %</u>	<u>Au GMS/MT</u>	<u>Po %</u>	<u>Py %</u>	<u>Hg %</u>	<u>Mn %</u>	<u>Unit</u>
737	111.0	116.0	5.0	43.0		5.06	5.03	10.09		0.11							4K0
738	116.0	121.0	5.0	20.0		0.76	0.65	1.41		0.19							4K0
739	121.0	125.0	4.0	26.0		0.91	0.78	1.69		0.23							4K0
740	125.0	128.0	3.0	39.0		2.74	3.58	6.32		0.05							4G4
741	128.0	132.0	4.0	57.0		4.16	9.15	13.31		0.11							4E1
742	132.0	136.6	4.6	51.0		3.76	3.70	7.46		0.17							4E1
743	136.6	141.6	5.0	19.0		1.17	1.72	2.89		0.09							4A/4E/5D
744	141.6	145.6	4.0	52.0		5.75	13.27	19.02		0.07							4D/4L
745	145.6	156.2	10.6	54.0		5.71	8.81	14.52		0.11							4A4
746	173.0	178.2	5.2	58.0		4.28	8.05	12.33		0.06							4G4
747	185.6	191.0	5.4	12.0		0.95	1.35	2.30		0.06							4B3
748	191.0	196.0	5.0	81.0		6.04	7.20	13.24		0.12							4E8/6
749	196.0	201.0	5.0	63.0		5.60	6.32	11.92		0.15							4E8/6
750	201.0	208.0	7.0	43.0		3.42	3.47	6.89		0.15							4E8/6
1151	208.0	210.6	2.6	66.0		4.47	4.41	8.88		0.37							4H1
1152	376.7	382.0	5.3	3.0		0.21	0.55	0.76		0.04							4A0
1153	382.0	387.0	5.0	7.0		0.11	0.59	0.70		0.12							4A0
1154	387.0	392.0	5.0	6.0		0.14	0.57	0.71		0.11							4A0
1155	392.0	398.5	6.5	11.0		0.41	1.44	1.85		0.17							4A0
1156	437.0	443.0	6.0	7.0		0.33	0.35	0.68		0.11							4C7
1157	443.0	449.0	6.0	13.0		0.42	0.39	0.81		0.18							4C7

V-49R



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 15

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
281	1152	TR	5	.002	2.68					
282	1153	.27	7	.002	2.30					
283	1154	.21	7	.002	2.98					
284	1155	.21	12	.002	3.13					
285	1156	TR	7	.002	2.93					
286	1157	.07	11	.002	3.32					
287	1175	.21	9	.002	2.81					
288	1176	.14	4	.002	2.94					
289	1177	.27	6	.001	3.01					
290	1178	.21	4	.001	2.99					
291	1179	.69	16	.002	3.11					
292	1180	.55	41	.003	3.11					
293	1181	.48	21	.002	3.07					
294	1182	.14	6	.002	3.18					
295	1183	.27	5	.002	3.12					
296	1184	TR	8	.002	3.10					
297	1185	.07	10	.002	2.84					
298	1186	TR	19	.002	4.62					
299	1187	TR	7	.002	3.27					
300	1197	.48	15	.002	3.47					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB for PAB
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

7

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-311 121	V 1161	.24	20	.66	22.26	6.19	.001	2.56	3.78	
122	1162	.31	13	.06	22.70	1.27	.001	1.21	3.41	
123	1164	.55	23	.37	20.48	7.05	.001	5.18	3.87	
124	1165	.10	10	.21	7.01	5.18	.001	4.09	2.75	
125	1166	.34	29	.41	17.26	6.27	.001	0.67	3.29	
126	1167	.99	25	.51	23.14	6.76	.001	6.01	3.97	
127	1168	.62	53	.34	15.12	5.75	.004	10.11	3.92	
128	1169	1.89	120	.24	15.98	1.52	.005	12.61	4.15	
V-49-R 129	1170	.27	7	.17	2.58	8.57	.003	0.43	2.77	
130	1171	.62	42	.27	7.97	3.59	.003	0.76	2.93	
131	V 1172	1.34	8	.09	8.90	1.31	.001	1.15	2.76	
132	1173	.24	17	.25	9.11	2.24	.001	0.43	2.86	
133	1174	.21	18	.28	8.75	3.02	.001	0.93	2.91	
134	1188	.03	22	.03	6.83	1.97	.001	0.75	2.78	
135	1189	.07	4	.06	2.46	1.91	.001	1.92	2.59	
V-312 136	1190	.25	13	.10	5.07	2.03	.001	2.17	2.82	
137	1191	.75	37	.21	23.02	3.54	.003	3.44	3.73	
138	1192	.68	44	.22	12.11	6.48	.004	2.17	3.40	
139	1193	.68	25	.07	10.00	4.08	.004	0.22	2.99	
140	1194	.93	18	.26	16.55	6.44	.001	0.48	3.23	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

JAS for OJB
Registered Assayer, Province of British Columbia

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

<u>Samp. No.</u>	<u>From (Ft.)</u>	<u>To (Ft.)</u>	<u>Int. (Ft.)</u>	<u>Ag/AA GMS/MT</u>	<u>Ag/FA GMS/MT</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Pb+Zn %</u>	<u>S.G.</u>	<u>Cu %</u>	<u>BaO %</u>	<u>Au GMS/MT</u>	<u>Po %</u>	<u>Py %</u>	<u>Hg %</u>	<u>Mn %</u>	<u>Unit</u>
1164	130.0	135.0	5.0	28.0		1.70	2.36	4.06		0.17							4E/4L
1165	135.0	140.0	5.0	14.0		0.57	0.70	1.27		0.07							4A/4L
1166	140.0	145.0	5.0	36.0		1.44	0.87	2.31		0.07							4L4
1167	145.0	150.0	5.0	34.0		0.98	0.41	1.39		0.22							4E1
1168	150.0	154.6	4.6	60.0		3.85	6.89	10.74		0.17							4D/4G
1169	238.9	240.4	1.5	149.0		5.32	7.88	13.20		0.29							4K6
1170	378.2	384.0	5.8	8.0		0.37	0.81	1.18		0.19							4A0
1171	384.0	389.0	5.0	44.0		2.34	3.02	5.36		0.04							4A0
1172	389.0	394.0	5.0	6.0		0.53	0.67	1.20		0.08							4A0
1173	394.0	399.0	5.0	19.0		1.30	0.93	2.23		0.11							4A0
1174	399.0	404.0	5.0	21.0		1.45	2.17	3.62		0.11							4A0
1175	404.0	409.0	5.0	7.0		0.43	0.59	1.02		0.05							4A0
1176	409.0	414.0	5.0	5.0		0.13	0.19	0.32		0.08							4A0
1177	414.0	420.0	6.0	7.0		0.16	0.13	0.29		0.08							4A0
1178	420.0	426.0	6.0	5.0		0.20	0.21	0.41		0.08							4A0
1179	426.0	432.0	6.0	18.0		1.10	0.91	2.01		0.08							4A0
1180	432.0	438.0	6.0	41.0		2.78	5.21	7.99		0.03							4A0
1181	438.0	444.0	6.0	19.0		1.20	1.37	2.57		0.08							4A/4C
1182	444.0	450.0	6.0	6.0		0.25	0.46	0.71		0.17							4C0
1183	450.0	456.0	6.0	5.0		0.24	0.32	0.56		0.10							4C0
1184	456.0	462.0	6.0	8.0		0.34	0.85	1.19		0.10							4C/4A
1185	462.0	468.0	6.0	13.0		0.75	1.27	2.02		0.06							5A/4C
1186	468.0	474.0	6.0	18.0		1.42	1.43	2.85		0.06							4C7
1187	474.0	479.5	5.5	7.0		0.25	0.17	0.42		0.06							4C7

V-312



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 2

TO Cyprus Anvil Mining Corporation

Certificate No. K-2675

Date June 6, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Py	Po	BaO	S.G.	
		Ounces Per Ton	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
307	21	962	-	-	-	-	-	-	3.80	
	22	1007	162	10.96	8.92	-	-	-	-	
33-R	23	1012	93	5.01	4.88	-	-	-	-	
	24	1022	-	-	-	-	-	17.9	-	
310	25	1068	-	-	-	-	-	-	2.96	
	26	1072	88	7.02	4.63	-	-	-	-	
63-R	27	1078	55	3.77	3.98	-	-	-	-	
	28	1079	45	5.08	4.86	-	-	-	-	
	29	1128	83	6.76	6.87	-	-	-	-	
30-R	30	1129	76	5.58	7.26	-	-	-	-	
	31	1130	79	5.49	6.10	-	-	-	-	
311	32	1159	-	-	-	-	-	-	3.79	
	33	1161	-	-	-	-	-	-	3.71	
312	34	1192	45	3.11	7.06	-	-	-	-	
	35	1195	-	-	-	4.59	5.86	-	2.82	
	36	1302	103	6.26	6.35	-	-	-	-	
28-R	37	1304	51	6.31	5.87	-	-	-	-	
	38	1306	44	4.95	6.94	-	-	-	-	
46-R	39	1355	113	6.92	11.43	-	-	-	-	
50-R	40	1404	56	5.86	8.69	-	-	-	-	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Denis J. P. P.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 16**

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
301	1198	.34	11	.002	4.07					
V.312 302	1199	TR	22	.002	2.31					
303	1200	.07	10	.002	3.47					
V.57.R 304	1250	.48	26	.002	3.32					
305	1301	TR	10	.002	2.89					
306	1339	.07	9	.001	2.82					
307	1340	.41	23	.001	2.99					
V.46.R 308	1341	.34	20	.001	3.48					
309	1342	.27	23	.001	4.68					
310	1343	.21	3	.001	3.42					
V.26.R 311	1381	.89	10	.002	3.91					
312	1382	2.33	15	.001	3.83					
313	1383	1.23	26	.001	3.41					
314	1384	.41	15	.001	4.14					
315	1385	.62	20	.001	3.75					
316	1386	.34	15	.001	3.52					
317	1387	.48	31	.001	3.03					
318	1389	.41	8	.001	3.47					
319	1390	.34	9	.001	3.44					
320	1391	.21	17	.002	3.09					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

QAB for QMB
Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 14

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
261	1090	.21	19	.002	3.41					
262	1091	.14	17	.002	3.59					
263	1092	TR	15	.002	3.29					
264	1093	.14	8	.002	2.97					
265	1094	.07	8	.002	2.91					
266	1095	.41	20	.002	2.83					
267	1096	.07	4	.002	2.81					
268	1097	.48	5	.002	3.41					
269	1098	.21	5	.002	2.98					
270	1099	TR	2	.002	2.88					
271	1100	.07	4	.002	3.02					
272	1101	.27	8	.002	3.71					
273	1102	.14	8	.002	4.49					
274	1103	.21	13	.002	3.42					
275	1104	.14	7	.002	2.68					
276	1105	.14	21	.002	4.42					
277	1106	.07	11	.002	2.31					
278	1107	.07	10	.002	3.23					
279	1108	TR	9	.002	2.94					
280	1109	TR	12	.002	3.07					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAB Jn OMB
Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 15

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
281	1152	TR	5	.002	2.68					
282	1153	.27	7	.002	2.30					
283	1154	.21	7	.002	2.98					
284	1155	.21	12	.002	3.13					
285	1156	TR	7	.002	2.93					
286	1157	.07	11	.002	3.32					
287	1175	.21	9	.002	2.81					
288	1176	.14	4	.002	2.94					
289	1177	.27	6	.001	3.01					
290	1178	.21	4	.001	2.99					
291	1179	.69	16	.002	3.11					
292	1180	.55	41	.003	3.11					
293	1181	.48	21	.002	3.07					
294	1182	.14	6	.002	3.18					
295	1183	.27	5	.002	3.12					
296	1184	TR	8	.002	3.10					
297	1185	.07	10	.002	2.84					
298	1186	TR	19	.002	4.62					
299	1187	TR	7	.002	3.27					
300	1197	.48	15	.002	3.47					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

D. P. B. for P. B. B.
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS 8
GEOCHEMICAL ANALYSTS

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-312 141	V 1195	.28	17	.12	4.27	5.73	.002	0.25	2.83	
142	1196	.46	57	.35	12.70	5.45	.003	10.47	3.61	
143	1243	.04	8	.13	1.84	6.71	.001	2.04	2.70	
144	1244	.82	48	.74	26.77	14.63	.002	7.27	4.25	
145	1245	.71	16	.10	8.07	6.99	.001	0.09	2.92	
V-57-R 146	1246	.14	8	.09	1.48	6.42	.001	0.13	2.74	
147	1247	.71	34	.21	8.40	6.76	.001	0.10	2.92	
148	1248	.64	17	.08	9.59	2.86	.001	0.41	2.92	
149	1249	.71	28	.34	15.15	8.05	.001	3.76	3.28	
150	1302	.64	96	.05	36.10	1.71	.005	0.07	3.97	
V-28-R 151	V 1303	.18	5	.09	6.57	3.42	.001	0.15	2.90	
152	1304	.21	53	.06	12.34	2.92	.001	0.88	2.99	
153	1305	.14	8	.12	6.90	3.56	.001	1.40	2.88	
154	1306	.32	39	.09	35.61	2.50	.001	1.16	3.97	
155	1325	.27	41	.40	29.59	7.06	.003	1.47	4.13	
156	1326	.31	27	.60	30.92	8.84	.002	0.40	4.42	
V-117-R 157	1327	TR	7	.10	0.41	6.69	.001	4.53	2.76	
158	1328	.24	28	.77	4.87	21.98	.002	1.78	3.33	
159	1329	.14	7	.08	.08	7.04	.001	3.11	2.71	
160	1330	.79	35	.71	22.74	11.50	.002	2.21	4.17	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Assay for Ag
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

7

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-311 121	V 1161	.24	20	.66	22.26	6.19	.001	2.56	3.78	
122	1162	.31	13	.06	22.70	1.27	.001	1.21	3.41	
123	1164	.55	23	.37	20.48	7.05	.001	5.18	3.87	
124	1165	.10	10	.21	7.01	5.18	.001	4.09	2.75	
125	1166	.34	29	.41	17.26	6.27	.001	0.67	3.29	
126	1167	.99	25	.51	23.14	6.76	.001	6.01	3.97	
127	1168	.62	53	.34	15.12	5.75	.004	10.11	3.92	
128	1169	1.89	120	.24	15.98	1.52	.005	12.61	4.15	
V-49-R 129	1170	.27	7	.17	2.58	8.57	.003	0.43	2.77	
130	1171	.62	42	.27	7.97	3.59	.003	0.76	2.93	
131	V 1172	1.34	8	.09	8.90	1.31	.001	1.15	2.76	
132	1173	.24	17	.25	9.11	2.24	.001	0.43	2.86	
133	1174	.21	18	.28	8.75	3.02	.001	0.93	2.91	
134	1188	.03	22	.03	6.83	1.97	.001	0.75	2.78	
135	1189	.07	4	.06	2.46	1.91	.001	1.92	2.59	
V-312 136	1190	.25	13	.10	5.07	2.03	.001	2.17	2.82	
137	1191	.75	37	.21	23.02	3.54	.003	3.44	3.73	
138	1192	.68	44	.22	12.11	6.48	.004	2.17	3.40	
139	1193	.68	25	.07	10.00	4.08	.004	0.22	2.99	
140	1194	.93	18	.26	16.55	6.44	.001	0.48	3.23	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

JAS for OJB
Registered Assayer, Province of British Columbia

V-57R



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS 16

TO Cyprus Anvil Mining Corporation

Certificate No. K-2603

Date May 30, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Hg	S.G.					
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
301	1198	.34	11	.002	4.07					
V.312 302	1199	TR	22	.002	2.31					
303	1200	.07	10	.002	3.47					
V.57-R 304	1250	.48	26	.002	3.32					
305	1301	TR	10	.002	2.89					
306	1339	.07	9	.001	2.82					
307	1340	.41	23	.001	2.99					
V.46-R 308	1341	.34	20	.001	3.48					
309	1342	.27	23	.001	4.68					
310	1343	.21	3	.001	3.42					
V.26-R 311	1381	.89	10	.002	3.91					
312	1382	2.33	15	.001	3.83					
313	1383	1.23	26	.001	3.41					
314	1384	.41	15	.001	4.14					
315	1385	.62	20	.001	3.75					
316	1386	.34	15	.001	3.52					
317	1387	.48	31	.001	3.03					
318	1389	.41	8	.001	3.47					
319	1390	.34	9	.001	3.44					
320	1391	.21	17	.002	3.09					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

DAAS for PWSB
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

8

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C. V1S 1A7
TELEPHONE 372-2784 TELEX 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation


Certificate No. K-2417

Date February 26, 1980

I hereby certify that the following are the results of assays made by us upon the herein described re-assay samples

Kral No.	Marked	GOLD	SILVER	Mn	Py	Po	Hg	BaO	S.G.	
		g/tonne	g/tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
V-312 141	V 1195	.28	17	.12	4.27	5.73	.002	0.25	2.83	
142	1196	.46	57	.35	12.70	5.45	.003	10.47	3.61	
143	1243	.04	8	.13	1.84	6.71	.001	2.04	2.70	
144	1244	.82	48	.74	26.77	14.63	.002	7.27	4.25	
145	1245	.71	16	.10	8.07	6.99	.001	0.09	2.92	
V-57-R 146	1246	.14	8	.09	1.48	6.42	.001	0.13	2.74	
147	1247	.71	34	.21	8.40	6.76	.001	0.10	2.92	
148	1248	.64	17	.08	9.59	2.86	.001	0.41	2.92	
149	1249	.71	28	.34	15.15	8.05	.001	3.76	3.28	
150	1302	.64	96	.05	36.10	1.71	.005	0.07	3.97	
V-28-R 151	V 1303	.18	5	.09	6.57	3.42	.001	0.15	2.90	
152	1304	.21	53	.06	12.34	2.92	.001	0.88	2.99	
153	1305	.14	8	.12	6.90	3.56	.001	1.40	2.88	
154	1306	.32	39	.09	35.61	2.50	.001	1.16	3.97	
155	1325	.27	41	.40	29.59	7.06	.003	1.47	4.13	
156	1326	.31	27	.60	30.92	8.84	.002	0.40	4.42	
157	1327	TR	7	.10	0.41	6.69	.001	4.53	2.76	
V-117-R 158	1328	.24	28	.77	14.87	21.98	.002	1.78	3.33	
159	1329	.14	7	.08	.08	7.04	.001	3.11	2.71	
160	1330	.79	35	.71	22.74	11.50	.002	2.21	4.17	

NOTE: . . .
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia

V-57-R

CYPRUS ANVIL MINING CORPORATION

Page 1 of 1

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

<u>Samp. No.</u>	<u>From (Ft.)</u>	<u>To (Ft.)</u>	<u>Int. (Ft.)</u>	<u>Ag/AA GMS/MT</u>	<u>Ag/FA GMS/MT</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Pb+Zn %</u>	<u>S.G.</u>	<u>Cu %</u>	<u>BaO %</u>	<u>Au GMS/MT</u>	<u>Po %</u>	<u>Py %</u>	<u>Hg %</u>	<u>Mn %</u>	<u>Unit</u>
1243	137.0	142.0	5.0	7.0		0.58	0.90	1.48		0.08							5A9
1244	142.0	147.9	5.9	46.0		4.19	3.80	7.99		0.23							4H/4E/4K
1245	240.5	245.5	5.0	14.0		1.15	0.42	1.57		0.12							4A0
1246	245.5	246.5	1.0	8.0		0.45	0.37	0.82		0.06							4C9
1247	282.0	287.0	5.0	36.0		2.35	1.35	3.70		0.21							4A9
1248	287.0	293.5	6.5	19.0		1.16	1.01	2.17		0.18							4A9
1249	293.5	295.8	2.3	37.0		2.21	1.79	4.00		0.18							4C/4D
1250	402.0	408.2	6.2	23.0		0.98	0.87	1.85		0.08							4A/4E
1301	464.9	473.8	8.9	11.0		0.43	0.99	1.42		0.13							4A0

SECT. 14E

SECT. 16E

SECT. 18E

V-71R

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

<u>Samp. No.</u>	<u>From (Ft.)</u>	<u>To (Ft.)</u>	<u>Int. (Ft.)</u>	<u>Ag/AA GMS/MT</u>	<u>Ag/FA GMS/MT</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Pb+Zn %</u>	<u>S.G.</u>	<u>Cu %</u>	<u>BaO %</u>	<u>Au GMS/MT</u>	<u>Po %</u>	<u>Py %</u>	<u>Hg %</u>	<u>Unit</u>
2914	51.5	56.5	5.0	14.0		0.26	0.56			0.30						4E8,7,9
2915	56.5	61.5	5.0	10.0		0.14	0.23			0.39						"/4L9,7
2916	61.5	66.5	5.0	7.0		0.06	0.25			0.36						4L9,7
2917	66.5	71.5	5.0	14.0		0.50	0.80			0.57						4L9,7
2918	71.5	76.5	5.0	11.0		0.34	0.34			0.32						4L9,7
2919	76.5	81.5	5.0	12.0		0.44	0.54			0.28						4L9,7
2920	81.5	88.5	7.0	8.0		0.22	0.53			0.24						4L9,7
2921	89.2	94.2	5.0	9.0		0.37	1.07			0.13						4L9,7
2922	94.2	99.0	4.8	8.0		0.11	0.30			0.41						4L9,7
2923	108.5	109.5	1.0	36.0		0.04	0.35			5.80						L.S.
2924	109.5	115.0	5.5	13.0		0.12	0.33			1.93						4L9
2925	138.0	143.0	5.0	3.0		TR	0.04			0.12						4L7,9
2926	143.0	149.8	6.8	6.0		TR	0.03			0.78						4L9,7
2927	265.0	270.0	5.0	6.0		0.11	0.13			0.09						4L7
2928	270.0	275.0	5.0	14.0		0.63	1.05			0.22						4L7/4L3
2929	275.0	280.0	5.0	12.0		0.44	0.49			0.23						4L3/4L7,9
2930	280.0	285.0	5.0	10.0		0.55	1.13			0.16						4L7,9/4A9,7
2931	285.0	290.0	5.0	9.0		0.45	1.00			0.17						4A9,7/4L7,9
2932	290.0	293.0	3.0	16.0		1.18	1.75			0.21						4L7,9

V-72 R

18E

V-72-R

CYPRUS ANVIL MINING CORPORATION

Page 1 of 1

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
2940	39.0	43.0	4.0	33.0	32.0	2.45	3.58	6.03	3.93	0.27	4.88	1.12	10.22	23.17	.002	1.23	4D8,6,7
2941	43.0	46.5	3.5	43.0	43.0	4.14	5.67	9.81	3.86	0.12	13.36	0.95	4.90	16.41	.006	0.60	4D6,8
2942	46.5	50.5	4.0	67.0	61.0	4.85	6.14	10.99	4.03	0.06	28.00	0.52	3.14	8.53	.008	0.36	4G8,7
2943	50.5	54.7	4.2	85.0	80.0	4.60	6.84	11.44	4.14	0.05	30.90	0.53	4.51	8.28	.008	0.61	4G8,7
2944	54.7	60.0	5.3	34.0	31.0	2.03	2.59	4.62	4.81	0.23	6.98	1.64	7.18	22.32	.002	0.58	4E8,7
2945	60.0	65.0	5.0	20.0	17.0	0.99	1.90	2.89	4.13	0.31	0.15	0.81	14.03	17.78	.001	1.08	4E8,7
2946	65.0	70.0	5.0	22.0	16.0	0.99	2.08	3.07	4.10	0.31	0.16	0.88	14.98	17.94	.001	1.24	4E8,7
2947	70.0	75.0	5.0	9.0		0.22	0.45	0.67		0.35							4E8,7
2948	75.0	78.8	3.8	22.0		1.51	0.36	1.87		0.25							4C0
2949	78.8	83.0	4.2	10.0		0.18	0.20	0.38		0.35							4C0
2950	83.0	86.0	3.0	14.0		0.49	0.31	0.80		0.38							4C7,9
547	227.0	232.0	5.0	5.0		0.04	0.04	0.08		0.06							4L6,7,1,9
548	232.0	237.0	5.0	3.0		0.01	0.04	0.05		0.07							4L9
549	237.0	241.2	4.2	16.0		0.30	0.22	0.52		0.21							4E8
550	242.2	244.3	2.1	TR		0.07	0.28	0.35		0.06							4A0
645	244.3	249.0	4.7	2.0		0.13	0.08	0.21		0.12							4L6/4A0
646	249.0	254.0	5.0	24.0		1.82	1.68	3.50		0.10							4A0
647	254.0	259.0	5.0	17.0		1.28	0.92	2.20		0.07							4A0
648	259.0	264.0	5.0	5.0		0.22	0.35	0.57		0.15							4A0
649	264.0	269.0	5.0	7.0		0.50	0.52	1.02		0.15							4A0
650	269.0	274.0	5.0	8.0		0.52	0.65	1.17		0.11							4A0
2970	274.0	279.0	5.0	6.0		0.12	0.12	0.24		0.10							4A0
2971	279.0	284.0	5.0	35.0	35.0	2.14	5.65	7.79	3.37	0.08	0.63	0.57	1.69	12.20	.003	0.08	4A0
2972	284.0	289.0	5.0	45.0	36.0	2.97	4.22	7.19	3.24	0.09	0.58	0.22	2.42	9.42	.001	0.10	4A0
2973	289.0	294.0	5.0	28.0	23.0	1.93	2.32	4.25	4.21	0.14	0.29	0.25	3.20	24.59	.001	0.22	4A0/4E0
2974	294.0	299.0	5.0	16.0	13.0	0.65	1.58	2.23	3.04	0.19	0.48	0.08	2.13	11.52	.001	0.06	4A0
2975	299.0	304.0	5.0	10.0		0.28	0.62	0.90		0.13							4L1
2976	304.0	309.0	5.0	7.0		0.22	0.68	0.90		0.13							4L7
2977	309.0	314.0	5.0	9.0		0.16	0.51	0.67		0.16							4L7
2978	333.0	338.0	5.0	14.0		0.26	0.84	1.10		0.24							4L7

V-301

V-301

18E

CYPRUS ANVIL MINING CORPORATION

Page 1 of 1

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
651	33.5	38.5	5.0	21.0	19.0	1.13	2.75	3.88	3.10	0.16	0.68	0.38	8.29	8.29	.003	0.37	4C4
652	38.5	43.5	5.0	25.0	19.0	1.73	2.76	4.49	2.94	0.19	0.69	0.20	4.03	6.33	.003	0.28	4C4
653	43.5	48.5	5.0	8.0		0.21	0.86	1.07		0.09							4C4
654	48.5	54.4	5.9	7.0		0.26	1.26	1.52		0.08							4C4
655	66.1	72.6	6.5	5.0		0.24	1.30	1.54		0.04							4LC
656	72.6	78.6	6.0	21.0		0.71	0.83	1.54		0.34							4KO
657	78.6	81.8	3.2	17.0		1.17	1.72	2.89		0.17							5DB/4E
658	81.8	84.0	2.2	44.0		2.96	2.39	5.35		0.32							4G8
659	84.0	87.5	3.5	25.0		0.92	0.85	1.77		0.28							4KO
660	87.5	93.0	5.5	8.0		0.36	0.79	1.15		0.04							4L/5A
661	93.0	99.7	6.7	27.0	26.0	1.05	1.69	2.74	2.96	0.10	0.87	0.30	5.62	13.25	L.001	0.30	5A1
662	99.7	106.2	6.5	42.0	42.0	2.91	3.89	6.80	4.26	0.28	1.23	0.50	5.28	28.55	L.001	0.84	4E0
663	192.2	197.4	5.2	5.0		0.18	0.37			0.04							4LA
664	197.4	200.9	3.5	10.0		0.53	0.43			0.12							4AO
665	200.9	205.3	4.4	15.0		0.54(R)	0.40			0.19							4KO
666	205.3	210.3	5.0	19.0		1.55	1.70	3.25		0.12							4AK
667	210.3	220.0	9.7	15.0		0.61	0.55	1.16		0.25							4KO

SECT. 24E

SECT. 26E

V-055R

26 E

V-055-R

CYPRUS ANVIL MINING CORPORATION

Page 1 of 1

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
567	28.0	40.0	12.0	21.0	18.0	0.99	2.51	3.50	3.49	0.06	0.34	0.87	1.08	22.48	.003	0.08	4E1
568	40.0	54.3	14.3	27.0	24.0	1.57	1.87	3.44	3.49	0.53	1.29	0.60	5.11	16.77	.003	0.62	4C8
569	54.3	59.0	4.7	62.0	57.0	5.06	6.19	11.25	3.57	0.18	4.33	0.47	11.84	11.73	.005	0.96	4D8
570	59.0	64.0	5.0	12.0		0.27	0.76			0.41							4C8
571	64.0	69.0	5.0	12.0		0.21	0.72			0.31							4C8
572	69.0	74.0	5.0	14.0		0.34	0.80			0.34							4C8
573	74.0	79.0	5.0	12.0		0.44	1.42			0.36							4C8
574	79.0	84.0	5.0	11.0		0.18	0.74			0.32							4C8
575	84.0	89.0	5.0	7.0		0.09	0.34			0.41							4C8
576	89.0	94.0	5.0	5.0		0.06	0.23			0.30							4C8
577	94.0	98.0	4.0	5.0		0.15	0.57			0.27							4C8
533	202.8	207.8	5.0	14.0		0.87	0.69			0.12							4A0
534	207.8	217.8	10.0	6.0		0.20	0.31			0.10							4A0
536	217.8	223.5	5.7	4.0		0.06	0.14			0.12							4A0
537	223.5	228.7	5.2	42.0	43.0	2.59	4.45	7.04	3.13	0.12	3.34	.020	2.80	11.5	.002	0.26	4D0
538	228.7	233.7	5.0	41.0	40.0	2.38	3.35	5.73	2.99	0.10	1.10	TR	2.20	7.8	.002	0.21	4A0
539	233.7	238.7	5.0	36.0	31.0	2.30	4.89	7.19	3.39	0.06	0.35	.008	1.90	14.9	.004	0.22	4A0
540	238.7	243.7	5.0	27.0	26.0	2.72	4.92	7.64	3.15	0.05	1.08	TR	1.60	11.0	.002	0.14	4A0
541	243.7	248.7	5.0	17.0	15.0	1.31	1.05	2.36	2.81	0.09	1.39	TR	0.70	7.6	.001	0.08	4A0
542	248.7	251.0	2.3	13.0	12.0	2.08	2.39	4.47	2.71	0.02	0.81	TR	0.90	5.0	.001	0.10	4A0
543	251.0	256.0	5.0	27.0	24.0	2.88	6.04	8.92	2.97	0.04	0.86	TR	1.80	7.9	.001	0.14	4DA
544	256.0	261.0	5.0	38.0	34.0	2.26	3.65	5.91	3.53	0.12	1.58	.003	2.70	16.2	.002	0.22	4DA
545	261.0	266.0	5.0	16.0	14.0	0.78	1.70	2.48	2.65	0.12	1.12	0.27	6.17	5.62	.003	0.33	4DA
546	266.0	268.5	2.5	17.0	15.0	1.30	3.52	4.82	3.06	0.09	1.73	0.09	12.28	2.11	.003	0.73	4DA

V-084R

V-084-R

CYPRUS ANVIL MINING CORPORATION

Page 1 of 1

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

26 E

Samp. No.	From (Ft.)	To (Ft.)	Int. (Ft.)	Ag/AA GMS/MT	Ag/FA GMS/MT	Pb %	Zn %	Pb+Zn %	S.G.	Cu %	BaO %	Au GMS/MT	Po %	Py %	Hg %	Mn %	Unit
578	52.7	55.3	2.6	89.0	85.0	4.60	7.11	11.71	4.02	0.18	24.76	0.89	3.16	8.75	.010	0.26	4G0
579	55.3	60.3	5.0	71.0	68.0	5.33	6.44	11.77	4.53	0.30	9.18	1.89	6.01	24.11	.007	0.65	4EG
580	60.3	65.0	4.7	95.0	96.0	9.16	8.78	17.94	4.46	0.26	4.90	1.59	10.95	17.39	.008	1.32	4EG
581	65.0	69.0	4.0	74.0	72.0	5.72	5.31	11.03	4.51	0.26	11.06	2.79	5.75	23.99	.005	0.69	4EG
582	69.0	73.0	4.0	56.0	55.0	5.55	5.73	11.28	4.57	0.24	2.45	2.70	12.06	22.40	.005	1.20	4E0
583	73.0	76.7	3.7	90.0	90.0	6.00	2.98	8.98	4.51	0.24	0.28	2.08	7.48	28.77	.004	0.69	4E0
584	76.7	81.7	5.0	21.0	18.0	0.96	2.58	3.54	3.82	0.27	0.16	1.83	6.91	21.17	.004	0.65	4EC
585	81.7	86.7	5.0	39.0	36.0	1.02	1.85	2.87	4.09	0.39	0.06	1.61	3.66	32.33	.003	0.29	4EC
586	86.7	92.7	6.0	15.0		0.32	0.38	0.70		0.53							4EC
587	92.7	98.1	5.4	25.0		0.29	0.17	0.46		0.95							4EC
588	98.1	107.3	9.2	10.0		0.12	0.57	0.69		0.38							4C0
589	208.4	213.4	5.0	21.0		0.25	0.39	0.64		0.31							4A0
590	213.4	218.8	5.4	11.0		0.22	0.28	0.50		0.32							4A0
591	218.8	223.8	5.0	39.0		1.69	1.28	2.97		0.31							4CE
592	223.8	228.8	5.0	21.0		0.82	0.88	1.70		0.20							4CE
593	228.8	231.4	2.6	30.0	26.0	1.55	1.19	2.74	3.81	0.34	3.86	0.57	7.39	21.45	.003	0.60	4CE
594	231.4	234.2	2.8	37.0	25.0	1.61	3.37	4.98	2.84	0.08	0.48	0.45	3.09	9.04	.003	0.24	4A0
595	234.2	239.7	5.5	55.0	50.0	3.37	4.18	7.55	3.96	0.12	11.32	0.21	5.44	17.04	.005	0.51	4GE
596	239.7	243.7	4.0	32.0	28.0	2.12	3.40	5.52	3.14	0.06	1.19	0.44	3.89	9.22	.004	0.30	4A4
597	243.7	247.0	3.3	27.0	28.0	2.08	5.83	7.91	2.98	0.07	0.47	0.16	1.74	6.23	.003	0.14	4A4
598	247.0	250.0	3.0	38.0	34.0	3.22	3.09	6.31	3.67	0.09	7.45	0.69	3.70	15.53	.003	0.42	4GC

V-101 R

GEOCHEMICAL LOG

Kamloops Research and Assay Lab.

<u>Samp.</u> <u>No.</u>	<u>From</u> <u>(Ft.)</u>	<u>To</u> <u>(Ft.)</u>	<u>Int.</u> <u>(Ft.)</u>	<u>Ag/AA</u> <u>GMS/MT</u>	<u>Ag/FA</u> <u>GMS/MT</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Pb+Zn</u> <u>%</u>	<u>S.G.</u>	<u>Cu %</u>	<u>BaO %</u>	<u>Au</u> <u>GMS/MT</u>	<u>Po %</u>	<u>Py %</u>	<u>Hg %</u>	<u>Unit</u>
2933	229.4	234.0	4.6	21.0		1.50	2.51	4.01		0.09						4A0
2934	234.0	239.0	5.0	13.0		1.08	0.89	1.97		0.18						4CD
2935	239.0	243.0	4.0	8.0		0.39	0.99	1.38		0.32						4CO
2936	243.0	247.7	4.7	9.0		0.43	0.55	0.98		0.17						4CO
2937	247.7	252.0	4.3	10.0		0.66	1.45	2.11		0.07						4A0
2938	252.0	256.0	4.0	13.0		0.63	2.26	2.89		0.09						4A0
2939	256.0	259.4	3.4	11.0		0.46	1.28	1.74		0.12						4C7

