



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

019084

Jagoda

TO Cyprus Anvil Mining Corporation Ltd.

330 - 355 Burrard Street

Vancouver, B.C. V6C 2G8

Certificate No. K-4037

Date July 7, 1981

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn					
		Ounces Per Ton	Ounces Per Ton	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1	81-UR-25 2350 <i>Empress Bar</i> Not found Jan 25, 82			1.36	1.80					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Dans for PGB
Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

330 - 355 Burrard Street

Vancouver, B.C. V6C 2G8

Certificate No. K-4206

Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda samples #349

Kral No.	Marked		Au ¹	Ag ² (CPA)	Cu ³	Py ⁴	Po ⁵	As	S.G. ⁶	BaO
			grams per tonne	grams per tonne	percent	percent	percent	percent		percent
1	81UR15 cont page 17	2101	.48	51	.22	29.4	17.7	.04	3.97	1.2
2		2102	.41	34	.19	25.0	16.4	.13	3.73	1.7
3		2103	.48	12	.20	23.3	14.8	.06	3.42	.2
4	81UR16	2112	.07	8	.03	8.7	4.3	.02	2.94	.9
5		2113	.14	31	.04	9.5	6.2	.03	3.42	13.2
6		2114	.41	60	.08	12.6	11.3	.03	4.07	19.6
7		2115	.48	58	.13	16.9	15.8	.05	4.38	18.9
8		2116	.82	40	.24	27.4	26.7	.07	4.35	12.7
9		2117	.48	25	.21	25.0	23.0	.06	3.72	1.7
10		2118	.62	25	.18	25.7	23.4	.06	3.72	2.0
11		2119	.55	24	.20	29.0	26.7	.05	3.83	2.3
12	81UR17	2120	.21	31	.25	17.0	11.0	.05	3.25	7.1
13		2121	.14	14	.09	13.2	9.7	.03	3.01	1.3
14		2125	.48	34	.15	25.8	18.5	.07	3.58	2.5
15		2126	.07	10	.04	8.2	4.5	L.01	2.92	.4
16		2127	.34	28	.15	21.6	15.1	.05	3.47	3.0
17	81UR18	2138	.27	32	.15	23.7	17.9	.05	3.65	6.8
18		2139	.34	43	.08	15.2	13.5	L.01	3.95	20.4
19		2140	.27	58	.07	18.1	16.4	L.01	4.15	15.5
20		2141	.62	50	.06	16.4	12.0	.04	3.73	17.0

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4206 2

Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Au	Ag	Cu	Py	Po	As	S.G.	BaO	
		grams per tonne	grams per tonne	percent	percent	percent	percent		percent	
21	81VR18	2142	.68	42	.10	16.9	12.7	.07	3.62	12.5
22		2143	1.17	40	.18	23.1	21.0	.14	3.98	12.9
23		2144	.75	30	.23	27.1	21.6	.23	3.88	9.6
24		2145	1.17	29	.19	25.7	18.0	.25	3.70	4.4
25		2146	.21	16	.09	14.2	8.5	.06	3.14	2.5
26		2147	.34	34	.13	15.6	11.6	.07	3.42	7.1
27		2148	.34	19	.14	17.8	13.2	.10	3.35	6.2
28	81VR19	2153	.14	22	.07	14.1	10.0	.04	3.26	6.9
29		2158	.96	33	.13	15.1	12.2	.17	3.16	.5
30		2159	.55	20	.14	16.2	12.1	.12	3.13	.5
31	2160		.29	8	.09	10.0	6.2	.12	2.93	.2
32		2161	.48	25	.11	11.8	7.3	.19	3.01	.2
33	81VR20	2163	.21	22	.03	7.4	5.9	.14	2.92	.5
34		2164	.27	22	.05	11.2	7.0	.17	3.57	.6
35		2165	.21	16	.04	11.5	7.4	.06	2.99	1.2
36		2166	.21	24	.06	14.1	10.6	.07	3.28	.9
37		2167	.07	9	.02	7.4	3.5	.07	2.92	.7
38		2168	L.01	5	.02	5.9	1.5	.06	2.89	1.1
39		2169	L.01	5	.01	5.6	1.2	.04	2.84	.6
40		2170	.55	43	.12	19.9	14.1	.08	3.65	4.7

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4206 3

Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Au	Ag	Cu	Py	Po	As	S.G.	BaO	
		grams per tonne	grams per tonne	percent	percent	percent	percent		percent	
41	81VR20 2171	.17	29	.17	26.1	19.4	.07	3.92	6.9	
42		2172	.34	48	.09	13.2	9.9	.14	3.31	.6
43		2173	.27	33	.07	10.6	7.7	.10	3.17	.3
44	81VR21 2183	.48	34	.12	13.7	7.3	.12	3.19	1.7	
45		2184	.82	52	.34	34.0	27.8	.29	4.26	.9
46		2185	.89	55	.34	35.6	30.4	.36	4.50	.6
47		2186	.75	82	.15	31.6	21.2	.14	4.44	7.8
48		2188	.62	73	.15	33.8	19.8	.13	4.39	6.1
49		2189	1.10	53	.23	32.9	25.4	.09	4.59	9.2
50		2190	.75	33	.25	33.3	25.3	.07	4.29	6.3
51	2192	.41	22	.13	21.8	14.6	.05	3.57	4.0	
52	2193	.48	19	.09	14.9	9.7	.05	3.14	1.4	
53	2194	.21	19	.10	20.4	15.9	.06	3.36	1.1	
54	2195	.27	26	.13	16.6	11.7	.13	3.27	1.1	
55	2196	.27	20	.07	7.7	4.6	.14	2.96	.3	
56	81VR22 cont p. 6 2197	.14	20	.27	9.0	4.7	.10	3.07	5.0	
57	81VR23 2198	.21	26	.24	6.4	5.5	.07	3.07	2.9	
58		2199	.68	32	.25	17.7	15.6	.16	3.52	5.2
59	2200	.82	40	.19	31.2	23.1	.16	4.20	3.2	
60	81VR31 2206	.34	17	.11	18.9	13.9	.20	3.38	3.3	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4206 4

Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Au	Ag	Cu	Py	Po	As	S.G.	BaO		
		grams per tonne	grams per tonne	percent	percent	percent	percent		percent		
61	81VR31	2207	2207	.48	31	.08	14.4	11.7	.27	3.26	3.3
62		2208	2208	.34	30	.09	14.3	10.3	.22	3.25	1.7
63		2209	2209	.07	12	.06	7.9	3.7	.12	2.94	.4
64		2210	2210	L.01	4	.03	5.5	1.6	.05	2.88	.3
65		2211	2211	.34	23	.11	18.4	12.2	.12	3.40	2.3
66		2212	2212	.48	27	.27	27.6	22.8	.13	3.80	1.8
67	81VR32	2213	2213	.82	31	.44	22.2	19.5	.10	3.70	2.9
68		2214	2214	.41	76	.65	19.3	11.4	.09	4.13	13.7
69		2215	2215	.62	41	.31	25.5	11.5	.19	3.65	2.2
70		2216	2216	.34	20	.22	24.7	11.7	.12	3.48	.6
71		2217		.82	13	.38	21.5	12.1	.09	3.38	.8
72		2218		.21	9	.24	17.2	10.4	.09	3.23	.6
73		2219		.21	10	.23	16.9	10.8	.07	3.30	.5
74	81VR33	2225	2225	.27	23	.26	20.1	19.3	.04	3.47	2.4
75		2226	2226	.21	36	.38	22.6	16.6	.09	3.70	5.4
76		2227	2227	.21	27	.26	25.0	11.3	.05	3.80	4.7
77		2228	2228	.34	31	.31	25.6	23.0	.11	3.73	2.0
78		2229	2229	.27	50	.32	14.6	12.1	.05	4.20	18.1
79		2230	2230	.27	56	.19	12.7	11.9	.03	4.20	19.3
80		2231	2231	.27	61	.06	13.3	11.4	.02	4.35	21.8

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4206 5

Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Al	Ag	Cu	Py	Po	As	S.G.	BaO	
		grams per tonne	grams per tonne	percent	percent	percent	percent		percent	
81	81VR33	2232	.27	54	.15	16.3	12.9	.03	4.24	16.8
82		2233	.82	92	.10	22.9	9.2	.18	4.18	14.7
83		2234	.89	83	.13	28.9	11.4	.08	4.00	5.2
84		2235	.41	34	.21	29.6	21.0	.09	4.02	4.1
85		2236	.27	22	.26	28.6	22.5	.11	3.86	3.1
86		2237	.41	20	.33	28.0	23.5	.13	3.77	2.2
87		2238	1.10	16	.42	26.6	21.8	.30	3.73	2.9
88		2239	.34	16	.29	21.2	15.8	.06	3.52	5.2
89		2240	.21	10	.40	17.7	11.6	.06	3.37	3.7
90	81VR34	2241	.41	38	1.07	27.8	18.9	.07	3.64	1.3
91		2242	.41	36	.35	30.6	18.2	.03	3.75	2.1
92		2243	.27	29	.37	25.8	15.3	.03	3.68	3.9
93		2246	.48	49	.15	15.7	12.0	.11	3.47	7.7
94		2247	.07	6	.14	8.5	4.6	.08	2.85	.4
95	81VR29	2266	.14	15	.05	5.4	3.8	1.46	3.02	2.8
96		2267	.62	50	.09	8.4	7.7	1.53	3.32	15.0
97		2268	.55	65	.09	11.8	10.9	1.40	3.75	18.7
98		2269	.48	57	.08	13.8	11.8	.82	4.17	16.2
99		2270	.21	21	.05	6.5	4.5	1.21	3.13	6.2
100		2271	.14	12	.05	5.4	3.5	1.26	2.96	3.6

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4206 6

Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda samples

Kral No.	Marked	Au	Ag	Cu	Py	Po	As	S.G.	BaO
		grams per tonne	grams per tonne	percent	percent	percent	percent		percent
101	81VR29 2272	.14	16	.03	6.3	3.2	1.23	3.00	3.7
102	2273	.14	16	.04	7.1	3.9	1.08	3.04	3.1
103	81VR30 2298	.55	19	.15	25.7	17.7	.07	3.55	.8
104	2299	.21	26	.16	20.8	15.1	.14	3.38	.3
105	81VR23 2301	.62	22	.22	33.4	26.7	.18	4.00	.3
106	2302	.34	22	.25	23.0	20.3	.12	3.82	.2
107	cont p. 3 2303	.34	14	.24	21.4	18.7	.09	3.71	.3
108	2304	.75	48	.21	36.9	21.7	.10	3.95	.2
109	2305	1.58	60	.25	34.6	19.6	.11	4.29	.4
110	2306	1.17	51	.25	34.3	22.2	.09	4.33	6.7
111	2307	.55	27	.28	41.1	29.8	.10	4.31	.5
112	2308	.82	31	.29	27.9	15.9	.18	3.68	.4
113	2309	1.37	35	.28	18.1	10.6	.51	3.52	.4
114	81VR22 2320	.14	31	.04	9.0	4.7	.06	3.41	11.6
115	2321	.89	54	.14	16.2	12.5	.09	3.91	17.5
116	cont p. 6 2322	.82	39	.30	22.6	17.7	.10	3.77	9.4
117	81VR24 2328	.82	70	.15	11.9	10.0	.19	3.53	16.2
118	2329	1.03	72	.24	21.0	19.1	.16	3.95	15.3
119	2330	.96	51	.20	18.3	15.1	.17	3.64	9.3
120	2331	.48	34	.13	16.5	13.0	.16	3.42	7.5

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4206 7

Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Au	Ag	Cu	Py	Po	As	S.G.	BaO
		grams per tonne	grams per tonne	percent	percent	percent	percent		percent
121	8WR24 2332	.41	27	.14	16.8	11.7	.13	3.29	5.9
122		.68	49	.15	25.3	18.6	.05	4.08	14.3
123		.75	37	.23	26.2	18.1	.06	3.95	11.7
124		.27	10	.06	11.8	6.0	.05	3.07	1.1
125	8WR25 2343	.96	27	.32	17.8	16.1	.75	3.47	.6
126		1.51	28	.41	17.2	16.6	.59	3.82	.6
127		.68	84	.41	24.3	24.1	.14	4.63	18.2
128		1.65	113	.34	24.4	24.0	.08	4.72	17.9
129		.96	85	.40	33.6	33.1	.14	4.76	4.9
130		.82	50	.27	35.9	31.2	.08	4.67	5.2
131	2349	.21	13	.08	17.5	12.9	.04	3.27	1.8
132		.21	25	.07	10.3	6.3	.07	3.13	2.9
133		1.23	41	.20	31.8	26.7	.24	4.33	5.4
134		.55	20	.14	22.3	17.1	.08	3.34	7.2
135	8WR26 2356	.82	118	.77	17.9	16.2	.09	4.02	15.1
136		.89	75	.58	20.2	19.4	.09	3.62	2.5
137		1.10	80	.41	26.6	21.5	.15	4.37	4.9
138		.82	81	.15	25.2	16.9	.07	4.39	16.2
139		.41	56	.07	12.1	9.3	.06	3.48	15.2
140		.21	14	.10	12.2	4.9	.05	3.12	3.0

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4206 8

Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda samples

Kral No.	Marked	Au	Ag	Cu	Py	Po	As	S.G.	BaO
		grams per tonne	grams per tonne	percent	percent	percent	percent		percent
141	81VR26 2362	.62	44	.22	25.3	18.6	.08	4.10	10.6
142	2363	.27	17	.09	13.5	8.7	.10	3.22	1.4
143	2364	.14	19	.15	16.3	9.1	.11	3.26	3.0
144	2365	.41	31	.20	29.6	21.8	.07	4.02	6.7
145	2366	.21	15	.08	25.6	22.8	.08	3.77	.9
146	2367	.14	11	.06	30.5	28.7	.07	3.89	.6
147	2368	.21	18	.12	21.8	17.9	.07	3.42	.5
148	81VR27 2379	.21	42	.06	12.0	8.9	.08	3.46	9.1
149	2380	.14	36	.04	12.1	8.3	.08	3.29	5.5
150	2381	.07	10	.02	7.3	3.7	.03	2.97	1.5
151	2382	.41	30	.09	18.7	15.3	.09	3.58	6.2
152	2383	.68	43	.15	24.6	20.7	.06	4.39	14.4
153	2384	.55	43	.16	24.6	19.2	.10	3.68	6.6
154	2385	L.01	20	.06	8.4	5.6	.08	2.96	.3
155	2393	.07	28	.12	21.5	14.8	.05	3.68	2.4
156	2394	.34	45	.13	26.7	20.4	.12	3.97	1.1
157	2395	.34	19	.10	20.2	15.6	.49	3.48	.6
158	2396	.55	18	.15	27.6	22.4	.30	3.77	.5
159	2397	.48	24	.28	35.0	31.8	.29	4.29	.4
160	81VRO1 3702	L.01	1	.02	5.3	1.7	.05	2.82	.6

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4206 9

Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Au	Ag	Cu	Py	Po	As	S.G.	BaO	
		grams per tonne	grams per tonne	percent	percent	percent	percent		percent	
161	81VRO1 3703	.14	16	.04	9.2	6.3	.03	3.12	4.6	
162	3704	.14	52	.05	17.2	14.3	.01	3.52	3.2	
163	3705	.14	65	.04	22.3	12.2	.02	3.62	4.7	
164	3706	.07	34	.03	12.1	6.8	L.01	3.22	7.0	
165	3707	.03	11	.02	7.1	3.0	.05	2.97	1.3	
166	3708	L.01	4	.02	6.3	2.4	.03	2.85	.6	
167	3709	.07	18	.11	10.6	6.4	.04	3.06	1.2	
168	3710	.21	31	.27	25.2	21.0	.05	3.66	1.6	
169	3711	.14	25	.32	21.6	18.5	.06	3.50	2.6	
170	3712	.14	27	.31	20.4	16.9	.07	3.51	2.4	01
171	3713	.07	14	.18	14.2	11.0	.04	3.21	1.0	
172	3714	.07	12	.15	12.4	9.1	.02	3.26	.8	
173	3715	.07	10	.11	9.3	6.0	.03	2.98	.8	
174	3716	.21	15	.15	17.8	14.3	.04	3.39	2.5	
175	3717	.34	21	.17	23.9	17.1	.04	3.69	4.0	
176	3718	.21	8	.09	13.7	9.9	.05	3.11	.9	
177	3719	.27	13	.12	16.4	11.4	.01	3.23	.6	
178	3720	.21	22	.13	20.8	14.3	.04	3.52	.7	
179	3721	.14	13	.14	16.0	10.4	.04	3.23	.4	
180	3722	L.01	2	.06	6.9	2.9	.01	2.84	L.1	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4206 10

Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda samples

Kral No.	Marked	Au	Ag	Cu	Py	Po	As	S.G.	BaO	
		grams per tonne	grams per tonne	percent	percent	percent	percent		percent	
181	81VR02 3744	.21	28	.11	15.5	12.4	.09	3.45	4.3	
182		.55	68	.18	25.8	22.8	.19	4.33	8.9	
183		.96	58	.12	20.7	15.4	.14	4.18	10.4	
184		L.01	4	.02	5.6	1.5	.07	2.93	.8	
185		.07	2	.02	5.8	1.8	.14	2.92	1.2	
186		.07	5	.03	6.4	1.8	.03	2.85	1.0	
187		.14	22	.18	21.7	17.9	.05	3.53	1.2	
188		.14	19	.12	19.7	13.7	.05	3.36	.4	
189		.41	11	.27	16.2	7.2	.01	3.16	.2	
190		.14	7	.21	16.7	8.1	.03	3.14	.1	
191	3754	.14	17	.11	12.0	6.0	.02	3.21	4.1	
192		3755	1.10	47	.14	25.9	18.4	.10	4.20	8.1
193		3756	.96	35	.21	34.4	25.6	.13	4.37	.2
194		3757	.55	27	.19	30.5	24.4	.21	4.15	1.2
195		3758	.55	16	.09	14.6	10.4	.13	3.26	3.1
196	81VR03 3769	.34	26	.05	7.5	.1	.11	2.92	5.1	
197		3770	1.10	119	.08	12.7	.5	.17	3.08	4.4
198		3771	1.10	229	.17	13.0	8.8	.17	3.36	8.9
199		3772	.48	85	.23	9.1	5.8	.10	3.01	5.9
200		3773	.14	20	.10	5.3	2.0	.05	2.85	1.4

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4206 11

Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda samples

Kral No.	Marked	Au	Ag	Cu	Py	Po	As	S.G.	BaO
		grams per tonne	grams per tonne	percent	percent	percent	percent		percent
*201	81VR03 3774	.07	8	.05	5.0	1.6	.04	2.87	.8
202	3775	L.01	8	.05	5.7	2.5	.09	2.87	1.4
203	3776	.27	47	.15	13.3	9.2	.06	3.32	7.1
204	3777	.34	63	.15	19.0	15.1	.11	4.02	13.6
205	3778	.41	75	.18	22.4	18.0	.10	4.33	14.7
206	3779	.48	76	.14	18.9	14.6	.06	4.31	19.1
207	3780	.82	55	.17	26.6	23.7	.07	4.88	15.1
208	3781	.68	58	.12	25.2	22.2	.07	4.44	15.7
209	3782	.75	31	.14	30.6	25.5	.08	3.97	5.8
210	3783	.55	23	.20	31.8	27.4	.16	4.07	2.0
211	3784	.75	33	.20	33.0	27.5	.12	4.10	3.9
212	3785	.62	47	.14	28.3	21.6	.05	4.41	14.6
213	3786	.68	28	.17	33.1	27.6	.11	4.29	7.1
214	3787	.48	20	.19	28.5	25.3	.14	3.83	3.4
215	3788	.62	32	.26	27.0	22.9	.10	3.83	5.2
216	3789	.34	27	.25	25.8	23.9	.19	3.77	2.7
217	3790	.41	22	.29	31.7	28.8	.22	4.02	1.3
218	81VR04 3796	.68	81	.78	24.8	18.5	.11	3.30	9.2
219	3797	.55	66	.16	22.8	11.8	.04	3.83	4.7
220	3798	.62	57	.17	20.9	11.3	.07	3.42	2.2

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4206 12

Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda samples

Kral No.	Marked	Au	Ag	Cu	Py	Po	As	S.G.	BaO
		grams per tonne	grams per tonne	percent	percent	percent	percent		percent
221	81VRO4 3799	1.37	84	.21	25.1	20.1	.06	4.12	9.5
222	3800	1.10	71	.22	29.1	21.2	.07	4.17	6.8
223	3801	1.03	71	.19	28.6	22.7	.07	4.37	10.4
224	3802	1.10	72	.19	28.3	22.6	.06	4.12	12.9
225	3803	1.10	63	.18	26.4	19.1	.08	4.12	8.6
226	3804	1.37	77	.19	28.9	24.3	.09	4.39	7.3
227	3805	1.23	78	.18	28.8	23.9	.09	4.41	7.2
228	3806	1.10	78	.19	27.2	20.5	.08	4.07	5.2
229	3807	1.78	62	.20	26.8	17.7	.06	4.05	5.2
230	3808	1.51	63	.24	28.8	21.9	.04	4.08	4.8
231	3809	1.23	56	.25	30.9	25.9	.05	4.25	4.4
232	3810	1.71	64	.26	30.6	26.9	.06	4.17	5.2
233	3811	1.44	65	.26	30.0	26.4	.06	4.15	5.6
234	3812	1.44	61	.24	30.2	27.1	.05	4.44	6.5
235	3813	1.71	67	.23	34.3	31.9	.07	4.42	7.9
236	3814	1.44	62	.22	26.2	23.2	.02	4.20	6.6
237	3815	1.37	71	.22	28.2	26.0	.03	4.39	6.6
238	3816	1.37	71	.21	26.8	26.0	.06	4.31	6.2
239	3817	1.10	72	.21	27.5	25.1	.05	4.35	5.9
240	3818	1.17	70	.20	26.0	23.7	.06	4.18	5.7

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4206 13

Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda samples

Kral No.	Marked	Au	Ag	Cu	Py	Po	As	S.G.	BaO	
		grams per tonne	grams per tonne	percent	percent	percent	percent		percent	
241	81VR04	3819	1.23	65	.19	26.0	23.5	.04	4.15	6.5
242		3820	1.30	64	.19	27.1	24.5	.05	4.39	5.8
243	81VR05	3821	.21	48	.07	18.2	16.9	.07	4.44	26.4
244		3822	.27	41	.10	25.1	19.2	.06	4.37	19.0
245		3823	.48	27	.23	30.5	15.0	.16	3.71	4.7
246		3824	1.44	21	.19	32.6	24.5	.30	4.16	4.4
247		3825	.24	62	.19	31.6	9.9	.17	4.00	.9
248		3826	.41	46	.16	33.6	17.5	.14	4.22	3.5
249		3827	.41	35	.19	28.2	11.8	.10	3.77	2.3
250		3828	.27	9	.22	25.6	14.6	L.01	3.29	.3
251		3829	.41	1	.24	21.3	9.9	.05	3.13	.1
252		3830	.34	6	.20	19.0	8.0	.12	3.38	.3
253	3831	.41	15	.45	21.3	8.1	.06	3.24	.1	
254	3832	.21	8	.20	16.0	7.3	.02	3.25	L.1	
255	3833	.21	3	.21	17.9	8.6	.06	3.28	L.1	
256	81VR06	3849	.21	14	.23	23.0	16.9	.07	3.58	2.7
257		3850	.48	21	.33	31.0	24.0	.04	4.07	6.1
258		3851	.21	18	.25	25.1	18.9	.04	3.52	2.0
259		3852	.21	15	.21	18.1	14.1	.07	3.28	4.4
260		3853	.14	8	.09	19.1	16.8	.11	3.10	2.6

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4206 14

Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda samples

Kral No.	Marked	Au	Ag	Cu	Py	Po	As	S.G.	BaO	
		grams per tonne	grams per tonne	percent	percent	percent	percent		percent	
261	81VR06 3854	.21	19	.21	25.5	21.5	.08	3.72	2.0	
262		.07	7	.09	10.1	3.3	.07	3.06	2.2	
263	81VR07 3868	.27	22	.06	5.4	2.5	.09	2.89	3.1	
264		.34	38	.08	10.2	6.7	.10	3.25	13.8	
265		.82	72	.17	21.5	17.8	.12	4.02	12.5	
266		.82	67	.17	14.8	12.2	.11	3.66	14.6	
267		.69	44	.15	12.9	9.9	.11	3.44	11.0	
268		.75	43	.24	17.3	14.5	.09	3.69	13.9	
269		.96	34	.17	27.0	23.8	.10	4.12	8.7	
270		.82	24	.31	31.1	28.5	.17	3.75	1.8	
271		3876	1.09	26	.30	37.9	33.5	.27	3.82	.1
272		3877	1.23	28	.18	37.4	25.1	.16	4.22	.7
273	3878	.96	84	.10	20.4	16.2	.08	4.48	22.0	
274	3879	1.65	104	.10	13.8	12.0	.09	4.59	27.0	
275	3880	1.17	55	.12	26.0	16.9	.24	3.97	7.9	
276	3881	1.17	40	.16	23.1	17.8	.30	3.52	3.9	
277	3882	1.03	29	.29	23.1	20.4	.39	3.16	1.0	
278	3883	1.37	36	.22	23.5	20.0	.29	3.70	5.2	
279	3884	.96	26	.19	24.8	14.5	.49	3.58	.3	
280	81VR08 3896	.89	27	.25	30.6	22.0	.25	3.72	1.6	

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4206 15

Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda samples

Kral No.	Marked	Au	Ag	Cu	Py	Po	As	S.G.	BaO	
		grams per tonne	grams per tonne	percent	percent	percent	percent		percent	
281	81VR08	3897	.89	25	.39	30.2	14.1	.10	3.62	.7
282		3898	.89	21	.44	30.6	15.3	.08	3.96	.4
283		3899	.96	14	.31	28.8	17.9	.16	3.68	.3
284		3900	.89	17	.27	26.5	22.1	.24	3.72	.4
285		3907	.41	30	.16	26.8	13.9	.06	3.76	.2
286		3908	.34	25	.14	22.0	13.4	.07	3.57	.2
287		3910	.21	30	.05	11.1	7.0	.17	3.13	.2
288	81VR09	3916	.07	10	.03	4.7	1.0	.06	2.82	5.7
289		3917	.07	49	.04	10.0	5.1	.07	3.72	23.2
290		3918	.14	60	.08	17.0	6.5	.06	3.56	9.9
291	3919	.48	80	.04	14.5	9.0	.04	4.15	22.7	
292	3920	.34	71	.04	14.4	8.5	.03	4.23	27.6	
293	3921	.34	87	.11	21.7	5.6	.05	3.97	16.2	
294	3922	.41	82	.15	23.9	4.4	.08	3.75	7.9	
295	3923	.89	44	.13	21.1	5.9	.04	3.46	8.6	
296	3924	.55	24	.17	23.9	12.9	.05	3.47	5.9	
297	3925	.67	15	.25	25.2	13.2	.03	3.42	1.6	
298	3926	2.33	22	.22	24.1	10.1	.04	3.55	1.7	
299	3927	.69	12	.22	23.9	7.2	.09	3.29	.9	
300	81VR10	3944	.62	44	.18	23.2	15.7	.20	3.92	14.4

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4206 16

Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda samples

Kral No.	Marked	Au	Ag	Cu	Py	Po	As	S.G.	BaO		
		grams per tonne	grams per tonne	percent	percent	percent	percent		percent		
301	81VR10	3945	3945	1.58	30	.24	26.5	20.8	.52	3.59	.8
302		3946	3946	1.17	22	.29	27.0	24.8	.41	3.70	.5
303		3947	3947	.69	16	.30	26.5	22.7	.20	3.53	.6
304		3948	3948	1.10	21	.25	28.6	21.7	.26	3.62	.9
305		3949	3949	.82	29	.25	26.8	19.7	.29	3.70	6.4
306		3950	3950	1.51	33	.26	31.4	15.9	.07	3.72	1.4
307	81VR11	3951	3951	1.85	31	.22	27.6	13.0	.08	3.70	1.6
308		3952	3952	.82	42	.16	29.5	7.4	.04	3.77	1.1
309		3953	3953	.48	23	.18	31.8	12.1	.02	3.79	1.2
310		3954	3954	.41	23	.20	31.7	17.1	.04	3.83	1.3
311	81VR12	3955	3955	.62	34	.15	24.6	14.1	.03	3.77	9.4
312		3956	3956	.75	74	.14	23.5	11.0	.15	3.91	10.8
313		3957	3957	.75	35	.21	25.6	11.8	.18	3.94	6.4
314		3958	3958	.62	16	.23	25.3	8.2	.03	3.43	1.0
315		3959	3959	1.30	12	.20	23.2	17.9	.03	3.14	.6
316		3960	3960	.82	18	.32	25.3	8.6	.02	3.44	.5
317		3965	3965	.82	68	.16	26.6	21.1	.16	4.31	10.7
318		3966	3966	.41	41	.11	18.1	12.5	.23	3.60	6.9
319		3967	3967	.75	87	.11	16.2	12.8	.13	4.33	21.9
320		3968	3968	1.30	94	.11	14.8	12.9	.16	4.48	28.3

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4206 17

Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda samples

Kral No.	Marked	Au	Ag	Cu	Py	Po	As	S.G.	BaO
		grams per tonne	grams per tonne	percent	percent	percent	percent		percent
321	81VR12 3969	2.47	198	.22	19.1	17.6	.21	4.50	2.0
322	3970	1.78	128	.17	18.0	15.8	.14	4.50	23.8
323	3971	1.23	92	.13	17.4	14.9	.08	4.59	27.6
324	3972	1.44	86	.12	25.1	18.8	.07	4.59	11.0
325	3973	1.44	87	.12	26.3	18.8	.08	4.61	11.2
326	3974	1.71	84	.15	28.0	23.1	.21	4.48	8.8
327	3975	.62	33	.12	16.3	11.6	.06	3.34	2.4
328	3976	.48	19	.12	12.0	6.0	.03	3.07	.6
329	3977	.41	15	.09	10.4	3.8	.03	2.99	.8
330	81VR13 3978	.55	74	.15	18.1	14.4	.14	3.58	2.4
331	3979	.07	10	.14	9.3	2.6	.04	2.90	L.1
332	3980	.07	7	.22	9.6	4.6	.04	2.93	L.1
333	3981	.07	4	.08	9.1	3.3	.02	2.96	.2
334	81VR15 cont. first page 4000	.96	63	.20	23.9	16.8	.09	4.13	13.0
335	81VR34 6004	.07	8	.08	11.8	2.8	.01	3.04	.6
336	cont. p.5 6005	.07	23	.15	10.9	4.9	.03	3.41	14.3
337	6006	.27	38	.12	16.2	13.0	.10	3.66	13.8
338	6007	.14	16	.14	16.9	12.4	.06	3.19	1.0
339	81VR35 6008	L.01	27	.03	10.2	5.6	.02	3.24	5.8
340	6009	.27	64	.05	12.0	9.9	.01	3.82	19.2

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4206 18


Date August 31, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda samples

Kral No.	Marked	Au	Ag	Cu	Py	Po	As	S.G.	BaO
		grams per tonne	grams per tonne	percent	percent	percent	percent		percent
341	81VR35 6010	.21	54	.05	13.2	11.5	.02	3.69	13.4
342	6011	.07	20	.06	11.2	8.4	.05	3.18	4.6
343	6012	.75	36	.13	22.9	17.7	.07	3.80	6.4
344	6013	.41	31	.25	35.5	29.9	.07	4.26	1.3
345	6014	.48	39	.15	32.8	28.1	.03	4.46	4.5
346	6015	.75	46	.17	23.1	21.4	.05	4.05	11.7
347	6016	.27	25	.27	31.1	29.3	.10	3.91	.7
348	6017	.27	25	.28	27.7	25.3	.03	4.02	1.0
349	81VRO8 p.15. 3909	.48	34	.16	21.5	12.5	.03	3.61	.3

L means "Less than"

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

330 - 355 Burrard Street

Vancouver, B.C. V6C 2G8

Certificate No. K-3891

Date April 22, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Van Gorda samples # 26

Kral No.	Marked	Pb	Zn	Pb & Zn					
		percent	percent	%					
1	2101	4.80	5.10	9.90					
2	2102	2.40	3.30	5.70					
3	2103	.49	.93	1.42					
4	2104	.39	.81	1.20					
5	2105	.13	.58	.71					
6	2106	.81	.76	1.57					
7	2107	.28	.50	.78					
8	2108	.05	.24	.29					
9	2109	.03	.09	.12					
10	2110	.02	.07	.09					
11	2111	.05	.08	.13					
12	2120	1.80	1.74	3.54					
13	2121	.60	.74	1.34					
14	2122	.39	.72	1.11					
15	2123	.62	.74	1.36					
16	2124	.91	.91	1.82					
17	2125	1.74	2.30	4.04					
18	2126	.40	.77	1.17					
19	2127	1.54	1.94	3.48					
20	2128	.17	.56	.73					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

CTA



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-3891 2

Date April 22, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Van Gorda samples

Kral No.	Marked	Pb	Zn	Pb & Zn					
		percent	percent	%					
21	2129	.22	.45	.67					
22	2130	.13	.36	.49					
23	2131	.07	.28	.35					
24	2132	.07	.20	.27					
25	2133	.05	.17	.22					
26	4000	5.20	6.90	12.10					

NOTE:

Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

330 - 355 Burrard Street

Vancouver, B.C. V6C 2G8

Certificate No. K-3944

Date May 4, 1981

I hereby certify that the following are the results of assays made by us upon the herein described VANGORDA samples # 25

Kral No.	Marked	Pb percent	Zn percent	Pb & Zn %					
1	2213	2.08	2.39	4.47					
2	2214	6.12	8.91	15.03					
3	2215	2.62	3.26	5.88					
4	2216	1.15	1.79	2.94					
5	2217	.66	1.06	1.72					
6	2218	.38	.79	1.17					
7	2219	.61	2.03	2.64					
8	2220	.43	1.21	1.64					
9	2221	.31	.53	.84					
10	2222	.23	.42	.65					
11	2223	.21	.61	.82					
12	2224	.06	.22	.28					
13	6008	2.41	5.08	7.49					
14	6009	4.00	8.41	12.41					
15	6010	3.35	6.79	10.14					
16	6011	1.24	2.26	3.50					
17	6012	2.13	2.63	4.76					
18	6013	1.10	1.99	3.09					
19	6014	3.66	4.04	7.70					
20	6015	2.67	3.56	6.23					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-3944 2

Date May 4, 1981

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Pb	Zn	D6 & Zn					
		percent	percent	%					
21	6016	.51	.81	1.32					
22	6017	.86	1.15	2.01					
23	6018	.49	.84	1.33					
24	6019	.44	.61	1.05					
25	6020	1.55	2.06	3.61					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.



 Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

330 - 355 Burrard Street

Vancouver, B.C. V6C 2G8

Certificate No. K-3917

Date May 7, 1981

I hereby certify that the following are the results of assays made by us upon the herein described JANGORDA samples #196

Kral No.	Marked	Pb percent	Zn percent	Pb&Zn %					
1	3702 81-VR-01/	.13	.32	.45	→ DON'T HAVE TO ENTER These				
2	3703	1.66	1.77	3.43					
3	3704	5.87	5.88	11.75					
4	3707 ^{xx}	.70 ^{xx}	1.17	1.87					
5	3708	.35	.49	.84					
6	3709	1.39	1.93	3.32					
7	3712 ^{xx}	1.34 ^{xx}	1.48	2.82					
8	3714 ^x	.47 ^x	.55	1.02					
9	3715 ^{xx}	.37 ^{xx}	.45	.82					
10	3718 ^x	.57 ^x	.60	1.17					
11	3719	.44	.45	.89					
12	3720	1.36	1.92	3.28					
13	3721	.94	1.40	2.34					
14	3722	.09	.23	.32					
15	3723	.13	.25	.38					
16	3724	.10	.24	.34					
17	3725	.08	.25	.33					
18	3726	.04	.17	.21					
19	3727	.06	.11	.17					
20	3728	.50	.67	1.17					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-3917 2

Date May 7, 1981

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Pb	Zn	Pb & Zn					
		percent	percent	%					
21	3729 81-VR-01 ✓	.22	.31	.53					
22	3730	.11	.20	.31					
23	3733 81-VR-02 ✓	.02	.04	.06					
24	3734	.25	.08	.33					
25	3736	.43	.05	.48					
26	3760	.14	.39	.53					
27	3766 81-VR-03 ✓	.07	.04	.11					
28	3767	.32	.14	.46					
29	3768	.32	.13	.45					
30	3769	1.42	.20	1.62					
31	3770	7.08	.29	7.37					
32	3771	10.41	1.14	11.55					
33	3772	3.92	.70	4.62					
34	3773	.92	.32	1.24					
35	3774	.40	.21	.61					
36	3775	.43	.15	.58					
37	3776	2.85	1.86	4.71					
38	3777	4.90	5.80	10.70					
39	3778	5.50	7.00	12.50					
40	3779	5.60	6.70	12.30					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-3917 3

Date May 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Pb	Zn	Pb & Zn					
		percent	percent	%					
41	3780 81-VR-03 ✓	4.25	4.72	8.97					
42	3781	4.33	5.34	9.67					
43	3782	2.65	2.56	5.21					
44	3783	1.47	1.29	2.76					
45	3784	1.51	1.63	3.14					
46	3785	3.87	4.30	8.17					
47	3786	1.86	2.38	4.24					
48	3787	1.04	1.50	2.54					
49	3788	1.82	1.91	3.73					
50	3789	.93	.81	1.74					
51	3790	.51	1.36	1.87					
52	3791	.42	.68	1.10					
53	3792	.68	.63	1.31					
54	3793	.65	.45	1.10					
55	3794	.42	.28	.70					
56	3795	.24	.26	.50					
57	3796 81-VR-04 ✓	6.69	2.70	9.39					
58	3797	5.90	6.00	11.90					
59	3798	5.60	3.70	9.30					
60	3799	8.00	3.90	11.90					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-3917 4

Date May 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Pb	Zn	Pb+Zn					
		percent	percent	%					
61	3800	6.50	3.50	10.00					
62	3801	6.60	3.40	10.00					
63	3802	6.28	3.23	9.51					
64	3803	5.30	3.00	8.30					
65	3804	7.35	2.76	10.11					
66	3805	7.53	2.63	10.16					
67	3806	7.00	2.83	9.83					
68	3807	5.76	2.82	8.58					
69	3808	5.96	2.29	8.25					
70	3809	5.92	2.10	8.02					
71	3810	6.11	2.05	8.16					
72	3811	5.80	1.94	7.74					
73	3812	5.60	1.75	7.35					
74	3813	5.36	1.46	6.82					
75	3814	5.57	1.55	7.12					
76	3815	6.20	1.42	7.62					
77	3816	6.09	1.45	7.54					
78	3817	6.55	1.55	8.10					
79	3818	6.57	1.60	8.17					
80	3819	6.09	1.52	7.61					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-3917 5

Date May 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described VANGORDA samples

Kral No.	Marked	Pb	Zn	Pb + Zn					
		percent	percent	%					
81	3820 81-VR-04 ✓	5.78	1.41	7.19					
82	3825 81-VR-05 ✓	5.04	4.48	9.52					
83	3843 81-VR-06 ✓	.09	.05	.14					
84	3844	.10	.07	.17					
85	3845	.69	.16	.85					
86	3846	.76	.19	.95					
87	3847	.24	.19	.43					
88	3848	.10	.15	.25					
89	3849	1.28	1.28	2.56					
90	3850	1.62	1.27	2.89					
91	3851	1.50	1.11	2.61					
92	3852	1.09	1.64	2.73					
93	3853	.65	.65	1.30					
94	3854	1.46	1.37	2.83					
95	3855	.70	1.11	1.81					
96	3856	.41	.37	.78					
97	3857	.13	.29	.42					
98	3858	.12	.19	.31					
99	3859	.16	.23	.39					
100	3860	.22	.47	.69					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-3917 6

Date May 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Pb	Zn	Pb&Zn					
		percent	percent	%					
101	3861 81-VR-06 ✓	.14	.34	.48					
102	3862	.08	.26	.34					
103	3863	.22	.41	.63					
104	3864 81-VR-07 ✓	.05	.10	.15					
105	3866	.04	.08	.12					
106	3896 81-VR-08 ✓	1.43	1.27	2.70					
107	3898	1.17 ^x	1.10	2.27					
108	3899	.54	.96	1.50					
109	3900	1.22	.35	1.57					
110	3901	.42	.27	.69					
111	3902	.17 ^x	.37	.54					
112	3905	.14 ^x	.22	.36					
113	3910	1.69 ^{xxxx}	3.98	5.67					
114	3911	.16 ^{xxxx}	.37	.53					
115	3916 81-VR-09 ✓	.63	.43	1.06					
116	3944 81-VR-10 ✓	2.21	3.40	5.61					
117	3945	1.64	1.38	3.02					
118	3946	.73	.70	1.43					
119	3947	.35	.63	.98					
120	3948	.71	1.11	1.82					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.



 Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-3917 7

Date May 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Pb	Zn	Pb+Zn					
		percent	percent	%					
121	3949 81-VR-10 ✓	1.18	1.60	2.78					
122	3950	2.80	3.00	5.80					
123	3951 81-VR-11 ✓	2.46	2.60	5.06					
124	3952	4.40	5.20	9.60					
125	3978 81-VR-13 ✓	4.40	9.90	14.30					
126	3979	.34	.98	1.32	OK				
127	3980	.23	.67	.90					
128	3981	.15	.62	.77					
129	3982	.19	1.10	1.29					
130	3983	.09	.34	.43					
131	3984	.06	.35	.41					
132	3985	.04	.21	.25					
133	3986	.11	.33	.44					
134	3987	.21	.47	.68					
135	3988	.02	.23	.25					
136	3989	.04	.20	.24					
137	3990	.02	.14	.16					
138	3991 81-VR-14 ✓	.06	.21	.27					
139	3992	.11	.25	.36					
140	3993	.06	.15	.21					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-3917 8

Date May 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Pb	Zn	Pb&Zn					
		percent	percent	%					
141	3994 81-VR-14 ✓	.01	.07	.08					
142	3995	.03	.08	.11					
143	3996	.01	.07	.08					
144	3997	.01	.05	.06					
145	3998	.01	.06	.07					
146	3999	TR	.04	.04					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

330 - 355 Burrard Street

Vancouver, B.C. V6C 2G8

Certificate No. K-3953

Date May 15, 1981

I hereby certify that the following are the results of assays made by us upon the herein described VANGORDA samples #125

Kral No.	Marked	Pb	Zn	Pb&Zn						
		percent	percent	%						
1	2112	.44	1.11	1.55						
2	2113	1.96	4.92	6.88						
3	2116 81-VR-16✓	3.20 ^{xx}	3.80	7.00						
4	2117	1.45	1.14	2.59						
5	2118	1.29	1.21	2.50						
6	2119	1.38	1.40	2.78						
7	2139	2.90	5.30	8.20						
8	2140	3.60 ^y	5.70	9.30						
9	2142	3.15 ^y	4.71	7.86						
10	2143 81-VR-18✓	3.00	4.40	7.40						
11	2144	1.80	2.90	4.70						
12	2145	2.01	2.60	4.61						
13	2150	.71 ^{xxxx}	1.25	1.96						
14	2153 81-VR-19✓	1.82	2.86	4.68						
15	2156	.80	.85	1.65						
16	2163 81-VR-20✓	1.56	2.80	4.36						
17	2164	1.36	2.75	4.11						
18	2176	.21	.59	.80						
19	2178	.12	.56	.68						
20	3705 81-VR-01✓	6.80	4.40	11.20						

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-3953 2

Date May 15, 1981

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Pb	Zn	Pb & Zn					
		percent	percent	%					
21	3706	3.10	3.70	6.80					
22	3711	1.12	.90	2.02					
23	3716	1.10	1.46	1.56					
24	3717	1.66	1.96	3.62					
25	3741	.17 _{xx}	.72	.89					
26	3744	1.87	2.00	3.87					
27	3745	3.79	3.52	7.31					
28	3746	4.20 _x	4.60	8.80					
29	3748	.21	.30	.51					
30	3749	.33	.58	.91					
31	3750	1.28	1.69	2.97					
32	3751	1.24	2.90	4.14					
33	3752	.60	1.29	1.89					
34	3753	.40	.97	1.37					
35	3754	.99	1.92	2.91					
36	3755	3.40	4.90	8.30					
37	3757	1.67 _x	1.68	3.35					
38	3758	1.14	1.58	2.72					
39	3759	.37 _{xx}	.76	1.13					
40	3762	.12	.39	.51					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-3953 3

Date May 15, 1981

I hereby certify that the following are the results of assays made by us upon the herein described VANGORDA samples

Kral No.	Marked	Pb	Zn	Pb & Zn						
		percent	percent	%						
41	3763	81-VR-02 ✓	.10	.40	.50					
42	3764		.13	.37	.50					
43	3765		.06	.22	.28					
44	3821	81-VR-05 ✓	3.31 ^x	6.03	9.34					
45	3823		1.73 ^x	1.90	3.63					
46	3824		1.13 ^x	.88	2.01					
47	3827		2.64 ^x	2.95	5.59					
48	3828		.53	.62	1.15					
49	3829		.35	.58	.93					
50	3830		.50	1.04	1.54					
51	3831		.93 ^x	1.74	2.67					
52	3834	.17 ^x	.29	.46						
53	3835	.47	.64	1.11						
54	3836	.10	.35	.45						
55	3837	.12	.41	.53						
56	3838	1.35	.35	1.70						
57	3839	1.34 ^x	.25	1.59						
58	3841	.11	.12	.23						
59	3868	81-VR-07 ✓	1.46	1.39	2.85					
60	3869		2.90	3.20	6.10					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-3953 4

Date May 19, 1981

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Pb percent	Zn percent	Pb & Zn %				
61	3870	5.30	4.90	10.20				
62	3871	4.10	4.90	9.00				
63	3872	2.99 ^x	3.59	6.58				
64	3874	2.10	2.70	4.80				
65	3875	.68	.75	1.43				
66	3879 <i>81-VR-07V</i>	6.32 ^{xxx}	9.02	15.34				
67	3880	3.00	3.90	6.90				
68	3881	1.71	1.93	3.64				
69	3882	.37	.62	.99				
70	3883	1.42	1.89	3.31				
71	3884	1.40	1.38	2.78				
72	3885	.53	.77	1.30				
73	3886	.31	.46	.77				
74	3888	.24 ^x	.48	.72				
75	3890	.09 ^x	.18	.27				
76	3893	.08 ^{xx}	.18	.26				
77	3895	.10 ^x	.20	.30				
78	3906 <i>81-VR-08V</i>	.38	.28	.66				
79	3907	2.80	2.80	5.60				
80	3908	1.73	4.49	6.22				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-3953 5

Date May 19, 1981

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Pb	Zn	Pb & Zn					
		percent	percent	%					
81	3909	2.50 _x	2.70	5.20					
82	3912	.10	.23	.33					
83	3913	.14	.98	1.12					
84	3914	.33	.75	1.08					
85	3917	2.48	4.97	7.45					
86	3918	4.30	3.90	8.20					
87	3919	5.20	6.40	11.60					
88	3920	4.10	7.00	11.10					
89	3921	6.31	6.88	13.19					
90	3922	6.10	5.80	11.90					
91	3923	3.10	3.70	6.80					
92	3924	1.39	1.45	2.84					
93	3925	.64 _x	.86	1.50					
94	3927	.64	1.08	1.72					
95	3928	.56	.91	1.47					
96	3929	.41	.62	1.03					
97	3930	.54	.63	1.17					
98	3931	.22	.44	.66					
99	3932	.13	.34	.47					
100	3933	.16	.30	.46					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-3953 6

Date May 19, 1981

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Pb	Zn	Pb & Zn				
		percent	percent	%				
101	3934	.66	1.04	1.70				
102	3935	1.03	2.60	3.63				
103	3936	.17 _x	.89	1.06				
104	3938	.15 _x	.33	.48				
105	3940	.07 _x	.24	.31				
106	3941	.03	.19	.22				
107	3942	.02	.06	.08				
108	3943	.02	.06	.08				
109	3953	1.68	2.97	4.65				
110	3954	1.27 _x	2.23	3.50				
111	3956	6.16 _{xx}	6.68	12.84				
112	3959	.60	1.01	1.61				
113	3960	.97 _{xx}	1.52	2.49				
114	3963	.27	.42	.69				
115	3964	.73	.42	1.15				
116	3965	3.90	4.80	8.70				
117	3966	2.30 _x	3.40	5.70				
118	3968	6.10 _x	7.70	13.80				
119	3970	7.70 _x	10.60	18.30				
120	3972	6.64 _x	8.26	14.90				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-3953 7

Date May 19, 1981

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Pb	Zn	Pb & Zn					
		percent	percent	%					
121	3973 81-VR-12	7.93	8.49	16.42					
122	3974	5.70	6.49	12.19					
123	3975	2.03	2.79	4.82					
124	3976	1.12	1.56	2.68					
125	3977	.64	1.03	1.67					
126	3879 3079 81-VR-13	6.33	8.82	15.15		Already	reported	K-3953	p4 P.S.

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.
330 - 355 Burrard Street
Vancouver, B.C. V6C 2G8

Certificate No. K-4037

Date May 28, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda rotary samples #122

Kral No.	Marked	Pb	Zn						
		percent	percent						
1	2138	1.79	3.13						
2	2146	.97	1.95	18					
3	2147	2.42	3.10						
4	2155	.70	.69						
5	2157	.52	.67						
6	2159	1.17	1.08	19					
7	2166	1.40	1.65						
8	2167	.51	.73						
9	2168	.23	.35						
10	2171	1.58	1.97	20					
11	2174	.15	.58						
12	2190	2.22	2.69	21					
13	2197	1.83	1.96	22	(cont page 3)				
14	2198	1.82	1.86						
15	2199	2.06	2.01						
16	2200	2.62	2.96	23	(cont page 3)				
17	2204	.74	.18						
18	2205	.56	.43						
19	2207	1.87	1.54	31					
20	2208	1.79	1.54	↓					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4037 2

Date May 28, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda rotary samples

Kral No.	Marked	Pb	Zn						
		percent	percent						
21	2209	.72	.83	31					
22	2211	1.34	1.87						
23	2233	8.29	6.77						
24	2235	2.10	2.23						
25	2237	.81	1.22	33					
26	2238	.63	1.36						
27	2239	.60	1.42						
28	2240	.65	1.79						
29	2241	2.73	2.69						
30	2242	2.80	3.12						
31	2243	2.64	3.09						
32	2246	3.72	5.32						
33	2247	.30	.74	34 (cont page 6)					
34	2248	.42	.58						
35	2249	.23	.45						
36	2250	.27	.59						
37	2251	.16	.31	27 cont. see page 5.					
38	2253	.41	.04						
39	2254	.22	.24						
40	2255	.36	.37	28 ↓					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4037 3

Date May 28, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda Rotary samples

Kral No.	Marked	Pb	Zn						
		percent	percent						
41	2257	.67	.41	28					
42	2265	.03	.16						
43	2269	4.04	7.83						
44	2274	1.60	2.75						
45	2276	2.51	3.33						
46	2278	.39	.64	29					
47	2280	.47	.72						
48	2284	.52	.86						
49	2286	.55	.85						
50	2289	.09	.43						
51	2293	.17	.47						
52	2295	.05	.25	30 cont					
53	2297	.26	.63						
54	2299	1.28	1.78						
55	2304	3.38	2.71						
56	2305	5.53	3.99						
57	2308	1.96	2.11	27 cont (see page 1.)					
58	2309	2.00	2.24						
59	2318	.05	.38						
60	2320	1.42	3.63	22 cont (see page 1.)					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.



Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4037 4

Date May 28, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda Rotary samples

Kral No.	Marked	Pb	Zn						
		percent	percent						
61	2321	3.08	5.24	22 cont					
62	2331	2.17	3.73						
63	2332	1.82	2.93						
64	2333	3.63	3.25						
65	2336	.38	1.28	24					
66	2340	.85	1.40						
67	2345	5.53	5.06						
68	2347	3.40	3.48						
69	2348	1.34	1.85						
70	2351	2.77	4.10	25					
71	2354	.28	.69						
72	2355	.86	1.09						
73	2363	1.05	1.05						
74	2366	.74	.88						
75	2369	.24	.33						
76	2370	.59	.59	26					
77	2372	.17	.38						
78	2374	.09	1.11						
79	2377	1.97	2.71						
80	2379	2.46	2.78	27 ↓					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4037 5

Date May 28, 1981

I hereby certify that the following are the results of assays made by us upon the herein described

Vangorda
Rotary samples

Kral No.	Marked	Pb	Zn						
		percent	percent						
81	2381	.75	1.06						
82	2383	3.35	3.96						
83	2385	1.32	2.45						
84	2391	.07	.22						
85	2392	.15	.66						
86	2393	3.61	7.82						
87	2398	.19	.51						
88	2399	.18	.48						
89	3710	1.54	1.56						
90	3713	.63	1.05						
91	3731	.04	.07						
92	3732	.03	.06						
93	3747	.18	.23						
94	3756	2.85	2.76						
95	3761	.07	.26						
96	3832	.58	1.73						
97	3833	.18	.49						
98	3873	2.81	3.34						
99	3876	.52	.38						
100	3877	1.31	1.16						

27 (cont see page 12)

01

02

05

07

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4037 6

Date May 28, 1981

I hereby certify that the following are the results of assays made by us upon the herein described

Vangorda
Rotary samples

Kral No.	Marked	Pb	Zn						
		percent	percent						
101	3878	4.99	7.97						
102	3887	.43	.49						
103	3889	.09	.24	07					
104	3891	.10	.16						
105	3894	.11	.27						
106	3903	.17	.24						
107	3904	.08	.22	08					
108	3926	1.38	1.90						
109	3937	.52	.66						
110	3939	.07	.37	09					
111	3955	3.13	4.43						
112	3957	2.81	3.05						
113	3958	.72	1.16						
114	3961	.60	.85	11					
115	3962	.31	.66						
116	3967	5.88	8.05						
117	3969	12.27	17.50	12					
118	6003	.20	1.70						
119	6004	.23	1.27						
120	6005	1.88	4.94	34	(cont page 2)				
				↓					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4037 7

Date May 28, 1981

Vangorda

I hereby certify that the following are the results of assays made by us upon the herein described Rotary samples

Kral No.	Marked	Pb	Zn							
		percent	percent							
121	6006	3.37	5.38	34						
122	6007	.53	1.19							

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.
330 - 355 Burrard Street
Vancouver, B.C. V6C 2G8


Certificate No. K-4068

Date June 8, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Percussion Drill samples #140

Kral No.	Marked	Pb	Zn						
		percent	percent						
	81-VR-16								
1	2114	4.60	7.20						
2	2115	4.50	6.80						
3	81-VR-18 2141	3.40	4.70						
4	2148	1.03	2.30						
5	2149	.55	1.26						
6	81-VR-19 2154	.55	.96						
7	2158	2.50	2.40						
8	2160	.51	.35						
9	2161	1.77	1.06						
10	2162	.46	.50						
11	81-VR-20 2165	.82	1.32						
12	2169	.15	.29						
13	2170	2.90	3.90						
14	2172	3.10	5.20						
15	2173	2.10	3.90						
16	2175	.51	1.00						
17	2177	.15	.49						
18	2183	2.10	2.10						
19	81-VR-21 2184	3.10	3.40						
20	2185	3.30	3.20						

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.



Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4068 2

Date June 8, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Percussion
Drill samples

Kral No.	Marked	Pb	Zn						
		percent	percent						
	81-VR-21								
21	2186	5.60	4.60						
22	2188	5.00	5.40						
23	2189	3.70	3.60						
24	2192	1.22	1.68						
25	2193	.94	1.54						
26	2194	.77	1.06						
27	2195	1.52	3.00						
28	2196	1.20	3.30						
29	2201	.25	.03						
30	2202	.11	.06						
	81-VR-31								
31	2203	.17	.04						
32	2206	.79	.45						
33	2210	.07	.20						
34	2212	1.11	1.26						
35	2225	.78	.85						
36	2226	2.20	2.30						
37	2227	1.43	1.71						
38	2228	1.59	1.70						
39	2229	3.20	5.80						
40	2230	3.60	7.30						

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.



 Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4068 3

Date June 8, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Percussion Drill samples

Kral No.	Marked	Pb	Zn						
	81-VR-33	percent	percent						
41	2231	3.50	6.70						
42	2232	3.90	6.50						
43	2234	5.50	5.60						
44	2236	.87	1.21						
45	2252	.97	.03						
46	81-VR-28	2256	.40	.41					
47	2258	.32	.45						
48	2259	.26	.29						
49	2260	.25	.26						
50	2261	.26	.14						
51	2262	.53	.89						
52	2263	1.09	2.29						
53	81-VR-29	2264	.02	.20					
54	2266	.93	1.72						
55	2267	4.00	6.80						
56	2268	4.30	9.13						
57	2270	1.47	2.90						
58	2271	1.08	1.64						
59	2272	1.23	2.30						
60	2273	1.10	2.02						

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

 Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4068 4

Date June 8, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Percussion
Drill samples

Kral No.	Marked	Pb	Zn							
		percent	percent							
	81-VR-29									
61	2275	3.00	4.90							
62	2277	.36	.59							
63	2279	.44	.82							
64	2281	.55	.66							
65	2282	.34	.63							
66	2283	.29	.50							
67	2285	.57	.84							
68	2287	.07	.26							
69	2288	.11	.31							
70	2290	.27	.96							
	81-VR-30									
71	2291	.04	.43							
72	2292	.08	.40							
73	2294	.16	.47							
74	2296	.11	.34							
75	2298	.96	1.69							
76	81-VR-31 2300	.23	.03							
77	2301	1.05	1.67							
78	81-VR-23 2302	.78	.54							
79	2303	.39	.28							
80	2306	2.60	2.90							

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4068 5

Date June 8, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Percussion
Drill samples

Kral No.	Marked	Pb	Zn							
		percent	percent							
81	2307	1.03	1.00							
82	2310	.25	.53							
83	2311	.07	.63							
84	2312	.07	.92							
85	2322	2.20	3.20							
86	2323	.56	.65							
87	2324	.75	.86							
88	2325	.74	1.16							
89	2326	.28	.68							
90	2327	.45	.77							
91	2328	4.20	5.50							
92	2329	4.20	5.10							
93	2330	3.40	4.10							
94	2334	2.80	2.80							
95	2335	.68	1.32							
96	2337	.81	1.08							
97	2338	.09	.57							
98	2339	.12	.59							
99	2342	.19	.07							
100	2343	3.00	5.30							

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4068 6

Date June 8, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Percussion
Drill samples

Kral No.	Marked	Pb	Zn							
		percent	percent							
	81-VR-25									
101	2344	3.40	.54							
102	2346	6.90	6.80							
103	2349	.69	.72							
104	2352	1.32	1.41							
105	2353	.46	1.06							
106	2356	7.20	1.84							
	81-VR-26									
107	2357	5.90	2.40							
108	2358	5.70	5.00							
109	2359	6.00	6.50							
110	2360	3.90	4.20							
111	2361	.84	1.85							
112	2362	3.40	4.50							
113	2364	.96	1.50							
114	2365	2.10	2.30							
115	2367	.45	.54							
116	2368	1.18	1.29							
117	2371	.11	.33							
118	2373	.06	.41							
119	2375	.02	.36							
120	2376	.09	.20							

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4068 7

Date June 8, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Percussion
Drill samples

Kral No.	Marked	Pb	Zn						
		percent	percent						
	81-VR-26								
121	2378	.74	.93						
122	2380	3.00	2.60						
123	2382	2.40	2.60						
124	81-VR-27 2384	2.90	4.00						
125	2386	.20	.38						
126	2387	.54	1.01						
127	2388	.48	.80						
128	2389	.25	.29						
129	2390	.08	.28						
130	2394	5.90	6.10						
131	2395	1.47	2.04						
132	2396	1.00	2.06						
133	2397	.88	1.38						
134	2400	.21	.37						
135	81-VR-05 3822	4.00	5.10						
136	3826	4.20	3.40						
137	3840	.22	.21						
138	3842	.21	.15						
139	81-VR-08 3897	1.44	1.35						
140	81-VR-12 3971	5.70	9.00						

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia