


Bondar-Clegg & Company Ltd.  
 130 Peinberton Ave.  
 North Vancouver, B.C.  
 Canada V7P 2R5  
 Phone: (604) 985-0681  
 Telex: 04-352667



**BONDAR-CLEGG**

**Certificate  
 of Analysis**

019085

REPORT: V88-02901.5 ( COMPLETE )

REFERENCE INFO:

CLIENT: CURRAGH RESOURCES CORP.  
 PROJECT: NONE GIVEN

SUBMITTED BY: UNKNOWN  
 DATE PRINTED: 26-MAY-88


| ORDER | ELEMENT                               | NUMBER OF ANALYSES | LOWER DETECTION LIMIT | EXTRACTION        | METHOD            |
|-------|---------------------------------------|--------------------|-----------------------|-------------------|-------------------|
| 1     | Ag Silver                             | 20                 | 0.02 OPT              | MULT ACID TOT DIG | Atomic Absorption |
| 2     | Pb Lead                               | 20                 | 0.01 PCT              |                   | Atomic Absorption |
| 3     | Zn Zinc                               | 20                 | 0.01 PCT              |                   | Atomic Absorption |
| 4     | CGraph Graphitic Carbon <sup>??</sup> | 26                 | 0.02 PCT              |                   | Leco              |
| 5     | FeTot Iron (Total)                    | 20                 | 0.01 PCT              |                   | Titrametric       |
| 6     | SOL FE SOL FE IN 25% HCL              | 20                 | 0.01 PCT              |                   | Atomic Absorption |

| SAMPLE TYPES    | NUMBER | SIZE FRACTIONS | NUMBER | SAMPLE PREPARATIONS           | NUMBER |
|-----------------|--------|----------------|--------|-------------------------------|--------|
| P PREPARED PULP | 45     | 4 AS REC'D     | 45     | AS RECEIVED, NO SP FAX CHARGE | 45     |

REPORT COPIES TO: MR. CAM REED

INVOICE TO: ATTN: ACCOUNTS PAYABLE

1





REPORT: V88-02901.5

PROJECT: NONE GIVEN

PAGE 2

| SAMPLE NUMBER     | ELEMENT UNITS | Ag OPT | Pb PCT | Zn PCT | CGraph PCT | FeTot PCT | SOL FE PCT |
|-------------------|---------------|--------|--------|--------|------------|-----------|------------|
| P4 HOLE #8 11259  |               |        |        |        | 0.07       |           |            |
| P4 HOLE #8 11265  |               | 2.72   | 7.54   | 8.60   |            | 20.30     | 9.10       |
| P4 HOLE #8 11285  |               | 0.32   | 0.12   | 0.13   |            | 28.36     | 3.30       |
| P4 HOLE #12 11221 |               |        |        |        | 0.55       |           |            |
| P4 HOLE #18 11300 |               |        |        |        | 0.21       |           |            |

  
 Registered Assayer, Province of British Columbia




REPORT: V88-02901.5

PROJECT: NONE GIVEN

PAGE 1

| SAMPLE NUMBER    | ELEMENT UNITS | Ag OPT | Pb PCT | Zn PCT | CGraph PCT | FeTot PCT | SOL FE PCT |
|------------------|---------------|--------|--------|--------|------------|-----------|------------|
| P4 HOLE #1 11153 |               | 2.76   | 5.21   | 8.20   |            | 12.90     | 1.90       |
| P4 HOLE #1 11173 |               | 0.28   | 0.55   | 0.41   |            | 22.13     | 6.15       |
| P4 HOLE #1 11181 |               |        |        |        | <0.05      |           |            |
| P4 HOLE #1 11182 |               |        |        |        | <0.05      |           |            |
| P4 HOLE #1 11183 |               |        |        |        | 0.06       |           |            |
| P4 HOLE #2 11412 |               | 0.80   | 2.83   | 5.23   |            | 23.34     | 1.95       |
| P4 HOLE #2 11432 |               | 0.19   | 0.08   | 0.22   |            | 12.85     | 3.70       |
| P4 HOLE #3 11364 |               |        |        |        | 0.45       |           |            |
| P4 HOLE #3 11366 |               |        |        |        | 0.78       |           |            |
| P4 HOLE #3 11367 |               |        |        |        | 0.26       |           |            |
| P4 HOLE #3 11374 |               | 2.28   | 6.25   | 8.60   |            | 19.58     | 12.70      |
| P4 HOLE #4 11016 |               | 2.07   | 4.70   | 6.95   |            | 18.31     | 5.56       |
| P4 HOLE #4 11017 |               | 1.78   | 4.49   | 7.30   |            | 13.26     | 4.80       |
| P4 HOLE #4 11022 |               | 1.33   | 3.10   | 8.00   |            | 19.74     | 3.40       |
| P4 HOLE #4 11039 |               |        |        |        | 0.10       |           |            |
| P4 HOLE #4 11040 |               |        |        |        | 0.10       |           |            |
| P4 HOLE #4 11042 |               | 0.45   | 1.43   | 0.27   |            | 8.70      | 7.73       |
| P4 HOLE #5 11440 |               |        |        |        | 0.33       |           |            |
| P4 HOLE #5 11443 |               |        |        |        | 0.14       |           |            |
| P4 HOLE #5 11455 |               | 2.06   | 4.50   | 7.00   |            | 16.83     | 2.18       |
| P4 HOLE #5 11459 |               | 0.68   | 1.58   | 1.69   |            | 39.98     | 11.00      |
| P4 HOLE #5 11477 |               | 0.19   | 0.47   | 0.46   |            | 21.11     | 5.99       |
| P4 HOLE #5 11484 |               | 0.73   | 2.00   | 2.35   |            | 28.76     | 11.90      |
| P4 HOLE #6 11069 |               | 0.40   | 0.74   | 1.34   |            | 27.64     | 10.10      |
| P4 HOLE #6 11081 |               |        |        |        | 0.14       |           |            |
| P4 HOLE #6 11082 |               |        |        |        | 0.10       |           |            |
| P4 HOLE #6 11083 |               |        |        |        | <0.05      |           |            |
| P4 HOLE #6 11089 |               | 0.31   | 0.71   | 2.00   |            | 27.34     | 10.20      |
| P4 HOLE #7 11310 |               |        |        |        | 0.07       |           |            |
| P4 HOLE #7 11311 |               |        |        |        | 0.69       |           |            |
| P4 HOLE #7 11313 |               |        |        |        | 0.57       |           |            |
| P4 HOLE #7 11314 |               |        |        |        | 0.60       |           |            |
| P4 HOLE #7 11316 |               | 0.75   | 1.51   | 2.90   | 0.50       | 7.04      | 4.72       |
| P4 HOLE #7 11319 |               |        |        |        | 1.05       |           |            |
| P4 HOLE #7 11320 |               |        |        |        | 0.76       |           |            |
| P4 HOLE #7 11336 |               | 0.35   | 0.56   | 0.82   |            | 30.35     | 2.70       |
| P4 HOLE #7 11356 |               | 0.05   | 0.01   | 0.04   |            | 11.37     | 4.82       |
| P4 HOLE #8 11246 |               |        |        |        | 0.24       |           |            |
| P4 HOLE #8 11254 |               |        |        |        | 0.16       |           |            |
| P4 HOLE #8 11255 |               |        |        |        | <0.05      |           |            |



REPORT: V88-112972.6

PROJECT: NONE GIVEN

PAGE 1

| SAMPLE NUMBER | ELEMENT UNITS | CGraph PCT |
|---------------|---------------|------------|
|---------------|---------------|------------|

| SAMPLE NUMBER | ELEMENT UNITS | CGraph PCT |
|---------------|---------------|------------|
|---------------|---------------|------------|

|                  |  |      |
|------------------|--|------|
| P4 HOLE #9 30201 |  | 0.70 |
| P4 HOLE #9 30202 |  | 0.14 |
| P4 HOLE #9 30204 |  | 0.61 |
| P4 HOLE #9 30205 |  | 1.17 |
| P4 HOLE #9 30206 |  | 0.85 |

|                   |  |      |
|-------------------|--|------|
| P4 HOLE #27 30255 |  | 0.47 |
| P4 HOLE #27 30256 |  | 0.43 |
| P4 HOLE #27 30257 |  | 0.38 |
| P4 HOLE #27 30258 |  | 0.43 |
| P4 HOLE #27 30259 |  | 0.40 |

|                   |  |      |
|-------------------|--|------|
| P4 HOLE #9 30207  |  | 0.33 |
| P4 HOLE #10 30614 |  | 0.30 |
| P4 HOLE #10 30615 |  | 0.68 |
| P4 HOLE #10 30616 |  | 0.68 |
| P4 HOLE #10 30617 |  | 0.94 |

|                   |  |       |
|-------------------|--|-------|
| P4 HOLE #27 30260 |  | 0.43  |
| P4 HOLE #27 30261 |  | 0.38  |
| P4 HOLE #27 30262 |  | 0.47  |
| P4 HOLE #27 30263 |  | <0.05 |
| P4 HOLE #27 30264 |  | 0.57  |

|                   |  |      |
|-------------------|--|------|
| P4 HOLE #10 30618 |  | 0.68 |
| P4 HOLE #10 30619 |  | 0.61 |
| P4 HOLE #10 30620 |  | 0.66 |
| P4 HOLE #10 30621 |  | 0.47 |
| P4 HOLE #10 30623 |  | 0.33 |

|                   |  |       |
|-------------------|--|-------|
| P4 HOLE #27 30265 |  | <0.05 |
| P4 HOLE #27 30266 |  | 0.76  |
| P4 HOLE #27 30267 |  | 0.90  |
| P4 HOLE #27 30268 |  | 1.42  |
| P4 HOLE #27 30269 |  | 1.66  |

|                   |  |      |
|-------------------|--|------|
| P4 HOLE #11 30299 |  | 0.50 |
| P4 HOLE #11 30300 |  | 0.42 |
| P4 HOLE #11 30301 |  | 0.39 |
| P4 HOLE #11 30302 |  | 0.42 |
| P4 HOLE #11 30303 |  | 0.42 |

|                   |  |      |
|-------------------|--|------|
| P4 HOLE #27 30270 |  | 1.16 |
| P4 HOLE #27 30271 |  | 0.66 |
| P4 HOLE #27 30272 |  | 0.80 |
| P4 HOLE #27 30273 |  | 1.04 |
| P4 HOLE #27 30274 |  | 0.90 |

|                   |  |      |
|-------------------|--|------|
| P4 HOLE #11 30304 |  | 0.52 |
| P4 HOLE #11 30305 |  | 0.94 |
| P4 HOLE #11 30306 |  | 0.05 |
| P4 HOLE #11 30308 |  | 0.80 |
| P4 HOLE #11 30309 |  | 1.36 |

|                   |  |      |
|-------------------|--|------|
| P4 HOLE #27 30275 |  | 0.77 |
| P4 HOLE #27 30276 |  | 0.72 |
| P4 HOLE #27 30277 |  | 0.86 |

|                   |  |      |
|-------------------|--|------|
| P4 HOLE #11 30310 |  | 1.03 |
| P4 HOLE #11 30311 |  | 0.30 |
| P4 HOLE #16 11495 |  | 0.42 |
| P4 HOLE #16 11496 |  | 0.47 |
| P4 HOLE #21 30370 |  | 1.97 |

|                   |  |      |
|-------------------|--|------|
| P4 HOLE #21 30371 |  | 2.82 |
| P4 HOLE #21 30372 |  | 1.36 |
| P4 HOLE #21 30373 |  | 1.83 |
| P4 HOLE #21 30375 |  | 0.52 |
| P4 HOLE #22 30350 |  | 0.14 |

|                   |  |      |
|-------------------|--|------|
| P4 HOLE #25 30167 |  | 0.85 |
| P4 HOLE #25 30190 |  | 0.05 |
| P4 HOLE #25 30251 |  | 0.24 |
| P4 HOLE #27 30253 |  | 0.19 |
| P4 HOLE #27 30254 |  | 0.62 |

VANGORDA Sample #'s to be assayed for organic carbon  
 Number of Samples: 93

(In addition to S.G + Au)

| DDHID  | GEO SAMP# | ROCK TYPE | FROM (ft) | TO (ft) | REC. (ft) | DDHID  | GEO SAMP# | ROCK TYPE | FROM (ft) | TO (ft) | REC. (ft) |
|--------|-----------|-----------|-----------|---------|-----------|--------|-----------|-----------|-----------|---------|-----------|
| 87V-03 | 11364     | 4A4#      | 112.3     | 117.8   | 6.5       | 87V-16 | 11495     | 4A4       | 61.9      | 65.0    | 3.8       |
| 87V-03 | 11366     | 4A4#      | 120.2     | 123.7   | 4.3       | 87V-16 | 11496     | 4A4       | 65.0      | 68.5    | 3.5       |
| 87V-03 | 11367     | 4A4#      | 123.7     | 128.2   | 4.5       | 87V-18 | 11300     | 4A4       | 29.3      | 32.6    | 2.8       |
| 87V-04 | 11039     | 4A3       | 213.0     | 219.0   | 7.2       | 87V-20 | 30357     | 4A4       | 75.8      | 80.0    | 4.3       |
| 87V-04 | 11040     | 4A3       | 219.0     | 224.1   | 5.0       | 87V-20 | 30358     | 4A4       | 80.0      | 83.4    | 3.6       |
| 87V-05 | 11440     | 4A4#      | 134.1     | 138.5   | 4.4       | 87V-20 | 30359     | 4A0       | 83.4      | 87.8    | 5.2       |
| 87V-05 | 11443     | 4A4#      | 146.8     | 149.4   | 3.6       | 87V-20 | 30360     | 4A0       | 87.8      | 92.3    | 5.3       |
| 87V-06 | 11081     | 4A3       | 240.5     | 245.0   | 4.8       | 87V-21 | 30370     | 5A196     | 81.6      | 86.0    | 5.1       |
| 87V-06 | 11082     | 4A3       | 245.0     | 251.0   | 5.3       | 87V-21 | 30371     | 5A196     | 86.0      | 89.5    | 4.7       |
| 87V-06 | 11083     | 4A3       | 251.0     | 254.8   | 5.0       | 87V-21 | 30372     | 5A196     | 89.5      | 93.3    | 5.0       |
| 87V-07 | 11310     | 4A4       | 92.0      | 97.5    | 5.5       | 87V-21 | 30373     | 5A196     | 93.3      | 97.1    | 5.0       |
| 87V-07 | 11311     | 4A4       | 97.5      | 102.5   | 5.8       | 87V-25 | 30251     | 4A0       | 90.0      | 95.0    | 1.0       |
| 87V-07 | 11313     | 4A4       | 107.2     | 111.0   | 4.5       | 87V-25 | 30167     | 4A0       | 95.0      | 109.1   | 1.5       |
| 87V-07 | 11314     | 4A4       | 111.0     | 117.5   | 4.9       | 87V-25 | 30190     | 4AL       | 201.9     | 205.0   | 1.3       |
| 87V-07 | 11316     | 4A0       | 119.2     | 124.9   | 6.3       | 87V-27 | 30253     | 4A4       | 100.9     | 106.8   | 4.5       |
| 87V-07 | 11319     | 4A4       | 135.5     | 139.4   | 4.6       | 87V-27 | 30254     | 4A4       | 106.8     | 109.8   | 3.9       |
| 87V-07 | 11320     | 4A4       | 139.4     | 144.3   | 5.1       | 87V-27 | 30255     | 4A0       | 109.8     | 115.0   | 4.6       |
| 87V-08 | 11246     | 4A4       | 70.6      | 72.9    | 2.3       | 87V-27 | 30256     | 4A0       | 115.0     | 119.4   | 4.7       |
| 87V-08 | 11254     | 4A4       | 96.4      | 103.3   | 6.4       | 87V-27 | 30257     | 4A0       | 119.4     | 123.9   | 4.9       |
| 87V-08 | 11255     | 4A4       | 103.3     | 108.3   | 6.4       | 87V-27 | 30258     | 4A0       | 123.9     | 128.3   | 4.8       |
| 87V-08 | 11259     | 4A4       | 118.9     | 124.5   | 6.1       | 87V-27 | 30259     | 4A0       | 128.3     | 132.1   | 4.7       |
| 87V-09 | 30201     | 4A0       | 67.0      | 72.0    | 1.0       | 87V-27 | 30260     | 4A0       | 132.1     | 137.0   | 5.0       |
| 87V-09 | 30202     | 4AC       | 72.0      | 77.4    | 7.7       | 87V-27 | 30261     | 4A0       | 137.0     | 141.1   | 4.6       |
| 87V-09 | 30204     | 4A0       | 79.8      | 85.1    | 6.2       | 87V-27 | 30262     | 4A0       | 141.1     | 145.1   | 4.9       |
| 87V-09 | 30205     | 4A0       | 85.1      | 90.4    | 5.6       | 87V-27 | 30263     | 4A0       | 145.1     | 149.5   | 4.9       |
| 87V-09 | 30206     | 4A4       | 90.4      | 94.9    | 5.0       | 87V-27 | 30264     | 4A0       | 149.5     | 154.0   | 5.0       |
| 87V-09 | 30207     | 4A4       | 94.9      | 99.5    | 5.0       | 87V-27 | 30265     | 4A0       | 154.0     | 157.7   | 5.0       |
| 87V-10 | 30614     | 4A4       | 62.0      | 67.0    | 2.5       | 87V-27 | 30266     | 4A0       | 157.7     | 162.6   | 4.4       |
| 87V-10 | 30615     | 4A4       | 67.0      | 72.0    | 3.7       | 87V-27 | 30267     | 4A0       | 162.6     | 167.5   | 4.4       |
| 87V-10 | 30616     | 4A4       | 72.0      | 77.0    | 5.0       | 87V-27 | 30268     | 4A0       | 167.5     | 174.0   | 5.0       |
| 87V-10 | 30617     | 4A4       | 77.0      | 81.3    | 4.9       | 87V-27 | 30269     | 4A0       | 174.0     | 178.0   | 4.7       |
| 87V-10 | 30618     | 4A4       | 81.3      | 85.0    | 4.6       | 87V-27 | 30270     | 4A0       | 178.0     | 182.0   | 4.9       |
| 87V-10 | 30619     | 4A4       | 85.0      | 90.0    | 5.9       | 87V-27 | 30271     | 4A0       | 182.0     | 186.5   | 4.8       |
| 87V-10 | 30620     | 4A4       | 90.0      | 97.0    | 4.7       | 87V-27 | 30272     | 4A0       | 186.5     | 191.0   | 4.8       |
| 87V-10 | 30621     | 4A4       | 97.0      | 104.6   | 7.5       | 87V-27 | 30273     | 4A0       | 191.0     | 195.1   | 4.7       |
| 87V-10 | 30623     | 4A4       | 109.0     | 112.4   | 3.6       | 87V-27 | 30274     | 4A0       | 195.1     | 199.7   | 4.5       |
| 87V-11 | 30299     | 4A4       | 82.0      | 85.0    | 3.7       | 87V-27 | 30275     | 4A4       | 199.7     | 204.0   | 4.7       |
| 87V-11 | 30300     | 4A0       | 85.0      | 89.7    | 5.0       | 87V-27 | 30276     | 4A4       | 204.0     | 207.8   | 4.2       |
| 87V-11 | 30301     | 4A0       | 89.7      | 94.6    | 5.1       | 87V-27 | 30277     | 4A4       | 207.8     | 212.1   | 4.3       |
| 87V-11 | 30302     | 4A0       | 94.6      | 98.9    | 5.3       | 87V-01 | 11181     | 4L25      | 189.7     | 195.3   | 6.3       |
| 87V-11 | 30303     | 4A0       | 98.9      | 104.0   | 5.0       | 87V-01 | 11182     | 4L25      | 195.3     | 201.2   | 6.2       |
| 87V-11 | 30304     | 4A0       | 104.0     | 108.7   | 5.3       | 87V-01 | 11183     | 4L25      | 201.2     | 207.3   | 6.3       |
| 87V-11 | 30305     | 4A0       | 108.7     | 113.8   | 5.2       | 87V-21 | 30375     | 4C5       | 102.0     | 104.0   | 2.5       |
| 87V-11 | 30306     | 4A4       | 113.8     | 122.0   | 5.4       | 87V-22 | 30350     | 4E45      | 82.0      | 83.1    | 1.5       |
| 87V-11 | 30308     | 4A0       | 124.3     | 127.5   | 5.0       |        |           |           |           |         |           |
| 87V-11 | 30309     | 4A0       | 127.5     | 131.6   | 4.6       |        |           |           |           |         |           |
| 87V-11 | 30310     | 4A0       | 131.6     | 135.4   | 4.6       |        |           |           |           |         |           |
| 87V-11 | 30311     | 4A0       | 135.4     | 139.8   | 4.7       |        |           |           |           |         |           |
| 87V-12 | 11221     | 4A7       | 238.2     | 242.9   | 4.7       |        |           |           |           |         |           |