



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912-1 LAVAL CRESCENT—KAMLOOPS, B.C.  
V2C 5P5  
PHONE: (604) 372-2784 — TELEX: 048-8320

019104  
B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

## CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

330 - 355 Burrard Street

Vancouver, B.C. V6C 2G8

Certificate No. K-5257

Date December 28, 1982

I hereby certify that the following are the results of assays made by us upon the herein described GRAM samples

Kral No.	Marked	Au	Py	Po	S.G.				
		gms/tonne	percent	percent					
1	2480	.55	3.88	.79	2.96				
2	2481	.34	10.4	.73	3.04				
3	2482	.55	18.2	.87	3.56				
4	2483	.82	19.0	1.06	3.45				
5	2484	.89	18.3	.95	3.42				
6	6249	.41	5.8	2.17	3.05				
7	6250	.27	4.97	2.54	3.55				
8	6535	.34	3.75	3.30	3.40				
9	6536	.27	5.4	4.00	3.16				
10	6539	.82	20.4	2.06	3.61				
11	6540	1.37	20.9	2.58	3.70				
12	6541	.82	19.9	3.48	3.58				
13	6664	.21	13.2	10.9	3.81				
14	6675	.69	18.0	2.01	3.35				
15	6676	.55	18.8	4.46	3.70				
16	6796	.27	9.2	11.3	3.54				
17	6797	.21	9.7	8.4	3.48				
18	6908	.82	11.8	2.97	3.70				
19	6990	.27	2.09	5.8	3.05				
20	6992	.27	1.21	3.84	3.02				

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-5257 2

Date December 28, 1982

**I hereby certify** that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		gms/tonne	percent	percent					
21	6993	.21	.81	1.83	2.81				
22	6994	1.23	1.97	3.07	2.97				
23	7007	.41	15.1	7.1	3.61				
24	7008	.41	13.7	12.0	3.57				
25	7056	.48	6.5	1.33	3.08				
26	7057	.96	7.5	1.44	3.05				
27	7129	.41	16.0	1.21	3.35				
28	7130	1.17	12.5	1.22	3.36				
29	7155	.55	27.2	8.2	4.53				
30	7156	2.81	9.8	5.2	3.60				
31	7176	1.10	13.1	2.65	3.38				
32	7207	.27	25.8	2.70	4.77				
33	7311	.55	14.2	2.22	3.49				
34	7344	.96	19.6	2.68	3.54				
35	7345	1.99	19.6	2.98	3.61				
36	7346	1.51	9.25	9.5	3.50				
37	7365	.62	20.4	3.49	3.56				
38	7366	1.10	22.7	1.47	3.62				
39	7419	.75	23.7	1.92	3.66				
40	7420	1.51	26.5	1.70	3.72				

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
\_\_\_\_\_  
Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.  
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-832U

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5257 3

Date December 28, 1982

I hereby certify that the following are the results of assays made by us upon the herein described GRUM samples

Kral No.	Marked	Au	Py	Po	S.G.				
		gms/tonne	percent	percent					
41	7421	.82	21.0	1.57	3.50				
42	7423	.69	21.3	1.21	3.45				
43	7424	1.10	26.7	2.02	3.72				
44	7425	.69	23.7	1.69	3.60				
45	7426	.89	26.3	2.49	3.67				
46	7454	.96	10.3	1.40	3.04				
47	7455	1.23	13.5	3.00	3.36				
48	7537	.55	2.1	1.23	3.00				
49	7630	.07	8.7	.77	3.10				
50	7646	1.30	25.8	1.99	3.69				
51	7647	.55	20.3	3.06	3.46				
52	7648	.75	19.0	2.65	3.39				
53	7649	1.10	19.2	2.00	3.48				
54	7650	.21	10.0	15.6	3.66				
55	7711	L.01	20.5	4.81	4.08				
56	7811	.34	4.77	2.53	2.93				
57	7812	.41	3.55	1.12	2.89				
58	7813	.89	3.52	1.59	2.97				
59	7815	1.03	14.6	1.23	3.53				
60	7816	.34	3.75	1.45	2.89				

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.  
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-5257 4

Date December 29, 1982

**I hereby certify** that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au gms/tonne	Py percent	Po percent	S.G.				
61	7949	L.01	20.0	4.39	3.54				
62	7984	1.85	11.1	2.26	3.51				
63	8082	.48	7.2	2.07	3.18				
64	8083	.55	12.4	2.65	3.85				
65	8084	1.44	15.8	1.14	3.43				
66	8085	.55	10.0	1.16	3.55				
67	8086	.34	5.1	2.39	3.01				
68	8087	.48	5.7	5.15	3.07				
69	8088	.34	4.35	3.68	2.96				
70	8089	1.17	12.1	6.0	3.53				
71	8304	.41	15.5	8.62	3.80				
72	8305	1.37	23.6	1.17	4.21				
73	8602	.48	6.8	.89	2.89				
74	8603	.62	11.1	2.26	3.10				
75	8604	.34	4.46	2.85	2.91				
76	8605	.41	6.08	.87	2.89				
77	8661	L.01	25.0	14.1	4.29				
78	8662	.21	2.20	23.6	3.53				
79	8663	.48	4.24	1.73	2.95				
80	8670	.21	4.07	2.48	2.91				

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-5257 5

Date December 29, 1982

*I hereby certify* that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		gms/tonne	percent	percent					
81	8671	.21	3.87	2.33	2.86				
82	8673	.07	10.9	9.1	3.25				
83	8674	L.01	15.6	11.2	3.58				
84	8688	.48	24.1	7.8	4.02				
85	8798	.82	15.8	1.90	3.31				
86	8851	2.54	27.6	2.65	3.93				
87	8852	1.58	25.5	2.23	3.73				
88	8922	1.37	23.8	1.75	4.71				
89	8923	.69	13.9	3.62	3.50				
90	8996	.34	4.8	9.3	3.12				
91	9074	.62	13.6	6.6	3.30				
92	9075	.34	13.1	6.4	3.36				
93	9105	.41	6.8	1.78	2.92				
94	9106	.62	5.0	.59	2.89				
95	9112	.69	7.3	.87	2.93				
96	9113	.48	10.9	1.14	3.06				
97	9114	.27	7.4	2.53	2.96				
98	9131	.55	9.0	7.8	3.16				
99	9132	.34	6.1	5.6	2.98				
100	9133	.48	7.7	6.0	3.02				

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
\_\_\_\_\_  
Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.  
V2C 5P5  
PHONE: (604) 372-2784 — TELEX: 048-8320

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

## CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5257 6

Date December 29, 1982

I hereby certify that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Pv	Po	S.G.				
		gms/tonne	percent	percent					
101	9134	.55	15.0	6.7	3.43				
102	9135	.21	14.7	4.20	3.28				
103	9136	.14	9.4	2.90	3.08				
104	9137	.21	6.7	3.35	2.93				
105	9163	.34	7.1	1.79	2.94				
106	9164	.27	5.2	1.55	2.86				
107	9165	.14	5.5	2.10	2.87				
108	9166	.34	8.1	2.12	2.96				
109	9167	.55	3.2	1.83	3.01				
110	9215	.41	8.0	3.22	3.42				
111	9216	.55	6.7	1.45	3.28				
112	9217	.55	8.2	3.20	3.12				
113	9234	.27	14.3	13.0	3.81				
114	9235	L.01	14.6	14.3	3.83				
115	9296	.07	26.4	3.76	4.20				
116	9297	.07	7.0	12.1	3.41				
117	9360	.34	1.65	1.93	2.89				
118	9361	.14	1.96	3.56	2.91				
119	9362	.21	2.54	3.07	2.89				
120	9367	.27	5.4	2.87	2.96				

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

\_\_\_\_\_  
Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-5257 7

Date December 29, 1982

*I hereby certify* that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		gms/tonne	percent	percent					
121	9368	.07	3.69	3.53	2.92				
122	9369	.07	4.03	4.97	2.96				
123	9370	.96	24.2	2.53	4.35				
124	9421	.27	6.5	3.98	3.04				
125	9422	.21	6.8	6.6	3.14				
126	9426	.75	25.4	3.17	4.51				
127	9433	.41	12.0	1.94	3.13				
128	9434	.34	10.8	5.2	3.15				
129	9435	.14	6.6	7.2	3.12				
130	9436	.14	6.9	3.83	3.01				
131	9442	.07	6.2	5.5	3.08				
132	9484	.21	10.8	.98	3.07				
133	9485	.07	14.8	2.12	3.18				
134	9494	.21	6.4	1.12	3.01				
135	9495	.27	10.4	.81	3.08				
136	9506	.55	15.3	2.15	3.91				
137	9507	.96	36.6	5.5	4.51				
138	9508	1.51	34.7	7.9	4.56				
139	9572	.96	20.1	1.91	3.36				
140	9720	.55	17.5	2.42	3.36				

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
\_\_\_\_\_  
Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5257 8

Date December 29, 1982

**I hereby certify** that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		gms/tonne	percent	percent					
141	9721	.75	16.5	2.44	3.37				
142	9722	.75	19.0	2.14	3.46				
143	9723	.82	21.9	1.69	3.54				
144	9736	.14	17.4	5.1	3.39				
145	9737	.21	26.4	6.1	3.88				
146	9738	.41	16.8	5.1	3.38				
147	9739	.14	28.5	11.4	4.23				
148	9740	.21	24.1	8.1	3.81				
149	9741	.55	22.4	5.4	3.57				
150	9742	.48	27.1	4.20	3.78				
151	9743	1.23	28.6	2.10	3.69				
152	9744	1.09	16.1	2.72	3.61				
153	9806	.75	15.9	1.68	3.41				
154	9807	.34	19.5	2.25	3.42				
155	9808	.34	14.3	2.05	3.18				
156	9809	.21	19.3	1.99	3.38				
157	9810	.34	16.0	2.98	3.27				
158	9811	.75	20.4	2.70	3.50				
159	9815	L.01	3.00	2.97	2.87				
160	9816	L.01	2.59	7.41	2.92				

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.  
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-5257 9

Date December 29, 1982

I hereby certify that the following are the results of assays made by us upon the herein described GRUM samples

Kral No.	Marked	Au	Py	Po	S.G.				
		gms/tonne	percent	percent					
161	9817	L.01	4.28	5.44	2.95				
162	9852	.48	12.3	2.50	3.31				
163	9853	.07	11.7	3.92	3.33				
164	9854	.21	14.6	3.76	3.67				
165	9855	.82	12.7	1.73	3.34				
166	9856	.34	10.7	1.90	3.21				
167	9857	.69	19.2	4.58	4.11				
168	9858	1.30	21.3	2.10	4.07				
169	9859	1.65	25.7	.88	4.45				
170	9861	.96	16.1	1.06	3.97				
171	9862	1.17	14.7	1.05	3.78				
172	9863	2.06	11.3	1.50	3.84				
173	9864	.96	10.5	1.31	3.49				
174	9939	.75	17.3	1.90	3.34				
175	9940	.82	20.1	1.95	3.42				
176	9951	1.65	28.9	1.90	4.60				
177	11031	.69	19.8	2.47	3.49				
178	11032	.96	17.2	2.54	3.40				
179	11033	1.99	15.2	2.80	3.66				
180	11100	1.58	21.1	2.21	4.20				

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
\_\_\_\_\_  
Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-5257 10

Date December 29, 1982

**I hereby certify** that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		gms/tonne	percent	percent					
181	11255	.69	11.5	1.40	3.10				
182	11310	1.30	23.5	2.43	3.67				
183	11438	.14	1.62	5.00	2.93				
184	11440	1.10	9.4	2.21	3.47				
185	11459	.69	15.9	2.38	4.37				
186	11505	.41	2.33	2.65	2.91				
187	11506	.55	5.7	1.80	3.00				
188	11532	.34	3.48	1.87	2.88				
189	11533	.69	5.04	1.64	2.95				
190	11543	1.10	13.8	11.3	3.60				
191	11544	.62	13.1	10.1	3.51				
192	11630	.69	9.1	1.47	3.04				
193	11631	.48	9.1	1.43	2.99				
194	11632	.75	10.3	1.60	3.08				
195	11633	.55	5.5	1.61	2.92				
196	11634	.55	6.0	1.51	2.95				
197	11635	.34	3.78	5.4	2.97				
198	11636	.62	7.5	1.76	2.98				
199	11637	.75	7.1	1.42	3.00				
200	11674	.75	8.7	4.28	3.14				

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.  
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5257 11

Date December 29, 1982

I hereby certify that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		gms/tonne	percent	percent					
201	11702	.48	11.5	9.9	3.37				
202	11703	.34	15.3	6.8	3.48				
203	11704	.27	14.6	3.56	3.65				
204	11717	.07	18.4	13.7	3.78				
205	11718	.21	13.2	6.8	3.36				
206	11719	.55	23.8	5.8	3.78				
207	11728	.89	20.7	7.7	3.95				
208	11729	.27	12.0	13.1	3.62				
209	11730	.27	9.9	10.3	3.40				
210	11819	.27	15.0	5.0	3.41				
211	11820	.82	21.5	1.79	3.96				
212	11913	.69	30.5	1.05	4.57				
213	11967	.14	6.0	6.02	2.98				
214	11968	.21	6.0	3.69	2.98				
215	11969	.27	5.8	2.43	2.93				
216	11995	.34	6.3	.51	2.93				
217	11996	.48	1.00	2.86	2.86				
218	11999	.48	.61	9.6	3.09				
219	12134	.14	2.56	2.34	2.94				
220	12135	.82	10.4	1.09	3.14				

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-5257 12

Date December 29, 1982

*I hereby certify* that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		gms/tonne	percent	percent					
221	12194	.07	5.4	7.8	3.10				
222	12195	.21	15.0	5.7	3.45				
223	12196	.34	10.8	2.53	3.23				
224	12197	.96	10.0	3.18	3.47				
225	12198	1.96	15.8	1.97	3.59				
226	12210	.14	.62	6.7	2.88				
227	12229	.14	5.7	6.2	3.04				
228	12305	.96	28.5	4.06	4.57				
229	12306	.41	7.3	2.27	3.11				
230	12357-58	.55	20.1	8.1	4.53				
231	12426	.62	5.6	1.08	2.96				
232	12427	.27	5.3	.66	2.92				
233	12428	.14	1.17	1.28	2.80				
234	12429	.82	5.6	1.54	3.10				
235	12430	.89	4.12	2.18	3.20				
236	12431	.34	4.10	1.08	2.92				
237	12435	.48	9.7	2.00	3.31				
238	12436	1.37	15.4	3.65	4.31				
239	12439	.21	.52	1.25	2.86				
240	12440	.21	.58	1.40	2.88				

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
\_\_\_\_\_  
Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.  
V2C 5P5  
PHONE: (604) 372-2784 — TELEX: 048-8320

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

## CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-5257 13

Date December 29, 1982

I hereby certify that the following are the results of assays made by us upon the herein described GRUM samples

Kral No.	Marked	Au	Py	Po	S.G.			
		gms/tonne	percent	percent				
241	12441	.27	.68	1.29	2.88			
242	12442	.41	1.31	1.22	2.92			
243	12443	.75	5.42	1.13	2.99			
244	12444	.89	2.84	.91	2.93			
245	12445	.41	2.93	1.19	2.92			
246	12446	.48	4.24	1.40	2.93			
247	12447	.48	2.60	.85	2.84			
248	12448	.41	3.92	.88	2.88			
249	12449	.48	3.96	1.01	2.87			
250	12451	.41	7.9	2.45	3.13			
251	12452	.55	7.8	2.18	3.20			
252	12453	L.01	11.7	1.78	3.29			
253	12454	.21	8.1	2.34	3.26			
254	12455	1.23	3.7	12.4	4.02			
255	12456	1.37	23.0	3.93	4.23			
256	12458	.89	8.4	2.01	3.30			
257	12459	.75	7.4	2.98	3.31			
258	12460	.41	8.9	3.90	3.34			
259	12461	.55	11.1	2.39	3.28			
260	12462	1.10	16.5	1.91	3.63			

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.  
V2C 5P5  
PHONE: (604) 372-2784 — TELEX: 048-8320

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

## CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-5257 14

Date December 29, 1982

*I hereby certify* that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		gms/tonne	percent	percent					
261	12463	L.01	17.1	2.30	3.46				
262	12464	.55	11.0	.97	3.26				
263	12465	.48	4.24	3.55	3.09				
264	12466	.14	3.17	1.89	2.95				
265	12467	.07	.61	3.71	2.99				
266	12468	.01	1.06	2.02	2.90				
267	12469	.07	1.37	1.16	2.87				
268	12470	.62	30.1	4.05	4.25				
269	12471	.55	23.4	5.1	4.18				
270	12472	.27	3.33	2.12	3.04				
271	12473	.27	2.57	2.06	3.02				
272	12474	.55	3.49	1.85	3.04				
273	12475	.14	4.34	4.06	3.16				
274	12476	.34	4.41	1.34	3.06				
275	12477	.34	2.70	1.23	3.02				
276	12478	.34	7.6	1.30	3.23				
277	12480	.55	5.2	1.18	3.16				
278	12481	.41	5.1	1.74	3.12				
279	12482	.21	14.4	3.95	3.56				
280	12483	.41	5.72	2.58	3.13				

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
\_\_\_\_\_  
Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.  
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5257 15

Date December 29, 1982

*I hereby certify* that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		gms/tonne	percent	percent					
281	12484	.14	4.30	2.42	3.01				
282	12485	.07	9.6	4.79	3.50				
283	12486	.14	2.35	4.00	3.02				
284	12487	.21	7.00	2.50	3.35				
285	12488	.21	6.3	1.29	3.03				
286	12489	.14	1.33	3.77	2.92				
287	12501	.48	10.3	1.21	3.14				
288	12502	.34	3.61	.94	2.90				
289	12505	.41	17.2	2.26	3.47				
290	12506	.34	10.6	2.84	3.20				
291	12507	.55	6.0	2.52	3.08				
292	12508	.41	4.26	1.57	2.91				
293	12509	.69	7.0	1.01	3.02				
294	12510	.07	3.30	.87	2.89				
295	12513	.34	.80	1.02	2.86				
296	12514	.34	.99	1.37	2.91				
297	12515	.69	.48	1.00	2.87				
298	12516	.34	2.25	1.27	2.92				
299	12517	.27	1.13	1.32	2.88				
300	12518	.69	1.32	.95	2.87				

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
\_\_\_\_\_  
Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.  
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5257 16

Date December 29, 1982

I hereby certify that the following are the results of assays made by us upon the herein described GRUM samples

Kral No.	Marked	Au	Py	Po	S.G.				
		gms/tonne	percent	percent					
301	12519	.82	3.78	.90	2.96				
302	12520	.62	4.70	1.99	3.04				
303	12521	.62	5.3	1.15	2.99				
304	12523	1.17	6.6	1.39	3.09				
305	12524	.69	10.6	1.43	3.15				
306	12525	1.30	20.1	1.06	4.46				
307	12527	.41	17.5	3.68	3.48				
308	12528	.48	16.4	6.3	3.56				
309	12530	.27	7.1	11.0	3.57				
310	12531	.41	6.7	2.83	3.09				
311	12532	.41	4.81	3.04	3.06				
312	12533	.62	2.93	1.82	2.96				
313	12534	1.44	9.1	2.51	3.20				
314	12535	.41	4.31	1.37	2.91				
315	12536	.69	6.4	1.13	2.99				
316	12537	.48	2.67	1.33	2.91				
317	12539	1.30	8.8	2.97	3.36				
318	12543	.62	3.33	1.36	2.92				
319	12544	.62	2.92	1.62	2.91				
320	12545	.69	15.2	1.46	3.97				

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5257 17

Date December 29, 1982

**I hereby certify** that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		gms/tonne	percent	percent					
321	12548	.55	12.5	1.60	3.28				
322	12549	1.10	11.1	1.50	3.21				
323	12550	.48	7.1	2.65	3.04				
324	12551	.96	5.6	3.42	3.03				
325	12552	1.51	27.6	3.95	4.10				
326	12553	1.58	16.6	1.77	3.56				
327	12554	1.30	12.7	1.80	3.35				
328	12556	.41	1.97	1.81	2.93				
329	12557	.55	10.6	1.75	3.16				
330	12559	1.37	20.8	2.90	3.92				
331	12560	1.10	11.7	2.13	3.39				
332	12561	1.58	5.4	5.5	3.18				
333	12562	.69	8.0	1.93	3.45				
334	12563	.62	8.4	1.97	3.35				
335	12564	.96	8.8	1.64	3.38				
336	12565	.48	5.3	1.85	3.14				
337	12566	.34	3.52	2.34	2.96				
338	12567	1.10	8.4	1.28	3.15				
339	12568	1.37	7.8	1.73	3.07				
340	12570	1.23	19.4	2.00	3.99				

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.  
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-5257 18

Date December 29, 1982

**I hereby certify** that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		gms/tonne	percent	percent					
341	12571	1.92	29.4	2.00	4.26				
342	12572	.82	19.6	1.63	3.67				
343	12573	.89	24.0	2.28	4.03				
344	12574	.82	13.8	2.85	3.62				
345	12575	1.51	25.5	6.35	4.51				
346	12576	1.23	23.2	7.32	4.50				
347	12577	1.37	21.7	5.08	3.95				
348	12578	.89	22.0	4.46	3.79				
349	12579	.48	10.9	2.47	3.27				
350	12580	.34	10.4	2.94	3.07				
351	12581	.69	5.1	3.97	3.14				
352	12582	.55	5.6	1.15	2.98				
353	12583	.48	2.60	1.20	2.89				
354	12584	.69	2.63	.95	2.87				
355	12585	.62	4.13	1.36	2.93				
356	12587	.34	.89	2.05	2.84				
357	12588	.62	2.80	2.59	2.88				
358	12589	.75	1.96	1.76	2.99				
359	12590	.62	2.16	.91	2.93				
360	12591	.69	1.04	1.28	2.89				

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
\_\_\_\_\_  
Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912-1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS.**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-5257 19

Date December 29, 1982

*I hereby certify* that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		gms/tonne	percent	percent					
361	12592	.41	.35	1.51	2.86				
362	12593	.34	1.29	1.67	2.97				
363	12594	.69	1.62	2.05	3.00				
364	12595	.82	2.02	1.46	2.98				
365	12596	.75	1.97	2.99	2.98				
366	12600	.69	11.1	1.68	3.12				
367	12602	1.17	19.2	.96	4.56				
368	12603	1.78	33.5	1.90	4.47				
369	12604	1.85	37.6	2.15	4.70				
370	12605	1.65	8.2	2.67	3.56				
371	12606	1.99	10.0	3.30	3.63				
372	12607	.34	6.6	4.57	3.16				
373	12672	.20	8.0	3.67	3.17				
374	12673	.48	28.5	4.26	4.45				
375	12674	.48	9.1	2.42	3.21				
376	12675	.48	4.6	1.84	3.04				
377	12676	.28	11.2	2.01	3.24				
378	12677	.14	5.2	4.85	3.08				
379	12678	.48	9.4	7.80	3.45				
380	12679	.48	14.4	7.50	3.92				

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912-1 LAVAL CRESCENT — KAMLOOPS, B.C.  
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-5257 20

Date December 29, 1982

**I hereby certify** that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		gms/tonne	percent	percent					
381	12680	.34	5.1	5.81	3.40				
382	12681	.28	3.3	2.85	3.02				
383	12682	.20	36.8	3.96	4.40				
384	12683	1.17	18.0	2.65	4.30				
385	12684	.48	8.4	4.49	3.51				
386	12685	.48	15.3	3.59	3.50				
387	12686	.34	3.04	3.28	2.98				
388	12687	.68	7.9	1.84	3.23				
389	12688	.82	9.8	1.69	3.50				
390	12689	.21	5.2	2.45	2.99				
391	12690	.89	30.4	2.46	4.33				
392	12694	1.17	12.8	2.45	3.75				
393	12696	1.30	14.3	2.25	3.46				
394	12697	.96	17.4	3.56	4.08				
395	12698	.41	3.65	3.18	3.02				
396	12699	.55	5.3	6.5	3.57				
397	12700	.62	2.38	5.3	3.02				
398	12701	.21	7.8	1.78	3.07				
399	12702	.48	1.64	1.78	2.91				
400	12703	.34	1.44	1.47	2.93				

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
 \_\_\_\_\_  
 Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.  
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5257 21

Date December 29, 1982

I hereby certify that the following are the results of assays made by us upon the herein described GRUM samples

Kral No.	Marked	Au	Pv	Po	S.G.				
		gms/tonne	percent	percent					
401	12704	.14	1.34	3.84	2.94				
402	12705	.21	2.20	1.65	2.89				
403	12706	.34	2.86	1.48	2.95				
404	12707	.41	4.82	1.10	3.06				
405	12708	.55	6.0	1.31	2.98				
406	12709	.55	4.38	.98	2.93				
407	12710	.41	4.99	.80	2.95				
408	12712	1.10	31.9	1.64	4.59				
409	12713	.34	5.7	4.12	3.16				
410	12714	.27	3.87	2.03	2.97				
411	12715	.48	4.14	1.30	2.99				
412	12759	.41	5.00	2.95	3.10				
413	12760	.48	7.4	2.60	3.16				
414	12761	.48	5.4	1.87	3.16				
415	12762	1.03	18.6	1.19	4.16				
416	12763	.69	13.0	2.70	3.92				
417	12764	1.51	21.1	3.89	4.57				
418	12765	1.65	35.2	5.4	4.64				
419	12767	.96	18.2	5.1	4.50				
420	12768	.21	17.1	10.5	3.75				

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.  
V2C 5P5  
PHONE: (604) 372-2784 — TELEX: 048-8320

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

## CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-5257 22

Date December 29, 1982

I hereby certify that the following are the results of assays made by us upon the herein described GRUM samples

Kral No.	Marked	Au	Py	Po	S.G.				
		gms/tonne	percent	percent					
421	12769	.27	9.1	7.7	3.38				
422	12781	.14	.85	1.35	2.96				
423	12782	.34	2.46	2.44	3.03				
424	12783	.41	2.89	2.11	2.97				
425	12784	.21	2.45	1.05	2.91				
426	12785	.34	1.74	1.16	2.99				
427	12786	.69	4.67	1.03	3.06				
428	12787	.27	1.21	.89	2.92				
429	12788	.27	1.18	.72	2.87				
430	12789	.27	1.21	.99	2.91				
431	12790	.27	.65	2.05	2.96				
432	12791	.82	3.39	2.01	3.18				
433	12792	.75	3.83	2.17	3.10				
434	12794	.82	4.18	1.72	3.00				
435	12797	.41	4.07	2.03	2.99				
436	12799	.55	3.90	1.20	2.94				
437	12800	.41	3.32	1.58	2.95				
438	12801	.41	4.95	1.65	3.03				
439	12802	.55	4.12	1.38	3.02				
440	12803	.41	3.69	1.51	3.05				

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.  
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5257 23

Date December 29, 1982

*I hereby certify* that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		gms/tonne	percent	percent					
441	12804	.41	3.17	1.73	2.96				
442	12805	.41	3.32	2.78	2.99				
443	12806	.48	1.51	1.29	2.94				
444	12807	.34	1.17	2.43	3.01				
445	12808	.14	5.2 <sup>5</sup>	2.40	3.07				
446	12809	.48	25.3	2.15	4.26				
447	12810	.34	3.61	2.69	3.01				
448	12817	.89	21.3	2.52	4.09				
449	12818	.89	9.9	1.08	3.24				
450	12819	.89	10.1	1.34	3.38				
451	12820	.75	9.7	1.70	3.19				
452	12822	.41	7.1	2.28	3.11				
453	12823	.48	8.7	1.77	3.14				
454	12824	.27	6.2	3.55	3.13				
455	12825	.41	4.10	2.72	3.06				
456	12826	.62	4.40	.96	3.00				
457	12827	.34	3.94	.86	3.19				
458	12828	.21	.89	.71	2.87				
459	12829	.48	5.9	1.16	3.06				
460	12830	.48	7.6	1.85	3.10				

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
\_\_\_\_\_  
Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912-1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5257 24

Date December 29, 1982

**I hereby certify** that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		gms/tonne	percent	percent					
461	12831	.55	8.8	1.45	3.12				
462	12832	.48	4.70	1.10	3.00				
463	12833	.62	7.1	1.28	3.09				
464	12834	.55	8.2	2.38	3.16				
465	12835	.55	12.7	2.91	3.35				
466	12836	.96	17.8	2.65	3.83				
467	12837	1.32	20.2	3.30	3.82				
468	12838	1.23	18.8	2.41	3.69				
469	12839	1.78	22.7	3.07	3.76				
470	12840	1.51	20.2	2.04	3.88				
471	12841	.96	14.1	1.61	3.27				
472	12842	.48	1.12	1.28	2.91				
473	12843	.34	3.23	1.07	3.03				
474	12844	1.51	20.1	3.65	4.22				
475	12845	.14	2.7	6.90	3.04				
476	12846	.34	2.03	3.37	2.98				
477	12847	.21	1.25	1.63	2.88				
478	12848	.14	4.35	3.84	3.06				
479	12849	.34	5.27	3.83	3.10				
480	12850	.27	3.46	3.64	3.05				

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
\_\_\_\_\_  
Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912-1 LAVAL CRESCENT — KAMLOOPS, B.C.  
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5257 25

Date December 29, 1982

**I hereby certify** that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		gms/tonne	percent	percent					
481	12851	.55	2.54	3.11	3.01				
482	12852	.55	3.34	.84	2.96				
483	12853	1.51	8.4	1.30	3.29				
484	12856	.07	7.6	5.9	3.24				
485	12857	L.01	2.61	3.00	3.00				
486	12858	.07	2.95	3.34	3.07				
487	12859	.48	15.8	2.88	3.68				
488	12860	.14	.96	1.79	2.93				
489	12861	1.03	2.80	3.15	3.12				
490	12863	.21	1.78	2.35	2.97				
491	12864	.21	2.52	2.24	3.02				
492	12866	.21	2.08	2.39	2.99				
493	12867	.55	7.4	.83	3.06				
494	12868	.62	7.0	.75	3.07				
495	12869	.48	6.5	1.10	3.09				
496	12870	.62	7.7	1.09	3.19				
497	12871	.89	4.51	1.78	3.09				
498	12872	.41	5.3	1.23	3.14				
499	12873	.27	2.96	1.09	3.01				
500	12874	.27	3.47	1.53	3.04				

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
\_\_\_\_\_  
Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.  
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5257 26

Date December 29, 1982

*I hereby certify* that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		gms/tonne	percent	percent					
501	12877	.62	9.4	5.2	3.52				
502	12878	1.03	8.7	12.1	3.59				
503	12881	.34	9.2	2.53	3.17				
504	12882	.69	12.2	1.11	3.52				
505	12884	.69	12.1	1.83	3.91				
506	12885	.75	17.6	1.35	4.06				
507	12886	.75	17.8	1.65	3.67				
508	12887	.75	11.3	2.00	3.68				
509	12888	1.37	14.1	1.43	3.54				
510	12891	.41	9.4	1.17	3.42				
511	12892	.48	10.4	1.14	3.43				
512	12893	.75	11.9	1.07	3.45				
513	12894	.41	8.9	1.99	3.43				
514	12898	.84	22.2	1.81	4.32				
515	12910	.07	.72	1.06	2.93				
516	12911	.27	1.92	1.18	3.05				
517	12912	.34	2.25	1.05	3.01				
518	12913	.41	2.11	1.43	3.03				
519	12914	.75	4.84	1.06	3.04				
520	12915	.41	2.93	1.27	2.98				

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912-1 LAVAL CRESCENT — KAMLOOPS, B.C.  
V2C 5P5  
PHONE: (604) 372-2784 — TELEX: 048-8320

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

## CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-5257 27

Date December 29, 1982

I hereby certify that the following are the results of assays made by us upon the herein described GRUM samples

Kral No.	Marked	Au	Py	Po	S.G.				
		gms/tonne	percent	percent					
521	12916	.48	1.73	1.37	2.95				
522	12917	.55	2.98	1.05	3.03				
523	12918	.34	1.35	2.95	3.00				
524	12919	.41	2.05	1.23	2.93				
525	12920	.69	8.4	.82	3.09				
526	12921	.62	5.5	.87	3.04				
527	12922	.62	4.77	.69	3.00				
528	12923	.48	2.83	.85	2.93				
529	12924	.69	1.99	1.32	2.94				
530	12925	.34	1.04	1.09	2.88				
531	12926	.34	1.02	1.30	2.91				
532	12927	.34	2.46	1.12	2.91				
533	12928	.34	2.64	1.01	2.92				
534	12929	.62	7.4	1.38	3.10				
535	12930	.69	9.2	1.56	3.33				
536	12931	.41	7.6	2.75	3.24				
537	12932	.55	4.66	1.59	3.12				
538	12935	.34	1.87	1.72	3.03				
539	12937	.34	5.5	1.63	3.07				
540	12939	.34	12.2	1.34	3.26				

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.  
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-5257 28

Date December 29, 1982

*I hereby certify* that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		gms/tonne	percent	percent					
541	12940	1.23	24.8	4.64	4.55				
542	12941	.55	24.0	4.68	4.02				
543	12942	.62	23.2	5.59	4.00				
544	12949	.34	4.03	2.44	3.17				
545	12950	.82	13.7	1.96	4.01				
546	12951	.41	3.63	.91	3.06				
547	12952	.62	18.6	2.48	4.06				
548	12953	1.17	8.8	2.01	3.60				
549	12954	.55	7.2	1.78	3.39				
550	12955	.41	5.3	2.47	3.23				
551	12956	.27	7.8	.82	3.24				
552	12957	.41	9.6	1.13	3.37				
553	12958	.27	6.7	.97	3.10				
554	12959	.21	5.7	1.13	3.22				
555	12960	.21	8.2	.91	3.24				
556	12961	.21	5.8	1.16	3.14				
557	12962	.48	10.4	1.45	3.45				
558	12963	.14	9.6	1.21	3.35				
559	12964	.41	8.3	1.04	3.22				
560	12965	.89	16.3	1.89	3.67				

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-5257 29

Date December 29, 1982

*I hereby certify* that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		gms/tonne	percent	percent					
561	12967	.89	11.4	1.61	3.49				
562	12968	.96	8.0	1.09	3.41				
563	12969	.48	7.8	1.08	3.28				
564	12970	.41	10.7	1.13	3.34				
565	12971	.62	10.5	1.21	3.47				
566	12972	.89	12.2	.97	3.34				
567	12973	.89	18.6	.90	3.60				
568	12974	.89	15.6	1.24	3.39				
569	12977	1.03	12.8	1.28	3.38				
570	12978	.82	14.4	.96	3.42				
571	12979	.96	16.7	.93	3.83				
572	12981	.96	8.1	.89	3.53				
573	12982	1.17	13.3	.99	3.73				
574	12983	1.58	14.8	1.64	3.83				
575	12984	1.37	16.9	1.25	3.82				
576	12985	1.03	11.4	.83	3.52				
577	12986	1.10	15.6	1.18	3.79				
578	12988	1.58	21.9	2.00	5.18				
579	12989	1.30	27.2	.46	5.36				
580	12990	1.37	36.0	.82	4.62				

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
\_\_\_\_\_  
Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.  
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-5257 30

Date December 29, 1982

**I hereby certify** that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		gms/tonne	percent	percent					
581	12991	1.30	39.1	.72	4.78				
582	12992	1.44	25.6	2.08	4.59				
583	12995	.34	4.25	.75	3.03				
584	12996	.55	3.20	.88	2.96				
585	12997	1.23	2.44	.80	2.91				
586	12998	.21	3.38	2.67	2.92				
587	12999	.27	1.79	1.86	2.94				
588	13000	.27	2.06	1.82	2.91				
589	14001	1.65	17.6	1.17	3.99				
590	14002	.48	5.1	.90	3.08				
591	14003	.48	7.3	.84	3.21				
592	14004	.21	5.0	.87	3.10				
593	14005	.48	18.6	1.90	4.02				
594	14006	.48	19.2	1.92	3.94				
595	14007	.62	11.0	.97	3.33				
596	14008	.75	16.3	5.55	3.63				
597	14014	1.23	24.2	.55	4.62				
598	14015	.96	16.4	.36	4.67				
599	14016	.96	18.8	.43	4.65				
600	14017	1.30	30.9	.58	4.78				

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
 \_\_\_\_\_  
 Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912-1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-5257 31

Date December 29, 1982

I hereby certify that the following are the results of assays made by us upon the herein described GRUM samples

Kral No.	Marked	Au	Py	Po	S.G.				
		gms/tonne	percent	percent					
601	14018	1.51	36.6	1.00	4.61				
602	14019	1.85	35.6	.80	4.78				
603	14020	1.58	24.2	.50	4.67				
604	14021	2.33	17.5	.35	4.73				
605	14022	1.85	23.4	.58	4.59				
606	14023	.82	13.7	1.03	3.35				
607	14027	1.03	28.6	1.50	4.48				
608	14028	2.06	18.7	2.33	3.73				
609	14029	2.13	18.6	2.30	3.75				
610	14031	.75	6.9	1.90	3.05				
611	14032	.62	7.3	.75	3.00				
612	14033	.69	11.2	.81	3.14				
613	14034	.75	8.9	1.23	3.10				
614	14035	.55	9.5	.54	3.03				
615	14036	.41	4.08	.82	2.96				
616	14037	.55	3.11	.84	2.88				
617	14038	1.71	15.8	.68	3.27				
618	14039	1.10	11.1	.74	3.16				
619	14040	1.37	29.9	1.15	4.37				
620	14042	.82	7.7	1.50	4.01				

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
\_\_\_\_\_  
Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.  
V2C 5P5  
PHONE: (604) 372-2784 — TELEX: 048-8320

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

## CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-5257 32

Date December 29, 1982

**I hereby certify** that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		gms/tonne	percent	percent					
621	14043	1.85	9.9	1.98	4.00				
622	14044	1.03	11.1	1.24	4.35				
623	14045	1.99	17.1	3.38	3.44				
624	14046	.96	17.0	4.68	3.51				
625	14047	.89	17.8	4.54	3.53				
626	14048	.41	10.8	3.33	3.20				
627	14053	.48	10.8	2.38	3.52				
628	14054	.34	6.8	3.60	3.19				
629	14055	1.58	18.7	6.00	4.52				
630	14056	.82	13.0	1.1	3.46				
631	14057	.89	14.0	.96	3.35				
632	14058	.75	4.75	.85	2.97				
633	14059	.69	3.82	1.43	2.94				
634	14060	.75	13.9	1.08	3.73				
635	14061	.55	28.5	1.20	4.36				
636	14062	.62	30.2	1.56	4.33				
637	14063	1.03	25.0	.99	4.20				
638	14068	.96	15.3	1.13	3.29				
639	14069	1.65	14.3	1.23	3.52				
640	14070	1.03	13.7	1.74	3.39				

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
 \_\_\_\_\_  
 Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.  
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5257 33

Date December 29, 1982

**I hereby certify** that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		gms/tonne	percent	percent					
641	14073	.82	37.3	1.10	4.67				
642	14074	1.51	15.4	2.70	3.56				
643	14075	.96	10.9	1.01	3.26				
644	14076	1.23	14.8	.88	3.43				
645	14077	1.44	23.2	1.17	4.03				
646	14078	1.17	20.8	1.75	4.25				
647	14079	.27	7.1	2.07	3.28				
648	14080	.48	10.3	1.10	3.20				
649	14081	.89	7.6	.67	3.12				
650	14082	.75	15.6	1.24	3.64				
651	14085	.21	8.1	10.0	3.42				
652	14088	.62	13.7	2.68	3.48				
653	14097	1.03	17.2	.96	3.52				
654	14098	1.23	21.4	1.92	4.27				
655	14099	.34	10.6	2.13	3.30				
656	14100	.89	10.4	1.05	3.24				
657	14101	.89	16.5	2.97	4.03				
658	14102		22.1	1.65	4.45				
659	14111	2.19		1.15	2.96				
660	14112	.14	3.23	1.20	2.98				
		.21	3.38						

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
 \_\_\_\_\_  
 Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.  
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5257 34

Date December 29, 1982

**I hereby certify** that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		gms/tonne	percent	percent					
661	14113	.62	2.20	1.50	3.00				
662	14114	.34	1.53	1.38	2.95				
663	14115	.69	5.1	1.24	3.08				
664	14125	.62	6.8	1.07	3.00				
665	14126	.21	1.81	1.34	2.90				
666	14127	.21	1.79	1.57	2.91				
667	14132	.34	7.6	1.28	3.14				
668	14133	1.30	13.8	1.26	3.31				
669	14134	.89	9.5	1.17	3.29				
670	14135	1.10	22.0	.97	3.69				
671	14139	1.58	27.5	1.64	4.35				
672	14140	.62	22.9	.85	4.73				
673	14141	1.78	24.9	3.22	4.76				
674	14142	.96	23.6	2.60	3.87				
675	14143	1.17	19.9	.98	4.71				
676	14144	.69	24.7	.60	4.87				
677	14145	.62	38.9	.82	4.89				
678	14146	.82	16.8	.83	4.79				
679	14147	1.99	24.6	.85	4.64				
680	14148	1.44	29.5	.85	4.81				

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

\_\_\_\_\_  
Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912-1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5257 35

Date December 29, 1982

**I hereby certify** that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		gms/tonne	percent	percent					
681	14149	1.23	27.5	1.05	4.92				
682	14150	.27	12.3	3.60	3.59				
683	14151	1.85	27.9	.68	4.94				
684	14152	1.37	25.2	.56	4.95				
685	14153	.89	11.0	.86	3.32				
686	14154	1.10	6.5	.51	3.16				
687	14155	1.30	1.22	.84	3.01				
688	14156	.41	8.1	.47	3.10				
689	14157	1.03	15.4	.72	3.47				
690	14158	1.30	14.0	1.11	3.59				
691	14159	1.37	14.1	.86	3.47				
692	14160	1.44	17.9	1.27	3.95				
693	14161	1.92	18.4	1.11	3.85				
694	14162	1.51	19.2/	2.75	4.50				
695	14163	1.03	14.7	2.85	3.47				
696	14164	.96	12.9	.97	3.37				
697	14165	.82	12.2	1.50	3.46				
698	14166	.96	9.6	1.15	3.24				
699	14167	.89	13.1	.99	3.47				
700	14168	1.10	13.5	1.06	3.58				

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.  
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-5257 36

Date January 3, 1983

**I hereby certify** that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Pv	Po	S.G.				
		gms/tonne	percent	percent					
701	14169	.69	7.7	.93	3.21				
702	14170	.75	24.8	1.95	4.37				
703	14171	1.23	25.3	2.84	4.33				
704	14172	2.47	25.1	1.91	4.35				
705	14173	1.65	20.2	1.70	4.51				
706	14174	1.03	19.9	1.36	4.84				
707	14175	1.51	27.3	1.37	4.21				
708	14176	1.30	15.6	1.06	3.58				
709	14177	.27	7.8	1.11	3.28				
710	14178	1.51	18.9	.42	4.92				
711	14179	1.78	19.2	.35	4.95				
712	14180	1.51	15.0	.35	4.94				
713	14181	1.10	17.2	.38	5.13				
714	14182	1.03	16.5	.34	5.01				
715	14183	1.23	18.0	.31	5.11				
716	14184	2.13	22.9	.38	4.95				
717	14185	1.51	22.8	.61	4.78				
718	14193	.75	31.5	2.00	4.48				
719	14194	.69	22.5	3.90	4.64				
720	14195	.27	13.2	4.20	3.39				

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
\_\_\_\_\_  
Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5257 37

Date January 3, 1983

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Pv	Po	S.G.				
		gms/tonne	percent	percent					
721	14196	.27	13.5	9.1	3.70				
722	14197	.27	4.85	5.2	3.17				
723	14198	.48	12.8	4.58	3.47				
724	14199	.69	15.6	3.61	3.65				
725	14212	.75	17.3	2.58	4.27				
726	14213	.69	17.0	8.4	3.74				
727	14214	.75	10.3	1.35	3.30				
728	14215	.75	14.6	1.34	3.56				
729	14216	.69	14.1	1.36	3.43				
730	14217	.96	13.7	1.35	3.53				
731	14218	.75	2.04	1.11	2.98				
732	14219	.55	1.48	.89	3.02				
733	14220	.75	2.16	.87	3.07				
734	14221	.34	2.05	1.09	3.10				
735	14222	.34	1.48	1.13	3.08				
736	14223	.21	.68	1.68	3.06				
737	14226	.27	2.10	.91	3.01				
738	14227	.14	1.68	2.21	3.03				
739	14228	.48	12.0	2.06	3.53				
740	14229	.41	8.1	1.24	3.36				

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.  
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5257 38

Date January 3, 1983

I hereby certify that the following are the results of assays made by us upon the herein described **GRUM** samples

Kral No.	Marked	Au	Py	Po	S.G.				
		gms/tonne	percent	percent					
741	14230	.34	15.6	1.58	3.88				
742	14231	.41	18.2	2.02	3.98				
743	14232	.69	9.6	1.12	3.31				
744	14233	.55	3.4	2.23	3.53				
745	14234	.41	19.5	1.58	3.73				
746	14235	1.44	20.0	.89	3.97				
747	14236	.96	10.1	1.15	3.36				
748	14237	1.23	11.8	2.69	3.39				
749	14238	.89	10.7	.93	3.32				
750	14239	1.17	12.5	4.08	3.40				
751	14257	.41	4.38	2.92	2.97				
752	14258	.89	1.85	1.65	2.90				
753	14261	.75	15.4	1.15	3.36				
754	14262	.89	13.7	.88	3.26				
755	14271	1.33	9.9	.61	3.14				
756	14272	1.23	11.9	1.38	3.19				
757	14283	.21	28.4	.87	4.64				
758	14284	.48	29.7	1.18	4.47				
759	14293	.34	6.6	1.15	3.03				
760	14294	.82	10.1	1.69	3.14				

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-5257 39

Date January 3, 1983

**I hereby certify** that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		gms/tonne	percent	percent					
761	14295	1.37	13.8	1.93	3.36				
762	14296	.69	10.2	2.55	3.35				
763	14297	.82	8.6	1.96	3.33				
764	14298	.41	10.5	1.02	3.24				
765	14299	.48	6.0	1.72	3.16				
766	14300	.69	2.5	3.16	3.19				
767	14301	.82	7.0	1.39	3.09				
768	14302	1.37	8.3	1.77	3.08				
769	14303	.75	4.26	.64	2.97				
770	14304	.75	5.1	1.39	3.03				
771	14305	.48	3.72	1.28	3.00				
772	14306	.69	2.28	2.92	2.98				
773	14307	.34	.69	5.01	3.03				
774	14308	.69	.70	1.80	2.95				
775	14309	.27	.36	1.04	2.88				
776	14311	.82	3.51	.69	2.96				
777	14312	.69	9.7	1.44	3.27				
778	14313	.41	7.0	2.22	3.12				
779	14314	.14	1.18	6.52	3.01				
780	14315	.21	9.3	11.5	3.45				

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
 \_\_\_\_\_  
 Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5257 40

Date January 3, 1983

**I hereby certify** that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		gms/tonne	percent	percent					
781	14325	.62	13.2	1.43	3.51				
782	14326	.62	9.1	1.58	3.35				
783	14327	1.10	9.2	1.24	3.30				
784	14328	.75	11.0	1.82	3.32				
785	14340	.48	5.9	1.72	3.16				
786	14341	.82	5.2	1.78	3.21				
787	14342	.96	12.3	1.55	3.50				
788	14343	1.37	21.7	1.66	3.83				
789	14348	1.03	22.8	1.12	4.55				
790	14349	.82	25.7	.89	5.02				
791	14350	.96	36.1	.84	4.67				
792	14351	.89	34.3	.95	4.54				
793	14352	1.44	14.7	1.04	3.57				
794	14358	.48	5.7	1.69	3.16				
795	14360	.48	3.71	2.42	2.97				
796	14361	.48	4.71	1.90	3.01				
797	14373	.41	8.3	1.36	3.31				
798	14374	.96	8.9	1.51	3.39				
799	14375	1.17	11.6	1.33	3.42				
800	14376	1.03	29.5	1.77	4.40				

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-5257 41

Date January 3, 1983

**I hereby certify** that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		gms/tonne	percent	percent					
801	14377	.82	22.8	1.34	4.50				
802	14378	1.37	13.6	2.22	4.05				
803	14379	1.37	10.2	4.67	3.60				
804	14380	1.58	5.8	6.45	3.15				
805	14384	.82	23.9	4.48	4.14				
806	14385	.89	12.6	10.0	3.47				
807	14389	.96	20.0	5.46	3.74				
808	14390	.62	21.1	5.44	3.77				
809	14396	.82	23.2	2.36	4.58				
810	14398	.75	18.4	2.30	4.26				
811	14399	1.37	19.9	.83	4.64				
812	14400	.27	8.2	3.22	3.12				
813	14403	.62	4.73	2.76	3.12				
814	14404	.34	2.63	.77	3.02				
815	14405	.69	20.4	1.83	3.76				
816	14409	.69	14.5	1.84	3.36				
817	14410	.41	4.84	2.96	3.06				
818	14411	1.03	11.2	.90	4.35				
819	14412	.62	17.2	.66	4.54				
820	14413	1.85	21.4	.87	4.68				

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
 \_\_\_\_\_  
 Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.  
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-5257 42

Date January 3, 1983

I hereby certify that the following are the results of assays made by us upon the herein described GRUM samples

Kral No.	Marked	Au	Py	Po	S.G.				
		gms/tonne	percent	percent					
821	14414	2.13	16.1	.63	4.70				
822	14415	1.44	26.4	1.00	4.67				
823	14416	1.23	32.6	.71	4.86				
824	14417	1.30	22.2	1.34	4.62				
825	14419	1.17	32.6	.99	4.73				
826	14420	1.17	36.3	.98	4.90				
827	14421	1.17	17.0	.65	4.62				
828	14422	.82	23.8	1.46	4.05				
829	14423	1.30	20.2	.70	4.41				
830	14424	1.23	11.6	.73	4.50				
831	14425	1.10	34.4	1.52	4.55				
832	14426	.69	7.6	4.91	3.39				
833	14427	.41	5.8	2.13	3.02				
834	14428	.27	3.98	1.62	2.97				
835	14429	.41	6.1	1.54	3.00				
836	14430	.55	5.2	1.62	3.01				
837	14431	.82	14.7	2.26	3.58				
838	14432	.27	3.87	1.63	2.94				
839	14433	.21	1.18	1.22	2.91				
840	14434	.34	2.12	1.68	2.94				

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
\_\_\_\_\_  
Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5257 43

Date January 3, 1983

**I hereby certify** that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		gms/tonne	percent	percent					
841	14435	.48	8.3	1.69	3.13				
842	14439	.96	18.5	5.07	4.35				
843	14441	.82	16.0	.64	4.61				
844	14442	.14	4.00	5.90	3.20				
845	14443	1.17	21.2	.77	4.39				
846	14444	.96	14.6	1.36	3.39				
847	14445	1.03	14.5	.96	3.95				
848	14446	.69	15.6	4.69	3.58				
849	14492	.62	17.5	4.70	3.62				
850	14493	.69	14.3	3.50	3.27				
851	14494	.82	13.4	3.69	3.35				
852	14504	.69	10.5	8.30	3.29				
853	14505	.96	17.5	1.76	4.47				
854	14506	.34	6.0	5.41	3.14				
855	14511	.69	27.6	5.75	4.35				
856	14512	.75	17.4	1.74	4.51				
857	14513	.82	17.1	1.23	4.62				
858	14514	.75	16.6	5.55	3.57				
859	14515	.82	19.2	6.7	3.72				
860	14519	.48	13.6	9.4	3.54				

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.  
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5257 44

Date January 3, 1983

**I hereby certify** that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		gms/tonne	percent	percent					
861	14520	.48	10.3	8.2	3.38				
862	14521	1.10	17.1	3.30	4.25				
863	14522	.82	15.8	6.8	3.73				
864	14523	.82	13.7	2.40	3.60				
865	14524	.75	9.9	2.24	3.16				
866	14525	.55	10.1	1.61	3.13				
867	14526	.55	8.9	2.35	3.11				
868	14527	.48	2.98	2.28	2.99				
869	14528	.48	2.69	1.41	2.98				
870	14529	.41	2.11	1.49	2.96				
871	14530	.89	12.6	1.53	3.39				
872	14531	1.17	19.9	1.18	3.73				
873	14532	1.17	12.7	1.21	3.39				
874	14533	1.65	19.2	1.22	3.61				
875	14534	1.92	28.4	1.26	4.68				
876	14535	1.71	28.8	1.20	4.71				
877	14536	1.23	18.6	.95	4.76				
878	14537	1.23	12.1	.41	4.74				
879	14538	1.09	20.9	.69	4.95				
880	14539	1.92	22.6	.59	4.94				

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.  
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5257 45

Date January 3, 1983

**I hereby certify** that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		gms/tonne	percent	percent					
881	14540	2.19	23.6	.65	4.90				
882	14541	2.13	17.7	1.84	4.82				
883	14544	.89	7.5	2.20	3.60				
884	14545	.41	14.1	2.22	3.54				
885	14546	.62	6.8	2.49	3.17				
886	14547	.69	7.4	2.17	3.16				
887	14548	.55	12.8	2.58	3.32				
888	14549	.69	8.7	1.07	3.17				
889	14550	.48	1.85	.65	2.95				
890	14551	.41	7.7	1.00	3.08				
891	14555	.89	.96	2.10	3.39				
892	14556	.21	1.29	2.51	2.96				
893	14557	1.44	8.8	1.26	3.19				
894	14558	1.03	7.6	2.80	3.23				
895	14559	.96	5.4	18.1	3.64				
896	14560	1.23	8.0	1.51	3.39				
897	14561	.75	5.0	1.32	3.13				
898	14562	.75	11.4	1.60	3.26				
899	14563	.14	3.97	4.13	3.07				
900	14564	.69	13.2	.93	3.24				

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

\*Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.  
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5257 46

Date January 3, 1983

I hereby certify that the following are the results of assays made by us upon the herein described GRUM samples

Kral No.	Marked	Au	Py	Po	S.G.				
		gms/tonne	percent	percent					
901	14567	1.10	14.9	1.18	3.53				
902	14570	.82	10.7	1.06	3.15				
903	14571	.69	25.2	1.74	4.13				
904	14572	.41	10.6	1.62	3.22				
905	14573	.21	6.4	4.80	3.12				
906	14577	.89	24.3	1.63	4.26				
907	14578	.96	23.0	1.86	4.02				
908	14579	.34	30.5	2.80	4.51				
909	14580	.41	16.6	1.51	3.53				
910	14581	.55	15.8	1.24	3.37				
911	14582	.62	34.2	1.49	4.52				
912	14583	1.92	19.3	2.26	3.75				
913	14614	.27	9.1	2.03	3.19				
914	14615	.14	7.4	2.95	3.15				
915	14616	.07	6.2	4.30	3.12				
916	14617	.27	6.7	2.78	3.24				
917	14618	.21	4.13	1.97	3.02				
918	14619	.07	4.30	2.60	3.01				
919	14620	1.37	2.98	2.52	2.98				
920	14621	L.01	3.57	2.93	3.03				

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912-1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5257 47

Date January 3, 1983

**I hereby certify** that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		gms/tonne	percent	percent					
921	14622	.21	1.02	6.48	3.03				
922	14623	.14	7.6	2.32	3.08				
923	14624	.14	3.00	4.40	3.08				
924	14625	.07	2.29	3.11	2.99				
925	14626	.48	3.07	1.93	3.01				
926	14627	.34	4.84	2.56	3.00				
927	14628	1.92	7.9	2.58	3.22				
928	14629	.41	5.6	3.35	3.08				
929	14630	.41	3.87	3.23	3.09				
930	14631	.69	2.45	2.45	3.01				
931	14632	L.01	3.58	2.62	3.19				
932	14633	.89	11.6	1.84	3.30				
933	14634	.48	13.0	3.71	3.02				
934	14635	.75	8.1	.84	2.99				
935	14636	.69	5.13	1.37	3.16				
936	14637	1.51	9.9	1.15	4.01				
937	14638	1.10	28.0	1.48	3.33				
938	14639	.89	12.9	1.62	3.20				
939	14640	.69	8.8	1.20	3.03				
940	14641	.62	4.71	1.09	2.92				

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
 Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-5257 48

Date January 3, 1983

*I hereby certify* that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		gms/tonne	percent	percent					
941	14642	.75	1.85	1.15	2.95				
942	14643	1.30	11.0	1.86	3.42				
943	14644	.75	7.2	1.80	3.13				
944	14645	.82	2.85	2.05	3.03				
945	14648	.96	19.6	2.01	3.63				
946	14649	.75	10.8	.61	4.62				
947	14650	.82	5.0	1.28	3.06				
948	14651	1.10	24.8	3.72	4.22				
949	14652	1.51	27.6	11.2	4.55				
950	14653	1.85	11.3	2.75	3.71				
951	14654	1.03	12.1	2.76	3.35				
952	14655	.89	8.4	5.40	3.20				
953	14656	.75	10.1	5.47	3.21				
954	14657	.48	4.08	2.92	2.98				
955	14658	.41	2.94	2.36	3.10				
956	14659	.62	1.21	1.89	2.91				
957	14660	.55	2.23	2.67	3.01				
958	14661	.41	4.76	1.14	3.16				
959	14662	.69	14.9	5.8	3.73				
960	14663	.62	6.0	1.92	3.10				

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
\_\_\_\_\_  
Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.  
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5257 49

Date January 3, 1983

*I hereby certify* that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		gms/tonne	percent	percent					
961	14664	.48	2.84	3.86	3.10				
962	14665	.89	7.5	1.54	3.26				
963	14666	.55	8.4	2.22	3.64				
964	14667	.89	4.50	2.50	3.13				
965	14668	1.30	2.31	1.49	3.10				
966	14669	.55	1.88	1.42	3.03				
967	14670	.48	2.22	1.98	3.03				
968	14671	.34	1.71	1.39	2.95				
969	14672	.41	5.5	1.88	3.25				
970	14673	.27	2.40	2.80	3.06				
971	14674	L.01	2.70	2.81	3.08				
972	14675	.41	5.0	4.46	3.11				
973	14676	2.54	1.01	5.7	3.05				
974	14677	.48	2.40	4.00	3.13				
975	14678	.82	4.54	1.76	3.12				
976	14679	.75	6.42	1.58	3.14				
977	14680	.48	5.03	.97	3.07				
978	14681	.48	7.2	.91	3.06				
979	14682	.41	6.2	1.02	3.06				
980	14683	.55	8.6	.93	3.10				

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
 \_\_\_\_\_  
 Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.  
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-5257 50

Date January 3, 1983

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		gms/tonne	percent	percent					
981	14684	.69	7.4	1.53	3.23				
982	14685	.48	7.4	1.53	3.20				
983	14687	.48	10.5	1.49	3.30				
984	14688	.41	10.5	1.40	3.01				
985	14689	.21	4.67	1.43	3.10				
986	14690	1.10	1.25	2.25	3.89				
987	14691	.48	19.7	2.90	3.06				
988	14692	.75	4.52	3.28	3.25				
989	14693	.96	10.6	1.70	3.24				
990	14694	.75	9.9	1.50	3.24				
991	14695	1.71	9.4	1.73	3.16				
992	14696	.48	7.4	2.78	3.03				
993	14699	.62	3.34	1.76	3.09				
994	14700	.62	12.9	2.33	4.62				
995	14701	.62	32.3	4.01	4.68				
996	14702	.55	20.4	2.16	4.73				
	L means "Less than"								

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912-1 LAVAL CRESCENT — KAMLOOPS, B.C.  
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5257 51


REPEATS

Date January 17, 1983

**I hereby certify** that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au							
		gram/tonne							
	2480	.55							
	7537	.55							
	7812	.41							
	8086	.34							
	8604	.21							
	9360	.34							
	9738	.41							
	9815	L.01							
	11438	.14							
	11635	.27							
	12306	.34							
	12446	.48							
	12467	.14							
	12486	.14							
	12566	.34							
	12587	.27							
	12703	.27							
	12713	.34							
	12781	.14							
	12790	.34							

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
 \_\_\_\_\_  
 Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.  
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5257 52


Date January 17, 1983

REPEATS

I hereby certify that the following are the results of assays made by us upon the herein described GRUM samples

Kral No.	Marked	Au						
		gram/tonne						
	12825	.41						
	12842	.96						
	12851	.41						
	12910	.07						
	12912	.34						
	12935	.34						
	12961	.21						
	12995	.41						
	14059	.55						
	14111	.14						
	14113	.48						
	14182	.96						
	14197	.27						
	14220	.69						
	14258	.89						
	14314	.21						
	14360	.48						
	14550	.34						
	14622	.14						
	14631	.69						
	14657	.48						

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.  
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-5257 53

Date January 17, 1983

**I hereby certify** that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au							
		gms/tonne							
	14669	.55							
	14688	.34							

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
 \_\_\_\_\_  
 Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.  
330 - 355 Burrard Street  
Vancouver, B.C. V6C 2G8

Certificate No. K-4746

Date February 22, 1982

**I hereby certify** that the following are the results of assays made by us upon the herein described GRUM samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
1	2451A	.69	4.81	.55	3.05				
2	2452	.75	1.89	1.05	3.11				
3	2453	.89	2.44	1.18	3.55				
4	2454	.48	1.77	1.05	3.10				
5	2455	1.23	15.82	1.27	3.42				
6	2456	1.30	4.86	1.29	3.79				
7	2457	1.71	24.32	.75	4.47				
8	2458	2.06	27.79	.84	4.52				
9	2459	1.59	21.13	.80	3.75				
10	2461A	.75	11.67	2.94	3.49				
11	2462A	1.51	30.11	4.17	4.96				
12	2463	1.58	30.95	2.91	4.54				
13	2464	.89	18.25	3.79	4.59				
14	2465	.75	15.22	3.57	5.00				
15	2466	.41	7.27	5.56	3.45				
16	2467	.82	16.73	10.23	4.46				
17	2496	.48	11.64	1.20	3.15				
18	2499	1.85	14.76	2.88	2.94				
19	2500A	.89	7.86	1.98	3.36				
20	6051A	1.17	11.51	2.05	3.48				

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4746 2

Date February 22, 1982

*I hereby certify* that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
21	6052A	.82	8.94	.75	3.51				
22	6053	.75	9.10	.74	3.26				
23	6054	1.78	4.77	.55	3.27				
24	6055	.89	5.95	.30	3.96				
25	6056	.69	3.15	3.87	3.17				
26	6057	.89	7.93	4.58	4.76				
27	6058	.34	3.85	4.04	3.00				
28	6059	.82	7.91	2.09	3.09				
29	6061A	.62	7.97	.95	3.06				
30	6062A	.62	12.24	1.21	3.24				
31	6063A	.96	13.49	1.01	3.36				
32	6064	1.92	24.36	2.70	3.84				
33	6065	1.03	14.46	1.21	3.40				
34	6066	.89	10.39	.88	3.16				
35	6067	.62	5.80	.94	2.97				
36	6068	1.03	4.07	1.18	3.00				
37	6069	.75	6.42	1.03	3.05				
38	6071A	1.23	7.88	1.75	3.23				
39	6072	1.71	7.48	2.16	3.21				
40	6073A	.41	8.63	1.00	3.15				

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY -- KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4746 3

Date February 22, 1982

**I hereby certify** that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
41	6074A	.96	7.90	1.45	3.16				
42	6075	.96	15.02	1.35	3.41				
43	6076	1.58	20.69	2.23	3.55				
44	6077	1.92	25.34	1.72	3.47				
45	6078	2.19	17.59	1.38	3.68				
46	6079	1.71	17.78	1.48	3.85				
47	6081A	1.10	9.09	1.60	3.39				
48	6082	1.10	10.37	1.67	3.34				
49	6083	2.19	11.82	1.76	3.64				
50	6084A	1.03	12.66	3.80	3.90				
51	6085A	1.10	8.50	2.00	3.23				
52	6086	1.10	10.07	4.86	3.46				
53	6087	1.65	7.38	3.41	3.47				
54	6088	1.03	8.60	3.63	3.27				
55	6089	1.30	11.17	3.18	3.59				
56	6091A	1.58	12.36	1.61	3.78				
57	6092	2.26	22.31	4.37	4.11				
58	6093	1.10	19.12	1.59	3.73				
59	6094	2.40	22.67	1.70	4.11				
60	6095A	2.19	22.47	1.42	3.83				

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4746 4

Date February 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described GRUM samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
61	6096A	.69	27.00	1.22	4.33				
62	6097	1.78	28.62	.66	4.83				
63	6098	.96	32.92	1.56	4.34				
64	6099	1.85	35.63	.97	4.78				
65	6101A	.75	6.54	2.27	3.13				
66	6102	.55	7.80	.65	2.97				
67	6108	.21	7.56	3.39	3.02				
68	6109	.96	23.00	1.80	3.95				
69	6110A	.27	13.97	2.71	3.36				
70	6111A	.69	19.51	1.86	3.79				
71	6112A	1.03	19.59	5.11	4.09				
72	6114	1.10	30.82	3.98	4.59				
73	6115	.27	13.88	12.69	3.79				
74	6116	.21	10.60	6.39	3.47				
75	6117	.62	25.07	2.55	4.48				
76	6118	.89	28.22	5.44	4.59				
77	6119	.75	19.22	2.35	4.66				
78	6121A	.41	8.77	2.60	4.33				
79	6122	.48	15.29	12.53	4.01				
80	6123A	.41	22.01	5.61	4.26				

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4746 5

Date February 22, 1982

*I hereby certify* that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
81	6124A	.41	6.61	2.31	4.57				
82	6125	.34	8.62	3.27	4.69				
83	6126	.41	10.05	3.09	4.48				
84	6127	.41	22.77	10.05	3.82				
85	6128	.34	13.25	10.20	3.65				
86	6129	1.10	12.78	1.82	3.43				
87	6130A	1.78	15.01	1.88	4.00				
88	6131	.62	8.17	.80	3.14				
89	6132	.89	8.54	.74	3.15				
90	6133A	1.23	18.11	1.49	3.97				
91	6134A	.41	5.28	4.32	3.26				
92	6136	1.30	26.58	4.68	4.52				
93	6137	2.26	23.94	4.20	4.21				
94	6138	2.81	35.47	2.15	4.46				
95	6139	1.58	25.82	3.88	4.35				
96	6141A	1.17	16.96	3.99	4.59				
97	6142	1.10	20.98	1.22	4.70				
98	6143	.34	11.44	3.76	3.33				
99	6144	.62	19.74	14.29	3.86				
100	6145A	.21	8.18	9.96	3.37				

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4746 6

Date February 22, 1982

**I hereby certify** that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
101	6146A	.41	16.06	4.49	3.42				
102	6147	.41	7.03	2.51	4.65				
103	6148	.27	6.38	2.11	4.57				
104	6149	.27	4.40	1.10	4.58				
105	6151A	.69	23.05	8.45	3.86				
106	6152	.75	8.04	.76	3.04				
107	6153	1.10	5.78	1.30	2.96				
108	6154	.82	7.24	.48	2.97				
109	6155	.89	7.79	.42	2.99				
110	6157A	1.30	9.29	1.41	3.60				
111	6158A	1.51	13.64	1.98	4.16				
112	6159	1.92	24.76	1.22	4.44				
113	6161A	.69	13.11	9.35	3.60				
114	6162	1.78	24.86	1.83	4.69				
115	6163	.21	10.25	24.28	3.64				
116	6164	.69	3.48	.92	2.99				
117	6165	.55	4.28	.85	3.18				
118	6166	.75	3.68	1.04	3.77				
119	6167	1.10	3.77	.82	3.52				
120	6168A	.82	1.96	1.06	3.79				

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4746 7

Date February 22, 1982

**I hereby certify** that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.					
		grams/tonne	percent	percent						
121	6169A	1.03	9.02	.88	3.53					
122	6171A	1.58	18.09	1.86	4.80					
123	6172	1.78	17.47	1.78	4.50					
124	6173	.89	8.89	1.01	3.27					
125	6174	1.37	19.66	1.80	4.29					
126	6175	1.10	11.45	1.95	3.92					
127	6176	1.44	16.04	1.90	3.94					
128	6177	1.58	23.81	1.17	4.42					
129	6194A	.21	6.16	3.64	3.12					
130	6195A	.69	24.04	2.26	4.24					
131	6196A	2.54	4.49	1.09	4.56					
132	6197	.82	7.30	1.80	3.06					
133	6198	.07	1.74	4.38	2.97					
134	6199	.27	3.13	4.91	3.05					
135	6201A	.55	9.39	3.51	4.63					
136	6202	.21	2.69	3.24	3.02					
137	6203	.48	11.19	13.01	3.71					
138	6204	.41	9.84	2.96	4.62					
139	6205	.21	20.73	3.27	4.49					
140	6207A	.34	11.48	3.72	3.22					

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4746 8

Date February 22, 1982

*I hereby certify* that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.					
		grams/tonne	percent	percent						
141	6208A	1.03	1.80	3.63	2.92					
142	6209	.75	7.25	5.15	3.15					
143	6211A	.14	4.36	3.74	3.02					
144	6212	1.37	28.59	3.41	4.32					
145	6213	1.17	28.16	6.04	4.48					
146	6214	1.58	23.04	2.76	3.96					
147	6215	.21	5.45	3.20	3.06					
148	6216	1.58	18.89	1.92	4.59					
149	6217	.27	18.49	3.61	3.53					
150	6218A	.34	15.25	19.75	3.82					
151	6228A	3.29	16.20	5.25	3.55					
152	6229	.41	4.56	2.55	2.99					
153	6230A	.82	20.60	8.11	4.41					
154	6231	.75	15.90	4.20	3.66					
155	6232	.75	7.95	1.23	3.06					
156	6233	.82	9.01	1.56	3.08					
157	6234	.62	22.20	7.90	4.22					
158	6238	.27	11.70	6.50	3.32					
159	6242A	1.23	17.10	1.62	3.75					
160	6243A	1.37	19.20	2.18	4.62					

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4746 9

Date February 22, 1982

*I hereby certify* that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
161	6244A	.75	18.30	2.02	4.29				
162	6245	.89	10.80	1.60	3.48				
163	6246	.48	8.30	1.73	3.18				
164	6247	2.19	5.10	6.90	3.28				
165	6248	1.44	19.00	2.07	4.48				
166	6251A	.62	11.74	2.26	3.18				
167	6252	.27	3.41	5.18	3.33				
168	6253	.55	2.33	5.42	3.02				
169	6254	.75	4.08	1.70	3.02				
170	6255A	.21	1.77	2.28	2.95				
171	6256A	.34	4.12	2.50	2.99				
172	6257	1.10	29.66	.74	4.85				
173	6258	1.10	21.45	1.25	4.11				
174	6306A	.27	1.66	1.44	2.89				
175	6307	.48	1.56	1.64	2.96				
176	6308	.27	1.10	1.05	2.89				
177	6309	.48	5.11	1.27	3.02				
178	6311A	.48	9.53	1.07	3.04				
179	6312	.48	9.24	1.16	3.04				
180	6314A	.21	.74	1.80	2.93				

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4746 10

Date February 22, 1982

*I hereby certify* that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
181	6315A	2.61	26.00	3.00	4.52				
182	6316	1.37	28.83	3.87	4.90				
183	6317	.41	26.90	2.10	4.00				
184	6318	1.23	29.60	3.90	4.74				
185	6319	.89	19.62	.78	4.14				
186	6321A	.82	22.56	1.54	4.11				
187	6322	.34	16.07	.33	4.80				
188	6323	.89	27.13	.57	4.25				
189	6324	.96	15.29	.71	3.53				
190	6325A	1.58	26.12	.58	4.15				
191	6326A	.69	21.10	.60	3.86				
192	6327	.75	20.72	.78	4.46				
193	6328	.55	15.39	.51	4.34				
194	6329	1.30	14.42	.78	3.86				
195	6331A	1.10	35.85	.75	4.82				
196	6332	2.67	26.49	1.01	4.64				
197	6333	1.71	27.37	1.83	4.46				
198	6334	.89	40.43	1.07	5.04				
199	6335	2.06	21.10	2.10	4.72				
200	6336A	2.54	22.70	2.00	4.50				

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4746 11

Date February 22, 1982

*I hereby certify* that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
201	6337A	2.26	27.89	1.41	4.50				
202	6338	1.65	30.63	.97	4.55				
203	6339	1.44	17.79	2.81	4.35				
204	6341A	1.99	15.32	1.28	3.72				
205	6342	1.30	17.36	1.94	3.53				
206	6343	1.30	17.72	1.88	3.57				
207	6344	.55	16.86	1.54	3.43				
208	6345	.55	17.37	1.43	3.39				
209	6361A	.69	1.57	2.53	3.08				
210	6362A	.69	1.97	1.51	2.97				
211	6363A	.75	2.14	1.72	3.05				
212	6364	1.03	3.78	2.20	3.09				
213	6365	.82	4.53	1.53	3.07				
214	6366	1.99	2.95	2.82	3.37				
215	6367	.21	1.44	4.02	4.07				
216	6368	.27	.48	1.77	3.20				
217	6369	.14	1.72	3.03	2.88				
218	6371A	.55	7.05	3.15	3.14				
219	6372	.89	11.59	2.21	3.34				
220	6373A	.55	2.53	1.57	2.95				

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4746 12

Date February 22, 1982

*I hereby certify* that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
221	6374A	.27	6.10	.95	3.74				
222	6375	.62	7.65	.95	3.28				
223	6376	.55	6.54	.94	3.17				
224	6377	1.17	16.17	3.23	4.13				
225	6423A	1.17	28.77	1.33	4.21				
226	6424	1.58	24.59	2.11	4.56				
227	6425	1.23	29.43	1.07	4.62				
228	6426	.96	32.98	.82	4.51				
229	6427	1.57	33.63	.77	4.65				
230	6428A	1.23	24.42	.98	4.21				
231	6429A	.75	14.39	4.11	4.08				
232	6431A	1.65	19.33	2.87	3.66				
233	6432	.27	2.75	2.57	2.92				
234	6433	1.78	19.67	1.53	3.59				
235	6434	1.37	24.94	.96	3.62				
236	6435	1.23	23.36	1.14	3.53				
237	6436	1.23	21.14	1.16	3.40				
238	6437	1.65	19.26	1.44	3.45				
239	6439	.55	5.67	.83	2.83				
240	6441A	.41	7.22	2.32	2.98				

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4746 13

Date February 22, 1982

*I hereby certify* that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
241	6442A	.34	11.66	3.14	3.16				
242	6443	.21	5.82	4.28	3.04				
243	6444	1.10	14.64	9.46	3.58				
244	6445	2.06	21.31	11.39	4.34				
245	6446	.89	24.37	10.93	4.29				
246	6447	.75	24.58	9.92	4.21				
247	6448	.75	21.79	11.11	4.14				
248	6449	1.17	23.00	9.02	4.00				
249	6450A	.96	20.51	1.39	4.27				
250	6451A	.96	10.33	1.87	3.16				
251	6452A	1.65	22.60	1.30	4.30				
252	6511A	.82	12.14	1.36	3.28				
253	6512	.89	15.36	8.54	4.20				
254	6513	.82	15.02	8.28	4.48				
255	6514	.41	20.67	4.23	4.03				
256	6542A	.41	17.75	2.05	3.35				
257	6543	.82	22.11	2.09	3.54				
258	6544	1.17	17.18	1.72	3.50				
259	6545	.55	19.13	1.27	3.43				
260	6546A	.55	14.85	4.65	3.43				

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4746 14

Date February 22, 1982

*I hereby certify* that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
261	6547A	.55	18.80	3.50	3.50				
262	6559	.55	25.82	2.58	4.49				
263	6560A	1.92	29.33	1.07	4.50				
264	6561	1.51	29.96	.94	4.58				
265	6562	.27	10.76	4.14	3.19				
266	6563	.82	32.91	1.39	4.78				
267	6564	1.65	28.07	1.83	4.77				
268	6565	.96	13.97	.93	4.63				
269	6566	1.30	33.24	.66	4.70				
270	6567A	.21	14.45	.95	3.99				
271	6568A	.75	27.63	.77	4.42				
272	6569	2.40	15.11	5.89	3.75				
273	6571A	1.99	24.84	1.36	4.32				
274	6572	2.13	25.03	1.77	4.14				
275	6573	1.65	22.00	2.43	3.58				
276	6574	1.78	18.97	1.43	4.50				
277	6575	1.17	21.71	1.59	4.03				
278	6576	2.26	21.98	2.02	3.16				
279	6577	1.65	17.90	1.70	4.55				
280	6578A	.75	21.39	1.91	3.92				

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4746 15

Date February 22, 1982

**I hereby certify** that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
281	6579A	1.44	26.14	2.56	3.39				
282	6581A	1.30	14.66	8.14	3.49				
283	6582	.82	19.92	1.78	3.25				
284	6583	.34	18.08	1.62	2.97				
285	6584	.82	14.41	1.39	3.52				
286	6585	.27	7.35	2.65	4.52				
287	6586	.34	1.61	.94	3.56				
288	6587	.55	6.43	1.07	3.39				
289	6588	.69	12.62	1.38	3.38				
290	6589A	.82	23.99	1.51	4.33				
291	6591A	.96	27.91	.99	4.34				
292	6592	.21	6.34	5.86	3.32				
293	6593	1.10	13.47	1.73	2.86				
294	6594	1.03	8.49	1.36	3.78				
295	6595	1.44	15.13	1.37	3.84				
296	6596	.82	10.33	.97	3.41				
297	6597	.89	11.91	.89	3.59				
298	6598	.89	10.44	.76	3.37				
299	6599	.75	10.55	.75	3.45				
300	6605A	1.30	21.25	2.85	4.56				

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

\_\_\_\_\_  
Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4746 16

Date February 22, 1982

**I hereby certify** that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au grams/tonne	Py percent	Po percent	S.G.					
301	6606A	1.17	14.12	1.58	4.31					
302	6607	1.78	24.49	3.51	4.83					
303	6608	.96	25.56	3.54	4.80					
304	6609	.96	25.34	3.86	4.74					
305	6611A	3.02	26.35	1.45	4.42					
306	6612	.21	8.31	1.69	3.08					
307	6613	.62	28.58	1.42	4.00					
308	6614	.62	21.31	1.09	3.91					
309	6615	.89	33.41	2.24	4.79					
310	6616A	1.51	26.18	1.85	4.77					
311	6617A	1.10	33.94	3.44	4.63					
312	6618	.89	35.10	2.79	4.63					
313	6619	.82	30.80	4.49	4.57					
314	6621A	.48	13.20	.39	4.56					
315	6622	.69	22.70	.57	3.76					
316	6623	.89	22.30	1.10	3.59					
317	6624	.55	14.60	.77	3.46					
318	6625	.27	15.00	.54	3.43					
319	6626	.75	8.40	1.62	3.70					
320	6627A	.48	17.80	.66	3.66					

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4746 17

Date February 22, 1982

*I hereby certify* that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
321	6628A	.82	15.50	1.04	4.07				
322	6629	.55	16.20	.69	3.53				
323	6631A	2.19	35.20	1.16	4.70				
324	6632	1.44	37.60	1.02	4.61				
325	6633	1.92	35.10	1.04	4.65				
326	6634	1.03	9.10	1.19	3.41				
327	6641A	.48	7.30	12.80	4.04				
328	6642	1.71	27.70	1.27	4.48				
329	6643	1.51	25.00	.93	4.39				
330	6644A	1.03	26.60	1.98	4.16				
331	6645A	.75	28.90	1.67	4.19				
332	6646	1.17	16.40	1.15	3.63				
333	6647	.75	15.00	.85	3.21				
334	6648	.69	16.50	3.88	3.55				
335	6649	.89	12.50	.96	3.32				
336	6651A	.48	6.39	1.61	3.01				
337	6652	.48	12.00	1.21	3.61				
338	6653	.62	12.40	.87	3.27				
339	6654	.69	16.10	.98	3.34				
340	6655A	.96	22.50	1.36	3.68				

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4746 18

Date February 22, 1982

**I hereby certify** that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
341	6656A	.55	8.80	.81	3.24				
342	6657	.69	.25	.75	3.40				
343	6658	.48	32.10	.90	4.80				
344	6659	.69	14.10	2.19	3.78				
345	6661A	.82	10.50	1.50	3.99				
346	6662	.21	8.50	.93	3.16				
347	6663	.41	11.00	1.08	3.39				
348	6701	1.51	20.20	1.36	3.79				
349	6702	1.78	18.20	1.65	3.82				
350	6703A	1.03	15.70	2.41	3.61				
351	6704A	1.92	22.10	1.84	3.87				
352	6705	.96	8.30	1.43	3.16				
353	6706	.82	8.10	1.32	3.25				
354	6707	.55	7.80	1.58	3.14				
355	6708	.41	6.30	1.31	3.01				
356	6709	.82	6.80	1.83	3.25				
357	6711A	1.65	13.70	2.11	3.74				
358	6712	1.78	15.30	1.42	3.61				
359	6713	1.99	16.20	2.81	4.11				
360	6714A	2.19	13.40	2.55	3.45				

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4746 19

Date February 22, 1982

*I hereby certify* that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
361	6715A	1.37	17.00	1.98	3.68				
362	6716	1.71	18.80	1.98	4.03				
363	6717	1.71	22.60	1.43	4.55				
364	6718	1.65	17.60	1.45	3.93				
365	6719	1.23	21.70	.83	3.94				
366	6721A	1.78	33.10	1.21	4.69				
367	6722	1.85	31.40	1.19	4.75				
368	6723	2.06	17.50	2.53	3.74				
369	6724	1.44	9.80	.95	3.16				
370	6725A	.89	6.00	1.10	3.05				
371	6726A	1.23	5.10	1.35	3.02				
372	6752	.89	14.10	1.12	3.27				
373	6753	.82	34.90	.91	4.65				
374	6754	.89	38.50	.86	4.66				
375	6755	.62	37.30	.77	4.76				
376	6756	1.10	27.40	.71	4.58				
377	6757	.82	11.30	1.23	3.36				
378	6758	.89	30.70	.75	4.46				
379	6759	.48	26.40	1.80	3.84				
380	6761A	.62	29.50	.88	4.20				

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4746 20

Date February 22, 1982

**I hereby certify** that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
381	6762A	.75	26.60	1.46	4.35				
382	6763	1.03	20.20	.48	4.80				
383	6764	1.37	36.30	.95	4.87				
384	6765	1.51	23.90	.94	4.61				
385	6766	.82	13.50	1.00	3.31				
386	6767	1.03	11.60	.94	3.44				
387	6768	.75	9.90	.61	3.17				
388	6777A	1.71	30.30	7.64	4.55				
389	6778	2.06	17.50	1.94	3.92				
390	6779A	1.44	10.60	2.96	3.39				
391	6781A	.89	9.00	4.04	3.49				
392	6782	.14	5.80	9.10	3.25				
393	6783	.55	1.31	3.19	2.97				
394	6784	1.03	17.20	2.30	3.52				
395	6785	.75	30.90	2.50	4.52				
396	6786	.89	11.30	9.10	3.56				
397	6787	.41	12.50	3.17	3.39				
398	6788A	.34	12.50	2.30	3.38				

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
 Registered Assayer, Province of British Columbia