



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5
PHONE: (604) 372-2784 — TELEX: 048-8320

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

CERTIFICATE OF ASSAY

019106

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080

330 - 355 Burrard Street

Date September 22, 1982

Vancouver, B.C. V6C 2G8 ATTENTION: DR. GLEN SIMPSON

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
1	12401A	44	2.34	6.5	.03				
2	12402	43	2.25	6.3	.01				
3	12403	37	2.09	5.7	.01				
4	12404	25	1.25	1.64	.29				
5	12405	22	1.71	2.88	.03				
6	12406	20	1.49	2.02	.03				
7	12415	73	4.67	9.1	.17				
8	12416	16	1.05	1.62	.09				
9	12417	7	.34	.62	.03				
10	12418 A	NO SAMPLE		NO SAMPLE					
11	12419 A	4	.02	.06	.04				
12	12420	4	.04	.07	.06				
13	12421	6	.13	.56	.06				
14	12422	4	.03	.07	.03				
15	12423	7	.19	.67	.09				
16	12424	56	3.28	11.1	.06				
17	12425	38	2.88	5.00	.20				
18	12499	10	.42	.32	.22				
19	12500	38	2.80	2.54	.23				
20	12501A	27	1.54	3.07	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 2

Date September 21, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
21	12502A	17	1.04	1.22	.06				
22	12503	10	.45	.80	.08				
23	12504	12	.60	1.06	.12				
24	12505	22	1.28	1.95	.08				
25	12506	26	1.41	2.05	.05				
26	12507	28	1.81	2.57	.08				
27	12508	21	1.58	1.58	.05				
28	12509	25	1.32	1.66	.09				
29	12510	19	1.22	.93	.04				
30	12511A	12	.88	.63	.02				
31	12512A	14	.96	.87	.03				
32	12513	17	1.07	1.86	.03				
33	12514	28	1.50	3.30	.04				
34	12515	22	1.17	2.28	.02				
35	12516	23	1.32	2.34	.04				
36	12517	23	1.33	2.82	.04				
37	12518	21	1.24	2.87	.03				
38	12519	29	1.52	3.44	.03				
39	12520	21	1.08	1.83	.03				
40	12521A	28	1.39	3.06	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 3

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
41	12522A	15	.38	1.77	.07				
42	12523	68	3.82	4.28	.06				
43	12524	21	1.29	2.03	.07				
44	12525	100	6.0	11.1	.06				
45	12526	14	.66	.82	.16				
46	12527	33	1.20	2.00	.14				
47	12528	47	1.73	2.87	.53				
48	12529	44	3.09	2.72	.18				
49	12530	55	6.1	8.9	.16				
50	12531	33	2.12	4.64	.04				
51	12532	48	2.51	5.5	.03				
52	12533	48	2.75	6.0	.04				
53	12534	47	2.76	4.26	.12				
54	12535	16	.85	1.88	.05				
55	12536	23	1.12	2.58	.10				
56	12537	25	1.41	2.81	.08				
57	12538	170	7.5	14.8	.05				
58	12539	90	5.5	8.8	.09				
59	12540	37	2.15	2.26	.04				
60	12543	27	1.71	2.43	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 4

Date September 21, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
61	12544A.	22	1.32	2.69	.03				
62	12545	57	3.54	5.9	.06				
63	12546	18	1.03	1.55	.03				
64	12547	48	2.84	4.77	.08				
65	12548	35	1.98	4.67	.02				
66	12549	44	2.71	3.06	.04				
67	12550	32	1.64	3.19	.05				
68	12551	28	1.68	3.38	.03				
69	12552	61	2.86	4.25	.17				
70	12553	52	3.92	3.79	.10				
71	12554	55	3.80	6.0	.06				
72	12555	10	.44	1.18	.04				
73	12556	26	1.59	2.53	.02				
74	12557	20	1.33	1.62	.03				
75	12558	47	2.97	5.3	.05				
76	12559	66	3.49	7.4	.19				
77	12560	86	3.61	6.6	.04				
78	12561	34	2.64	3.99	.08				
79	12562	95	5.7	9.0	.09				
80	12563	50	2.69	7.1	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 5

Date September 21, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
81	12564A	67	3.50	7.6	.02				
82	12565	46	2.66	6.9	.01				
83	12566	19	.96	3.40	.01				
84	12567	50	3.60	4.08	.05				
85	12568	36	2.64	2.56	.05				
86	12569	21	1.40	1.17	.05				
87	12570	100	6.3	8.9	.08				
88	12571	66	3.87	4.87	.21				
89	12572	46	2.65	4.50	.01				
90	12573	54	3.00	3.56	.15				
91	12574	43	3.45	3.79	.03				
92	12575	40	3.76	3.09	.14				
93	12576	42	4.40	3.93	.17				
94	12577	31	2.64	2.08	.22				
95	12578	27	1.81	1.64	.29				
96	12579	43	2.42	4.86	.04				
97	12580	16	.81	1.66	.07				
98	12581	33	1.85	3.80	.05				
99	12582	15	.78	1.64	.05				
100	12583	24	1.32	2.62	.06				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 6

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
101	12584A	23	1.34	1.60	.03				
102	12585	24	1.33	1.63	.04				
103	12586	13	.52	.65	.11				
104	12587	17	1.07	1.83	.03				
105	12588	29	1.73	2.32	.09				
106	12589	48	2.98	2.77	.05				
107	12590	28	2.11	.55	.04				
108	12591	31	2.46	2.21	.02				
109	12592	21	1.31	3.27	.01				
110	12593	14	1.00	1.59	.02				
111	12594	23	1.45	1.60	.05				
112	12595	35	2.26	3.20	.04				
113	12596	26	1.32	2.70	.08				
114	12597	9	.63	1.63	.02				
115	12598	22	.88	1.15	.12				
116	12599	15	.77	1.06	.08				
117	12600	19	1.12	1.42	.07				
118	12601	11	.13	.36	.22				
119	12602	131	6.9	12.7	.10				
120	12603	43	2.56	3.00	.33				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 7

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams/tonne	percent	percent	percent					
121	12604A	55	2.53	2.74	.36					
122	12605	148	7.7	17.5	.10					
123	12606	150	8.0	12.4	.11					
124	12607	20	1.25	1.27	.10					
125	12621	25	1.74	1.89	.17					
126	12622	31	2.31	2.52	.37					
127	12623	62	5.25	6.2	.28					
128	12624	18	1.32	.95	.19					
129	12625	9	.58	.62	.12					
130	12627	28	2.10	2.97	.14					
131	12717	17	.97	2.85	.02					
132	12718	20	.83	3.12	.02					
133	12719	9	.40	.40	.04					
134	12720	39	1.93	3.08	.04					
135	12721	11	.44	.69	.04					
136	12722	19	1.08	1.62	.03					
137	12723	32	1.80	3.92	.03					
138	12724	22	1.18	3.20	.03					
139	12725	22	1.25	2.91	.03					
140	12726	29	1.89	3.83	.05					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912-1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 8

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
141	12727	32	2.29	4.22	.05				
142	12728	28	1.60	4.18	.02				
143	12729	25	1.62	2.81	.02				
144	12730	20	1.08	3.24	.02				
145	12731	24	1.30	3.08	.02				
146	12732	46	2.69	5.8	.02				
147	12733	36	2.15	3.15	.06				
148	12734	33	1.70	3.09	.05				
149	12735	61	3.01	7.6	.04				
150	12736	44	2.37	5.1	.04				
151	12737	32	1.78	4.28	.04				
152	12738	36	1.94	4.31	.04				
153	12739	36	2.42	4.87	.03				
154	12740	27	1.59	3.58	.03				
155	12741	50	3.23	6.5	.04				
156	12742	67	3.33	8.1	.05				
157	12743	17	.30	1.42	.01				
158	12744	25	1.63	2.25	.05				
159	12745	36	2.14	3.23	.04				
160	12746	33	2.13	3.68	.04				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 9

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
161	12747	43	3.02	2.60	.05				
162	12748	29	1.78	2.60	.15				
163	12749	71	4.03	4.88	.03				
164	12750	40	2.40	4.29	.04				
165	12751	52	3.04	6.3	.02				
166	12752	39	1.94	4.94	.02				
167	12753	24	1.48	1.75	.02				
168	12754	15	1.25	2.21	.15				
169	12755	44	2.24	3.78	.02				
170	12756	13	.70	2.20	.03				
171	12757	24	1.43	2.32	.05				
172	12758	14	.80	1.02	.03				
173	12759	30	1.62	3.13	.05				
174	12760	43	2.54	4.43	.03				
175	12761	36	2.21	5.11	.04				
176	12762	97	4.82	9.3	.12				
177	12763	54	3.91	5.2	.09				
178	12764	89	6.2	6.6	.15				
179	12765	24	1.66	1.25	.24				
180	12766	13	.68	.47	.12				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 10

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams/tonne	percent	percent	percent					
181	12767A	66	5.2	5.9	.11					
182	12768	22	1.26	1.87	.27					
183	12769	17	.76	1.85	.37					
184	12811A	118	6.3	10.9	.19					
185	12812	109	5.4	12.1	.22					
186	12813	115	7.2	9.6	.14					
187	12814	23	1.32	3.20	.16					
188	12815	25	1.49	1.26	.22					
189	12847	27	1.75	3.01	.02					
190	12848A	32	1.91	3.25	.04					
191	12849A	40	2.35	4.72	.04					
192	12850	50	3.07	5.30	.05					
193	12851	48	2.73	4.87	.02					
194	12852	29	1.69	3.59	.02					
195	12853	52	3.50	6.43	.11					
196	12854	13	.92	1.11	.09					
197	12855	24	1.52	2.69	.04					
198	12856	31	2.71	2.61	.12					
199	12857	20	2.20	3.53	.05					
200	12858A	43	3.05	6.3	.03					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 11

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
201	12859A	71	4.13	7.4	.16				
202	12860	32	2.87	6.0	.03				
203	12861	61	4.53	7.3	.05				
204	12862	42	2.59	4.50	.03				
205	12863	42	2.82	4.58	.04				
206	12864	38	2.62	5.5	.04				
207	12865	28	1.75	3.18	.03				
208	12866	32	2.15	4.77	.01				
209	12867	24	1.37	1.93	.05				
210	12868A	22	1.25	1.88	.04				
211	12869A	32	1.84	2.98	.06				
212	12870	40	2.29	3.76	.06				
213	12871	42	2.53	3.77	.05				
214	12872	38	2.19	6.2	.06				
215	12873	28	1.58	4.71	.03				
216	12874	37	1.75	3.67	.04				
217	12875	42	3.17	5.6	.03				
218	12876	52	2.73	6.9	.02				
219	12877	74	4.52	6.9	.09				
220	12878A	73	4.42	3.50	.19				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 12

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
221	12879A	61	3.06	7.5	.04				
222	12880	34	2.44	3.35	.04				
223	12881	90	5.2	8.2	.03				
224	12882	75	4.61	6.7	.23				
225	12883	13	.56	1.33	.02				
226	12884	126	7.4	16.0	.05				
227	12885	93	5.2	10.1	.06				
228	12886	87	5.8	9.7	.08				
229	12887	95	6.2	10.1	.03				
230	12888A	65	4.72	3.99	.05				
231	12889A	11	.59	1.09	.03				
232	12890	85	4.81	5.5	.08				
233	12891	75	4.08	7.1	.04				
234	12892	71	4.00	6.1	.04				
235	12893	70	3.57	5.7	.09				
236	12894	70	4.04	6.3	.05				
237	12895	69	3.39	5.0	.12				
238	12896	10	.15	.17	.23				
239	12897	5	.04	.07	.15				
240	12898A	77	5.2	11.1	.14				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 13

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
241	12899A	3	.05	.10	.11				
242	12900	5	.11	.13	.10				
243	12901	30	1.43	1.73	.11				
244	12902	4	.06	.05	.09				
245	12903	45	2.56	3.91	.10				
246	12904	75	5.01	7.90	.08				
247	12905	27	1.17	1.16	.35				
248	12906	65	4.57	6.70	.16				
249	12907	41	2.19	4.41	.04				
250	12908A	35	2.03	3.66	.03				
251	12909A	40	2.16	4.99	.01				
252	12910	27	1.35	2.96	.01				
253	12911	39	1.91	4.95	.02				
254	12912	40	1.98	4.64	.02				
255	12913	57	2.96	7.65	.04				
256	12914	44	2.58	4.82	.03				
257	12915	42	2.71	4.76	.05				
258	12916	35	2.16	4.85	.02				
259	12917	45	2.83	4.71	.03				
260	12918A	39	2.06	5.73	.02				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 14

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
261	12919A	34	2.03	4.11	.01				
262	12920	27	1.64	2.40	.06				
263	12921	41	2.58	3.76	.07				
264	12922	26	1.79	2.61	.04				
265	12923	26	1.91	3.47	.03				
266	12924	28	1.93	4.76	.03				
267	12925	25	1.46	3.90	.01				
268	12926	25	1.44	4.10	.01				
269	12927	19	1.00	2.46	.02				
270	12928A	19	1.10	2.12	.03				
271	12929A	46	2.18	3.50	.04				
272	12930	65	3.46	5.89	.06				
273	12931	51	2.62	4.47	.03				
274	12932	53	2.80	6.20	.02				
275	12933	47	2.57	4.93	.01				
276	12934	77	4.47	6.74	.10				
277	12935	34	2.51	4.67	.03				
278	12936	63	3.09	5.61	.02				
279	12937	27	2.10	2.80	.01				
280	12938A	21	1.09	1.94	.02				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 15

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
281	12939A	20	.94	1.83	.07				
282	12940	50	3.49	3.85	.15				
283	12941	39	2.99	2.43	.28				
284	12942	17	.93	1.91	.32				
285	12943	14	.50	.67	.43				
286	12944	21	.86	.96	.33				
287	12945	15	.72	1.42	.25				
288	12946	16	.83	1.69	.32				
289	12947	18	.75	.76	.48				
290	12948A	12	.52	.65	.27				
291	12949A	68	3.48	6.5	L.01				
292	12950	154	6.8	16.4	.04				
293	12951	66	2.72	4.46	.01				
294	12952	73	3.65	12.5	L.01				
295	12953	142	7.1	14.0	.04				
296	12954	121	6.4	6.8	.01				
297	12955	67	3.87	6.0	.02				
298	12956	59	3.12	7.1	L.01				
299	12957	70	3.68	4.10	.02				
300	12958A	35	1.72	8.7	.04				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 16

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
301	12959A	61	3.35	5.60	L.01				
302	12960	43	2.22	4.05	L.01				
303	12961	31	1.80	9.1	L.01				
304	12962	78	4.24	7.9	L.01				
305	12963	69	3.43	8.4	.01				
306	12964	57	2.84	7.0	.03				
307	12965	58	2.76	5.00	.07				
308	12966	22	.94	1.38	.05				
309	12967	81	5.1	7.0	.05				
310	12968A	105	6.8	10.1	.06				
311	12969A	71	4.06	8.8	.03				
312	12970	53	2.73	6.5	.02				
313	12971	87	4.83	8.6	.03				
314	12972	39	2.03	3.74	.03				
315	12973	12	.48	1.27	.06				
316	12974	16	.68	1.82	.05				
317	12975	6	.30	.63	.02				
318	12976	8	.31	.44	.10				
319	12977	51	3.03	3.96	.12				
320	12978A	44	2.89	3.70	.10				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912-1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5
PHONE: (604) 372-2784 — TELEX: 048-8320

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 17

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams/tonne	percent	percent	percent					
321	12979A	40	1.91	2.11	.12					
322	12980	23	.48	.66	.16					
323	12981	43	3.59	3.78	.07					
324	12982	29	1.61	2.77	.13					
325	12983	49	2.75	2.93	.14					
326	12984	25	1.11	2.19	.14					
327	12985	19	.83	1.16	.09					
328	12986	41	2.67	.84	.11					
329	12987	22	.35	.62	.20					
330	12988A	172	9.7	15.5	.14					
331	12989A	107	3.52	6.7	.26					
332	12990	49	2.61	2.68	.14					
333	12991	52	2.24	2.16	.18					
334	12992	74	4.16	8.7	.17					
335	12993	14	.86	1.69	.04					
336	12994	13	.94	1.61	.05					
337	12995	21	1.67	1.81	.04					
338	12996	34	2.55	2.29	.02					
339	12997	30	2.29	1.81	.02					
340	12998A	26	2.08	2.38	.19					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 18

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
341	12999A	27	1.81	3.30	.01				
342	13000	19	1.40	2.75	.03				
343	14001	138	5.8	16.1	.13				
344	14002	53	2.84	8.8	.10				
345	14003	74	4.03	9.4	.02				
346	14004	54	2.99	8.3	.02				
347	14005	98	5.2	13.4	.01				
348	14006	84	4.41	9.4	.01				
349	14007	71	3.74	6.8	.02				
350	14008A	59	2.58	4.24	.09				
351	14009A	7	.34	.16	.03				
352	14010	7	.23	.17	.08				
353	14011	14	.53	.35	.07				
354	14012	6	.16	.27	.03				
355	14013	20	.84	.98	.11				
356	14014	90	4.42	8.0	.18				
357	14015	92	5.2	9.6	.05				
358	14016	103	5.3	9.0	.18				
359	14017	103	4.03	6.5	.26				
360	14018A	45	2.47	2.45	.32				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 19

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
361	14019A	62	2.40	3.57	.26				
362	14020	85	4.03	8.33	.15				
363	14021	84	4.67	9.0	.15				
364	14022	94	5.7	9.0	.15				
365	14023	45	2.48	4.32	.06				
366	14024	11	.25	.67	.06				
367	14025	9	.12	.17	.06				
368	14026	22	.84	1.41	.10				
369	14027	57	3.25	5.7	.28				
370	14028A	81	3.94	8.6	.21				
371	14029A	81	4.80	6.6	.18				
372	14031	30	1.97	.68	.05				
373	14032	14	.66	.31	.06				
374	14033	24	1.41	1.15	.07				
375	14034	24	1.30	1.72	.07				
376	14035	17	.87	.78	.06				
377	14036	16	.86	1.39	.05				
378	14037	20	1.16	2.41	.05				
379	14038	19	.93	2.28	.13				
380	14039A	40	2.19	3.68	.07				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912-1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 20

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
381	14040A	86	3.94	5.9	.21				
382	14041	84	3.79	7.9	.02				
383	14042	128	6.1	11.8	.03				
384	14043	131	7.4	15.1	.16				
385	14044	143	6.8	13.1	.07				
386	14045	30	2.01	2.85	.18				
387	14046	33	1.85	3.19	.32				
388	14047	26	1.34	2.02	.30				
389	14048	32	1.76	2.50	.12				
390	14049A	14	.59	.69	.23				
391	14050A	19	1.14	1.70	.03				
392	14052	80	3.83	6.6	.04				
393	14053	37	1.89	3.69	.05				
394	14054	17	.80	2.24	.01				
395	14055	77	4.36	7.2	.15				
396	14056	69	3.62	6.2	.06				
397	14057	36	2.26	2.22	.04				
398	14058	20	.93	1.61	.05				
399	14059	19	.92	1.85	.04				
400	14060A	55	2.71	4.75	.08				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 21

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
401	14061A	60	2.98	4.13	.18				
402	14062	56	2.56	3.45	.21				
403	14063	71	2.96	4.75	.16				
404	14064	20	1.03	1.60	.08				
405	14065	9	.35	.60	.06				
406	14066	25	1.19	2.06	.12				
407	14067	12	.49	.84	.05				
408	14068	30	1.51	2.11	.15				
409	14069	80	5.0	7.6	.10				
410	14070A	55	3.44	4.32	.24				
411	14071A	20	.57	.85	.40				
412	14072	22	.51	.59	.42				
413	14073	34	1.48	.88	.14				
414	14074	61	3.89	5.2	.12				
415	14075	50	2.73	5.4	.03				
416	14076	53	2.91	5.0	.10				
417	14077	118	6.1	7.9	.21				
418	14078	140	8.4	15.1	.03				
419	14079	86	5.2	11.3	.01				
420	14080A	44	2.11	4.16	.02				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912-1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyrus Anvil Mining Corporation Ltd.

Certificate No. K-5080 22

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
421	14081A	58	3.40	5.5	.09				
422	14082	64	3.45	8.5	.10				
423	14083	32	1.48	2.73	.05				
424	14085	27	1.78	1.83	.16				
425	14087	14	.74	.97	.08				
426	14088	102	5.6	6.3	.15				
427	14089	7	.31	.20	.03				
428	14090	13	.67	.57	.09				
429	14091	7	.19	.16	.14				
430	14092A	15	.76	.67	.07				
431	14094A	51	3.27	5.3	.05				
432	14095	75	4.16	8.9	.03				
433	14096	43	1.29	1.10	.41				
434	14097	55	2.87	4.16	.24				
435	14098	141	8.33	11.8	.09				
436	14099	45	2.67	5.1	.07				
437	14100	68	3.78	4.91	.06				
438	14101	155	8.0	15.5	.09				
439	14102	112	4.91	10.8	.15				
440	14103A	114	7.1	6.6	.09				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 23

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
441	14104A	18	1.02	1.79	.06				
442	14105	14	.85	2.15	.08				
443	14106	11	.67	2.06	.04				
444	14107	10	.49	.71	.05				
445	14108	6	.24	.35	.05				
446	14109	8	.24	.38	.06				
447	14110	13	.73	1.68	.05				
448	14111	34	1.91	3.57	.02				
449	14112	40	2.44	4.42	.04				
450	14113A	47	2.83	5.2	.02				
451	14114A	27	1.47	3.62	.01				
452	14115	42	2.60	4.7	.04				
453	14116	7	.29	.62	.08				
454	14117	14	.69	1.11	.06				
455	14118	10	.37	.69	.08				
456	14119	15	.48	1.04	.12				
457	14120	20	.47	.99	.06				
458	14121	18	.53	1.68	.08				
459	14122	11	.52	1.11	.03				
460	14123A	36	1.84	4.1	.02				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 24

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
461	14124A	14	.69	1.00	.05				
462	14125	19	1.01	.47	.03				
463	14126	17	1.05	1.71	.02				
464	14127	16	.88	1.88	.05				
465	14128	6	.15	.19	.04				
466	14129	8	.30	.70	.04				
467	14130	9	.30	1.07	.05				
468	14131	10	.43	.52	.04				
469	14132	35	1.82	4.06	.12				
470	14133A	31	1.45	3.46	.10				
471	14134A	63	4.26	8.5	.06				
472	14135	32	1.16	1.47	.17				
473	14136	25	.62	1.25	.24				
474	14137	28	.82	1.34	.21				
475	14138	23	.58	.89	.18				
476	14139	84	4.65	5.9	.20				
477	14140	77	4.43	7.0	.26				
478	14141	119	9.0	11.1	.22				
479	14142	36	1.88	1.47	.30				
480	14143A	97	6.2	10.1	.16				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 25

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Crum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
481	14144A	85	4.63	9.7	.22				
482	14145	32	1.89	2.08	.16				
483	14146	70	5.0	10.1	.15				
484	14147	102	6.2	10.6	.22				
485	14148	81	4.3	6.9	.22				
486	14149	94	5.7	8.7	.16				
487	14150	39	2.6	3.10	.04				
488	14151	111	7.2	10.3	.23				
489	14152	119	5.7	8.9	.26				
490	14153A	41	3.28	3.37	.10				
491	14154A	33	2.95	2.28	.06				
492	14155	33	2.54	5.1	.03				
493	14156	22	1.14	2.19	.03				
494	14157	38	2.02	4.23	.05				
495	14158	75	4.73	8.8	.10				
496	14159	52	3.42	5.4	.10				
497	14160	87	5.7	9.8	.17				
498	14161	70	4.42	6.5	.18				
499	14162	190	11.0	17.0	.06				
500	14163A	31	1.71	4.19	.14				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 26

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams/tonne	percent	percent	percent					
501	14164A	34	1.76	3.99	.12					
502	14165	66	3.65	6.8	.15					
503	14166	41	2.40	4.61	.12					
504	14167	70	3.68	5.7	.13					
505	14168	76	4.19	8.0	.19					
506	14169	34	2.44	5.6	.03					
507	14170	92	4.88	8.5	.14					
508	14171	82	4.92	7.2	.18					
509	14172	96	5.14	9.1	.13					
510	14173A	109	6.7	11.8	.23					
511	14174A	174	10.0	17.1	.18					
512	14175	50	2.04	2.79	.12					
513	14176	35	1.65	2.79	.09					
514	14177	26	1.00	1.91	.06					
515	14178	117	7.0	11.2	.22					
516	14179	122	5.6	10.4	.16					
517	14180	102	5.8	10.5	.10					
518	14181	89	5.5	9.4	.10					
519	14182	90	5.5	10.6	.07					
520	14183A	105	6.0	10.2	.10					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 27

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
521	14184A	132	6.2	10.6	.25				
522	14185	99	7.2	8.8	.19				
523	14186	110	5.5	7.6	.08				
524	14187	63	5.9	4.77	.04				
525	14188	17	1.02	1.21	.10				
526	14189	16	.78	.72	.12				
527	14190	11	.45	.48	.09				
528	14191	11	.57	.54	.06				
529	14192	15	.79	.69	.09				
530	14193A	62	2.75	2.50	.14				
531	14194A	93	6.3	5.2	.15				
532	14195	15	.61	1.39	.14				
533	14196	29	1.85	2.79	.17				
534	14197	12	.63	1.47	.05				
535	14198	24	1.22	1.68	.06				
536	14199	29	1.57	1.60	.16				
537	14200	13	.49	.53	.13				
538	14201	18	.87	.65	.14				
539	14202	11	.45	.44	.13				
540	14203A	9	.25	.44	.30				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5
PHONE: (604) 372-2784 — TELEX: 048-8320

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 28

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
541	14204A	12	.54	.55	.12				
542	14205	20	1.12	1.08	.09				
543	14206	24	1.92	1.72	.09				
544	14207	35	2.22	2.29	.14				
545	14208	29	1.74	1.65	.14				
546	14209	22	1.26	1.36	.14				
547	14210	8	.21	.32	.18				
548	14211	9	.41	.55	.11				
549	14212	43	3.17	4.84	.18				
550	14213A	26	1.56	2.00	.21				
551	14214A	46	2.14	3.72	.04				
552	14215	70	3.92	7.3	.03				
553	14216	50	2.10	3.40	.05				
554	14217	59	2.80	5.6	.06				
555	14218	15	.88	1.30	.02				
556	14219	29	1.76	2.44	.03				
557	14220	80	3.39	3.27	.02				
558	14221	36	1.83	4.11	.02				
559	14222	94	3.52	3.66	.02				
560	14223A	19	.91	3.06	.02				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 29

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Gram samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
561	14224A	9	.46	1.31	.01				
562	14225	7	.30	.83	.03				
563	14226	24	1.44	2.31	.02				
564	14227	16	.79	1.27	.03				
565	14228	29	1.41	3.56	.04				
566	14229	83	4.01	8.8	.05				
567	14230	120	6.8	12.4	.06				
568	14231	75	3.95	9.1	.06				
569	14232	81	4.98	5.7	.04				
570	14233A	59	3.35	7.5	.05				
571	14234A	46	2.22	4.32	.01				
572	14235	134	6.3	9.6	.14				
573	14236	80	4.82	7.0	.06				
574	14237	40	1.94	3.1	.06				
575	14238	73	4.80	6.5	.05				
576	14239	52	3.31	3.91	.06				
577	14240	49	2.77	5.7	.06				
578	14241	12	.55	.73	.05				
579	14242	6	.28	.66	.03				
580	14243A	11	.62	1.16	.04				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 30

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Ph	Zn	Cu				
		grams/tonne	percent	percent	percent				
581	14244A	13	.78	.70	.06				
582	14245	4	.20	.46	.07				
583	14246	4	.15	.49	.07				
584	14247	8	.40	.71	.10				
585	14248	8	.41	.82	.11				
586	14249	6	.77	.58	.06				
587	14250	8	.44	.70	.10				
588	14251	12	.58	1.55	.10				
589	14252	9	.43	.97	.08				
590	14253A	9	.44	.88	.05				
591	14254A	33	1.51	4.17	.04				
592	14255	21	1.65	2.53	.02				
593	14256	8	.37	.62	.05				
594	14257	21	1.20	1.68	.07				
595	14258	17	1.17	2.04	.03				
596	14259	12	.64	1.82	.03				
597	14260	15	.61	1.91	.07				
598	14261	30	1.41	2.72	.11				
599	14262	39	1.99	3.08	.12				
600	14263A	13	.42	.78	.05				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 31

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
601	14264A	10	.43	.35	.09				
602	14265	3	.06	.17	.05				
603	14266	18	1.16	1.18	.08				
604	14267	17	.56	.80	.15				
605	14268	30	1.72	2.54	.09				
606	14269	25	.51	.42	.19				
607	14270	24	.63	.37	.19				
608	14271	25	1.19	1.19	.09				
609	14272	27	1.30	2.21	.10				
610	14273A	8	.39	.27	.05				
611	14274A	18	.85	1.15	.13				
612	14275	17	.99	1.06	.09				
613	14276	41	1.78	.41	.14				
614	14277	26	1.00	.18	.14				
615	14278	25	.94	.67	.09				
616	14279	20	.34	.30	.15				
617	14280	16	.07	.31	.18				
618	14281	12	.17	.23	.12				
619	14282	12	.04	.23	.16				
620	14283A	102	4.95	7.9	.24				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 32

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
621	14284A	70	3.80	5.5	.18				
622	14285	91	.60	10.7	.07				
623	14286	10	.63	.66	.11				
624	14287	10	.48	.87	.16				
625	14288	6	.29	.73	.08				
626	14289	8	.29	.55	.08				
627	14290	11	.63	1.06	.04				
628	14291	7	.35	1.16	.06				
629	14292	13	.35	.64	.08				
630	14293A	27	1.48	2.88	.05				
631	14294A	28	1.44	2.05	.07				
632	14295	51	2.81	4.02	.17				
633	14296	64	4.25	5.4	.13				
634	14297	63	4.06	7.3	.03				
635	14298	35	1.71	4.40	.02				
636	14299	47	2.85	5.8	.03				
637	14300	90	4.95	9.6	.07				
638	14301	36	2.32	3.09	.04				
639	14302	13	.42	.36	.12				
640	14303A	39	3.29	1.07	.04				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 33

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
641	14304A	36	3.09	1.22	.07				
642	14305	35	2.65	2.38	.04				
643	14306	19	1.16	1.55	.04				
644	14307	24	1.49	2.42	.02				
645	14308	43	2.50	3.83	.01				
646	14309	26	1.33	2.56	.01				
647	14310	11	.88	1.32	.06				
648	14311	27	1.99	2.02	.03				
649	14312	50	3.04	6.0	.05				
650	14313A	32	2.37	1.97	.04				
651	14314A	16	.88	1.78	.01				
652	14315	47	2.17	4.80	.09				
653	14316	26	1.82	3.39	.03				
654	14317	15	.87	1.70	.03				
655	14318	10	.63	1.29	.05				
656	14319	16	.89	1.00	.08				
657	14320A	13	.71	.99	.07				
658	14321	74	4.55	7.43	.03				
659	14322	8	.30	.43	.06				
660	14323A	25	.99	1.78	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 34

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
661	14324A	32	1.62	3.66	.02				
662	14325	65	2.92	5.2	.04				
663	14326	67	4.41	5.9	.05				
664	14327	77	4.95	4.65	.09				
665	14328	39	2.11	3.15	.03				
666	14329	36	2.20	2.59	.04				
667	14330	48	2.45	4.25	.04				
668	14331	66	4.46	5.1	.03				
669	14332	23	1.49	2.2	.03				
670	14333A	63	3.76	8.5	.05				
671	14334A	66	3.95	9.3	.02				
672	14335	9	.36	.49	.08				
673	14336	25	1.44	1.74	.06				
674	14337	12	.50	1.14	.06				
675	14338	14	.63	1.38	.06				
676	14339	41	2.12	4.22	.07				
677	14340	74	3.89	8.3	.01				
678	14341	78	3.20	7.4	.06				
679	14342	77	4.77	8.4	.05				
680	14343A	39	1.74	3.42	.08				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 35

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams/tonne	percent	percent	percent					
681	14344A	16	.59	.85	.07					
682	14345	20	.87	.99	.08					
683	14346	24	.70	.62	.14					
684	14347	77	5.0	8.0	.17					
685	14348	78	4.44	7.2	.09					
686	14349	119	6.4	9.5	.36					
687	14350	50	3.1	3.85	.29					
688	14351	38	1.82	3.09	.30					
689	14352	75	4.28	8.3	.08					
690	14353A	17	.78	1.45	.09					
691	14354A	13	.58	1.72	.14					
692	14355	12	.61	.70	.14					
693	14356	15	.71	1.46	.08					
694	14357	15	.73	1.31	.05					
695	14358	58	3.43	6.8	.05					
696	14359	38	2.52	4.38	.07					
697	14360	28	1.77	2.44	.07					
698	14361	22	1.31	2.64	.05					
699	14362	11	.56	1.08	.05					
700	14363A	15	.71	.96	.06					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 36

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
701	14364A	10	.44	1.22	.05				
702	14365	13	.67	1.09	.07				
703	14366	15	.82	1.42	.04				
704	14367	11	.56	.83	.03				
705	14368	14	.70	1.08	.05				
706	14369	14	.68	1.42	.06				
707	14370	10	.50	1.05	.05				
708	14371	19	.81	1.04	.05				
709	14372	19	.43	.36	.11				
710	14373A	95	6.35	8.80	.06				
711	14374A	73	4.30	10.5	.08				
712	14375	75	4.56	9.6	.16				
713	14376	80	5.0	5.5	.13				
714	14377	125	7.2	14.3	.12				
715	14378	148	11.0	16.4	.06				
716	14379	104	7.1	9.8	.08				
717	14380	79	1.67	2.44	.12				
718	14381	28	1.85	2.37	.08				
719	14382	13	.75	.94	.16				
720	14383A	18	.83	1.02	.29				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 37

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
721	14384A	48	2.60	4.08	.25				
722	14385	28	1.37	1.65	.47				
723	14386	4	.28	.20	.16				
724	14387	12	.66	.95	.17				
725	14388	30	1.69	3.18	.08				
726	14389	23	1.30	1.75	.17				
727	14390	29	1.76	2.18	.22				
728	14391	11	.52	.69	.14				
729	14392	9	.10	.17	.16				
730	14393A	10	.15	.12	.15				
731	14394A	10	.10	.20	.26				
732	14395	17	.70	1.04	.18				
733	14396	57	4.07	5.4	.16				
734	14397	13	.42	.72	.20				
735	14398	59	4.34	5.7	.19				
736	14399	82	5.7	7.3	.30				
737	14400	20	.98	1.67	.03				
738	14401	9	.46	1.09	.13				
739	14402	11	.55	.75	.10				
740	14403A	76	4.16	4.81	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5080 38

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
741	14404A	31	1.79	3.34	.02				
742	14405	54	3.19	6.6	.02				
743	14406	13	.65	1.56	.06				
744	14407	11	.51	1.20	.09				
745	14408	16	1.01	2.21	.04				
746	14409	34	1.67	2.62	.07				
747	14410	24	1.08	1.65	.05				
748	14411	120	5.3	11.1	.08				
749	14412	95	4.69	9.13	.04				
750	14413A	119	6.9	13.9	.17				
751	14414A	113	6.6	12.7	.24				
752	14415	104	4.83	8.2	.20				
753	14416	80	4.47	5.6	.26				
754	14417	116	7.3	13.0	.14				
755	14418	91	5.2	8.3	.10				
756	14419	60	4.19	5.6	.19				
757	14420	69	4.38	4.49	.23				
758	14421	79	4.51	8.5	.08				
759	14422	41	1.88	4.02	.04				
760	14423	54	1.90	6.2	.12				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
 V2C 5P5
 PHONE: (604) 372-2784 — TELEX: 048-8320

**B.C. LICENSED ASSAYERS
 GEOCHEMICAL ANALYSTS
 METALLURGISTS**

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-5080 39

Date September 22, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
761	14424A .	65	3.40	9.1	.12				
762	14425A	33	1.85	1.45	.20				
	L means "Less than"								

NOTE:
 Rejects retained three weeks.
 Pulps retained three months
 unless otherwise arranged.



 Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

330 - 355 Burrard Street

Vancouver, B.C.

V6C 2G8

ATTENTION: DR. GLEN SIMPSON

Certificate No. K-5112

Date October 5, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
1	12770A	8	.24	.33	.01				
2	12771	20	.82	1.95	.06				
3	12772	16	.61	1.60	.08				
4	12773	16	.56	1.63	.09				
5	12774	17	.54	1.89	.07				
6	12775	21	1.00	1.97	.06				
7	12776	6	.20	.31	.03				
8	12777	16	.77	1.45	.08				
9	12778	13	.62	.88	.05				
10	12779A	14	.68	.85	.04				
11	12780A	130	5.5	10.1	.14				
12	12781	46	2.35	4.79	.01				
13	12782	47	2.87	6.5	.05				
14	12783	18	.88	1.66	.03				
15	12784	17	1.02	2.09	.03				
16	12785	43	2.36	4.93	.02				
17	12786	37	2.70	5.1	.04				
18	12787	39	2.01	4.69	.02				
19	12788	17	.76	2.07	.01				
20	12789A	26	1.16	4.76	.01				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5112 2

Date October 5, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
21	12790A	38	2.25	4.22	.01				
22	12791	82	5.2	9.1	.08				
23	12792	50	3.83	4.77	.08				
24	12793	7	.23	.49	.07				
25	12794	25	1.25	2.11	.06				
26	12795	12	.56	1.33	.05				
27	12796	13	.99	1.68	.04				
28	12797	20	1.18	1.77	.04				
29	12798	16	.69	1.47	.05				
30	12799A	26	1.23	2.63	.07				
31	12800A	22	1.06	2.64	.05				
32	12801	36	1.80	4.48	.05				
33	12802	50	2.53	6.7	.05				
34	12803	50	2.26	6.9	.03				
35	12804	29	1.29	3.51	.05				
36	12805	19	1.00	2.14	.03				
37	12806	29	1.82	4.11	.04				
38	12807	55	2.61	5.9	.03				
39	12808	20	.93	2.82	.02				
40	12809A	64	3.08	8.9	.02				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5112 3

Date October 5, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
41	12810A	24	1.25	2.63	.02				
42	12816	21	.86	1.56	.04				
43	12817	70	4.00	7.8	.09				
44	12818	56	4.13	7.8	.08				
45	12819	81	5.7	10.1	.09				
46	12820	36	1.82	4.05	.04				
47	12822	31	1.54	3.77	.09				
48	12823	31	1.42	3.10	.06				
49	12824	30	1.53	3.12	.07				
50	12825A	24	1.34	2.09	.04				
51	12826A	22	1.17	2.71	.05				
52	12827	20	1.00	2.50	.06				
53	12828	16	.93	2.11	.03				
54	12829	39	1.54	3.83	.06				
55	12830	27	1.25	3.22	.04				
56	12831	28	1.23	2.94	.06				
57	12832	29	1.48	3.42	.04				
58	12833	29	1.20	3.73	.03				
59	12834	33	1.55	4.90	.03				
60	12835A	26	1.00	4.85	.05				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5112 4

Date October 5, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu					
		grams/tonne	percent	percent	percent					
61	12836A	78	4.58	9.7	.06					
62	12837	49	2.58	8.0	.09					
63	12838	52	3.18	7.5	.08					
64	12839	22	.73	2.58	.11					
65	12840	92	5.1	9.4	.12					
66	12841	31	1.11	2.89	.13					
67	12842	29	1.53	4.82	.02					
68	12843	62	3.08	6.7	.03					
69	12844	153	8.20	12.6	.14					
70	12845A	12	.66	2.60	.03					
71	12846A	22	1.18	3.88	.02					
72	14426	92	4.65	10.5	.08					
73	14427	24	1.03	2.00	.06					
74	14428	19	.90	1.78	.06					
75	14429	10	.47	.71	.07					
76	14430	15	.76	1.02	.07					
77	14431	83	4.55	7.8	.04					
78	14432	20	1.12	1.04	.06					
79	14433	29	1.86	3.29	.04					
80	14434A	18	.95	2.26	.04					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5112 5

Date October 5, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
81	14435A	48	2.66	4.59	.13				
82	14436	9	.30	.45	.09				
83	14437	11	.32	.79	.07				
84	14438	9	.29	.25	.06				
85	14439	62	3.32	6.3	.08				
86	14440	15	.37	.87	.15				
87	14441	81	4.06	8.00	.10				
88	14442	18	1.04	2.29	.01				
89	14443	92	4.84	8.6	.13				
90	14444A	46	2.40	5.9	.04				
91	14445A	82	3.98	7.6	.07				
92	14446	43	2.13	3.13	.08				
93	14447	8	.26	.32	.08				
94	14448	7	.29	.21	.06				
95	14449	11	.46	.96	.06				
96	14450	10	.84	.08	.09				
97	14451	10	.12	.10	.13				
98	14452	12	.83	1.22	.01				
99	14453	28	2.22	1.85	.02				
100	14454A	21	.97	1.95	.02				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5112 6

Date October 5, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Crum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
101	14455A	23	1.21	2.46	.02				
102	14456	39	2.00	3.36	.01				
103	14457	92	4.85	14.5	.02				
104	14458	47	2.41	4.68	.02				
105	14459	20	.49	.24	.27				
106	14460	27	1.33	.86	.26				
107	14461	19	.97	.83	.23				
108	14462	26	1.28	1.09	.32				
109	14463	26	1.34	1.32	.24				
110	14464A	20	.84	.34	.23				
111	14465A	27	.95	.61	.21				
112	14466	21	.98	.88	.22				
113	14467	23	1.26	1.38	.28				
114	14468	32	1.99	1.13	.27				
115	14469	7	.36	.35	.10				
116	14470	17	.89	.80	.21				
117	14471	28	1.59	1.72	.30				
118	14472	26	1.51	1.12	.26				
119	14473	26	1.42	1.20	.33				
120	14474A	23	.84	.60	.50				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5112 7

Date October 5, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
121	14475A	23	.86	.60	.37				
122	14476	23	.92	.51	.34				
123	14477	24	1.19	.76	.19				
124	14478	42	2.46	2.58	.21				
125	14479	44	2.77	3.32	.19				
126	14480	11	.54	.38	.11				
127	14481	43	3.49	3.67	.07				
128	14482	71	.70	1.35	.27				
129	14483	41	2.01	2.79	.15				
130	14484A	25	1.26	1.42	.23				
131	14485A	26	1.10	.75	.31				
132	14486	18	.81	.60	.10				
133	14487	30	1.50	.99	.23				
134	14488	132	5.7	7.6	.12				
135	14489	16	.68	1.17	.08				
136	14490	21	1.04	.66	.08				
137	14491	17	.61	.48	.15				
138	14492	53	2.71	3.39	.19				
139	14493	11	.19	.34	.21				
140	14494A	28	1.43	2.04	.21				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5112 8

Date October 5, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
141	14495A	9	.17	.17	.19				
142	14496	8	.15	.19	.16				
143	14497	14	.37	.24	.17				
144	14498	13	.15	.58	.15				
145	14499	9	.27	.19	.12				
146	14500	13	.35	.29	.24				
147	14501	66	3.71	4.53	.47				
148	14502	13	.50	.92	.19				
149	14503	7	.26	.39	.15				
150	14504A	17	1.06	1.00	.22				
151	14505A	53	4.19	6.12	.19				
152	14506	29	2.01	3.62	.05				
153	14507	3	.18	.32	.02				
154	14508	26	2.03	5.27	.08				
155	14509	19	1.30	2.54	.05				
156	14510	22	2.50	.80	.07				
157	14511	27	1.76	2.31	.16				
158	14512	56	4.86	7.12	.18				
159	14513	44	3.65	6.83	.12				
160	14514A	20	1.04	1.28	.22				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5112 9

Date October 5, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
161	14515A	34	2.05	2.19	.23				
162	14516	14	.53	.95	.15				
163	14517	21	.70	1.00	.11				
164	14518	21	1.33	1.24	.06				
165	14519	29	1.76	1.31	.21				
166	14520	21	1.43	1.57	.17				
167	14521	117	6.44	18.6	.11				
168	14522	73	2.36	4.66	.09				
169	14523	80	3.46	8.24	.07				
170	14524A	30	1.61	2.57	.05				
171	14525A	23	1.31	1.57	.04				
172	14526	18	1.08	1.74	.06				
173	14527	30	1.91	3.66	.02				
174	14528	35	2.27	3.74	.02				
175	14529	35	2.15	4.57	.02				
176	14530	66	4.14	8.44	.13				
177	14531	63	4.54	4.93	.19				
178	14532	58	3.80	6.76	.12				
179	14533	64	4.06	5.53	.21				
180	14534A	113	6.14	8.38	.13				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5112 10

Date October 5, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
181	14535A	142	6.39	11.0	.14				
182	14536	122	7.18	14.1	.13				
183	14537	115	6.54	13.8	.12				
184	14538	158	9.37	13.6	.09				
185	14539	105	5.58	9.1	.19				
186	14540	112	6.86	10.1	.21				
187	14541	199	12.9	20.0	.12				
188	14542	94	5.97	8.4	.11				
189	14543	26	1.40	2.46	.03				
190	14544A	113	6.49	18.6	.01				
191	14545A	52	3.08	8.74	.01				
192	14546	40	2.68	4.74	.03				
193	14547	43	3.23	5.60	.05				
194	14548	19	1.45	3.76	.01				
195	14549	30	2.54	3.15	.03				
196	14550	13	1.03	1.22	.01				
197	14551	16	1.25	1.23	.05				
198	14552	12	.71	.62	.05				
199	14553	41	3.02	1.07	.06				
200	14554	10	.54	.52	.11				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912-1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5112 11

Date October 5, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
201	14555A	52	3.45	5.9	.04				
202	14556	19	1.04	2.86	.02				
203	14557	44	2.97	2.95	.09				
204	14558	57	4.14	3.93	.06				
205	14559	72	4.10	6.45	.11				
206	14560	107	6.06	10.1	.09				
207	14561	56	3.35	6.5	.03				
208	14562	40	2.06	3.47	.03				
209	14563	26	1.43	2.81	.03				
210	14564A	25	.91	1.41	.05				
211	14565A	21	.48	.73	.05				
212	14566	17	.71	1.09	.03				
213	14567	70	4.46	4.41	.07				
214	14568	17	1.00	1.01	.09				
215	14569	8	.59	1.19	.03				
216	14570	22	1.19	1.44	.08				
217	14571	57	3.03	3.44	.17				
218	14572	27	1.60	3.11	.13				
219	14573	24	1.31	2.57	.05				
220	14574A	1	.02	.05	.01				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5112 12

Date October 5, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
221	14575A	1	.03	.07	.01				
222	14576	1	.01	.04	.01				
223	14577	77	4.04	6.71	.10				
224	14578	63	3.34	3.92	.06				
225	14579	66	3.75	3.53	.17				
226	14580	37	1.48	3.18	.11				
227	14581	34	1.57	3.03	.09				
228	14582	54	2.81	3.92	.24				
229	14583	62	3.29	5.96	.25				
230	14589A	56	3.60	4.38	.19				
231	14590A	5	.12	.13	.06				
232	14591	20	.84	1.19	.07				
233	14592	30	1.40	.68	.13				
234	14593	23	1.15	1.70	.13				
235	14594	18	.86	.70	.21				
236	14595	14	.75	.83	.20				
237	14596	26	1.60	1.20	.18				
238	14597	32	2.09	2.13	.19				
239	14598	35	2.21	2.09	.13				
240	14599A	53	2.44	2.19	.41				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5112 13

Date October 5, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
241	14600A	8	.15	.14	.14				
242	14601	17	.30	.40	.20				
243	14602	15	.26	.41	.21				
244	14603	11	.27	.64	.26				
245	14604	46	3.82	7.4	.02				
246	14605	58	3.88	7.4	.10				
247	14606	45	2.47	2.2	.03				
248	14607	53	4.01	8.0	.07				
249	14608	77	4.96	7.8	.14				
250	14609A	18	1.13	1.68	.04				
251	14610A	41	2.89	2.96	.19				
252	14611	21	1.00	1.75	.16				
253	14612	18	.65	.50	.24				
254	14613	9	.10	.05	.01				
255	14614	40	2.31	4.25	.05				
256	14615	36	1.93	4.25	.03				
257	14616	34	2.01	3.64	.08				
258	14617	71	4.30	6.8	.04				
259	14618	43	2.62	4.11	.04				
260	14619A	19	1.07	2.43	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912-1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5
PHONE: (604) 372-2784 — TELEX: 048-8320

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5112 14

Date October 5, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
261	14620A	23	1.53	3.08	.03				
262	14621	27	1.87	3.31	.05				
263	14622	14	.95	2.46	.02				
264	14623	38	1.60	3.93	.15				
265	14624	30	2.06	5.1	.04				
266	14625	40	2.64	6.4	.02				
267	14626	52	2.79	7.3	.02				
268	14627	36	2.04	4.22	.04				
269	14628	53	3.09	7.7	.14				
270	14629A	45	3.17	4.32	.05				
271	14630A	67	4.01	5.7	.09				
272	14631	43	2.91	5.3	.02				
273	14632	36	2.18	5.6	.04				
274	14633	18	.93	3.04	.02				
275	14634	14	.70	1.53	.03				
276	14635	27	1.53	1.64	.10				
277	14636	31	1.95	3.40	.05				
278	14637	27	1.81	3.07	.03				
279	14638	45	2.22	2.68	.29				
280	14639A	37	2.66	4.19	.07				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5112 15

Date October 5, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
281	14640A	49	3.00	5.2	.03				
282	14641	35	2.08	4.85	.02				
283	14642	23	1.72	2.18	.02				
284	14643	85	5.1	8.8	.05				
285	14644	44	3.10	4.41	.05				
286	14645	29	2.02	4.52	.02				
287	14646	11	.48	.67	.09				
288	14647	7	.28	.42	.10				
289	14648	22	1.32	1.99	.14				
290	14649A	92	5.1	8.5	.16				
291	14650A	26	1.46	2.82	.07				
292	14651	28	2.00	2.18	.17				
293	14652	36	2.18	2.86	.37				
294	14653	69	3.99	5.2	.12				
295	14654	46	2.98	5.0	.04				
296	14655	32	1.92	3.14	.10				
297	14656	30	1.75	3.84	.06				
298	14657	18	1.37	2.56	.01				
299	14658	29	1.69	2.95	.05				
300	14659A	24	1.27	2.89	.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5112 16

Date October 5, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent.	percent	percent				
301	14660A	24	1.39	2.28	.03				
302	14661	61	3.74	5.1	.03				
303	14662	67	3.45	7.2	.04				
304	14663	31	1.88	4.30	.04				
305	14664	29	1.41	2.91	.03				
306	14665	61	4.16	5.9	.10				
307	14666	55	3.65	4.32	.09				
308	14667	51	2.97	4.34	.05				
309	14668	65	4.02	6.4	.06				
310	14669A	53	3.34	5.7	.03				
311	14670A	32	2.24	3.83	.03				
312	14671	31	2.22	3.29	.03				
313	14672	39	2.29	6.3	.04				
314	14673	37	2.26	5.3	.02				
315	14674	42	2.37	6.2	.01				
316	14675	33	2.01	3.05	.05				
317	14676	41	2.73	1.83	.02				
318	14677	51	3.31	5.2	.03				
319	14678	39	2.70	3.92	.04				
320	14679A	50	2.68	4.60	.04				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5112 17

Date October 5, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
321	14680A	31	1.57	3.39	.03				
322	14681	28	1.29	2.20	.04				
323	14682	27	1.38	3.01	.03				
324	14683	27	1.47	1.43	.03				
325	14684	31	2.12	2.59	.02				
326	14685	24	1.21	1.57	.04				
327	14687	36	2.09	5.2	.06				
328	14688	25	1.24	2.56	.05				
329	14689	77	3.33	11.2	.02				
330	14690A	72	3.44	8.9	.04				
331	14691A	29	1.80	2.97	.03				
332	14692	31	1.86	2.93	.04				
333	14693	61	3.45	4.57	.02				
334	14694	49	2.70	5.3	.02				
335	14695	31	1.88	3.15	.05				
336	14696	24	1.70	3.17	.03				
337	14697	7	.09	.20	.12				
338	14698	3	.06	.08	.08				
339	14699	34	2.16	4.01	.02				
340	14700A	43	3.09	3.64	.16				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-5112 18

Date October 5, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Ag	Pb	Zn	Cu				
		grams/tonne	percent	percent	percent				
341	14701A	98	8.0	8.2	.19				
342	14702A	100	7.2	8.1	.16				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

330 - 355 Burrard Street

Vancouver, B.C. V6C 2G8

Certificate No. K-4816

Date April 30, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
1	6259A	.21	7.8	6.60	3.17				
2	6260A	.48	22.5	8.40	3.87				
3	6261	.62	35.9	3.73	4.35				
4	6262	1.44	10.9	4.85	3.31				
5	6263	.41	29.8	2.58	4.05				
6	6264	.41	24.0	2.00	3.61				
7	6266	.48	11.1	6.86	3.30				
8	6267	.82	30.7	3.88	4.11				
9	6268	.21	4.19	3.70	3.00				
10	6269A	.27	3.89	2.06	2.87				
11	6270A	1.37	30.3	3.51	3.98				
12	6271	.27	9.4	3.46	3.23				
13	6272	.41	12.9	5.12	3.43				
14	6273	.34	10.7	3.32	3.22				
15	6275	.27	12.5	5.03	3.25				
16	6276	.21	2.61	2.77	2.92				
17	6277	.21	1.75	2.32	2.88				
18	6278	.21	2.27	2.19	2.94				
19	6279	.41	7.9	2.24	3.02				
20	6280A	1.03	38.1	1.94	4.20				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5
PHONE: (604) 372-2784 — TELEX: 048-8320

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4816 2

Date April 30, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
21	6281A	.55	16.4	5.29	3.50				
22	6282	.69	16.1	4.86	3.45				
23	6283	.55	15.0	4.64	3.45				
24	6285	.55	12.2	4.07	3.27				
25	6286	.55	6.2	2.95	3.02				
26	6287	.55	17.5	5.70	3.78				
27	6288	.89	16.9	6.70	3.67				
28	6289	.27	11.3	5.30	3.28				
29	6290A	.21	9.8	4.90	3.25				
30	6291A	.48	27.6	6.50	3.78				
31	6292A	.27	12.1	2.72	3.14				
32	6293	.89	26.1	10.40	4.15				
33	6295	.62	20.1	2.06	3.53				
34	6296	.21	7.2	3.74	3.11				
35	6297	.89	21.9	4.44	3.25				
36	6298	.75	28.8	6.40	3.05				
37	6299	.41	26.2	7.50	3.90				
38	6300A	.48	23.7	10.00	3.30				
39	6301	.27	19.6	1.32	3.56				
40	6515A	1.65	19.5	1.55	3.52				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4816 3

Date April 30, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
41	6516A	1.37	16.2	1.60	3.46				
42	6518	1.03	13.7	2.65	3.59				
43	6519	2.26	18.1	2.15	3.82				
44	6520A	2.13	11.5	2.56	3.47				
45	6521	1.65	19.7	2.15	4.06				
46	6522	1.10	13.5	2.82	3.63				
47	6523	1.58	21.0	3.13	3.74				
48	6525	1.99	23.2	1.46	4.19				
49	6526	1.17	17.7	1.42	3.87				
50	6527A	.89	17.7	1.65	3.77				
51	6529A	1.65	27.7	2.15	4.69				
52	6530A	1.44	27.9	.56	4.73				
53	6531	1.99	32.7	1.65	4.67				
54	6532	1.58	23.1	1.05	4.28				
55	7347A	.75	21.8	.91	4.26				
56	7348	1.03	27.0	.62	4.33				
57	7349	1.92	37.8	.72	4.81				
58	7350A	1.44	28.5	.67	4.57				
59	7351	.96	18.4	.51	4.54				
60	7352A	.96	10.6	.82	3.33				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4816 4

Date April 30, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams tonne	percent	percent					
61	7353A	1.44	16.1	1.14	4.51				
62	7354	1.65	33.2	1.78	4.46				
63	7355	1.10	19.2	1.37	4.53				
64	7357	1.85	20.1	1.10	4.26				
65	7358	1.99	18.0	1.72	3.46				
66	7359	.89	18.8	1.76	3.35				
67	7360A	.69	22.4	2.19	3.46				
68	7361	.55	21.4	2.37	3.41				
69	7362	1.03	24.5	2.15	3.57				
70	7369A	1.99	13.3	4.25	3.08				
71	7370A	.75	22.1	4.25	3.64				
72	7372	1.58	37.7	2.32	4.49				
73	7373	1.78	36.0	2.19	4.21				
74	7997A	.62	4.64	1.72	2.99				
75	7998	.41	3.76	1.29	2.89				
76	8000A	.55	2.84	1.29	2.97				
77	8144A	.27	5.13	4.75	3.03				
78	8145	.48	5.31	1.99	3.08				
79	8146	.41	15.3	5.01	4.06				
80	8147A	.41	10.5	5.32	3.42				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4816 5

Date April 30, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams, tonne	percent	percent					
81	8148A	.48	13.3	.81	4.61				
82	8149	.48	16.1	1.21	4.61				
83	8150A	.27	4.55	2.56	3.11				
84	8332A	.48	5.4	.86	2.99				
85	8333	.55	5.1	.86	2.95				
86	8334	.75	8.4	1.34	3.11				
87	8335	.75	8.6	3.01	3.15				
88	8336	.89	8.4	2.41	3.16				
89	8338	.75	7.1	2.11	3.10				
90	8340A	.48	2.69	2.24	2.89				
91	8341A	.69	3.75	2.28	2.95				
92	8342	.27	2.59	2.77	2.89				
93	8343	.27	1.69	3.82	2.99				
94	8344	.27	1.35	3.39	2.88				
95	8345	.34	3.55	1.81	2.94				
96	8346	.48	22.1	2.15	3.66				
97	8347	.55	5.05	.91	2.99				
98	8349	.48	11.3	.51	3.14				
99	8352A	.21	2.15	2.45	3.02				
100	8353A	.41	8.4	13.90	3.55				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5
PHONE: (604) 372-2784 — TELEX: 048-8320

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4816 6

Date April 30, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams, tonne	percent	percent					
101	8354A	1.03	9.7	2.77	2.52				
102	8355	.55	5.1	3.25	3.11				
103	8356	.48	3.14	3.39	3.05				
104	8357	.27	.89	1.15	2.88				
105	8358	.41	9.8	5.48	3.53				
106	8565A	.55	6.1	.81	2.71				
107	8567	.82	4.92	1.58	3.01				
108	8568	.62	7.2	1.53	3.08				
109	8569	.55	9.0	1.11	3.14				
110	8570A	.69	9.1	1.67	3.14				
111	8571A	.69	3.03	1.72	3.50				
112	8572	.41	2.54	1.82	3.11				
113	8573	.62	11.5	1.05	3.51				
114	8574	.48	7.4	.72	2.92				
115	8575	.21	1.40	5.00	2.86				
116	8576	.27	.96	4.96	2.84				
117	8578	1.44	4.7	1.24	3.06				
118	8579	.69	5.6	1.05	3.01				
119	8580A	.62	20.5	3.30	3.86				
120	8581A	.41	16.9	4.53	3.54				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912-1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4816 7

Date April 30, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Gram samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams. tonne	percent	percent					
121	8582A	1.10	17.1	2.99	4.30				
122	8583	.43	7.9	1.86	4.39				
123	8585	.21	8.5	6.30	3.21				
124	8586	.14	6.6	4.96	3.18				
125	8587	.27	5.4	4.81	3.14				
126	8588	.21	2.46	2.10	3.09				
127	8589	.21	6.5	5.30	3.07				
128	8590A	.27	8.7	4.57	3.37				
129	8591	.55	20.5	8.10	3.98				
130	8592A	.41	17.6	4.50	3.70				
131	8593A	1.44	14.3	10.00	4.45				
132	8594	.75	19.3	2.58	4.56				
133	8595	.34	9.0	2.81	3.40				
134	8596	1.17	18.1	3.76	4.58				
135	8597	.62	13.6	1.67	4.49				
136	8598	1.51	28.9	5.72	4.78				
137	8600A	2.13	24.4	2.76	3.76				
138	8733A	.75	11.2	2.85	3.33				
139	8734	.96	15.5	1.81	3.41				
140	8735A	.82	15.4	1.43	3.46				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5
PHONE: (604) 372-2784 — TELEX: 048-8320

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4816 6

Date April 30, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams, tonne	percent	percent					
141	8736A	.62	3.98	1.90	2.92				
142	8737	.96	7.3	1.34	3.01				
143	8738	.96	4.44	1.72	2.96				
144	8739	.96	6.5	2.68	3.10				
145	8740A	.48	3.97	6.30	3.05				
146	8742	1.85	2.37	1.29	2.85				
147	8743	.27	1.54	5.55	2.85				
148	8744	.62	5.3	.96	2.90				
149	8745	.69	4.12	.86	2.84				
150	8746A	.69	6.6	.76	2.88				
151	8747A	.82	7.2	.95	3.02				
152	8748	.96	8.9	1.10	3.14				
153	8749	1.44	14.6	2.58	4.04				
154	8750A	.75	16.6	1.05	3.38				
155	8751	.89	24.2	1.10	3.66				
156	8752	.82	14.4	.91	3.25				
157	8753	.89	14.4	1.25	3.33				
158	8754	1.58	17.6	2.26	3.52				
159	8755	.89	6.3	1.10	3.08				
160	8756A	.75	7.2	1.18	3.15				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5
PHONE: (604) 372-2784 — TELEX: 048-8320

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4816 9

Date April 30, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams, tonne	percent	percent					
161	8757A	.27	2.67	3.86	2.95				
162	8759	.21	1.5	4.10	2.87				
163	8760A	.75	8.7	2.92	3.37				
164	8761	.27	1.91	5.00	2.88				
165	8762	.89	13.7	1.58	3.49				
166	8764	.34	24.4	1.99	3.96				
167	8765	.41	6.4	1.34	2.91				
168	8767	1.03	10.5	.96	3.25				
169	8768	.89	12.9	.71	3.16				
170	8769A	.48	2.54	.76	2.37				
171	8770A	.41	2.42	.81	2.81				
172	8771	.96	14.9	3.49	3.47				
173	8772	.27	6.03	3.76	2.99				
174	8774	.89	29.5	.67	4.57				
175	8775	.62	29.4	1.90	3.27				
176	8776	.34	13.4	3.80	3.55				
177	8780A	.69	12.9	3.62	3.16				
178	8781	.34	14.2	12.40	4.34				
179	8782	.32	18.0	2.31	2.96				
180	8801A	.27	3.82	5.20	2.94				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Lining Corporation Ltd.

Certificate No. K-4816 10

Date April 30, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Gram samples

Kral No	Marked	Au	Py	Po	S.G.				
		grams. tonne	percent	percent					
181	8802A	.55	4.29	2.70	3.00				
182	8803	.34	4.22	3.58	3.23				
183	8805	1.10	9.9	1.00	3.20				
184	8806	1.17	7.0	1.15	3.21				
185	8807	.34	4.06	1.48	2.89				
186	8808	.62	6.3	.91	3.01				
187	8809	.55	6.8	.57	2.94				
188	8810A	.41	3.42	.86	2.92				
189	8811	.55	7.7	.53	2.96				
190	8812A	.89	12.1	.72	3.16				
191	8813A	1.03	15.3	1.24	3.73				
192	8815	1.44	4.54	2.17	3.68				
193	8816	.62	4.23	.76	2.84				
194	8817	.69	5.5	.91	2.96				
195	8818	.89	7.7	1.24	3.06				
196	8819	.48	3.32	1.67	2.89				
197	8820A	.48	3.88	1.10	2.91				
198	8821	.75	4.71	1.19	3.00				
199	8822	.62	3.07	1.31	2.95				
200	8823A	.62	2.56	1.52	3.00				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5
PHONE: (604) 372-2784 — TELEX: 048-8320

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4816 11

Date April 30, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams tonne	percent	percent					
201	8825A	.75	3.44	.56	2.91				
202	8901A	.41	10.1	.86	4.45				
203	8902	.48	11.5	2.56	3.46				
204	8904	1.23	15.0	4.14	3.62				
205	8905	1.03	20.5	4.46	3.77				
206	8906	1.92	18.6	4.05	3.57				
207	8907	1.23	9.9	1.91	3.38				
208	8951A	.55	8.0	1.26	2.99				
209	8952	.62	11.0	1.47	3.04				
210	8953A	.48	9.3	1.42	3.38				
211	8954A	.41	7.9	1.86	3.15				
212	8955	.96	10.8	1.62	3.16				
213	8956	1.51	22.8	2.21	4.58				
214	8957	1.17	26.6	1.42	4.43				
215	8958	.48	12.6	2.30	3.34				
216	8960A	1.03	22.1	1.06	4.61				
217	8961	.69	21.4	1.57	4.37				
218	8962	.69	22.1	1.82	4.66				
219	8963	1.03	23.0	1.16	4.54				
220	8964A	1.03	33.7	1.01	4.61				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4816 12

Date April 30, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Gram samples

Kral No	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
221	8965A	1.37	19.6	.61	4.66				
222	8966	.62	22.4	.56	4.61				
223	8967	.89	25.4	.76	4.31				
224	8968	.21	2.54	3.12	2.87				
225	8970A	.62	24.8	.69	4.50				
226	8971	.75	19.7	.65	4.33				
227	8972	1.44	28.3	1.29	4.37				
228	8973	.96	19.2	.65	4.72				
229	8974	.89	38.1	1.02	4.76				
230	8975A	1.58	16.3	.94	4.61				
231	8976A	1.30	34.9	1.13	4.86				
232	8977	1.44	33.2	.98	4.72				
233	8978	1.44	35.2	1.02	4.78				
234	8980A	1.51	26.9	1.02	4.57				
235	8981	1.65	34.0	1.02	4.51				
236	8982	1.65	25.6	1.37	4.06				
237	8983	.96	16.0	1.33	3.69				
238	8984	1.37	13.4	2.06	3.80				
239	8985	.82	21.7	1.68	3.67				
240	9016A	.48	7.2	3.09	3.38				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5
PHONE: (604) 372-2784 — TELEX: 048-8320

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4816 13

Date April 30, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
241	9017A	.48	5.5	1.49	3.23				
242	9018	.41	8.7	1.37	3.44				
243	9019	.41	12.0	.98	4.50				
244	9020A	.75	17.2	1.02	4.80				
245	9022	1.03	28.1	1.60	4.67				
246	9023	1.10	16.2	6.06	4.63				
247	9024	.96	10.9	1.49	3.31				
248	9050A	.48	8.9	3.52	3.16				
249	9423A	.34	9.1	4.57	3.20				
230	9424A	.55	6.2	2.70	3.24				
231	9425A	.62	10.0	3.17	3.19				
232	9427	.96	25.4	3.21	4.61				
233	9428	1.03	14.7	1.21	3.84				
234	9429	1.37	20.6	1.06	3.45				
235	9430A	.48	14.6	1.21	3.24				
236	9431	.41	10.0	1.41	3.02				
237	9437	.55	10.3	.73	2.99				
238	9438	.55	11.6	.93	3.12				
239	9439	1.03	18.9	3.20	3.52				
240	9440A	1.17	17.0	1.96	3.59				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4816 14

Date April 30, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Gram samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
261	9441A	.55	18.7	1.86	3.37				
262	9445	2.12	29.0	1.76	4.21				
263	9446	1.17	32.6	1.32	4.11				
264	9447	.82	10.5	3.38	3.06				
265	9448	.62	10.4	1.81	3.09				
266	9449	.89	20.8	.98	3.39				
267	9450A	1.10	21.5	1.52	4.61				
268	9501A	1.23	16.3	1.52	3.84				
269	9502	.96	31.6	1.03	4.67				
270	9503A	.69	8.5	.54	2.98				
271	9509A	1.17	28.9	6.10	4.02				
272	9510A	1.10	33.9	2.10	4.13				
273	9512	.96	20.9	7.80	3.83				
274	9513	.82	20.3	7.90	3.61				
275	9514	.41	16.3	6.50	3.45				
276	9515	.34	15.5	8.40	3.45				
277	9516	.55	15.3	4.40	3.34				
278	9517	1.23	16.3	4.60	3.47				
279	9518	1.03	12.9	4.10	3.45				
280	9520A	1.23	23.9	4.40	3.69				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5
PHONE: (604) 372-2784 — TELEX: 048-8320

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4816 15

Date April 30, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
281	9521A	1.65	24.5	4.60	3.82				
282	9522	.75	27.9	3.10	3.74				
283	9523	.62	16.5	8.30	3.56				
284	9549A	.55	15.4	2.05	3.05				
285	9550A	.96	18.4	1.76	3.31				
286	9551	1.10	18.5	1.52	3.37				
287	9552	2.19	28.7	1.42	3.87				
288	9553	1.44	15.4	1.96	3.47				
289	9554	1.37	15.5	2.35	3.70				
290	9555A	1.17	19.4	1.53	3.60				
291	9556A	1.37	21.4	1.81	3.62				
292	9557	1.44	13.7	1.53	3.39				
293	9559	2.81	14.7	1.39	3.92				
294	9560A	1.85	29.2	1.19	4.81				
295	9561	1.17	29.6	.91	4.80				
296	9562	1.37	10.2	1.86	3.69				
297	9563	1.58	13.6	1.81	3.68				
298	9564	1.58	10.9	2.40	3.72				
299	9565	1.51	29.4	3.64	4.47				
300	9566A	1.10	19.4	2.13	4.06				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4816 16

Date April 30, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
301	9567A	1.23	13.5	1.48	3.52				
302	9569	1.10	13.3	1.29	3.56				
303	9570A	1.03	25.7	1.39	4.01				
304	9571	.75	26.4	2.08	3.94				
305	9573	1.03	23.6	1.77	3.90				
306	9574	1.23	23.7	2.63	3.94				
307	9575	2.40	18.8	1.67	3.85				
308	9576	1.71	17.9	2.04	3.75				
309	9577	.34	3.3	2.82	3.21				
310	9578A	1.23	8.1	5.60	3.68				
311	9657A	.41	12.0	2.70	3.21				
312	9658	.89	23.6	2.31	3.89				
313	9659	1.10	32.5	2.31	4.57				
314	9660A	.82	16.6	1.99	3.66				
315	9661	.27	3.35	1.99	2.98				
316	9663	.48	9.7	.91	4.07				
317	9664	.55	7.1	1.10	3.12				
318	9665	.41	6.8	2.40	3.20				
319	9666	.34	14.5	2.96	3.33				
320	9667A	.75	30.3	5.20	4.26				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4816 17

Date April 30, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
321	9668A	1.23	27.0	7.10	4.10				
322	9669	.62	20.7	4.83	3.82				
323	9670A	.34	5.1	2.95	3.11				
324	9671	1.37	24.7	4.20	3.17				
325	9827A	1.10	14.6	1.10	3.33				
326	9828	.89	13.7	1.10	3.38				
327	9830A	.34	2.53	1.28	2.94				
328	9831	.27	2.42	5.30	2.98				
329	9832	.34	4.70	2.76	3.00				
330	9833A	.48	3.20	1.10	2.93				
331	9834A	.41	4.53	.96	3.03				
332	9835	.48	3.46	1.14	3.05				
333	9836	.55	9.5	1.42	3.10				
334	9839	.48	7.0	1.42	3.10				
335	9840A	.48	7.5	2.71	3.12				
336	9841	.55	9.5	1.60	3.16				
337	9898A	1.23	23.0	2.50	4.88				
338	9899	.62	12.0	1.10	5.03				
339	9900A	.48	16.9	1.12	4.84				
340	9921A	.55	17.9	.73	4.70				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4816 18

Date April 30, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
341	9922A	.62	24.4	1.99	4.60				
342	9923	.27	12.2	1.37	3.34				
343	9924	.14	11.6	6.21	3.51				
344	9925	.62	31.7	1.61	4.53				
345	9926	1.37	27.8	2.04	4.13				
346	9928	.27	9.5	7.70	3.62				
347	9952A	1.23	9.1	2.45	3.67				
348	9953	1.23	11.5	2.04	3.68				
349	9954	1.23	26.6	3.62	5.46				
350	9955A	1.51	14.2	2.59	4.35				
351	9956A	.75	28.3	4.64	4.94				
352	9957	1.71	12.7	3.37	4.04				
353	9958	1.10	23.7	2.18	3.84				
354	9959	.48	18.8	2.55	3.66				
355	11008A	1.92	27.8	1.05	4.67				
356	11009	2.40	23.7	1.51	4.70				
357	11010A	1.71	26.8	1.10	4.63				
358	11011	2.06	28.8	1.10	4.64				
359	11012	.89	20.5	1.28	3.70				
360	11013A	.96	21.6	1.28	4.29				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4816 19

Date April 30, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams tonne	percent	percent					
361	11015A	.14	1.22	3.38	3.07				
362	11021A	1.10	15.9	.68	5.38				
363	11022	.62	16.7	1.03	4.94				
364	11023	.89	16.6	1.71	4.84				
365	11024	1.51	21.3	2.84	4.11				
366	11025	1.03	18.5	2.27	4.23				
367	11026	1.85	16.2	2.18	4.63				
368	11027	1.23	21.6	1.52	4.21				
369	11028	1.37	18.7	2.93	3.61				
370	11029A	1.71	20.6	2.45	4.66				
371	11101A	.96	14.4	.68	5.19				
372	11103	.96	29.6	.73	4.64				
373	11104	.75	34.1	.59	5.13				
374	11105	.75	22.9	.44	4.64				
375	11106	1.44	29.0	1.32	4.50				
376	11107	1.51	7.0	2.50	3.56				
377	11108	1.44	8.9	3.27	3.74				
378	11109	1.58	8.4	3.08	3.57				
379	11110A	2.13	18.5	1.59	3.54				
380	11111A	1.17	30.3	2.84	4.17				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.



Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4816 20

Date April 30, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams tonne	percent	percent					
381	11113A	.75	18.1	1.64	3.41				
382	11114	.41	13.5	1.48	3.18				
383	11115	.21	13.4	6.80	3.55				
384	11116	.41	13.3	1.48	3.23				
385	11118	.48	33.3	2.55	4.07				
386	11119	1.51	12.8	2.05	4.12				
387	11120A	.75	26.1	5.10	5.56				
388	11121	.75	25.4	1.11	4.28				
389	11122	.27	3.60	1.16	3.57				
390	11123A	.34	3.92	1.16	3.56				
391	11124A	1.92	30.6	.72	4.94				
392	11125	1.58	34.2	1.05	5.26				
393	11126	1.23	13.0	1.14	3.84				
394	11127	1.17	39.4	1.10	5.01				
395	11128	1.30	31.5	1.47	4.83				
396	11130A	.55	13.6	.63	3.49				
397	11131	.55	13.1	1.79	3.66				
398	11151A	.48	16.4	7.00	4.24				
399	11152	.69	23.3	1.11	4.72				
400	11154A	.89	35.5	3.08	4.83				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4816 21

Date April 30, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
401	11155A	.55	13.7	2.84	4.67				
402	11156	.41	12.7	3.55	5.01				
403	11157	.41	10.6	2.98	4.86				
404	11158	.48	17.1	4.39	4.64				
405	11159	.62	19.7	1.80	4.54				
406	11160A	.62	30.1	5.90	4.29				
407	11161	.48	12.7	3.51	3.38				
408	11162	.69	28.7	4.50	3.98				
409	11164	1.03	23.4	6.70	3.02				
410	11195A	.75	41.0	1.43	4.80				
411	11196A	1.10	32.7	1.48	4.83				
412	11197	.62	12.0	.85	3.16				
413	11199	1.58	20.5	1.69	4.51				
414	11200A	1.71	34.9	4.76	4.56				
415	11201	.75	22.8	2.50	4.40				
416	11202	.69	12.8	3.53	4.24				
417	11203	.89	17.3	4.20	3.65				
418	11204	.48	19.3	5.90	3.58				
419	11205	.41	18.3	4.78	3.62				
420	11215A	.62	17.6	3.40	4.31				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4816 22

Date April 30, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
421	11216A	2.13	36.4	4.25	4.50				
422	11217	.89	32.5	2.50	4.67				
423	11219	.55	21.8	2.17	3.65				
424	11220A	.07	15.1	6.80	3.39				
425	11221	.14	12.9	5.60	3.39				
426	11222	.14	14.7	7.50	3.50				
427	11223	.34	17.1	5.60	3.77				
428	11249A	.55	12.8	1.17	3.77				
429	11250A	.69	31.6	1.12	4.70				
430	11251A	1.37	19.6	3.15	3.79				
431	11252A	1.85	17.2	3.35	3.74				
432	11253	1.92	21.7	3.25	4.10				
433	11254	1.51	17.3	4.16	3.69				
434	11256	.48	17.1	1.20	4.66				
435	11257	.55	16.9	1.55	4.29				
436	11258	.55	16.3	1.30	4.43				
437	11259	.75	27.1	3.30	4.40				
438	11260A	.82	17.7	5.74	3.86				
439	11261	1.45	22.3	3.89	3.72				
440	11262A	1.44	16.8	3.00	3.67				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912-1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4816 23

Date April 30, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
441	11263A	1.78	18.1	2.03	3.77				
442	11264	2.54	24.5	1.79	3.74				
443	11269	1.30	21.1	2.17	3.74				
444	11270A	1.17	24.2	3.00	4.23				
445	11271	.21	11.3	5.30	3.33				
446	11272	1.03	27.3	3.65	4.24				
447	11273	1.17	23.7	2.55	3.92				
448	11274	.69	15.2	4.92	3.67				
449	11275	1.23	32.2	3.65	4.83				
450	11276A	1.51	31.4	1.52	4.81				
451	11277A	.34	10.0	7.50	3.45				
452	11278	1.65	24.5	1.50	4.61				
453	11279	1.17	12.7	2.03	3.84				
454	11281A	1.65	18.3	2.13	4.61				
455	11282	1.37	15.5	2.08	4.45				
456	11283	1.03	20.7	2.17	4.26				
457	11285	.41	3.0	2.31	3.25				
458	11286	.82	14.5	2.25	3.69				
459	11287	1.23	26.2	2.14	4.61				
460	11288A	.34	12.0	1.35	4.42				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4816 24

Date April 30, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
461	11289A	.41	12.1	5.04	3.56				
462	11290A	.75	13.1	13.50	4.56				
463	11291	.82	11.5	10.10	4.42				
464	11292	.62	8.6	21.50	4.63				
465	11294	.89	26.0	5.60	4.29				
466	11295	1.44	30.4	3.83	4.72				
467	11296	1.03	28.4	3.83	4.53				
468	11297	.34	15.5	1.71	4.35				
469	11298	.14	8.0	1.66	4.43				
470	11299A	.34	16.4	6.40	4.35				
471	11300A	.34	14.9	7.70	3.51				
472	11314A	2.06	15.8	1.22	4.49				
473	11315	1.58	30.3	2.39	4.70				
474	11316	1.37	32.5	3.03	4.69				
475	11317	1.51	22.9	2.88	4.94				
476	11318	1.17	30.5	2.83	4.93				
477	11319	.69	19.1	2.88	3.92				
478	11320A	.89	8.1	2.15	3.74				
479	11321	1.58	9.5	2.59	3.69				
480	11323A	1.03	8.4	3.41	4.07				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912-1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4816 25

Date April 30, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
481	11324A	1.65	13.0	2.93	4.03				
482	11325	.75	30.1	4.23	4.64				
483	11326	1.23	13.7	2.64	4.04				
484	11327	.89	24.6	3.41	4.80				
485	11328	1.30	11.3	2.64	3.82				
486	11329	1.17	11.9	2.44	3.96				
487	11330A	.69	23.0	2.83	4.28				
488	11331	.48	16.8	2.73	3.64				
489	11333	1.10	32.5	2.44	4.83				
490	11334A	.69	16.3	1.43	3.68				
491	11335A	1.10	25.5	1.38	4.42				
492	11336	.21	4.61	1.92	3.04				
493	11337	1.65	20.8	1.82	4.06				
494	11338	1.58	28.8	2.86	4.63				
495	11339	1.51	33.7	2.81	4.98				
496	11340A	1.44	33.3	2.77	4.94				
497	11341	5.62	29.7	3.00	4.86				
498	11343	.75	14.3	1.64	3.31				
499	11344	1.03	11.4	1.87	3.19				
500	11345A	.69	15.2	1.92	3.29				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912-1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5
PHONE: (604) 372-2784 — TELEX: 048-8320

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4816 26

Date April 30, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams tonne	percent	percent					
501	11346A	.41	12.9	1.76	3.20				
502	11347	.31	10.1	1.82	3.10				
503	11348	1.65	19.2	2.95	3.91				
504	11349	1.37	31.6	4.27	4.78				
505	11350A	1.51	34.6	3.14	4.76				
506	11351	1.23	14.8	3.00	4.04				
507	11353	.55	10.2	3.56	3.41				
508	11354	1.03	14.1	2.76	3.79				
509	11355	1.37	8.5	2.58	3.69				
510	11356A	1.03	6.5	3.91	3.71				
511	11357A	1.65	16.5	1.48	3.47				
512	11358	1.65	28.8	2.54	4.75				
513	11359	1.23	15.6	2.28	4.08				
514	11360A	1.65	12.2	1.92	4.17				
515	11361	1.58	12.5	1.20	3.73				
516	11362	2.06	17.3	2.08	4.05				
517	11363	1.65	16.7	3.61	3.84				
518	11364	1.37	13.4	2.63	3.65				
519	11366	1.78	30.8	4.19	4.53				
520	11367A	1.85	22.2	1.57	3.84				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4816 27

Date April 30, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
521	11368A	1.71	25.6	1.87	4.11				
522	11369	1.17	15.0	1.40	3.65				
523	11371A	.96	16.5	1.76	3.59				
524	11372	1.10	13.9	1.33	3.43				
525	11373	.96	18.2	1.76	3.69				
526	11374	.89	10.8	1.76	3.35				
527	11375	.41	1.05	.96	3.01				
528	11377	.21	1.43	.81	2.93				
529	11378	.48	5.8	1.96	3.19				
530	11379A	.34	1.50	1.47	3.04				
531	11380A	.62	3.66	.96	2.99				
532	11381	1.10	8.8	1.25	3.20				
533	11382	1.03	3.40	2.92	3.04				
534	11383	.41	3.19	2.75	3.01				
535	11385	.34	2.44	1.40	2.96				
536	11386	.55	3.46	4.86	3.10				
537	11388	.96	23.5	1.69	4.23				
538	11389	1.99	20.2	2.16	4.53				
539	11390A	1.65	14.5	1.82	3.93				
540	11391A	1.78	17.2	1.62	4.08				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912-1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5
PHONE: (604) 372-2784 — TELEX: 048-8320

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4816 28

Date April 30, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
541	11392A	1.78	16.0	1.82	4.23				
542	11393	.69	6.5	3.46	3.18				
543	11394	1.51	20.6	1.96	3.87				
544	11395	1.44	17.1	1.55	3.80				
545	11396	.27	2.55	5.01	3.10				
546	11398	.27	3.86	2.75	3.04				
547	11399	1.44	23.4	1.55	4.31				
548	11400A	.55	9.6	3.83	3.33				
549	11401	2.26	31.9	2.09	5.36				
550	11402A	.96	34.0	1.25	5.03				
551	11403A	1.51	29.6	2.16	4.91				
552	11404	1.51	33.2	2.59	5.03				
553	11405	1.65	16.7	2.23	4.25				
554	11406	2.47	28.1	1.18	5.01				
555	11407	1.37	15.0	1.55	4.01				
556	11408	2.26	19.2	1.81	4.42				
557	11409	1.44	9.9	2.24	3.73				
558	11411A	2.26	36.5	4.42	5.03				
559	11412	2.13	19.9	1.99	3.89				
560	11413A	2.13	31.8	1.10	4.99				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.



Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4816 29

Date April 30, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
561	11414A	1.51	26.6	1.18	3.84				
562	11415	1.71	26.4	1.55	3.85				
563	11416	.89	15.5	1.68	3.77				
564	11417	.48	6.5	1.10	3.02				
565	11418	.69	7.8	1.33	3.12				
566	11419	1.92	24.2	1.62	3.96				
567	11421A	1.78	25.2	1.68	3.99				
568	11422	1.44	23.8	1.62	3.85				
569	11423	.34	1.66	1.40	2.93				
570	11424A	.41	.82	.67	2.90				
571	11425A	.14	3.12	3.61	3.01				
572	11426	.48	2.29	1.40	3.02				
573	11427	.48	5.2	2.24	2.99				
574	11428	.34	4.64	2.18	2.92				
575	11430A	.48	4.36	1.99	2.92				
576	11431	.14	2.97	2.72	2.90				
577	11432	.69	13.6	2.12	3.28				
578	11433	.27	6.6	3.61	3.02				
579	11434	.27	1.76	1.99	2.85				
580	11435A	.21	1.15	2.72	2.88				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.



Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912-1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4816 30

Date April 30, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams /tonne	percent	percent					
581	11436A	.21	.97	1.25	2.85				
582	11437	.34	1.27	1.55	2.91				
583	11439	.69	15.3	1.25	3.42				
584	11442A	.89	22.1	1.47	4.42				
585	11443	1.20	12.7	2.43	3.78				
586	11444	.48	3.70	2.10	3.03				
587	11445	.69	8.9	1.65	3.74				
588	11446	1.03	37.3	.81	4.86				
589	11447	2.06	34.5	.74	4.82				
590	11448A	1.78	27.2	1.08	4.80				
591	11449A	1.03	22.9	1.41	3.68				
592	11450A	.69	13.2	1.54	3.33				
593	11452	.69	16.5	6.80	3.65				
594	11453	.96	19.4	1.82	4.50				
595	11454	1.03	19.5	1.76	4.35				
596	11455	.41	14.7	1.88	3.65				
597	11456	.69	20.5	1.14	4.45				
598	11457	.69	13.7	1.88	3.62				
599	11458	1.71	18.4	1.94	4.31				
600	11460A	.27	12.6	1.88	4.13				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4816 31

Date April 30, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
601	11461A	.69	9.1	4.44	4.21				
602	11463	1.17	17.1	2.49	3.96				
603	11464	.21	3.39	2.62	3.04				
604	11465	.27	19.5	1.01	4.19				
605	11466	.62	13.6	.87	4.70				
606	11467	1.03	35.0	1.59	4.86				
607	11468	1.03	34.3	1.94	4.81				
608	11469	.96	11.2	1.35	3.35				
609	11470A	.55	4.86	1.88	3.09				
610	11471A	.48	3.39	2.10	3.23				
611	11473A	.07	3.24	3.21	3.04				
612	11490A	.69	23.5	2.29	4.86				
613	11491	.48	22.0	2.69	4.35				
614	11492	.48	12.0	4.63	3.84				
615	11493	1.17	16.5	2.83	4.19				
616	11494	.96	13.2	1.48	3.37				
617	11495	.41	4.10	2.35	3.02				
618	11496	.41	4.17	1.52	3.00				
619	11497	.62	4.88	1.45	3.04				
620	11498A	1.58	3.60	1.58	2.98				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4816 32

Date April 30, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
621	11500A	.21	5.05	7.60	3.26				
622	11501	.62	7.5	1.90	3.17				
623	11502	.34	6.1	2.81	3.10				
624	11507	.55	4.54	1.04	3.06				
625	11508	.62	3.98	1.71	3.04				
626	11509	.69	2.83	1.04	3.02				
627	11510A	.62	2.50	1.38	2.98				
628	11511	.34	9.8	1.11	3.20				
629	11512	.75	1.16	.97	2.95				
630	11514A	.48	1.81	1.45	3.02				
631	11515A	.69	12.1	1.11	3.38				
632	11516	.69	9.7	1.17	3.25				
633	11517	.69	7.3	1.11	3.22				
634	11518	.69	6.1	1.38	3.28				
635	11519	.75	10.0	1.52	3.46				
636	11520A	2.06	14.4	1.71	3.56				
637	11521	1.51	12.4	1.45	3.60				
638	11523	.27	11.9	.76	3.36				
639	11524	.27	5.2	.83	3.05				
640	11525A	.41	3.64	.90	3.04				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4816 33

Date April 30, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
641	11526A	.48	22.5	1.04	4.08				
642	11527	.34	4.79	.90	3.04				
643	11529	.89	10.1	2.51	3.73				
644	11530A	1.51	11.9	2.46	3.53				
645	11531	1.85	12.6	1.38	3.50				
646	11536	2.88	4.95	1.38	3.12				
647	11537	1.65	31.5	1.11	4.70				
648	11545A	.96	5.99	2.03	3.15				
649	11546	.27	.79	1.65	3.51				
650	11547A	.41	3.58	1.82	3.05				
651	11548A	.41	9.7	3.52	3.47				
652	11549	.89	7.3	2.01	3.97				
653	11550A	1.03	9.9	2.37	4.42				
654	11551	.69	12.4	2.25	4.05				
655	11552	1.44	23.2	5.10	4.78				
656	11554	1.51	21.8	3.45	4.07				
657	11559	.48	5.8	2.73	3.55				
658	11560A	1.44	1.92	5.01	3.20				
659	11561	1.17	2.83	2.86	3.23				
660	11562A	.89	15.4	2.73	3.56				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.



Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4816 34

Date April 30, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
661	11563A	.69	3.32	1.88	3.09				
662	11564	.62	7.8	1.82	3.41				
663	11565	1.30	15.3	3.81	4.78				
664	11566	.48	9.5	1.22	3.41				
665	11568	.55	9.9	1.44	3.51				
666	11569	.82	13.0	2.13	3.89				
667	11570A	1.03	13.2	2.49	3.99				
668	11571	.14	2.77	1.70	2.99				
669	11572	.69	15.5	6.50	4.05				
670	11573A	.21	2.25	3.45	3.18				
671	11574A	.27	2.69	3.10	3.17				
672	11575	.34	2.24	2.13	3.31				
673	11576	.34	7.7	2.07	3.38				
674	11577	.07	3.46	1.01	3.04				
675	11579	.27	1.31	1.82	3.20				
676	11580A	.07	1.28	2.01	2.96				
677	11581	.07	1.22	2.07	2.96				
678	11582	.14	1.08	1.08	2.98				
679	11587	.48	9.8	.93	3.09				
680	11588A	.07	2.92	4.06	2.95				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4816 35

Date April 30, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
681	11590A	.82	6.9	.86	3.15				
682	11591	.62	14.4	1.32	3.38				
683	11592	1.78	16.9	1.05	3.50				
684	11593	.82	14.2	1.05	3.39				
685	11594	1.03	16.9	1.51	4.60				
686	11595	1.10	23.3	2.44	4.58				
687	11596	.82	14.5	1.12	3.24				
688	11597	.48	10.5	1.38	3.17				
689	11598	.62	20.0	1.12	3.80				
690	11600A	.69	10.5	1.38	3.34				
691	11601A	.62	17.7	1.64	3.89				
692	11602	.89	9.3	1.19	3.32				
693	11603	1.44	11.1	1.25	3.50				
694	11604	3.02	15.8	5.60	4.30				
695	11605	.27	8.1	2.96	3.16				
696	11606	.14	8.0	5.90	3.27				
697	11607	1.78	23.5	1.45	4.19				
698	11609	1.85	39.8	2.31	4.50				
699	11610A	1.65	27.3	2.37	3.90				
700	11611A	1.85	26.2	1.76	3.93				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4816 36

Date April 30, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Gram samples

Kral No	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
701	11612A	.75	7.6	2.31	3.41				
702	11613	1.17	19.0	1.64	4.28				
703	11614	.48	5.4	1.70	3.21				
704	11615	.82	15.1	1.82	3.35				
705	11616	.96	9.9	1.94	3.44				
706	11617	1.71	25.9	1.51	4.89				
707	11619	1.23	14.3	2.31	3.74				
708	11620A	.48	7.9	1.64	3.17				
709	11621	.62	1.44	1.31	3.01				
710	11622A	.27	1.77	1.38	2.99				
711	11623A	.41	2.80	1.45	3.03				
712	11624	.75	6.22	1.51	3.22				
713	11625	.55	2.93	1.52	3.07				
714	11626	1.51	8.3	1.19	3.25				
715	11627	1.23	9.8	1.32	3.32				
716	11629	.82	8.3	1.33	3.09				
717	11638A	.62	5.5	1.25	3.08				
718	11639	.89	9.5	1.47	3.18				
719	11640A	1.30	9.9	1.68	3.38				
720	11641A	.82	21.9	2.31	3.66				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4816 37

Date April 30, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
721	11642A	.89	7.9	1.74	3.114				
722	11643	.96	8.6	1.10	3.112				
723	11644	.62	11.2	1.47	3.111				
724	11645	.34	5.7	.61	3.112				
725	11646	.41	6.5	.88	3.112				
726	11648	.69	10.5	2.24	3.112				
727	11649	.82	27.7	3.10	3.112				
728	11650A	1.23	26.7	2.50	3.112				
729	11651	1.37	21.1	3.17	4.21				
730	11652A	1.44	20.3	1.68	4.31				
731	11653A	1.44	29.0	1.74	4.31				
732	11654	1.78	28.4	1.33	4.31				
733	11655	1.03	33.0	1.47	4.31				
734	11657	1.23	20.2	2.37	3.112				
735	11658	2.47	18.9	2.06	3.112				
736	11659	1.17	8.4	1.55	4.11				
737	11660A	.21	13.8	4.34	3.112				
738	11661	.21	17.0	1.68	4.31				
739	11662	.34	18.8	1.74	4.21				
740	11663A	.89	17.0	1.33	4.31				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4816 38

Date April 30, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
741	11664A	.89	14.3	1.47	4.42				
742	11665	1.23	21.4	2.37	4.84				
743	11667	.75	30.0	2.06	4.67				
744	11668	.27	16.3	6.30	3.68				
745	11669	.96	9.7	1.55	3.60				
746	11670A	.96	15.2	1.33	3.43				
747	11671	.82	19.2	1.18	3.44				
748	11672	.55	12.8	1.92	3.56				
749	11673	.41	7.1	3.06	3.24				
750	11675A	.21	2.53	1.59	3.81				
751	11676A	.27	5.30	1.59	3.12				
752	11677	.41	6.30	1.52	3.07				
753	11679	.48	4.70	1.45	3.05				
754	11680A	.69	6.2	1.45	3.06				
755	11681	.41	1.89	1.25	2.89				
756	11682	.27	1.42	1.52	2.95				
757	11683	.21	1.80	3.40	2.94				
758	11684	.89	6.0	1.52	3.02				
759	11685	.34	4.31	2.17	2.96				
760	11686A	.41	7.1	1.45	2.99				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

 Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5
PHONE: (604) 372-2784 — TELEX: 048-8320

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4816 39

Date April 30, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
761	11687A	.41	6.7	1.52	3.00				
762	11689	.62	5.2	2.75	3.04				
763	11700A	1.03	8.5	2.11	3.12				
764	11874A	.27	3.64	2.62	2.90				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

330 - 355 Burrard Street

Vancouver, B.C. V6C 2G8

Certificate No. K-4815

Date April 26, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Py	Po						
		percent	percent						
1	1611A	3.15	1.75						
2	1613	4.07	2.57						
3	1614	.98	2.38						
4	1615	19.5	2.96						
5	1616	18.9	5.24						
6	1619	13.9	1.21						
7	1620A	24.9	5.82						
8	1621	22.9	3.78						
9	1622	27.1	2.61						
10	1623A	26.5	3.44						
11	1624A	27.2	4.05						
12	1625	11.4	1.89						
13	1626	16.4	1.68						
14	1627	5.5	2.20						
15	1629	7.4	2.27						
16	1630A	6.1	3.93						
17	1631	15.6	2.70						
18	1632	12.4	.73						
19	1633	7.9	1.36						
20	1634A	18.2	1.53						

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

 Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4815 2

Date April 26, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Py percent	Po percent						
21	1635A	32.3	5.88						
22	1636	31.0	7.91						
23	1637	21.1	13.05						
24	1638	22.4	3.49						
25	1639	23.1	2.52						
26	1640A	25.1	4.06						
27	1641	19.9	10.43						
28	1642	29.5	6.03						
29	1643	13.2	5.79						
30	1647A	22.7	1.88						
31	1648A	31.0	1.52						
32	1649	21.3	.78						
33	1650A	8.3	1.30						
34	5141A	2.0	1.50						
35	5142	1.15	1.04						
36	5143	17.8	4.13						
37	5144A	21.2	1.37						

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Tom Capeniece
Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

330 - 355 Burrard Street

Vancouver, B.C. V6C 2G8

Certificate No. K-4781

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked		Py	Po					
			percent	percent					
1	1582A		6.7	3.85					
2	1583		16.4	1.58					
3	1584		18.2	1.89					
4	1585		1.23	2.78					
5	1587		21.7	2.60					
6	1588		18.0	1.38					
7	1589		29.9	4.45					
8	1590A		31.8	4.47					
9	1591		31.2	5.20					
10	1592A		19.7	8.41					
11	1593A		9.8	3.42					
12	1594		8.0	1.69					
13	1595		21.9	4.05					
14	1596		14.3	10.59					
15	1598		21.8	4.10					
16	1599		14.4	8.68					
17	1600A		21.8	5.73					
18	1601		12.5	3.96					
19	1602		13.1	2.88					
20	1603A		13.5	8.77					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 2

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked		Py	Po					
			percent	percent					
21	1604A		8.9	16.17					
22	1605		10.2	7.20					
23	1606		5.1	3.09					
24	1608		13.4	4.62					
25	1609		11.4	3.38					
26	1610A		7.6	6.07					
27	1644A		10.5	2.25					
28	1645		27.6	1.61					
29	1646		13.2	2.36					
30	1953A		4.55	3.24					
31	2051A		12.9	.68					
32	2060A		15.9	9.55					
33	2061		2.86	2.21					
34	2062		3.74	.82					
35	2064		12.2	.67					
36	2065		20.0	1.71					
37	2066		33.5	4.72					
38	2067		38.8	4.66					
39	2068		35.5	7.49					
40	2069A		36.0	6.81					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4781 3

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked		Py percent	Po percent					
41	2070A		9.7	3.41					
42	2071		33.0	9.36					
43	2072		30.9	5.05					
44	2074		19.1	4.15					
45	2075		21.1	10.98					
46	2076		19.8	8.00					
47	2077		22.0	3.16					
48	2078		16.7	2.28					
49	2079		23.7	.47					
50	2084A		23.3	5.30					
51	2085A		22.1	12.50					
52	2086		34.9	6.73					
53	2088		8.7	1.69					
54	2089		3.02	4.59					
55	5051A		6.5	1.70					
56	5052		7.1	4.94					
57	5053		7.4	1.35					
58	5054		7.2	1.84					
59	5055		7.1	1.51					
60	5056A		6.3	1.18					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 4

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grain samples

Kral No.	Marked		Py	Po					
			percent	percent					
61	5057A		7.0	.84					
62	5058		7.7	.97					
63	5059		13.4	1.66					
64	5061A		24.5	2.07					
65	5062		25.4	2.55					
66	5063		24.6	2.69					
67	5064		17.2	2.45					
68	5065		10.9	8.31					
69	5066		26.5	1.26					
70	5067A		12.8	2.46					
71	5068A		6.2	3.69					
72	5069		9.2	2.42					
73	5071A		12.5	2.17					
74	5072		14.0	2.83					
75	5073		25.1	2.43					
76	5074		24.7	2.74					
77	5075		15.4	2.00					
78	5076		16.0	2.41					
79	5077		20.2	2.01					
80	5078A		14.7	2.50					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 5

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked		Py	Po					
			percent	percent					
81	5079A		9.6	2.51					
82	5081A		18.6	2.53					
83	5083		17.1	1.71					
84	5084		18.5	1.85					
85	5085		18.9	2.82					
86	5086		23.0	4.27					
87	5087		15.5	1.84					
88	5088		16.5	1.55					
89	5089		16.8	2.29					
90	5093A		18.2	4.17					
91	5094A		21.3	4.49					
92	5096		35.3	2.35					
93	5097		29.9	2.35					
94	5098		25.5	4.30					
95	5099		20.2	5.40					
96	5106A		27.3	3.96					
97	5107		16.1	.71					
98	5108		23.7	5.93					
99	5110A		17.1	11.07					
100	5111A		23.8	7.50					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 6

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked		Py	Po					
			percent	percent					
101	5112A		15.4	7.95					
102	5113		13.9	12.14					
103	5114		16.7	7.95					
104	5115		11.9	7.59					
105	5128A		25.9	3.23					
106	5129		13.3	1.54					
107	5130A		21.0	1.71					
108	5131		15.4	1.65					
109	5132		12.6	2.63					
110	5133A		25.4	4.21					
111	5134A		22.4	2.87					
112	5136		17.6	2.40					
113	5137		22.1	3.00					
114	5138		21.5	5.96					
115	5139		6.0	4.84					
116	5140A		5.7	3.89					
117	5151A		9.7	2.78					
118	5152		17.8	3.06					
119	5153		37.3	1.68					
120	5154A		27.3	4.75					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 7

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Gram samples

Kral No.	Marked		Py	Po					
			percent	percent					
121	5155A		8.3	5.90					
122	5157		26.8	4.87					
123	5158		29.8	7.09					
124	5159		29.2	9.04					
125	5160A		31.5	6.55					
126	5161		10.6	4.70					
127	5162		18.8	13.50					
128	5163		10.3	2.68					
129	5166		3.88	1.60					
130	5167A		4.94	1.31					
131	5168A		3.96	2.24					
132	5169		6.5	1.45					
133	5170A		7.8	2.13					
134	5178		18.6	2.23					
135	5179		13.3	3.54					
136	5180A		11.2	2.81					
137	5181		12.8	1.68					
138	5192		12.7	2.98					
139	5194		30.9	1.30					
140	5195A		23.1	1.35					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 8

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked		Py	Po					
			percent	percent					
141	5196A		10.2	1.13					
142	5197		32.1	2.86					
143	5198		14.2	1.79					
144	5200A		21.9	3.89					
145	5202		10.4	16.36					
146	5203		12.9	16.22					
147	5204		7.6	10.32					
148	5205		11.7	6.03					
149	5206		16.5	2.97					
150	5207A		19.5	5.86					
151	5208A		20.8	7.98					
152	5209		18.4	14.20					
153	5210A		20.7	6.00					
154	5211		18.3	2.59					
155	5212		4.50	1.99					
156	5213		4.97	2.07					
157	5215		33.7	2.97					
158	5216		20.1	2.16					
159	5219		10.7	1.19					
160	5220A		27.1	1.87					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 9

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked		Py	Po				
			percent	percent				
161	5221A		18.2	4.06				
162	5222		18.2	3.84				
163	5223		7.0	2.14				
164	5224		3.09	2.69				
165	5229		23.2	4.52				
166	5230A		20.0	3.81				
167	5232		33.3	3.51				
168	5233		22.6	3.34				
169	5234		15.7	1.34				
170	5235A		11.2	3.26				
171	5236A		7.2	3.38				
172	5237		20.4	1.69				
173	5238		13.2	1.45				
174	5239		15.0	1.49				
175	5240A		13.6	1.38				
176	5242		21.7	1.15				
177	5243		24.1	1.26				
178	5244		7.8	5.18				
179	5245		12.1	2.22				
180	5246A		14.8	2.34				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 10

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked		Py percent	Po percent						
181	5247A		17.2	1.70						
182	5248		5.7	2.13						
183	5250A		6.7	1.86						
184	5251		11.3	1.70						
185	5252		7.0	2.51						
186	5253		8.0	2.29						
187	5254		4.34	3.61						
188	5255		17.8	2.78						
189	5256		22.3	5.42						
190	5257A		15.0	2.28						
191	5258A		11.6	1.68						
192	5260A		22.9	8.16						
193	5261		20.4	8.35						
194	5262		22.5	4.75						
195	5263		27.5	1.70						
196	5264		23.8	3.83						
197	5265		19.9	6.06						
198	5266		21.6	5.84						
199	5267		10.0	6.75						
200	5268A		18.0	11.16						

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 11

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Gram samples

Kral No.	Marked		Py	Po					
			percent	percent					
201	5269A		17.8	8.53					
202	5301A		14.6	4.99					
203	5302		32.4	1.75					
204	5303		32.0	2.35					
205	5304		27.5	5.59					
206	5306		34.0	1.41					
207	5307		9.2	1.92					
208	5308		30.3	3.71					
209	5309		24.3	4.81					
210	5310A		25.8	3.76					
211	5311A		4.73	3.84					
212	5312		29.9	2.31					
213	5313		30.6	2.35					
214	5314		26.9	4.71					
215	5316		25.1	2.33					
216	5317		15.3	2.83					
217	5318		17.7	2.93					
218	5319		15.9	4.18					
219	5320A		19.9	5.02					
220	5321A		22.1	5.56					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 12

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked		Py	Po					
			percent	percent					
221	5323A		24.4	8.79					
222	5324		3.93	4.17					
223	5325		21.0	12.89					
224	5327		21.6	10.84					
225	5328		17.5	9.61					
226	5329		17.8	10.94					
227	5330A		20.7	10.22					
228	5331		22.5	10.22					
229	5383A		10.0	1.68					
230	5384A		27.9	1.89					
231	5385A		6.9	1.84					
232	5386		4.44	9.50					
233	5387		2.74	8.68					
234	5388		13.0	5.91					
235	5391A		27.8	4.01					
236	5392		26.0	3.50					
237	5393		13.4	4.17					
238	5394		8.8	2.77					
239	5396		26.9	.69					
240	5397A		13.9	.66					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 13

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Gram samples

Kral No.	Marked		Py	Po					
			percent	percent					
241	5398A		13.3	2.68					
242	5399		18.6	4.03					
243	5400A		27.4	2.39					
244	5419A		15.7	6.76					
245	5420A		15.0	8.17					
246	5421		17.5	11.66					
247	5422		15.0	6.06					
248	5423		20.1	8.38					
249	5424		24.6	11.56					
250	5425A		26.8	8.76					
251	5427A		20.0	9.63					
252	5428		20.6	10.24					
253	5429		25.0	10.42					
254	5430A		25.1	8.76					
255	5431		22.5	10.94					
256	5432		12.4	4.10					
257	5436		17.5	1.28					
258	5437		19.8	2.56					
259	5438		30.6	1.22					
260	5440A		2.03	4.35					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 14

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked		Py	Po					
			percent	percent					
261	5447A		6.6	2.71					
262	5448		5.4	1.32					
263	5449		31.7	1.28					
264	5450A		6.4	3.25					
265	5451		3.53	4.28					
266	5452		2.88	3.01					
267	5455		1.63	2.75					
268	5456		30.9	2.67					
269	5458		18.0	1.38					
270	5459A		12.1	1.67					
271	5460A		28.2	1.90					
272	5461		32.1	6.83					
273	5462		32.4	5.78					
274	5463		26.5	1.69					
275	5464		22.0	5.06					
276	5465		14.3	4.74					
277	5466		11.8	10.33					
278	5468		13.6	11.12					
279	5469		16.9	8.00					
280	5470A		17.9	4.29					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 15

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked		Py percent	Po percent				
281	5471A		14.1	8.93				
282	5490A		27.1	1.61				
283	5491		19.1	1.39				
284	5492		18.1	1.56				
285	5493		16.6	.85				
286	5494		28.1	1.22				
287	5496		23.2	1.45				
288	5501A		12.8	3.78				
289	5502		8.9	2.75				
290	5503A		23.2	.69				
291	5504A		26.0	.66				
292	5505		26.1	.95				
293	5506		34.6	1.18				
294	5507		6.9	.73				
295	5508		8.4	1.12				
296	5540A		19.0	7.00				
297	5541		30.4	5.90				
298	5542		24.5	8.02				
299	5543		24.5	7.45				
300	5544A		22.6	7.13				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 16

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked		Py	Po					
			percent	percent					
301	5545A		22.8	9.01					
302	5546		30.3	8.35					
303	5547		26.7	8.60					
304	5548		21.5	7.70					
305	5550A		24.1	3.63					
306	5605A		12.5	1.50					
307	5606		17.3	.58					
308	5607		15.0	1.13					
309	5608		33.8	3.40					
310	5609A		31.4	3.06					
311	5610A		20.0	1.87					
312	5612		31.4	4.09					
313	5613		26.6	8.02					
314	5614		30.8	3.64					
315	5615		20.2	3.22					
316	5616		23.4	1.20					
317	5617		4.18	.80					
318	5618		4.14	.71					
319	5619 & 5620		4.50	3.33					
320	5621A		19.3	1.52					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 17

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Gram samples

Kral No.	Marked		Py	Po					
			percent	percent					
321	5623A		31.5	1.84					
322	5624		23.0	1.98					
323	5625		31.7	2.92					
324	5626		26.8	2.22					
325	5627		15.1	1.26					
326	5628		16.8	.83					
327	5629		13.3	.79					
328	5642A		10.9	1.52					
329	5643		14.8	2.11					
330	5645A		16.1	1.57					
331	5646A		14.3	2.18					
332	5647		15.1	2.08					
333	5648		16.3	1.61					
334	5649		17.7	1.79					
335	5664A		8.2	1.90					
336	5665		16.2	2.59					
337	5666		31.9	2.14					
338	5667		30.1	2.63					
339	5668		15.6	3.20					
340	5669A		30.6	7.27					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 18

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked		Py	Po						
			percent	percent						
341	5670A		25.9	6.83						
342	5671		31.9	5.48						
343	5672		28.3	4.64						
344	5673		20.9	4.91						
345	5680A		19.7	2.12						
346	5686		15.6	12.55						
347	5688		25.2	10.57						
348	5689		24.0	10.17						
349	5690A		27.6	8.66						
350	5694A		22.6	1.43						
351	5695A		18.2	.63						
352	5696		18.7	.59						
353	5697		17.5	1.28						
354	5698		15.6	1.08						
355	5699		32.4	1.47						
356	5701A		18.7	.68						
357	5702		19.9	.95						
358	5703		36.9	3.24						
359	5704		34.0	1.91						
360	5705A		33.1	1.14						

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 19

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked		Py percent	Po percent					
361	5706A		18.4	1.06					
362	5707		15.5	1.16					
363	5709		24.1	1.65					
364	5711A		13.6	.78					
365	5712		9.8	.67					
366	5735A		13.6	2.71					
367	5736		12.2	2.45					
368	5737		14.3	1.84					
369	5738		34.8	2.91					
370	5739A		41.6	2.42					
371	5740A		14.4	2.07					
372	5741		12.1	.80					
373	5743		13.0	1.45					
374	5744		15.4	3.02					
375	5745		18.9	3.25					
376	5746		19.8	3.02					
377	5747		17.0	1.83					
378	5748		24.3	1.79					
379	5749		15.5	.75					
380	5753A		21.8	2.07					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 20

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked		Py percent	Po percent						
381	5754A		21.1	2.45						
382	5756		16.6	1.55						
383	5757		15.3	2.57						
384	5758		15.5	1.15						
385	5759		19.9	1.42						
386	5760A		14.4	1.66						
387	5761		21.6	2.30						
388	5762		21.0	2.85						
389	5776A		4.12	2.93						
390	5777A		10.4	2.89						
391	5779A		40.2	1.18						
392	5780A		39.4	1.15						
393	5781		41.5	2.01						
394	5782		42.7	1.22						
395	5783		29.4	2.21						
396	5784		25.4	1.53						
397	5785		26.7	1.25						
398	5786		29.7	1.31						
399	5787		33.7	1.17						
400	5789A		9.0	10.13						

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 21

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked		Py	Po					
			percent	percent					
401	5791A		15.2	2.40					
402	5792		27.0	7.99					
403	5793		27.1	8.67					
404	5794		21.0	1.01					
405	5795		18.0	1.37					
406	5796		19.6	.70					
407	5797		16.9	.99					
408	5798		14.4	1.27					
409	5801A		21.0	7.82					
410	5802A		3.54	1.50					
411	5804A		25.5	3.16					
412	5805		10.7	1.71					
413	5806		18.0	2.23					
414	5807		32.1	3.21					
415	5808		16.9	.66					
416	5809		10.6	1.56					
417	5810A		8.1	.94					
418	5817		3.40	1.84					
419	5818		4.83	1.49					
420	5820A		3.30	1.33					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 22

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked		Py percent	Po percent					
421	5821A		3.93	1.48					
422	5823		17.1	2.02					
423	5824		19.7	1.48					
424	5825		20.9	1.40					
425	5826		24.1	1.73					
426	5851A		17.4	1.33					
427	5852		18.1	.55					
428	5853		17.2	.36					
429	5854		15.8	.54					
430	5855A		14.6	3.16					
431	5856A		15.7	.74					
432	5857		16.6	.54					
433	5858		21.5	1.67					
434	5859		26.9	1.33					
435	5861A		20.0	2.19					
436	5862		17.5	3.86					
437	5863		30.5	3.35					
438	5864		19.8	2.88					
439	5865		16.1	1.84					
440	5866A		16.9	1.52					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 23

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked		Py percent	Po percent						
441	5886A		15.3	2.46						
442	5887		18.5	3.24						
443	5888		26.1	3.53						
444	5890A		37.4	3.66						
445	5891		40.8	3.24						
446	5892		38.5	3.14						
447	5893		37.7	3.01						
448	5894		42.0	2.43						
449	5895		37.2	1.90						
450	5897A		15.4	8.45						
451	5898A		33.7	2.81						
452	5899		32.3	2.55						
453	5901A		16.0	2.06						
454	5902		24.8	2.58						
455	5903		29.8	2.21						
456	5904		17.3	1.76						
457	5905		20.8	4.58						
458	5906		35.1	2.85						
459	5907		12.3	7.58						
460	5908A		4.41	3.95						

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 24

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
461	5910A	-	19.1	6.80	-				
462	5915	-	39.4	1.00	-				
463	5916	-	22.7	.79	-				
464	5917	-	38.4	1.20	-				
465	5919	-	17.2	.69	-				
466	5925A	-	36.7	2.30	-				
467	5926	-	34.4	1.90	-				
468	5936A	-	6.1	3.88	-				
469	5937	-	6.5	1.36	-				
470	5938A	-	5.3	.81	-				
471	5939A	-	8.1	1.54	-				
472	5940A	-	7.2	2.76	-				
473	6178A	.89	4.53	.72	3.01				
474	6179	1.23	5.4	1.05	3.19				
475	6180A	1.03	3.84	1.14	3.14				
476	6181	.96	3.05	1.32	3.14				
477	6182	.96	3.54	.96	3.14				
478	6183	1.37	10.0	2.55	4.18				
479	6184	1.37	10.0	1.46	3.58				
480	6185A	.82	10.9	.92	3.24				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 25

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Gram samples

Kral No.	Marked	Au	Py	Po	S.G.					
		grams/tonne	percent	percent						
481	6187A	.34	5.1	4.74	3.06					
482	6188	.55	5.9	6.21	3.20					
483	6189	.89	18.4	2.29	4.72					
484	6190A	.96	23.1	2.72	4.60					
485	6191	.34	10.6	6.46	3.41					
486	6192	.41	21.9	10.96	4.14					
487	6193	.21	9.0	5.97	3.28					
488	6348A	.89	16.8	1.29	4.80					
489	6349	1.44	30.8	1.03	4.64					
490	6350A	1.10	17.2	1.01	4.03					
491	6351A	.89	17.1	1.05	3.50					
492	6352	1.23	19.2	1.03	3.63					
493	6353	1.30	34.3	.97	4.69					
494	6354	.96	18.1	.75	3.48					
495	6355	1.03	17.9	.88	3.46					
496	6356	1.17	21.1	1.42	3.68					
497	6358	.34	5.5	2.84	3.02					
498	6678A	1.44	15.4	1.07	3.42					
499	6682A	.62	13.1	2.09	3.38					
500	6683A	.07	4.37	3.96	3.04					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 26

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
501	6684A	.89	9.1	.97	3.03				
502	6685	1.78	10.6	.80	3.19				
503	6686	1.30	13.1	.52	3.25				
504	6687	.75	13.6	.91	3.29				
505	6688	1.65	18.8	.68	4.72				
506	6690A	.82	15.1	.63	4.45				
507	6691	.89	11.9	.27	3.75				
508	6692	1.23	11.7	1.52	3.82				
509	6693	1.92	33.0	1.10	4.73				
510	6694A	1.37	29.6	1.25	4.80				
511	6695A	1.44	12.7	1.59	3.68				
512	6696	1.92	32.4	1.40	4.83				
513	6697	1.23	13.3	1.69	3.61				
514	6698	1.17	10.5	1.98	3.55				
515	6700A	1.23	13.7	1.76	4.02				
516	6751A	1.78	9.6	1.74	3.79				
517	6836A	1.10	11.4	1.46	3.49				
518	6837	1.17	14.1	1.26	3.38				
519	6838	1.10	11.0	1.34	3.35				
520	6839A	1.23	7.2	1.44	3.36				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 27

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Gram samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
521	6840A	1.17	10.0	1.38	3.35				
522	6841	1.44	15.5	1.27	3.62				
523	6842	1.10	13.2	1.17	3.38				
524	6844	.89	21.9	1.47	3.67				
525	6845	1.58	16.3	1.20	3.47				
526	6846	1.92	12.8	1.14	3.24				
527	6847	1.92	13.1	1.51	3.33				
528	6848	2.40	40.6	1.42	4.53				
529	6849	1.92	40.7	1.50	4.66				
530	6850A	2.06	14.2	1.54	3.45				
531	6851A	1.03	40.9	1.61	4.70				
532	6852	1.17	35.4	2.01	4.43				
533	6854	2.88	16.3	2.08	4.45				
534	6855	4.05	20.1	2.60	4.78				
535	6856	1.10	15.0	3.59	4.37				
536	6857	1.99	15.7	1.60	3.52				
537	6858	2.13	30.2	.72	4.75				
538	6859	4.66	11.7	4.41	3.38				
539	6860A	2.47	22.8	.96	4.94				
540	6861A	1.10	15.1	1.21	3.46				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 28

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au grams/tonne	Py percent	Po percent	S.G.					
541	6862A	2.61	18.7	1.70	4.07					
542	6864	4.11	25.2	1.42	4.96					
543	6865	1.10	17.4	.97	5.01					
544	6866	1.17	19.1	2.41	4.81					
545	6867	.69	14.3	2.49	3.41					
546	6868	.55	8.8	1.13	3.18					
547	6869	.55	10.0	1.43	3.18					
548	6870A	.75	10.2	.74	3.24					
549	6871	1.65	13.3	1.49	3.42					
550	6872A	1.37	11.3	1.33	3.40					
551	6874A	2.06	23.5	1.42	4.13					
552	6875	1.85	30.6	2.18	4.25					
553	6876	2.47	15.3	3.14	4.80					
554	6877	2.47	35.1	2.27	4.69					
555	6878	2.74	13.1	1.50	4.86					
556	6879	.82	30.6	1.75	4.81					
557	6880A	2.40	15.2	8.58	4.73					
558	6881	2.26	24.1	3.56	4.58					
559	6888	.96	20.3	5.62	4.05					
560	6889A	.48	23.9	12.52	4.33					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 29

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
561	6890A	1.30	28.1	4.43	4.72				
562	6891	.96	19.0	1.23	4.80				
563	6892	1.30	27.6	2.62	4.61				
564	6894	.62	15.2	2.63	4.69				
565	6895	.41	12.0	1.48	4.12				
566	6896	.55	13.3	1.44	4.33				
567	6897	.48	11.2	1.75	4.35				
568	6898	1.51	31.2	4.57	4.38				
569	6899	2.19	27.6	3.02	3.97				
570	6900A	1.10	27.2	2.01	3.81				
571	6919A	1.65	31.5	4.02	4.54				
572	6920A	1.44	35.3	3.08	4.67				
573	6921	1.51	21.6	4.57	4.89				
574	6922	1.10	23.7	7.70	4.86				
575	6923	1.51	24.0	2.12	4.67				
576	6924	.48	15.0	9.68	3.69				
577	6925	.96	22.5	1.53	4.11				
578	6926	.34	8.6	5.47	3.21				
579	6927	.75	24.9	1.66	4.76				
580	6929A	1.92	19.2	2.66	3.98				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 30

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
581	6930A	1.58	34.3	1.74	4.43				
582	6931	1.92	16.6	2.25	3.82				
583	6932	2.26	34.9	1.51	5.01				
584	6933	1.85	30.9	3.78	4.54				
585	6934	1.78	25.9	3.01	4.21				
586	6935	2.54	16.9	2.16	3.80				
587	6936	1.44	25.4	1.93	3.93				
588	6937	.75	22.7	1.69	3.99				
589	6939	1.10	34.8	4.12	4.47				
590	6940A	.89	16.6	2.91	3.65				
591	6941A	.89	19.1	4.06	3.94				
592	6942	1.10	27.8	6.82	4.38				
593	6943	.89	18.3	7.38	3.89				
594	6944	.89	21.1	6.19	3.94				
595	6945	.48	14.4	3.49	3.45				
596	6946	.69	22.2	4.86	3.85				
597	6947	1.03	6.6	1.08	2.99				
598	6949	2.26	18.1	3.37	4.53				
599	7001A	1.65	26.0	1.55	3.78				
600	7232A	4.46	18.6	1.10	4.35				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 31

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.					
		grams/tonne	percent	percent						
601	7233A	.89	10.7	1.33	3.29					
602	7234	1.92	18.0	1.48	4.14					
603	7235	.89	15.1	1.02	3.36					
604	7236	1.37	16.8	1.41	3.58					
605	7237	1.92	16.6	1.10	3.89					
606	7239	.82	9.7	1.35	3.31					
607	7240A	.96	14.4	1.34	3.64					
608	7241	.55	10.1	2.83	3.28					
609	7243	.41	18.7	1.48	3.61					
610	7244A	.69	12.0	1.28	3.41					
611	7245A	.41	9.6	1.55	3.29					
612	7246	2.33	14.6	1.61	3.15					
613	7247	.34	6.6	1.40	3.30					
614	7248	.34	8.6	7.01	3.34					
615	7254A	.21	20.7	3.99	3.76					
616	7256	.75	15.2	.85	3.38					
617	7257	1.03	9.4	1.06	3.38					
618	7258	.89	8.4	1.06	3.27					
619	7259	.82	10.3	1.26	3.51					
620	7260A	1.37	18.0	1.00	4.61					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 32

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Gram samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
621	7261A	.34	24.5	1.45	3.98				
622	7262	.55	25.2	1.20	3.97				
623	7263	1.30	21.1	1.16	4.23				
624	7264	.75	12.5	.90	3.42				
625	7266	1.78	21.3	1.02	4.53				
626	7267	1.65	13.2	1.48	3.64				
627	7268	.34	2.77	5.08	3.00				
628	7269	1.58	15.8	1.19	3.38				
629	7270A	1.17	13.6	2.05	3.52				
630	7271A	2.74	12.4	1.34	3.31				
631	7272A	.69	1.28	1.06	2.99				
632	7273	.41	7.9	1.68	3.06				
633	7275	.89	12.0	1.26	3.14				
634	7276	1.10	12.1	1.23	3.16				
635	7277	1.51	11.9	.71	3.18				
636	7278	1.03	11.6	.77	3.20				
637	7279	.82	24.2	1.30	3.63				
638	7281A	1.03	17.4	1.30	3.33				
639	7282	1.03	10.4	1.03	3.16				
640	7283A	.82	18.3	1.01	3.38				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 33

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.					
		grams/tonne	percent	percent						
641	7284A	.69	23.2	1.55	3.57					
642	7285	2.19	29.0	1.01	4.69					
643	7287	1.30	28.2	.66	4.67					
644	7288	1.44	26.3	1.76	4.58					
645	7289	1.51	23.0	1.50	4.12					
646	7290A	1.03	9.8	5.01	3.66					
647	7651A	1.71	15.6	1.01	4.64					
648	7652	1.65	17.9	1.12	4.40					
649	7653	.89	19.8	2.73	3.53					
650	7655A	.48	14.5	17.28	3.81					
651	7810A	1.03	18.5	1.80	4.38					
652	7817	1.30	20.2	1.81	4.64					
653	7818	1.44	11.5	1.79	3.87					
654	7819	1.85	16.0	1.45	4.66					
655	7820A	1.44	12.8	1.44	3.86					
656	7821	1.30	8.7	1.48	3.46					
657	7822	1.51	27.7	.90	4.58					
658	7823	1.78	24.3	1.21	4.45					
659	7824	1.30	15.0	2.26	3.72					
660	7825A	2.19	16.7	1.07	3.63					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 34

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
661	7826A	1.30	21.2	2.29	3.64				
662	7827	1.03	22.4	2.81	3.87				
663	7828	.41	2.71	3.68	2.96				
664	7829	.48	5.0	4.23	3.01				
665	7830A	1.51	21.7	1.08	3.73				
666	7831	1.51	17.6	1.40	3.64				
667	7832	1.23	10.9	2.12	3.23				
668	7834	1.99	17.9	1.63	3.80				
669	7835	1.99	18.0	2.64	4.42				
670	7836A	.96	10.6	2.60	3.72				
671	7837A	1.99	14.7	1.34	4.42				
672	7838	1.78	14.5	1.80	3.65				
673	7839	.41	7.8	5.92	3.65				
674	7840A	2.13	12.8	1.94	3.60				
675	7841	1.92	20.6	1.03	3.74				
676	7842	1.85	29.1	1.17	4.47				
677	7844	2.26	31.9	.59	4.70				
678	7845	1.85	28.6	.78	4.50				
679	7846	.82	13.1	.70	3.30				
680	7847A	1.37	6.7	1.16	3.23				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 35

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
681	7848A	.82	5.0	.81	2.99				
682	7849	1.30	11.0	.62	3.17				
683	7874A	.69	11.7	1.24	3.17				
684	7875	.69	17.9	1.14	3.32				
685	7876	2.33	14.4	1.37	3.40				
686	7877	2.88	23.2	3.05	4.51				
687	7879	2.54	27.4	1.68	4.73				
688	7880A	1.85	8.7	1.33	3.45				
689	7881	2.33	30.3	2.86	4.76				
690	7882A	1.78	19.3	.95	4.73				
691	7883A	4.52	12.7	2.05	4.63				
692	7884	1.65	3.31	8.06	3.10				
693	7885	1.37	33.5	3.79	4.70				
694	7886	1.30	10.7	5.82	3.96				
695	7887	1.44	29.7	3.01	4.80				
696	7901A	.34	7.2	5.79	3.29				
697	7902	.89	17.3	1.71	3.54				
698	7903	.55	7.9	1.34	3.06				
699	7904	.89	9.8	1.64	4.22				
700	7905A	.82	9.2	1.80	3.40				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
VIS 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 36

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
701	7906A	.62	5.1	1.57	3.08				
702	7907	.48	4.03	.85	2.89				
703	7908	1.10	10.4	1.12	3.27				
704	7909	1.17	8.0	2.03	3.32				
705	7911A	1.17	13.6	1.80	3.24				
706	7912	1.44	15.5	2.46	3.72				
707	7913	1.51	10.9	3.12	3.40				
708	7914	2.06	15.4	1.66	3.44				
709	7915	.62	5.3	1.37	2.90				
710	7916A	.34	8.8	4.20	3.08				
711	7917A	.34	11.0	1.60	3.09				
712	7918	1.03	11.0	1.85	3.14				
713	7919	1.30	22.8	8.71	3.68				
714	7921A	.89	16.2	17.81	3.80				
715	7922	1.85	28.0	2.19	4.20				
716	7923	.55	8.7	5.75	3.29				
717	7924	.69	13.4	3.63	3.50				
718	7925	.48	3.80	.93	2.98				
719	7926	2.33	11.8	4.61	3.66				
720	7927A	1.58	28.6	1.19	4.11				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 37

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
721	7928A	1.58	27.5	.90	4.19				
722	7930A	.62	15.9	.84	3.06				
723	7931	.69	13.8	.69	3.05				
724	7951A	.62	6.8	3.25	3.27				
725	7952	.48	15.0	1.34	3.38				
726	7953	.55	8.9	3.28	3.36				
727	7954	1.30	3.80	2.28	3.02				
728	7955	2.13	16.4	1.31	3.50				
729	7957	.48	.80	2.42	2.90				
730	7958A	1.03	4.83	1.13	3.00				
731	7959A	1.23	10.2	.85	3.10				
732	7960A	2.06	21.4	1.04	4.45				
733	7961	2.67	32.4	1.30	4.45				
734	7962	2.26	29.1	.75	4.60				
735	7963	1.99	31.8	1.23	4.45				
736	7964	3.09	28.3	.93	4.57				
737	7965	2.54	33.2	.95	4.58				
738	7967	1.30	13.3	1.02	3.18				
739	7968	1.44	8.6	.94	3.22				
740	7969A	1.23	14.5	.76	3.20				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 38

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
741	7970A	.82	14.1	.89	3.04				
742	7971	.27	16.7	10.48	3.64				
743	7972	.14	15.0	9.09	3.41				
744	7973	1.23	11.1	1.47	3.14				
745	7974	1.17	14.2	1.70	3.35				
746	7975	.62	5.7	3.72	2.98				
747	7976	1.17	12.2	1.31	3.26				
748	7977	.34	3.17	4.72	2.92				
749	7978	1.17	8.5	2.20	3.20				
750	7979A	.41	4.26	5.98	2.99				
751	7980A	.89	13.1	1.31	3.38				
752	7981	1.03	13.9	1.31	3.31				
753	7982	.62	22.8	1.64	3.55				
754	7987	1.51	17.0	1.37	3.38				
755	7988	1.23	14.8	1.51	3.31				
756	7989	1.03	19.9	1.11	4.26				
757	7990A	1.23	18.4	1.68	3.72				
758	7991	1.71	22.7	.96	4.37				
759	7992	1.51	38.5	.98	4.50				
760	7993A	1.30	19.6	.60	4.43				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 39

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.					
		grams/tonne	percent	percent						
761	7994A	1.17	19.1	1.00	4.30					
762	7995	1.03	11.5	.81	4.28					
763	8058A	1.03	4.63	1.95	2.93					
764	8059	.82	.77	1.94	2.90					
765	8060A	.55	1.43	1.04	2.89					
766	8061	.69	5.7	2.62	2.96					
767	8062	.89	12.0	1.74	3.09					
768	8063	1.30	35.7	.88	4.43					
769	8064	1.44	31.4	.71	4.40					
770	8066A	1.85	23.1	.55	4.56					
771	8067A	1.51	31.3	1.29	4.42					
772	8068	1.51	36.5	1.17	4.58					
773	8069	1.71	25.4	.97	4.31					
774	8070A	2.61	25.0	.98	4.29					
775	8071	1.37	10.6	1.08	3.50					
776	8072	2.88	26.7	1.24	4.43					
777	8073	2.61	35.1	2.36	4.50					
778	8074	2.33	22.5	3.44	4.42					
779	8076	.89	10.1	.93	3.12					
780	8077A	.62	7.5	3.26	3.06					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 40

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
781	8078A	.55	2.80	1.11	2.90				
782	8079	1.37	10.7	.85	3.21				
783	8081A	.69	10.8	5.88	4.34				
784	8093A	.27	3.40	11.17	3.20				
785	8095	.21	3.26	6.65	3.01				
786	8096	1.37	23.6	1.43	3.62				
787	8097	1.92	27.6	1.75	4.28				
788	8098	1.17	10.6	3.33	3.39				
789	8099	1.37	18.7	1.57	4.60				
790	8100A	1.44	20.7	2.84	3.57				
791	8151A	1.71	17.6	1.37	3.53				
792	8152	1.10	18.2	3.15	4.25				
793	8153	1.37	22.6	2.28	3.65				
794	8154	1.10	23.3	1.35	3.59				
795	8155	2.88	30.5	4.98	4.45				
796	8156	1.23	35.1	1.62	3.47				
797	8157	1.30	1.30	2.79	2.98				
798	8159	.55	6.7	6.62	3.19				
799	8161A	1.10	11.5	1.89	4.46				
800	8162A	1.03	9.6	.73	4.53				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 41

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
801	8163A	1.17	11.4	2.62	4.37				
802	8164	.89	10.3	6.78	3.28				
803	8165	1.37	19.6	3.41	4.66				
804	8166	1.03	37.2	1.06	4.54				
805	8167	1.17	35.2	1.17	4.49				
806	8168	1.10	20.3	.99	4.57				
807	8169	1.23	24.5	1.35	3.54				
808	8171A	1.23	24.8	1.74	3.52				
809	8172	1.10	17.2	.91	3.50				
810	8173A	1.23	10.0	1.30	3.14				
811	8174A	1.58	36.2	1.24	4.25				
812	8175	2.13	11.4	1.89	3.18				
813	8176	1.23	32.7	2.74	4.04				
814	8177	1.10	15.4	2.20	3.46				
815	8178	.41	6.1	7.03	3.24				
816	8179	.41	13.6	13.17	3.55				
817	8181A	.62	5.6	1.35	2.98				
818	8182	.96	26.9	4.27	4.06				
819	8183	.34	3.91	1.59	3.01				
820	8184A	.41	5.3	1.97	3.08				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 42

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum sample

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
821	8185A	1.03	16.4	5.41	3.74				
822	8186	1.30	17.6	6.09	4.18				
823	8187	1.23	23.9	5.61	4.42				
824	8188	.96	15.4	6.67	3.57				
825	8189	.55	1.04	.95	2.89				
826	8190A	.75	20.0	1.29	2.98				
827	8191	.69	2.14	2.47	2.89				
828	8192	.69	2.71	1.59	2.95				
829	8193	.55	1.61	2.68	2.94				
830	8194A	.69	4.65	2.36	3.06				
831	8195A	.48	7.2	3.11	3.14				
832	8196	1.92	20.6	1.96	4.60				
833	8198	1.37	22.4	2.56	4.35				
834	8199	1.30	22.0	2.05	4.63				
835	8200A	1.37	17.5	2.08	4.47				
836	8204	.55	6.9	2.26	2.99				
837	8205	1.03	9.6	.94	3.12				
838	8206	1.44	11.6	.70	3.17				
839	8207	1.71	7.9	.59	2.99				
840	8208A	.75	4.51	.74	2.98				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 43

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
841	8209A	.82	9.3	1.01	3.17				
842	8211A	1.30	14.7	1.22	3.52				
843	8212	2.33	26.6	.95	4.01				
844	8213	2.40	18.8	1.55	4.66				
845	8214	1.30	12.9	2.40	4.64				
846	8216	1.92	22.1	1.41	4.34				
847	8217	2.06	8.4	2.42	3.90				
848	8218	1.17	15.4	1.09	3.86				
849	8219	1.51	28.3	1.06	4.57				
850	8221A	1.51	2.57	.66	2.92				
851	8222A	1.58	3.25	1.22	2.98				
852	8223	.62	2.68	1.05	3.02				
853	8224	.27	.55	1.11	2.93				
854	8225	.21	2.22	1.33	2.93				
855	8226	.55	1.31	1.04	2.99				
856	8227	.82	7.2	1.05	3.08				
857	8228	.89	6.9	1.19	3.06				
858	8229	.89	5.7	2.23	3.20				
859	8231A	.89	7.0	2.37	3.23				
860	8233A	1.37	19.0	1.21	3.58				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 44

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.					
		grams/tonne	percent	percent						
861	8234A	1.85	16.1	1.25	3.78					
862	8235	1.37	10.5	1.33	3.25					
863	8236	.82	5.0	1.31	2.89					
864	8237	1.51	11.0	1.32	3.20					
865	8238	2.61	17.5	1.00	4.29					
866	8239	1.99	36.4	1.10	4.45					
867	8241A	1.92	36.0	1.22	4.49					
868	8242	1.92	22.5	2.22	4.47					
869	8244	1.51	34.6	2.38	4.42					
870	8246A	1.23	22.3	1.21	4.25					
871	8247A	1.71	25.2	.83	4.50					
872	8248	1.71	27.0	.84	4.56					
873	8249	1.03	11.3	.64	3.23					
874	8250A	.55	5.6	1.27	3.05					
875	8252	2.26	19.1	.44	4.49					
876	8253	.89	15.3	.72	3.29					
877	8254	.48	2.10	1.28	2.90					
878	8255	.75	14.4	.69	3.17					
879	8256	1.30	12.5	1.17	3.45					
880	8257A	1.65	16.9	2.63	3.67					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 45

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.					
		grams/tonne	percent	percent						
881	8258A	1.37	21.6	2.07	3.61					
882	8259	1.37	12.9	1.70	3.45					
883	8262A	1.03	15.9	1.38	3.53					
884	8263	1.58	20.1	1.23	3.45					
885	8264	1.23	21.2	1.96	3.65					
886	8266	.55	6.9	9.30	1.36					
887	8267	.48	1.89	12.99	3.04					
888	8271A	2.19	4.03	15.71	3.14					
889	8272	.48	.84	3.35	2.84					
890	8273A	1.17	15.6	9.74	3.64					
891	8274A	1.51	16.9	1.43	4.07					
892	8275	.96	10.6	3.74	3.26					
893	8276	1.03	16.6	1.69	3.32					
894	8277	1.78	31.9	3.03	4.35					
895	8278	.41	4.58	7.08	3.16					
896	8280A	1.44	23.5	2.24	4.23					
897	8281	1.23	18.8	2.21	3.50					
898	8282	1.17	27.5	3.62	4.23					
899	8283	.89	16.0	7.35	3.50					
900	8284A	1.03	2.12	4.30	2.97					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 46

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
901	8285A	.69	9.6	11.44	3.34				
902	8288	.48	5.8	4.41	3.08				
903	8289	.62	7.6	8.20	3.29				
904	8291A	.48	8.6	1.13	3.14				
905	8292	.41	4.02	1.62	3.01				
906	8293	.62	9.1	3.19	3.80				
907	8301A	1.44	28.7	1.25	4.40				
908	8306	.55	5.5	3.84	3.04				
909	8307	1.92	28.3	1.00	4.56				
910	8308A	.62	15.2	4.70	3.40				
911	8310A	.41	14.1	6.25	3.40				
912	8311	.34	13.7	3.77	3.24				
913	8312	.75	20.7	5.58	3.82				
914	8313	.75	15.6	3.29	3.41				
915	8314	.75	13.3	2.74	3.28				
916	8315	1.58	11.9	8.63	3.40				
917	8316	.82	17.7	4.90	3.77				
918	8317	.96	9.8	3.56	3.65				
919	8318	.82	11.4	3.18	3.24				
920	8360A	.69	22.6	1.90	3.59				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 47

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
921	8361A	2.06	20.9	2.42	3.92				
922	8362	1.44	29.3	2.89	4.02				
923	8364	1.58	12.9	1.14	3.41				
924	8365	1.37	16.8	1.42	3.77				
925	8366	1.71	17.2	.79	3.43				
926	8367	.82	9.2	.93	3.24				
927	8368	.55	1.78	1.18	2.97				
928	8369	.69	5.27	.79	2.98				
929	8370A	.75	5.21	.64	2.94				
930	8371A	.69	1.10	.85	2.93				
931	8372A	.69	2.90	1.13	3.04				
932	8378	1.10	12.0	1.55	3.38				
933	8379	.34	5.12	3.72	3.27				
934	8380A	1.03	8.2	1.85	3.28				
935	8381	.96	5.7	1.01	3.13				
936	8382	.75	5.6	.93	3.11				
937	8383	.55	.66	1.16	3.11				
938	8384	.41	.32	.85	2.96				
939	8385	.41	.71	.97	3.08				
940	8386A	.82	1.20	.72	2.98				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 48

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
941	8387A	.41	.40	.98	2.98				
942	8389	.41	2.23	.93	3.13				
943	8390A	.34	.99	1.00	3.00				
944	8391	.41	.43	.87	2.97				
945	8392	.27	.55	1.20	2.99				
946	8393	1.17	.43	1.05	3.01				
947	8394	.82	.70	.91	3.05				
948	8395	.62	2.28	.95	3.17				
949	8396	.55	1.79	.81	2.98				
950	8397A	.89	12.8	1.03	3.27				
951	8399A	1.10	16.2	1.52	3.50				
952	8400A	1.30	10.2	1.50	3.42				
953	8401	.62	.77	.91	2.97				
954	8402	.21	.04	2.47	2.91				
955	8403	.62	2.80	1.21	3.04				
956	8404	.96	1.28	1.72	2.93				
957	8405	.69	3.10	2.17	3.02				
958	8407	1.65	7.3	.99	3.73				
959	8408	1.03	21.6	1.23	3.57				
960	8409A	1.58	34.3	1.27	4.61				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 49

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
961	8410A	1.58	30.1	1.49	4.76				
962	8411	1.58	23.2	2.30	4.21				
963	8412	1.37	21.7	.85	4.64				
964	8413	1.58	29.1	1.01	4.61				
965	8415	.62	6.5	1.31	3.06				
966	8417	1.51	16.1	1.63	3.69				
967	8418	1.10	24.4	1.29	4.47				
968	8419	1.03	11.4	1.19	3.27				
969	8420A	.41	6.1	.94	3.02				
970	8421A	.48	9.8	2.05	3.22				
971	8422A	.69	12.0	1.49	3.29				
972	8423	.75	9.6	2.48	3.39				
973	8424	1.17	17.9	1.08	3.42				
974	8425	.82	11.5	2.24	3.36				
975	8427	.69	5.2	2.20	3.06				
976	8428	1.03	8.0	1.32	3.34				
977	8429	1.78	18.3	1.10	3.50				
978	8430A	1.65	16.3	1.45	3.53				
979	8431	.69	1.02	2.40	2.93				
980	8432A	.82	28.3	2.88	3.27				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 50

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
981	8434A	1.10	8.9	21.54	3.93				
982	8435	.96	8.5	1.50	2.98				
983	8436	1.03	10.2	2.19	3.30				
984	8437	2.19	11.7	1.52	3.63				
985	8438	1.92	34.0	1.42	3.56				
986	8439	.55	10.0	15.09	3.80				
987	8440A	2.33	9.1	1.77	3.98				
988	8441	2.06	7.7	1.07	3.28				
989	8442	1.65	11.2	.91	3.16				
990	8444A	1.92	6.1	1.70	3.42				
991	8445A	.69	4.7	1.30	3.06				
992	8446	.69	5.5	1.18	3.00				
993	8447	1.23	2.92	1.27	3.06				
994	8448	.27	.66	1.24	2.94				
995	8452A	.75	8.5	4.75	3.22				
996	8453	1.99	21.6	1.45	3.79				
997	8454	.34	11.9	1.46	3.11				
998	8455	.62	11.2	3.39	3.18				
999	8457	1.37	32.3	1.18	4.54				
1000	8458A	.89	9.2	1.76	3.20				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 51

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
1001	8459A	.34	5.1	2.26	2.97				
1002	8460A	.62	6.2	1.28	3.00				
1003	8461	.82	18.6	1.84	4.08				
1004	8462	.69	14.4	2.49	3.42				
1005	8463	.62	10.3	1.58	3.34				
1006	8464	1.37	15.8	1.24	4.31				
1007	8465	1.17	31.5	3.95	4.47				
1008	8467	1.51	23.7	5.65	3.93				
1009	8468	1.58	30.9	6.79	4.51				
1010	8469A	2.19	13.0	1.77	4.40				
1011	8470A	2.67	38.2	3.18	4.64				
1012	8471	1.85	19.5	4.12	4.21				
1013	8472	1.10	29.4	7.62	4.29				
1014	8473	.55	9.4	3.68	3.23				
1015	8474	.41	6.0	.99	3.09				
1016	8475	.34	7.1	1.32	3.17				
1017	8476	.69	4.45	1.05	3.01				
1018	8477	.07	.36	1.47	2.89				
1019	8478	.27	3.17	1.63	2.96				
1020	8479A	.27	2.22	2.09	2.98				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.



Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 52

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
1021	8480A	.34	2.00	1.41	2.93				
1022	8481	.82	3.47	3.25	3.06				
1023	8483	1.30	4.24	1.85	2.96				
1024	8484	1.03	6.0	2.99	3.16				
1025	8485	.89	6.6	1.90	3.16				
1026	8486	.75	5.8	1.59	3.08				
1027	8487	1.65	11.6	4.39	3.82				
1028	8488	.41	6.1	4.94	3.21				
1029	8489	.75	17.1	2.62	3.53				
1030	8490A	1.10	10.0	2.51	3.42				
1031	8491A	.69	7.6	1.16	3.15				
1032	8493	1.17	7.9	1.01	3.08				
1033	8494	.89	6.5	1.07	3.09				
1034	8495	1.03	4.0	4.18	3.23				
1035	8496	.96	6.8	1.15	3.09				
1036	8497	.27	1.26	5.23	3.06				
1037	8498	2.54	10.6	4.57	3.92				
1038	8499	2.33	2.31	2.83	3.01				
1039	8500A	1.03	12.2	1.86	3.37				
1040	8501A	.75	11.4	.69	3.19				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 53

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.					
		grams/tonne	percent	percent						
1041	8502A	.89	11.8	.61	3.18					
1042	8503	.82	13.4	.65	3.22					
1043	8504	.75	8.0	.89	3.08					
1044	8505	1.03	6.9	1.66	3.14					
1045	8506	.69	4.27	1.47	3.06					
1046	8507	1.10	8.4	4.67	3.34					
1047	8509	.96	13.0	3.30	3.37					
1048	8510A	.69	12.9	1.64	3.30					
1049	8511	1.44	17.1	1.38	3.45					
1050	8512A	1.30	25.8	1.31	3.74					
1051	8513A	1.71	24.6	1.84	4.25					
1052	8514	.34	10.5	5.36	3.39					
1053	8515	1.03	26.0	6.84	3.99					
1054	8516	.82	23.2	2.03	3.56					
1055	8517	.41	6.5	4.00	3.10					
1056	8518	.89	29.7	1.17	3.98					
1057	8519	1.17	26.7	1.21	4.30					
1058	8520A	1.17	24.2	1.47	4.91					
1059	8522	.27	18.5	2.19	3.45					
1060	8523A	1.23	26.6	3.15	4.69					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 54

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
1061	8524A	.48	32.3	2.90	4.78				
1062	8525	1.23	28.7	3.62	4.69				
1063	8526	.27	30.7	6.40	4.14				
1064	8527	.07	18.4	4.94	3.57				
1065	8528	.55	17.9	6.52	3.64				
1066	8529	.75	15.9	5.61	3.55				
1067	8530A	.34	10.3	5.01	3.27				
1068	8532	.55	12.4	6.07	3.45				
1069	8533	.34	10.9	6.38	3.43				
1070	8534A	.41	8.6	4.14	3.29				
1071	8535A	.41	12.4	6.65	3.45				
1072	8551A	1.03	14.1	1.80	3.34				
1073	8553	1.03	6.2	.72	3.04				
1074	8554	1.10	3.26	.94	3.01				
1075	8555	.48	3.67	.78	2.94				
1076	8556	.41	4.88	.61	2.91				
1077	8557	.41	3.98	1.19	2.92				
1078	8558	.48	3.09	3.34	2.92				
1079	8559	.75	11.1	.88	3.16				
1080	8560A	.96	16.0	.98	3.38				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 55

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Crum samples

Kral No.	Marked	Au	Py	Po	S.G.					
		grams/tonne	percent	percent						
1081	8561A	1.17	18.9	2.20	3.86					
1082	8563	1.78	24.5	2.86	4.13					
1083	8564	1.10	20.1	1.84	3.55					
1084	8606A	.48	4.16	1.14	2.95					
1085	8607	.55	7.3	1.30	3.06					
1086	8608	.55	5.2	1.01	3.00					
1087	8609	.82	13.0	1.06	3.23					
1088	8610A	1.03	13.8	1.80	3.31					
1089	8611	.69	9.5	2.04	3.38					
1090	8612A	.48	3.91	2.52	3.03					
1091	8614A	.27	.93	1.15	2.90					
1092	8615	.55	5.4	2.71	3.13					
1093	8616	.82	15.2	2.97	3.48					
1094	8617	.41	2.15	2.24	3.00					
1095	8618	3.43	10.7	1.12	3.13					
1096	8619	1.03	10.4	1.30	3.14					
1097	8620A	1.17	8.9	1.16	3.16					
1098	8621	.14	8.0	.65	3.06					
1099	8622	.21	6.3	.78	3.06					
1100	8623A	1.03	19.5	1.04	3.46					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 56

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.					
		grams/tonne	percent	percent						
1101	8625A	1.10	9.2	.75	3.19					
1102	8626	.89	5.8	.72	3.06					
1103	8627	.96	9.9	.83	3.12					
1104	8628	.89	9.2	.74	3.08					
1105	8629	.89	6.0	.81	3.06					
1106	8630A	.75	6.2	.94	3.13					
1107	8631	.75	13.4	.92	3.20					
1108	8632	.89	16.2	1.69	3.31					
1109	8633	.75	18.6	1.25	3.41					
1110	8635A	.89	24.9	.90	4.86					
1111	8636A	.89	2.18	2.43	3.05					
1112	8637	.89	32.9	1.33	4.84					
1113	8638	.62	33.4	1.45	4.72					
1114	8639	.21	4.17	1.29	3.20					
1115	8640A	.27	13.0	2.66	3.50					
1116	8641	.69	18.6	.70	4.81					
1117	8642	.96	15.4	1.01	4.40					
1118	8643	1.58	25.9	1.50	4.54					
1119	8645	1.92	33.7	1.41	4.51					
1120	8646A	2.81	26.8	2.53	4.18					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 57

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au grams/tonne	Py percent	Po percent	S.G.					
1121	8647A	1.17	17.5	2.60	3.71					
1122	8648	1.44	12.2	3.34	3.78					
1123	8649	.75	8.4	1.07	3.10					
1124	8650A	2.74	14.7	2.19	3.72					
1125	8664A	.27	8.9	3.38	3.25					
1126	8665	.89	19.2	1.95	4.70					
1127	8666	.96	21.3	1.83	4.88					
1128	8667	.34	8.5	3.47	3.21					
1129	8668	1.58	19.0	1.29	4.66					
1130	8669A	.41	13.6	4.14	4.30					
1131	8681A	.41	22.4	3.23	3.71					
1132	8682	.69	20.4	7.60	3.89					
1133	8684	.55	20.1	7.00	3.80					
1134	8685	.96	24.4	8.98	4.39					
1135	8686	1.37	18.2	6.90	3.73					
1136	8687	1.78	24.0	7.50	3.98					
1137	8689	1.71	33.7	1.06	4.35					
1138	8690A	1.30	20.2	2.62	3.67					
1139	8694	.96	16.7	1.58	3.59					
1140	8695A	1.10	19.3	1.58	3.95					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 58

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
1141	8696A	1.51	27.3	2.02	4.38				
1142	8697	1.17	19.9	2.26	3.75				
1143	8698	.96	8.5	1.84	3.23				
1144	8699	.75	.65	.99	2.87				
1145	8701A	1.23	35.6	2.38	4.64				
1146	8702	1.51	32.5	1.86	4.63				
1147	8703	1.03	22.2	3.62	4.42				
1148	8704	.96	23.1	2.38	4.31				
1149	8705	.48	13.8	5.18	3.45				
1150	8706A	.82	21.3	4.99	4.17				
1151	8707A	.27	9.0	2.07	4.17				
1152	8708	.27	9.6	4.45	3.18				
1153	8709	.62	14.4	2.08	3.27				
1154	8710A	.75	16.5	3.47	3.77				
1155	8713	.48	11.8	2.14	3.56				
1156	8714	.55	4.98	2.58	2.98				
1157	8715	.62	8.0	2.91	3.22				
1158	8717	.89	26.4	2.36	4.08				
1159	8718	.55	2.57	2.16	2.96				
1160	8719	.21	5.8	3.90	3.08				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 59

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.					
		grams/tonne	percent	percent						
1161	8720A	.69	17.5	1.81	3.44					
1162	8721	.55	25.5	1.60	3.18					
1163	8722	.82	22.7	2.10	3.86					
1164	8723	.89	8.6	1.94	3.10					
1165	8724	.69	8.2	2.96	3.02					
1166	8725	.69	11.9	3.38	3.12					
1167	8726	.55	12.3	1.46	3.12					
1168	8727	.41	9.0	2.16	3.30					
1169	8731A	.34	23.2	12.99	4.31					
1170	8732A	.21	12.8	19.38	3.78					
1171	8783A	.27	10.1	1.36	3.17					
1172	8784	.75	15.3	1.56	3.57					
1173	8785	1.44	15.5	1.82	3.74					
1174	8787	1.78	18.8	2.64	3.89					
1175	8788	2.33	19.1	5.65	4.63					
1176	8789	1.37	23.0	2.55	4.37					
1177	8790A	2.47	15.5	2.35	3.80					
1178	8791	3.09	15.1	2.23	4.02					
1179	8792	2.33	15.4	2.58	3.89					
1180	8793A	2.26	20.8	1.32	3.75					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS, B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 60

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.					
		grams/tonne	percent	percent						
1181	8794A	1.65	12.2	1.41	3.34					
1182	8795	1.71	12.2	1.76	3.64					
1183	8797	1.71	15.9	1.65	3.45					
1184	8858A	1.50	14.6	2.36	3.65					
1185	8860A	1.58	14.7	2.53	3.62					
1186	8861	1.37	13.5	2.49	3.65					
1187	8862	.41	3.88	9.97	3.29					
1188	8863	1.10	14.5	2.32	3.50					
1189	8864	.34	2.22	3.94	2.98					
1190	8865A	1.23	13.2	3.39	3.73					
1191	8866A	.69	23.9	4.24	4.14					
1192	8867	.55	9.2	5.70	3.80					
1193	8868	1.78	18.1	2.39	3.79					
1194	8870A	.89	7.9	5.01	3.34					
1195	8871	2.19	26.4	1.87	3.25					
1196	8872	1.51	16.7	1.99	3.71					
1197	8873	1.65	24.2	1.72	4.51					
1198	8874	1.85	37.3	1.73	4.88					
1199	8875	1.03	17.2	.87	4.78					
1200	8876A	1.85	26.9	2.84	4.76					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 61

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.					
		grams/tonne	percent	percent						
1201	8877A	1.58	34.2	1.54	4.64					
1202	8879	.62	6.0	2.57	3.06					
1203	8880A	.27	5.5	4.16	3.06					
1204	8881	.75	8.4	1.18	3.04					
1205	8883	1.17	6.1	1.26	3.15					
1206	8884	.96	2.67	1.41	3.03					
1207	8885	.89	13.5	1.28	3.28					
1208	8886	1.58	14.9	1.57	3.69					
1209	8887	1.65	19.2	2.45	4.45					
1210	8888A	1.44	31.3	1.56	4.86					
1211	8889A	.96	45.3	1.03	4.78					
1212	8890A	1.17	18.8	3.02	4.25					
1213	8891	.96	8.8	.85	3.23					
1214	8892	.82	2.63	.68	3.04					
1215	8893	.69	5.9	.60	2.96					
1216	8894	.96	2.80	1.76	2.96					
1217	8895	.82	8.0	1.74	3.18					
1218	8896	.48	2.62	2.30	3.02					
1219	8897	.48	1.12	1.57	2.99					
1220	8898A	.55	1.42	2.22	3.00					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 62

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
1221	8899A	1.03	.85	1.74	2.96				
1222	8919A	.55	7.8	.99	3.04				
1223	8920A	.55	10.5	3.10	3.28				
1224	8921	.75	6.4	1.71	3.09				
1225	8925	1.23	33.3	4.24	4.46				
1226	8926	1.37	35.8	7.30	4.63				
1227	8927	1.44	37.5	9.85	4.66				
1228	8928	1.44	33.7	6.76	4.43				
1229	8929	.96	20.4	6.60	3.65				
1230	8930A	.82	19.3	5.06	3.45				
1231	8931A	.55	18.5	8.3	3.56				
1232	8932	1.17	17.7	3.87	3.50				
1233	8938	.69	2.77	1.91	2.84				
1234	8940A	.89	4.63	1.50	3.07				
1235	8941	.82	49.4	1.26	3.03				
1236	8942	.62	.56	1.03	2.96				
1237	8943	.96	8.6	1.31	3.10				
1238	8944	1.30	35.9	1.24	4.58				
1239	8945	1.65	30.0	1.70	4.45				
1240	8946A	1.17	24.9	2.10	4.10				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
VIS 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 63

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
1241	8947A	.82	11.4	1.50	3.14				
1242	8948	.41	5.0	3.90	2.99				
1243	8949	.55	9.1	.80	3.07				
1244	8950A	.41	4.6	2.10	2.96				
1245	8990A	.69	21.9	8.70	3.93				
1246	8991	.69	3.29	.40	4.49				
1247	8992	1.23	36.3	1.80	4.53				
1248	8993	.62	13.5	2.10	4.51				
1249	8994	.62	20.0	6.60	3.65				
1250	8995A	1.37	25.1	4.30	3.89				
1251	8997A	1.17	30.5	2.90	4.13				
1252	8998	1.03	20.6	4.90	3.60				
1253	8999	1.17	30.2	3.50	4.20				
1254	9000A	.55	9.9	5.30	3.31				
1255	9007	.89	8.7	2.00	3.76				
1256	9008	.75	6.7	.56	2.99				
1257	9009	.69	15.8	.66	3.31				
1258	9011A	.48	5.6	.53	2.94				
1259	9012	.69	8.7	.53	3.08				
1260	9013A	.55	6.7	.43	2.99				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 64

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.					
		grams/tonne	percent	percent						
1261	9014A	.69	10.8	.63	3.18					
1262	9015	.82	11.5	.76	3.23					
1263	9030A	1.03	20.0	2.40	3.68					
1264	9032	.89	13.9	2.10	3.34					
1265	9033	1.23	14.0	4.40	3.56					
1266	9034	1.17	16.1	3.50	3.56					
1267	9035	.55	2.88	1.80	2.96					
1268	9036	.69	2.47	1.70	2.99					
1269	9037	.55	4.75	2.10	2.98					
1270	9038A	.82	12.70	3.20	3.41					
1271	9039A	.48	8.40	4.30	3.27					
1272	9040A	.34	3.79	8.40	3.21					
1273	9042	.27	3.80	5.20	3.00					
1274	9043	.55	4.22	2.30	2.97					
1275	9044	.75	5.56	1.98	3.01					
1276	9045	.41	2.83	1.60	2.96					
1277	9046	.41	3.00	1.93	3.01					
1278	9047	.75	2.16	1.39	3.00					
1279	9048	.75	8.45	1.52	3.13					
1280	9049A	1.58	15.9	2.98	4.01					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 65

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
1281	9052A	.27	3.40	4.64	2.91				
1282	9053	.41	16.4	13.47	3.72				
1283	9054	.27	9.2	3.69	3.10				
1284	9055	.75	6.5	2.76	3.22				
1285	9056	1.23	8.0	2.84	3.34				
1286	9057	1.10	18.3	2.12	3.97				
1287	9058	1.65	30.4	1.22	4.54				
1288	9059	1.85	33.5	1.22	4.26				
1289	9060A	1.30	17.2	1.47	3.59				
1290	9061A	1.30	36.1	1.35	4.08				
1291	9062A	1.03	25.1	1.18	3.64				
1292	9063	1.17	16.5	1.14	3.43				
1293	9065	.89	20.5	4.92	4.50				
1294	9066	.89	37.0	1.18	4.60				
1295	9067	1.23	18.4	2.98	4.40				
1296	9068	.96	21.0	3.38	4.47				
1297	9079A	1.17	15.7	4.48	3.94				
1298	9080A	.89	12.0	1.52	3.29				
1299	9081	1.03	33.5	.74	4.64				
1300	9083A	.41	4.84	1.47	2.96				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 66

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
1301	9084A	.55	6.0	1.35	2.99				
1302	9085	.55	5.6	1.56	2.99				
1303	9086	.69	2.59	1.71	3.12				
1304	9087	.48	2.46	2.54	2.65				
1305	9088	.55	7.1	2.87	3.11				
1306	9089	.75	8.8	.87	3.21				
1307	9090A	1.10	14.7	1.49	3.32				
1308	9094	1.03	5.0	1.20	3.23				
1309	9095	.96	6.9	.63	3.01				
1310	9097A	1.44	6.0	.53	3.01				
1311	9098A	1.17	5.0	.80	3.05				
1312	9099	.89	6.3	.87	3.16				
1313	9100A	1.10	8.1	.70	3.10				
1314	9101	1.17	8.5	.87	3.25				
1315	9102	1.17	8.7	.80	3.01				
1316	9103	.96	6.2	.80	2.91				
1317	9104	.62	4.39	.95	2.95				
1318	9107	.75	2.93	.60	2.89				
1319	9108	.82	3.66	.63	2.94				
1320	9109A	.69	7.5	.66	3.02				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 67

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
1321	9110A	.82	6.3	.40	2.98				
1322	9111	.82	8.3	.53	2.98				
1323	9115	.62	11.3	.76	3.10				
1324	9117	1.10	11.7	1.08	3.26				
1325	9118	.82	16.9	1.04	3.28				
1326	9119	1.51	27.0	1.37	4.43				
1327	9120A	1.37	23.8	1.92	4.15				
1328	9121	1.23	17.4	1.12	3.65				
1329	9122	1.37	25.5	1.16	4.06				
1330	9123A	1.17	13.5	1.16	3.97				
1331	9124A	1.03	18.4	.73	4.43				
1332	9126	.82	17.1	1.08	4.08				
1333	9127	.96	20.8	.95	4.29				
1334	9128	1.30	23.1	1.12	4.17				
1335	9129	1.17	20.5	.78	4.38				
1336	9130A	1.30	22.8	.89	4.33				
1337	9138	.41	7.4	4.39	3.03				
1338	9139	.89	17.1	5.40	3.84				
1339	9140A	2.06	16.0	2.67	3.76				
1340	9143A	.21	5.7	4.05	3.04				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 68

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
1341	9144A	.96	27.0	4.39	3.89				
1342	9145	1.71	27.7	5.06	4.33				
1343	9146	.62	11.0	2.17	4.25				
1344	9147	.75	14.0	3.65	3.64				
1345	9148	.75	10.2	1.62	4.51				
1346	9149	.75	19.0	2.75	4.45				
1347	9150A	.55	18.6	7.43	3.77				
1348	9151	.82	3.53	1.46	2.97				
1349	9152	.55	1.20	1.13	2.86				
1350	9153A	.48	.51	.74	2.81				
1351	9154A	.55	1.81	2.05	2.97				
1352	9155	.34	.24	1.09	2.80				
1353	9156	.48	.64	1.92	2.96				
1354	9157	.41	.63	1.34	2.81				
1355	9158	.34	1.19	1.54	2.86				
1356	9160A	.55	1.21	1.92	2.84				
1357	9161	.41	.99	1.30	2.79				
1358	9162	.75	5.1	1.46	2.88				
1359	9168	.89	14.7	2.67	3.38				
1360	9169A	1.17	15.9	3.91	3.33				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 69

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.					
		grams/tonne	percent	percent						
1361	9170A	.89	14.2	2.39	3.29					
1362	9171	.75	8.7	2.59	3.16					
1363	9172	.69	2.80	1.88	2.88					
1364	9173	.96	4.77	1.42	2.89					
1365	9174	.82	5.8	1.46	2.95					
1366	9176	1.10	9.8	2.09	3.18					
1367	9178	.41	3.90	2.12	3.01					
1368	9179	1.17	7.8	1.45	2.97					
1369	9180A	1.30	4.38	1.11	2.99					
1370	9181A	.75	6.0	1.68	3.01					
1371	9182A	.89	8.3	2.57	3.10					
1372	9183	1.37	16.0	1.88	3.41					
1373	9184	.21	3.03	4.61	2.98					
1374	9185	1.17	13.2	4.42	3.61					
1375	9186	.62	1.97	1.18	2.92					
1376	9187	.75	6.3	1.20	2.98					
1377	9188	.69	7.4	1.63	2.98					
1378	9189	.21	3.84	6.79	3.03					
1379	9190A	.34	3.25	4.13	2.99					
1380	9191A	.21	2.30	5.52	2.89					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 70

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
1381	9193A	.89	11.8	2.78	3.52				
1382	9194	.89	33.5	3.83	4.18				
1383	9195	1.30	24.4	1.62	3.85				
1384	9196	.62	22.4	8.51	3.75				
1385	9197	.89	11.8	1.92	3.38				
1386	9198	1.71	9.2	2.25	3.46				
1387	9199	1.37	8.4	2.68	3.51				
1388	9200A	1.37	11.8	1.94	3.43				
1389	9201	1.03	10.2	1.82	3.29				
1390	9203A	.89	14.8	1.52	3.39				
1391	9204A	.89	17.7	1.16	3.32				
1392	9205	.89	19.6	1.42	3.50				
1393	9206	1.23	22.9	1.47	3.61				
1394	9207	1.10	20.4	1.48	3.56				
1395	9208	.75	12.0	1.55	3.24				
1396	9209	.14	2.46	5.40	2.95				
1397	9210A	.27	4.14	5.61	3.02				
1398	9211	.62	10.9	1.42	3.16				
1399	9213	.75	15.4	1.41	3.50				
1400	9218A	1.71	24.7	1.52	4.03				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 71

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.					
		grams/tonne	percent	percent						
1401	9219A	.55	10.5	3.58	3.31					
1402	9220A	1.03	14.6	2.38	3.34					
1403	9221	2.81	29.8	1.22	4.91					
1404	9222	1.65	26.4	1.40	4.51					
1405	9223	.82	22.7	2.83	4.07					
1406	9224	1.58	36.9	1.00	4.66					
1407	9225	1.30	38.1	1.00	4.89					
1408	9227	.41	6.1	3.99	3.10					
1409	9236A	.21	1.59	1.64	2.89					
1410	9237A	.41	11.7	1.92	3.38					
1411	9238A	.62	7.5	1.71	3.34					
1412	9239	1.85	36.3	4.53	4.56					
1413	9240A	2.54	30.1	2.37	3.94					
1414	9241	1.44	32.4	5.20	4.30					
1415	9242	1.10	20.9	10.31	4.04					
1416	9243	2.47	26.3	3.94	3.84					
1417	9245	1.10	26.7	2.97	4.49					
1418	9257A	.48	14.4	4.19	3.45					
1419	9258	1.03	9.6	3.41	3.57					
1420	9260A	1.51	8.4	5.12	3.56					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 72

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
1421	9261A	.55	8.0	2.57	3.45				
1422	9262	1.23	18.7	1.15	3.49				
1423	9263	2.67	24.5	1.39	4.50				
1424	9264	.69	9.3	2.07	3.16				
1425	9266	.27	1.05	.51	2.77				
1426	9267	.69	8.0	.80	3.01				
1427	9268	.48	2.98	.67	2.84				
1428	9269	.55	9.5	.75	3.01				
1429	9271A	.48	5.1	.88	2.93				
1430	9272A	.34	5.6	3.64	3.01				
1431	9273A	2.54	20.5	2.19	4.05				
1432	9274	.21	7.8	6.91	3.33				
1433	9275	.27	8.2	4.23	3.17				
1434	9276	2.26	21.1	1.16	4.40				
1435	9277	1.10	11.0	2.08	3.34				
1436	9278	.82	8.6	2.88	3.12				
1437	9279	.55	3.40	1.40	2.92				
1438	9281A	.48	3.57	2.16	2.93				
1439	9282	1.10	12.4	1.62	3.39				
1440	9283A	2.33	22.3	2.32	3.90				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4761 73

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
1441	9284A	1.65	23.6	2.36	4.38				
1442	9285	1.30	17.2	1.95	3.68				
1443	9286	1.10	15.2	1.86	3.56				
1444	9287	1.37	13.9	1.74	3.34				
1445	9288	1.44	15.9	1.45	3.43				
1446	9290A	1.65	11.2	1.52	3.44				
1447	9291	1.44	27.3	2.20	4.63				
1448	9292	1.03	12.1	2.12	3.64				
1449	9293	1.23	12.0	4.28	3.60				
1450	9294A	1.03	12.1	2.87	3.42				
1451	9295A	.75	17.3	3.66	3.45				
1452	9299	.55	21.4	5.05	3.71				
1453	9300A	.96	29.3	3.52	4.18				
1454	9301	1.17	26.0	1.25	4.50				
1455	9303	1.51	21.6	7.09	4.49				
1456	9304	2.40	27.3	6.37	4.61				
1457	9305	.55	3.27	3.56	3.02				
1458	9306	.55	2.56	3.13	2.93				
1459	9307	.21	1.43	7.27	2.94				
1460	9308A	.89	3.94	2.73	2.96				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Lining Corporation Ltd.

Certificate No. K-4781 74

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.					
		grams/tonne	percent	percent						
1461	9309A	.34	2.04	4.55	2.93					
1462	9310A	1.37	3.62	3.55	2.96					
1463	9311	.89	4.22	3.58	2.96					
1464	9312	.62	6.4	3.38	3.03					
1465	9313	.55	4.87	3.03	2.97					
1466	9315	.27	11.7	8.19	3.33					
1467	9316	.41	9.6	6.00	3.23					
1468	9317	.27	2.90	2.93	3.00					
1469	9318	.48	6.5	3.06	3.16					
1470	9319A	.41	16.1	2.06	3.34					
1471	9320A	1.58	19.1	2.20	3.79					
1472	9321	.41	9.5	1.67	3.18					
1473	9322	.21	4.30	6.25	3.05					
1474	9323	.41	5.4	1.51	3.02					
1475	9324	.48	7.3	1.56	3.02					
1476	9326	.27	6.5	3.24	3.05					
1477	9327	.75	19.2	3.09	3.54					
1478	9328	1.23	18.9	1.52	3.52					
1479	9329	1.44	11.8	1.95	3.45					
1480	9330A	1.03	11.2	2.39	3.41					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 75

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
1481	9331A	.27	3.59	2.25	3.08				
1482	9332	1.10	12.0	1.77	3.46				
1483	9333	1.30	18.0	1.56	3.88				
1484	9334	.55	13.2	1.97	3.47				
1485	9335	.27	1.94	9.45	3.20				
1486	9337	.41	5.4	6.92	3.35				
1487	9338	1.03	6.9	2.80	3.49				
1488	9339	1.03	6.7	3.31	3.48				
1489	9341A	.34	5.4	4.39	3.23				
1490	9342A	.62	16.3	3.37	3.86				
1491	9343A	.41	4.46	.72	2.92				
1492	9344	.48	10.5	1.50	3.68				
1493	9345	.34	2.34	1.43	2.95				
1494	9346	.48	7.6	2.41	3.08				
1495	9348	.27	9.9	4.21	3.43				
1496	9349	.27	6.5	5.56	3.14				
1497	9350A	.62	23.6	2.49	3.89				
1498	9351	.89	15.4	12.29	4.34				
1499	9352	1.51	29.8	6.16	4.47				
1500	9353A	1.03	21.5	3.35	3.85				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 76

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams, tonne	percent	percent					
1501	9354A	.48	5.4	2.73	2.99				
1502	9355	.48	6.6	3.47	3.02				
1503	9356	.55	8.2	2.29	3.10				
1504	9357	.82	4.0	2.75	2.95				
1505	9358	.41	.85	1.64	2.92				
1506	9363A	.69	6.0	1.57	3.06				
1507	9364	.55	4.91	.57	2.95				
1508	9365	.62	4.62	.11	2.91				
1509	9366	.55	2.33	2.80	2.90				
1510	9371A	.55	31.2	.79	4.18				
1511	9372A	1.03	25.9	1.46	4.34				
1512	9373	1.44	14.9	.47	4.66				
1513	9374	1.65	27.1	2.52	4.53				
1514	9375	1.23	37.8	1.95	4.66				
1515	9377	1.44	28.4	2.01	4.60				
1516	9378	.75	19.3	2.73	3.52				
1517	9379	1.44	37.8	2.89	4.72				
1518	9380A	1.78	34.2	2.12	4.24				
1519	9381	2.06	32.2	2.09	4.34				
1520	9382A	6.84	31.8	1.08	4.40				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 77

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
1521	9383A	.89	5.8	3.13	4.49				
1522	9384	.62	16.2	.63	3.91				
1523	9385	.62	15.0	.21	3.63				
1524	9387	.69	10.6	.77	3.62				
1525	9388	1.58	12.9	2.09	4.03				
1526	9389	1.92	33.3	1.03	4.81				
1527	9390A	2.61	27.2	1.20	4.49				
1528	9391	1.71	30.9	2.22	4.51				
1529	9392	1.44	37.9	1.80	4.63				
1530	9393A	1.37	37.4	1.70	4.57				
1531	9394A	1.71	25.5	2.27	3.99				
1532	9395	1.10	17.4	9.25	4.04				
1533	9397	.75	10.5	1.03	3.16				
1534	9398	.55	7.6	1.10	3.13				
1535	9400A	.75	13.9	2.46	3.80				
1536	9401	.82	41.3	1.08	4.56				
1537	9402	.62	.66	1.23	3.08				
1538	9403	.48	8.3	1.29	3.01				
1539	9404	.55	9.2	1.56	3.14				
1540	9405A	1.37	20.2	1.16	4.47				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 78

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.					
		grams/tonne	percent	percent						
1541	9407A	1.10	7.1	3.06	3.66					
1542	9408	2.13	13.7	2.72	4.17					
1543	9409	1.65	28.8	1.67	4.66					
1544	9410A	1.51	14.8	1.28	4.61					
1545	9411	1.03	11.6	1.13	4.45					
1546	9412	1.03	23.5	2.00	4.81					
1547	9413	.96	31.3	1.78	4.63					
1548	9414	1.03	26.4	1.96	4.37					
1549	9415	1.71	13.0	1.76	3.56					
1550	9417A	1.44	14.6	3.16	3.36					
1551	9418A	2.26	18.0	2.83	3.46					
1552	9419	1.92	16.8	2.34	3.66					
1553	9420A	2.54	12.5	3.15	3.75					
1554	9451A	.82	33.2	2.64	4.45					
1555	9452	.21	5.9	3.15	3.15					
1556	9461A	.89	25.4	1.75	3.95					
1557	9462	.89	23.2	1.85	4.19					
1558	9464	.41	15.3	5.37	3.55					
1559	9468	.62	18.9	1.79	3.50					
1560	9469A	1.44	16.4	1.62	3.60					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 79

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.					
		grams/tonne	percent	percent						
1561	9471A	1.78	28.5	1.97	4.65					
1562	9472	1.37	26.7	2.16	4.07					
1563	9473	1.37	21.1	2.27	4.18					
1564	9474	1.78	29.3	.62	4.58					
1565	9475	1.92	18.5	2.46	4.03					
1566	9476	1.71	21.8	2.23	3.58					
1567	9477	2.33	18.4	1.40	3.75					
1568	9478	2.40	19.0	2.46	3.80					
1569	9479	2.19	20.4	1.58	3.82					
1570	9481A	1.99	12.8	3.06	3.61					
1571	9482A	.89	23.5	2.14	4.40					
1572	9483	.62	8.5	.51	4.48					
1573	9486	.96	20.3	2.08	3.40					
1574	9487	1.17	17.5	2.30	3.38					
1575	9489	1.10	17.7	2.59	3.39					
1576	9527A	.69	14.2	.20	3.10					
1577	9529	2.06	15.0	.94	3.53					
1578	9530A	1.85	24.7	3.59	4.43					
1579	9531	.89	12.6	2.79	3.14					
1580	9532A	1.71	17.7	5.13	3.65					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 80

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
1581	9533A	1.58	26.6	2.27	3.68				
1582	9534	1.78	26.4	1.20	3.69				
1583	9535	1.10	18.2	2.07	3.36				
1584	9536	1.71	16.1	1.74	3.85				
1585	9537	1.51	24.5	1.62	3.59				
1586	9539	1.37	21.3	.56	3.30				
1587	9540A	1.65	30.7	1.02	3.81				
1588	9541	1.92	23.3	.80	3.51				
1589	9542	1.37	28.7	1.68	3.62				
1590	9543A	.62	3.82	1.29	2.87				
1591	9544A	.75	1.92	.90	2.84				
1592	9545	.75	3.34	1.11	2.96				
1593	9585A	1.23	22.1	1.47	3.45				
1594	9587	.69	13.3	1.52	3.11				
1595	9588	.82	17.8	1.04	3.27				
1596	9589	.89	14.1	1.44	3.29				
1597	9590A	1.10	19.2	1.69	3.48				
1598	9591	.82	5.6	1.48	2.90				
1599	9592	.75	14.7	.68	3.18				
1600	9593A	1.10	17.5	.67	3.40				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 81

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
1601	9594A	.96	12.5	1.40	3.31				
1602	9595	.89	15.2	1.21	3.39				
1603	9597	.96	8.2	1.89	3.31				
1604	9598	.82	7.1	1.79	3.16				
1605	9599	1.30	9.4	1.49	3.25				
1606	9600A	1.51	11.2	1.93	3.49				
1607	9601	1.23	8.7	1.44	3.41				
1608	9602	1.23	8.9	1.14	3.28				
1609	9603	.62	4.61	.90	3.01				
1610	9604A	.89	7.9	2.19	3.41				
1611	9605A	.82	6.7	2.60	3.07				
1612	9607	.89	9.7	2.50	3.03				
1613	9608	1.30	9.3	.88	2.99				
1614	9609	1.78	20.5	.99	3.38				
1615	9610A	1.44	21.9	1.04	3.49				
1616	9611	.82	8.4	1.67	3.14				
1617	9612	.82	10.4	1.92	3.34				
1618	9613	.27	1.89	8.46	3.01				
1619	9614	.55	2.73	1.69	2.99				
1620	9615A	.48	1.40	1.36	2.87				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 82

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
1621	9617A	1.03	6.8	1.86	2.99				
1622	9618	.55	3.83	2.02	2.96				
1623	9619	.69	7.03	1.76	3.13				
1624	9620A	1.37	5.8	1.58	2.96				
1625	9621	.62	4.17	1.76	2.93				
1626	9622	.55	6.13	3.91	3.06				
1627	9623	.27	1.26	10.40	2.99				
1628	9624	1.58	14.1	2.20	3.70				
1629	9625	.48	7.3	4.89	3.25				
1630	9627A	.89	5.7	3.83	3.10				
1631	9628A	.89	4.06	3.09	2.95				
1632	9629	.55	6.1	3.05	2.93				
1633	9630A	.48	3.30	5.33	3.12				
1634	9631	.41	6.0	6.45	3.41				
1635	9632	.41	3.68	5.97	3.14				
1636	9633	.21	2.02	13.12	3.14				
1637	9634	.27	5.1	9.08	3.10				
1638	9635	.27	5.5	5.87	3.01				
1639	9709A	1.30	28.2	1.76	3.74				
1640	9710A	1.37	32.6	1.66	4.23				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 83

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.				
		grams/tonne	percent	percent					
1641	9711A	.82	8.8	10.09	3.65				
1642	9712	1.10	5.1	1.88	4.28				
1643	9713	1.85	9.1	1.86	4.25				
1644	9714	1.03	22.3	11.78	4.15				
1645	9715	1.71	25.2	4.94	4.03				
1646	9760A	1.30	31.0	5.94	4.20				
1647	9843A	1.85	13.6	1.99	3.77				
1648	9844	1.78	22.4	1.39	4.51				
1649	9845	.75	29.8	10.01	4.39				
1650	9846A	.69	21.1	1.20	4.53				
1651	9847A	1.44	25.9	3.21	4.75				
1652	9849	1.23	27.9	2.20	4.57				
1653	9850A	1.37	12.8	1.23	3.39				
1654	9851	.69	11.9	1.23	3.35				
1655	9866A	1.10	18.6	1.80	4.26				
1656	9867	.55	4.95	3.98	3.18				
1657	9868	1.37	17.3	2.31	4.30				
1658	9869	.55	4.12	2.60	2.91				
1659	9870A	.69	5.2	3.53	2.99				
1660	9871A	.89	16.4	1.67	4.21				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
VIS 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 84

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.					
		grams/tonne	percent	percent						
1661	9872A	.96	15.2	2.25	4.28					
1662	9874	.69	12.9	1.86	3.21					
1663	9875	.27	3.65	5.75	2.95					
1664	9877	.62	11.3	2.25	3.48					
1665	9878	1.23	16.3	3.75	4.40					
1666	9879	.69	15.6	3.90	4.38					
1667	9880A	.75	16.6	1.71	4.17					
1668	9881	.69	12.4	2.40	4.05					
1669	9882	1.44	25.9	6.48	4.37					
1670	9883A	2.54	14.1	10.98	3.84					
1671	9884A	1.51	19.4	4.89	3.38					
1672	9885	1.65	15.8	1.78	3.21					
1673	9983A	1.65	44.4	.78	4.47					
1674	9984	1.71	43.6	1.07	4.47					
1675	9985	1.85	39.2	1.07	4.63					
1676	9986	1.85	44.6	1.11	4.91					
1677	9987	1.65	21.2	1.92	4.38					
1678	9988	2.06	17.6	1.19	3.31					
1679	12168A	.62	7.0	1.59	3.10					
1680	12169A	1.03	14.0	1.69	3.36					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 85

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.					
		grams/tonne	percent	percent						
1681	12170A	.75	12.9	1.70	3.24					
1682	12171	.69	12.2	1.51	3.15					
1683	12172	.75	10.7	1.58	3.24					
1684	12173	.96	9.3	2.22	3.32					
1685	12174	.75	11.9	1.85	3.29					
1686	12175	1.23	15.1	1.28	3.34					
1687	12176	.27	3.59	1.86	2.82					
1688	12178	1.10	18.3	2.54	3.75					
1689	12179	.34	5.3	.84	2.93					
1690	12180A	.41	17.1	1.32	3.61					
1691	12181A	.55	15.0	1.83	3.43					
1692	12182	.48	19.1	2.31	3.62					
1693	12183	.48	4.19	1.79	2.88					
1694	12184	1.10	17.8	2.13	3.82					
1695	12185	1.58	11.7	3.13	3.39					
1696	12186	1.99	11.8	2.21	3.32					
1697	12188	1.44	18.6	2.15	3.39					
1698	12189	.89	7.8	2.07	2.97					
1699	12190A	.69	12.6	1.98	3.12					
1700	12191A	.82	7.8	2.09	2.92					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4781 86

Date April 23, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Py	Po	S.G.					
		grams/tonne	percent	percent						
1701	12192A	1.65	28.2	1.77	4.38					
1702	12193A	1.44	34.4	1.19	4.45					

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912-1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.
330 - 355 Burrard Street
Vancouver, B.C. V6C 2G8


Certificate No. K-4814

Date April 28, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Ag	Py	Po	S.G.				
		grams/tonne	grams/tonne	percent	percent					
1	6265A	.55	27	14.1	7.82	3.44				
2	6274	.62	35	28.0	7.28	4.02				
3	6284	.75	27	15.3	6.47	3.43				
4	6294	.21	47	27.9	7.66	4.24				
5	6517A	.96	62	11.6	2.12	3.25				
6	6528	.96	61	20.6	1.10	4.46				
7	7356A	1.58	133	23.9	2.30	4.29				
8	7371	1.30	33	30.8	4.53	3.99				
9	7999A	.69	17	2.71	1.12	2.83				
10	8143A	.82	37	6.00	2.32	3.36				
11	8337A	.75	73	12.7	1.52	3.18				
12	8348	1.03	35	13.5	.63	2.95				
13	8566A	.55	15	6.1	1.60	2.84				
14	8577	.48	29	1.67	1.82	3.23				
15	8584	1.92	23	10.4	5.50	3.80				
16	8599	.62	75	18.3	6.52	2.88				
17	8741A	.96	33	2.82	1.31	3.42				
18	8758	1.58	105	13.4	1.60	4.12				
19	8766	.69	117	23.6	.93	3.85				
20	8773A	.96	50	20.8	7.92	3.08				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912-1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5
PHONE: (604) 372-2784 — TELEX: 048-8320

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4814 2

Date April 28, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Ag	Py	Po	S.G.			
		grams/tonne	grams/tonne	percent	percent				
21	8804A	1.37	63	6.3	.92	4.39			
22	8814	.41	94	29.2	.74	2.99			
23	8824	.48	24	2.16	1.58	2.84			
24	8903A	1.03	96	28.1	4.39	4.49			
25	8959	1.23	104	33.5	1.60	4.57			
26	8969	1.78	111	19.9	1.48	4.02			
27	8979	1.58	48	33.9	1.30	4.33			
28	9021A	.96	90	15.7	.95	4.25			
29	9432A	.27	6	3.18	5.44	2.95			
30	9444A	1.71	126	16.7	1.60	3.66			
31	9511A	1.30	53	27.0	2.03	4.03			
32	9519	.96	43	9.4	2.31	3.18			
33	9558	1.71	109	9.1	2.10	3.34			
34	9568	1.44	46	16.3	1.68	3.41			
35	9662A	.55	46	7.2	1.67	3.08			
36	9672	.89	70	10.2	2.18	3.89			
37	9837A	.34	33	1.8	.86	2.97			
38	9927A	1.10	83	23.0	.99	4.63			
39	11014A	1.03	53	15.3	1.09	3.49			
40	11020A	1.30	118	18.8	2.34	4.84			

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Tom Caprenice

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.

V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4814 3

Date April 28, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Ag	Py	Po	S.G.			
		grams/tonne	grams/tonne	percent	percent				
41	11030A	1.30	15	20.1	3.10	3.60			
42	11102A	1.51	100	31.4	2.30	4.94			
43	11112	1.30	70	15.9	2.60	3.83			
44	11129	.96	49	12.1	1.57	3.46			
45	11141	.89	26	21.8	3.81	3.21			
46	11153	.96	57	33.2	2.98	4.94			
47	11163	1.51	42	24.8	6.48	4.35			
48	11224A	.62	30	16.9	5.82	3.67			
49	11265	1.17	26	24.0	1.63	3.79			
50	11268A	2.88	53	35.2	3.69	4.67			
51	11280A	1.44	108	17.2	1.43	4.28			
52	11284	.48	31	9.4	3.81	3.35			
53	11293	.96	43	33.0	7.43	4.70			
54	11322A	1.51	151	9.5	2.02	3.90			
55	11332	1.92	67	34.3	2.83	4.88			
56	11342	1.23	77	7.2	1.91	3.33			
57	11352	1.65	170	11.4	2.74	3.99			
58	11365	1.92	40	25.6	3.04	4.05			
59	11376	.41	25	.80	.76	2.92			
60	11387A	.69	37	7.2	.87	3.14			

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Tom Lachance
Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912-1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4814 4

Date April 28, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Ag	Py	Po	S.G.			
		grams/tonne	grams tonne	percent	percent				
61	11397A	.69	66	13.5	7.14	3.62			
62	11410A	2.06	.86	14.3	2.18	3.66			
63	11420	1.65	48	18.8	.86	3.61			
64	11429	.41	25	4.8	1.38	3.00			
65	11441	1.10	131	25.5	.71	4.45			
66	11451	1.10	25	20.2	7.39	3.76			
67	11462	1.65	129	24.9	1.22	4.69			
68	11472	.27	8	2.54	2.23	3.00			
69	11499	.27	33	1.88	1.78	2.94			
70	11513A	.41	11	.85	1.03	2.89			
71	11522A	1.37	64	16.6	1.26	4.01			
72	11538	.82	33	13.7	1.49	3.27			
73	11553	1.10	46	20.7	2.14	3.67			
74	11558	.34	46	6.0	4.16	3.23			
75	11567	1.30	130	27.3	1.61	4.63			
76	11578	.82	26	34.7	1.17	4.47			
77	11589	1.23	34	11.0	.49	3.19			
78	11599	.82	53	15.8	.64	3.49			
79	11608A	1.51	55	29.8	.87	4.13			
80	11618A	1.65	122	24.5	2.27	4.45			

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Tom Capenise
Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5
PHONE: (604) 372-2784 — TELEX: 048-8320

**B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS**

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4814 5

Date April 28, 1982

I hereby certify that the following are the results of assays made by us upon the herein described Grum samples

Kral No.	Marked	Au	Ag	Py	Po	S.G.			
		grams/tonne	grams/tonne	percent	percent				
81	11628A	1.30	26	9.6	1.09	3.10			
82	11647	.96	35	9.3	.99	3.18			
83	11656	1.44	88	22.6	.97	4.73			
84	11666	1.17	73	20.8	.55	4.61			
85	11678	.41	20	4.44	1.25	2.94			
86	11688A	1.03	42	12.2	1.35	3.24			

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Pom Capreano
Registered Assayer, Province of British Columbia