DATE. JUNE 10, 1974.

FILE NO. 8194-25

019115

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM AEX MINERALS CORPORATION

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEADM	ZINC	COPPER	SPECIFIC GRAVITY		
A-10 ↑ 2534	.01	.68	1.63	3.48	.03		583-593	10
2535	.01	1.04	3.15	5.64	.04		593-603	10
2536	.02	1.50	5.25	3.96	.10		603-613	10
2537	.02	1.10	4.20	1.24	.08		613-623	10
2538	.01	.24	.65	.28	.09		623-633	
2539	.01	.32	.73	.18	.14		633-643	30
2540	.005	.24	.50	.42	.10		643-653	
2541	.005	.16	.35	.74	.07		653-678 (25')	
2542	.02	.66	1.80	2.40	.09		678-686.5 (8.5')	
2543	.01	.59	.80	1.44	.15		686.5-690 (3.5)	
2544	.02	1.02	2.33	3.66	.10		690-700	
2545	.01	.20	.44	.58	.13		700-710	
2546	.01	.75	1.85	2.52	.10		710-720	
2547	.01	.24	.10	1.32	.17		720-725	check.
2548	.02	.54	.70	1.16	.31		725-730	
2549	.04	3.44	7.35	11.61	.13		730-735	
2550	.04	2.84	4.95	7.20	.22		735-740	
2551	.04	3.16	5.80	7.63	.23		740-745	
2552	.04	2.56	5.10	9.52	.31		745-750	
2553	.02	1.18	2.50	4.20	.13		750-756	
2554	.02	1.82	3.00	6.72	.06		767-775.4	(8.4)
2555	.02	1.02	1.73	3.12	.05		779-783	3.6
2556	.04	2.80	5.25	13.80	.18		785-787.6	4. 2.6
↓ 2557	.04	2.40	5.25	7.44	.20		802-808.5	(
A-10 2558	.02	2.08	3.75	5.10	.19	*	808.5-815	

To Follow



ASSAYER. K. Hoyland for H. Spalding

DATE. JUNE 12, 1974.

FILE NO. 8194-25

Ordered by Mr. A. Aho

ASSA CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM AEX MINERALS CORPORATION

SAMPLE NO.	GOLD Oz. Per Ton (FOOTAGE)	SILVER Oz. Per Ton	SPECIFIC GRAVITY PULP	SPECIFIC GRAVITY COARSE	
2534	583-593		2.84		Mineralized graphitic phyllite.
2535	593-603		2.95	2.94	" " "
2536	603-613		3.10		Mineralized graphitic phyllite up to 20% min.
2537	613-23		3.06		"
2538	623-33		2.94	2.94	Min. gr. phyllite pyrite galena.
2539	633-43		2.94		Weak mineralized graphitic phyllite.
2540	643-~~48~~53		2.98	2.97	"
2541	653-78		2.91		Min. graphitic + sericite phyllite.
2542	678-686.5		3.03	2.96	Min graphitic phyllite.
2543	686.5-690		3.43		Min. schist massive pyrite bands.
2544	690-700		3.07		Min - graphitic phyllite 10-20%.
2545	700-710		2.91		Min sericite phyllite.
2546	710-720		2.98		Min graphitic phyllite
2547	720-25		3.52		Massive sulphide 60% min. Brecciated.
2548	725-30		3.65		Massive sulph. pyrite, sph. galena.
2549	730-35		4.27		Massive sulphide. Py, Sphalerite + BARITE
2550	735-740		4.46		Massive sulphide.
2551	740-45		4.34		Massive sulphide
2552	745-50		4.27		"
2553	750-56		4.54		"
2554	767-775.4		3.76		"
2555	779-783		3.62		Massive sulph with chlorite schist partings.
2556	785-787.6		4.31		Massive sulph. Py sphal. etc.
2557	802-808.5		4.13		"
2558	808.5-815		2.96	2.98	Massive sulph with Sericite schist partings.

ASSAYER. Geo. Spadoni



ASSAY CERTIFICATE

DATE. JUNE 16, 1974.

FILE NO. 8222- 14

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM AEX MINERALS CORPORATION

A.11.

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	COPPER	Footage:
2559 *	.02	2.70	6.00	6.84	.12	379-387 (8)
2560	.01	1.28	2.10	2.58	.15	390.5-395.5 (5)
2561	.01	1.12	1.95	1.26	.21	398.5-402.5 (4)
2562 *	.005	.28	.53	.40	.07	406.5-419 (12.5)
2563	TR	.46	1.30	.58	.08	437-441 4
2564 *	TR	.22	.28	.27	.03	432-453.5
2565	.01	.96	4.88	3.84	.15	493.5-500
2566	.005	.78	4.20	3.90	.20	500-506.5
2567	.04	3.28	6.00	9.40	.15	584-591.5 (7.5)
2568 *	.04	4.56	8.74	13.50	.20	591.5-599 (7.5)
2569	.02	1.38	2.40	2.70	.27	693-700 (7)
2570	.01	.70	.33	.54	.12	700-704 (4)
2571 *	.01	.92	.88	.66	.15	728-736.5 (8.5)
2572	.01	1.92	3.38	5.28	.13	736.5-745 (8.5)

* Two Bags with same number- Samples were mixed together.

ASSAYER. K. Hoyland for G. Spalding

DATE. June 21, 1974

FILE NO. 8248-18



ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM AEX Minerals

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	COPPER	SPECIFIC GRAVITY
2573	.01	.86	1.70	3.40	.08	—
2574	.005	.22	.68	.65	.07	—
2575	.005	.14	.20	.50	.08	—
2576	.01	.24	.55	.90	.11	—
2577	.005	.14	.30	.48	.09	—
2578	.005	.38	.60	1.44	.13	—
A.7 180						2.73
A.7 380						2.78
A.7 714						2.74
A.7 745						2.70
A.7 748						2.76
A.10 138						2.75
A.10 347						2.81
A.10 448						2.78
A.10 450						2.75
A.10 497						2.79
A.10 821						2.74
A.10 862						2.79

ASSAYER. K Hoyland for H Spalding

DATE. July 2, 1974

FILE NO. 8279-25

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM AEX Minerals Corporation

SAMPLE NO.		GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	COPPER	FOOTAGE.	
2579	A12.	TR	.30	.38	.58	.05	745-55 (10)	
2580		.01	1.26	2.33	7.80	.04	755-63 (8)	
2581		.01	.90	2.00	2.70	.04	811-821 (10)	
2582		.01	1.30	3.45	3.06	.07	821-31 (10)	
2583		.01	1.12	2.35	3.48	.05	831-41 (10)	
2584		TR	.04	.45	.26	.06	841-53.5 (12.5)	
2585		.005	.64	1.20	2.40	.05	895-905 (10)	
2586		.005	.38	.73	1.76	.05	905-915 (10)	
2587		.02	1.40	2.18	3.90	.13	915-25 (10)	
2588		.02	.64	1.13	1.68	.09	925-35 (10)	
2589		.005	.44	.25	.22	.07	935-45 (10)	
2590		.02	.88	1.25	1.62	.15	945-55 (10)	
2591		.01	.84	1.00	.80	.19	955-65 (10)	
2592		.02	.76	1.03	.60	.19	965-75 (10)	
2593		.02	.82	1.45	2.40	.13	975-85 (10)	
2594		TR	.12	.48	.38	.09	985-995 (10)	
2595		.02	.96	1.00	.90	.13	995-1005 (10)	
2596		.02	1.54	1.45	.20	.21	1005-15 (10)	
2597		.02	.72	.80	.54	.12	1015-25 (10)	
2598		.01	.76	.10	.23	.22	1025-35 (10)	
2599		.02	.48	.10	.19	.15	1035-1045 (9.5)	
2600	A12	.02	2.80	4.73	6.96	.25	1046.5-1054.5 (10)	
2601	A13	.01	.76	1.25	.62	.21	133.5-145.5 (12)	
2602	"	.04	3.12	8.10	8.40	.16	145.5-158.5 (13)	
2603	"	.05	2.70	7.65	5.52	.19	158.5-171.5 (13)	



ASSAYER. K. Hoyland-H. Spalding



ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

DATE. July 2, 1974

FILE NO. 8291-8

SAMPLE RECEIVED FROM AEX Minerals

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	COPPER		
A13							
2604	.02	2.68	5.03	4.20	.21	180.0 - 193.5	(13.5')
2605	.005	.86	1.50	1.90	.15	- 197	(3.5')
2606	.04	2.08	5.25	5.40	.20	- 202	(5)
2607	.03	.99	1.25	.16	.08	- 210.5	(8.5)
2608	.02	1.56	1.63	.90	.20	- 219	(8.5)
2609	.01	.72	.90	2.00	.03	398 - 404	(6)
2610	.02	1.98	3.23	4.74	.15	- 410.5	(6.5)
2611	.01	.56	.80	1.50	.09	428 - 448	(20)

ASSAYER. K. Hoyland for D. Spalding

DATE. JULY 7, 1974.

FILE NO: 8311-15



ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM AEX MINERALS CORPORATION

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	COPPER	FOOTAGE	
2612 A.15.	.005	.66	1.30	1.16	.16	424.4-433.9	(9.5')
2613	.01	1.44	3.00	3.00	.03	453 - 463	(10)
2614	.01	3.66	6.00	4.02	.05	463 - 473	(10)
2615	.01	1.78	3.38	3.48	.05	473 - 483	(10)
2616	.01	2.56	5.18	7.44	.03	483-489.5	(6.5)
2617	.005	1.44	3.15	3.48	.07	489.5-493	(3.5)
2618	.01	1.68	5.40	3.18	.03	493-497	(4')
2619	.005	1.40	3.60	3.54	.06	497-502	(5')
2620	.005	.44	1.50	2.22	.03	550-560	(10)
2621	.01	1.02	1.98	3.84	.03	560-570	(10)
2622	.01	1.42	3.60	5.58	.04	570-580	(10)' (1' recovered)
2623	.01	.86	1.83	2.40	.05	580-590	(10)
2624	.01	.80	2.40	3.42	.04	590-600	(10')
2625	.01	.88	1.93	2.88	.04	600-610	(10)
2626	.005	.72	1.40	2.70	.06	610-623	(13')

ASSAYER. K. Hoyland for D. Spalding

DATE. July 10,1974

FILE NO. 8325-8



ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM AEX MINERALS

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	COPPER	FOOTAGE
A.14. 2627	.01	.64	1.45	1.22	.19	832-36 (4)
2628	.005	.92	.29	.42	.16	873-883 (10)
2629	.005	1.08	.63	.69	.16	883-96 (13)
2630	.02	2.67	6.53	6.96	.30	896-905 (9')
2631	.005	.36	.55	.66	.20	905-915 (10')
2632	.01	1.56	2.00	2.76	.17	915-25 (10)
2633	.01	.64	.33	.46	.15	925-30 (5)
2634	.005	.96	1.73	2.00	.20	930-42 (12')

ASSAYER. Geo. Spaldenj

DATE. JULY 17 1974.

FILE NO. 8360-13



ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM AEX MINERAL CORPORATION

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	COPPER
A-16					
2635 644-666 (22')	.005	.66	.68	.78	.03
2636 677-693 (16')	.01	.60	1.19	1.72	.03
2637 761-771 (10')	.005	.14	.20	.16	.04
2638 -781 (10)	.02	.28	.09	.01	.02
2639 -791 (10)	.01	.28	.05	.02	.02
2640 -801 (10)	.005	.44	.07	.02	.02
2641 -811	.01	.52	.64	1.12	.02
2642 834-844	.005	.24	.13	.10	.02
2643 849-857 (8)	.005	.12	.09	.04	.02
2644 861-871	.01	.96	2.30	4.98	.03
2645 -881 (10)	.02	1.24	2.35	3.18	.05
2646 -891	.02	.92	1.58	3.24	.04
2647 -903	.005	.62	1.42	3.18	.03

ASSAYER. K. Hoyland for G. Spalding

DATE. JULY 21, 1974.

FILE NO. 8376-20

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM AEX MINERAL CORPORATION

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	COPPER			
A-17								
2648	.005	.78	1.98	1.54	.45	689-700		
2649	.005	.18	.34	.26	.07	700-710		
2650	.01	.80	1.83	1.40	.25	710-720		
2651	.005	.76	1.70	1.42	.24	720-728		
2652	.005	.92	1.88	1.18	.17	745-753		
2653	.005	1.00 Av 1.2	2.00 Av 2.63	1.58 Av 2.84	.30 Av 0.26	761-771	13.00 20.00	15.80 3.00
2654	.01	.32	.30	.30	.22	-778 23	2.24 2.10	2.10 1.54
2655	.03	2.56	6.38	7.92	.23	-784	15.36 38.28 27.60 33.38	47.52 1.38 65.42 5.92
2656	.005	.48	1.03	.65	.10	786-792.5		
2657	.005	.80	1.83	1.08	.10	-797		
2658	.04	1.32	3.15	5.04	.21	-802		
2659	.005	.14	.25	.16	.17	-807		
2660	.005	.18	.50	.66	.13	-812		
2661	.02	.52	.98	1.52	.22	-817		
2662	.005	.52	.28	.12	.24	-822		
2663	.02	1.40	2.50	1.84	.23	-827		
2664	.005	.80	1.85	1.26	.28	-832		
2665	.01	.68	1.20	.51	.30	-837		
2666	.01	.68	1.43	.66	.33	-842		
2667	.005	.58	1.30	.61	.25	-846.5		



ASSAYER. K Hoyland for G Spalding

DATE. JULY 28, 1974.

FILE NO. 8397-17 Pd



ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM AEX MINERALS CORPORATION

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	COPPER
A-18 001	.02	2.84	6.08	11.96	.14
↓ 002	.04	3.40	5.10	9.53	.14
003	.05	3.15	5.48	9.24	.29
004	.05	3.55	6.45	10.11	.20
005	.04	2.76	4.43	6.48	.17
006	.02	.94	1.85	2.28	.08
007	.06	3.46	6.38	11.54	.11
008	.02	1.96	3.30	4.98	.09
009	.02	1.12	2.78	3.84	.06
010	.02	.90	1.58	3.06	.04
011	.02	.70	1.50	2.58	.05
012	.01	.76	1.38	2.70	.05
013	.005	1.32	1.40	3.60	.03
014	.02	2.30	2.20	4.74	.11
015	.04	3.36	5.93	10.92	.21
016	.02	3.12	4.73	7.32	.25
017	.005	.24	.60	.87	.04

ASSAYER. Geo. Spalding

DATE. JULY 28, 1974.

FILE NO. 8412-33 fd

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM AEX MINERALS CORPORATION

SAMPLE NO.			GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	COPPER
A-20	018		.005	.32	.43	.70	.04
	019		.02	1.22	2.48	4.14	.10
	020	5'	.02	.82	1.73	3.06	.04
	021	5	.02	1.26	3.38	2.46	.08
	022	5'	.01	1.64	2.50	3.54	.04
	023	5'	.01	1.04	2.85	5.52	.06
	024	5'	.01	.80	1.88	2.88	.03
	025		.01	.60	.90	1.76	.04
	026		.005	.40	.88	1.66	.03
	027		.005	.44	.98	.74	.04
	028		.01	.44	.68	.66	.08
	029		.01	.44	1.05	.66	.08
	030	5'	.02	1.46	3.15	4.50	.17
	031	4'	.02	2.28	5.25	8.04	.04
	032		.02	2.12	4.35	6.72	.05
	033		.005	.50	.28	.27	.05
	034		TR	.16	.30	.48	.07
	035	5'	.02	1.78	3.23	4.98	.13
	036	5	.02	2.72	5.10	9.24	.25
	037	5'	.02	1.94	3.38	7.44	.04
	038	5'	.02	1.46	2.85	6.72	.06
	039	5'	.02	1.62	3.15	7.44	.05
	040	5'	.02	1.34	2.43	5.40	.04
	041	5'	.02	1.10	2.00	3.72	.06
	042	5'	.01	.56	.58	1.18	.06
	043	5'	.01	1.08	1.48	2.58	.05
	044	6'	.01	.84	1.53	3.24	.03
	045	5'	.01	1.20	1.38	2.34	.07
	046	6'	.02	2.46	3.15	5.28	.10
	047	5	.02	2.22	5.55	7.44	.07
	048	5'	.02	2.26	4.50	3.48	.08
	049	4'	.02	1.38	2.15	3.36	.05
	050	5'	.01	.72	.98	1.74	.05



ASSAYER. Geo. Spalding

DATE. AUGUST 9, 1974.

FILE NO. 8450-45

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.		GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	COPPER	
A19							
051	4.8'	.02	1.38	1.85	1.92	.22	check over
19.2 { 052	5.0	.005	.32	1.18	1.02	.13	
053	9.4	.02	3.18	6.68	5.64	.11	check
054		.005	.04	.05	.17	.02	
055		.02	1.70	2.50	4.02	.14	
056		.02	.92	1.15	2.00	.17	check
057		.01	.64	.38	.60	.34	
058	10	.04	4.08	7.35	9.36	.07	Recut ½ sample only.
059	7.7	.02	.42	.25	.82	.18	
15.5 { 060	8.0	.01	1.00	2.28	1.60	.14	
061	7.5	.01	1.76	4.95	6.96	.06	
062	6.7	.01	.32	1.33	2.58	.11	
063		.01	.28	.60	.33	.09	
064		.005	.29	.88	1.14	.04	
531.3 065	5.7'	.02	1.70	2.25	4.68	.11	
066	3.0	.02	1.64	4.35	6.84	.23	
067	3.0	.02	3.26	7.55	12.72	.21	
068	4.0	.02	1.46	3.15	4.74	.11	
069	5.0	.02	1.12	2.05	3.72	.11	
54.8' 070	5.0	.02	1.56	2.28	3.90	.10	
071	5.0	.02	1.52	2.50	6.24	.10	
072	5.0	.02	2.24	4.50	9.48	.18	
073	5.0	.02	2.24	4.74	8.64	.25	
074	5.0	.04	3.20	5.78	10.20	.17	
579.7 075	2.7	.02	1.98	3.08	5.76	.05	
585.3 076	5.6	.01	1.36	1.85	3.33	.03	
077		.04	1.48	2.18	5.10	.09	
637.0 078	10.0	.06	4.02	9.15	15.36	.20	Re-cut ½ sample only
079	4.0	.01	.80	1.90	2.88	.29	
080	8.0	.04	2.64	5.70	9.49	.26	
081	5.4	.04	1.48	2.70	3.30	.33	
082	9.1	.02	1.63	2.93	4.14	.29	
083		.01	.48	.08	.37	.42	
084		.02	.56	.35	1.50	.26	
085		.01	.44	.14	.35	.33	
086		.01	.32	.18	.19	.39	
087		.02	.98	2.85	4.02	.14	
088		.01	.24	.14	.62	.44	
089		.01	.24	.07	2.00	.28	
090		.005	.28	.10	3.60	.30	
091		.005	.28	.12	3.48	.43	
092		.02	.92	.92	1.40	.37	
likely #53 → 093		.02	1.86	2.93	2.82	.23	
No Ticket 1		.04	3.76	6.83	13.06	.35	
likely #58 → No Ticket 2		.04	4.12	6.98	9.68	.10	

335.8 - 340.6
- 345.6
- 355.0
442.0 - 446.2



ASSAYER. K. Hoyland for L. Spalding

DATE. AUGUST 9, 1974.

FILE NO. 8459- 57 Pd.

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	COPPER			
A-21 094	TR	TR	.03	.10	.02			
095 8.2	.02	2.32	5.78	11.35	.08			
096 2.6	TR	TR	.10	.30	.02			
097 9.3	.02	4.36	8.25	14.83	.15			
47 098 7.5	.005	.94	2.23	4.26	.03			
099 9.6	.01	1.64	4.43	8.76	.06			47'
100 4.4	.01	1.16	3.75	1.44	.06			
101 5.0	.01	1.34	4.20	1.50	.05	check 4 a 4		
102	.005	.28	.68	1.74	.08			
103	.005	.28	.64	1.66	.08			
104	.005	.32	.70	1.34	.10			
105	.005	.30	.63	1.14	.08			
106	.005	TR	.03	.05	.02			
107	TR	TR	.08	.33	.02			
108	.005	.68	1.60	3.24	.04			
109	TR	.26	.08	.10	.03			
110 7'	.01	1.24	2.43	4.74	.12			
111 6.5	.01	1.40	3.08	5.04	.09			
112 5.0	.01	1.52	2.50	4.20	.09			
113& 114 * 10'	.02	2.08	4.43	8.76	.12			
62.5' 115 10'	.02	2.24	4.28	9.12	.04			62.5'
116 5	.02	2.44	5.03	9.36	.17			
117 5	.04	3.76	6.83	11.5	.17			
118 5	.02	1.50	2.25	4.26	.15			
119 9	.01	1.32	5.18	9.00	.12			
120 5	.01	.16	.15	.23	.11			
121 5.3	.005	.20	.42	.74	.07			
122	.01	.32	.98	1.58	.08			
123	.01	.48	.18	.51	.12			
124	.005	.24	.34	.29	.10			
125	.01	.16	.74	1.10	.06		check	
126	.01	.60	1.53	2.22	.06			
127	.01	.28	.23	.33	.13			
128	.01	.76	1.35	1.19	.16			
129	.01	.28	.15	.46	.22			
130	.01	.32	.10	.14	.18			
131	.005	.24	.18	.25	.18			
132	.01	.68	.89	1.08	.10			
133	.01	.72	1.25	1.54	.12			
134	.01	.28	.54	.78	.12			
135	.01	.16	.17	.28	.30			

* COMBINED ASSAY



ASSAYER. K. Hoyland for G. Spalding

DATE. AUGUST 9, 1974.

FILE NO. 8459- 57

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	COPPER
A-21 136	.01	.18	.08	.19	.17
137	.005	.28	.08	.56	.25
138	.01	1.12	1.93	2.64	.32
A-22 139	.01	.68	1.45	1.58	.44
140	.005	.16	.75	.50	.18
141	TR	.02	.23	.18	.07
142	.01	.32	.78	.78	.27
143	.02	2.00	5.03	5.52	.13
144	.02	3.09	6.00	6.84	.16
145	.005	.29	.78	1.06	.13
146	.005	.88	.85	2.40	.24
147	.02	1.72	4.35	8.50	.12
148	.04	3.88	6.83	8.40	.27
149	.02	1.48	3.23	4.44	.15
150	.02	2.28	5.33	8.88	.09
151	.02	1.40	2.35	5.16	.07



ASSAYER. K. Hoyland & H. Spalding

DATE. AUGUST 9, 1974.

FILE NO. 8463-20 Pd

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	COPPER	
A-22 152	.02	1.72	2.08	4.56	.06	4 check 4410
153	.01	.68	1.93	3.06	.08	4 "
154	.005	.16	.23	.43	.08	
155	.005	.60	.63	.25	.12	
156	.01	1.52	3.83	6.96	.10	4 check 5420
157	.01	.48	.69	1.40	.28	
158	.02	1.32	2.08	2.00	.31	
159 (16')	.02	1.82	4.35	8.16	.12	4 ch 5415
160	.02	1.94	4.35	7.68	.21	
161	.02	4.44	6.68	11.45	.08	
162	TR	.20	.08	.10	.02	
163	.02	.80	1.58	3.00	.04	
164 (14.8)	.02	2.76	6.60	12.67	.08	
165	.02	3.72	6.00	11.92	.15	
166	.005	.04	.05	.06	.03	
167	.02	2.36	4.35	7.20	.10	
168	.02	2.88	6.08	10.65	.09	4 check 143
169 (30.5')	.02	1.28	3.53	6.36	.04	
170	.02	1.44	3.53	6.60	.04	4 ch 5412
171	.02	2.92	4.88	7.80	.10	

4
13.5' to end of ore seal



ASSAYER. K. Hoyland for H. Spalding

DATE. AUGUST 20, 1974.

FILE NO. 8547- 49 Pd

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES (Received Aug. 17/74)

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	COPPER			
A23 317		.06	.03	.03	.16			
318		1.76	4.80	6.48	.09			
319		1.59	3.38	3.48	.30			
320		1.00	2.20	1.18	.47			
321		1.35	2.78	3.66	.27			
322		.15	.32	.76	.10			
327		.35	.73	.98	.18			
328		.53	.85	.58	.31			
329		.32	.50	.60	.19			
330		.62	1.43	1.08	.19			
A23 331		.41	.82	.82	.17			
A24 332		2.65	6.15	5.40	.13			
333		.59	1.25	.74	.17			
334		TR	.07	.08	.03			
335		2.53	5.55	3.54	.15			
336		.12	.18	.04	.03			
337		2.85	7.20	6.12	.18			
338		.27	.65	.68	.04			
339		.09	.78	1.50	.03			
340		.06	.08	.11	.03			
341		3.56	7.20	12.3	.18	585.3		
342		1.76	3.53	4.86	.13			
343		1.03	2.13	3.72	.10			
344		3.00	7.20	10.20	.12			
345		2.21	3.83	7.56	.20			
346		1.09	2.40	4.50	.04	618.		
347		.47	.85	1.74	.04			
348		.15	.19	.50	.05			
349		3.24	8.25	14.63	.13	629.6		
350		1.88	4.13	7.92	.21			
351		1.76	3.83	6.96	.10			
352		1.09	2.35	5.64	.15			
353		1.15	2.85	4.92	.05			
354		1.76	5.70	6.24	.08			
355		1.68	4.05	2.76	.15	669.7		
356		.41	.72	.63	.09			
357		.44	.73	.36	.15			
358		.35	.62	.82	.05			
359		.21	.30	.65	.10			
360		.83	1.95	3.42	.13			
361		.21	.49	.77	.10			
362 711.0 5.6 3.1		1.24	3.30	6.12	.08	711.0		
363		.44	1.65	2.34	.07			
364		.91	2.05	3.18	.15			
365		.94	2.50	3.54	.12			
366		1.24	2.50	3.24	.10	733		
367		.44	.72	.98	.06			
368		.03	.03	1.06	.03			
A24 369		.09	.25	.41	.02			

Results extend into drill round.



ASSAYER. K. Hoyland for K. Harding

DATE. AUGUST 25, 1974.

FILE NO. 8563- 26 pd

179-331 A-23

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
172		2.59	5.18	8.76				
173		.18	.50	.77				
A-22 174		2.56	4.58	7.80				
175		.97	2.55	3.54				
176 *								
177		1.88	3.08	5.28				
178		.03	.14	.12				
179		5.18	12.2	23.4				
A-23 180		2.41	5.40	10.5				
181		.47	.48	.51				
182		1.71	4.28	7.08				
183		.50	1.45	1.16				
184		.41	.98	1.60				
185		.27	.43	.87				
186		.35	.75	1.12				
187		1.18	2.85	4.86				
188		2.50	5.55	12.1				
189		2.06	4.50	9.00				
190		1.47	2.93	8.16				
191		2.21	4.50	9.48				
192		4.59	9.00	19.5				
193		3.68	8.10	19.61				
194		4.41	9.60	19.0				
195		2.68	5.73	10.54	8.0'			
323		5.15	11.2	21.1				
324		3.09	7.35	12.41				
325		.32	.70	1.48				
326		2.94	4.88	10.8				

* Not Received



Samples received Aug.20/74

ASSAYER. K. Hoyland for H. Spalding

DATE. AUGUST 25, 1974.

FILE NO. 8558- 34 Pd

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDSION MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz Per Ton	LEAD	ZINC
A-24 370		.29	.37	1.60
371		1.76	2.15	3.90
372		2.06	2.50	4.92
373		.09	.08	.34
374		2.82	4.65	8.52
375		.12	.13	.19
376		.06	.05	.11
377		2.82	4.65	8.88
378		.03	.05	.10
379		1.03	1.28	2.28
A-26 401		.74	1.55	3.84
402		.83	2.30	5.16
403		.59	2.00	3.24
404		2.94	4.13	9.96
405		3.03	5.55	13.2
406		3.82	7.80	17.55
407		3.00	6.30	14.45
408		3.41	7.35	15.54
409		1.50	3.30	11.67
410		1.50	3.15	6.24
411		.29	.53	1.44
412		1.85	3.68	8.04
413		3.09	6.60	16.3
414		.32	.69	1.00
415		3.53	6.90	14.22
416		3.24	6.53	13.92
417		4.15	8.40	14.10
418		6.24	9.30	19.50
419		3.82	8.25	15.8
420		5.00	9.60	18.9
421		3.09	5.85	7.44
422		3.09	6.15	9.00
423		2.44	6.23	7.56
424		.65	1.58	1.06

Samples received Aug. 20/74



ASSAYER. K. Hoyland for H. Spalding

DATE. AUGUST 28, 1974.

FILE NO. 8579- 53 Pd.

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
A-23 195		2.68	5.73	10.54				
196		.38	.37	1.32				
197		.41	.28	1.26				
198		1.09	2.93	6.12				
199		3.18	6.90	14.59				
200		3.53	8.25	15.71				
301		1.06	3.23	3.78				
302		.38	.55	.76				
303		.47	.89	2.00				
304		.35	.44	1.04				
305		.27	.20	1.38				
306		.18	.17	1.04				
307		.35	.29	.60				
308		.41	.17	.67				
309		.21	.27	.79				
310		1.91	3.83	4.56				
311		.85	1.45	.70				
312		.26	.14	.37				
313		.35	.08	.78				
314		.15	.05	.29				
315		.24	.22	.65				
316		1.03	2.18	2.94				
380		2.71	4.95	9.72				
A.24 381		3.30	7.80	16.97				
382		2.21	5.10	6.24				
383		3.24	7.20	12.1				
384		2.47	5.78	9.72				
385		3.28	6.30	11.37				
386		.06	.08	.13				
A-26 425		1.03	3.08	3.72				
426		.18	.32	.74				
427		.50	1.38	1.35				
428		2.85	7.05	8.04				
429		.59	1.35	3.00				
430		.71	1.28	1.35				
431		.88	.18	1.10				
432		.32	.14	.92				
433		.18	.07	.65				
434		.41	.35	1.74				
435		.15	.01	1.34				
436		.21	.18	1.04				
437		1.88	3.98	4.20				
438		.83	1.50	1.43				
439		1.21	2.33	2.40				
440		1.91	4.73	4.02				
441		1.41	3.08	2.88				

Samples received Aug.23/74



ASSAYER. K. Hoyland for G. Spalding

DATE. AUGUST 28, 1974.

FILE NO. 8579- 53

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
A-26								
442		.80	1.33	2.28				
443		1.35	3.00	3.54				
444		1.03	2.08	3.48				
445		1.09	3.38	3.60				
446		2.35	4.95	6.84				
447		.44	.47	.86				
448		2.15	4.13	5.52				



ASSAYER. K. Hoyland to H. Spalding

DATE. AUGUST 31, 1974.

FILE NO. 8584- 36 Pd.

ASSA CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC
A-27 L80W/4N ↓ 449		1.03	1.90	2.82
450		1.41	2.50	4.50
451		1.32	2.23	4.92
452		1.38	2.78	4.92
453		2.41	3.45	5.64
454		.77	1.63	3.24
455		.32	.93	.77
456		.47	1.14	.89
457		.77	2.00	2.10
458		.97	3.08	.88
459		.94	2.78	3.60
460		.35	.73	.94
461		.29	.42	.54
462		.29	.54	.86
463		.29	.63	1.48
464		.18	.43	1.14
465		.68	1.24	1.96
466		.88	1.73	1.98
467		1.94	4.05	10.2
468		.41	.88	1.80
469		.15	.99	2.40
470		.59	1.33	2.88
471		1.03	2.35	3.86
472		1.03	2.40	2.28
473		1.62	4.13	3.18
474		2.00	5.10	3.24
475		2.21	5.25	6.48
476		3.47	7.05	10.98
477		1.29	2.50	3.24
478		.53	1.05	2.22
479		1.09	2.70	3.42
480		.53	1.23	1.06
481		.24	.40	.60
482		.65	1.08	1.30
483		.83	2.20	1.72
484		.88	1.83	2.40



ASSAYER. K. Hoyland for H. Spalding

DATE. SEPTEMBER 3, 1974.

FILE NO. 8589- 42 Pd.

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC		
485		.91	2.23	2.34		
486		.80	2.18	2.22		
487		.50	1.33	1.20		
488		.97	2.33	3.84		
489		1.15	3.00	4.38		
490		.44	.78	1.38		
491		.74	1.15	1.94		
492		.03	.07	.16		
493		1.76	3.90	6.96	1070.5-1074	
494		.15	.18	.38	-1075.7	
495		.77	1.73	2.46	1083.3 -1089.5	
496		.21	.49	.57	1099.5	10'
497		1.82	3.45	7.08	1099.5-1109.5	10
498		2.06	4.73	8.88	1115.5	6'
499		.91	1.93	3.00		
500		1.12	2.18	3.30		
501		.38	.17	.45		
502		1.47	3.15	4.62		
503		.44	.84	.84		
504		.41	.79	.80		
505		3.38	6.68	11.04	281-289.5	8.0
506		.94	2.08	1.38	293.2	4.2
507		3.38	3.68	10.20	-295.9	2.7
508		3.68	6.68	10.97	300.5-303.8	3.3
509		.59	1.28	1.80		
510		.53	.85	1.12		
511		.21	.48	.62		
512		.59	.77	.65		
513		.27	.53	.66		
514		.15	.05	.03		
515		.47	.93	.77		
516		1.35	3.53	2.52		
517		.74	.83	.59		
518		.83	1.28	1.26		
519		1.53	3.75	3.00		
520		.88	1.50	.82		
521		1.30	2.85	3.24		
522		.41	.49	.91		
523		.15	.12	.09		
524		.03	.05	.08		
525		.53	1.02	1.08		
526		.59	.75	.60		



Samples received Aug. 28/74

ASSAYER. K. Hoyland & G. Spalding

DATE. SEPTEMBER 7, 1974.

FILE NO. 8612- 55

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz Per Ton	LEAD	ZINC
176		.24	.47	.40
387		4.32	8.70	17.1
388		.15	.23	.42
389		1.09	2.20	5.16
390		.35	.69	.98
391		.59	1.60	1.94
392		.83	2.23	3.24
393		.59	1.38	.85
394		.65	1.94	2.00
395		.74	1.63	2.94
396		1.03	2.13	4.38
397		.03	.19	1.02
398		.15	.95	2.40
399		.06	.07	.18
400		1.18	2.85	7.32
527		1.71	3.45	6.84
528		.44	1.10	1.00
529		1.56	3.53	6.12
530		1.32	2.48	6.00
531		1.94	4.05	6.48
532		1.24	2.50	4.86
533		1.47	3.08	2.82
534		1.12	2.85	2.88
535		1.50	3.45	4.92
536		.59	1.43	3.48
537		.44	1.13	1.98
538		1.50	3.00	4.26
539		1.09	2.35	4.74
540		1.44	3.15	5.04
541		1.12	2.85	3.48
542		.88	1.74	1.39
543		.59	1.63	.84
544		2.50	5.93	8.40
545		2.35	4.88	10.31
546		.12	.23	1.38
547		3.09	6.08	9.96
548		3.74	8.10	14.88
549		3.00	7.20	11.78
550		.88	2.00	2.46
551		.12	.33	.85
552		.44	1.10	1.48
553		1.68	3.75	7.68
554		.15	.28	.55
555		1.56	4.20	2.70
556		.21	.35	.66
557		.59	1.18	2.52
558		.24	.25	.60
559		.59	1.55	3.30
560		.21	.83	1.90



ASSAYER. K. Hoyland for B. Spalding

DATE. SEPTEMBER 7, 1974.

FILE NO. 8612- 55

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz Per Ton	LEAD	ZINC				
561		.15	.09	.57				
562		1.82	5.10	12.43				
563		.74	1.88	1.86				
564		2.09	4.43	6.24				
565		.18	.33	.37				
566		1.91	4.73	5.76				



ASSAYER. K. Hoyland for J. Spalding

DATE. SEPTEMBER 23, 1974.

FILE NO. 8672- 30 Pd.

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

	SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC
A-31	567		2.00	4.95	7.05
	568		.74	1.33	1.18
	569		.59	1.68	1.62
	570		.59	1.15	1.35
	571		.18	.32	.94
	572		1.76	4.58	4.86
	573		1.29	3.90	3.60
	574		1.15	3.38	2.76
	575		.44	.64	.34
A-29	601		.29	.93	2.22
	602		.53	1.23	2.22
	603		.21	.65	1.28
	604		.41	1.65	2.58
	605		.29	.80	1.42
	606		.44	1.18	1.46
	607		.71	1.44	2.40
	608		.47	1.23	2.00
	609		.50	2.00	4.02
	610		.65	1.28	2.94
	611		1.09	1.80	4.20
	612		1.29	2.28	4.92
	613		1.24	2.50	4.80
	614		.94	1.93	4.20
	615		.88	2.48	1.36
	616		.88	2.33	5.10
	617		.15	.22	.41
	618		2.35	3.68	16.67
	619		.62	1.35	5.40
	620		.65	1.30	3.84
	621		.35	.58	1.60



ASSAYER. K. Hoffman & Holding

DATE. SEPTEMBER 26, 1974.

FILE NO. 8701- 16 Pd.

ASSA CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz Per Ton	LEAD	ZINC				
A-32								
622		.06	.09	.11				
623		.41	1.05	2.46				
624		1.24	3.23	3.30				
625		.74	1.80	3.00				
626		3.38	5.33	8.61				
627		.77	1.65	2.82				
628		2.06	4.73	5.22				
629		.59	.95	.95				
630		.38	.80	1.11				
631		.59	1.14	1.08				
632		.41	.68	.60				
633		.50	.88	1.24				
634		.65	1.38	1.64				
635		.15	.10	.36				
636		.15	.14	.24				
637		.18	.10	.26				



ASSAYER. K. Hoffman & H. Spalding

DATE. OCTOBER 2, 1974.

FILE NO. 8723- 26 Pd

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
A-33 576		.50	1.08	1.56				
577		.29	.35	.58				
578		.15	.20	.11				
579		.29	.49	.58				
638		.15	.12	.42				
A-32 639		.29	.14	.50				
640		.18	.13	.38				
641		.15	.13	.44				
642		.09	.10	.23				
643		.59	1.43	1.60				
644		.47	.94	1.48				
645		.65	1.24	1.04				
646		1.03	1.93	1.56				
647		.44	.77	.52				
A-35 648		.15	.09	.07				
649		2.41	6.00	3.72 3	521			
650		1.27	1.60	.37 6				
651		1.91	4.28	3.72 6.5				
652		.44	.39	.04	539.9			
653		2.79	7.35	7.75				
654		1.09	1.60	1.64				
655		1.47	3.53	3.66				
656		.65	1.60	1.64				
657		2.21	5.33	4.68	562.6			
658		.29	.45	.62				
659		.44	.83	.72				



ASSAYER. K. Hoyland for H. Spalding

DATE. OCTOBER 2, 1974.

FILE NO. 8733- 13 Pd.

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
A-35. 660		.53	1.25	.86				
661		.15	.13	.06				
662		.68	1.10	1.18				
663		.03	.20	.14				
664		.56	1.23	1.02				
665		.29	.53	.56				
666		.26	.75	.63				
667		.77	2.10	2.58				
668		.59	1.35	2.00				
669		.32	.48	.59				
670		1.32	3.83	4.44				
671		.29	.50	.42				
672		.44	1.25	1.74				



ASSAYER. K. Hoyland for G. Spalding

DATE. OCTOBER 6, 1974.

FILE NO. 8739- 38 Pd

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

	SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz Per Ton	LEAD	ZINC				
A35	673		.18	.27	.52				
	674		.15	.15	.58				
	675		1.35	3.75	3.90				
	676		.12	.20	.37				
	677		.12	.17	.44				
	678		.65	1.80	1.60				
	679		.59	1.75	1.42				
	680		.47	.97	1.12				
A37	681		.44	.77	.74				
	682		.29	.35	.72				
	683		1.76	4.58	5.40	235' - 237.5'	→		
	684		.53	.68	.70				
	685		2.15	7.35	6.12	243' - 248' / 5'	→		
	686		.88	2.23	3.60	248' - 250.5' / 2.5'			
	687		.88	2.63	1.96	250.5' - 253.5' / 3'			
	688		1.85	7.20	9.44	253.5' - 260' / 4.5'	→		
	689		.65	2.03	2.82	260 - 263 / 3.0'			
	690		2.79	8.41	12.75	263 - 271 / 8.0		7.03 10.26 2.27	
	691		1.68	5.55	7.32	271' - 276' / 5'		13.5'	
	692		.50	1.04	1.16	276' - 280.7' / 4.7			
	693		2.97	9.39	14.20	280.7' - 283.3' / 2.6			4.61 7.28 1.66
	694		1.03	2.78	5.46	283.3 - 293' / 9.7		3.46 5.78 1.28	55.3'
	695		1.03	2.50	5.16	297.7 303' / 5.3		37.6'	
	696		1.41	4.05	5.88	303 - 313 / 10'			
	697		1.09	2.50	4.14	313 - 323 / 10'			
	698		.47	1.12	2.28	323 - 333 / 10'			
	699		.74	2.15	3.12	333 - 338.2 / 5.2		3.19 4.63 1.12	
	700		1.47	4.13	6.00	338.2 - 344 / 5.8		11'	
	701		.18	.50	.96	344 - 350 /			
	702		.44	1.23	1.34				
	703		.18	.39	.58				
	704		1.56	3.83	4.68				
	705		.24	.29	.36				
	706		.15	.07	.20				
	707		.29	.40	.60				
	708		.80	2.08	2.88				
	709		.59	1.60	1.72				
A37 ↑	710		1.12	3.23	6.60				



ASSAYER. K. Hoyland J. B. Spalding

DATE. OCTOBER 7, 1974.

FILE NO. 8741- 25 Pd

ASSA CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC			
A-38							Weighted Average.
✓ 711		.85	1.80	1.40			
✓ 712		1.24	2.50	3.00			
✓ 713		.44	1.03	.98			
✓ 714		1.18	3.23	2.40			
✓ 715		.29	.90	1.00			
✓ 716		2.27	6.08	4.86	705.5'-710.0'/4.5		Pb Zn Ag
✓ 717		2.53	8.25	8.55	740-748'/8.0		6.89; 8.06 2.28
✓ 718		2.06	5.63	7.61	748-756.5'/8.5'		16.5.
✓ 719		.38	1.18	1.56	(500-900.4') -52' gap.		
✓ 720		2.79	8.55	5.16	900.4-903.6/2.4		6.49 2.54 2.11
✓ 721		1.62	4.95	.59	903.6-906.1/3.2'		5.6'
✓ 722		.50	1.58	.60			
✓ 723		1.82	4.50	7.40	912.8'-916.2'		
✓ 724		.21	.14	.18			
✓ 725		.18	.14	.16			
✓ 726		3.09	7.65	9.75	927'-932.4'		
✓ 727		.29	.43	.42			
✓ 728		.56	1.20	.78			
✓ 729		.44	.80	1.20			
✓ 730		.32	.63	.58			
✓ 731		1.76	5.40	4.86	961'-963'		
✓ 732		.27	.52	.85			
✓ 733		1.71	4.35	4.50	968.3'-972'		
✓ 734		1.06	2.20	1.56			
✓ 735		.74	2.10	1.94			



ASSAYER. K Hoyland for D Spalding

DATE. OCTOBER 11, 1974.

FILE NO. 8749-27 & 8755- 22 Pd

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
8749-27: 736		.21	.34	.18				
737		.88	1.98	1.76				
A-38 738		.32	.58	.45				
739		.80	2.10	1.98				
740		1.38	3.60	3.00				
741		.15	.60	.58				
742		.88	2.00	2.00				
743		.50	1.00	.69				
744		.59	1.40	1.10				
745		.15	.23	.23				
746		.50	1.15	.88				
747		.44	.93	1.44				
748		.59	2.35	2.40				
A-39 749		.35	.14	.23				
750		1.03	2.93	2.22				
751		.74	1.65	1.16				
752		.94	2.38	2.76				
753		.18	.33	.29				
754		.29	.84	1.04				
755		.80	1.60	2.28				
756		.24	.13	.11				
757		1.50	2.45	1.50				
758		3.38	6.45	7.07	730.5-734	8.14	8.04	3.48
759		3.53	9.00	8.53	734-741	10.5'		
760		.35	.38	.27				
761		.77	1.50	.49				
762		.06	.15	.17				
8755-22: 763		2.65	6.15	7.20				
764		.29	.63	.28				
765		.29	.50	.34				
766		.44	1.15	.80				
767		.21	.33	.24				
A-41. 768		.24	.58	.36				
769		.32	.35	.20				
770		.03	.01	.01				
771		.29	.35	.26				
772		2.12	5.48	6.48				
773		.18	.18	.23				
774		.29	.35	.44				
775		1.03	2.20	1.80				
776		.21	.28	.31				
777		.59	1.18	1.24				
778		1.71	4.13	4.38				
779		.77	1.50	1.64				
780		.35	.55	.23				
781		.03	.09	.08				
782		.29	.45	.30				
783		.03	.04	.07				
784		.47	1.23	1.20				



ASSAYER. K Hoyland for G Spalding

DATE. OCTOBER 24, 1974.

FILE NO. 8761-15- & 8763- 15 & 8755- 8

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM AEX MINERALS CORPORATION (KERR ADDISON MINES)

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz Per Ton	LEAD	ZINC
8761-15:				
209		.15	.43	.58
210		.06	.04	.20
A-40 211		.03	.10	.36
212		.09	.28	.80
213		.12	.08	.67
214		.12	.35	.36
215		.44	.42	.88
216		.15	.08	.21
217		.15	.28	.49
A44 218		.09	.09	.20
219		.09	.13	.26
220		.12	.25	.22
221		.06	.15	.17
222		.09	.10	.33
223		.09	.10	.25
8763-15:				
224		.03	.17	.16
225		.15	.33	.16
226		.18	.72	.20
227		.03	.22	.06
A47 228		.38	.48	.36
229		2.06	4.80	5.88
230		1.27	4.13	2.22
231		.06	.05	.04
232		.59	1.05	1.60
233		.15	.14	.07
234		.80	1.28	.60
235		.18	.18	.03
236		.03	.05	.02
237		.12	.07	.12
238		.59	1.38	2.82
8755-8:				
A36 201		TR	.05	.86
202		TR	.24	3.12
203		TR	.08	.47
204		.15	1.13	1.44
205		.47	.67	.94
206		.97	3.00	1.34
207		.15	.25	.50
208		.44	.83	1.38

ASSAYER. K. Hoyland for G. Spalding

DATE. OCTOBER 25, 1974.

FILE NO. 8770- 26 Pd

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC
A-50				
829		.80	2.45	1.88
830		1.00	2.48	1.92
831		.88	2.35	2.46
832		1.03	3.15	3.00
833		.88	2.30	1.96
834		.56	.85	.72
835		.32	1.00	1.12
A-51 836		.44	1.08	1.08
837		.29	.70	.54
838		.18	.29	.32
839		.94	1.02	.86
840		.32	1.03	.90
841		.62	1.88	1.34
842		1.62	2.85	1.72
843		3.30	8.05	6.60
850		.47	1.20	1.30
851		1.62	2.78	3.48
852		.15	.18	.47
853		.12	.14	.58
854		.12	.08	.18
855		.18	.08	.18
856		.15	.12	.23
857		.15	.08	.30
858		.29	.32	.46
859		1.41	3.75	3.30
860		.80	2.00	1.68

ASSAYER. K. Hoyland for G. Spalding

DATE. OCTOBER 25, 1974.

FILE NO. 8765- 44 Pd

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR- ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
785		.53	1.25	.99				
786		1.18	3.00	3.60				
787		2.59	7.20	10.0				
788		1.18	3.45	4.32				
789		.74	1.98	1.71				
790		.59	1.58	1.47				
791		.74	1.80	1.34				
A-42 792		.59	1.40	1.44				
793		1.03	3.15	3.66				
A-45 794		2.35	5.93	7.44				
795		.29	.73	3.18				
796		.83	2.33	5.28				
797		.91	2.33	7.20				
798		1.44	3.90	5.22				
799		1.76	4.43	12.1				
800		1.59	4.50	5.40				
801		2.35	6.00	9.6				
802		.56	2.30	4.42				
803		.29	.42	.98				
804		3.03	6.90	14.2				
805		2.94	8.25	16.2				
806		3.53	8.63	16.8				
807		3.82	8.74	17.0				
808		2.94	7.50	15.6				
809		.29	1.25	2.00				
810		1.65	3.60	6.60				
811		.15	.08	1.12				
812		.15	.19	.59				
813		1.09	3.23	5.28				
814		.24	.70	2.28				
815		.56	1.48	.86				
816		1.00	1.88	3.84				
817		2.79	6.23	8.82				
818		1.12	1.80	4.80				
819		2.85	4.95	8.28				
820		.88	1.98	1.98				
821		.44	1.04	.63				
822		1.76	6.53	3.66				
823		.44	.97	.46				
824		.26	.27	.37				
825		.44	.94	1.30				
826		.88	2.20	1.55				
827		.94	2.20	3.24				
828		.88	1.63	3.12				

ASSAYER. E. Hoyland for G Spalding

DATE. OCTOBER 28, 1974.

FILE NO. 8776- 19 Pd

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz Per Ton	LEAD	ZINC
A-51				
844		.44	.75	1.70
845		1.59	4.28	4.26
846		.38	.90	1.34
847		1.12	2.38	2.88
848		.35	.80	.62
849		.12	.18	.18
880		.44	1.23	.90
881		.15	.18	.27
882		.35	.83	.70
883		.62	2.05	1.76
884		1.03	2.35	2.28
885		.88	1.95	1.62
886		.06	.03	.16
887		.80	1.90	1.84
888		.15	.20	.27
889		.32	.83	.82
890		.35	.69	.86
891		1.41	4.28	6.12
892		.59	1.33	1.60



ASSAYER. K. Hoyland per B. Goulding

DATE. OCTOBER 30, 1974.

FILE NO. 8778- 21 Pd

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC
A-52				
861		5.00	11.0	20.45
862		.80	1.75	2.22
863		3.21	8.18	10.72
864		.21	.25	.55
865		.21	.18	.44
866		1.47	3.90	5.46
867		1.32	3.23	5.52
868		1.47	4.65	4.20
869		1.21	2.50	3.84
870		1.56	3.83	4.98
871		1.21	2.45	3.36
872		2.27	6.75	8.16
873		.59	1.23	1.94
874		.29	.60	.99
875		.38	1.28	1.10
876		.21	.27	.40
877		.24	.45	.56
878		.12	.32	.40
879		.15	.48	.16
893		.21	.27	.37
894		.06	.05	.15



ASSAYER. K. Hoyland & H. Spalding

DATE. NOVEMBER 6, 1974.

FILE NO. 8788- 26 Pd

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz Per Ton	LEAD	ZINC
A-53 580		.44	1.13	2.88
581		.88	2.25	4.20
582		.80	2.00	4.02
583		.53	1.50	2.70
584		1.21	3.90	3.78
585		.38	.70	1.04
586		.65	1.68	4.02
587		.21	.52	1.20
588		.29	.57	1.56
589		.26	.38	.78
590		1.53	3.68	6.96
591		.56	.74	.68
592		1.82	4.43	6.00
593		2.76	5.40	11.10
594		1.03	2.00	3.96
595		1.03	2.28	1.80
596		.80	1.55	1.34
597		1.97	4.73	7.20
598		2.41	5.03	9.59
599		1.91	4.95	8.09
895		3.30	7.05	13.81
896		2.94	6.23	13.55
897		1.62	3.90	8.53
898		1.44	3.08	7.42
899		2.94	6.90	17.2
900		5.68	10.57	18.79



ASSAYER. K. Hoffman & H. Spalding

DATE. NOVEMBER 7, 1974.

FILE NO. 8793- 22 Pd

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
600		1.88	4.58	7.20				
4.53 901		2.32	5.33	9.88				
902		.29	.27	.33				
903		.44	.75	2.34				
904		1.91	5.10	9.83				
905		.62	.53	1.38				
906		2.21	5.55	11.50				
907		.53	.60	.69				
908		1.91	5.70	8.71				
909		.29	.27	.28				
910		.29	.19	.80				
911		.29	.27	1.38				
912		.15	.07	.98				
913		.15	.08	1.06				
914		.62	.89	1.98				
915		1.47	4.35	4.56				
916		1.21	4.28	4.44				
917		1.24	3.38	3.60				
918		1.79	4.73	6.72				
919		.24	.44	.58				
920		.06	.04	.03				
921		.09	.07	.05				

6



ASSAYER. K. Hoyland for H. Spalding

DATE. NOVEMBER 14, 1974.

FILE NO. 8804- 50

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC
A-55 1001		1.03	1.64	2.64
A-55 1002		.41	.85	1.66
1003		1.32	3.00	7.44
1004		.26	.90	.94
1005		2.15	6.00	7.82
1006		.15	.30	.62
1007		.50	1.08	2.76
1008		.59	1.23	2.88
1009		1.50	5.33	5.16
1010		.74	1.23	1.38
1011		.47	1.15	1.18
1012		.50	1.35	1.72
1013		.21	.83	.74
1014		.65	1.45	1.72
1015		.29	.37	.26
A-56 1016		2.85	8.40	12.14
1017		1.32	4.05	7.44
1018		1.00	2.28	4.98
1019		.24	1.10	4.02
1020		.88	1.93	4.92
1021		.88	1.98	3.54
1022		1.29	5.25	1.26
1023		.65	1.85	1.52
1024		.03	.05	4.02
1025		1.03	2.25	6.72
1026		.09	.13	.39
1027		.06	.07	.44
1028		.88	1.98	3.78
1029		.85	1.98	3.72
1030		.77	1.78	4.08
1031		1.09	2.30	7.08
1032		.83	1.73	4.20
1033		1.32	2.85	5.28
1034		1.32	2.93	5.58
1035		.80	1.65	3.84
1036		.97	2.50	5.46
1037		.85	1.98	5.28
1038		.44	1.00	3.72
1039		1.59	3.23	7.08
1040		1.29	3.30	6.00
1041		1.59	3.98	3.30
1042		1.18	2.40	4.44
1043		.74	1.00	3.18
1044		.62	.89	1.02
1045		1.53	4.28	2.00
1046		1.88	5.25	7.93
1047		.41	.90	4.56
1048		1.50	3.75	7.92
1049		1.76	3.68	9.05
1050		1.18	3.08	7.44



ASSAYER. K. Hoffman

GEO. SPALDING

DATE. NOVEMBER 21, 1974.

FILE NO. 8809- 14

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
A56 1051		2.18	5.33	7.56				
1052		3.53	6.83	15.65				
1053		2.94	6.75	11.64				
1054		.50	1.13	4.56				
1055		3.24	7.13	12.30				
1056		.91	2.35	4.44				
1057		2.79	6.30	13.51				
1058		2.35	3.68	13.15				
1059		2.06	2.93	8.04				
1060		.44	1.08	1.80				
1061		2.79	6.00	9.37				
1062		2.27	4.50	8.16				
1063		2.74	6.75	9.42				
1064		3.06	6.45	10.65				



ASSAYER. GEO. SPALDING

DATE. NOVEMBER 23, 1974.

FILE NO. 8813-40

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES LTD.

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz Per Ton	LEAD	ZINC
A56 1065		.41	.93	1.56
1066		.53	1.33	2.00
1067		1.00	2.70	5.40
1068		.15	.05	3.90
1069		1.41	3.98	6.48
1070		.24	.50	1.32
1071		.88	1.95	2.46
1072		1.85	4.35	5.28
1073		2.21	4.50	5.40
A57 1101		.12	.12	.21
1102		.62	1.45	2.70
1103		1.03	2.30	4.44
1104		.44	1.05	2.46
1105		.06	.09	.13
1106		.47	1.43	2.70
1107		.83	1.50	3.00
1108		.35	.93	1.76
1109		.38	.84	.99
1110		.50	1.33	2.52
1111		.53	1.28	2.94
1112		.59	1.35	3.06
1113		.62	1.40	2.88
1114		.24	.48	.42
1115		.56	1.50	1.28
1116		.44	.83	1.30
1117		.59	1.13	1.50
1118		1.00	2.33	3.18
1119		.53	1.08	1.60
1120		.59	1.35	2.40
1121		.35	.90	1.24
1122		.68	1.73	3.06
1123		.59	1.25	1.54
1124		.59	1.10	1.60
1125		.38	.80	.74
1126		.50	1.03	1.98
1127		.29	.68	.68
1128		.44	.93	.98
1129		.62	1.50	2.64
1130		1.00	2.10	3.06
1131		.68	1.88	3.42



ASSAYER. K. Hoffman Jr.

GEO. SPALDING

DATE. NOVEMBER 23, 1974.

FILE NO. 8815-12

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES LTD.

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC
A-57 1132		.74	1.80	3.54
1133		.74	1.80	4.20
1134		.71	1.60	4.32
1135		.62	1.45	3.78
1136		.77	1.48	3.12
1137		.94	2.10	4.20
1138		.32	.85	.76
1139		.77	1.70	1.76
1140		.15	.30	.34
1141		.18	.09	.14
1142		1.00	1.83	4.26
1143		.24	.25	.32



ASSAYER. K. Hoyland B.Sc.
GEO. SPALDING

DATE. NOVEMBER 27, 1974.

FILE NO. 8816-19 & 8818-10

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
8816-19:								
1144		1.47	3.45	3.90				
1145		2.35	5.10	7.98				
1146		1.06	1.95	4.20				
1147		.83	1.68	3.18				
57 1148		.65	1.33	2.94				
1149		.68	1.45	3.30				
1150		1.44	2.78	6.48				
1151		.88	1.68	6.72				
1152		.21	.59	.78				
1153		.12	.23	.32				
1154		.59	1.58	1.56				
1201		3.09	9.45	7.20				
1202		2.06	4.73	6.60				
1203		1.09	1.83	4.68				
58 1204		2.35	4.05	7.08				
1205		3.30	8.55	9.70				
1206		2.44	6.38	8.93				
1207		.59	1.23	1.34				
1208		2.35	7.40	4.26				
8818-10:								
922		2.65	5.93	11.11				
923		1.09	2.10	4.20				
924		.65	1.28	2.52	3.7			
59 925		.88	1.88	3.96	5			
926		.56	1.38	1.38	2			
927		.74	1.65	3.18	4			
928		1.00	2.40	4.02	6			
929		.50	1.23	2.34	3			
930		.09	.15	.28				
931		.38	.85	1.36				



ASSAYER. K. Hoyland for
GEO. SPALDING

DATE. DECEMBER 4, 1974.

FILE NO. 8822-26

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC
932		.35	.73	1.24
933		.41	1.03	1.98
934		.24	.66	1.60
935		.12	.30	.44
936		.21	.49	.94
937		.21	.44	1.00
938		.62	1.38	2.34
939		.29	.65	.95
940		.29	.65	1.24
941		.29	.65	1.14
942		.18	.63	.56
943		.03	.07	.09
A-59 944		1.35	3.53	6.12
945		.50	1.28	1.40
946		.59	.90	.45
947		2.94	6.15	10.38
948		2.65	4.95	8.52
949		3.06	8.43	14.39
950		3.53	5.70	11.67
951		.68	1.45	2.40
952		.18	.14	.72
953		.06	.19	.38
954		5.88	9.65	16.21
955		.18	.05	.18
956		5.74	14.61	19.44
957		.06	.07	.12



ASSAYER. GEO. SPALDING

DATE. DECEMBER 4, 1974.

FILE NO. 8825-33

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
958		5.15	11.0	17.19				
959		1.55	2.33	2.52				
960		2.00	3.30	4.62				
961		1.27	4.50	8.16				
A-59 962		2.15	5.10	8.28				
963		.24	.68	.40				
964		2.94	6.30	9.41				
965		2.94	5.70	8.52				
966		2.35	5.70	8.64				
967		1.29	2.10	1.84				
1074		.12	.28	.24				
1075		2.29	5.18	7.08				
1076		3.59	7.50	9.71				
1077		2.21	3.53	3.78				
1078		.09	.09	.12				
A-60 1079		.12	.15	.15				
1080		.85	1.60	.54				
1081		3.27	7.35	8.76				
1082		3.24	7.28	7.56				
1083		.12	.24	.25				
1084		1.27	3.68	3.18				
1209		.91	1.58	.77				
1210		.32	.37	.35				
1211		.83	2.10	.91				
1212		.38	.58	.71				
A-58 1213		.44	.54	.59				
1214		.18	.04	.02				
1215		.15	.03	.06				
1216		.12	.04	.17				
1217		.06	.03	.13				
1218		.15	.15	.03				
1219		.12	.22	.46				
1220		.03	.18	.25				



ASSAYER. [signature]
GEO. SPALDING

DATE. DECEMBER 9, 1974.

FILE NO. 8833- 27

ASSA CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC
A-60 1085		2.35	5.18	5.04
1086		.56	.68	.51
1087		.06	.19	.11
1088		.38	.84	.77
1089		.29	.78	.85
1090		1.44	2.78	2.82
1091		1.88	5.55	4.74
1092		1.59	4.73	4.80
1093		.21	.69	.99
1094		5.00	11.48	17.35
1095		.56	1.55	1.86
1096		.59	1.13	1.02
1097		TR	.07	.04
1098		.03	.10	.36
1099		TR	.02	.03
1100		.47	1.30	1.14
A57 1155		.03	.05	.21
1156		.03	.02	.06
~~A34~~ 1221		.24	.39	.51
A60 1222		1.15	2.93	2.70
1223		.44	1.00	.85
1224		.29	.63	.32
1225		1.29	3.68	2.88
1226		.74	1.28	.74
1227		.21	.25	.25
1228		.80	1.63	.66
1229		.09	.08	.03



ASSAYER. K. Hoffman

GEO. SPALDING

DATE. DECEMBER 13, 1974.

FILE NO. 8838-16

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
A61 968		.18	.39	.72				
969		.50	1.40	2.46				
970		1.18	1.93	4.02				
971		.32	1.05	1.66				
972		1.03	1.88	2.64				
973		.65	1.55	1.88				
974		.95	1.85	3.00				
975		.65	1.50	1.72				
976		.56	1.28	1.76				
977		.44	1.10	1.54				
A-4 deepened 978		.98	1.60	1.76				
979		.18	.18	.39				
980		.29	.40	.96				
981		1.88	4.35	5.34				
982		.32	.63	.74				
983		.29	.50	.52				



ASSAYER. K. Hoyer SPALDING

DATE. DECEMBER 13, 1974.

FILE NO. 8834- 58
COMPOSITES

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

	SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	COPPER
1	174-177	.04		.12
2	179-182	.02		.21
3	187-195	.02		.13
4	319-321	.03		.36
5	332-337	.02		.13
6	341-346	.02		.14
7	349-355	.02		.14
8	362-366	.02		.12
9	371-374	.01		.07
10	404-423	.02		.14
11	198-200 + 301	.02		.13
12	380-385	.03		.19
13	428-429	.02		.18
14	437-441	.04		.33
15	442-444	.04		.31
16	446-448	.02		.18
17	449-453	.02		.18
18	471-479	.01		.07
19	497-498	.04		.15
20	505	.02		.20
21	400 + 527	.01		.03
22	529-532	.01		.04
23	538-541	.01		.07
24	544-549	.02		.08
25	572-574	.02		.29
26	611-616	.01		.04
27	618-620	.01		.05
28	625-626	.02		.11
29	627-628	.03		.19
30	649-651	.03		.21
31	653-657	.02		.17
32	670	.02		.16
33	683-700	.02		.22
34	717-718	.01		.12
35	720-721	.02		.15
36	731-734	.01		.20
37	747-754	.02		.19
38	757-759	.02		.17
39	786-788	.02		.16
40	794-800	.02		.09
41	801-802	.01		.10
42	804-810	.02		.17
43	816-819	.02		.13
44	229-230	.02		.14
45	862-863	.02		.05
46	866-867	.02		.05



ASSAYER. K. Seymour Jr.
GEO. SPALDING

DATE. DECEMBER 13, 1974.

FILE NO. 8834- 58
COMPOSITES

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	COPPER
47 868-872	.03		.18
48 895-900 + 580-584	.02		.12
49 592-594	.02		.16
50 597-600 + 901	.03		.18
51 904-908	.03		.15
52 915-917	.01		.34
53 918	.02		.05
54 1016-1022	.02		.07
55 1028-1050	.02		.07
56 1052-1064	.02		.11
57 1069-1070	.02		.13
58 1072-1073	.03		.19



ASSAYER. K. Spalding

GEO. SPALDING

DATE. DECEMBER 13, 1974.

FILE NO. 8839-81

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

	SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
A62	984		.29	.33	.18				
	985		.85	2.10	2.40				
	986		4.47	11.13	9.51				
	987		2.71	7.53	6.48				
	988		3.35	9.93	6.24				
	989		.26	.62	.78				
	990		3.09	6.68	11.05				
	991		2.50	5.60	10.25				
	992		.25	.18	.62				
	993		1.47	2.78	5.88				
	994		2.47	4.65	8.94				
	995		2.71	4.80	10.16				
	996		3.03	5.94	11.82				
	997		.35	1.12	1.14				
	998		1.32	3.08	4.26				
	999		.56	.18	.45				
	1000		.32	.27	.72				
A34	1157		.32	.75	1.94				
	1158		.29	.83	1.02				
	1159		.24	.79	.56				
	1160		.26	.63	1.20				
	1161		.38	.87	1.44				
	1162		.41	.75	2.58				
	1163		.29	.69	1.60				
	1164		1.76	3.68	9.30				
	1165		.59	1.30	1.98				
	1166		.59	1.38	1.86				
	1167		.44	1.03	1.32				
A62	1168		.35	.49	.80				
	1169		.29	.27	1.30				
	1170		.26	.53	.76				
	1171		.44	1.43	1.36				
	1172		.94	3.75	4.50				
	1173		.03	.04	.14				
	1174		.06	.48	.72				
	1175		.03	.10	.14				
	1176		1.32	3.08	4.02				
	1177		.32	.68	1.12				
	1178		.88	1.98	1.36				
	1179		2.24	5.55	6.24				
	1180		.94	1.95	2.46				
	1181		.38	.68	.78				
	1182		.24	.23	.24				
	1183		1.03	2.50	1.38				
	1184		.24	.27	.62				



ASSAYER. K. Hoyland for [illegible]ALDING

DATE. DECEMBER 13, 1974.

FILE NO. 8839-81

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
A-63 1230		.77	1.73	1.48				
1231		.74	1.40	1.02				
1232		.88	2.15	2.64				
1233		1.21	3.15	1.90				
1234		.29	.37	.32				
1235		.15	.15	.12				
1236		.44	.37	.29				
1237		.15	.18	.15				
1238		.15	.14	.27				
1239		.10	.10	.38				
1240		.29	.50	1.10				
1241		.26	.47	1.38				
1242		1.82	5.63	7.20				
1243		.06	.05	.48				
1244		2.15	5.70	7.90				
1245		2.03	4.13	6.72				
1246		1.91	4.43	6.96				
1247		2.00	4.58	6.48				
1248		.83	1.68	2.00				
1249		2.09	5.33	8.95				
1250		.29	.87	1.60				
1251		1.71	4.58	7.56				
1252		.80	1.93	3.42				
1253		.18	.20	.40				
1254		.15	.15	.55				
1255		.59	1.23	2.46				
1256		.24	.27	.69				
1257		.10	.10	.29				
1258		.04	.09	.31				
1259		.03	.08	.23				
1260		1.71	4.50	6.24				
1261		.50	1.40	1.78				
1262		.74	2.15	2.22				
1263		.15	.15	.17				
1264		.20	.27	.39				
1265		.18	.44	.75				



ASSAYER. K. Hoyland Jr. GEO. SPALDING

DATE. APRIL 28, 1975

FILE NO. 8911- 17

paid



ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC
A-64 1185		3.09	7.71	12.62
1186		.83	2.38	4.08
1187		.44	1.13	2.64
1279		.53	1.43	1.52
A-65 1280		3.38	10.5	10.11
1281		2.18	6.00	5.64
1282		1.71	4.80	2.46
1283		2.76	8.42	5.40
1284		2.47	6.53	3.78
1285		.06	.20	.60
1286		4.23	8.70	13.84
1287		3.35	8.10	8.20
1288		1.85	4.43	7.65
1289		.15	.22	.37
1290		.44	.57	.69
1291		1.09	3.75	1.56
1292		1.18	4.20	1.54

ASSAYER. K. Hoyland for

GEO. SPALDING

DATE. MAY 5, 1975.

FILE NO. 8914-47 pd.

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	
A68 1188		1.18	2.93	5.64	
1189		.59	1.60	2.88	
1190		1.03	3.98	3.12	
1191		.83	3.60	2.40	
1192		.65	1.68	2.46	
1193		.44	.98	1.64	
1194		1.32	3.15	4.92	
1195		1.76	4.20	8.20	
1196		.77	1.78	3.12	
1197		.74	1.58	2.88	
1198		.83	1.80	1.80	
1199		.56	1.30	1.20	
1200		.77	1.55	3.06	
A68 1301		.47	1.35	2.58	
1302		1.18	2.45	4.56	) re-checked, OK.
1303		1.18	2.45	4.56	
1304		.85	1.93	3.78	
1305		.65	1.33	3.78	
1306		1.03	1.70	2.88	
1307		1.29	2.13	4.92	
1308		1.82	4.28	5.22	
1309		.94	3.38	1.76	
1310		1.18	3.30	4.80	
1311		2.38	5.45	9.85	
1312		.59	1.10	3.00	
1313		1.62	4.50	4.26	
1314		.29	.53	1.18	
1315		3.21	8.00	7.80	
1316		3.53	8.15	15.38	?
1317		1.88	3.30	5.22	
1318		.21	.62	.50	
1319		1.62	4.65	4.32	
1320		.88	2.00	1.84	
1321		1.09	1.73	2.52	
1322		.74	1.18	3.18	
1323		3.00	7.63	9.81	
1324		4.12	10.23	19.0	
1325		3.53	10.06	12.46	
1326		2.21	5.30	6.84	
1327		.12	.40	1.00	
1328		2.21	4.73	6.00	
1329		2.06	5.10	8.30	
1330		.18	.30	.34	
1331		1.00	3.23	3.72	
1332		.15	.23	.35	
1333		2.21	5.63	10.47	
1334		.44	1.14	1.33	



ASSAYER. GEO. SPALDING

DATE. MAY 8, 1975

FILE NO. 8919- 16 pd



ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz Per Ton	LEAD	ZINC
A-66 +1293		.82	1.58	2.34
+1294		.44	1.10	1.82
+1295		.41	.84	1.84
+1296		1.12	2.23	3.36
+1297		.68	1.53	3.18
+1298		.68	2.10	4.44
A-68 1335		.15	.15	.40
1336		.73	2.40	2.70
1337		.03	.02	.03
1338		.65	2.63	2.40
1339		.59	1.21	2.70
1340		2.44	5.60	7.75
1341		2.00	4.50	6.32
1342		.88	2.24	2.70
1343		.06	.14	.19
1344		.12	.25	.33

Tickets 1345-1352 discarded

ASSAYER. K Hoyland Jr

GEO. SPALDING

DATE. MAY 12, 1975

FILE NO. 8927- 18 Pd



ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
A-66 1299 ✓		1.94	5.40	10.80				
1300 ✓		3.09	8.84	14.83				
A-66 1401 ✓		1.76	5.10	5.76	check split core			
1402 ✓		1.85	5.48	4.98	cst 5-3%			
1403 ✓		1.79	5.63	5.52				
1404 ✓		.29	.40	.82				
1405 ✓		.24	.28	1.07				
1406 ✓		.32	.56	.95				
1407 ✓		.59	.95	.96				
1408 ✓		.24	.49	3.12				
1409 ✓		.15	.21	.42				
1410 ✓		.29	.30	1.08				
1411 ✓		1.71	4.55	6.00				
1412 ✓		1.53	4.65	5.82				
1413 ✓		.15	.15	.96				
1414 ✓		.26	.44	.77				
1415 ✓		1.09	2.25	1.22				
1416 ✓		.24	.28	.78				

ASSAYER. K. Hoyland for
GEO. SPALDING

DATE. MAY 26, 1975

FILE NO. 8941-52

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD PERCENT	ZINC PERCENT
1353		2.68	6.31	8.39
1354		.29	.40	.39
1355		2.79	6.48	5.04
1356		.18	.27	.33
1357		2.68	6.76	9.39
1358		1.94	4.73	6.72
1359		1.65	3.90	7.40
1360		.59	1.08	1.84
1361		1.03	2.45	4.08
1362		.68	1.40	3.48
1363		.32	.79	1.84
1364		.79	2.03	2.88
1365		1.03	2.43	4.62
1366		.06	.20	.48
1367		.79	2.05	4.56
1368		.21	.59	1.44
1372		.53	1.02	1.68
1417		.03	.03	4.20
1418	.01	.06	.04	.09
1419		3.82	8.56	10.15
1420		.74	1.75	3.00
1421		2.12	5.70	7.20
1422		.88	2.00	1.66
1501		3.68	8.52	14.11
1502		.88	2.05	4.50
1503		.15	.57	.60
1504		.59	1.80	1.48
1505		.47	1.50	1.84
1506		.59	1.14	3.30
1507		1.91	5.25	7.40
1508		1.15	2.93	3.84
1509		.44	1.04	1.74
1510		1.00	2.13	3.84
1511		.88	1.95	2.97
1512		.76	1.75	2.76
1513		.50	1.55	2.34
1514		.62	1.50	2.34
1515		1.00	2.33	3.90
1516		1.06	2.38	3.30
1517		.97	2.18	4.26
1518		.50	1.25	3.06
1519		.18	.55	1.40
1520		.88	2.13	4.92
1521		1.03	2.15	4.62
1522		1.00	1.73	4.08
1523		1.09	1.63	4.08
1524		1.15	1.73	3.66
1525		1.62	2.78	5.82
1526		2.12	4.05	9.05



ASSAYER. L. Hoyland for GAB

DATE. MAY 26, 1975

FILE NO. 8941-52 Page #2

Pd.

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD PERCENT	ZINC PERCENT				
A67-1527		1.82	4.35	5.58				
-1528		1.62	3.90	7.99				
-1529		.94	2.13	4.26				

ASSAYER. K. Hoyland for

GEO. SPALDING

DATE. MAY 30, 1975

FILE NO. 8952- 81

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR- ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	
1369		.71	1.68	2.58	
1370		.82	2.10	4.26	
1371		1.06	3.00	4.74	
1373		.88	2.15	3.48	
1374		.62	1.44	1.64	
1375		1.03	2.23	4.62	
1376		.18	.72	1.54	
1377		.79	1.63	3.84	
1378		1.00	2.28	3.66	mixed up No. Check core!
1379		.59	1.47	2.61	
1380		.09	.40	.92	
1381		.41	1.18	2.40	
1382		.21	.58	1.38	
1383		.44	1.28	1.62	
1384		.59	1.45	2.76	
1385		.88	2.05	4.08	
1386		.74	1.58	2.94	
1387		.71	1.63	4.08	
1388		.16	1.63	3.60	
1389		.59	.69	1.50	
1390		.85	1.30	3.12	
1391		1.29	2.30	5.58	
1392		.38	.63	.74	
1393		2.35	5.10	8.28	
1394		2.79	6.55	11.05	check, Est. = 6% 699.6-702'
1395		.29	.47	.30	
1396		.76	1.35	1.90	
1397		.12	.17	.21	
1398		.79	1.78	6.42	
1399		.12	.24	.41	SAM
+1530		3.62	6.90	9.32	
+1531		3.65	6.90	10.18	
+1532		1.47	3.98	4.02	
+1533		.44	1.10	1.52	
+1534		.32	1.10	1.83	
+1535		.26	.80	.43	
+1536		1.76	4.13	5.88	
+1537		2.44	5.55	7.72	
+1538		.50	1.22	1.08	
+1539		.35	.68	.62	
+1540		.29	.57	1.27	
+1541		.26	.48	.78	
+1542		.59	1.65	1.92	
+1543		.26	.40	.62	
+1544		.59	1.33	2.88	
+1545		1.15	2.23	3.78	
+1546		.53	1.15	1.62	
+1547		1.47	3.60	4.38	



ASSAYER. K. Hoyland for G.C. SPALDING

DATE. MAY 30, 1975

FILE NO. 8952- 81 (cont'd) Pd

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR-ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	
A67 1548		2.50	5.33	7.57	) check 1146.1 - 1153 Est 22%
1549		1.00	3.38	1.74	- 1157.3 Est 12%
1550		.82	3.75	.59	
1551		1.09	2.05	2.64	
A69 1601		3.24	8.58	24.07	
1602		.53	1.13	1.82	
1603		3.09	5.74	14.43	
1604		1.50	3.98	8.29	
1605		4.24	9.25	19.6	
1606		1.44	3.08	3.84	
1607		.26	.40	.70	
1608		1.88	4.20	6.60	
1609		1.47	3.38	4.26	
1610		.06	.27	1.14	
1611		.44	1.20	1.74	
1612		2.47	5.03	8.55	← check 995 - 1005.0 Est 20%
1613		2.12	4.80	5.46	← " - 1015.0 " 15
1614		1.91	4.43	4.62	← " - 1025 " 10-15
1615		2.44	5.95	9.13	
1616		2.41	5.48	9.51	
1617		1.21	3.08	4.62	
1618		.24	.37	.42	
1619		2.09	5.48	6.60	
1620		.76	1.28	1.44	
1621		.59	.83	.60	
1622		.65	1.42	1.16	
1623		.35	.18	.08	
1624		.47	1.15	1.58	
1625		.41	.82	1.56	
1626		.35	.62	1.11	← 1114 - 1124 Est 6-8½
1627		.06	.23	.25	
1628		.91	2.82	2.64	← 1155.7 - 1164.3 Est 10%.
1629		.26	.95	.75	

SM



ASSAYER. K. Hoyland for GEO. SPALDIN

DATE. MAY 31, 1975

FILE NO. 8955- 26

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR-ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	
1400		1.74	5.18	9.48	
1423		1.76	4.58	8.00	
1424		.79	1.65	1.88	
1425		1.24	3.38	5.88	
1426		3.29	6.59	14.70	
1427		.50	1.23	.37	
1428		.41	1.18	1.18	
1429		.85	1.68	3.96	
1430		.88	1.95	4.92	
1431		1.00	2.03	4.80	
1432		.56	1.38	2.76	
1433		.88	1.88	4.38	
1434		.65	1.38	3.12	
1435		.47	1.08	2.94	
1436		.44	.98	2.70	
1437		.76	1.75	3.72	
1438		.44	.93	3.18	
1439		3.82	8.77	18.41	
1440		1.03	2.33	4.38	
1441		1.44	3.42	7.34	
1442		.65	1.55	2.22	
1443		.59	1.43	2.76	
1630		3.68	9.53	18.11	
1631		2.32	5.64	12.45	
1632		.82	1.83	3.12	
1633		.32	.79	.95	



ASSAYER. K. Hoyland for GEO. SPALDING

DATE. June 4, 1975

FILE NO 8959 - 21 Pd

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD Pb PERCENT	ZINC Zn PERCENT				
A-71 - 1444		.47	1.10	1.96				
- 1445		.65	1.48	2.40				
- 1446		1.03	3.08	4.86				
- 1447		.44	.95	2.00				
- 1448		.29	.47	.70				
- 1449		.85	1.40	3.18				
- 1450		.88	1.75	1.98				
- 1451		.15	.30	.96				
- 1452		.56	.89	1.32	SAM			
A 72 1634 ✓		.88	2.15	4.20	✓ 533.2 - 534.3 est 7%			
1635 ✓		.88	2.50	.16				
1636 ✓		.26	.75	.76				
1637 ✓		.44	1.04	1.46				
1638 ✓		.44	1.18	1.96				
1639 ✓		.74	1.80	3.00				
1640 ✓		.59	1.63	2.88				
1641 ✓		.21	.47	.77				
1642 ✓		.21	.63	1.44				
1643 -		1.03	2.00	3.06				
1644 -		.62	1.35	2.40	— 604.7 - 605 est 0.2%			
1645 -		2.41	4.73	4.98				
					SAM			



ASSAYER. K. Hoyland for GEO. SPALDING

DATE. JUNE 13, 1975

FILE NO. 8975- 20

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR-ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	
A-71					
1453		.94	2.33	2.00	
1454		.71	1.85	1.04	
1455		.62	1.88	1.02	
1456		1.06	3.45	2.46	
1457		.44	1.35	1.02	
1458		1.03	3.45	1.74	
1459		.41	.85	1.09	SBM
A-73 1552		.26	.54	1.04	
1553		.71	1.43	2.73	
1554		.94	1.60	3.42	
1555		1.03	1.83	4.32	
1556		.80	1.38	1.30	
1557		1.94	3.60	9.54	
1558		1.09	2.48	4.56	
1559		.88	1.95	3.84	
1560		1.32	3.08	5.04	
1561		1.12	2.38	3.72	
1562		1.12	2.29	4.86	
1563		1.18	2.50	6.01	
1564		.53	1.00	1.92	SBM



ASSAYER. K. Hoyland for GEO. SPALDING

DATE. JUNE 17, 1975

FILE NO. 8986- 20 Pd

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR- ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
A-13								
1565		.09	.35	.42				
1566		3.74	8.86	14.93				
1567		1.71	4.20	5.28				
1568		1.47	3.45	7.32				
1569		1.62	4.13	7.30				
1570		.74	1.95	5.76				
1571		.94	2.15	4.86				
1572		.82	2.08	3.48	✓ SBM			
A-13								
1579		1.50	3.83	7.68				
1580		2.29	5.84	7.64				
1581		.15	.18	.28	✓ SBM			
A15								
+1694		5.00	12.75	9.23				
+1695		2.29	6.68	5.16				
+1696		1.97	6.08	4.20				
+1697		1.74	4.13	10.89				
+1698		1.68	3.90	7.44				
+1699		2.38	5.40	10.50				
+1700		1.97	4.50	8.23				
+1701		2.06	4.80	7.62				
+1702		2.18	5.10	8.56				



ASSAYER. K. Hoyland for

DATE. June 20, 1975

FILE NO. 8982 - 54 Pd

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD PERCENT	ZINC PERCENT				
A73 1573		2.65	5.93	12.58	Est. 40 Py, 14 Pz.		Est. OK to #1572, thereafter on low side	
1574		1.29	2.78	5.16	" 15 Py 3			
1575		1.35	2.93	7.68	" 7 Py 4.5			
1576		.53	1.00	4.26	" 2 Py 1.5			
1577		1.15	2.40	7.02	" 5 Py 6			
1578		2.59	5.84	10.45	" 55 Py 20			
A75 +1646		1.18	2.28	5.58	5'			
+1647		.76	1.60	3.84	4'			
+1648		.91	2.00	4.02	5'			
+1649		.88	1.85	3.90	7'			
+1650		1.00	2.20	3.48	3			
+1651		.91	2.35	4.32				
+1652		.71	1.65	3.06				
+1653		.91	2.18	5.88				
+1654		.71	1.48	3.48				
+1655		.71	1.63	3.78				
+1656		1.15	2.20	5.76				
+1657		.18	.34	1.90				
+1658		1.47	3.30	5.22				
+1659		.15	.28	.96				
+1660		1.32	2.93	5.88				
+1661		.62	1.60	1.96				
+1662		.65	1.48	3.36				
+1663		1.00	1.93	4.50				
+1664		1.88	3.90	9.08				
+1665		1.26	3.15	5.16				
+1666		1.68	4.35	6.36				
+1667		.88	1.95	3.30				
+1668		1.09	2.85	4.50				
+1669		1.03	2.13	3.96				
+1670		.59	1.40	3.54				
+1671		1.03	2.43	5.40				
+1672		.59	1.45	4.74				
+1673		1.47	3.60	10.82				
+1674		1.76	3.60	7.08				
+1675		1.50	3.45	5.64				
+1676		1.65	4.05	7.08				
+1677		.29	.70	2.58				
+1678		1.76	4.43	7.68				
+1679		1.00	2.33	4.44				
+1680		1.38	3.53	6.48				
+1681		2.06	4.99	8.76				
+1682		1.41	3.68	7.80				
+1683		.71	1.63	3.60				
+1684		.44	1.10	3.12				
+1685		1.00	2.25	7.08				
+1686		1.18	3.23	6.72				
+1687		1.53	3.98	6.60				



ASSAYER. K. Hoyland for

DATE. June 20, 1975

FILE NO. 8982 - 54 PAGE #2



ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz Per Ton	LEAD PERCENT	ZINC PERCENT
#75 +1688		2.35	6.09	14.43
+1689		1.56	3.23	8.97
+1690		1.03	2.38	5.34
+1691		1.73	4.95	6.36
+1692		1.32	2.85	5.64
+1693		1.18	3.08	5.88

ASSAYER. K. Hoyland for

DATE. JUNE 21, 1975

FILE NO. 8996- 66 Pd

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR- ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	COPPER
1460		.24	.60	.33	
1461		.59	1.53	1.40	
1462		1.38	4.43	1.22	
1463		.24	.14	.26	
1464		.35	.45	.25	
1465		.18	.15	.14	
1466		.21	.12	.21	
1467	.04	.24	.15	.40	.44
1468		.15	.18	.40	
1469		.18	.13	.36	
1470		.41	1.03	.70	
1471		1.00	3.23	3.18	
1472		.29	.15	.13	
1473	.02	.24	.12	.11	.25
1475		.29	.17	.24	
1476		.06	.10	.14	
1477		.74	2.18	3.00	
1478		1.59	4.50	5.55	
1479		.26	.20	.28	
1480		.26	.18	.42	
1483		.21	.10	.24	
1485		.41	.60	.13	
1486	.02	.18	.07	.19	.22
1487		.24	.12	.21	
1488		.32	.43	.20	
1489		1.09	3.08	2.94	
1490		.26	.24	.16	
1491		.32	.43	.32	
1492		.29	.25	.22	
1493		2.41	6.53	7.54	
1494		.29	.80	.83	
1495		.59	1.63	1.20	
1496		.06	.03	.11	
1497		.41	.85	.78	
1498		1.00	3.45	2.82	
1499		.71	1.28	.64	
1500		1.18	3.60	2.88	
1589		.71	1.90	1.68	
1590		4.12	9.34	13.23	
1591		1.32	2.45	5.52	
1592		1.03	2.30	3.18	
1593		2.68	6.94	7.68	
1594		1.85	5.18	4.92	
1595		3.38	9.45	14.36	



ASSAYER. K. Hoyland for

DATE. JUNE 21, 1975

FILE NO. 8996- 66

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR-ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	COPPER
A 76 +1596		.03	.10	.10	
+1597		2.00	6.44	11.65	
+1598		.03	.02	.06	
+1599		1.03	2.35	3.48	
+1600		1.53	4.35	4.44	
A-77-1801		.44	.73	.52	
1901		1.18	3.15	3.06	
1902		.35	1.00	.31	
1903		1.41	4.73	3.60	
1904		.29	1.60	.22	
1905		1.41	5.37	4.20	
1906		.32	.59	.27	
1907		1.47	5.03	3.66	
1908		1.15	4.05	3.42	
1909		.82	1.70	4.44	
1910		.94	2.30	4.14	
A-79 +1911		1.12	2.78	3.78	
+1912		.21	.48	1.08	
+1913		.82	1.83	4.08	
+1914		.65	1.68	4.08	
+1915		.79	1.78	3.66	
+1916		.88	1.83	3.72	



ASSAYER. K. Hoyland Jr

DATE. JUNE 25, 1975

FILE NO. 9003- 69 Paid

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR- ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC			
A76 +1582		.59	2.10	4.44			
+1583		.68	1.50	2.46			
+1584		1.82	6.70	10.65			
+1585		1.94	4.65	7.20			
+1586		1.53	3.75	5.28			
+1587		.88	2.23	3.84			
+1588		.82	2.63	3.48			
A78 1703		2.65	5.40	9.22			
+ 1704		2.65	6.38	13.30	— check	Est @ 10% also Ag%	
+ 1705		1.74	3.90	8.04	— "	" " 6-8	
+ 1706		1.91	5.03	4.80	— "	Est " 3-4	
+ 1707		3.68	8.72	14.83	—		
+ 1708		1.09	2.45	4.14			
+ 1709		1.59	3.90	6.84			
+ 1710		.82	1.68	4.20			
+ 1711		.79	1.83	3.00	— check	Est. @ 0.5. Ag @ 1	
+ 1712		1.88	5.10	5.40			
+ 1713		.74	1.83	3.18			
+ 1714		.59	1.23	3.00			
+ 1715		2.21	3.75	6.36			
+ 1716		2.62	5.25	7.20			
+ 1717		.59	1.50	3.00	— Echeck	Est. @ 8-10	
+ 1718		.71	1.88	3.24	— "	" "	
+ 1719		.76	1.90	3.72	— "	" "	
+ 1720		.59	1.15	1.18	— "	" 6-8	
+ 1721		.91	1.80	4.38	— "	"	
+ 1722		.24	.59	.94	— "		
A79 1917		1.32	3.30	5.46			
+ 1918		1.09	2.93	5.40			
+ 1919		1.29	4.13	2.82			
+ 1920		.74	1.58	1.94			
+ 1921		.68	1.35	2.46			
+ 1922		1.03	2.50	4.26			
+ 1923		.62	1.48	3.00			
+ 1924		.85	1.90	4.14			
+ 1925		.44	.93	1.84			
+ 1926		.59	1.19	3.60			
+ 1927		1.76	4.50	5.28			
+ 1928		1.44	2.78	6.48			
+ 1929		2.94	6.17	10.92			
+ 1930		.35	.85	1.74			
+ 1931		1.15	2.23	4.26			
+ 1932		1.06	2.28	3.60			
+ 1933		.82	2.33	2.46			
+ 1934		1.79	5.84	5.40			
+ 1935		2.56	8.11	8.11			
~~1936~~							



ASSAYER. K. Hoyland

DATE. JUNE 25, 1975

FILE NO. 9003- 69

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR- ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
A79 1936		1.84	5.71	6.12				
1937		2.18	7.21	8.22				
1938		1.56	4.20	6.36				
1939		1.56	4.58	6.36				
1940		1.62	4.35	6.60				
A81 2001		.15	.40	.37				
2002		1.00	2.23	1.91				
2003		.29	.19	.38				
2004		.53	.75	.68				
2005		4.56	13.92	11.72				
2006		.50	1.10	1.22				
2007		4.18	12.52	10.53				
2008		2.26	6.78	8.16				
2009		3.56	10.50	9.79				
2010		.47	1.05	.88				
2011		.76	2.13	2.34				
2012		.74	2.00	1.90				
2013		1.09	2.63	2.64				
2014		1.03	2.70	2.64				
2015		.79	2.25	2.64				
2016		.62	1.68	1.52				
2017		.74	1.88	1.80				
2018		1.00	2.25	2.58				



ASSAYER. K. Hoyland for

DATE. July 4, 1975

FILE NO. 9020 - 54

ASSAY CERTIFICATE

Rec'd July 8/75 via B. Kelly

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD PERCENT	ZINC PERCENT
A-74 + 1481		.38	.24	.51
+ 1482		.88	1.95	3.24
+ 1484		.24	.20	.15
+ 1723		.24	.70	1.44
A-89 + 1724		.44	1.10	1.80
+ 1725		.53	1.25	2.34
A-64 + 1726		.21	.85	1.68
dup + 1727		.44	1.13	1.80
+ 1728		.44	1.10	2.34
+ 1729		.44	1.43	2.58
+ 1730		.44	1.33	2.40
+ 1731		.53	1.70	2.88
+ 1732		.85	2.50	6.42
+ 1733		1.50	3.60	8.77
+ 1734		1.15	2.13	5.25
+ 1735		.74	1.63	4.80
A83 1810		2.12	5.20	3.66
1811		1.29	3.53	3.12
1812		.59	1.65	1.98
1813		.83	1.65	3.18
1814		1.62	3.08	4.14
1815		.88	2.30	3.06
1816		.80	1.95	2.58
1817		.29	.43	.44
1818		.21	.34	.20
1819		.50	1.33	1.22
1820		.59	1.03	.95
1821		.15	.10	.46
1827		.47	1.18	1.08
+ 2019		.59	2.78	5.04
A-83 2020		.83	1.80	3.06
+ 2021		.83	1.98	3.42
+ 2022		.97	1.63	3.60
+ 2023		2.68	6.15	10.37
+ 2024		1.29	2.08	3.30
+ 2025		1.29	2.05	3.12
+ 2026		1.21	3.30	6.45
+ 2027		2.65	4.72	9.40
+ 2028		1.59	3.53	4.44
+ 2029		.97	2.23	4.44
+ 2030		.29	.90	.94
+ 2031		2.12	4.92	6.35
+ 2032		1.32	4.28	3.18
+ 2033		1.18	3.98	1.34
+ 2034		.47	1.38	1.86
+ 2035		.56	1.34	1.56
+ 2036		.68	2.20	3.78
+ 2037		.53	1.45	2.73



ASSAYER. R. Kelly

DATE. July 4, 1975

FILE NO. 9020-54

PAGE #2



ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD PERCENT	ZINC PERCENT
A-82 2038		.21	.49	.89
+ 2039		.26	.54	.88
+ 2040		.29	.48	.54
+ 2041		.26	.38	.35
+ 2042		.21	.27	.47
+ 2043		.29	.35	.29

ASSAYER. GEO. SPALDING

DATE. July 7, 1975

FILE NO. 9025 - 40

ASSAY CERTIFICATE

Rec'd July 8/75 via B. Keller

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD PERCENT	ZINC PERCENT
A77 +1802		.59	1.23	1.30
+1803		.12	.05	.04
+1804		.71	1.03	.98
+1805		.97	2.00	1.66
+1806		.59	.73	.40
A83 1822		.12	.10	.07
1823		.47	1.08	1.26
1824		.77	1.60	1.92
1825		.59	1.38	1.60
1826		.62	1.20	1.62
A85 1941		1.18	2.18	4.44
1942		.88	1.65	3.30
1943		.41	.83	2.40
1944		.56	1.23	2.10
1945		.29	1.18	.96
1946		.18	.25	.62
1947		.26	.40	1.08
1948		.38	.83	.94
1949		.15	.43	.68
1950		.18	.44	1.14
1951		.15	.44	1.10
1952		.35	.80	1.16
1953		1.00	2.48	5.82
A84 2044	1st sample of A84 Entered into logs	.50	1.39	.67
2045		.59	1.58	1.50
2046		1.32	3.08	4.86
2047		2.68	5.63	8.88
2048		.59	1.30	1.84
2049		1.59	4.93	5.10
2050		.32	.47	.62
2051		.71	1.38	1.08
2052		.59	1.18	1.02
2053		.56	.95	.70
2054		.03	.05	.40
2055		.38	.43	.30
2056		.21	.12	.07
2057		1.18	3.53	2.46
+ 2201		.41	.63	.21
A-77 2202		.80	2.18	2.70
+ 2203		.74	2.08	2.52



ASSAYER. GEO. SPALDING

DATE. JULY 8, 1975

FILE NO. 9039 - 55

ASSAY CERTIFICATE

Rec'd July 15/75

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON

	SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD PERCENT	ZINC PERCENT	
A87	1736		.26	.45	.76	
	1737		2.38	5.37	9.26	
	1738		2.06	4.35	5.60	
	1739		1.32	2.93	3.12	
	1740		.44	.89	1.02	
	1741		.80	2.05	3.60	← check. Est. @ 1%
	1742		1.18	3.15	2.58	
	1743		.59	1.15	3.96	← Est @ 1
	1744		.21	.43	.78	
	1745		.06	.10	.15	
	1746		.44	.62	.58	
	1747		1.62	3.45	5.64	← check Est. @ 0.5
	1748		.53	1.10	2.28	
	1749		.83	2.03	3.30	
	1750		.44	.95	1.20	
	1751		.59	1.40	1.04	
	1752		.26	.62	.44	
	1753		.35	.93	.84	
	1754		1.21	3.00	4.26	
	1755		.77	2.00	2.22	
	1756		1.27	3.08	3.90	
	1757		.56	1.30	2.46	
A87	1764		1.24	2.38	6.66	
	1765		.06	.07	.11	← check, Est @ 6
	1766		.09	.17	.16	← " " "
	1767		2.21	4.20	8.36	H
	1768		1.32	2.08	7.26	
	1769		1.12	3.15	7.61	
	1770		3.28	7.33	14.54	
	1771		.38	.55	2.34	
	1772		1.65	3.68	4.68	M
	1773		.35	1.20	1.52	
	1774		.32	.75	1.04	
A77	1807		.18	.37	.63	
	1808		1.21	3.15	2.28	
	1809		.32	.95	.72	
A77	1828		1.21	3.08	2.82	
	1829		1.18	2.70	1.74	? check w/ assay lab.
	1830		.06	.15	.14	
	1831		.03	.08	.03	
A85	1997		.21	.43	.26	
	1998		.41	.65	1.13	
	1999		.26	.63	1.06	
	2000		1.48	5.12	3.96	
A86	2101		.12	.43	.33	
	2102		.88	2.25	3.48	
	2103		.91	2.08	4.14	
	2104		.68	1.58	2.70	

ASSAYER. Peter Fo

DATE. July 8, 1975

FILE NO. 9039 - 55

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM Kerr Addison

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	Lead Percent	Zinc Percent				
A86 2105		.71	1.65	2.94				
2106		.62	1.60	4.62				
2107		.74	1.78	3.18				
2108		1.00	3.75	4.68				
A85 2301		.41	.95	.92				
2302		1.50	4.65	3.66				
2303		1.03	2.78	2.76				

ASSAYER. [signature]

GEO. SPALDING

Rec'd July 15/75

DATE. JULY 10, 1975

FILE NO. 9032 - 46

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz Per Ton	LEAD PERCENT	ZINC PERCENT
A85 1954		.03	.19	.33
1955		.06	.22	.48
1956		.59	1.37	2.65
1957		1.12	2.40	1.56
1958		1.32	3.38	2.82
1959		.74	1.98	.92
1960		.56	1.38	3.40
1961		.44	1.02	1.80
1962		1.06	3.00	3.96
1963		.88	2.03	2.22
1964		.18	.74	1.50
1965		.29	.60	1.10
1966		.21	.38	.61
1967		1.38	3.83	3.96
1968		.88	2.38	3.72
1969		1.91	4.73	5.40
1970		.50	.98	1.68

ASSAYER. GEO. SPALDING

DATE. JULY 10, 1975

FILE NO. 9032 - 46 PAGE #2

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD PERCENT	ZINC PERCENT	
A85 1971		.18	.34	.28	
1972		.68	1.20	1.42	
19					
1975		.62	1.38	1.40	
1978		.65	1.14	1.48	
1979		.15	.12	.32	
1980		1.32	4.13	3.96	est. 2%
1981		.47	1.22	1.54	
1982		1.06	2.78	2.82	est. 2
1983		.18	.07	.18	" 2
1984		3.38	6.63	12.77	
1985		1.91	4.43	6.75	
1986		1.91	5.85	6.96	
1987		2.35	5.23	11.53	
1988		1.88	4.85	7.48	
1989		2.35	5.98	9.03	
1990		1.62	4.54	7.68	
1991		.77	1.87	1.56	
1992		1.03	2.78	3.72	
1993		1.12	2.45	3.00	est. 13
1994		2.65	6.35	9.97	
1995		4.16	9.10	17.13	
1996		1.79	3.87	4.62	est. 13
A77 2204		.44	1.28	1.16	
2205		.88	3.00	2.64	
2206		.56	1.68	1.30	
2207		.47	1.38	1.18	≈50% ALL est.
2208		.91	2.70	2.46	
2209		.88	2.38	2.28	
2210		.59	1.73	1.36	

ASSAYER. GEO. SPALDING

DATE. July 11, 1975

FILE NO. 9050 - 40

ASSAY CERTIFICATE

Rec'd July 15/75

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD PERCENT	ZINC PERCENT				
A87 1758		.59	1.13	2.34				
1759		.65	1.48	3.12				
1760		.56	1.25	2.85	≈ 2/3 of Est.			
1761		.62	1.23	2.46				
1762		.62	1.28	2.88				
1763		2.21	3.90	3.48				
1775		.44	.63	.34	? est. 6			
1776		.94	1.73	2.88	? " 0.2			
1777		1.09	2.20	3.54	? " 2			
1778		2.41	4.13	6.15	✓ " 16			
1779		3.24	4.80	7.70	✓ 15			
1780		1.53	3.15	5.16	✓ 9			
1781		1.47	2.78	.50	✓ 2			
1782		.41	.38	.12	✓ 1			
1783		2.09	4.28	5.28	✓ 6-7			
1786		.62	.73	.28				
1787		2.50	5.71	6.48				
1788		2.12	4.58	7.68				
1789		2.50	4.73	8.48				
1790		2.79	4.65	10.07				
1791		.88	1.10	1.88				
1792		1.56	3.68	3.18				
1793		.41	.75	1.42				
A88 2058		2.32	5.70	9.55	H 5'			
2059		.65	2.00	3.90	L 5'			
2060		.53	1.50	2.46				
2061		.47	1.58	2.40				
2062		.62	1.04	3.84				
2063		.59	1.23	2.46				
2064		.74	1.65	3.09	M			
2065		.76	.98	2.34				
2066		2.50	4.05	7.44				
2085		2.35	5.68	8.77				
2086		3.03	7.87	10.83				
2087		1.68	5.03	5.40	M			
2088		1.97	5.64	6.24				
2089		1.18	3.08	3.35	— Check Est 20%			
2090		1.68	4.28	6.55				
2091		.32	.95	.86				
2092		.74	1.78	1.44				



ASSAYER. [signature]

DATE. July 22, 1975

FILE NO. 9071 - 55

ASSAY CERTIFICATE

Plotted

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD PERCENT	ZINC PERCENT
1794	--	1.38	6.02	8.71
1795	--	.44	1.23	3.30
1796	--	.53	1.23	4.59
1832	--	.74	2.28	2.79
1833	--	.29	.74	1.54
1834	--	1.44	3.83	5.59
1835	--	.12	.25	.40
1836	--	1.29	2.78	4.80
1837	--	2.21	5.18	7.42
1838	--	.44	.88	.91
1839	--	1.06	2.48	3.24
1840	--	.88	1.65	2.63
1841	--	.29	.60	.24
1842	--	.47	1.50	.54
1843	--	1.44	4.88	3.00
1844	--	.26	.28	.40
1845	--	.59	1.14	.94
1846	--	.12	.13	.12
1847	--	.09	.09	.20
1848	--	.12	.13	.37
2068	--	2.74	6.19	12.44
2069	--	2.35	5.03	9.84
2070	--	1.21	2.70	6.00
2071	--	1.12	2.28	5.40
2072	--	.83	1.33	3.12
2073	--	1.27	2.06	4.14
2074	--	1.30	2.05	4.56
2075	--	1.27	2.08	4.56
2076	--	.12	.33	.83
2077	--	1.38	3.00	6.67
2078	--	1.18	2.78	5.26
2079	--	1.15	2.00	4.74
2080	--	1.32	2.74	4.20
2081	--	2.12	4.28	4.14
2082	--	2.82	5.03	10.50
2083	--	2.87	5.33	11.65
2084	--	.88	1.85	2.58
2093	--	4.65	7.51	13.31
2094	--	3.68	8.30	14.13
2095	--	1.85	4.28	6.00
2096	--	1.59	3.45	4.74
2097	--	.44	1.25	1.86
2098	--	1.50	3.75	6.76
2099	--	.03	.01	.06
2100	--	.09	.28	.46



ASSAYER.

Plotted

DATE. July 22, 1975

FILE NO. 9071 - 55



ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERRR ADDISON

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD PERCENT	ZINC PERCENT
N-86 2109	.005	—	—	—
2110	.005	—	—	—
2111	.005	—	—	—
X-88 2211	—	.32	.56	.72
A-17 2401	—	1.97	4.43	5.10
2402	—	1.97	5.63	6.45
2403	—	1.76	4.73	6.24
2404	—	1.24	2.78	2.70
2405	—	2.12	5.78	8.10
2406	—	2.35	4.73	8.74

ASSAYER. GEO. SPALDING

Plotted

Sample #1781 Zn assay 0.49 has been checked OK. [illegible]
" 1829 " " 0.74 " " " " "

DATE. July 22, 1975

FILE NO. 8914 - 47

Sample Checked as per instructions, F. Chow



ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM Kerr Addison

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	Lead percent	Zinc percent				
1302		1.15	2.48	4.50				

A 68

ASSAYER. [illegible] for GEO. SPALDING

DATE. July 25, 1975

FILE NO. 9092-55

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR - ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD PERCENT	ZINC PERCENT
A-89 1797		.29	.83	2.46
1798		1.03	2.18	5.80
1799		1.27	3.08	4.14
1800		1.12	2.43	4.32
A-90 1849		1.21	2.40	5.16
1850		.06	.13	1.08
1851		.77	1.45	3.90
1852		.91	1.88	4.44
1853		.74	1.50	3.72
1854		.71	1.48	3.42
1855		.44	1.18	1.58
1856		1.00	2.08	5.04
1857		.50	.87	1.64
1858		1.79	4.60	7.56
1859		.35	.70	1.82
1860		3.21	7.43	10.70
1862		.74	1.68	5.40
1863		1.12	2.18	5.04
1864		1.29	3.45	6.60
1865		.59	1.88	1.88
1866		1.00	2.38	2.46
1867		1.94	4.35	7.08
1868		2.24	5.11	6.13
1869		1.47	3.60	4.08
1870		1.76	3.83	8.72
1871		2.09	4.13	9.60
1872		.15	.35	.40
1873		1.76	3.75	5.52
1874		1.30	3.23	4.14
1875		1.29	3.12	5.52
1876		2.48	5.88	9.51
1877		1.59	4.28	8.50
1878		3.65	8.91	15.64 *
1879		3.03	6.94	13.67
A-88 2067		.77	1.18	1.48
2407		1.00	1.40	3.54
A-12D 2408		1.71	2.93	8.52
2409		1.29	2.78	1.30
A-89 2501		1.18	2.67	3.24
2502		.94	1.93	3.48
2503		.71	1.65	3.06
2504		2.18	4.50	7.78
2505		1.50	2.35	2.70



ASSAYER. K. Hoyland for

DATE. July 25, 1975

FILE NO. 9092-55

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR - ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD PERCENT	ZINC PERCENT
A-89 2506	—	1.47	4.20	3.18
2507	—	1.65	4.50	6.79
2508	—	1.35	3.15	5.44
2509	—	.47	1.15	2.10
2510	—	.26	.60	1.22
2511	—	.35	.88	1.05
2512	—	1.32	3.23	6.60
2513	—	1.91	3.90	7.44
2514	—	.44	.93	1.74
2515	—	.65	1.13	1.14
2516	—	2.35	4.65	7.55
2517	—	1.47	3.60	5.76



ASSAYER. K. Hoyland

DATE. ~~XMgMX~~ July 28, 1975

FILE NO. 9110 - 32

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD PERCENT	ZINC PERCENT
A-90 1880		2.65	4.69	6.05
1881		1.82	4.80	7.83
1882		2.94	7.50	12.32
1883		1.32	3.19	5.04
1884		.74	1.78	3.36
1885		.59	1.68	3.06
1886		1.65	4.50	5.28
1887		.38	1.00	.72
1888		1.09	2.50	3.60
1889		.24	.35	.29
1890		3.15	10.80	5.88
1891		1.76	5.20	3.54
1892		1.73	4.13	4.98
A-89 2518		2.12	5.03	9.50
2519		2.74	5.75	9.32
2520		1.41	2.85	7.22
2521		1.73	3.60	6.22
2522		1.27	2.45	6.83
2523		.83	1.93	3.24
2524		1.47	3.90	3.36
2525		.56	1.08	.90
2526		.53	1.43	1.16
2527		2.50	5.40	7.38*
2528		.03	.05	.36
2529		.24	.21	.38
2530		.03	.03	.03
2531		.09	.08	.14
2532		.03	.09	.16
2533		1.50	2.50	3.84
2534		1.68	3.83	4.08
2535		1.29	3.30	3.60
2536		1.03	3.42	2.82



ASSAYER. K. Hoyland Jr

DATE. S July 30, 1975

FILE NO. 9120 - 32

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM Kerr Addison

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	Lead Percent	Zinc Percent	Nickel Percent			
A-91 2112		.35	1.00	1.54	--			
2113		.41	1.48	2.94	--			
A-20D 2410		.47	1.13	1.04	--			
2411		2.27	4.43	6.21	* --			
2412		1.56	2.08	2.28	--			
2413		.94	1.63	2.88	--			
2414		1.97	3.38	5.55	--			
2415		1.32	2.78	2.46	--			
2416		1.03	3.00	2.94	--			
2417		.15	.43	.76	--			
2418		2.30	5.03	6.66	--			
2419		.09	.20	.30	--			
2420		.65	.58	.58	--			
2421		.03	.08	.04	--			
2422		1.38	3.15	6.33	--			
2423		.06	.15	.16	--			
2424		.44	.78	1.30	--			
2425		1.85	4.43	7.94	--			
2426		1.18	2.20	3.18	--			
2427		.74	1.03	1.94	--			
2428		.88	1.40	2.22	--			
2429		1.00	1.70	2.94	--			
2430		.88	1.50	1.60	--			
2431		.56	.43	.86	--			
2432		1.88	3.75	4.32	--			
2433		1.76	3.90	4.02	--			
2434		1.35	1.90	1.84	.02			
2435		.94	1.75	2.70	--			
A-89 2537		1.18	4.43	3.42	--			
2538		1.00	2.93	1.90	--			
2539		.56	.70	.52	--			
A-93 2540		1.09	2.03	4.94	--			

GEO. SPALDING

ASSAYER. [signature] for

DATE. August 8, 1975

FILE NO. 9151 - 27

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM Kerr Addison

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	Lead Percent	Zinc percent
A-92 1893		1.21	2.08	3.42
1894		1.47	3.75	4.92
1895		2.03	5.73	4.02
1896		4.59	10.65	16.76
1897		3.53	8.62	14.07
1898		1.85	3.98	7.22
1899		2.53	5.63	11.01
1900		2.38	5.58	7.04
2212		1.59	3.68	5.48
2213		3.35	8.12	7.55
2214		2.65	6.78	5.28
2215		.29	.70	.70
A-18 D 2436		2.71	5.70	8.11*
2437		.59	1.28	1.42
2438		2.35	4.73	7.56
A-93 2541		1.27	2.50	5.04
2542		.26	.28	.42
2543		.35	.62	1.02
2544		.47	.83	2.00
2545		.65	1.33	2.58
2546		2.21	4.88	4.56
2547		.38	.88	1.62
2548		.62	1.43	3.30
2549		1.68	3.38	5.88
2550		.62	1.43	1.70
2551		.80	1.78	1.70 *
2552		2.09	4.50	8.49



ASSAYER. K Hoyland for

DATE. AUGUST 23, 1975

FILE NO. 9201- 54

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC
A-97 2114		.88	1.40	1.54
2115		.88	.50	.38
2116		.24	.10	.18
A-98 2117		1.03	2.70	2.64
A-95 2216		2.18	5.33	9.90
2217		5.06	10.50	16.61
2218		1.44	3.15	4.50
2219		1.06	2.03	2.58
2220		1.76	3.83	6.48
2221		2.31	5.55	8.53
A-99 2222		.62	1.33	4.38
2223		1.91	4.50	5.04
2224		2.82	8.08	7.35
2225		1.21	2.43	5.40
2226		1.18	3.83	4.38
2227		1.21	3.08	4.32
2228		.88	2.30	3.30
2229		2.18	5.63	7.43
2230		2.06	4.73	7.84
2231		1.32	3.00	3.96
2232		2.97	6.90	10.31
2233		.91	1.93	1.08
2234		.47	.95	.34
2235		.26	.23	.16
2236		.21	.13	.08
2237		.32	.33	.54
2238		.65	1.43	1.00
2239		.18	.23	.58
2240		.29	.78	1.34
2241		.18	.35	.66
2242		.03	.20	.34
A-96 2553		.53	1.03	2.10
2554		.94	2.50	3.66
2555		1.59	3.68	6.00
2556		.74	1.83	5.88
2557		1.32	2.78	5.88
2558		1.65	3.45	6.93
2559		1.03	2.43	5.64
2560		1.59	3.15	10.52
2561		.97	1.68	8.30
2562		.97	2.15	4.44
2563		1.32	3.08	6.70
2564		4.52	8.37	23.93
2565		3.27	6.67	11.39
2566		3.24	9.61	13.15
2567		4.44	10.27	16.58



ASSAYER. K. Hoyland

DATE. AUGUST 23, 1975

FILE NO. 9201- 54 (cont'd)



ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC
A-96 CON'T. 2568		4.12	8.97	17.28
2569		3.38	7.88	18.33
2570		4.04	9.87	23.51
2571		3.68	7.20	20.30
2572		2.88	6.00	14.13
2573		5.18	9.63	22.37
2574		3.65	7.53	17.61
2575		4.15	7.20	17.92

ASSAYER. L. Hoyland for
GEO. SPALDING

DATE. AUGUST 28, 1975

FILE NO. 9222- 18



ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC
2243		5.15	10.35	10.50
2244		5.15	11.55	12.29
2245		1.15	3.00	4.62
2246		4.47	11.10	11.11
2247		3.03	6.68	9.17
2248		3.38	8.25	8.46
2249		3.82	9.45	9.23
2250		1.73	4.13	4.14
2251		.24	.55	.96
2252		3.53	7.65	11.40
2253		2.88	6.23	10.05
2254		3.47	7.50	11.67
2255		1.18	2.25	3.18
2256		2.06	4.65	5.96
2257		1.41	3.30	5.58
2258		1.35	3.60	6.31
2259		2.27	4.88	7.30
2260		1.29	3.08	4.38

A100

ASSAYER. K. Hoyland for

GEO. SPALDING

DATE. SEPTEMBER 6, 1975

FILE NO. 9242- 25

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC
2118		1.00	2.00	3.30
2119		.88	1.98	3.90
2120		1.03-	2.08	3.84
2121		1.47	3.23	5.34
2122		.77	1.73	3.00
2123		.59	1.43	3.00
2124		.80	2.30	4.02
2125		1.09	1.98	4.08
2126		.53	1.15	2.28
2127		1.38	3.75	8.25
2128		1.32	2.48	6.06
2129		1.35	3.08	5.16
2130		1.62	3.98	5.16
2131		1.27	3.08	5.56
2132		.85	1.83	4.38
2133		.18	.30	1.68
2134		.80	1.80	1.81
2135		.88	2.23	3.18
2136		1.18	2.63	2.76
2261		.97	2.08	4.08
2262		1.41	2.93	4.38
2304		1.03	2.92	2.00
2576		.77	1.76	2.40
2577		3.44	10.18	9.58
2578		.74	1.23	1.58

GEO. SPALDING

ASSAYER. K. Hoyland for

DATE. SEPTEMBRE 13, 1975

FILE NO. 9273- 102

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC
2137		1.29	3.00	5.04
2138		.97	1.88	4.02
2139		.71	2.08	1.40
2140		.38	.78	1.46
2141		.62	1.48	1.78
2142		3.03	5.24	10.64
2143		2.74	5.33	8.43
2144		1.38	3.15	4.56
2145		.80	1.63	4.14
A-104 2146		.24	.38	.37
2147		.26	.34	.52
2148		.29	.34	.66
2149		1.32	3.30	4.14
2150		2.79	5.19	8.43
2151		.71	1.35	2.22
2152		2.50	6.30	8.03
2153		.62	1.48	1.20
2154		2.88	4.58	5.64
2155		2.21	5.40	6.76
2156		.88	2.03	2.82
106 * 2260 (2266)		1.44	6.48	14.49
2263		3.21	7.80	8.83
2264		5.32	11.94	9.11
2265		TR	.07	.10
2267		2.85	6.79	6.37
2268		2.85	5.48	8.28
A-106 2270		2.94	7.82	9.00
2271		.59	1.25	1.66
2272		1.56	4.28	5.28
2273		.68	1.28	2.22
2274		.24	.22	.51
2275		.24	.27	.55
2276		.27	.24	.27
2277		.27	.20	.22
2278		.06	.27	.35
2279		1.32	2.85	3.84
2280		1.03	2.23	4.02
2281		.15	.27	.45
2282		1.35	2.93	4.14
A-109 2283		2.71	6.90	10.98
2284		3.06	7.05	10.80
2285		2.41	5.33	8.10
2286		2.24	5.03	6.84



ASSAYER. K. Hoyland for

DATE. SEPTEMBER 13, 1975

FILE NO. 9273- 102

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC
2287		1.68	3.23	4.80
A-109 2288		2.35	5.55	7.24
2289		4.44	15.02	10.1
2305		.38	.52	.92
2306		.18	.19	.24
2307		.15	.22	.36
2308		2.41	5.97	6.45
2309		.18	.19	.34
2310		.21	.27	.31
2311		.15	.12	.42
2312		.74	2.23	3.20
A-105 2313		.29	.23	.76
2314		1.18	3.00	2.30
2315		1.21	3.45	3.00
2316		1.62	4.88	7.29
2317		.29	.27	.21
2318		.47	.68	.71
2319		1.68	4.58	3.66
2320		1.12	2.93	2.10
2321		.59	1.13	.69
2322		1.47	4.28	3.06
2323		1.44	4.13	4.10
2324		1.44	4.73	5.00
A-108 2325		2.30	6.79	5.80
2326		1.76	3.90	3.80
2327		.32	.28	.43
2328		.29	.19	.20
2455		.32	.69	.68
2456		.59	1.63	1.30
2457		.94	2.85	2.88
2458		1.03	2.85	2.52
2459		.94	1.58	1.60
2460		1.47	4.05	5.90
2461		1.50	3.60	4.86
A-110 2462		1.21	2.93	3.54
2463		1.79	5.04	9.73
2464		1.88	4.73	7.04
2465		.77	1.58	2.00
2466		.80	2.03	1.90
2467		.50	1.00	1.20
2468		.15	.12	.09
2469 2269		2.21	5.33	5.50
2579		1.18	2.85	5.28
2580		2.24	6.38	6.10
A-103 2581		.18	.15	.14
2582		.62	3.00	5.50



ASSAYER. K. Hoyland for

DATE. SEPTEMBER 13, 1975

FILE NO. 9273- 102

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC
A-103 2583		2.71	5.70	7.51
2584		3.44	7.98	15.22
2585		.18	.39	4.50
2586		1.15	2.70	5.30
2587		1.85	4.88	9.27
2588		1.79	4.20	8.82
A-107 2589		2.35	6.76	11.70
2590		4.26	9.06	17.05
2591		3.03	7.72	15.26
2592		5.00	11.11	21.65
2593		3.24	6.89	13.66
2594		.38	.40	1.20
2595		.29	.65	.90



ASSAYER. K. Hoyland for

DATE. SEPTEMBER 17, 1975

FILE NO. 9281- 23

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC
2329		.29	.18	.54
2330		.21	.20	.38
2331		2.60	5.98	5.16
2332		2.00	4.73	7.60
2333		.62	1.43	2.64
2334		2.74	6.54	11.41
2335		.74	1.75	3.18
2336		.24	.20	.60
2337		.12	.17	.60
2338		.18	.12	.59
A-108 2339		.77	1.63	3.06
2340		2.41	5.78	5.88
2341		.59	1.00	1.26
2342		2.31	5.38	7.25
2343		.21	.18	.33
2344		2.12	3.90	5.52
2345		.94	2.15	1.76
2346		.80	1.83	1.30
2347		.35	.68	.98
2348		.68	1.53	1.46
2349		1.09	3.00	3.00
2350		.77	2.00	2.46
2351		.47	1.13	.88



ASSAYER. K. Hoyland

DATE. SEPTEMBER 24, 1975

FILE NO. 9310- 60

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

ALL ASSAYS TRANSFERRED TO LOGS

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	Est Pb+Zn
A-111 2157		.94	2.18	1.84	8
2158		.47	1.20	1.28	10
2159		3.18	6.69	15.37	20
2160		2.79	5.75	17.82	20
2161		2.35	3.98	8.01	10
2162		1.00	1.44	2.46	4
2163		.83	1.60	2.22	2
2164		.59	1.08	1.76	6
2165		.35	.62	.94	2
2166		.24	.48	.74	2
2167		1.03	2.03	4.02	6
A-114 108 2352		.15	.12	.12	
2353		.12	.09	.06	
2354		.06	.08	.02	
2355		.59	.90	.65	
A 114 2356		.53	.68	.30	
2357		.56	1.20	.94	
2358		.71	1.43	1.16	
2359		.71	1.45	1.56	
2360		.59	1.15	.30	
2361		.80	.98	.43	
2362		.59	1.15	.95	
2363		.74	1.58	1.36	
2364		.53	1.23	.98	
2365		.56	1.02	.77	
2366		.74	1.75	1.40	
2367		.74	1.63	1.12	
2368		.71	1.63	1.34	
2369		.68	1.04	.68	
2370		.71	1.24	.80	
2371		.71	1.18	.66	
2372		1.24	2.30	2.34	
2373		1.27	3.08	3.36	
2374		.29	.74	.82	
2375		.56	1.30	1.12	
2376		1.18	4.05	4.14	
2377		.53	.80	1.30	
2378		.26	.15	.25	
2379		1.03	2.08	2.46	
2380		.65	1.10	.66	
A107 2440		.24	.13	.31	
2441		.21	.04	.42	
2442		.29	.12	.65	
2443		.29	.13	.40	
2444		.18	.07	.15	
2445		.15	.05	.12	



ASSAYER. K. Hoyland Jr

DATE. SEPTEMBER 24, 1975

FILE NO. 9310- 60

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	
A107					
2446		.12	.04	.04	
2447		.18	.28	.25	
2448		.41	.52	.61	
2449		.77	1.63	2.10	8-10 Est.
2450		.85	1.58	1.80	4-6 "
2451		1.38	2.93	3.84	10-12 Est
2452		.29	.27	.40	3-4 "
2453		4.80	10.61	15.60	20-25 "
2454		1.21	2.85	3.54	8-10 "
A107					
2596		.44	.95	.93	6-8 Est.
2597		.15	.14	.35	2-4 "
2598		.29	.23	.31	1-2 "
2599		.26	.29	.84	5-6 "
2600		.24	.12	.42	1-2 "



ASSAYER. K. Hoyland Jr

DATE. SEPTEMBER 30, 1975

FILE NO. 9273- 102

CORRECTION NOTICE:



ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC
WAS 2260		1.44	6.48	14.49
SHOULD BE 2266		1.44	6.48	14.49
WAS 2469		2.21	5.33	5.50
SHOULD BE 2269		2.21	5.33	5.50

A 106

Please accept our apologies. You'll notice that the values do not change as the person who transferred the numbers to our sample bags, wrote down the incorrect number.

ASSAYER. K. Hoyland jr

GEO. SPALDING

DATE. SEPTEMBER 30, 1975

FILE NO. 9321- 157

ALL ASSAYS RECORDED

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC
2168		.97	2.20	3.72
2169		1.06	2.28	3.60
2170		1.03	2.55	4.14
2171		.56	.80	1.46
2172		.26	.85	1.14
2173		.35	1.03	1.72
2174		.44	1.00	1.10
2175		.41	.78	.96
2176		.38	.88	1.12
2177		1.76	4.73	8.37
2178		1.50	4.43	3.78
A-111 2179		2.03	5.55	7.38
2180		1.62	4.20	6.88
2181		2.94	6.08	8.36
2182		4.29	7.05	11.84
2183		3.71	8.10	14.17
2184		5.44	11.25	18.02
2185		2.79	5.85	9.67
2186		3.18	6.90	10.53
2187		5.74	12.33	19.11
2188		2.59	5.85	8.94
2189		.91	2.93	3.18
2190		.83	1.48	2.40
2290		4.74	11.57	16.18
2291		3.97	9.15	10.64
2292		3.00	6.75	9.16
2293		3.03	7.05	9.17
A-112 2294		.80	1.95	3.66
2295		1.03	2.48	1.74
2296		2.47	5.81	5.48
2297		.80	1.43	2.46
2298		.77	1.45	1.62
2299		3.59	8.27	16.42
2300		.71	1.43	1.80
2469		.80	1.63	2.94
A-116 2470		.65	1.63	2.82
A-112 2601		.41	.98	2.52
2602		1.00	2.08	1.50
2603		.47	.95	.58
2604		1.65	3.90	4.38
2605		.12	.23	.30
2606		.65	1.63	1.34
A-115 2607		.29	.63	.42
2608		.65	1.35	.82
2609		.29	.33	.38



ASSAYER. K. Hoyland Jr

DATE. SEPTEMBER 30, 1975

FILE NO. 9321- 157

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC
2610		2.00	4.35	5.04
2611		.56	.93	1.08
2612		.29	.33	.40
2613		.68	1.48	1.98
2614		.32	.55	.30
2615		.06	.08	.18
2616		.12	.18	.18
2617		.24	.43	.24
2618		.24	.25	.10
2619		.15	.20	.06
2620		.21	.43	.26
2621		.24	.35	.24
2622		.29	.60	.46
2623		1.76	4.13	4.26
2624		.38	.48	.92
2625		.06	.20	.16
A-115 2626		.26	.45	.50
2627		1.47	4.28	5.52
2628		.65	1.60	2.76
2629		.94	2.23	4.68
2630		.59	1.40	2.34
2631		.88	3.38	.52
2632		1.03	3.23	4.50
2633		.88	1.75	1.90
2634		1.85	5.78	8.31
2635		1.82	5.48	7.07
2636		1.00	3.68	6.94
2637		1.24	3.23	5.28
2638		.15	.25	.26
2639		1.06	1.98	2.46
2640		.44	.70	.52
2641		.35	.83	.94
2642		.41	.45	.48
2643		.59	1.08	1.06
2644		.56	1.43	1.28
2645		1.09	2.43	3.48
2646		.88	1.78	2.52
2647		.88	1.75	3.06
2648		1.09	3.23	4.92
2649		1.00	2.85	4.80
2650		.59	1.70	2.10
2651		.62	1.65	4.20
A-118 2652		.88	2.70	3.30
2653		.83	2.28	2.52
2654		.59	1.68	1.94
2655		.68	1.70	1.08
2656		.32	.93	.86
2657		.29	.63	.68



ASSAYER. K. Hoyland

DATE. SEPTEMBER 30, 1975

FILE NO. 9321- 157

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC
2658		.85	2.10	.94
2659		.24	.30	.32
2660		2.21	5.33	6.93
2661		1.68	3.98	6.60
2662		.80	1.65	4.14
2663		1.53	3.68	4.33
2664		.29	.58	.58
A-118 2665		1.38	3.75	2.88
2666		2.21	5.39	4.92
2667		.77	1.48	1.98
2668		2.85	6.16	10.58
2669		2.94	7.11	10.86
2670		2.65	5.57	10.76
2671		1.76	3.98	7.52
2672		.80	1.83	3.72
2673		.71	1.48	1.90
2674		1.00	2.18	3.96
2901		2.56	5.35	12.57
2902		2.38	5.03	8.32
2903		2.21	5.26	7.98
2904		1.18	2.63	5.88
2905		1.03	2.38	4.50
2906		1.47	3.60	6.28
2907		1.15	2.40	2.94
2908		.29	.50	1.22
2909		1.06	2.15	4.20
A-113 2910		2.53	5.40	8.71
2911		1.73	3.45	6.12
2912		2.41	4.73	8.10
2913		3.24	6.08	9.73
2914		.26	.73	1.34
2915		.65	1.63	2.52
2916		.35	.83	1.58
2917		2.47	5.33	6.89
2918		2.82	6.15	10.35
2919		1.21	2.85	5.64
2920		2.30	4.58	8.09
2921		.44	.96	.66
2922		1.24	2.13	3.30
2923		1.15	2.70	3.30
2924		.38	.85	.86
2925		2.85	6.08	11.95
2926		7.00	14.62	25.08
2927		4.71	10.27	13.77
A-117 2928		6.82	13.13	24.65
2929		5.91	11.21	23.13
2930		4.80	8.22	18.67
2931		6.18	11.65	23.40



ASSAYER. K. Hoyland per

DATE. SEPTEMBER 30, 1975

FILE NO. 9321- 157

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC
2932		3.30	7.65	11.52
2933		1.76	4.43	5.76
2934		2.71	5.85	13.68
2935		3.06	6.39	9.89
2936		2.91	5.33	8.88
2937		2.94	5.88	8.82
2938		1.71	3.90	6.77
A-117 2939		3.21	5.63	8.15
2940		2.44	5.03	6.48
2941		2.38	5.78	5.40
2942		2.47	6.05	10.21
2943		.68	.70	1.42
2944		1.12	1.28	1.50
2945		.80	1.50	1.30
2946		1.41	3.68	3.30
2947		3.56	9.21	12.52



ASSAYER. K. Hoylandt

DATE. OCTOBER 6, 1975

FILE NO. 9332- 95

ALL ASSAYS RECORDED
CJ

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC
2381		1.27	2.43	6.56
A119 2382		1.09	1.78	4.98
2383		1.62	3.83	7.41
2471		1.15	3.08	4.80
2472		1.09	2.48	4.38
2473		2.00	4.73	8.42
2474		1.35	3.08	5.04
2475		.65	1.53	3.12
2476		1.73	4.35	7.06
2477		1.03	2.93	4.08
2478		.35	.70	1.26
2479		.29	.48	.82
2480		.24	.43	1.02
2481		.59	1.28	.82
2482		.62	1.53	2.94
2483		.77	2.25	1.98
A-120 2484		.68	2.48	3.66
2485		1.32	3.38	6.51
2486		1.47	2.48	4.50
2487		.97	3.30	6.78
2488		1.47	4.35	6.73
2489		1.03	2.78	5.11
2490		1.24	3.45	5.04
2491		.83	1.93	3.90
2492		.77	1.78	3.90
2493		.74	1.50	2.10
2494		.80	1.30	1.98
2495		.77	1.78	2.28
2496		1.03	2.28	3.72
2497		1.21	2.40	3.90
2498		.85	1.88	3.72
2499		1.12	2.25	6.48
2500		.59	1.13	2.64
2675		.59	.73	.94
2676		.68	.63	.84
2677		.56	.88	1.30
2678		.74	1.43	2.64
2679		2.50	5.76	10.07
2680		2.00	5.75	3.00
A-118 2681		1.29	3.00	4.02
2682		.38	.73	.80
2683		1.62	3.60	3.90
2684		1.03	2.28	2.46
2685		.74	2.03	4.26
2686		.83	1.88	3.30
2687		2.47	5.03	7.63
2688		1.59	3.90	4.68



ASSAYER. K. Hoyland Jr

DATE. OCTOBER 6, 1975

FILE NO. 9332- 95 (cont'd)

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC
2689		.38	.15	.26
2690		.83	1.38	2.52
2691		2.18	5.70	8.83
2692		1.21	2.38	2.34
2693		1.59	3.68	5.82
A-118 2694		2.06	4.43	8.38
2695		1.68	4.35	4.98
2696		.62	1.35	1.92
2697		.83	1.78	1.26
2698		.83	1.83	2.10
2699		.41	.83	.40
2700		.29	.70	.60
2701		3.82	10.58	17.97
2702		3.79	8.01	12.97
2703		.38	.63	1.32
2704		1.91	3.60	3.90
2705		1.38	3.00	6.44
2706		.29	.58	1.06
2707		2.88	7.50	8.53
2708		.44	.80	.48
2709		.53	1.28	.94
2710		.44	1.10	.94
A-121 2711		.44	.88	.80
2712		1.76	3.90	6.11
2713		.56	1.45	1.40
2714		.74	2.70	1.22
2715		.26	.80	.38
2716		.21	.75	1.02
2717		.29	.85	1.22
2718		.26	.48	1.04
2719		.69	1.60	1.18
2720		2.18	5.53	6.33
2721		1.09	2.93	3.54
2722		.35	.65	.54
2723		.62	1.83	1.60
2724		.83	1.63	1.48
2725		1.50	3.23	4.74
2726		.06	.10	.10
2801		1.56	2.93	3.66
2802		1.38	3.00	5.10
2803		1.44	3.98	6.00
2804		.09	.10	.12
A-120 2805		1.79	3.30	7.36
2806		.15	.38	.34
2807		1.85	3.75	6.00
2808		2.06	4.88	5.48
2809		.09	.08	.14
2810		1.62	3.15	6.33



ASSAYER. K. Hoyland jr

DATE. OCTOBER 7, 1975

FILE NO. 9273- 102



ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
RECHECK								
2266		1.47	6.48	14.49				

A 106

This Sample has now been checked twice, once by Atomic Absorption and once by Wet methods.

ASSAYER. K. Hoyland fb

GEO. SPALDING

DATE. 8 Oct., 1975

FILE NO. 9342-26

ALL ASSAYS RECORDED CJ

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM Kerr Addison

SAMPLE NO.	~~GOLD~~ Oz. Per Ton	SILVER Oz. Per Ton	Lead	Zinc
2384		.88	1.48	1.14
2385		2.94	5.63	8.65
A122 2386		.24	.33	.54
2387		.47	.95	1.28
2388		.62	.88	.74
107 2439		.44	.58	.86
2811		2.68	4.88	7.34
2812		2.18	4.43	7.18
2813		.44	.88	1.98
2814		.32	.53	1.68
2815		3.68	7.02	14.93
2816		3.00	5.70	11.26
A120 2817		.71	.93	1.88
2818		2.38	5.74	9.45
2819		1.91	4.88	5.76
2820		2.68	5.33	6.34
2821		2.21	4.35	8.15
2822		2.09	4.43	5.88
2823		1.97	3.90	5.64
2824		2.35	4.43	6.44
2825		2.85	4.50	6.79
2826		.21	.33	.56
2827		.12	.15	.16
2828		.12	.03	.06
2829		1.15	1.98	4.14
2830		3.65	8.67	17.65



ASSAYER. K. Hoyland for

DATE. OCTOBER 9, 1975

FILE NO. 9353-40

ALL ASSAYS RECORDED

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC
2389		2.12	4.95	5.53
2390		.56	1.20	1.06
2391		1.44	4.05	3.00
2392		1.18	2.50	1.74
2393		.32	.48	.38
A-122 2394		1.24	3.68	2.46
2395		.29	.65	.24
2396		1.18	3.19	2.52
2397		.44	.63	.34
2398		1.32	3.68	3.00
2399		.71	1.65	.92
2400		1.12	2.70	5.40
2831		.53	.88	1.10
2832		.06	.06	.06
2833		1.29	2.93	4.26
A120 2834		1.83	4.95	7.41
2835		.74	1.30	1.12
2836		1.91	5.18	6.83
2837		1.09	2.38	3.48
2838		.71	1.83	2.00
2839		.77	1.93	3.54
2840		.85	1.90	3.48
2841		.77	1.75	3.18
2842		.83	1.99	3.00
2843		.85	1.84	2.76
2844		.71	1.48	2.46
2845		.83	1.23	1.66
A-123 2846		1.06	2.50	4.02
2847		1.03	2.48	5.40
2848		.83	1.78	2.76
2849		.88	1.93	2.46
2850		1.09	2.45	3.18
2851		1.21	2.59	3.90
2852		1.27	2.70	4.02
2853		1.91	3.53	5.93
2854		1.35	2.78	4.02
2855		.62	1.23	1.18
2856		1.18	2.50	4.38
2857		1.29	2.78	4.20
2858		.85	1.73	2.64



ASSAYER. K. Hoyland for

DATE. OCTOBER 19, 1975

FILE NO. 9379- 8

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR- ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC
A		3.27	9.83	10.65
B		4.06	10.58	10.83
C		2.88	6.95	6.97
D		3.33	7.68	8.57
F		2.35	6.43	4.02
G		1.03	2.57	2.70
H		1.56	3.30	2.64
I		* 1.68	5.11	2.94

* Checked Twice



ASSAYER. K. Hoyland Jr

DATE. OCTOBER 20, 1975

FILE NO. MIXED LOTS



ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR- ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD OXIDE %
9039-55: 1737			.24
1754			.10
9050-40: 1782			.07
1789			.17
2058			.18
2086			.15
9071-55: 1832			.10
1838			.06
2070			.19
2073			.16
2095			.22

ASSAYER. K Hoyland for
GEO. SPALDING

DATE. OCTOBER 20, 1975

FILE NO. 9371- 81

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR- ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
2727		.97	1.95	3.06				
2728		1.32	3.15	3.12				
2729		2.24	4.92	8.35				
2730		.85	.65	1.00				
2731		1.53	3.98	4.86				
2732		.88	1.88	1.92				
2733		3.27	6.98	8.87				
2859		.29	.58	.68				
2860		.26	.43	.70				
2861		.56	1.53	3.48				
2862		.91	2.18	5.40				
2863		.97	2.93	5.64				
2864		1.47	3.23	7.20				
2865		1.85	3.75	8.00				
2866		1.73	4.58	4.02				
2867		.97	2.85	2.40				
2868		.83	1.93	2.14				
2869		1.35	2.48	5.76				
2870		1.00	1.88	4.68				
2871		.77	1.70	4.08				
2872		.74	2.18	1.47				
2873		1.12	3.60	3.60				
2874		1.41	2.85	6.29				
2875		1.06	2.63	4.50				
2876		.53	1.23	1.40				
2877		2.59	5.71	7.18				
2878		.56	1.18	1.70				
2879		.21	.58	.76				
2880		.97	2.38	2.14				
2881		2.00	4.65	6.90				
2882		2.27	4.73	8.11				
2883		1.88	4.20	8.07				
2884		.35	.75	1.54				
2885		4.18	7.73	16.75				
2886		1.35	2.70	4.02				
2887		2.47	5.21	11.86				
2888		3.59	6.93	14.44				
2889		1.12	2.43	5.64				
2890		2.24	5.11	6.05				
2891		1.71	3.75	5.86				
2892		2.15	4.35	5.64				
2893		2.50	4.95	7.58				
2894		2.00	3.68	7.69				
2895		1.29	2.63	3.42				
2896		.53	1.15	2.10				
2897		.88	1.88	2.76				

A123

2734

A123

A123

Entered 29 OCT 75 Mel



ASSAYER. K. Hoyland for

DATE. OCTOBER 20, 1975

FILE NO. 9371- 81

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	Zn/Pb			
2727		.97	1.95	3.06	1.57			
2728		1.32	3.15	3.12	0.99			
2729		2.24	4.92	8.35	1.70			
A123 2730		.85	.65	1.00	1.54			
2731		1.53	3.98	4.86	1.22			
2732		.88	1.88	1.92				
2733		3.27	6.98	8.87	1.02			
2859		.29	.58	.68	1.17			
2860		.26	.43	.70	1.63			
2861		.56	1.53	3.48	2.27			
2862		.91	2.18	5.40	2.48			
2863		.97	2.93	5.64	1.92			
2864		1.47	3.23	7.20	2.22			
2865		1.85	3.75	8.00	2.13			
2866		1.73	4.58	4.02	0.88			
2867		.97	2.85	2.40	0.84			
2868		.83	1.93	2.14	1.11			
2869		1.35	2.48	5.76	2.32			
2870		1.00	1.88	4.68	2.49			
2871		.77	1.70	4.08	2.40			
2872		.74	2.18	1.47	0.67			
2873		1.12	3.60	3.60	1.00			
2874		1.41	2.85	6.29	2.21			
2875		1.06	2.63	4.50	1.71			
A-123 2876		.53	1.23	1.40	1.14			
2877		2.59	5.71	7.18	1.26			
2878		.56	1.18	1.70	1.44			
2879		.21	.58	.76	1.31			
2880		.97	2.38	2.14	0.90			
2881		2.00	4.65	6.90	1.48			
2882		2.27	4.73	8.11	1.71			
2883		1.88	4.20	8.07	1.92			
2884		.35	.75	1.54	2.05			
2885		4.18	7.73	16.75	2.17			
2886		1.35	2.70	4.02	1.49			
2887		2.47	5.21	11.86	2.28			
2888		3.59	6.93	14.44	2.08			
2889		1.12	2.43	5.64	2.32			
2890		2.24	5.11	6.05	1.18			
2891		1.71	3.75	5.86	1.56			
2892		2.15	4.35	5.64	1.30			
2893		2.50	4.95	7.58	1.53			
2894		2.00	3.68	7.69	2.09			
2895		1.29	2.63	3.42	1.30			
2896		.53	1.15	2.10	1.83			
2897		.88	1.88	2.76	1.47			



ASSAYER. K. Hoyland

DATE. OCTOBER 20, 1975

FILE NO. 9371- 81 (cont'd)

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR- ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC
2948		.94	1.98	4.02
2949		.80	1.68	4.02
2950		.97	2.23	4.32
2951		1.03	2.03	4.20
2952		1.35	2.70	5.64
2953		1.24	2.45	4.80
2954		1.03	2.78	4.56
2955		1.27	2.85	4.92
2956		1.53	3.60	6.38
2957		.88	2.03	3.90
2958		.94	2.23	3.18
2959		.91	2.43	3.30
2960		.88	2.33	4.74
2961		.74	1.73	4.38
2962		1.82	3.38	5.28
2963		1.85	3.53	6.01
2964		1.76	3.30	4.32
2965		1.29	2.43	4.14
2966		1.88	3.60	7.47
2967		1.32	2.63	4.80
2968		2.18	4.58	7.01
2969		.29	.38	1.05
2970		1.12	3.00	4.80
2971		3.91	5.61	14.38
2972		3.27	5.45	13.70
2973		.88	2.03	3.78
2974		1.24	3.98	3.24
2975		1.71	4.43	4.50
2976		1.44	4.88	4.80
2977		.71	1.88	.94
2978		.29	.68	1.38
2979		.32	.43	.63
2980		.50	.88	.85
2981		.38	.80	1.36
2982		.53	.68	1.18

A84



ASSAYER. K. Hoyland for

DATE. OCTOBER 20, 1975

FILE NO. 9371- 81

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR- ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	Zn/Pb			
2948		.94	1.98	4.02	2.03			
2949		.80	1.68	4.02	2.39			
2950		.97	2.23	4.32	1.94			
2951		1.03	2.03	4.20	2.07			
2952		1.35	2.70	5.64	2.09			
2953		1.24	2.45	4.80	1.96			
2954		1.03	2.78	4.56	1.64			
2955		1.27	2.85	4.92	1.72			
2956		1.53	3.60	6.38	1.77			
2957		.88	2.03	3.90	1.92			
2958		.94	2.23	3.18	1.43			
2959		.91	2.43	3.30	1.36			
2960		.88	2.33	4.74	2.03			
2961		.74	1.73	4.38	2.53			
2962		1.82	3.38	5.28	1.56			
A- 2963		1.85	3.53	6.01	1.70			
124 2964		1.76	3.30	4.32	1.31			
2965		1.29	2.43	4.14	1.70			
2966		1.88	3.60	7.47	2.07			
2967		1.32	2.63	4.80	1.82			
2968		2.18	4.58	7.01	1.53			
2969		.29	.38	1.05	2.76			
2970		1.12	3.00	4.80	1.60			
2971		3.91	5.61	14.38	2.56			
2972		3.27	5.45	13.70	2.51			
2973		.88	2.03	3.78	1.86			
2974		1.24	3.98	3.24	0.81			
2975		1.71	4.43	4.50	1.02			
2976		1.44	4.88	4.80	0.98			
2977		.71	1.88	.94	0.50			
2978		.29	.68	1.38	2.03			
2979		.32	.43	.63	1.46			
2980		.50	.88	.85	0.97			
2981		.38	.80	1.36	1.70			
2982		.53	.68	1.18	1.73			



ASSAYER. K. Hoyland Jr

DATE. OCTOBER 20, 1975

FILE NO. 9377- 66 (cont'd)

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR- ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC
A123 2900		.15	.40	1.36
2983		.68	1.88	2.94
2984		.77	1.70	2.88
2985		1.18	1.78	4.50
2986		1.27	2.08	5.34
2987		.74	1.68	2.88
2988		.77	1.20	3.30
2989		.74	1.38	3.66
A127 2990		1.12	1.68	4.20
2991		1.03	1.78	4.02
2992		.85	1.58	3.96
2993		1.12	2.15	4.86
2994		.68	1.28	3.54
2995		2.50	5.61	9.78
2996		.41	.88	1.06
2997		1.38	2.63	3.54
2998		1.73	3.08	6.88
2999		1.41	2.30	6.84
3000		2.24	4.73	6.29



ASSAYER. K Hoyland for

DATE. OCTOBER 20, 1975

FILE NO. 9377- 66

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR- ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	Zn/Pb			
2743		3.68	7.13	10.56	1.48			
2744		4.26	8.78	18.74	2.13			
2745		2.88	7.65	14.28	1.87			
2746		2.82	7.20	15.57	2.16			
2747		2.88	6.78	15.11	2.23			
2748		2.18	4.73	9.36	1.99			
2749		2.56	5.85	11.12	1.90			
2750		3.00	5.40	8.39	1.55			
2751		1.68	4.80	5.76	1.20			
2752		2.06	5.33	5.16	0.97			
2753		.24	.25	.40	1.60			
2754		2.21	4.43	4.14	0.93			
A-127 2755		3.12	6.38	9.34	1.46			
2756		.59	1.78	.88	0.49			
2757		.35	.55	.53	0.96			
2758		1.91	7.50	5.67	0.76			
2759		1.76	5.97	6.59	1.10			
2760		.35	.35	.30	0.85			
2761		.26	.15	.14	0.93			
2762		.68	1.23	.72	0.58			
2763		.41	.43	.50	1.16			
2764		.47	.48	1.25	2.60			
2765		.59	1.18	.90	0.76			
2766		.50	.75	.74	0.99			
2767		.38	.53	.46	0.87			
2768		.83	1.35	1.54	1.14			
2898		1.47	3.15	4.92	1.56			
A-123 2899		1.76	3.98	6.23	1.56			
2900		.15	.40	1.36	3.40			
2983		.68	1.88	2.94	1.56			
2984		.77	1.70	2.88	1.69			
2985		1.18	1.78	4.50	2.53			
2986		1.27	2.08	5.34	2.57			
2987		.74	1.68	2.88	1.71			
2988		.77	1.20	3.30	2.75			
2989		.74	1.38	3.66	2.65			
A-127 2990		1.12	1.68	4.20	2.50			
2991		1.03	1.78	4.02	2.26			
2992		.85	1.58	3.96	2.51			
2993		1.12	2.15	4.86	2.26			
2994		.68	1.28	3.54	2.76			
2995		2.50	5.61	9.78	1.74			
2996		.41	.88	1.06	1.20			
2997		1.38	2.63	3.54	1.35			
2998		1.73	3.08	6.88	2.23			
2999		1.41	2.30	6.84	2.97			



ASSAYER. K. Hoyland

DATE. OCTOBER 20, 1975

FILE NO. 9377- 66

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR- ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC
2191		.12	.38	.95
2192		.26	.50	.92
2193		.15	.23	.52
2194		.74	1.68	1.92
2195		3.68	7.65	11.53
2196		2.00	4.95	5.76
2197		1.47	3.83	2.10
2198		3.12	7.41	3.18
2199		1.24	2.48	3.48
2200		.44	.70	1.28
2734		3.03	6.38	9.36
2735		.59	.68	1.44
2736		.32	.45	.46
2737		.53	.65	.46
2738		.32	.55	.64
2739		.68	1.55	1.38
2740		.32	.35	.42
2741		1.65	3.68	4.56
2742		.59	1.10	2.16
2743		3.68	7.13	10.56
2744		4.26	8.78	18.74
2745		2.88	7.65	14.28
2746		2.82	7.20	15.57
2747		2.88	6.78	15.11
2748		2.18	4.73	9.36
2749		2.56	5.85	11.12
2750		3.00	5.40	8.39
2751		1.68	4.80	5.76
2752		2.06	5.33	5.16
2753		.24	.25	.40
2754		2.21	4.43	4.14
2755		3.12	6.38	9.34
2756		.59	1.78	.88
2757		.35	.55	.53
2758		1.91	7.50	5.67
2759		1.76	5.97	6.59
2760		.35	.35	.30
2761		.26	.15	.14
2762		.68	1.23	.72
2763		.41	.43	.50
2764		.47	.48	1.25
2765		.59	1.18	.90
2766		.50	.75	.74
2767		.38	.53	.46
2768		.83	1.35	1.54
2898		1.47	3.15	4.92
2899		1.76	3.98	6.23



ASSAYER. K. Hoyland Jr

DATE. OCTOBER 20, 1975

FILE NO. 9377- 66

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR- ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	Zn/Pb			
2191		.12	.38	.95	2.50			
2192		.26	.50	.92	1.84			
2193		.15	.23	.52	2.26			
2194		.74	1.68	1.92	1.14			
A-123 2195		3.68	7.65	11.53	1.51			
2196		2.00	4.95	5.76	1.16			
2197		1.47	3.83	2.10	0.55			
2198		3.12	7.41	3.18	0.43			
2199		1.24	2.48	3.48	1.40			
2200		.44	.70	1.28	1.83			
2734		3.03	6.38	9.36	1.47			
2735		.59	.68	1.44	2.12			
A-123 2736		.32	.45	.46	1.02			
2737		.53	.65	.46	0.71			
2738		.32	.55	.64	1.16			
2739		.68	1.55	1.38	0.89			
2740		.32	.35	.42	1.20			
2741		1.65	3.68	4.56	1.24			
A-127 2742		.59	1.10	2.16	1.96			
3000		2.24	4.73	6.29	1.33			



ASSAYER. K. Hoyland

DATE. OCTOBER 24, 1975

FILE NO. 9386- 68

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR- ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC
2769		1.56	3.00	6.85
2770		.44	.83	1.94
2771		.85	2.08	4.14
2772		.91	1.98	4.74
2773		1.03	2.78	4.98
2774		.91	2.08	3.42
2775		1.29	3.00	5.10
2776		.85	1.98	3.30
2777		1.09	2.38	5.10
2778		.85	1.88	4.05
2779		1.59	3.53	4.30
2780		3.18	6.41	11.84
2781		.29	.75	1.18
2782		2.65	5.42	6.50
2783		1.27	2.75	4.50
2784		1.44	3.44	5.55
2785		.62	1.65	1.66
2786		1.12	2.85	3.98
2787		.83	1.63	2.10
2788		.74	2.50	2.70
2789		.47	1.38	2.20
2790		1.15	3.23	4.05
2791		.47	.83	1.08
2792		2.50	5.18	8.75
2793		2.15	4.43	7.87
2794		1.65	3.98	5.00
2795		1.76	3.56	5.50
2796		1.79	3.94	6.57
2797		1.18	2.38	4.40
2798		1.62	3.60	4.48
2799		1.46	3.30	6.28
2800		2.15	4.28	7.68

A125

entered 29 Oct 75 Hel



ASSAYER. K. Hoyland Jr

DATE. OCTOBER 24, 1975

FILE NO. 9386- 68 (cont'd)

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR- ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC
3001		2.76	5.18	7.56
3002		.38	.48	.52
3003		.35	.20	.18
3004		.83	.65	.77
3005		2.88	6.96	9.44
3006		.62	1.15	1.70
3007		.41	.38	.62
3008		1.35	3.83	2.88
3009		1.24	2.85	3.12
3010		.41	.93	.65
3011		1.03	2.45	1.63
3012		3.12	6.08	8.00
3013		.83	2.23	3.28
3014		4.32	7.25	8.32
3015		8.82	15.59	23.0
3016		.41	.78	.74
3017		1.56	4.13	4.86
3018		.65	1.58	1.50
3019		.62	1.13	1.08
3020		.56	1.31	1.50
3021		1.24	3.13	5.40
3022		.77	1.65	2.38
3023		2.91	8.10	9.68
3024		1.91	5.18	6.16
3025		2.94	6.74	8.65
3026		.77	2.06	2.90
3027		.53	1.13	2.68
3028		.59	1.33	2.70
3029		1.50	3.08	3.54
3030		1.27	2.70	4.65
3031		.80	2.56	2.22
3032 *				
3033		1.00	3.00	3.42
3034		1.18	4.13	2.46
3035		1.03	3.98	3.20
3036		1.47	5.89	6.32
3037		1.06	3.30	2.52

A125

A128

Cut out 29/OCT Mel

* Missing



ASSAYER. K. Hoyland Jr



ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

DATE. DECEMBER 10, 1975

FILE NO. 9413- 8

SAMPLE RECEIVED FROM KERR- ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
U- 1101		1.62	3.98	5.89				
1102		1.59	4.17	4.60				
1103		1.82	4.28	6.45				
1104		1.85	4.05	9.45				
1105		1.68	4.09	6.90				
1106		3.77	9.26	15.0				
1107		1.62	3.38	10.46				
U- 1108		3.24	8.50	17.22				

ASSAYER. K. Hoyland Jr

GEO. SPALDING

DATE. JANUARY 19, 1976

FILE NO. 9416- 74

ASSA CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
U- 1109		4.06	8.35	12.52				
1110		3.38	8.15	14.81				
1111		3.18	6.79	13.74				
U-1 1112		2.85	7.56	12.16				
1113		4.81	7.99	10.07				
1114		3.77	8.85	14.60				
1115		1.85	4.73	7.63				
1116		1.65	4.20	6.64				
U-2 1117		1.65	4.50	5.70				
1118		1.41	3.30	7.81				
1119		2.47	5.18	9.77				
1120		1.47	3.00	6.98				
1121		.68	1.88	2.10				
1122		1.15	3.30	5.25				
1123		1.06	3.68	5.00				
1124		1.82	5.15	6.35				
1125		1.59	3.98	4.00				
1126		2.12	4.43	8.95				
U-3 1127		1.03	1.65	1.30				
1128		.83	1.50	2.05				
1129		4.62	10.08	19.27				
1130		3.00	7.95	6.82				
1131		2.76	6.32	5.00				
1132		2.65	6.71	5.00				
1133		3.72	11.40	6.52				
1134		.59	1.73	1.55				
1135		.74	1.95	1.82				
1136		1.44	3.68	2.90				
1137		2.24	6.03	11.86				
1138		.94	1.55	2.50				
1139		2.38	4.80	10.85				
U-5 1140		1.68	3.53	6.72				
1141		2.59	5.10	9.47				
1142		2.21	4.05	6.56				
1143		1.56	3.53	4.15				
1144		.91	1.93	3.20				
1145		3.15	7.04	12.21				
1146		3.18	6.53	12.57				
1147		2.00	4.13	6.92				
1148		3.79	8.17	21.13				
1149		2.74	7.05	9.77				
1150		.56	1.73	3.27				
1151		4.47	10.31	17.51				
U-4 1152		4.21	9.81	17.25				
1153		.88	2.70	2.50				
1154		3.68	9.70	6.72				
1155		.80	2.25	1.49				
U-6 1156		.97	2.30	4.70				
1157		.80	1.95	3.75				

Entered in logs. 24 Jan 1975 Mel de Quadros.

ASSAYER. K. Hoyland for

GEO. SPALDING

DATE. JANUARY 19, 1976

FILE NO. 9416- 74

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
U- 1158		1.18	3.08	5.40				
1159		1.03	3.08	4.65				
1160		6.18	13.55	26.10	°			
U-6 1161		5.15	11.34	22.17	°			
1162		1.47	2.93	5.85				
1163		4.71	9.38	17.82				
1164		3.74	8.42	14.0				
1165		3.94	8.60	15.52	°			
1166		1.53	4.65	1.98				
U-7 1167		1.47	3.85	2.60				
1168		1.18	2.70	3.65				
1169		3.74	7.39	12.72	°			
1170		1.29	3.00	4.00				
1171		.97	2.35	2.35				
1172		1.32	3.60	3.90				
U-8 1173		1.27	3.45	6.30				
1174		.85	1.65	3.50				
1175		.71	1.50	2.60				
1176		3.09	8.37	16.26	°			
1177		3.09	6.54	12.95	°			
1199		2.41	4.43	9.63				
U-10 1200		1.47	2.85	4.75				
1201		1.47	3.38	7.12				
1214		3.71	7.17	20.51	°			
U-11 1215		1.82	3.60	12.04				

entered in logs Jan 24/76 S Sete

ASSAYER. K. Hoyland for
GEO. SPALDING

DATE. JANUARY 19, 1976

FILE NO. 9417- 33

ASSA CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
U- 1178		1.47	3.68	3.95				
1179		.97	2.28	3.20				
1180		1.85	6.31	3.25				
1181		1.53	4.88	7.48				
1182		1.44	4.05	5.60				
1183		1.29	3.68	4.75				
1184		1.35	3.38	6.92				
1185		.85	1.83	4.40				
1186		2.62	6.11	12.11				
1187		4.09	9.70	12.52				
1188		4.65	7.81	13.69				
1189		1.53	4.05	6.42				
1190		2.94	7.38	10.69				
1191		3.38	7.54	12.93				
1192		4.91	9.75	14.05				
1193		1.53	3.38	7.23				
1194		2.12	4.80	7.53				
1195		2.18	5.03	6.10				
1196		2.32	6.50	7.84				
1197		3.00	6.50	10.69				
1198		1.06	2.25	4.50				
1202		1.38	3.08	7.43				
1203		1.35	3.08	5.80				
1204		3.18	6.74	8.91				
1205		1.06	2.25	6.32				
1206		.09	.37	.94				
1207		.35	.98	3.00				
1208		4.68	11.69	15.98				
1209		.74	1.63	3.95				
1210		.62	1.05	1.60				
1211		1.27	2.50	4.10				
1212		1.44	3.30	5.90				
1213		4.12	9.17	16.09				

U-9

U-10

entered into logs
Jan 24/76
S Seth

ASSAYER. K. Hoyland for
GEO. SPALDING

DATE. JANUARY 22, 1976

FILE NO. 9418- 46

ASSA CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
U- 1216		3.15	8.29	15.96				
1217		1.44	2.85	4.75				
1218		2.38	5.20	6.71				
1219		2.35	5.78	7.28				
1220		.53	1.13	3.65				
1221		3.18	5.48	7.50				
1222		2.65	5.98	10.57				
1223		2.41	6.20	10.12				
1224		1.06	3.55	4.93				
1225		1.68	3.85	5.50				
1226		3.53	6.94	6.35				
U-12 1227		2.94	7.06	11.03				
1228		2.21	5.78	8.95				
1229		1.32	3.00	4.65				
1230		.88	1.70	.48				
1231		.29	.15	.28				
1232		2.06	4.50	4.90				
1233		2.47	6.33	5.35				
1234		.29	.20	1.18				
1235		.29	.05	.88				
1236		.35	.25	.90				
1237		.32	.25	2.00				
1238		1.35	2.80	2.38				
1239		.29	.45	6.51				
1240		2.09	5.20	6.86				
1241		3.27	7.26	11.03				
1242		2.94	6.84	7.96				
1243		2.15	4.30	4.20				
1244		1.84	4.40	5.62				
1245		2.18	4.60	6.51				
1246		3.82	10.03	14.69				
1247		2.82	6.61	8.98				
U-13 1248		2.06	4.40	5.25				
1249		2.88	6.94	8.55				
1250		1.59	3.50	2.95				
1251		.26	.15	.53				
1252		1.44	2.85	.78				
1253		.29	.20	1.03				
1254		.32	.35	1.70				
1255		2.18	4.60	2.03				
1256		1.24	3.10	3.48				
1257		4.41	11.06	17.37				
1258		.91	2.40	2.28				
1259		1.32	3.85	3.15				
1260		1.71	5.25	3.75				
1261		1.00	2.00	.88				

ASSAYER. K. Hoyland for
GEO. SPALDING

DATE. FEBRUARY 9, 1976

FILE NO. 9424- 122 (cont'd)

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

entered Feb 13
37

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
1311		.68	1.60	1.28				
1312		.44	.50	.70				
1313		.97	2.55	2.03				
1314		3.41	7.69	12.72				
1315		3.21	6.10	12.87				
1316		1.06	2.03	8.23				
1317		1.32	3.40	6.38				
1318		1.35	2.80	5.93				
1319		2.03	4.55	10.04				
1320		1.88	3.90	8.50				
1321		.68	1.28	2.00				
1322		1.73	3.18	5.70				
1323		1.88	4.40	6.38				
1324		3.38	6.81	13.53				
1325		1.18	3.05	4.20				
1326		2.00	3.90	7.63				
1327		2.09	4.15	7.65				
1328		2.38	4.75	7.65				
1329		3.82	8.22	15.35				
1330		.88	1.20	1.75				
1331		1.68	3.95	5.35				
1332		.53	.43	.55				
1333		1.12	2.00	2.28				
1334		1.76	4.10	7.86				
1335		4.26	8.92	15.05				
1336		4.00	10.48	12.08				
1337		4.03	11.75	14.37				
1338		2.91	6.51	12.75				
1339		2.56	6.46	12.84				
1340		2.09	4.15	8.99				
1341		2.44	5.00	8.13				
1342		1.65	2.83	3.95				
1343		.74	1.30	1.65				
1344		2.06	4.35	9.65				
1345		2.15	6.53	11.83				
1346		3.44	9.50	17.93				
1347		2.09	4.40	10.72				
1348		1.85	3.23	5.99				
1349		2.27	4.70	7.97				
1350 *		6.42	2.58	4.40				
1351		1.29	2.38	4.90				
1352		1.29	2.53	4.20				
1353		.91	2.08	3.78				
1354		1.59	1.90	4.35				
1355		1.24	1.93	3.48				
1356		2.44	4.93	10.05				
1357		2.24	4.15	8.50				
1358		1.73	3.45	8.27				
1359		1.79	3.50	8.07				

V-15 V-16 V-17 V-18 4-5

* Checked twice for AgPbZn

ASSAYER. K. Hoyland for GEO. SPALDING

GEO. SPALDING

DATE. FEBRUARY 9, 1976

FILE NO. 9424- 122

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

entered Feb 13 SJ

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC
1262		3.82	10.69	9.88
1263		1.44	3.85	2.15
1264		.91	.48	.13
1265		2.71	6.47	6.49
1266		.59	.40	.15
1267		2.47	7.00	6.74
V-14 1268		2.76	6.90	7.20
1269		3.03	8.41	3.96
1270		.41	1.35	1.20
1271		.53	1.53	1.68
1272		3.44	8.36	7.86
1273		2.94	6.75	7.52
1274		3.27	6.98	8.46
1275		3.18	6.90	8.82
1276		1.29	2.60	1.88
1277		3.06	8.38	8.77
1278		1.53	3.35	1.82
1279		1.15	2.55	.53
1280		2.24	5.35	3.00
1281		1.41	1.85	1.53
1282		2.41	6.07	5.53
1283		3.15	8.57	5.67
1284		1.32	3.40	3.25
1285		2.03	4.13	5.30
1286		4.03	7.28	9.22
1287		3.82	7.59	11.81
V-15 1288		2.65	5.65	7.05
1289		3.65	7.50	8.21
1290		3.74	8.01	12.77
1291		.68	.98	1.48
1292		2.18	4.90	7.25
1293		1.44	3.23	3.60
1294		1.32	2.28	2.90
1295		.62	.95	1.38
1296		1.73	3.85	8.16
1297		1.91	4.10	4.10
1298		.44	.45	.83
1299		1.00	2.25	1.56
1300		1.85	4.55	10.04
1301		.94	1.73	2.88
1302		.74	1.48	4.80
1303		.88	2.15	2.00
1304		1.21	3.95	3.40
1305		1.24	4.30	4.00
1306		1.44	3.30	3.15
1307		.97	2.40	2.25
1308		1.06	2.95	3.43
1309		1.00	2.85	2.70
1310		1.24	3.60	2.78

ASSAYER. K. Hoyland fd

GEO. SPALDING

DATE. FEBRUARY 9, 1976

FILE NO. 9424- 122 (cont'd)

entered 13 Feb
GJ

ASSA CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC				
1360		1.62	3.20	4.85				
1361		2.65	6.00	9.24				
1362		1.24	2.45	3.75				
1363		1.88	3.38	5.10				
1364		1.79	3.58	5.40				
1365		1.32	2.90	2.15				
1366		1.03	2.28	2.05				
1367		1.15	2.13	1.98				
1368		1.73	3.85	3.10				
1369		2.15	4.90	4.75				
1370		2.79	6.78	6.22				
1371		3.00	7.10	7.52				
1372		1.91	4.80	3.55				
1373		1.62	4.30	3.10				
1374		3.68	8.10	7.09				
1375		2.85	6.35	7.29				
1376		3.03	5.85	7.29				
1377		3.24	5.94	8.07				
1378		2.06	4.88	3.55				
1379		3.50	6.75	9.96				
1380		3.53	7.79	13.41				
1381		3.79	7.96	11.72				
1382		2.41	5.88	6.98				
1383		2.74	6.68	7.47				

ASSAYER. K. Hoyland for
GEO. SPALDING

DATE. FEBRUARY 16, 1976

FILE NO. 9427- 50

ASSA CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC
1384		2.88	8.11	9.81
1385		.74	1.20	1.48
1386		3.41	5.15	5.97
1387		5.00	9.84	16.77
1388		1.76	5.36	9.05
1389		3.33	9.37	18.66
1390		2.56	6.91	12.10
1391		.74	1.90	2.45
1392		2.03	4.45	9.49
1393		1.56	3.75	5.80
1394		3.77	9.10	7.32
1395		2.65	5.92	9.00
1396		2.30	4.95	8.85
1397		2.00	4.85	5.55
1398		2.85	7.44	8.29
1399		1.03	2.33	3.18
1400		2.47	5.31	2.38
1401		2.09	5.31	7.07
1402		2.35	5.10	4.60
1403		2.53	5.71	4.25
1404		1.41	2.95	.90
1405		2.82	6.37	4.80
1406		1.62	3.88	4.05
1407		2.09	4.90	5.90
1408		1.76	3.73	5.92
1409		2.18	4.30	7.65
1410		2.85	5.60	10.01
1411		2.59	5.20	9.18
1412		.71	1.40	3.20
1413		1.32	3.10	6.15
1414		2.38	4.33	7.47
1415		1.29	2.73	3.48
1416		2.31	4.15	8.54
1417		1.32	2.23	2.28
1418		1.50	2.75	3.70
1419		.38	.40	.55
1420		.83	1.43	1.63
1421		1.29	2.78	3.58
1422		1.35	2.73	4.55
1423		1.94	4.00	7.55
1424		.88	2.45	2.95
1425		1.76	5.05	5.10
1426		2.06	5.91	7.91
1427		1.35	3.45	5.92
1428		4.35	10.37	14.64
1429		1.15	2.53	4.60
1430		4.56	10.67	18.93
1431		3.30	7.85	7.25
1432		3.71	11.80	6.31
1433		.94	2.58	1.75

ASSAYER. K. Hoyland for GEO. SPALDING

ent ed March 13/76

DATE. MARCH 8, 1976

FILE NO. 9432-43

33

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
1457			1.35	3.80	26.40
1458			.98	3.05	13.03
1459			.85	1.18	9.94
V-26 1460			2.60	2.33	39.43
1461			1.78	3.53	30.17
1462			1.88	4.13	39.43
1463			1.88	3.55	35.31
1464			2.05	1.88	27.43
1465			1.17	1.85	16.11
1466			.68	1.63	8.23
1467			4.20	5.53	109.03
1468			3.25	8.20	50.40
1469			2.90	7.64	52.46
1470			4.70	8.12	65.49
1471			1.73	4.13	29.14
1472			1.40	2.68	19.20
1473			6.85	10.29	84.69
1474			2.83	4.50	40.46
1475			3.35	3.20	42.51
1476			3.10	1.95	50.40
1477			.98	.60	25.37
1478			2.25	2.90	46.29
1479			2.23	4.15	36.34
1480			1.20	2.05	26.40
1481			2.88	3.10	36.34
1482			1.25	2.35	24.34
1483			3.35	3.65	43.54
1484			5.56	5.45	69.60
V-27 1485			2.18	5.39	38.40
1486			2.43	4.30	40.46
1487			1.55	2.70	28.46
1488			3.68	7.69	65.49
1489			1.63	3.95	29.14
1490			1.93	4.30	30.17
1491			1.25	2.10	24.34
1492			2.65	2.55	41.49
1493			2.20	5.50	45.26
1494			2.68	7.18	53.49
1495			3.90	6.16	66.51
1496			1.45	3.45	34.29
1497			1.75	3.15	32.23
1498			2.75	5.93	41.49
1499			3.45	6.92	56.57

ASSAYER. K. Hoyland for GEO. SPALDING

DATE. FEBRUARY 20, 1976

FILE NO. 9430- 23

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	SILVER gms/tonne	LEAD	ZINC
1434		1.91	65.49	3.35	11.52
1435		1.00	34.29	1.70	3.25
1436		1.03	35.31	1.63	4.03
1437		.85	29.14	1.78	3.43
1438		.88	30.17	1.83	3.85
1439		1.15	39.43	2.58	5.28
1440		1.15	39.43	2.35	3.58
1441		3.53	121.03	8.18	15.27
1442		.80	27.43	1.25	.48*
1443		.24	8.23	.25	2.20*
1444		.91	31.20	1.75	4.40
1445		2.44	83.66	4.70	11.21
1446		.97	33.26	2.00	3.43
1447		.68	23.31	1.42	2.73
1448		.80	27.43	1.67	4.20
1449		1.41	48.34	2.90	7.69
1450		1.65	56.57	3.65	7.61
1451		1.38	47.31	2.80	7.79
1452		1.79	61.37	4.08	7.81
1453		.68	23.31	1.65	4.75
1454		1.21	41.49	3.10	6.01
1455		1.32	45.26	2.90	6.42
1456		1.47	50.40	3.10	5.71

*- Checked twice

ASSAYER. K. Hoyland for GEO. SPALDING

entered March 13/76

DATE. MARCH 8, 1976

FILE NO. 9434- 63

93

ASSA CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
1500			1.70	3.18	31.20
1501			1.75	2.40	30.17
1502			2.73	4.80	40.46
1503			5.90	10.84	82.63
1504			.33	3.95	9.94
U-27 1505			8.35	13.94	117.94
1506			7.27	12.32	93.94
1507			4.00	7.89	65.49
1508			3.88	8.03	75.77
1509			2.23	3.60	33.26
1510			5.70	6.84	81.60
1511			2.05	2.95	33.26
1512			4.18	6.32	66.51
1513			0.580	.48	8.23
1514			0.970	.70	15.09
1515			.04	.03	.3400
1516			.68	.20	25.37
1517			7.24	4.75	102.86
1518			7.50	5.75	95.66
1519			11.85	8.71	146.74
U28 1520			14.95	9.52	186.52
1521			4.83	3.60	64.46
1522			.22	.63	4.11
1523			8.50	13.85	179.66
1524			7.53	10.08	116.92
1525			7.78	12.37	151.20
1526			6.75	12.62	109.94
1527			6.82	10.64	110.06
1528			2.13	1.95	35.31
1529			.03	.58	TR
1530			4.45	7.63	40.46
1531			5.65	9.01	77.83
1532			.50	1.23	8.91
1533			7.47	13.19	106.97
U29 1534			6.70	15.73	90.86
1535			3.03	7.36	48.34
1536			1.88	2.85	34.29
1537			.95	2.78	17.14
1538			1.73	3.80	30.17
1539			3.80	3.65	65.49
1540			.40	.03	15.09
1541			1.30	.23	35.31
U30 1542			7.60	6.93	98.74
1543			4.65	2.45	73.71
1544			9.40	8.70	145.03
1545			.90	.60	10.97

ASSAYER. K. Hoyland for GEO. SPALDING

DATE. MARCH 8, 1976

FILE NO. 9434-63

ASSA CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
1546			.60	.50	7.20
1547			1.43	1.23	17.14
1548			2.05	1.65	24.34
4 30 1549			.80	.93	9.94
1550			.83	.68	10.97
1601			1.00	1.30	15.09
4-3 1602			7.04	5.65	88.80
1603			2.98	4.95	40.46
1604			2.68	4.63	38.40
4 4 1605			1.13	2.10	19.20
1606			2.40	3.80	39.43
1607			2.70	3.88	48.34
1608			2.95	5.93	47.31
4 5 1609			3.40	4.80	130.97
1610			2.30	4.10	34.29
1611			1.43	3.53	24.34
4 6 1612			2.85	3.65	40.46

ASSAYER. K. Hoyland for GEO. SPALDING

entered March 13/76

53

DATE. MARCH 9, 1976

FILE NO. 9436- 60

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
1551			4.15	3.20	49.37
U-30 1552			2.50	1.88	36.34
1553			6.92	5.39	77.83
1554			.23	.18	2.06
1555			1.40	1.10	20.23
1556			.85	.50	13.03
1557			1.03	.73	16.11
1558			2.83	2.05	35.31
1559			2.20	1.10	31.20
1560			1.40	1.13	17.14
1561			.38	.35	4.11
U-31 1562			1.43	.93	19.20
1563			1.03	.60	27.43
1564			8.11	5.17	103.89
1565			2.25	1.63	27.43
1566			2.05	.83	24.34
1567			11.12	3.88	132.00
1568			3.60	1.55	55.54
1569			10.12	4.35	121.03
1570			5.71	3.95	67.54
1571			.68	.45	8.91
1572			2.48	4.98	38.40
U 32 1573			.48	.33	8.23
1574			2.43	1.90	41.49
1613			2.28	4.58	34.29
1614			.95	2.70	14.06
1615			1.93	3.65	34.29
U-6 1616			1.78	3.50	35.31
1617			3.78	6.85	63.43
1618			4.83	7.50	82.63
1619			3.40	1.53	46.29
1620			2.93	2.43	45.26
1621			.39	.90	8.91
U-7 1622			.68	1.00	10.97
1623			1.65	2.45	28.46
1624			3.38	5.09	56.57
1625			2.10	2.00	35.31
U-9 1626			2.20	2.98	34.29
1627			.33	1.10	4.11
1628			1.15	1.20	19.20
U-15 1629			.78	1.48	10.97
U16 1630			9.30	18.66	127.20

ASSAYER. K. Hoyland for GEO. SPALDING

DATE. MARCH 9, 1976

FILE NO. 9436- 60

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U-16 1631			.75	1.05	17.14
1632			.73	.78	10.97
U-18 1633			3.30	4.00	45.26
1634			1.63	2.03	24.34
1635			3.40	1.25	37.37
U-22 1636			2.20	.93	24.34
1637			4.00	2.20	50.40
1638			2.03	2.55	24.34
1639			1.42	2.55	17.14
U-23 1640			1.18	3.50	15.09
1641			1.94	2.50	15.09
1642			.48	.93	16.11
1643			2.18	3.10	42.51
U-25 1644			.88	2.85	14.06
1645			1.20	2.35	18.17
1646			2.80	3.30	34.29
U-27 1647			.90	2.33	12.00
1648			1.93	4.35	31.20

ASSAYER. K. Hoyland for GEO. SPALDING

DATE. MARCH 12, 1976 entered March 16/76

FILE NO. 9437- 53 SJ.

ASSA CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR- ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
1575			5.12	8.92	98.74
1576			3.90	4.50	49.37
V-32 1577			.25	.23	9.94
1578			1.90	1.90	25.37
1579			1.30	.88	17.14
1580			.50	.95	9.94
1581			4.43	3.25	71.66
V-33 1582			1.10	1.13	19.20
1583			6.05	7.93	88.80
1584			2.88	3.65	35.31
1585			.72	.13	8.23
1586			1.53	1.50	15.09
1587			2.20	4.08	32.23
1588			.63	.93	15.09
1589			7.51	12.47	140.23
1590			2.95	3.73	44.23
V-34 1591			5.63	8.08	120.00
1592			4.13	6.84	71.66
1593			3.40	6.24	50.40
1594			2.65	6.23	42.51
1595			4.10	8.08	69.60
1596			3.40	5.14	57.60
1597			3.63	5.69	73.71
1598			6.22	9.60	114.17
1599			5.40	9.15	105.94
1600			2.73	6.41	38.40

ASSAYER. K. Hoyland for GEO. SPALDING

DATE. MARCH 12, 1976

FILE NO. 9437- 53

ASSA CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR- ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
1701			5.62	9.50	100.80
1702			3.13	6.01	44.23
1703			4.55	7.88	73.71
1704			3.23	5.06	57.60
1705			2.60	5.37	44.23
1706			3.45	6.67	60.34
1707			3.00	4.90	41.49
1708			4.00	4.23	52.46
1709			3.65	6.41	59.31
1710			4.27	7.35	62.40
1711			5.51	7.98	70.63
1712			4.58	7.25	71.66
1713			3.25	5.47	50.40
1714			4.50	6.28	57.60
1715			6.79	11.13	100.80
1716			3.98	3.78	60.34
1717			4.48	7.83	63.43
1718			4.46	6.81	63.43
1719			4.36	8.85	55.54
1720			6.36	8.08	80.57
1721			4.31	6.02	55.54
1722			.05	.35	6.17
1723			.25	1.75	17.14
1724			.10	1.53	8.23
1725			.15	.33	8.91
1726			1.30	1.10	25.37
1727			2.00	1.45	33.26

U-34

ASSAYER. K. Hoyland for GEO. SPALDING

DATE. MARCH 17, 1976

FILE NO. 9439- 42

ASSA CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

entered March 19 SS

SAMPLE RECEIVED FROM KERR- ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
1728			1.89	3.70	30.17
1729			1.04	2.28	16.11
1730			2.10	4.20	34.29
1731			.58	1.00	10.97
1732			2.58	5.87	41.49
1733			1.05	2.00	25.37
1734			3.75	5.00	66.51
1735			2.93	4.55	54.51
1736			3.95	6.48	68.57
1737			3.45	5.49	55.54
V-35 1738			4.03	5.59	53.49
1739			5.80	7.35	101.83
1740			2.83	1.98	41.49
1741			6.30	9.47	81.60
1742			6.60	9.95	100.80
1743			6.50	11.90	110.06
1744			6.36	11.64	125.14
1745			1.70	2.33	29.14
1746			4.25	9.44	72.69
1747			2.60	3.10	30.17
1748			2.80	2.75	33.26
1749			.94	1.65	14.06
1750			1.10	1.93	15.09
V-36 1751			8.17	10.82	133.03
1752			2.15	5.07	32.23
1753			2.10	4.98	49.37
1754			2.60	5.68	47.31
1755			4.70	13.68	97.72
1756			4.93	12.76	80.57
V-37 1757			4.80	10.26	86.74
1758			6.51	13.37	98.74
1759			6.36	13.12	99.77
1760			4.65	6.77	80.57
1761			1.43	1.68	24.34
1762			1.18	1.75	24.34
1763			2.35	5.52	33.26
1764			1.70	4.13	31.20
1765			4.63	11.80	76.80
V-38 1766			5.63	15.13	85.72
1767			2.48	6.28	46.29
1768			3.73	10.77	62.40
1769			3.45	7.99	60.34

ASSAYER. K. Hoyland for GEO. SPALDING

DATE. MARCH 19, 1976

FILE NO. 9440- 36

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
1770			4.03	9.46	93.94
1771			6.20	12.50	104.92
1772			5.42	10.15	75.77
1773			4.25	6.02	71.66
1774			.65	1.18	13.03
1775			1.74	1.43	21.26
1776			1.18	1.30	17.14
1777			2.78	1.53	36.34
1778			.14	.08	3.09
1779			1.85	.20	18.17
1780			1.95	2.43	24.34
1781			1.34	2.00	21.26
1782			1.18	1.43	13.03
1783			1.98	3.25	25.37
1784			.65	1.15	6.17
1785			1.88	1.00	15.09
1786			.58	1.33	8.91
1787			.19	.28	3.09
1788			7.59	13.05	122.06
1789			.63	1.00	15.09
1790			4.75	5.45	75.77
1791			5.70	7.70	90.86
1792			4.90	8.77	82.63
1793			7.69	13.76	75.77
1794			4.48	6.42	67.54
1795			3.95	7.26	62.40
1796			4.30	6.94	78.86
1797			3.05	3.90	49.37
1798			1.85	2.10	36.34
1799			.55	.70	12.00
1800			2.55	1.58	50.40
1801			4.75	4.95	62.40
1802			2.30	2.28	43.54
1803			1.30	1.85	25.37
1804			1.78	3.23	25.37
1805			2.90	6.86	57.60

M-38

M-39

Entered by L.B.
March 24, 1976

ASSAYER. K. Hoyland for GEO. SPALDING

DATE. MARCH 27, 1976

FILE NO. 9443- 89

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

entered March 30/76 J.J.

SAMPLE RECEIVED FROM KERR- ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
1806			2.23	4.70	44.23
1807			2.50	4.75	54.51
1808			3.48	7.68	100.80
1809			2.90	5.75	45.26
1810			7.36	16.65	125.14
1811			8.28	14.95	129.94
U-39 1812			5.10	8.24	80.57
1813			4.68	7.88	59.31
1814			2.80	5.15	41.49
1815			2.90	4.80	44.23
1816			1.25	2.13	28.46
1817			3.88	2.95	60.34
1818			2.15	13.32	36.34
1819			4.08	11.03	60.34
1820			.07	.48	5.14
1821			6.10	9.92	85.72
1822			6.10	9.20	95.66
1823			2.23	4.03	60.34
1824			5.20	7.17	93.94
1825			.48	.70	8.23
1826			6.15	10.43	102.86
1827			3.70	6.15	58.63
1828			1.55	1.70	37.37
1829			3.20	5.20	61.37
1830			3.75	7.50	55.54
U-40 1831			3.98	6.66	85.72
1832			3.90	6.62	92.92
1833			4.80	7.55	98.74
1834			5.18	8.40	117.94
1835			.43	.93	8.91
1836			.15	.75	5.14
1837			.30	1.70	12.00
1838			1.68	2.95	32.23
1839			1.68	3.10	37.37
1840			.80	4.10	13.03
1841			1.43	2.53	20.23
1842			.08	.65	5.14
1843			.35	1.50	8.91
1844			4.50	12.71	90.86
1845			6.90	10.86	106.97
1846			.99	3.20	22.29
1847			2.02	3.50	24.34
1848			1.90	3.15	25.37
U-41 1849			6.08	10.07	93.94
1850			5.78	7.58	90.86
1851			7.81	9.91	118.97
1852			3.60	9.25	62.40
1853			.59	1.05	9.94



ASSAYER. K. Hoyland for GEO. SPALDING

DATE. MARCH 27, 1976

FILE NO. 9443- 89

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR- ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
1854			.93	1.38	13.03
1855			.79	1.23	12.00
1856			.90	.83	13.03
1857			5.95	5.49	70.63
1858			2.85	4.75	42.51
1859			4.10	7.98	62.40
1860			6.41	9.94	87.77
1861			3.45	4.65	45.26
1862			1.14	2.00	19.20
V-42 1863			2.60	4.73	36.34
1864			2.00	3.85	27.43
1865			.68	1.35	12.00
1866			2.20	3.50	31.20
1867			2.13	4.00	30.17
1868			1.58	1.90	22.29
1869			1.25	1.80	18.17
1870			2.70	3.90	42.51
1871			6.33	12.51	91.89
1872			4.90	9.00	82.63
1873			8.98	18.92	156.34
1874			1.15	1.75	14.06
1875			1.35	1.40	17.14
1876			2.88	3.00	35.31
1877			4.55	5.21	53.49
1878			4.78	8.14	72.69
1879			10.78	19.02	166.29
V-43 1880			11.93	21.05	173.49
1881			9.80	18.15	145.03
1882			12.61	21.91	224.92
1883			14.30	22.73	177.60
1884			8.05	12.76	115.89
1885			9.43	16.24	143.32
1886			7.28	13.87	117.94
1887			.15	.30	4.11
1888			1.23	1.70	17.14
1889			2.43	2.40	29.14
V-44 1890			2.20	3.20	25.37
1891			4.35	5.19	52.46
1892			3.90	7.17	48.34
1893			3.10	6.18	40.46
1894			1.93	3.33	31.20



ASSAYER. K. Hoyland Jr GEO. SPALDING

DATE. APRIL 3, 1976

FILE NO. 9446- 56

ASSAY CERTIFICATE

Entered April 6/76
S. Leto

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR- ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
1895			7.74	12.24	114.17
1896			10.86	16.86	169.37
1897			6.16	13.86	89.83
V-44 1898			3.90	5.85	60.34
1899			8.60	15.24	133.03
1900			1.35	1.15	21.26
1901			7.37	5.95	89.83
1902			2.75	6.25	48.34
1903			4.68	6.68	65.49
1904			7.19	5.74	75.77
1905			4.40	4.60	53.49
1906			6.47	11.27	97.72
1907			2.37	7.01	39.43
1908			2.80	5.79	48.34
1909			.03	.18	1.03
1910			3.90	6.65	54.51
1911			2.30	6.48	38.40
1912			.04	.13	1.03
V-45 1913			5.81	11.17	94.63
1914			1.65	2.70	26.40
1915			3.53	6.10	49.37
1916			5.44	5.54	68.57
1917			2.83	3.30	40.46
1918			6.64	7.32	92.92
1919			7.67	13.16	114.17
1920			5.86	7.90	94.63
1921			6.15	9.70	98.74
1922			8.44	13.26	122.06
1923			4.03	5.79	69.60
1924			1.28	2.10	16.11
1925			.40	.83	7.20
1926			1.34	1.38	18.17
1927			5.76	10.87	97.72
1928			1.78	2.48	29.14
1929			4.38	7.86	75.77
1930			5.00	9.15	78.86
V-46 1931			.97	3.00	15.09
1932			5.64	9.80	88.80
1933			.53	3.03	13.03
1934			3.60	5.55	60.34
1935			.23	.35	5.14
1936			2.68	3.35	45.26
1937			3.13	2.40	51.43
1938			4.55	4.05	68.57
1939			4.20	3.40	65.49
1940			1.35	1.98	21.26



ASSAYER. K. Hoyland for GEO. SPALDING

DATE. APRIL 3, 1976

FILE NO. 9446- 56

ASSA CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM KERR- ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne			
1941			6.64	10.77	111.09			
1942			4.80	7.14	99.77			
U-46 1943			3.45	5.87	74.74			
1944			5.44	8.64	79.54			
1945			5.50	9.50	83.66			
1946			4.28	8.49	73.71			
1947			5.50	10.47	100.80			
1948			9.27	9.86	135.09			
U-47 1949			7.64	6.71	87.77			
1950			4.40	2.35	48.34			

ASSAYER. K. Hoyland for GEO. SPALDING

DATE. APRIL 6, 1976

FILE NO. 9447-43

ASSAY CERTIFICATE

Entered April 8/76 SG

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR-ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
1951			1.68	2.40	26.40
1952			.39	.95	7.20
1953			4.20	1.80	39.43
1954			4.53	2.45	44.23
1955			4.10	5.88	53.49
1956			3.43	6.36	54.51
1957			2.63	4.30	45.26
1958			8.20	14.39	133.03
1959			8.60	17.73	146.06
1960			6.95	21.0	125.14
V-47 1961			7.90	20.19	123.09
1962			11.45	26.28	209.83
1963			.10	.15	.69
1964			2.75	3.48	41.49
1965			6.92	12.45	112.12
1966			4.28	9.82	63.43
1967			4.13	5.49	58.63
1968			6.32	7.40	82.63
1969			3.48	4.20	58.63
1970			6.22	7.72	85.72
1971			6.75	11.03	112.12
1972			3.68	6.23	82.63
1973			4.93	9.76	93.94
1974			8.85	7.27	121.03
1975			6.95	3.10	80.57
1976			4.88	3.60	57.60
1977			2.98	5.21	49.37
1978			1.09	2.38	22.29
1979			1.60	2.95	29.14
1980			2.68	4.48	40.46
V-48 1981			2.70	6.31	55.54
1982			4.40	9.74	90.86
1983			2.98	6.97	55.54
1984			1.74	4.48	26.40
1985			2.48	6.26	33.26
1986			2.40	4.90	43.54
1987			2.68	6.54	45.26
1988			5.87	10.03	85.72
1989			10.13	12.15	157.37
1990			4.95	11.34	77.83
1991			7.80	14.06	112.12
1992			1.30	1.55	23.31
1993			.58	1.20	8.91



ASSAYER. K. Hoyland for GEO. SPALDING

DATE. APRIL 19, 1976

FILE NO. 9456- 79

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
2103			1.80	3.10	40.46
2104			1.65	4.58	34.29
2105			2.48	4.80	50.40
2106			1.88	3.15	27.43
2107			1.35	1.95	29.14
2108			2.58	5.00	44.23
2109			4.05	7.75	65.49
2110			2.65	7.06	45.26
2111			5.53	10.72	84.69
2112			6.48	12.34	97.72
2113			6.28	10.16	87.77
2114			6.06	12.65	95.66
2115			3.05	7.27	57.60
2116			4.75	7.42	71.66
2117			2.98	4.00	45.26
2118			.83	1.63	14.06
2119			.63	.73	18.17
2120			1.13	1.85	23.31
2121			2.83	4.65	42.51
2122			4.95	7.55	74.74
2123			3.60	7.72	52.46
2124			2.50	4.65	45.26
2125			2.68	4.55	40.46
2126			3.55	6.55	48.34
2127			2.40	5.64	39.43
2128			2.95	5.38	45.26
2129			2.20	3.50	44.23
2130			2.30	3.80	43.20
2131			1.85	4.10	35.31
2132			2.10	3.08	39.43
2133			2.55	4.10	48.34
2134			4.28	10.82	96.69
2135			3.75	7.72	83.66
2136			4.35	10.67	91.89
2137			1.25	4.00	25.37
2138			1.90	5.40	36.34
2139			1.38	1.73	21.26
2140			.90	1.85	19.20
2141			.40	1.90	10.97
2142			.75	2.98	15.09
2143			1.75	4.55	31.20
2144			1.33	3.30	30.17
2145			1.35	3.53	26.40
2146			1.38	4.20	30.17
2147			1.48	3.73	29.14
2148			1.15	2.68	25.37
2149			2.43	4.85	46.29
2150			1.78	3.53	32.23



ASSAYER. K. Hoyland Jr GEO. SPALDING

DATE. APRIL 19, 1976

FILE NO. 9456- 79

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
2151			3.23	3.75	32.23
2152			2.30	3.60	37.37
2153			.80	1.55	20.23
2154			.90	1.28	15.09
2155			1.62	.88	18.17
2156			4.25	4.35	49.37
2157			3.60	7.77	41.49
2158			3.00	5.84	37.37
2159			1.70	4.35	39.43
2160			2.40	3.85	43.54
2161			.70	2.15	14.06
2162			1.55	3.70	29.14
2163			1.33	3.58	23.31
2164			1.33	4.20	26.40
2165			1.98	4.03	29.14
2166			1.25	3.78	20.23
2167			2.40	5.70	40.46
2168			2.10	7.82	35.31
2169			2.68	6.15	42.51
2170			2.33	5.00	36.34
2171			2.75	4.70	38.40
2172			2.23	4.15	29.14
2173			1.15	3.18	15.09
2174			3.20	5.60	50.40
2175			1.35	3.40	19.20
2176			3.45	5.54	45.26
2177			1.73	3.98	24.34
2178			.50	1.05	8.23
2179			.78	.55	13.03
2180			.53	.50	9.94
2181			.63	.55	13.03

M-56

M-57

Entered by
L Bethel
April 23, 1976.



ASSAYER. L. Hoyland Jr GEO. SPALDING

DATE. APRIL 24, 1976

FILE NO. 9459- 70

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
2182			3.45	3.65	50.40
2183			2.38	2.60	36.34
2184			7.42	11.57	85.72
2185			7.10	9.41	104.92
2186			7.30	12.68	155.32
2187			8.33	13.80	111.09
2188			.85	1.25	16.11
2189			1.83	2.70	31.20
2190			2.23	4.10	40.46
2191			4.98	10.85	77.83
2192			6.62	15.67	98.74
2193			6.12	15.12	90.86
2194			5.05	2.44	57.60
2195			5.00	3.05	60.34
2196			.33	.13	20.23
2197			.48	.33	17.14
2198			5.15	5.05	80.57
2199			2.03	.85	49.37
2200			5.00	1.83	88.80
2201			2.53-	2.75	41.49
2202			3.50	4.10	47.31
2203			3.80	8.22	55.54
2204			4.43	10.12	66.51
2205			2.70	4.60	40.46
2206			4.98	9.08	69.60
2207			4.25	8.60	60.34
2208			5.70	10.65	76.80
2209			8.73	17.15	137.14
2210			11.26	19.08	163.54
2211			9.63	15.98	149.14
2212			10.33	18.33	153.26
2213			13.29	18.52	197.83
2214			5.49	6.90	76.80
2215			13.20	15.37	163.54
2216			11.09	18.22	153.26
2217			7.20	9.84	121.03
2218			7.25	10.55	113.14
2219			8.00	10.96	129.26
2220			7.15	10.20	114.86
2221			7.20	10.30	123.09
2222			7.00	9.90	123.09
2223			9.20	12.28	139.20
2224			7.60	10.15	111.09
2225			10.95	13.95	151.20
2226			9.50	13.39	143.32
2227			7.20	10.00	104.92
2228			7.10	10.45	100.80
2229			7.70	10.96	96.69

4-58

4-59



ASSAYER. K. Hoyland Jr.

GEO. SPALDING

DATE. APRIL 24, 1976

FILE NO. 9459- 70

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	silver gms/tonne
2230			6.80	9.79	109.03
2231			6.90	10.60	104.92
2232			6.92	12.53	127.20
2233			8.85	12.29	163.54
2234			9.08	17.70	139.20
2235			8.53	13.55	121.03
2236			1.28	.43	25.37
2237			.28	.53	12.00
2238			5.82	8.73	98.74
2239			2.00	2.38	27.43
2240			2.40	2.60	32.23
2241			.23	.54	8.23
2242			.10	.25	6.17
2243			.38	.45	8.91
2244			1.38	1.30	19.20
2245			.38	.37	5.14
2246			.95	.53	10.97
2247			3.20	3.75	37.37
2248			3.90	4.95	34.29
2249			2.73	4.70	29.14
2250			3.03	2.85	31.20
2251			4.08	3.70	44.23

Entered By
L. Bethel
April 28, '76



ASSAYER. K. Hoyland for GEO. SPALDING

DATE. APRIL 10, 1976

FILE NO. 9452- 109

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
1994			.33	1.63	4.11
1995			1.40	2.63	10.97
1996			1.20	2.40	18.17
1997			7.49	13.76	130.97
1998			3.10	5.10	54.51
1999			3.43	4.70	50.40
2000			6.99	12.08	104.92
2001			6.02	10.65	111.09
2002			5.41	9.07	84.69
2003			1.20	1.13	19.20
2004			2.08	3.80	35.31
2005			1.28	2.55	21.26
2006			2.05	3.90	32.23
2007			2.28	3.85	35.31
2008			.93	1.60	17.14
2009			1.65	4.85	21.26
2010			1.75	3.60	25.37
2011			2.28	3.20	31.20
2012			2.10	3.30	31.20
2013			1.73	2.78	27.43
2014			2.25	5.60	42.51
2015			2.95	9.63	53.49
2016			2.15	5.15	33.26
2017			1.65	2.15	20.23
2018			1.35	.38	12.00
2019			1.35	.20	10.97
2020			2.10	4.45	35.31
2021			3.20	10.14	49.37
2022			3.15	6.93	56.57
2023			2.93	4.10	46.29
2024			2.45	4.20	44.23
2025			1.60	2.90	25.37
2026			2.05	3.68	43.54
2027			1.30	2.75	17.14
2028			1.50	3.83	25.37
2029			.80	1.75	14.06
2030			9.72	12.48	150.17
2031			2.93	3.30	44.23
2032			3.20	3.95	52.46
2033			7.57	11.31	136.12
2034			7.87	11.46	147.09
2035			2.38	3.75	41.49
2036			2.93	5.86	49.37
2037			3.38	7.09	58.63
2038			4.25	7.59	75.77
2039			4.70	7.85	77.83
2040			2.65	4.30	44.23

M-48 ✓ M-49 ✓ M-51 ✓ M-50 ✓



ASSAYER. K. Hoyland for GEO. SPALDING

DATE. APRIL 10, 1976

FILE NO. 9452- 109

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
2041			5.31	10.55	80.57
2042			2.18	2.55	30.17
2043			5.71	2.80	62.40
2044			2.90	1.40	36.34
2045			1.65	1.10	17.14
2046			1.53	3.75	30.17
2047			1.68	1.28	25.37
2048			1.48	1.43	23.31
2049			2.65	2.30	38.40
2050			3.93	5.39	74.74
2051			1.95	5.14	28.46
2052			2.75	7.93	42.51
2053			2.20	3.50	35.31
2054			1.08	2.50	17.14
2055			1.58	1.68	20.23
2056			1.08	1.83	14.06
2057			.65	1.45	13.03
2058			1.88	1.55	31.20
2059			3.18	6.62	55.54
2060			1.65	2.83	30.17
2061			5.61	8.99	98.74
2062			2.33	7.21	45.26
2063			2.15	5.81	41.49
2064			2.05	4.50	31.20
2065			2.18	3.55	34.29
2066			1.73	2.45	27.43
2067			2.55	2.80	35.31
2068			2.78	3.60	36.34
2069			5.26	8.25	83.66
2070			2.43	4.75	38.40
2071			1.30	1.50	17.14
2072			2.80	1.18	24.34
2073			2.68	3.05	33.26
2074			1.93	3.15	34.29
2075			1.70	2.30	29.14
2076			6.01	9.96	95.66
2077			2.00	3.55	38.40
2078			3.20	6.46	50.40
2079			1.70	3.55	30.17
2080			2.98	6.24	54.51
2081			2.63	7.80	50.40
2082			2.30	5.58	42.51
2083			1.85	4.30	28.46
2084			6.30	10.14	94.63
2085			1.50	3.43	30.17
2086			2.68	4.20	45.26
2087			2.83	5.00	50.40
2088			2.63	2.90	40.46



ASSAYER. K. Hoyland

GEO. SPALDING

DATE. APRIL 10, 1976

FILE NO. 9452- 109

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
2089			1.55	2.65	26.40
2090			.80	1.38	14.06
2091			.15	.25	4.11
2092			2.20	5.70	41.49
2093			3.33	6.60	55.54
2094			1.55	2.63	25.37
2095			1.78	2.08	24.34
2096			3.68	2.20	40.46
2097			2.30	4.05	37.37
2098			1.75	3.70	30.17
2099			2.25	4.30	36.34
2100			2.28	4.10	35.31
2101			6.29	10.50	93.94
2102			1.83	3.55	36.34

U-53

U-54

Entered By: L. Bettiol

April 13, 1976



ASSAYER. K. Hoyland

GEO. SPALDING

DATE. MAY 8, 1974.

FILE NO. 8138-19

ASSA CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM AEX MINERALS CORPORATION

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	COPPER			
						A.5.	Pb/Zn	
740001 420-426	.01	3.84	10.6	9.62	.20	10.6	20.22	
740002	TR	.12	.68	1.80	.04	9.62		
740003	TR	.08	.15	.38	.02	20.22		
740004	TR	.04	.25	.24	.06			
740005	.01	.36	1.03	1.44	.07			
740006 526.6	.01	3.32	6.5	21.5	.25			
740007	.01	1.72	4.7	22.9	.16		26.7	
740008 542.6	.02	5.14	9.2	15.5	.32			46 FT
740009	.01	.28	.38	.38	.06			
740010	.02	1.78	3.98	8.06	.05			21.87
740011	.005	.08	.38	.62	.06			3.4 oz/t Ag.
740012 556-6"	.02	2.26	4.05	6.85	.19			
740013	.02	3.06	6.45	12.3	.16			
740014	.04	4.44	6.60	13.1	.28			
740015	.04	4.36	5.78	9.24	.29		17.04	
740016 586-6"	.04	2.40	5.85	9.03	.33			
740017	.04	4.12	6.90	9.1	.34			
740018	.02	3.66	9.2	17.4	.18			
740019	.01	.48	1.13	2.28	.05			
		24.30	44.83	77.02				
		3.4	6.4	11.02				
.30 6				17				
556.6								
586.6								
	46'	21.87 Combined		Pb/Zn				
		3.4 oz/ton Ag						



ASSAYER. K. Hoyland for H. Spalding

DDH-5

IMPORTANT:

ASSAY NOS

740001 :	420 - 426	6'	Massive sulphide
740002 :	508 - 512·6"	4.5'	Mineralised black sest.
740003 :	512 6" - 517	4.5'	Mineralised black sest
740004 :	517 - 521 6"		Min Bl sest.
740005 :	521 6" - 526·6"		Min Bl sest.
740006 :	526·6" - 530·5" (4')		Massive sulph.
740007 :	530.5" - 537	6.5'	Massive sulph.
740008 :	537 - 542 6"	5.5'	Massive sulph
740009 :	543' - 544·6"	1.5	Sev. phyllite with sulphides
740010 :	544·6" - 546'3"	1.8	BS + qtz fels sulph ve
740011 :	546·3" - 556-6"	10.2'	(4' missing 549-555 (Black Ag rich phyllite)
740012 :	556·6" - 559-4"	2.8'	Massive sulphide
740013 :	559-4" - 563 -6"	4.2	Massive sulphide
740014 :	563 6" - 568	4.5	Massive sulphide
740015 :	568' - 571'10"	3.9	Massive sulphide

26.6
42.6
16°

740016 : 571-10" - 577 5.1 Massive sulphide

740017 : 577 - 581' 4 Massive sulphide

740018 : 581 - 586 6" 5.5 Massive sulphide BX

740019 : 586-6" - 591-9" 5.3 Black mineralized sust.


ASSAY
LOCATION
IMPORTANT

DATE. ~~XXXXX~~ MAY 4, 1976

FILE NO. 9464- 103

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
2252			2.05	3.75	27.43
2253			.43	1.58	7.20
2254			3.40	4.05	40.46
2255			1.75	1.75	23.31
2256			1.10	.88	17.14
2257			1.50	1.48	23.31
2258			1.63	2.13	28.46
2259			.88	1.25	20.23
2260			1.25	1.50	24.34
2261			1.05	1.35	20.23
2262			2.05	3.75	35.31
2263			2.08	2.05	32.23
2264			3.33	4.40	47.31
2265			.35	1.40	14.06
2266			4.58	7.21	68.57
2267			4.55	4.45	63.43
2268			6.10	8.46	89.83
2269			4.08	5.55	70.63
2270			3.85	4.90	55.54
2271			1.28	2.10	39.43
2272			.45	.80	9.94
2273			7.20	13.64	114.86
2274			4.88	8.49	74.74
2275			5.80	8.90	90.86
2276			3.05	5.00	51.43
2277			4.53	6.85	76.80
2278			1.13	2.78	26.40
2279			2.80	4.20	48.34
2280			4.88	8.08	80.57
2281			3.78	5.55	38.40
2282			2.83	4.10	30.17
2283			3.40	4.45	38.40
2284			4.13	5.25	53.49
2285			4.08	5.35	70.63
2286			.83	1.10	26.40
2287			.10	.45	12.00
2288 *			.90	.95	38.40
2289			.75	1.23	22.29
2290			2.04	3.55	43.54
2291			.58	.63	26.40
2292			.10	.33	12.00
2293			.20	.58	16.11
2294			.08	.19	8.91
2295			.12	.17	9.94
2296			7.17	7.16	109.03
2297			11.16	8.41	161.49
2298			9.63	5.10	147.09
2299			1.23	.51	31.20

M-60

M-61

* Checked Twice

ASSAYER. K. Hoyland for GEO. SPALDING

DATE. MAY 4, 1976

FILE NO. 9464- 103

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
2300			7.27	8.79	90.86
2301			2.83	4.00	50.40
2302			1.75	2.40	30.17
2303			5.80	9.41	94.63
2304			1.70	2.03	27.43
2305			1.80	2.03	35.31
2306			2.78	2.85	40.46
2307			1.28	1.80	24.34
2308			.25	.48	8.91
2309			.40	.16	8.23
2310			4.03	6.82	70.63
2311			8.43	17.14	129.26
2312			4.80	9.69	72.69
2313			7.27	9.25	106.97
2314			6.40	5.60	96.69
2315			4.50	4.35	65.49
2316			3.70	4.00	63.43
2317			6.72	9.23	130.97
2318			6.00	8.90	137.14
2319			4.63	7.26	101.83
2320			6.90	12.57	116.92
2321			5.25	9.58	76.80
2322			4.30	6.55	85.72
2323			5.85	8.79	109.03
2324			6.60	8.94	118.97
2325			5.50	9.19	116.92
2326			4.00	5.95	76.80
2327			8.50	14.87	96.69
2328			7.60	10.27	88.80
2329			5.97	8.48	135.09
2330			5.79	10.58	121.03
2331			6.25	11.70	104.92
2332			7.77	12.73	100.80
2333			6.65	20.48	80.57
2334			3.30	14.21	48.34
2335			7.92	4.10	70.63
2336			7.10	3.90	68.57
2337			3.88	4.35	54.51
2338			3.15	2.60	47.31
2339			4.70	6.42	71.66
2340			7.30	8.18	113.14
2341			15.00	12.57	221.83
2342			4.23	8.23	54.51
2343			9.00	13.85	109.03
2344			6.40	9.41	114.86
2345			7.05	9.92	153.26
2346			6.45	9.77	129.26
2347			7.40	11.75	137.14



ASSAYER. K. Hoyland for GEO. SPALDING

DATE. MAY 4, 1976

FILE NO. 9464- 103

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
2348			9.56	15.49	147.09
2349			5.30	4.60	86.74
2350			6.07	8.33	90.86
2351			2.68	5.40	41.49
2352			5.65	10.10	118.97
2353			9.41	7.26	100.80
2354			4.78	4.70	50.40

Entered by L.B.
May 7, 1976



ASSAYER. K. Hoyland for GEO. SPALDING

DATE. MAY 10, 1976

FILE NO. 9465- 34

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U- 2355			4.23	8.84	63.43
2356			7.69	11.06	91.89
2357			8.33	12.65	146.06
2358			6.49	8.98	121.03
2359			6.10	10.05	111.09
2360			8.55	14.59	161.49
2361			8.65	14.69	169.37
2362			8.43	14.38	117.94
2363			4.85	12.80	87.77
2364			4.58	10.20	79.20
2365			4.38	4.70	75.77
2366			10.55	16.57	161.49
2367			8.63	12.13	126.17
2368			1.30	2.23	14.06
2369			3.45	2.95	45.26
2370			14.33	11.98	179.66
2371			15.28	8.98	188.57
2372			12.53	11.47	157.37
2373			4.95	3.70	70.63
2374			10.12	13.52	143.32
2375			8.17	15.09	108.00
2376			5.51	10.89	84.69
2377			4.28	8.52	50.40
2378			7.00	10.20	77.83
2379			6.80	9.44	129.26
2380			5.90	9.54	126.17
2381			5.20	8.95	94.63
2382			3.58	8.06	73.71
2383			5.44	8.93	89.83
2384			3.55	6.17	64.46
2385			3.88	4.20	56.57
2386			2.75	1.40	34.29
2387			8.77	13.21	101.83
2388			7.59	14.69	111.09

U-65

U-66

Entered by L.B.
May 12, 1976.



ASSAYER. K. Hoyland for GEO. SPALDING

DATE. MAY 11, 1976

FILE NO. 9468-49

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U- 2389			7.25	14.25	98.74
2390			5.59	21.24	69.60
2391			4.68	3.10	56.57
2392			1.33	1.05	21.26
2393			1.43	1.13	19.20
2394			1.20	.98	14.06
2395			2.35	1.68	30.17
2396			2.53	.53	45.26
2397			3.98	4.85	60.34
2398			2.08	1.55	37.37
2399			6.70	5.64	111.09
2400			5.80	7.10	84.69
2401			6.55	8.07	80.57
2402			9.33	10.08	138.17
2403			2.70	1.55	37.37
2404			1.80	1.00	26.40
2405			4.18	3.45	72.69
2406			4.50	3.80	54.51
2407			5.75	7.45	73.71
2408			6.10	8.78	100.80
2409			6.80	7.72	98.74
2410			2.48	2.35	35.31
2411			5.25	6.21	79.54
2412			5.90	8.02	100.80
2413			6.20	8.88	105.94
2414			1.33	.95	20.23
2415			3.23	2.50	36.34
2416			.95	.40	14.06
2417			3.93	4.40	40.46
2418			2.68	4.95	33.26
2419			3.30	3.90	42.51
2420			2.78	4.00	32.23
2421			.79	2.05	18.17
2422			.78	1.70	15.09
2423			2.30	2.75	39.43
2424			2.68	5.82	42.51
2425			4.93	10.11	67.54
2426			9.45	13.79	128.23
2427			10.51	13.81	100.80
2428			8.20	12.82	114.17
2429			2.23	5.00	41.49
2430			3.43	8.12	65.49
2431			6.12	13.01	100.80
2432			2.63	17.20	36.34
2433			5.40	21.54	58.63
2434			5.50	22.72	67.54
2435			5.95	22.18	80.57
2436			5.15	17.52	121.03
2437			2.50	5.00	50.40

U-66

Entered by RB May 13, 1976

U-67



ASSAYER. K. Hoyland for GEO. SPALDING

DATE. MAY 14, 1976

FILE NO. 9472-40

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U- 2438			.58	.53	12.00
2439			1.00	.53	20.23
2440			2.28	1.23	28.46
2441			2.35	1.00	26.40
2442			3.05	4.95	33.26
2443			2.13	4.73	32.23
2444			3.55	5.83	50.40
2445			8.20	14.72	113.14
U-68 2446			8.93	15.43	166.29
2447			10.48	19.44	133.03
2448			7.92	14.84	132.00
2449			3.78	9.33	74.74
2450			6.77	13.09	105.94
2451			3.18	3.10	49.37
2452			3.20	4.35	52.46
2453			.31	.48	7.20
2454			2.32	1.65	30.17
2455			2.55	3.58	28.46
2456			2.08	3.78	34.29
2457			4.25	6.62	66.51
2458			9.15	16.71	130.97
U-69 2459			6.99	12.62	146.06
2460			5.20	10.33	74.74
2461			2.20	4.58	36.34
2462			2.58	5.16	40.46
2463			4.08	10.07	65.49
2464			5.30	12.06	87.77
2465			5.73	12.93	90.86
2466			5.68	10.22	86.74
2467			6.74	13.40	110.06
2468			6.04	8.82	98.81
2469			6.84	12.93	140.23
2470			.95	.48	16.11
2471			1.00	1.48	16.11
2472			3.05	2.85	37.37
U-70 2473			1.48	2.85	28.46
2474			4.90	6.80	65.49
2475			7.79	10.69	103.89
2476			10.75	16.19	149.14
2477			9.00	18.27	114.17

Entered by KB
May 17, 1976.



ASSAYER. K. Hoyland for GEO. SPALDING

DATE. MAY 22, 1976

FILE NO. 9480- 57

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U- 2646			.82	.35	34.29 *
2647			2.45	1.05	52.46
2648			1.98	1.10	50.40
2649			.80	.59	21.26
2650			.23	4.00	8.91
2651			.40	2.83	15.09
2652			.83	4.70	21.26
2653			2.05	5.00	39.43
2654			1.52	3.88	28.46
2655			1.77	5.65	28.46
2656			5.20	7.11	72.69
2657			2.40	5.15	37.37
2658			2.10	4.38	34.29
2659			2.10	2.88	30.17
2660			1.00	2.55	16.11
2661			1.29	2.43	21.26
2662			1.04	2.92	19.20
2663			1.05	2.65	17.14
2664			3.35	6.07	50.40
2665			3.30	8.49	56.57
U-80 2666	J.H MAY 27/76		2.50	5.48	39.43
2667			1.45	1.65	22.29
2668			.15	1.18	9.94
2669			.35	1.40	13.03
2670			1.14	1.95	22.29
2671			2.65	4.50	37.37
2672			5.05	9.52	65.49
2673			3.45	5.15	52.46
2674			4.95	2.95	89.83
2675			4.40	8.98	65.49
2676			2.43	2.13	35.31
2677			5.65	4.30	71.66
2678			2.33	3.80	32.23
2679			1.45	3.78	26.40
2680			5.35	5.20	72.69
2681			2.78	4.90	39.43
2682			3.05	6.70	50.40
2683			3.00	6.98	39.43
2684			1.00	2.53	20.23
2685			3.43	7.80	55.54
2686			2.58	5.39	36.34
U-82 2687			.84	1.83	13.03

CHECKED * TWICE



ASSAYER. K. Hoyland for GEO. SPALDING

DATE. MAY 22, 1976

FILE NO. 9480- 57

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U- 2701			.13	.33	14.06
2702			2.50	4.10	42.51
U-75 2703			.83	.89	15.09
2704			.92	.98	14.06
2705			2.53	2.35	30.17
2706		J.H			
2707		May 27/76	.98	1.00	9.94
2708			2.55	4.00	30.17
2709			1.21	1.60	21.26
2710			1.88	2.50	25.37
2711			.15	.60	24.34
U-77 2712			5.75	10.05	101.83
2713			7.80	14.42	105.94
2714			1.53	1.60	30.17
2715			.07	.27	8.23
2716			.20	.75	9.94



ASSAYER. K. Hoyland for GEO. SPALDING

DATE. MAY 21, 1976

FILE NO. 9478- 62

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U- 2580			2.03	2.26	32.23
2581			.13	.33	10.97
2582			5.20	8.30	85.72
2583			5.15	8.20	105.94
2584			2.35	.90	29.14
2585			2.70	3.70	59.31
2586			3.80	4.30	50.40
2587			6.10	9.22	125.14
2588/2589 *			3.18	4.70	45.26
U-75 2590			8.70	11.66	143.32
2591	J.H. MAY 26/76		4.83	8.86	77.83
2592			5.30	8.60	87.77
2593			4.90	9.01	91.89
2594			3.88	8.17	69.60
2595			4.60	7.82	70.63
2596			4.65	7.61	76.80
2597			5.20	8.50	87.77
2598			3.38	6.57	51.43
2599			5.87	11.66	89.83
2600			2.03	2.75	35.31

* TWO TAGS



ASSAYER. K. Hoyland

GEO. SPALDING

DATE. MAY 21, 1976

FILE NO. 9478- 62

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U- 2605			.11	.68	10.97
2606			.12	.45	8.91
2607			.32	1.20	17.14
2608			.07	1.15	6.17
2609			.05	.73	8.23
2610			.80	1.90	30.17
2611			.49	1.73	23.31
2612			.45	1.58	21.26
2613			.48	1.40	16.11
U-74 2614			.09	.60	10.97
2615			.49	2.33	15.09
2616			.08	.45	7.20
2617			.07	.68	7.20
2618			.10	.67	8.91
2619			.08	.58	8.91
2620			.50	.75	17.14
2621	J.H MAY 26/76		.62	1.00	28.46
2622			1.67	2.28	26.40
2623			2.25	2.78	34.29
2624			.30	1.20	8.91
2625			3.90	5.00	50.40
2626			5.15	7.05	83.66
2627			4.60	5.85	73.71
U-76 2628			6.92	10.21	86.74
2629			4.30	5.10	57.60
2630			12.04	12.77	183.43
2631			2.70	1.60	40.46
2632			1.95	1.15	32.23
2633			1.20	.25	20.23
2634			.25	1.20	17.14
2635			.05	1.00	9.94
2636			.05	.62	5.14
2637			.40	.42	26.40
2638			.05	.25	4.11
U-78 2639			.06	.37	9.94
2640			.14	.75	8.23
2641			.11	.55	18.17
2642			.09	.25	9.94
2643			1.73	2.20	28.46
2644			.66	1.28	20.23
2645			.13	.75	9.94
U-75 2706			1.63	1.50	26.40



ASSAYER. K Hoyland

DATE. May 19, 1976

FILE NO. 9475 - 45

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U - 2539			10.09	19.85	181.37
2540			9.32	20.36	156.34
2541			8.71	18.60	141.26
2542			7.57	15.47	102.86
U-72 2543			1.78	3.38	37.37
2544			2.60	6.03	59.31
2545			9.20	14.85	146.06
2546			9.47	14.00	153.26
2547			2.15	1.64	24.34
2548			.66	.45	10.97
2549			3.28	2.70	35.31
2550			4.45	7.84	52.46
2551			4.20	7.84	49.37
2552			3.70	5.75	40.46
2553			3.30	3.90	34.29
2554			.60	.88	12.00
2555			2.28	4.36	40.46
2556			2.75	4.75	50.40
2557			2.98	6.80	46.29
2558			4.03	9.32	59.31
2559			3.58	7.94	53.49
U-73 2560	J.H. MAY 24/76.		7.09	10.64	108.00
2561			7.64	10.23	105.94
2562			7.80	12.93	111.09
2563			6.20	12.16	101.83
2564			7.74	12.77	122.06
2565			1.43	1.60	16.11
2566			11.82	23.00	146.06
2567			9.32	15.68	160.46
2568			.26	.15	8.91
2569			3.09	5.40	48.34
2570			9.12	13.74	175.54
2571			.16	.25	1.03
2572			7.59	17.61	55.54
2573			.78	1.62	12.00
2574			.75	1.10	10.97
2575			2.10	1.82	24.34
2576			2.93	1.64	31.20
2577			.40	.64	7.20
U-75 2578			1.30	.18	15.09
2579			.55	1.12	13.03
2601			3.38	3.52	44.23
U-74 2602			.85	1.40	13.03
2603			3.33	5.40	35.31
2604			1.72	1.85	23.31



ASSAYER. K. Hoyland Jr

GEO. SPALDING

DATE. May 19, 1976

FILE NO. 9474 - 61

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U- 2478			12.10	21.36	153.26
2479			9.38	16.56	123.09
2480			9.12	17.94	163.20
2481			.13	1.65	2.06
U-70 2482			.88	2.08	15.09
2483			4.20	8.04	68.57
2484			6.05	8.18	91.89
2485			7.14	14.11	126.17
2486			3.40	8.40	81.60
2487			.33	.19	7.20
2488			2.50	1.50	32.23
U-71 2489			3.75	4.35	44.23
2490			1.28	2.80	20.23
2491			2.45	4.45	40.46
2492			1.98	3.80	31.20
2493			6.74	11.66	82.63
2494			15.03	23.74	223.89
2495			4.95	11.00	72.69
2496			1.73	3.80	27.43
2497			2.63	5.96	36.34
2498			4.18	9.32	59.31
2499	J.H. MAY 24/76		4.37	8.76	74.74
2500			4.42	12.28	66.51
2501			6.14	13.10	94.63
2502			7.94	11.97	114.17
2503			3.58	6.93	45.26
2504			2.08	1.32	22.29
2505			2.50	1.00	25.37
U-72 2506			3.00	1.44	38.40
2507			2.10	.66	29.14
2508			1.25	.52	16.11
2509			1.15	.78	17.14
2510			.60	.39	10.97
2511			.58	.70	9.94
2512			.31	.45	4.11
2513			.35	.67	6.17
2514			.44	.63	5.14
2515			.27	.54	6.17
2516			.27	.45	5.14
2517			1.50	2.80	23.31
2518			1.58	1.20	27.43
2519			2.35	3.65	45.26
2520			.79	1.15	26.40
2521			2.50	3.94	33.26
2522			1.27	1.92	23.31
2523			5.81	7.79	74.74



ASSAYER. K Hoyland for GEO. SPALDIN

DATE. May 19, 1976

FILE NO. 9474 - 61

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U- 2524			1.40	2.25	29.14
2525			3.05	5.05	60.34
2526			1.74	2.25	28.46
2527			3.08	3.00	39.43
2528			2.23	2.54	30.17
U-72 2529			.70	.63	9.94
2530			2.98	3.12	34.29
2531			2.95	3.20	36.34
2532			.25	.46	4.11
2533			.64	1.35	9.94
2534			.99	1.21	15.09
2535			1.23	2.40	17.14
2536			1.33	1.43	23.31
2537			1.40	1.55	28.46
2538			2.88	3.90	45.26

J.H.
MAY 24/76



ASSAYER. K. Hoyland for GEO. SPALDING

DATE. MAY 31, 1974.

FILE NO. 8167-26 & 8171-14

ASSA CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y.T.
PHONE 667 2694

SAMPLE RECEIVED FROM AEX MINERALS CORPORATION

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	COPPER			
2501 306.75-312.5	.01	1.08	2.03	4.08	.03	A8		
2501 306.75-318	.01	.92	2.48	4.62	.03	↓		
2502 318-322	.005	1.16	3.08	6.48	.04			
2502 318-324.5	.01	.84	1.93	2.28	.06			
2503 238-245 (7)	.01	.40	.98	1.12	.04			
2503 238-250 (5)	.01	.48	.90	1.26	.06			
2504 250-263 13	.005	.32	.80	.90	.07	↑		
2504 250-267 4	TR	.08	.21	.08	.04	A8		
2505 583.5-592.5	.01	1.48	3.23	6.11	.05			
2506 373.75-378.75	.01	.64	1.18	3.36	.09	↓		
2506 378.75-383.75	.005	.32	.95	2.28	.03			
2507 383.75-388.75	.02	1.82	2.23	5.28	.03			
2507 388.75-393.75 35'	.01	1.67	2.50	5.40	.04	A9		
2508 393.75-398.75	.01	1.12	2.03	4.20	.05			
2509 398.75-403.75	.01	.56	.98	1.40	.03			
2510 403.75-408.75	.01	.80	2.00	4.02	.06			
2511 410-416	.02	2.90	5.55	7.92	.06	79 36		
2512 434-439	.01	1.68	2.85	6.12	.08			
2513 439-444	.04	2.80	5.55	10.52	.12			
2514 444-449	.02	2.78	7.50	10.63	.09		4.32 Pb	2.25 oz Ag
2515 449-454	.03	3.01	7.35	11.88	.10		7.15 Zn	
2516 454-459	.02	2.18	2.45	5.16	.05	45'	11.47	
2516 459-464	.02	1.62	1.90	4.26	.04			
2517 464-469	.02	1.50	2.93	7.08	.05			
2518 469-474	.02	2.86	4.28	8.50	.10			
2519 474-479	.02	1.82	4.13	6.24	.07			
	.20 .02?				.70 .07	↑		
8171-14:						A9		
2520 325.5-332.0	.005	.24	.18	1.58	.03			
2521 518.5 - 523.5	.02	3.06	5.55	14.79	.24	A-10 ↓		
2522 523.5 - 528.5	.02	2.14	4.35	6.96	.14			
2523 - 533.5	.04	1.56	2.55	2.76	.24			
2524 - 538.5	.04	1.48	3.08	4.26	.28			
2525 - 543.5	.04	3.12	6.38	11.45	.10			
2526 e/z - 548.5	.02	2.82	5.63	13.50	.10			
2527 553.5	.01	1.32	2.85	7.44	.04	65'	14.25 Pb Zn	
2528 558.5	.02	1.22	1.08	2.58	.27			
2529 563.45	.04	2.68	3.83	7.20	.13			
2530 568	.04	4.48	7.65	13.86	.29			
2531 573	.06	3.86	8.70	16.97	.22			
2532 578	.02	3.18	7.80	14.04	.15			
2533 578 - 583	.02	1.90	4.35	9.68	.07			
	.39	2.52	4.6	9.65	2.27			

0.3
13 39

ASSAYER. K. Hoyland for H. Spalding

DATE. JUNE 1, 1976

FILE NO. 9486 - 49

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
9486 - 49					
2688			1.03	3.48	19.20
2689			2.05	3.70	29.14
2690			2.40	3.95	40.46
2691			2.05	4.95	31.20
2692			1.15	2.28	18.17
2693			1.15	3.00	20.23
2694			.91	3.20	15.09
2695			1.48	2.80	27.43
2696			2.05	3.80	41.49
2697			6.29	11.52	112.12
2698			2.88	5.82	60.34
2699			3.40	5.50	61.37
2700			4.28	3.15	61.37
2717			.80	.55	24.34
2718			.11	.41	5.14
2719			5.83	8.62	97.72
2720			2.70	3.75	44.23
2721			1.05	1.45	13.03
2722			.65	.88	12.00
2723			1.35	1.67	19.20
2724			1.38	1.44	21.26
2725			.55	.60	8.91
2726			2.03	2.40	27.43
2727			.83	1.25	12.00
2728			2.23	4.20	31.20
2729			4.90	7.70	81.60
2730			6.29	7.52	63.43
2733			6.06	6.63	78.86
2734			4.18	6.89	66.51
2735			2.20	4.25	34.29
2736			2.98	2.90	43.54
2737			5.46	5.71	63.43
2738			6.96	9.94	87.77
2739			1.23	2.78	15.09
2740			.08	1.22	5.14
2741			3.75	4.55	50.40
2742			1.50	1.78	22.29
2811			5.51	6.68	66.51
2812			3.80	8.13	56.57
2813			3.83	7.96	61.37
2814			.05	.14	.34
2815			8.27	13.41	136.12
2816			.10	2.10	2.06
2817			6.99	14.17	99.77
2818			8.37	13.51	156.34
2819			8.59	16.37	149.14
2820			.05	.22	2.06
2821			4.25	9.69	77.83
2822			8.32	10.89	111.09

J. H June 3/76



ASSAYER. K. Hoyland Jr

GEO. SPALDING

DATE. JUNE 2, 1976

FILE NO. 9487 - 112

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	Lead	Zinc	SILVER gms/tonne
2731			4.98	6.73	93.94
2732			4.73	1.90	90.85
2743			1.37	1.00	18.17
2744			.44	.24	8.91
2745			.50	.14	9.94
2746			3.40	1.78	35.31
2747			2.93	2.63	30.17
2748			3.15	1.30	32.22
2749			3.10	1.00	29.14
2750			1.53	.30	19.20
2751			1.25	.26	28.45
2752			.73	.38	16.11
2753			2.88	3.45	31.20
2754			2.60	1.32	29.14
2755			1.89	1.56	23.31
2756			2.38	2.86	26.40
2757			1.85	.63	24.34
2758			4.35	4.40	48.34
2759			3.30	3.80	40.45
2760			3.65	4.40	58.62
2761			5.20	4.95	89.82
2762			2.30	2.54	45.25
2763			2.70	3.06	48.34
2764			4.68	7.45	62.40
2765			2.43	2.10	40.45
2766			5.00	9.28	95.65
2767			6.16	8.64	70.62
2768			3.90	7.14	54.51
2769			8.24	13.78	113.14
2770			9.10	13.22	132.00
2771			7.92	8.52	127.20
2772			6.18	9.34	115.88
2773			5.31	7.67	118.97
2774			5.35	7.18	114.85
2775			4.28	6.72	95.65
2776			6.57	10.25	110.05
2777			3.38	5.60	59.31
2778			4.35	5.40	68.57
2779			2.95	2.38	45.25
2780			1.61	1.15	16.11
2781			1.62	.85	19.20
2782			2.03	.78	22.28
2783			1.55	1.95	18.17
2784			3.83	6.40	63.42
2785			.75	1.73	14.05
2786			1.05	1.20	18.17

J. H. June 4/76



ASSAYER. K. Hoyland for GEO. SPALDING

DATE. JUNE 2, 1976

FILE NO. 9487 - 112

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
2787			1.35	2.10	17.14
2788			1.08	1.40	18.17
2789			1.00	1.78	15.08
u-83 2790			3.60	7.28	56.57
2791			6.92	12.97	96.68
2792			3.48	7.44	55.54
2793			7.81	15.59	128.22
2794			6.62	12.81	103.88
2795			4.59	8.56	66.51
2801			3.90	1.76	50.40
2802			5.48	3.02	69.60
2803			.14	.86	2.05
2804			.53	.20	7.88
u-82 2805			.20	.10	3.08
2806			.63	.22	9.94
2807			.28	.82	5.14
2808			.45	1.40	5.14
2809			.15	.34	.34
2810			1.28	2.64	23.31
2823			7.16	12.41	106.97
2824			5.20	13.11	84.68
2825			4.79	9.87	73.71
u-84 2826			4.08	8.46	66.51
2827			4.50	8.56	78.85
2828			5.20	7.69	75.77
2829			7.34	9.41	100.80
2830			4.30	7.64	74.74
2831			3.65	8.15	59.31
2832			6.70	17.88	116,91
2833			5.00	17.62	100.80
u-86 2834			4.28	9.58	70.62
2835			4.25	6.84	69.60
2836			2.68	5.00	40.45
2837			2.45	4.10	39.42
2838			.78	.52	9.94
2839			10.85	23.68	124.11
2840			6.33	9.54	55.54
2841			5.35	8.80	130.97
2842			1.60	3.40	29.14
2843			6.51	16.00	109.02
u-88 2844			5.45	11.54	86.74
2845			6.83	11.02	89.82
2846			5.80	5.10	83.65
2847			4.40	6.67	65.48
2848			7.13	12.16	121.02

J. H. June 4/76



ASSAYER. K. Hoyland for GEO. SPALDING

DATE. JUNE 2, 1976

FILE NO. 9487 - 112

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
2849			1.78	2.70	36.34
2850			5.65	7.90	79.54
2851			6.05	9.15	94.62
2852			7.05	9.15	100.80
2853			7.15	9.15	104.91
2854			2.83	4.15	41.48
2855			6.58	6.88	85.71
2856			2.73	2.00	27.42
2857			2.85	1.64	32.22
2858			5.80	7.26	79.54
2859			3.69	7.16	60.34
2860			1.90	4.00	32.22
2861			9.37	10.48	117.94
2862			10.20	19.89	137.14
2863			6.59	13.58	109.02
2864			3.33	7.92	67.54
2865			8.32	18.91	145.02
2866			9.12	12.60	123.08
2867			7.49	11.96	181.37
2868			9.34	16.30	154.28
2869			3.86	5.00	71.65

J.H. June 4/76.



ASSAYER. K. Hoyland for GEO. SPALDING

DATE. JUNE 7, 1976

FILE NO. 9497-- 77

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U-2870			.18	.30	7.20
2871			8.49	13.74	129.26
2872			2.88	4.50	53.49
2873			1.11	1.45	17.14
2874			.64	.48	7.20
2875			2.18	1.73	47.31
2876			7.67	7.84	135.09
2877			4.03	5.30	53.49
2878			3.63	4.05	44.23
2879			8.40	16.10	124.12
2880			9.85	13.27	160.46
2881			8.70	15.02	122.06
2882			9.17	15.27	137.14
2883			7.07	14.51	103.89
2884			10.75	19.12	127.20
2885			1.44	7.35	23.31
2886			1.09	9.37	17.14
2887			1.55	7.01	32.23
2888			4.35	10.36	72.69
2889			7.90	18.25	94.63
2890			8.78	13.59	114.86
2891			1.08	5.50	17.14
2892			3.05	8.31	42.51
2893			.89	3.40	17.14
2894			1.14	3.80	21.26
2895			1.38	2.93	25.37
2896			4.50	7.90	62.40
2897			1.33	2.05	34.29
2898			1.80	2.23	34.29
2899			2.23	3.58	36.34
2900			.81	.98	17.14
2906			1.92	3.23	35.31
2907			.93	1.78	14.06
2908			.69	1.18	13.03
2909			2.57	4.05	35.31
2910			1.90	4.45	27.43
2911			1.59	2.60	23.31
2912			.73	.88	13.03
2913			1.15	1.13	17.14
2914			1.45	1.65	24.34
2915			2.20	3.85	32.23
2916			2.58	4.50	36.34
2917			2.35	4.70	33.26
2918			1.44	2.23	20.23
2919			9.05	15.37	111.09
2920			9.91	18.46	147.09
2921			9.65	20.62	169.37
2922			8.40	18.55	143.32



ASSAYER. K. Hoyland

GEO. SPALDING

DATE. JUNE 7, 1976

FILE NO. 9497- 77

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD Pb	ZINC Zn	SILVER Ag gms/tonne
U- 2923			10.59	22.50	154.29
U-89 2924			6.54	12.92	103.89
2925			8.07	12.36	123.09
2926			6.74	8.51	103.89
2932			1.42	2.93	28.46
U-91 2933			1.28	2.50	22.29
2934			1.96	3.00	32.23
2935			1.61	2.58	24.34
3001			3.23	5.65	48.34
3002			3.42	3.50	54.51
3003			2.54	3.45	43.54
U-92 3004			3.88	2.85	42.51
3005			1.85	3.38	26.40
3006			.77	1.75	17.14
3007			1.70	2.78	34.29
3008			2.18	4.48	29.14
3021			2.90	8.50	53.49
3022			6.26	11.49	129.26
3023			4.80	14.44	47.31
3024			5.73	16.23	60.34
3025			4.45	12.05	63.43
U-96 3026			10.01	18.35	135.09
3027			6.94	14.60	103.89
3028			7.19	14.61	105.94
3029			6.70	10.20	91.89
3030			5.00	11.17	73.71
3031			5.46	11.15	80.57
3032			.59	4.40	14.06
3033			2.20	4.30	39.43

Entered by K B & Brandie

June 10 & 11, 1976.



ASSAYER. K. Hoyland Jr

GEO. SPALDING

DATE. JUNE 8, 1976

FILE NO. 9492- 10

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz Per Ton	LEAD	ZINC	SILVER gms/tonne			
U- 2796			.83	1.00	17.14			
2797			.63	1.13	13.03			
2798			.93	1.93	16.11			
2799			.58	1.20	10.97			
2800			4.10	8.96	62.40			
2901			7.12	17.45	114.17			
2902			7.22	22.48	120.00			
2903			5.32	17.28	87.77			
2904			6.40	11.30	98.74			
2905			5.63	11.09	84.69			

U-85

Entered by L.B.
June 10, '76.

ASSAYER. K. Hoyland for GEO. SPALDING

DATE. JUNE 9, 1976

FILE NO. 9506- 29

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U- 2927			1.86	2.63	35.31
2928			2.63	2.35	50.40
2929			1.73	3.63	33.26
2930			.78	1.83	17.14
2931			2.38	4.85	44.23
u-91 2936			1.88	3.75	26.40
2937			.85	1.93	12.00
2938			3.13	4.65	42.51
2939			3.23	4.30	46.59
2940			2.08	4.88	26.40
2941			.98	1.93	14.06
2942			1.68	2.83	25.37
3034			1.18	2.28	23.31
3035			.66	1.68	13.03
3036			.58	.90	9.94
3037			1.10	2.58	16.11
3038			3.70	7.15	56.57
3039			3.13	3.55	42.51
3040			3.40	3.35	43.54
3041			1.43	1.80	32.23
3042			1.10	3.80	16.11
3043			1.80	3.38	23.31
u-96 3044			.23	3.50	3.09
3045			2.78	5.50	40.46
3046			2.53	5.67	39.43
3047			.68	.60	12.00
3048			.95	1.75	15.09
3049			3.23	4.15	73.71
3050			2.83	4.12	64.46

J. H. June 12/76



ASSAYER. K. Hoyland Jr GEO. SPALDING

DATE. JUNE 14, 1976

FILE NO. 9510 - 114

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
2943			2.33	2.50	35.31
2944			1.65	.98	23.31
2945			1.60	1.63	26.40
2946			1.18	.98	17.14
2947			.75	1.68	9.94
2948			1.20	2.13	23.31
2949			.78	1.48	16.11
2950			3.48	3.70	50.40
2951			3.08	6.65	49.37
2952			1.50	3.00	26.40
2953			1.40	2.23	24.34
2954			.73	1.35	10.97
2955			1.08	.88	13.03
2956			.70	.98	13.03
2957			1.53	2.10	25.37
2958			.55	.75	17.14
2959			.43	.93	8.22
2960			1.08	1.75	13.02
2961			4.73	1.26	50.40
2962			3.30	2.86	41.48
2963			1.03	1.30	10.97
2964			.53	.63	8.22
2965			.52	.68	6.17
2966			.50	.60	7.20
2967			.48	.68	8.22
2968			2.98	3.55	49.37
2969			.83	.68	16.11
2970			1.78	2.00	37.37
2971			1.82	2.78	35.31
2972			2.60	4.55	50.40
2973			2.53	3.58	45.26
2974			2.45	3.90	45.26
2975			2.90	3.80	53.49
2976			2.10	4.40	37.37
2977			1.95	2.80	29.14
2978			1.28	2.93	10.97
2979			1.13	3.25	15.09
2980			1.05	2.33	20.23
2981			1.65	2.88	23.31
2982			1.68	2.38	22.29
2983			2.05	3.30	33.26
2984			1.13	1.08	16.11
2985			1.35	1.73	24.34
2986			1.90	2.15	26.40
2987			.68	.70	10.97
3009			4.35	7.44	62.40
3010			1.48	4.43	24.34



ASSAYER. K. Hoyland for GEO. SPALDING

DATE. JUNE 14, 1976

FILE NO. 9510 - 114

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
3011			.28	1.05	5.14
3012			.43	1.05	7.20
3013			.33	.63	5.14
3014			.55	.60	10.97
3015			.68	.98	13.03
3016			.23	.38	5.14
3017			1.05	.75	16.11
3018			.35	.59	7.20
3019			.35	.34	5.14
3020			.73	.60	10.97
3051			.05	.13	TR
3052			1.48	2.80	27.43
3053			.73	1.93	14.06
3054			.50	1.25	7.20
3055			3.45	4.70	48.34
3056			8.84	20.27	116.92
3057			6.41	15.49	95.66
3058			7.20	13.54	98.74
3059			4.75	8.61	70.63
3060			8.37	19.67	145.03
3061			9.17	23.91	152.23
3062			2.10	4.65	43.54
3063			7.02	9.74	121.03
3064			5.46	11.55	76.80
3065			3.10	4.05	46.29
3066			5.26	7.44	94.63
3067			2.68	4.70	45.26
3068			1.13	1.78	14.06
3069			.68	1.30	9.94
3070			.73	.75	18.17
3071			1.80	2.80	29.14
3072			3.78	7.05	46.29
3075			5.75	11.65	96.69
3076			7.70	14.97	111.09
3077			11.77	21.01	164.57
3078			9.26	16.97	127.20
3079			7.30	13.60	90.86
3080			6.75	13.13	92.92
3081			2.85	6.01	37.37
3082			6.15	10.53	78.86
3083			2.00	4.24	33.26
3084			1.03	3.50	23.31
3103			3.28	6.14	57.60
3104			4.63	3.85	73.71



ASSAYER. K. Hoyland for GEO. SPALDING

DATE. JUNE 14, 1976

FILE NO. 9510 - 114

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
3105			2.45	5.35	41.49
3106			3.50	5.90	54.51
3107			2.20	4.97	40.46
3108			2.93	4.28	33.26
3109			2.15	3.60	32.23
3110			4.50	8.41	73.71
3111			4.05	6.14	70.63
3112			1.96	3.35	34.29
3113			1.28	2.95	26.40
3114			2.80	4.55	46.29
3115			6.92	9.48	88.80
3116			6.55	5.90	90.86
3117			5.40	10.22	55.54
3118			3.55	11.25	65.49
3119			1.43	3.53	26.40
3120			1.98	7.16	31.20
3121			6.10	13.70	87.77
3122			6.45	11.70	93.94
3123			5.96	8.36	78.86
3124			3.55	4.20	50.40
3125			2.38	2.65	38.40
3126			3.35	5.40	52.46
3127			2.13	2.60	30.17

M-95 ✓

Entered by LB
June 16, 1976.



ASSAYER. K. Hoyland for GEO. SPALDING

DATE. June 19, 1976

FILE NO. 9515 - 90

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
2988			2.85	6.31	47.31
2989			2.08	3.50	28.46
2990			2.00	3.80	28.46
2991			1.48	3.38	23.31
2992			1.13	2.53	18.17
2993			.68	1.50	14.06
2994			.98	2.08	17.14
2995			.88	1.05	13.03
2996			2.98	1.85	35.31
2997			1.78	4.10	29.14
2998			.63	2.03	24.34
2999			2.68	5.45	44.23
3000			3.38	6.11	56.57
3085			1.73	4.38	33.26
3086			4.74	10.17	68.57
3087			3.78	4.10	52.46
3088			1.23	1.88	17.14
3089			2.50	3.05	33.26
3090			2.78	4.55	36.34
3091			1.63	2.88	25.37
3092			2.18	5.93	30.17
3093			1.23	2.73	19.20
3094			3.14	5.60	50.40
3095			2.83	6.49	40.46
3096			1.38	2.55	17.14
3097			2.38	5.90	34.29
3098			1.13	4.94	17.14
3099			3.08	3.50	41.49
3100			1.70	7.00	25.37
3101			6.86	12.32	104.92
3102			4.62	9.59	74.74
3128			.20	.33	8.23
3129			1.08	1.38	18.17
3130			3.85	6.67	66.51
3131			7.00	8.23	74.74
3132			5.19	4.70	92.92
3133			3.03	5.65	51.43
3134			2.93	4.60	50.40
3135			2.20	2.75	39.43
3136			2.43	4.90	46.29
3137			1.73	4.03	34.29
3138			1.13	3.03	21.26
3139			1.58	2.98	27.43
3140			1.53	4.65	26.40
3141			1.28	4.78	24.34
3142			1.43	5.47	28.46



ASSAYER. K. Hoyland for GEO. SPALDING

DATE. June 19, 1976

FILE NO. 9515 - 90 Page #2

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
3143			2.98	4.35	55.54
3144			2.23	8.02	40.46
3145			1.65	5.15	28.46
3146			1.68	5.07	39.43
3147			1.75	4.50	37.37
3148			1.85	5.08	44.23
3149			1.98	4.05	46.29
3150			2.13	3.40	52.46
3151			1.83	4.90	42.51
3152			2.81	4.65	56.57
3153			3.78	6.55	69.60
3154			1.63	4.84	33.26
3155			3.35	8.20	62.40
3156			3.23	7.65	64.46
3157			3.58	7.13	66.51
3158			3.80	8.95	74.74
3159			3.13	10.48	43.54
3160			3.58	7.85	58.63
3161			1.30	2.88	20.23
3162			1.15	2.80	20.23
3201			1.05	2.63	15.09
3202			4.89	10.94	86.74
3203			2.43	3.15	37.37
3204			4.89	2.75	71.66
3205			5.54	4.50	72.69
3206			1.90	1.83	26.40
3207			1.43	.68	18.17
3208			.13	TRACE	TRACE
3209			1.10	2.45	15.09
3210			2.20	5.20	31.20
3211			1.38	3.70	22.29
3212			.48	1.23	7.20
3213			.55	1.53	7.20
3214			3.28	5.50	45.26
3215			3.43	6.97	47.31
3244			9.86	22.57	168.34
3245			8.40	19.86	137.14
3246			4.58	12.62	78.86
3247			8.81	19.97	137.14
3248			9.20	15.20	150.17
3249			9.74	13.95	130.97
3250			9.41	14.72	146.06
3251			.63	.48	14.06
3252			.30	.45	6.17

Entered by K.B. June 23, 1976.



ASSAYER. K. Hoyland Jr GEO. SPALDING

DATE. June 21, 1976

FILE NO. 9521 - 53

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
3216			8.08	16.53	114.17
3217			7.74	15.98	128.23
3218			7.67	17.00	112.12
3219			9.90	19.64	127.20
3220			.95	1.68	12.00
3221			6.15	8.89	74.74
3222			3.05	5.95	46.29
3223			2.80	3.05	35.31
3224			6.97	5.20	87.77
3225			.05	.03	TRACE
3226			7.72	14.54	145.03
3227			.55	1.05	13.03
3228			.88	1.20	13.03
3229			2.58	4.00	44.23
3230			2.58	4.40	35.31
3231			2.48	6.25	27.43
3232			2.33	2.90	34.29
3233			2.98	7.45	43.54
3234			3.78	7.90	50.40
3235			2.98	5.45	40.46
3236			7.47	14.44	98.74
3237			7.54	16.69	120.00
3238			7.68	18.02	111.09
3239			7.52	17.51	108.00
3240			12.32	22.45	166.29
3241			12.25	22.03	172.46
3242			10.00	17.46	134.06
3243			8.24	13.98	166.29
3253			.08	TRACE	TRACE
3254			.78	.33	9.94
3255			4.98	5.70	78.86
3256			8.88	10.50	111.09
3257			2.63	5.74	34.29
3258			2.23	4.35	32.23
3259			2.00	3.90	30.17
3260			2.03	3.85	30.17
3261			1.65	3.68	26.40
3262			1.23	2.90	21.26
3263			.75	1.40	15.09
3264			1.45	2.58	22.29
3265			1.28	3.40	17.14
3266			1.10	2.43	16.11
3267			1.30	3.68	21.26
3268			1.10	2.80	20.23
3269			1.25	4.78	24.34
3270			1.58	5.20	34.29
3271			.13	.25	TRACE



ASSAYER. K. Hoyland for GEO. SPALDING

DATE. June 21, 1976

FILE NO. 9521 - 53

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U-106 → 3272			.10	.13	TRACE
3301			5.81	6.40	68.57
3302			4.18	9.07	63.43
U-99 3303			4.90	12.40	78.86
3304			3.00	8.22	83.66
3305			2.60	6.27	43.54

Entered by KB
June 22, 1976



ASSAYER. K. Hoyland for GEO. SPALDING

DATE. June 22, 1976

FILE NO. 9532- 15



ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
3280			8.30	9.87	117.60
3281			7.85	9.51	111.09
3282			6.75	8.44	92.92
3283			6.54	8.64	84.69
3284			2.73	2.35	34.29
3285			1.65	1.50	23.31
3286			3.60	2.78	37.37
3287			1.80	1.48	20.23
3288			1.05	.60	16.11
3289			.10	.43	4.11
3290			.43	.68	10.97
3306			4.09	5.78	62.40
3307			6.20	11.25	108.00
3308			4.30	6.93	55.54
3309			6.47	9.15	104.92

Entered by LB
June 25, 1976

ASSAYER. GEO. SPALDING

DATE. June 29, 1976

FILE NO. 9539 - 36

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
3273			9.31	21.22	144.23
3274			3.70	6.91	55.54
3275			4.19	6.74	83.66
3276			5.98	10.61	85.72
3277			6.38	9.64	88.80
3278			.88	1.03	17.14
3279			.83	1.15	17.14
3291			2.25	3.35	35.31
3292			3.98	5.76	61.37
3293			2.85	3.35	40.46
3294			2.53	2.25	33.26
3295			2.93	4.40	44.23
3296			3.00	2.30	50.40
3297			1.58	3.00	15.09
3298			4.22	10.25	67.54
3299			4.14	8.21	66.51
3300			5.76	8.87	86.74
3310			6.16	8.77	80.57
3311			3.10	4.50	44.23
3312			2.98	4.35	39.43
3313			.85	1.38	10.97
3314			.55	.63	15.09
3315			.38	.58	8.91
3316			.35	.38	8.91
3317			.18	.60	7.20
3318			.23	.60	7.20
3319			.28	.43	13.03
3320			3.00	3.75	49.37
3401			.68	1.45	8.23
3402			4.15	6.76	58.63
3403			5.55	5.86	78.86
3404			3.08	5.15	55.54
3405			.55	.45	10.97
3406			.18	.28	3.09
3407			.18	.30	3.09
3408			4.80	8.26	71.66

Entered by LB
June 30, 1976.



ASSAYER. K. Hoyland Jr

GEO. SPALDING

DATE. July 1, 1976

FILE NO. 9547 - 69

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
3321			4.98	7.46	74.74
3322			2.88	5.40	46.29
3323			7.77	13.02	126.17
3324			2.80	2.76	41.49
3325			3.38	3.06	49.37
3326			4.65	3.10	72.69
3327			4.08	4.86	64.46
3328			3.50	2.80	50.40
3329			4.35	5.84	66.51
3330			1.93	2.70	28.46
3331			2.60	3.66	40.46
3332			3.08	2.46	45.26
3333			2.05	2.60	32.23
3334			.13	.60	3.09
3335			1.48	3.00	24.34
3336			1.03	1.20	19.20
3337			1.30	1.88	20.23
3338			.33	.46	6.17
3339			1.48	2.18	24.34
3409			3.13	6.73	50.40
3410			2.73	3.45	44.23
3411			1.93	3.33	32.23
3412			2.33	3.85	35.31
3413			1.48	3.10	28.46
3414			2.20	4.35	40.46
3415			1.53	2.18	28.46
3416			.98	1.88	17.14
3417			1.80	3.75	35.31
3418			2.98	5.00	48.34
3419			3.25	3.90	52.46
3420			4.00	6.74	57.60
3421			3.20	4.25	51.43
3422			1.30	2.95	19.20
3423			2.00	3.96	31.20
3424			1.75	4.20	27.43
3425			1.93	2.58	25.37
3426			5.46	10.31	91.89
3427			2.28	4.36	47.31
3428			.18	.33	6.17
3429			.45	.75	18.17
3430			.02	.05	1.03
3431			.01	.08	TRACE
3432			4.34	6.13	70.63
3433			2.53	3.66	41.49
3434			1.60	2.48	28.46
3435			4.43	6.90	67.54



ASSAYER. K. Hoyland for

DATE. JULY 1, 1976

FILE NO. 9547 - 69 Page #2

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U-116 3436			4.85	4.90	70.63
3437			.13	.23	3.09
3438			4.50	7.69	63.43
3439			3.78	7.21	55.54
3440			3.10	6.51	51.43
3441			.73	1.38	15.09
3442			2.00	4.25	27.43
3443			1.75	2.33	27.43
3444			1.25	1.83	14.06
3445			2.68	1.80	25.37
3446			2.18	4.20	29.14
3447			1.98	3.25	29.14
3448			3.55	4.75	52.46
3449			5.29	9.89	75.77
3450			.45	1.28	9.94
3451			5.69	10.20	77.83
3452			2.08	6.74	38.40
3453			2.78	6.25	45.26
U-118 3454			5.00	10.71	90.86
3455			8.40	16.54	168.34
3456			9.30	18.49	208.80
3457			4.05	9.66	66.51
3458			3.75	6.15	59.31

Entered by [illegible]

July 6, 1976.



ASSAYER K. Hoyland for

DATE. July 6, 1976

FILE NO. 9553 - 38

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U					
3340			1.98	2.80	31.20
3341			.85	.90	10.97
3342			1.18	1.20	13.03
3343			8.05	13.43	130.97
3344			.05	.13	2.06
3345			.02	.03	TR.
3346			.03	.05	TR.
3347			.48	.73	6.17
3348			.08	.18	3.09
3349			.03	.13	TR.
3350			1.60	2.06	26.40
3351			4.88	6.03	65.49
3352			4.96	10.11	72.69
3353			1.53	2.68	23.31
3354			5.56	8.35	81.60
3355			4.43	7.20	64.46
3356			3.23	4.45	42.51
3459			1.45	2.66	27.43
3460			1.08	4.10	24.34
3461			6.36	9.65	94.63
3462			6.40	12.35	100.80
3463			4.15	4.00	55.54
3464			.15	.50	3.09
3465			6.10	10.37	68.57
3466			3.45	7.86	46.29
3467			1.33	2.20	24.34
3468			1.33	3.40	23.31
3469			1.40	3.86	25.37
3470			2.13	2.86	27.43
3471			4.28	3.86	50.40
3472			1.48	2.70	17.14
3473			1.98	2.00	26.40
3474			1.13	1.36	16.11
3475			4.08	7.69	61.37
3476			2.00	2.15	27.43
3477			2.08	3.65	27.43
3478			2.63	4.60	40.46
3479			1.43	4.00	21.26

Entered by [illegible]
July 7, 1976



ASSAYER. [illegible]



ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

DATE. July 9, 1976

FILE NO. 9566 - 8

SURFACE SAMPLES

SAMPLE RECEIVED FROM CANADIAN NATURAL RESOURCES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne			
3601			1.83	3.70	26.40			
3602			2.05	3.20	25.37			
3603			3.18	2.85	48.34			
3604			3.45	2.46	41.49			
3605			.68	.85	8.91			
3606			5.60	9.95	77.83			
3607			2.18	3.60	31.20			
3608			.25	.18	5.14			

A-129

ASSAYER. GEO. SPALDING

DATE. July 13, 1976

FILE NO. 9565 - 52

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U 3480			1.75	4.30	25.37
3481			2.00	3.65	24.34
3482			2.00	3.75	26.40
3483			2.73	5.68	43.54
3484			3.13	7.39	52.46
3485			4.35	8.13	67.54
3486			5.90	6.36	75.77
3487			5.79	9.36	89.83
3488			5.36	7.21	77.83
3489			1.35	2.73	20.23
3490			1.58	2.74	32.23
3491			2.58	4.35	59.31
4-124 3492			.73	1.25	17.14
3493			1.45	1.05	22.29
3494			1.48	2.95	33.26
3495			1.87	3.85	38.40
3496			1.78	2.88	43.54
3497			5.75	6.77	85.72
3498			8.09	17.89	126.17
3499			14.98	22.56	226.97
3500			6.71	14.90	125.14
3501			6.27	5.15	80.57
3502			5.24	6.32	70.63
3503			3.15	3.85	45.26
3504			1.53	3.13	19.20
3505			2.00	6.08	32.23
3506			2.40	3.65	37.37
3507			1.93	2.53	28.46
3508			1.63	3.38	31.20
3509			2.95	4.55	37.37
3510			2.70	4.30	34.29
3511			2.90	6.32	45.26
3512			2.80	4.68	40.46
4-126 3513			2.45	4.20	37.37
3514			2.49	5.15	39.43
3515			5.94	6.05	74.74
3516			6.71	3.95	77.83
3517			4.50	2.90	50.40
3518			4.39	3.45	55.54
3519			7.56	3.80	95.66
3520			5.99	9.37	87.77
3521			4.45	8.34	65.49
3522			4.65	9.61	70.63
3523			4.10	8.23	84.69
3524			4.85	9.08	83.66
3525			4.70	7.98	74.74



GEO. SPALDING

ASSAYER. K Hoyland Jr



ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

DATE. July 13, 1976

FILE NO. 9565 - 52

SAMPLE RECEIVED FROM KERR ADDISON

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
3526			4.70	8.38	77.83
3527			4.48	6.70	65.49
3528			4.21	7.62	65.49
3529			7.36	13.69	114.17
3530			4.51	7.41	65.49
3531			5.42	7.93	78.86

11-126

Entered by [illegible]
July 14, 1976.

ASSAYER K. Hoyland for GEO. SPALDING

DATE. July 14, 1976

FILE NO. 9577 - 22

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U 3532			3.73	4.80	67.54
3533			5.71	10.07	82.63
3534			7.34	10.12	100.80
3535			3.48	3.30	46.29
3536			.61	1.30	8.91
3537			1.12	2.33	17.14
3538			.48	.98	8.91
3539			1.20	2.20	22.29
3540			5.53	9.58	93.94
3541			4.63	7.31	70.63
3542			2.10	3.40	40.46
3543			3.53	4.70	45.26
3544			2.93	4.95	42.51
3545			.44	.48	12.00
3546			1.42	2.43	21.26
3547			3.10	4.70	51.43
3548			6.38	9.96	88.80
3549			3.15	4.05	42.51
3550			1.67	1.08	21.26
3551			4.10	4.90	47.31
3552			4.73	8.45	98.74
3553			3.18	5.50	50.40

U-126

Entered by LB
July 17, 1976.



ASSAYER.

DATE. July 15, 1976

FILE NO. 9589 - 5



ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM Canadian Natural Resources

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne			
SURFACE								
A131-3609			.60	.43	9.94			
A131-3610			.05	.23	6.17			
A131-3611			.02	.35	5.14			
A131-3612			2.95	4.60	33.26			
A131-3613			4.50	8.70	75.77			

A131

Entered by LB
July 17, 1976.

ASSAYER: K. Hoyland for GEO. SPALDING

DATE. July 22, 1976

FILE NO. 9615 - 33

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER Gms/tonne
U 3390			.38	.25	7.20
U-111 3391			.05	.03	3.09
3392			TR	TR	TR
3393			TR	TR	TR
3715			.80	.90	9.94
3716			.83	1.73	13.03
3717			3.38	4.76	55.54
3718			.78	1.25	17.14
3719			2.18	4.00	42.51
3720			2.78	4.76	55.54
3721			2.25	4.90	43.54
U-132 3722			2.65	4.46	58.63
3723			3.28	4.80	53.49
3724			2.10	3.10	35.31
3725			1.80	3.90	25.37
3726			2.33	4.46	32.23
3727			3.00	2.66	43.54
3728			2.13	2.70	32.23
3729			3.00	4.96	43.54
3730			2.88	3.16	39.43
3731			2.08	5.25	33.26
3732			.65	3.10	9.94
3733			1.53	2.68	24.34
3801			4.55	8.36	72.69
3802			3.20	6.60	57.60
3803			.68	1.18	8.91
U-109 3804			1.63	1.88	21.26
3805			2.15	3.30	33.26
3806			2.43	4.10	38.40
3807			1.70	3.95	28.11
3808			.73	1.15	9.94
3809			1.55	2.98	20.23
3810			1.83	1.85	31.20

33

Entered by Dave Preston
July 28/76



ASSAYER. K. Hoyland

DATE. July 19, 1976

FILE NO. 9602 - 18

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U 3372			6.20	6.00	67.54
3373			5.10	6.37	63.43
3374			2.35	3.46	31.20
3375			.40	.68	7.89
3376			.55	.73	9.94
3377			.38	.35	5.14
3378			1.70	2.80	18.17
3379			.85	1.10	13.03
3380			.28	.43	6.17
3381			.55	.73	7.20
3382			.78	.23	8.23
3383			.33	.63	5.14
3384			.28	.73	6.17
3385			.13	.25	5.14
3386			.28	.70	6.17
3387			.13	.20	2.06
3388			.10	.30	2.06
3389			TR	TR	TR

U-111

Entered by Dave Preston
July 20/76



ASSAYER. K. Hoyland Jr

DATE. July 16,1976

FILE NO. 9595 - 16

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne			
U 3360			1.78	2.60	28.46			
3361			.10	.18	TR			
3362			.01	TR	TR			
3363			2.03	3.46	31.20			
3369			1.73	5.35	30.17			
3370 O.K.			1.83	4.48	34.29			
3371			5.62	11.02	108.00			
3596			3.25	6.17	45.26			
3597			4.33	7.86	64.46			
3598			3.80	6.95	54.51			
3709			3.38	6.45	67.54			
3710			1.85	3.05	27.43			
3711			3.25	7.08	51.43			
3712 O.K.			3.93	4.65	59.31			
3713			3.65	6.35	52.46			
3714			1.05	1.55	15.09			

U-107

U-109

U-130

U-132

Entered by [illegible]
July 18, 1976.



ASSAYER. K. Hoyland Jr

[illegible]ALDING

DATE. July 16, 1976

FILE NO. 9590 - 55

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U					
3357			.15	.13	5.14
3358			.33	.20	6.17
3359			1.38	3.23	22.29
3554			3.28	7.06	48.34
3555			6.70	9.36	113.14
3556			6.35	6.07	82.63
3557			3.38	3.10	58.63
3558			3.63	2.95	51.43
3559			1.00	1.33	20.23
3560			2.00	2.80	29.14
3561			4.38	5.05	69.60
3562			3.10	4.65	44.23
3563			4.55	7.51	72.69
3564			5.88	8.98	87.77
3565			2.18	3.30	44.23
3566			3.88	5.50	52.46
3567			2.83	5.30	42.51
3568			.70	1.65	20.23
3569			.08	.50	8.91
3570			.13	.40	9.94
3571			1.55	1.88	27.43
3572			3.10	4.55	47.31
3573			3.15	5.10	49.37
3574			2.03	4.25	35.31
3575			1.98	3.70	32.23
3576			3.35	4.60	47.31
3577			1.80	2.88	25.37
3578			1.73	3.00	26.40
3579			1.75	4.23	29.14
3580			1.60	4.75	28.11
3581			6.55	9.33	85.72
3582			5.55	3.88	63.43
3583			3.30	3.25	49.03
3584			1.68	2.33	22.29
3585			4.83	5.20	70.63
3586			5.80	7.26	76.80
3587			6.40	8.75	78.86
3588			6.40	9.23	76.80
3589			5.65	8.40	69.60
3590			2.88	3.25	37.37
3591			4.85	8.87	77.83
3592			6.08	10.92	95.66
3593			7.80	11.69	102.86
3594			1.75	1.08	25.37
3595			2.55	4.35	40.46

Entered by KB July 17, 1976



ASSAYER. GEO. SPALDING



ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

DATE. July 16,1976

FILE NO. 9590 - 55

SAMPLE RECEIVED FROM KERR ADDISON

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz Per Ton	LEAD	ZINC	SILVER gms/tonne
U					
3599			1.70	3.30	29.14
3600			1.78	2.03	24.34
3701			3.48	3.05	47.31
3702			4.13	3.15	59.31
3703			2.03	3.25	33.26
3704			1.18	1.40	10.97
3705			2.20	1.33	20.23
3706			1.43	1.66	16.11
3707			2.43	4.43	39.43
3708			3.45	6.00	54.51

U-130 ✓

Entered by B
July 17, 1976

ASSAYER. GEO. SPALDING

DATE. AUGUST 10, 1976

FILE NO. 9649 - 79

ASSAY CERTIFICATE

Approved for payment

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR- ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton GMS	LEAD	ZINC	SILVER gm/tonne
U - 3364			1.55	2.55	23.31
3365			1.68	2.85	26.40
U-107 3366			1.60	3.45	30.17
78 3367			1.00	2.13	18.17
3368			1.38	2.00	21.26
3793			.60	1.05	9.94
3794			.20	.25	10.97
3795			6.43	11.36	100.80
3796			6.57	10.85	91.89
U- 125 3797			3.50	6.06	35.31
1° 3798			3.38	8.38	50.40
3799			5.63	16.35	82.63
3800			7.07	19.28	96.69
3902			1.53	1.88	24.34
3903			2.75	3.40	38.40
3904			3.80	5.00	53.49
U-107 3905			4.20	5.55	55.54
3906			2.85	4.85	38.40
3907			4.50	8.86	73.71
3908			7.35	12.75	100.80
3909			6.08	9.91	84.69
3917			3.30	7.82	54.51
3918			3.65	9.70	48.34
U-107 3919			3.15	4.95	52.46
3920			2.89	3.35	38.40
3921			3.60	6.43	60.34
3926			1.15	2.18	22.29
3927			2.08	2.45	30.17
3928			1.95	1.76	28.11
U-107 3929			1.55	3.30	29.14
3930			1.85	2.05	26.40
3934			2.70	4.40	41.49
U-107 3935			1.78	3.00	34.29
3936			6.26	9.96	97.72
4001			14.46	25.37	209.83
U-125 4002			4.00	9.86	54.51
70 4003			4.75	13.50	78.51
4014			4.80	10.51	95.66
U-127 4015			6.90	12.04	80.57
70					



ASSAYER. L. Hoyland GEO. SPALDING

DATE: AUGUST 10, 1976

FILE NO. 9649 - 79

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR - ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gm/tomme
U- 4016			5.80	11.07	65.49
4017			2.65	5.15	36.34
4018			6.28	12.48	63.09
4019			5.85	10.77	99.77
4020			6.18	12.90	96.69
4021			7.27	15.27	100.80
4022			.55	1.63	20.23
4023			.15	.73	8.23
4024			4.70	6.83	60.34
4025			1.88	2.15	26.40
4026			.38	.68	8.91
4027			.15	.50	4.11
4028			.28	.55	5.14
4029			.53	.80	8.23
4030			3.65	4.70	53.49
4031			4.20	4.15	70.63
4032			3.00	2.75	40.46
4033			2.98	2.10	38.40
4034			1.23	.95	20.23
4035			1.38	1.13	21.26
4036			2.25	2.05	24.34
4037			2.30	1.75	23.31
4038			1.23	2.10	14.06
4039			.33	.70	7.20
4040			1.03	2.10	17.14
4041			.23	.50	5.14
4042			1.15	2.23	20.23
4043			1.60	2.40	26.40
4044			1.10	1.08	25.37
4045			2.23	4.20	76.80
4046			3.40	3.65	43.54
4047			3.80	6.76	55.54
4048			1.73	5.70	30.17
4049			1.65	3.58	28.46
4050			3.58	6.43	55.54
4051			5.25	10.06	88.80
4052			3.88	7.24	67.54
4053			2.45	2.75	42.51
4054			2.18	4.15	50.40
4055			6.82	10.10	97.72

U-127 10

U-129 16

40

Entered by LB

Aug. 12, 1976.

Approved for payment Aug 13/76 on invoice



ASSAYER. K. Hoyland

GEO. SPALDING

DATE. AUGUST 9, 1976

FILE NO. 9643- 81

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U- 3766			6.27	13.89	100.80
3767			7.71	19.90	126.17
3768			9.26	17.66	157.37
3769			8.71	24.30	149.14
3770			9.81	26.75	162.52
3771			7.71	14.10	142.29
3772			5.70	14.15	77.83
3773			5.92	12.78	92.92
3774			6.25	12.57	99.77
3775			8.66	14.50	146.06
3776			10.75	19.40	184.46
3777			5.20	11.07	81.60
3778			4.88	8.15	59.31
3779			6.76	9.20	93.94
3780			4.95	10.11	75.77
3781			.48	.70	5.14
3782			6.37	8.46	87.77
3783			7.35	13.99	120.00
3784			4.70	7.80	78.86
3785			7.36	11.80	114.86
3786			4.05	6.54	67.54
3787			6.80	12.63	110.06
3788			2.15	2.90	35.31
3789			1.85	2.78	30.17
3790			.83	1.38	22.29
3791			.23	.83	14.06
3792			.65	.78	20.23
3856			3.85	6.22	55.54
3857			1.65	2.65	24.34
3869			2.38	6.82	39.43
3870			3.08	6.17	69.60
3871			4.48	7.45	85.72
3872			2.11	2.13	43.54
3873			.10	.15	2.74
3874			4.50	5.15	92.92
3875			2.85	2.68	55.54
3876			4.65	8.35	75.77
3877			4.55	7.97	62.40
3878			10.75	19.60	174.52
3879			11.06	23.63	185.49
3881			4.98	8.82	60.34
3882			5.82	9.35	82.63
3883			4.45	7.98	60.34
3880			9.53	18.75	124.12



ASSAYER. L. Hoyland for GEO. SPALDING

DATE: AUGUST 9, 1976

FILE NO. 9643 - 81

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne			
U- 3884			.09	.30	15.09			
3885			.20	.15	18.17			
3886			.08	.45	9.94			
3887			.15	.60	15.09			
3888			.35	.78	15.09			
3889			1.33	1.83	21.26			
3890			6.82	9.68	78.86			
3891			1.00	1.40	20.23			
3892			.45	.70	19.20			
3893			.93	1.10	17.14			
3894			.10	.33	5.14			
3895			.15	.58	10.97			
3896			.08	.30	7.20			
3897			.10	.50	7.20			
3898			.12	.35	6.17			
3899			.13	.68	7.20			
3900			1.30	2.53	27.43			
3901			3.65	6.14	65.49			
3910			4.85	6.24	70.63			
3911			2.00	1.36	30.17			
3912			3.95	1.73	28.46			
3913			7.37	3.75	77.83			
3914			2.30	1.33	28.46			
3915			.40	.30	9.94			
3916			.15	.10	8.91			
3922			.23	.30	12.00			
3923			.22	.10	13.03			
3924			.20	.15	12.00			
3925			2.40	2.80	31.20			
4007			10.72	18.36	137.14			
4008			1.28	2.48	17.14			
4009			.25	.40	5.14			
4010			7.30	10.76	93.94			
4011			6.20	15.01	96.69			
4012			1.53	2.50	30.17			
4013			8.26	12.41	87.77			
4006			9.41	13.98	140.23			

U-123 70

U-123 70

U-123 70

U-127 70

18

7

4

8

37

Entered by LB
Aug. 10, '76



ASSAYER. L. Hoyland for GEO. SPALDING

DATE. August 4, 1976

FILE NO. 9633 - 33

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U 3759			13.26	30.48	147.09
3760			5.92	10.11	116.92
to 3761			4.10	9.96	85.72
3762			6.96	11.38	141.26
U-125 3763			6.01	8.95	103.89
3764			5.72	9.92	105.94
3765			4.15	9.96	58.63
3841			6.56	13.19	130.97
3842			4.98	8.60	87.77
3843			4.98	9.46	80.57
3844			6.30	9.89	106.97
3845			3.08	4.70	50.40
3846			1.63	2.43	26.40
to 3847			7.53	11.05	111.09
U-119 3848			3.40	4.86	53.49
3849			.13	1.05	8.23
3850			3.50	3.30	55.54
3851			1.28	.65	27.43
3852			.75	1.42	21.26
3853			.10	.40	8.91
3854			.08	.55	12.00
3855			1.98	2.60	30.17
3858			3.15	5.10	58.63
to 3859			.38	.78	9.94
U-121 3860			.28	.50	8.23
3861			4.25	8.75	80.57
3862			5.26	10.09	89.83
3863			3.88	7.72	70.63
3864			4.98	8.27	91.89
U-123 3865			6.10	9.44	99.77
3866			2.20	4.80	54.51
to 3867			2.38	6.50	34.29
3868			2.85	6.33	54.51

33

Entered by LB

Aug. 7, 1976.



ASSAYER. K. Hoyland

DATE: AUGUST 23, 1976

FILE NO. 9686 - 79

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR - ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
A - 3614			2.00	3.40	35.31
3615			2.60	2.65	38.40
3616			1.23	2.80	17.14
3617			1.25	4.08	20.23
3618			2.13	4.40	30.17
3619			3.65	6.38	45.26
3620			2.05	2.63	30.17
3621			1.30	1.33	25.37
3622			2.23	2.60	39.43
3623			1.65	2.50	31.20
3624			1.70	3.40	23.31
3625			.70	1.65	7.20
3626			7.24	9.32	104.92
3627			6.99	12.13	98.74
3628			4.78	10.46	76.80
3629			2.95	5.98	41.49
3630			2.50	4.90	38.40
A-132. 3631			1.55	2.18	28.11
3632			1.63	3.35	33.26
entered 27/08/76 3633			.75	1.78	16.11
RG. 3634			1.60	3.88	28.11
3635			1.53	3.55	25.37
3636			.85	2.13	12.00
3637			1.40	3.03	26.40
3638			1.39	4.05	34.29
3639			1.35	3.30	29.14
3640			1.30	1.80	27.43
3641			2.28	5.35	45.26
3642			2.50	4.80	47.31
3643			4.48	10.56	74.74
3644			5.84	10.56	75.77
3645			7.06	12.02	87.77
3646			6.20	14.04	101.83
3647			1.05	2.58	16.11
3648			3.58	8.10	63.43
3649			1.20	1.40	17.14
3650			7.56	9.70	99.77
3651			5.42	4.85	61.37
3652			11.80	10.35	143.32
3653			10.70	8.51	135.09
3654			17.60	10.76	247.20
A134 3655			10.58	9.00	146.06
entered 3656			7.42	10.61	89.83
27/08/76 3657			2.90	5.15	42.51
3658			2.18	5.00	32.23
RG 3659			4.35	7.70	68.57
3660			3.55	7.35	52.46
3661 48			2.93	4.50	48.34



ASSAYER. L. Hoyland for GEO. SPALDING

DATE. AUGUST 23, 1976

FILE NO. 9686 - 79 ~~76~~

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR - ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U - 3662			4.40	6.62	57.60
3663			1.20	1.35	17.14
3664			1.85	2.23	27.43
3665			6.00	10.52	86.74
A-134. 3666			8.80	5.66	95.66
3667			7.76	8.17	100.80
3668			4.95	8.07	73.71
3669			3.95	6.84	59.31
4101			1.14	1.68	25.37
4102			.09	.23	13.03
U-138 4103			2.65	3.45	38.40
4104			1.90	3.20	29.14
4105			.35	.63	4.11
4106			4.25	8.23	61.37
4107			.90	1.10	13.03
4108			.65	1.08	9.94
4109			.58	1.75	8.23
4110			1.13	2.10	14.06
4111			.58	1.45	20.23
4112			.18	1.33	12.00
4113			.60	.85	25.37
4114			.45	1.35	12.00
4115			4.65	6.03	54.51
4116			7.64	13.31	106.97
4117			9.64	13.74	122.06
U 141 entered 27/05/76 RG 4118			7.11	11.16	106.97
4119			6.40	11.44	89.83
4120			7.36	10.92	106.97
4121			4.48	3.56	55.54
4122			5.56	4.68	70.63
4123			6.64	6.22	94.63

23
31

19



ASSAYER. K. Hoyland for GEO. SPALDING

DATE. AUGUST 20, 1976

FILE NO. 9679 - 115

Approved for payment Sept 13/76 GL

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR - ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U-131 3931			4.55	8.58	79.54
3932			5.26	8.80	90.86
3933			6.26	11.88	96.69
U-131 3937			4.80	6.63	72.69
3938			5.36	8.42	87.77
3939			4.38	9.28	88.80
3940			3.90	7.44	73.71
3941			4.18	7.89	83.66
3942			6.40	9.26	110.06
3943			4.25	9.26	75.77
3944			5.37	7.84	85.71
3945			3.08	5.80	60.34
3946			3.75	5.97	70.63
3947			4.83	8.52	83.66
3948			4.88	5.75	111.09
3949			9.71	18.51	161.49
U-133 3950			9.74	19.50	164.57
3951			7.10	15.43	111.09
3952			11.10	11.58	168.34
3953			4.70	5.45	75.77
3954			2.80	5.35	45.26
3955			4.48	9.56	62.40
3956			.83	1.85	14.74
3957			.20	.98	8.91
3958			.15	1.60	13.03
3959			.10	.68	15.09
3960			.18	.68	9.94
3961			2.15	3.05	23.34
3962			6.30	9.03	104.92
3963			3.13	3.45	40.46
3964			5.27	8.10	77.83
3965			4.05	6.78	55.54
3966			6.26	10.87	125.14
3967			5.00	7.71	82.63
3968			.20	.03	17.14
3969			3.35	4.75	52.46
U-135 3970			3.35	5.15	57.60
3971			4.33	7.84	76.80
3972			3.98	5.20	61.37
3973			1.73	2.13	22.28
3974			.81	1.25	8.91
3975			.33	.50	3.09
3976			.98	2.00	13.03
3977			.68	1.28	7.20
3978			3.45	5.15	65.49
3979			2.10	3.65	29.14
U-139 3980			6.35	6.50	86.74



ASSAYER. K. Hoyland for GEO. SPALDING

DATE. AUGUST 20, 1976

FILE NO. 9679 - 115

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR - ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U - 3981			2.58	.75	36.34
3982			3.70	3.40	65.49
3983			5.97	5.15	82.63
U-139 3984			4.55	3.75	59.31
3985			4.10	3.25	54.51
3986			1.50	1.50	15.09
3987			1.25	1.18	13.03
3988			1.25	1.08	14.06
3989			1.03	1.18	16.11
3990			2.80	2.45	37.37
3991			1.05	.45	17.14
U-138 3992			2.38	1.05	26.40
3993			1.00	1.35	15.09
3994			1.93	.63	23.31
3995			1.85	1.95	27.43
3996			.54	.53	8.23
3997			.53	1.00	10.97
U-135 3998			.25	.13	5.14
3999			7.02	8.07	96.69
4000			4.20	8.25	63.43
U-125 4004			9.71	21.69	151.20
4005			4.10	10.77	76.80
4056			6.18	9.51	87.77
4057			3.10	6.17	55.54
U-129 4058			2.10	3.30	42.51
4059			1.73	1.98	39.43
4060			1.77	2.48	36.34
4061			4.25	5.75	79.54
4062			5.00	7.03	72.69
U-125 4063			8.66	18.01	114.86
4064			2.98	1.26	43.54
4065			5.76	5.40	75.77
4066			5.36	5.45	72.69
2N 70W 4067			2.55	1.90	52.46
4068			3.95	2.45	70.63
76-4-136 4069			7.15	7.13	103.87
~~plot~~ 4070			6.40	6.53	100.80
Entered 4071			7.36	7.79	104.92
4072			6.10	6.63	95.66
4073			7.06	6.75	89.83
4074			4.45	3.75	60.34
4075			1.70	1.23	25.37
4076			1.93	1.00	32.23
4077			2.05	1.25	34.29
4078			1.85	1.40	35.31
4079			1.07	1.43	18.17



ASSAYER. K. Hoyland for GEO. SPALDING

DATE. AUGUST 20, 1976

FILE NO. 9679 - 115

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR - ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
4080			2.28	3.25	36.34
4081			2.15	4.45	34.29
4082			.05	TR	2.06
4083			1.28	1.50	20.23
4084			2.08	3.85	38.40
4085			5.66	8.04	90.86
4086			4.15	4.25	53.49
4087			1.30	1.33	25.37
4088			2.13	1.20	18.17
4089			1.93	1.85	24.34
4090			2.83	2.35	51.43
4091			3.35	3.05	54.51
4092			2.60	2.35	40.46
4093			1.13	1.18	22.29
4094			4.08	8.19	63.43
4095			7.05	16.64	114.86
4096			5.48	7.84	77.83
4097			.88	1.46	58.63
4098			3.98	5.20	16.11
4099			3.63	6.53	53.49
4100			.91	.80	17.14
4201			.35	.53	5.14

Entered By Dave Preston
Aug 27/76



ASSAYER. K Hoyland Jr

GEO. SPALDING

DATE. AUGUST 30, 1976

FILE NO. 9708 - 104

DRILL CORE

ASSAY CERTIFICATE

Approved for payment on Sept 3/76 Invoice

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR - ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
A - 3670			.63	1.68	10.97
3671			6.20	6.40	75.77
3572			3.55	1.90	42.51
3673			.70	.18	16.11
3674			.15	.18	7.89
3675			.43	.40	9.94
Ent. By D.P A-134 3676			1.80	1.18	24.34
3677			3.88	4.35	49.37
3678			.75	.48	10.97
3679			.43	.63	8.91
3680			.33	.60	6.17
3681			.45	.60	9.94
3682			14.68	10.46	212.92
3683			10.25	10.00	147.09
3684			1.30	1.68	18.17
3685			15.87	11.63	211.89
3686			2.05	2.95	31.20
Ent. By D.P. A-135 3687			12.47	11.27	188.57
3688			13.30	13.62	73.71
3689			1.40	1.16	15.09
3690			.88	1.45	14.06
3691			2.88	3.10	41.49
3692			.37	.63	5.14
3693			2.00	3.13	30.17
3694			1.35	.85	21.26
3695			4.40	5.45	60.34
3696			1.70	2.45	27.43
3697			5.90	6.93	71.66
3698			7.00	7.34	82.63
3699			3.28	5.40	61.37
3700			4.70	7.77	62.40
U-141 entered by RG. 4124			5.99	7.62	84.69
4127			.18	.63	7.20
4128			.07	.43	5.14
entered RG 4129			.17	.45	7.20
4130			.08	.10	4.11
U-143 4131			.10	.23	28.11
4132			.23	.58	7.89
4133			.15	.43	5.14
4134			.18	.13	7.89
4135			.03	.23	2.06
U-145 entered RG 4162			.08	.90	6.17
U-142 entered RG. 4202			10.76	14.99	190.63



43

ASSAYER. K. Hoyland for GEO. SPALDING

DATE: AUGUST 30, 1976

FILE NO. 9708 - 104

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR - ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U - 4203			8.44	10.61	141.26
4204			1.98	3.05	33.26
4205			6.66	10.56	100.80
4206			3.93	7.14	58.29
4207			4.60	7.46	73.71
4208			.25	.15	7.20
4209			2.48	6.25	44.23
4210			4.58	10.66	106.97
4211			1.68	3.55	28.11
4212			.65	.83	14.06
4213			.53	.60	9.94
4214			.73	.73	15.09
4215			.33	.15	7.89
4216			.33	.70	8.91
4217			3.80	8.23	72.69
4218			4.18	9.60	76.80
4219			4.05	8.40	68.57
4220			5.25	10.66	93.94
4221			5.92	14.33	114.86
4222			.75	2.55	16.11
4223			1.90	5.65	36.34
4224			5.67	12.95	109.03
4225			6.56	14.47	103.89
4226			8.76	20.63	164.57
4227			5.81	7.29	81.60
4228			2.28	2.55	34.29
4229			1.50	4.60	30.17
4230			2.24	4.45	36.34
4231			.90	1.45	15.09
4232			.55	1.03	9.94
4233			.70	.90	14.06
4234			.63	.98	13.03
4235			1.94	1.63	26.40
4236			5.20	1.70	58.63
4237			.80	.90	22.29
4238			.05	.23	20.23
4239			.05	.30	18.17
4240			.08	.25	8.91
4241			3.30	4.10	48.34
4242			.04	.20	8.23
4243			2.63	4.15	46.29
4244			4.00	6.38	64.46
4245			2.13	4.05	25.37
4246			2.38	4.30	45.26
4247			5.20	8.89	70.63
4248			6.69	12.04	91.89
4249 47			4.65	8.13	71.66

U 142 entered RG. 68W



ASSAYER. L. Hoyland

GEO. SPALDING

DATE. AUGUST 30, 1976

FILE NO. 9708 - 104

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM kerr - ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U - 4250			3.78	8.43	64.46
4252			3.15	6.65	48.34
4253			5.10	7.16	74.74
4254			2.05	3.70	27.43
4301			11.24	6.12	132.00
4302			2.55	1.48	30.17
4303			1.25	1.30	18.17
4304			.05	.10	7.20
4305			.38	.53	9.94
4306			.10	.18	5.14
4307			.05	.08	5.14
4308			1.55	2.00	22.29
4309			9.88	9.28	124.12
4310			3.58	2.93	55.54



ASSAYER. L. Hoyland for GEO. SPALDING

DATE. AUGUST 31, 1976

FILE NO. 9711 - 63

Approved for payment on Sept 3/76 Invoice 96

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR -- ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U - 4125			5.51	9.25	86.74
4126			4.45	8.64	75.77
4136			.20	.43	7.20
4137			.63	.48	15.09
4138			.10	.23	5.14
4139			.18	.63	5.14
4140			1.40	2.13	20.23
4141			2.05	2.50	45.26
4142			3.40	2.85	48.34
4143			7.75	8.86	100.80
4144			6.40	4.55	63.43
4145			4.30	3.65	47.31
4146			.18	.35	6.17
4147			1.73	1.90	20.23
4148			2.90	3.40	32.23
4149			3.10	2.10	35.31
4150			.40	.08	8.23
4151			5.93	6.95	68.57
4152			4.38	7.46	67.54
4153			3.08	6.52	42.51
4154			.68	.84	9.94
4155			.43	.60	8.91
4156			1.03	1.15	10.97
4157			.55	1.03	8.23
4158			1.08	.70	18.17
4159			.28	.40	7.20
4160			.18	.50	4.11
4161			.30	.60	3.09
4163			.07	1.28	5.14
4164			.35	1.68	9.94
4165			.25	.70	14.06
4166			.05	.43	6.17
4167			.18	.85	6.17
4168			.13	.53	7.20
4169			.04	.35	3.06
4170			.04	.45	5.14
4171			.75	2.75	15.09
4172			.90	2.58	18.17
4173			2.60	3.55	30.17
4174			1.65	2.23	30.17
4175			3.30	5.94	54.51
4176			2.48	4.10	38.40
4177			1.38	1.88	20.23
4178			2.40	2.20	27.43
4179			1.50	.75	19.20
4180			.63	1.08	9.94
4181			2.65	4.25	42.51



ASSAYER. [signature]

GEO. SPALDING

DATE: AUGUST 31, 1976

FILE NO. 9711 - 63

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR - ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U - 4251			.90	.93	9.94
4255			1.30	2.10	24.34
4268			.17	2.23	5.14
4269			.13	.88	7.20
4270			.18	1.15	10.97
4271			.10	.93	7.20
4272			.13	.80	8.23
4273			1.65	3.00	31.20
4274			6.98	14.88	93.94
4275			7.08	12.80	108.00
4276			4.83	9.95	80.57
4277			5.63	12.29	98.74
4278			4.33	8.66	72.69
4279			4.70	9.19	81.60
4280			5.46	11.48	94.63
4281			3.30	5.66	42.51
4282			4.88	8.86	80.57

Entered by LB

Sept 3, 1976.



ASSAYER. [signature]

GEO. SPALDING

DATE. SEPTEMBER 3, 1976

FILE NO. 9718 - 70 App. for proj on Sept 3/76 Inv

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR - ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U - 4182			1.63	2.65	23.31
4183			2.08	2.65	33.26
4184			2.35	4.10	34.29
4185			3.68	3.95	46.29
4186			2.93	3.50	36.34
4187			3.20	4.70	41.49
4188			5.94	7.87	73.71
4189			5.77	6.85	77.83
4190			2.28	3.10	32.23
U-148 4191	✓		2.68	4.20	38.40
78 4192			2.30	5.15	40.46
4193			3.70	7.13	62.40
4194			4.00	7.00	66.51
4195			3.38	6.10	59.31
4196			4.13	5.51	55.54
4197 16			2.13	2.90	28.46
4256			1.10	1.55	24.34
4257			1.43	2.13	26.40
4258			1.93	2.80	28.46
4259			3.30	4.60	45.26
4260			1.40	3.40	21.26
U-146 4261			5.49	7.16	77.83
80 4262	✓		3.20	6.00	49.37
4263			4.23	5.66	70.63
4264			2.35	4.25	38.40
4265			1.90	3.68	35.31
4266			1.68	1.18	35.31
4267 12			3.90	5.20	65.49
4283			3.65	7.82	61.37
4284			1.90	4.25	25.37
4285			.09	1.05	32.23
U-147 4286	✓		.20	.85	18.17
66 4287			.08	.45	10.97
4288			.88	1.80	20.23
4289			.73	.85	9.94
4290			1.83	1.13	19.20
4291			.58	.78	7.20
4292			1.13	2.10	16.11
U-149 4293	✓		1.68	4.38	30.17
80W 4294			.73	2.55	20.23
4295			1.78	4.20	35.31
4296			2.90	6.15	48.34
4297			2.60	4.35	44.23
4298 16			5.11	9.54	97.72
44					



ASSAYER. K. Hoyland for GEO. SPALDING

DATE. SEPTEMBER 3, 1976

FILE NO. 9718 - 70

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR - ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
4299			3.70	6.60	58.63
4300			1.93	2.20	31.20
4311			5.60	7.84	76.80
4312			5.60	7.67	77.83
4313			.55	1.25	9.94
4314			2.13	5.60	41.49
4315			6.09	9.09	95.66
4316			8.77	6.71	84.69
4317			8.97	6.91	104.92
4318			2.10	2.70	29.14
4319			.80	.90	14.06
4320			2.55	2.35	32.23
4601			5.49	9.65	90.86
4602			2.30	2.80	36.34
4603			.73	.68	14.06
4604			2.05	3.60	30.17
4605			6.57	8.48	106.97
4606			2.23	2.75	34.29
4607			2.90	3.20	40.46
4608			2.65	1.55	48.34
4609			4.80	7.40	70.63
4610			3.78	3.40	50.40
4611			4.30	5.50	64.46
4612			3.18	4.85	47.31
4613			5.20	8.17	79.54
4614			1.45	2.03	25.37

Entered by LB
Sept. 5, 1976.



ASSAYER. L. Hoyland for GEO. SPALDING

DATE: SEPTEMBER 16, 1976

FILE NO. 9745 - 174

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR - ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
A 4366			3.63	3.25	40.46
4367			5.51	2.35	70.63
4368			1.28	.65	25.37
4369			7.28	4.65	86.74
4370			3.45	3.65	44.23
4371			6.10	5.20	72.69
A-142 68 4372			3.20	2.95	43.54
4373			1.23	2.25	16.11
4374			3.55	4.45	52.46
4375			6.55	11.90	102.86
4376			5.20	9.09	76.80
4377			5.75	7.98	100.80
4378			5.00	8.65	100.80
4379			5.21	9.90	88.80
4382			5.48	3.55	102.86
4383			4.68	7.16	60.34
4386			4.85	6.90	63.43
4387			4.03	6.63	52.46
4388			4.05	6.28	50.40
4389			.33	3.45	9.94
4390			5.54	4.70	72.69
A-142 68 4391			3.83	5.05	43.54
4392 → A-143			3.90	6.88	46.29
4393			.85	.98	8.91
4394			1.63	1.83	16.11
4395			3.38	2.90	44.23
4396			.73	.53	8.23
4397			5.80	4.05	62.40
4398			2.80	2.70	30.17
4399			3.53	3.18	31.20
4400			4.30	3.15	42.51
U 4669			4.75	6.33	72.69
4670			6.15	9.89	80.57
4671			5.00	7.28	88.80
4672			6.25	9.99	98.74
U-156 80 4673			4.25	7.79	80.57
4674			4.28	7.39	84.69
4675			5.00	7.46	92.92
4676			1.65	2.88	38.40
4677			3.03	5.95	46.29
U-158 82 4678			2.98	6.03	48.34
4679			7.68	10.09	124.12
4680			9.45	16.21	138.17
4681			5.30	11.85	78.86



ASSAYER. Geo. Spalding GEO. SPALDING

DATE. SEPTEMBER 16, 1976

FILE NO. 9745 - 174

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR - ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U 4682			1.93	3.40	34.29
4683			3.95	6.71	60.34
4684			3.93	9.69	58.63
4685			1.53	2.60	25.37
4686			2.00	1.78	25.37
4687			6.30	6.45	95.66
4688			.75	.58	10.97
4689			2.43	2.55	28.46
4690			2.73	4.75	32.23
4691			1.13	2.45	18.17
4692			3.30	6.18	52.46
4693			4.95	6.78	66.51
4694			5.20	7.98	75.77
4695			5.48	8.74	75.77
4696			7.18	8.73	118.97
4697			7.42	13.21	110.06
4698			2.00	4.45	34.29
4699			2.13	4.30	38.40
4700			4.88	7.59	75.77
4774			.53	1.80	10.97
4775			.83	1.70	16.11
4776			2.25	2.75	30.17
4777			1.30	1.08	22.29
4778			.45	1.18	8.91
4779			.08	.40	4.11
4780			.13	1.95	7.20
4781			.15	1.00	7.20
4782			.13	.63	10.97
4783			.65	1.10	22.29
4784			.10	..18	6.17
4785			.13	.13	6.17
4786			.10	1.35	5.14
4787			.02	.18	3.09
4788			.05	.63	4.11
4789			.02	.33	5.14
4790			.02	.20	3.09
4791			.05	.23	2.06
4792			1.15	2.80	20.23
4793			2.50	3.15	40.46
4794			6.00	9.39	108.00
4795			6.30	7.78	100.80
4796			2.28	2.45	35.31
4797			.33	.38	6.17
4798			2.30	4.45	37.37
4799			4.08	6.08	67.54
4800			5.00	8.25	75.77
4801			2.28	4.88	40.46



ASSAYER. Geo Spalding GEO. SPALDING

DATE: SEPTEMBER 16, 1976

FILE NO. 9745 - 174

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR - ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U 4802			5.34	7.08	84.69
4803			3.30	3.95	49.03
4804			8.76	14.98	145.03
4805			9.16	16.02	156.34
4806			3.00	2.85	55.54
4807			1.60	2.55	30.17
4808			7.26	12.00	120.00
4809			5.45	10.35	100.80
4810			5.65	10.09	94.63
4811			5.80	9.85	80.57
4812			5.75	9.38	101.83
4813			7.00	10.25	129.94
4814			6.60	9.70	115.89
4815			3.88	6.23	69.60
4816			.33	.58	10.97
4817			.18	.80	8.91
4818			.13	.58	7.20
4819			.55	1.10	12.00
4820			1.18	2.73	20.23
4821			3.48	3.48	52.46
4822			1.75	1.75	28.46
4823			7.86	9.22	95.66
4824			3.18	3.60	44.23
4825			1.70	.78	30.17
4826			3.90	2.60	54.51
4827			7.66	10.30	103.89
4828			8.66	17.08	158.40
4829			6.61	9.30	100.80
4830			6.10	10.70	108.00
4831			9.20	10.60	140.23
4832			6.50	8.89	91.89
4833			6.28	8.40	88.80
4834			7.20	9.65	96.69
4835			2.90	3.35	38.40
4836			3.10	4.15	42.51
4837			3.48	4.75	46.29
4838			2.05	2.90	21.26
4839			3.25	4.65	34.29
4840			.23	.30	8.23
4841			.08	.48	9.94
4842			.18	.70	13.03
4843			.88	1.00	20.23
4844			5.15	4.80	70.63
4845			6.01	8.40	72.69
4846			.20	.20	8.91
4847			.18	1.05	15.09
4848			.05	.25	9.94
4849			1.45	2.08	25.37



ASSAYER. Geo. Spalding GEO. SPALDING

DATE. SEPTEMBER 16, 1976

FILE NO. 9745 - 174

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR - ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U 4850			6.76	9.76	82.63
4851			5.81	11.17	93.94
4852			4.20	5.96	50.40
4853			5.00	7.00	66.51
4854			1.05	2.68	22.29
4855			2.75	2.85	49.37
4856			1.28	2.95	22.29
4857			3.88	5.20	58.63
4858 OK			1.63	3.68	26.40
U-159 66 4859			1.55	4.55	25.37
4860			.50	1.13	10.97
4861			1.50	2.63	26.40
4862			2.53	3.60	48.34
4863			1.05	2.10	21.26
4864			1.20	3.20	20.23
4865			2.45	5.84	30.17
4866			2.30	5.30	33.26
4867			3.23	7.57	47.31
4868 OK			1.90	.43	27.43
U-162 62 4869			.63	.33	12.00
A 4901			3.80	3.15	45.26
A142 68 4902 OK			2.83	2.25	38.40
4903			2.58	1.75	38.40
4904			.68	.95	12.00
A-143 4905 OK			3.85	5.15	64.46
68 4906			.83	.88	10.97
4907			11.08	13.39	156.34
4908			.83	.98	15.09
A-145 4909			2.83	3.75	41.49
68 4910			4.53	5.89	55.54
4911			1.55	3.58	34.29
4912			.40	.43	6.17
4913			.68	1.38	10.97
A-147 4914			.80	.95	9.94
68 4915			.70	1.18	8.91

Entered by LB

Sept. 20, 1976.



ASSAYER. Geo. Spalding

GEO. SPALDING

DATE. SEPTEMBER 11, 1976

FILE NO. 9738- 118

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISONMINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
4198			3.78	5.00	41.49
4199			2.30	1.83	25.37
4200			1.04	.35	16.11
4353			1.00	1.70	14.06
4354			.45	1.58	8.91
4355			3.00	5.00	40.46
4356			6.14	11.71	90.86
4357			8.50	15.53	141.26
4358			3.75	5.63	60.34
4359			8.40	12.06	155.32
4360			5.60	7.72	90.86
4361			3.45	6.62	58.63
4636			2.28	4.35	39.43
4637			9.19	11.71	132.00
4638			6.17	5.80	94.63
4639			4.05	4.65	60.34
4640			4.89	3.70	71.66
4641			1.93	2.30	47.31
4642			4.80	4.70	70.63
4643			10.44	8.57	124.46
4644			15.89	12.42	192.69
4645			6.62	5.00	111.09
4646			3.13	6.01	44.23
4647			3.35	4.55	46.29
4648			4.45	8.14	70.63
4649			9.34	14.83	136.12
4650			2.03	3.70	34.29
4651			1.30	2.53	22.29
4652			2.50	5.10	39.43
4653			3.80	7.04	55.54
4654			4.65	9.90	68.57
4655			1.63	3.83	30.17
4656			3.68	6.51	52.46
4657			.63	1.05	12.00
4658			4.80	8.74	78.86
4659			3.88	6.34	68.57
4660			1.55	2.03	27.43
4661			4.05	6.06	69.60
4662			2.68	2.59	32.23
4663			1.80	2.83	22.29
4664			1.30	2.00	16.11
4665			.98	1.68	10.97
4666			1.28	1.85	19.20
4667			3.90	3.10	45.26
4668			.18	.45	14.06



ASSAYER. L. Hoyland for GEO. SPALDING

DATE. SEPTEMBER 11, 1976

FILE NO. 9738- 118

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
4701			.65	.35	13.03
4702			.40	.63	6.17
4703			1.65	2.23	20.23
4704			2.23	2.35	26.40
4705			1.70	3.80	20.23
4706			1.20	1.85	17.14
4707			5.19	7.49	70.63
4708			1.20	1.10	30.17
4709			4.60	5.10	71.66
4710			6.52	9.90	110.06
4711			4.88	10.51	91.89
4712			1.53	2.78	23.31
4713			2.08	4.10	31.20
4714			9.19	16.37	143.32
4715			2.60	6.26	46.29
4716			4.42	9.69	63.43
4717			5.78	9.47	78.86
4718			2.88	5.78	44.23
4719			5.82	9.22	94.63
4720			3.60	8.50	50.40
4721			6.07	12.53	80.57
4722			6.19	12.47	80.57
4723			4.30	7.37	59.31
4724			4.55	8.95	64.46
4725			3.50	8.10	55.54
4726			2.13	3.83	33.26
4727			1.40	1.90	22.29
4728			1.68	3.75	30.17
4729			2.15	4.55	35.31
4730			3.38	7.26	48.34
4731			1.18	1.40	24.34
4732			.53	.93	15.09
4733			1.85	2.70	35.31
4734			4.40	8.25	60.34
4735			2.15	2.70	33.26
4736			8.41	11.16	124.46
4737			7.06	9.10	104.92
4738			12.69	22.43	195.77
4739			6.47	11.46	98.74
4740			5.27	6.58	86.74
4741			.95	.80	16.11
4742			5.42	7.19	90.86
4743			1.33	2.58	17.14
4744			2.88	3.30	33.26
4745			.78	.90	9.94
4746			.33	.43	5.14
4747			1.68	2.68	25.37
4748			2.43	4.00	35.31
4749			2.48	4.95	42.51



ASSAYER. K. Hoyland for GEO. SPALDING

DATE. SEPTEMBER 11, 1976

FILE NO. 9738- 118

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
4750			2.45	5.40	45.26
4751			1.65	3.15	28.46
4752			3.13	4.00	47.31
4753			6.74	9.04	99.77
4754			.10	.30	5.14
4755			.20	1.00	8.23
4756			1.78	1.95	30.17
4757			1.23	2.30	17.14
4758			1.30	2.25	18.17
4759			.55	1.35	12.00
4760			.43	.58	10.97
4761			.08	.98	4.11
4762			.18	.60	8.91
4763			.05	.98	4.11
4764			.18	.73	8.23
4765			.48	.73	8.91
4766			.05	.78	9.94
4767			.10	1.13	12.00
4768			.13	2.08	13.03
4769			.20	1.65	14.06
4770			.63	1.88	22.29
4771			.20	1.33	15.09
4772			1.08	1.53	22.29
4773			1.80	3.65	38.40

Entered by LB

Sept 14, 1976.



ASSAYER. K. Hoyland for GEO. SPALDING

DATE: SEPTEMBER 8, 1976

FILE NO. 9722 - 61

Approved for payment on Sept 3/76 Invoice

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR - ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
A-136 4321			.25	.55	7.89
A-137 4322			2.30	3.86	30.17
4323			.78	1.05	7.20
4324			4.85	7.00	77.83
4325			1.88	2.88	26.40
64 4326			1.20	2.08	16.11
4327			1.90	3.90	27.43
4328			.65	.98	8.91
4329			1.13	1.78	16.11
4330			.78	1.03	13.03
4331			1.43	3.48	25.37
4332			1.43	3.52	29.14
A-139 4333			.03	.08	1.03
4334			7.95	13.01	141.26
4335			.40	.65	6.17
66 4336			4.30	5.78	65.49
4337			1.70	3.53	25.37
4338			1.20	2.58	24.34
4339			1.05	2.63	16.11
4340			1.95	3.90	29.14
A-141 4341			1.25	.04	23.31
4342			2.23	2.40	32.23
74 4343			1.58	3.13	26.40
4344			1.48	3.70	26.40
4345			1.50	3.25	28.11
4346			1.38	3.00	22.29
A-141 4347			1.63	4.63	29.14
4348			5.38	11.25	95.66
74 4349			.88	3.25	15.09
4350			11.44	17.29	171.43
4351			3.60	5.98	53.49
4352			2.00	4.10	35.31
A-140 4362			8.12	22.41	126.17
4363			4.58	11.77	79.54
64 4364			3.25	7.42	54.51
4365			3.08	8.94	41.49
A-140 4380			2.33	4.30	36.34
84 4381			1.53	3.96	26.40
A-136 4384			.45	1.35	9.94
64 4385			.20	.43	7.89
4615			.63	1.00	9.94
A-139 4616			2.28	4.00	43.54
4617			4.93	8.89	82.63
78 4618			.38	.20	19.20



ASSAYER K. Hoyland

GEO. SPALDING

DATE: SEPTEMBER 8, 1976

FILE NO. 9722 - 61

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR - ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
4619			1.28	1.45	22.29
4620			.53	.93	17.14
4621			5.71	9.55	79.54
4622			1.60	3.20	30.17
4623			1.58	3.50	28.46
4624			1.33	1.73	30.17
4625			2.03	2.60	36.34
4626			4.50	4.40	59.31
4627			5.58	9.55	86.74
4628			8.25	11.51	113.14
4629			10.42	15.28	143.32
4630			12.23	20.76	185.49
4631			1.40	3.00	23.31
4632			2.25	4.30	35.31
4633			2.58	4.25	37.37
4634			2.53	4.50	39.43
4635			3.10	5.95	51.43

Entered by LB
Sept. 13, 1976.



ASSAYER K. Hoyland for GEO. SPALDING

DATE. SEPTEMBER 21, 1976

FILE NO. 9760 - 63

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR - ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U - 048 B			3.08	4.50	57.60
049			2.53	4.30	49.37
050			4.50	7.77	83.66
051			2.38	3.25	41.49
U - 068 B			3.18	4.75	59.31
069			3.53	4.40	53.49
070			3.18	3.85	49.03
071			2.78	4.10	50.40
072			.98	1.68	15.09
073			.58	..55	9.94
074			1.45	2.48	22.29
075			.80	1.45	15.09
076			2.98	4.25	41.49
077			5.81	7.52	75.77
078			4.28	5.55	55.54
079			.22	.60	14.06
080			.65	.50	19.20
081			.56	.58	21.26
082			1.50	.95	29.14
083			4.05	6.01	56.57
084			.70	.75	8.91
U - 135 B			.15	.45	8.91
136			1.21	.98	20.23
137			.94	1.43	16.11
138			.65	.60	15.09
139			.30	.85	10.97
140			.14	.58	8.91
141			.49	.63	13.03
142			.35	.35	10.97
143			.08	.18	6.17
144			2.68	3.35	34.29
145			.58	1.30	9.94
146			.06	..10	5.14
147			.83	.85	13.03
148			.10	.08	5.14
149			2.38	3.58	38.40
150			.08	.18	5.14
151			.05	.08	5.14
152			7.51	19.38	161.49
153			2.58	8.03	48.34
154			3.40	7.47	63.43
155			4.73	10.95	74.74
156			2.43	7.95	44.23
157			.07	..10	1.03
158			2.25	4.50	39.43
159			.40	.73	12.00



ASSAYER. L. Hoyland

GEO. SPALDING

DATE. SEPTEMBER 21, 1976

FILE NO. 9760 - 63

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR - ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U - 160 B			6.47	13.80	106.97
161			.96	1.75	12.00
162			4.50	8.02	73.71
163			4.13	7.62	70.63
164			3.35	6.26	56.57
A 4929			.26	.45	5.14
4930			.07	..20	3.09
4931			.03	.30	5.14
4932			.05	.25	2.06
4933			.08	.18	5.14
4934			.05	.70	7.20
4935			.15	.68	7.20
4936			3.25	5.00	44.23
4937			1.95	2.40	34.29
4938			1.43	2.73	32.23
4939			4.05	7.39	49.03
4940			.90	1.65	18.17

U-168 82W

A-147 68W

Entered by LS

Sept 25, 1976



ASSAYER K. Hoyland Jr

GEO. SPALDING

DATE. SEPTEMBER 21, 1976

FILE NO. 9750 - 107

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR - ADDISON MINES

	SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U	4870			1.55	.98	24.34
	4871			.78	1.25	9.94
	4872			1.20	2.05	16.11
	4873			.60	1.55	10.97
	4874			4.18	5.93	67.54
	4875			4.48	8.93	85.72
	4876			7.45	12.72	134.06
	4877			8.25	18.54	139.20
	4878			4.18	8.68	68.57
	4879			7.45	11.31	186.52
U-162	4880			1.55	2.18	21.26
82W	4881			2.00	2.75	28.46
	4882			1.05	1.28	15.09
	4883			2.00	2.70	28.46
	4884			.93	1.08	15.09
	4885			.13	.13	5.14
	4886			.98	1.03	10.97
	4887			1.68	2.50	23.31
	4888			2.48	4.85	44.23
	4889			1.00	2.35	16.11
	4890			5.00	7.06	75.77
	4891			.15	.78	7.20
	4892			.78	1.28	22.29
	4893			1.63	2.68	29.14
	4894			5.89	7.30	84.69
U-167	4895			5.40	9.79	73.71
64W	4896			4.73	6.76	68.57
	4897			4.65	7.92	68.57
	4898			4.05	4.25	69.60
	4899			4.58	6.41	82.63
	4900			3.80	6.24	66.51
A						
	4916			.50	1.00	10.97
	4917			.68	1.90	19.20
	4918			1.98	3.60	33.26
	4919			2.93	4.85	47.31
	4920			.38	1.05	14.06
	4921			.38	.75	9.94
A-147	4922			.78	1.63	14.06
68W	4923			.25	1.13	3.09
	4924			.22	.53	3.09
	4925			.45	.80	8.91
	4926			.40	.35	6.17
	4927			.10	.28	3.09
	4928			.55	1.05	8.91
U - 001 B → U-163 64W				.10	1.68	6.17



ASSAYER. K. Hoyland GEO. SPALDING

DATE: SEPTEMBER 21, 1976

FILE NO. 9750 - 107

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR - ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U - 002 B			.33	1.13	13.03
003			2.15	3.75	35.31
004			4.75	8.64	77.83
005			2.50	1.90	33.26
006			3.95	2.40	39.43
007			1.73	1.45	24.34
008			2.85	3.59	31.20
009			.75	1.15	9.94
010			.10	.70	7.20
011			.85	1.55	25.37
012			.73	.78	23.31
013			.13	1.13	12.00
014			1.15	1.30	25.37
015			.08	.70	13.03
016			.03	.48	10.97
017			.25	.75	10.97
018			2.23	2.95	38.40
019			1.83	2.23	32.23
020			1.10	.98	24.34
021			4.30	6.93	73.71
022			6.00	10.81	87.77
023			5.40	6.74	70.63
024			8.70	13.62	124.12
025			7.03	14.77	104.92
026			4.45	5.83	61.37
027			5.39	7.17	89.83
028			7.13	12.01	111.09
029			3.83	7.06	60.34
030			1.48	2.98	27.43
031			4.00	4.65	71.66
032			6.50	13.52	142.29
033			1.13	.93	15.09
034			5.25	4.60	75.77
035			3.00	1.38	45.26
036			.05	.43	6.17
037			.04	.93	7.20
038			.50	.68	9.94
039			.08	.25	5.14
040			.08	.58	8.91
041			.05	.50	9.94
042			.04	.18	7.20
043			.15	.38	8.91
044			.05	.15	5.14
045			.18	.33	8.23
046			.13	.18	5.14
047			.08	.08	2.06
U - 058 B			2.23	4.48	52.46

U-163 64W

U-165 64W

U-167 64W

U-164 82W

U-169 62W

U-166 82W



ASSAYER. K. Hoyland Jr. GEO. SPALDING

DATE. SEPTEMBER 21, 1976

FILE NO. 9750 - 107

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR - ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U - 059 B			3.38	6.88	66.51
060			.83	1.13	15.09
061			4.45	7.34	67.54
062			2.15	1.90	34.29
063			1.73	2.18	25.37
064			1.20	1.35	20.23
065			.95	1.70	17.14
066			.88	2.00	14.06
067			.70	.90	10.97
U - 085 B			.03	.15	9.94
086			.04	.30	10.97
087			.05	.58	12.00
088			.03	.45	5.14
089			1.60	1.70	27.43
090			4.48	5.70	73.71

U-166 82W

U-171 62W

Entered by LB

Sept. 25, 1976.



ASSAYER. K. Hoyland

GEO. SPALDING

DATE. OCTOBER 6, 1976

FILE NO. 9799 - 126

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

O. K. M.D

SAMPLE RECEIVED FROM KERR-ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U T 208 B			10.41	20.77	171.43
209			5.40	9.30	91.89
U-181 210			7.05	11.92	87.77
211			5.70	10.16	84.69
212			4.58	8.09	85.72
213			2.40	5.48	37.37
214			5.65	8.67	103.89
215			7.80	10.21	150.17
308			1.93	1.85	20.23
309			.98	2.05	31.20
310			.60	1.33	8.23
311			1.63	2.93	22.29
312			1.03	1.68	14.06
313			.33	1.25	9.94
314			.47	4.90	7.20
315			.05	1.33	5.14
U-187 316			.03	.93	5.14
317			.04	2.35	9.94
318			.04	5.00	8.23
319			.10	2.13	8.91
320			.09	2.08	12.00
321			.13	1.95	10.97
322			.28	1.80	8.91
323			1.95	3.98	42.51
398			.04	.10	4.11
399			.04	.05	3.09
400			.03	.20	2.06
401			.02	.08	2.06
U-189 402			.05	.20	3.09
403			.05	.15	3.09
421			2.78	2.13	24.34
422			3.68	2.03	32.23
423			1.85	1.20	20.23
424			2.48	2.63	29.14
425			4.45	4.95	67.54
426			1.53	1.13	25.37
427			1.03	.83	15.09
428			.30	.33	9.94
429			.25	.35	9.94
430			2.03	2.65	36.34
431			.38	.45	7.20
432			.20	.35	12.00
433			.10	.20	5.14
434			.20	.40	3.09
435			.05	.05	1.03



Marc Deschenes

ASSAYER. K. Hoyland Jr

GEO. SPALDING

DATE. OCTOBER 6, 1976

FILE NO. 9799 - 126

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

O. K. n.D.

SAMPLE RECEIVED FROM KERR - ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U-189 436 B			.05	.05	1.03
439			.45	.80	9.94
440			.60	1.30	25.37
U-191 441			3.35	3.75	50.40
442			7.15	12.83	94.63
443			5.00	9.60	83.66
444			6.62	12.28	86.74
445			6.85	13.69	103.89
446			8.96	14.71	126.17
447			6.95	12.53	109.03
448			5.33	15.46	75.77
449			4.40	13.20	67.54
450			7.05	16.45	114.17
451			7.55	10.60	100.80
452			4.10	9.75	50.40
453			6.55	10.21	78.86
U-193 454			6.25	9.20	98.74
455			4.00	8.64	80.57
U-176 456			4.88	8.33	67.54
457			2.55	3.80	44.23
458			3.95	10.08	57.60
459			4.33	11.32	59.31
460			5.80	12.98	91.89
461			6.92	15.01	108.00
462			3.40	7.80	50.40
U-195 463			7.67	14.91	114.86
464			7.94	17.86	114.86
465			6.95	14.29	96.69
466			6.15	7.99	84.69
467			.05	.13	6.17
468			8.39	12.65	124.12
469			7.40	10.21	114.17
470			6.40	8.85	92.92
471			7.85	10.31	113.14
472			6.50	8.95	75.77
473			6.75	10.15	76.80
474			6.97	8.69	104.92
U-199 475			3.60	8.16	46.29
476			3.03	3.35	47.31
477			6.75	6.52	97.72
478			8.60	11.52	156.34
479			7.40	9.93	114.17
480			7.00	9.70	93.94
481			7.20	9.65	101.83
482			4.18	6.31	79.54
483			6.10	10.21	108.00
484			5.40	9.55	98.74



Marc Desbarats

ASSAYER. K. Hoyland

DATE: OCTOBER 6, 1976

FILE NO. 9799 - 126

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

O.K. m.D.

SAMPLE RECEIVED FROM KERR - ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U 485 B			6.20	9.85	139.20
486			6.40	9.25	104.92
U-199 489			3.90	3.65	49.37
490			1.83	1.05	29.14
491			1.13	.30	27.43
492			6.80	6.47	68.57
493			1.95	1.73	23.31
494			.55	1.08	12.00
495			.70	.95	14.06
496			1.00	.83	20.23
U-176 497			1.80	3.03	34.29
498			5.25	7.51	72.69
499			4.23	6.87	72.69
500			5.49	7.93	102.86
601			5.33	7.04	75.77
602			2.95	4.05	48.34
603			1.63	1.78	29.14
604			2.60	3.80	41.49
605			4.68	9.37	69.60
619			7.95	15.80	126.17
620			9.17	16.40	138.17
621			8.88	14.23	122.06
622			9.94	11.45	147.09
623			6.30	10.43	100.80
U-200 624			.88	2.38	16.11
625			6.63	11.55	110.06
626			9.52	15.70	162.52
627			8.63	14.68	117.26
628			2.33	1.10	31.20
629			2.50	4.30	43.54
630			2.05	3.45	30.17
631			4.05	4.10	53.49
U-201 632			2.35	3.85	27.43
U 633 B			1.63	.50	16.11



Marc Desbiens

ASSAYER K. Hoyland jr

GEO. SPALDING

DATE: OCTOBER 1, 1976

FILE NO. 9792 - 84

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR - ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U 121 B			.95	2.58	10.97
122			2.28	5.72	29.14
123			3.73	5.98	59.31
U-179 124 OK			3.98	4.55	73.71
62 125			2.70	3.75	39.43
126			3.68	2.55	48.34
127			.43	1.00	8.23
190			1.23	1.85	20.23
U-185 191			6.43	14.02	93.94
192			6.83	15.27	110.06
193			5.86	11.84	66.51
67 194			7.81	15.99	84.69
195 OK			6.43	11.59	84.69
196			8.11	17.43	104.92
197			10.47	26.45	172.46
198			6.23	17.52	90.86
199			9.69	20.65	141.26
U-179 62 ~~200 OK~~			.23	.50	5.14
201			6.12	11.95	78.86
202			8.91	16.86	129.94
203 OK			7.13	11.60	90.86
U-181 204			4.80	9.14	78.86
68 205			7.41	14.53	87.77
206			6.31	15.14	117.94
207			10.41	22.56	184.46
216			6.27	13.71	110.06
217			3.50	2.55	47.31
218			1.68	2.55	30.17
219			2.13	4.00	35.31
U-183 220			3.33	3.65	43.54
221			1.05	2.45	22.29
222 OK			6.11	8.16	70.63
223			5.91	11.75	76.80
68 224			7.46	14.93	103.89
225			7.28	12.71	114.17
226			3.80	7.95	67.54
227			4.98	8.08	69.60
228			5.68	12.05	74.74
229			7.61	21.12	134.06
230			8.72	19.99	151.20
U185 301 ~~U-185~~			5.50	9.70	80.57
302			.10	.70	4.11
303			.43	.78	15.09
U-187 304 OK			1.48	2.85	20.23
67 305			3.05	3.55	40.46



ASSAYER. L. Hoyland Jr

GEO. SPALDING

DATE: OCTOBER 1, 1976

FILE NO. 9792 - 84

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR - ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
306			1.23	1.33	17.14
307			1.10	1.48	15.09
357			4.23	6.40	62.06
358			6.23	8.84	85.72
359			6.28	9.24	89.83
360			4.00	8.76	61.37
361			3.28	7.50	55.54
362			2.40	5.83	41.49
363			5.56	8.50	82.63
364			1.38	2.55	23.31
365			.50	1.08	9.94
372			3.30	8.05	60.34
373			3.75	7.85	64.46
374			2.30	4.25	46.29
375			1.50	2.03	30.17
376			.68	1.88	12.00
377			.50	1.00	8.23
378			1.55	2.43	20.23
379			1.10	2.10	17.14
380			3.43	3.90	49.37
381			3.08	4.00	35.31
382			1.13	1.20	21.26
383			.50	.65	17.14
384			1.20	1.15	28.11
385			4.05	4.30	44.23
386			2.18	2.05	25.37
387			1.83	3.03	27.43
388			2.30	2.15	40.46
389			.50	1.00	10.97
390			.55	.85	13.03
391			1.78	.93	24.34
392			1.68	.65	23.31
393			.98	1.53	25.37
394			6.73	11.29	120.00
395			2.65	2.85	46.29
396			2.48	2.65	40.46
397			4.65	9.13	66.51
437			2.98	4.85	40.46
438			2.28	4.90	39.43



ASSAYER. K. Hoyland

GEO. SPALDING

DATE. SEPTEMBER 28, 1976

FILE NO. 9785 - 65

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR - ADDISON

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U 091 B			3.10	7.48	55.54
092			.35	.80	8.91
093			.45	.70	7.89
094			.23	.65	5.14
095			.05	.38	2.06
096			.10	.08	4.11
097			1.25	.25	21.26
098			1.70	1.40	22.29
099			1.63	1.25	17.14
100			.05	.13	4.11
101			.55	.33	15.09
102			1.60	1.33	28.46
103			2.40	2.00	47.31
104			.50	.28	14.06
105			1.03	.75	21.26
106			1.35	1.55	19.20
107			.28	.38	8.23
108			.05	.20	7.20
109			.08	.53	14.06
110			.38	.88	14.06
111			2.13	2.20	30.17
112			6.54	7.24	92.92
113			7.78	9.98	105.94
114			9.63	17.24	142.29
115			6.27	16.59	100.80
116			9.73	23.77	144.34
117			9.97	22.30	155.32
118			2.95	4.85	42.51
119			5.43	11.50	85.72
120			2.33	4.90	40.46
128			.13	.73	12.00
129			.25	1.50	10.97
130			.10	.38	8.23
131			.08	.68	9.94
132			.58	.30	10.97
133			3.43	4.40	53.49
134			1.08	.90	20.23
336			5.00	8.01	83.66
337			.63	1.05	13.03
338			.20	.55	9.94
339			.10	.18	7.20
340			1.00	1.05	20.23
341			3.85	6.93	56.57
342			3.90	6.53	65.49
343			4.65	6.35	65.49
344			6.87	15.93	146.06

U-173 82W

U-179 82W

U-168 82W

U-172 82

120 - 128



ASSAYER. L. Hoyland Jr

GEO. SPALDING

DATE. SEPTEMBER 28, 1976

FILE NO. 9785 - 65

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR - ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonnne			
U 345 B			9.43	20.32	175.54			
346			4.05	6.90	85.72			
347			3.80	13.66	67.54			
348			6.89	12.60	122.06			
349			7.47	13.10	146.06			
350			5.49	9.90	93.94			
351			4.35	6.70	67.54			
352			2.80	3.85	45.26			
353			3.55	7.43	65.49			
354			3.18	6.38	54.52			
355			1.30	3.10	22.29			
356			3.78	8.27	60.34			
366			3.60	8.09	54.51			
367			1.28	2.70	19.20			
368			4.50	8.25	63.43			
369			5.21	9.00	82.63			
370			.53	.15	8.23			
371			2.80	5.35	43.54			
A 4977 → A-153 68			.48	.80	8.23			

U-172 82

U-172 82

Entered by [illegible]
Oct. 1, 1976.



ASSAYER. K. Hoyland Jr GEO. SPALDING

DATE. SEPTEMBER 27, 1976

FILE NO. 9774 - 79

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR - ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	lead	ZINC	SILVER gms/tonne
A 4941			2.93	3.65	54.52
4942			3.90	4.29	51.43
4943			6.05	6.70	87.77
4944			6.01	6.36	76.80
4945			7.58	5.58	95.66
4946			5.92	7.95	82.63
4947			.35	.48	9.94
4948			.09	.07	6.17
A-149 6AW 4949			.22	.33	7.20
4950			1.65	1.13	26.40
4951			.55	.75	9.94
4952			.30	.38	6.17
4953			.48	.93	9.94
4954			.10	.13	3.09
4955			.96	1.48	19.20
4956			.58	.88	20.23
4957			.02	.26	4.11
A-152 6AW 4958			1.80	2.72	30.17
4959			2.15	4.09	35.31
4960			1.63	2.50	26.40
4961			2.10	2.84	26.40
4962			.50	.75	8.91
A-151 8BW 4963			4.15	9.05	80.57
4964			1.80	3.35	33.26
4965			1.83	1.56	25.37
4966			.25	.24	9.94
A-152 6AW 4967			.30	.35	10.97
4968			4.10	4.95	60.34
4969			1.40	2.65	21.26
4970			3.15	7.42	48.34
A-151 8BW 4971			.34	.60	6.17
4972			1.70	2.53	24.34
4973			1.18	1.40	15.09
4974			.60	1.08	9.94
A-153 6BW 4975			2.28	4.05	40.46
4976			3.80	7.57	58.63
U 052 B			2.60	4.90	56.57
053			2.03	3.85	40.46
M-170 8A 054			1.30	1.43	22.29
055			1.20	1.50	18.17
056			2.55	2.80	40.46
057			2.03	4.00	35.31
M-170 8A U 165			1.38	3.00	23.31
166			1.65	3.75	30.17
167 B			1.60	3.68	26.40



ASSAYER. K. Hoyland Jr GEO. SPALDING

DATE. SEPTEMBER 27, 1976

FILE NO. 9774 - 79

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR - ADDISON

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U 168 B			.43	.95	6.17
169			.60	1.23	9.94
170			.28	.90	6.17
171			.90	1.20	15.09
172			1.13	1.85	18.17
173			.93	1.33	15.09
174			.50	.58	8.23
175			3.25	4.45	52.46
176			7.88	18.48	136.12
177			4.38	7.55	81.60
178			3.90	7.20	70.63
179			3.88	4.95	56.57
180			6.00	7.22	95.66
181			2.50	5.63	49.37
182			2.95	5.30	50.40
183			4.28	11.31	84.69
184			5.40	7.16	94.63
185			5.90	6.64	99.77
186			2.20	3.95	35.31
187			5.65	7.37	80.57
188			4.05	4.35	57.60
189			1.65	4.10	34.29
U 324 B			1.15	1.43	21.26
325			4.65	7.55	79.54
326			5.00	8.68	87.77
327			5.46	8.91	85.72
328			5.45	9.03	90.86
329			5.10	7.16	96.69
330			3.28	2.70	53.49
331			2.13	1.30	33.26
332			4.50	7.08	65.49
333			4.00	8.06	61.37
334			5.20	9.24	95.66
U 335 B			5.90	9.59	90.86

M-170 84

M-168 82

Entered by LB

Oct. 1, 1976.



ASSAYER. L. Hoyland for GEO. SPALDING

DATE. OCTOBER 8, 1976

FILE NO. 9807 - 32

ASSAY CERTIFICATE

O.K. W.D.

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR - ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
A 4978			3.33	2.85	37.37
4979			9.85	9.31	96.69
4980			5.50	7.47	73.71
4981			6.59	5.30	70.63
A-153 4982			1.70	1.63	16.11
4983			2.38	1.45	22.29
4984			13.79	4.65	138.17
4985			5.00	7.06	73.71
4986			3.38	6.26	45.26
4987			.30	.75	8.91
4988			1.03	1.25	14.06
4989			.63	1.13	17.14
4990			.15	.10	6.17
U 404 - B			.03	.13	3.09
405			.05	.38	5.14
U-189 406			.01	.50	1.03
407			2.65	5.40	32.23
408			1.18	3.40	21.26
409			1.05	1.80	25.37
410			.18	1.10	3.09
411			3.20	1.80	29.14
412			1.08	.85	16.11
413			.55	.90	14.06
414			1.03	1.43	18.17
415			1.25	1.23	17.14
416			1.85	2.15	27.43
417			1.05	1.43	12.00
418			.40	.38	8.23
419			.53	.85	5.14
420			.55	.98	6.17
487			5.10	9.78	85.72
U-199 488			4.55	9.18	62.40



Marc Desbiens ASSAYER. K. Hoyland

GEO. SPALDING

DATE. OCTOBER 12, 1976

FILE NO. 9813 - 106

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

O.K. Marc

SAMPLE RECEIVED FROM KERR -ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
A 4991			.38	.60	7.86
4992			1.50	2.13	20.23
4993			.88	.98	12.00
4994			3.10	2.45	45.26
A-153 4995			1.33	1.78	17.14
4996			.63	.68	13.03
4997 O.K. Rd.			..38	.48	7.20
4998			1.35	1.23	22.29
4999			1.43	1.98	25.37
5000			1.00	.73	14.06
U 231 B			.98	1.50	9.94
232			2.15	1.85	23.31
233			.50	1.58	6.17
234			2.70	4.70	48.34
235			1.23	2.63	28.11
A-154 236			1.50	3.18	36.34
237			2.08	4.85	36.34
238			6.72	17.95	106.97
239			2.08	3.65	33.26
240			1.15	2.75	12.00
241			1.93	3.88	33.26
242			3.95	8.34	60.34
243			3.16	5.71	50.40
244			2.95	5.54	46.29
245			2.98	4.55	42.51
246			2.38	4.75	35.31
247			3.40	7.66	51.43
248			3.45	5.72	61.37
249			3.40	6.12	54.51
250			4.48	7.74	66.51
A-155 251			2.10	2.80	28.11
252			1.78	2.50	25.37
253			.95	1.38	14.06
254			1.06	1.73	18.17
255			4.09	5.05	60.34
256			.39	.59	7.89
257			3.60	1.67	37.37
258			6.08	10.92	92.92
259			6.50	10.68	97.72
260			10.75	17.14	181.37
261			2.13	4.30	40.46
262			2.94	6.19	48.34
263			3.12	5.30	45.26
264			2.50	3.70	36.34
A-156 265			2.05	3.40	28.11
266			1.38	2.25	18.17
267			1.78	2.13	24.34



ASSAYER K. Hoylund

GEO. SPALDING

DATE. OCTOBER 12, 1976

FILE NO. 9813 - 106

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR - ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U 268 B			1.28	2.15	17.14
269			1.88	2.38	28.11
270			3.70	4.55	52.46
271			4.52	6.17	70.63
272			3.81	6.78	69.60
273			2.18	4.15	36.34
274			1.23	2.78	18.17
275			1.75	2.95	29.14
276			4.07	4.50	55.54
277			4.45	5.30	61.37
A-156 278			3.80	5.10	62.40
279			5.10	7.21	77.83
280			3.59	6.05	51.43
281			.68	.65	7.89
282			1.10	.76	13.03
283			1.95	2.54	27.43
284			2.49	6.05	41.49
285			2.75	6.78	50.40
286			1.93	4.17	32.23
606			4.51	7.36	60.34
607			2.15	4.65	35.31
608			1.90	4.10	28.46
609			4.55	10.77	74.74
610			5.24	9.66	87.77
611			2.35	3.44	33.26
612			1.60	1.90	23.31
613			.23	.36	5.14
614			2.78	.75	29.14
U-178 615			3.30	1.25	37.37
616			3.79	2.65	45.26
617			3.83	4.05	50.40
618			2.45	3.80	36.34
634			1.60	1.15	16.11
635			2.88	4.05	35.31
636			3.18	6.29	38.40
637			4.33	6.75	50.40
638			6.25	8.29	77.83
U-201 639			4.64	4.68	59.31
640			1.26	.58	23.31
641			.38	.63	12.00
642			.60	.65	13.03
643			2.03	2.80	25.37
644			4.94	9.68	87.77
645			4.50	9.96	79.54
646			4.47	8.11	72.69
647			4.69	9.35	93.94



ASSAYER. L. Hoyland

GEO. SPALDING

DATE. OCTOBER 12, 1976

FILE NO. 9813 - 106

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR - ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
648 B			5.65	10.04	102.86
649			5.70	11.00	105.94
650			5.90	10.97	104.92
651			5.80	10.16	109.03
652			3.78	8.14	98.74
653			2.80	5.00	41.49
678			2.40	4.25	35.31
679			.50	.80	8.23
680			.40	.73	7.20
681			.90	1.60	13.03
682			.87	.55	9.94
683			1.58	2.23	25.37
684			2.23	2.90	35.31



ASSAYER. L. Hoyland

GEO. SPALDING

DATE. OCTOBER 15, 1976

FILE NO. 9817 - 136

ASSAY CEI TIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

O.K. MD.

SAMPLE RECEIVED FROM KERR - ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U 287 B			2.78	6.65	47.31
288			2.08	5.84	36.34
289			2.68	2.48	40.46
290			3.03	4.90	45.26
291			3.33	4.80	49.03
292			2.63	3.85	43.54
293			1.68	3.95	29.14
A-156 294			1.48	3.15	25.37
295			1.38	2.18	24.34
296			1.78	1.63	24.34
297			1.68	2.00	25.37
298			2.10	3.00	30.17
299			1.48	2.80	25.37
300			.60	1.53	8.23
501			.43	1.28	8.91
502			2.63	9.05	62.40
503			4.70	10.66	80.57
504			3.28	7.45	44.23
505			1.63	2.70	22.29
506			3.28	8.29	62.40
507			2.13	2.90	28.46
A-156 508			2.00	2.95	30.17
509			2.10	2.88	34.29
510			3.28	5.84	52.46
511			2.70	4.70	46.29
512			1.85	3.58	29.14
513			2.28	3.18	26.40
514			3.78	2.85	49.37
515			1.00	.60	13.03
516			1.05	.95	20.23
517			2.78	1.10	35.31
518			2.18	1.25	30.17
519			4.15	4.30	52.46
520			.60	.93	8.23
A-157 521			.58	.45	13.03
522			.15	.18	8.23
523			.15	.20	9.94
524			.60	.38	15.09
525			5.96	5.03	72.69
526			7.69	9.08	150.17
527			7.51	13.33	118.97
528			3.43	5.99	53.49
529			2.60	6.20	52.46
A-158 530			1.80	4.50	32.23
531			2.58	5.69	44.23
532			4.58	11.42	87.77
533			2.50	6.24	46.29



ASSAYER L. Hayland for GEO. SPALDING

DATE. OCTOBER 15, 1976

FILE NO. 9817 - 136

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

O.K. M.D.

SAMPLE RECEIVED FROM KERR - ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U 534 B			2.68	6.96	48.34
535			2.30	7.45	36.34
536			2.53	4.70	37.37
537			2.20	4.45	36.34
538			2.55	5.65	43.54
539			1.95	3.83	30.17
540			2.10	4.43	36.34
541			2.48	4.68	38.40
A-158 542			1.93	3.90	25.37
543			1.25	4.05	23.31
544			4.68	5.54	78.86
545			7.25	11.76	129.26
546			2.08	2.70	25.37
547			3.20	4.70	43.54
548			3.38	5.75	52.46
549			2.70	2.18	38.40
550			3.38	2.70	35.31
A-159 551			3.10	2.73	42.51
552			3.38	3.30	55.54
553			1.43	3.18	25.37
554			1.00	2.70	23.31
556			1.85	5.62	34.29
557			1.13	2.90	17.14
A-160 558			2.50	6.15	41.49
559			3.23	4.85	48.34
560			2.90	6.00	51.43
561			2.70	7.88	51.43
562			4.76	6.32	72.69
563			1.88	3.40	28.46
564			1.13	1.10	19.20
654			.80	.40	17.14
655			2.78	1.45	34.29
656			2.88	1.25	24.00
U-203 657			3.05	2.60	41.49
658			4.90	3.88	63.43
659			3.18	2.00	43.54
660			6.87	5.00	101.83
661			6.97	4.96	106.97
662			.98	2.53	12.00
663			1.15	3.58	14.06
664			1.53	.23	24.34
665			.93	.80	13.03
666			.38	2.23	7.20
667			1.13	1.28	13.03
668			1.88	2.23	26.40
669			2.75	2.55	38.40



ASSAYER K. Hoyland Jr GEO. SPALDING

DATE. OCTOBER 15, 1976

FILE NO. 9817 - 136

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

O.K. m.D.

SAMPLE RECEIVED FROM KERR - ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U 670 B			2.93	4.00	49.37
671			3.33	4.85	47.31
672			6.01	8.72	73.71
U-203 673			1.68	3.70	23.31
674			.93	2.33	17.14
675			.53	5.56	8.23
676			1.88	5.72	33.26
677			3.80	5.99	53.49
685			.68	.83	16.11
U-180 686			4.78	6.84	71.66
687			3.68	4.55	52.46
688			7.32	12.90	102.86
689			6.48	13.51	89.83
690			2.33	8.26	59.31
691			3.45	9.60	49.03
U-204 692			5.51	9.37	72.69
693			11.45	17.33	150.17
694			7.25	10.67	114.17
695			1.60	2.90	26.40
696			4.35	8.98	66.51
697			3.45	4.60	45.26
U-206 698			5.70	4.00	67.54
699			9.75	6.33	114.17
700			4.78	4.25	58.63
774			6.10	11.23	105.94
A-158 775			1.38	3.88	18.17
776			2.40	4.75	32.23
835			.40	.83	8.23
836			.58	.75	9.26
837			3.28	5.10	52.46
U-182 838			1.50	3.73	19.20
839			.43	.90	8.23
840			1.23	2.28	22.29
844			1.50	2.00	28.46
845			4.90	10.32	90.86
846			4.80	9.39	100.80
847			3.28	7.57	55.54
U-183 848			8.75	14.65	126.17
849			6.00	10.27	104.92
850			4.63	8.18	89.83
851			4.48	5.22	68.57
852			6.75	12.50	111.09
853			5.00	8.93	85.72



ASSAYER K. Hoyland Jr GEO. SPALDING

DATE. OCTOBER 18, 1976

FILE NO. 9823- 147

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U- 565- B			1.10	1.10	17.14
566			.80	1.03	15.09
567			1.72	3.83	25.37
568			.60	1.50	7.20
569			1.80	4.18	29.14
570			2.50	6.51	35.31
571			1.85	2.95	28.46
572			.55	1.43	15.09
573			.55	.48	8.23
574			1.83	3.75	21.26
575			3.10	6.22	53.49
576			3.38	4.80	53.49
577			3.30	5.83	53.49
578			1.18	2.65	17.14
579			2.10	4.86	32.23
580			2.75	5.35	44.23
581			3.13	5.30	43.20
582			1.78	3.68	33.26
583			1.63	3.45	30.17
584			1.83	4.60	32.23
585			2.95	5.35	45.26
586			.95	2.03	17.14
587			.90	1.48	14.74
588			.85	1.13	14.74
589			1.30	2.23	21.26
590			.83	1.73	17.14
591			1.28	2.80	25.37
592			1.78	4.55	31.20
593			2.23	3.20	33.26
594			2.10	5.70	40.46
595			.80	1.40	15.09
596			1.00	.75	20.23
597			2.15	5.06	40.46
598			1.65	3.80	28.46
599			.73	1.28	9.94
600			.63	1.08	9.94

A-160

A-161



ASSAYER. K. Hoyland Jr GEO. SPALDING

DATE. OCTOBER 18, 1976

FILE NO. 9823- 147

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U- 701- B			2.20	3.10	31.20
702			1.50	2.23	27.43
703			5.64	5.80	91.89
704			2.85	3.98	49.37
705			1.15	1.03	17.14
706			3.10	2.60	39.43
707			3.20	1.58	48.34
708			.13	.25	8.23
709			.13	.18	9.94
710			.13	.13	5.14
711			2.50	1.03	42.51
712			.20	.23	7.89
713			.25	.85	8.91
714			6.60	7.66	89.83
715			1.83	1.13	20.23
716			1.58	2.35	22.29
717			4,03	3.16	42.51
718			4.80	5.45	50.40
719			2.48	4.10	33.26
720			2.63	2.55	30.17
721			2.78	2.95	35.31
722			1.88	5.00	36.34
723			2.00	4.58	31.20
724			1.98	4.05	26.40
725			3.88	6.43	48.34
726			1.20	2.38	16.11
727			3.35	6.17	52.46
728			2.23	4.00	29.14
729			3.38	7.26	59.31
730			2.08	4.85	34.29
731			1.65	3.38	23.31
732			.48	.63	6.17
733			7.48	13.40	121.03
734			.93	2.23	14.06
735			1.03	2.33	17.14
736			5.63	12.89	87.77
737			1.15	3.85	17.14
738			3.48	7.31	53.49
739			2.43	4.65	39.43
740			1.83	2.13	32.23
741			2.33	3.70	34.29
742			.78	1.10	13.03
743			3.38	5.93	52.46

A-161 A-162 A-163



ASSAYER. K. Hoyland jr

GEO. SPALDING

DATE. OCTOBER 18, 1976

FILE NO. 9823- 147

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

A-163

A-164

V-206

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U- 744- B			7.86	16.20	130.97
745			2.35	5.20	40.46
746			.98	3.18	14.06
747			2.15	4.66	35.31
748			5.48	6.82	87.77
749			2.68	5.30	47.31
750			.70	1.33	14.74
751			1.35	3.43	26.40
752			.93	2.50	13.03
U- 801- B			3.65	4.20	43.54
802			6.50	2.50	69.60
803			8.50	4.40	89.83
804			4.03	2.03	46.29
805			5.04	2.33	55.54
806			4.85	1.63	55.54
807			5.70	1.48	64.46
808			8.55	7.52	83.66
809			3.70	2.70	41.49
810			3.33	4.10	47.31
811			2.15	4.66	37.37
812			2.38	5.00	44.23
813			2.15	4.76	40.46
814			1.90	3.95	39.43
815			1.60	3.73	33.26
816			1.90	4.68	39.43
817			1.75	2.53	31.20
818			3.35	6.48	57.60
819			2.48	4.06	46.29
820			3.30	7.44	66.51
821			1.80	3.30	29.14



ASSAYER. K. Hoyland

GEO. SPALDING

DATE. OCTOBER 18, 1976

FILE NO. 9823- 147

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U-854- B			4.80	8.78	82.63
855			4.10	7.87	63.43
856			3.00	6.67	59.31
857			2.15	4.00	38.40
858			3.10	4.56	54.51
859			2.95	5.56	52.46
860			3.00	5.00	45.26
861			2.90	7.98	43.54
862			2.68	3.90	35.31
863			3.90	8.48	59.31
864			.53	.80	8.91
865			.58	1.55	8.91
866			.58	.48	8.91
867			.55	1.03	7.20
868			.75	1.25	10.97
869			3.40	6.86	61.37
870			2.50	3.66	38.40
871			1.80	2.60	27.43
872			1.55	3.15	25.37
873			.48	.95	7.20
874			.65	1.08	12.00
875			.78	1.23	10.97
876			.40	.78	5.14
877			.60	1.23	8.91
878			.85	1.28	12.00
879			.65	.90	8.91
880			.65	1.20	9.94
881			.88	1.23	12.00
882			2.05	2.65	29.14
883			5.78	8.93	87.77
884			3.88	8.85	65.49
885			4.70	11.84	71.66
886			3.50	7.77	57.60
887			9.86	12.34	140.23
888			7.90	14.06	110.06
889			10.30	15.27	136.12
890			8.35	11.48	112.12
891			1.80	2.55	26.40



ASSAYER K Hoyland Jr

DATE. OCTOBER 19,1976

FILE NO. 9829- 37

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U- 753- B			6.52	8.88	75.77
754			3.58	7.32	55.54
755			4.60	6.87	60.34
756			4.25	8.78	66.51
757			2.80	7.47	47.31
758			5.00	11.51	68.57
759			1.85	4.88	27.43
760			4.98	6.16	74.74
761			8.50	15.65	112.12
762			4.90	8.98	85.72
U-208 763			5.75	8.13	90.86
764			4.28	4.55	63.43
765			4.65	7.12	81.60
766			1.53	2.68	25.37
767			3.25	3.20	41.49
768			1.93	.75	19.20
769			4.38	5.68	65.49
770			.58	.93	14.06
771			.33	.50	8.91
772			.63	.45	9.94
773			.65	1.63	9.94
U- 822- B			1.15	1.40	15.09
823			1.40	2.88	23.31
824			1.38	3.25	26.40
825			1.68	4.18	30.17
826			1.43	3.18	21.26
U-206 827			1.50	3.00	24.34
828			1.58	4.20	27.43
829			1.70	2.48	26.40
830			.63	1.30	10.97
831			1.83	2.40	24.34
832			2.20	5.50	30.17
833			1.35	2.88	21.26
834			5.42	7.70	67.54
U- 841- B			6.65	10.55	80.57
842			7.61	11.66	102.86
U-206 843			9.89	16.00	138.17



ASSAYER. K. Hoyland for GEO. SPALDING

DATE. OCTOBER 26, 1976

FILE NO. 9836- 165

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U- 001- C			2.88	5.10	43.54
002			4.75	5.20	63.43
U-214 003			3.20	3.95	38.40
004			4.25	9.52	58.63
005			5.00	10.09	75.77
006			3.40	8.79	60.34
007			.83	1.55	10.97
008			1.58	1.60	16.11
009			2.65	1.98	32.23
010			.88	1.48	12.00
011			1.78	3.23	23.31
012			1.03	.73	13.03
013			.78	1.35	9.94
014			.25	.48	6.17
015			.39	1.08	8.91
016			1.05	2.03	18.17
017			1.25	3.28	25.37
018			4.90	8.59	65.49
019			1.13	1.13	27.43
020			.93	.93	20.23
U-190 021			.78	1.00	15.09
022			.85	.93	26.40
023			1.40	1.83	28.46
024			7.98	11.51	116.92
025			5.35	8.28	90.86
026			6.35	7.40	92.92
027			4.93	7.28	79.54
028			4.90	9.05	68.57
029			2.75	3.60	34.29
030			3.98	7.55	56.57
031			6.50	10.66	91.89
032			4.48	7.73	76.80
033			4.15	6.52	73.71
034			6.31	9.55	83.66
035			5.04	6.24	79.54
036			6.20	8.92	93.94
037			5.24	8.39	113.14
038			6.20	10.14	98.74
039			2.95	6.14	53.49
040			1.28	2.10	23.31
041			1.58	2.33	25.37
042			1.33	2.70	25.37
U-215 043			5.99	9.17	84.69
044			5.10	9.25	86.74
045			3.63	6.14	59.31
046			.05	.18	2.06
047			.05	.38	3.09
048			2.23	4.00	38.40



ASSAYER. K. Hoyland for GEO. SPALDING

DATE. OCTOBER 26, 1976

FILE NO. 9836- 165

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U- 049- C			1.55	2.93	20.23
U-215 050			5.96	4.07	71.66
051			2.43	2.60	32.23
052			2.13	4.10	27.43
053			2.93	2.70	35.31
054			.85	1.18	9.94
055			1.93	2.50	22.29
056			1.10	1.05	13.03
057			.95	1.43	9.94
058			1.03	1.48	13.03
059			2.48	3.25	35.31
060			1.93	2.80	22.29
061			1.50	2.00	17.14
062			2.05	2.93	24.34
063			2.08	2.85	25.37
064			.35	.83	8.91
065			1.38	2.20	22.29
066			.03	.43	7.20
067			3.93	5.25	65.49
068			3.18	7.78	57.60
069			4.50	8.24	65.49
070			2.63	4.60	33.26
071			1.13	3.18	17.14
072			1.10	2.93	12.00
073			3.23	6.01	50.40
074			5.85	11.16	85.72
U-192 075			4.65	3.35	50.40
076			2.20	1.75	29.14
077			3.28	4.40	51.43
078			4.08	6.25	62.40
079			1.05	2.13	15.09
080			4.78	7.17	62.40
081			3.90	7.88	60.34
082			.88	1.30	16.11
083			4.05	7.73	60.34
084			3.00	4.60	44.23
085			2.75	5.56	40.46
086			.93	1.43	29.14
087			3.00	6.54	51.43
088			4.03	7.42	62.40
089			2.05	3.68	32.23
090			4.70	4.70	61.37
091			.45	.33	16.11
092			.08	1.38	8.23
093			.13	1.15	10.97
094			.10	.30	9.94
095			.08	.25	13.03
096			.08	.53	12.00



ASSAYER. K. Hoyland for GEO. SPALDING

DATE. OCTOBER 26, 1976

FILE NO. 9836- 165

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U-192 U- 097- C			.15	1.03	12.00
098			.43	1.30	16.11
U- 249- C			1.80	1.70	20.23
250			1.95	2.93	26.40
251			1.63	1.63	22.29
252			1.60	.88	22.29
253			.88	.35	12.00
254			2.20	2.00	32.23
255			2.88	2.55	36.34
256			2.70	2.95	32.23
257			2.80	1.25	30.17
258			3.10	1.85	31.20
U-196 259			2.70	.80	26.40
260			.13	.55	3.09
261			.10	.10	6.17
262			.14	.35	6.17
263			.75	.73	8.91
264			.18	.40	3.09
265			.13	.93	3.09
266			.53	1.23	8.91
267			1.95	3.40	30.17
268			2.58	4.15	41.49
269			6.23	8.77	92.92
270			6.10	8.47	102.86
U- 282- C			1.58	2.55	22.29
283			1.13	.88	14.06
284			1.68	1.53	20.23
285			1.03	1.83	14.06
286			.90	.93	9.94
287			1.53	.75	19.20
288			4.50	6.55	59.31
289			1.90	3.35	26.40
U-211 290			3.58	7.48	45.26
291			3.93	7.54	51.43
292			1.08	2.95	18.17
293			8.99	15.07	159.43
294			6.43	9.22	110.06
295			2.63	4.85	59.31
296			4.48	8.19	69.60
297			3.40	7.16	72.69
298			4.50	7.24	75.77
299			5.00	7.87	74.74
300			2.85	3.20	60.34
301			4.33	6.44	64.46
302			1.80	2.15	33.26
303			2.68	4.75	42.51



ASSAYER. K. Hoyland for GEO. SPALDING

DATE. OCTOBER 26, 1976

FILE NO. 9836- 165

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U- 304- C			2.73	2.60	46.29
305			.25	.53	10.97
306			.40	.80	15.09
U-211 307			.05	.55	9.94
308			.30	.65	13.03
309			.25	.65	12.00
310			.80	2.00	24.34
311			5.56	6.56	73.71
U- 318- C			.88	.33	25.37
319			.45	.10	17.14
320			2.20	1.15	39.43
321			2.88	1.85	42.51
322			5.76	8.04	101.83
323			6.65	9.70	123.09
324			5.44	9.70	91.89
U-196 325			2.88	2.85	36.34
326			.88	.88	13.03
327			.08	.10	4.11
328			.20	.28	5.14
329			.43	.63	8.91
330			1.28	1.50	20.23
331			.18	.70	7.20
332			1.18	1.33	23.31



ASSAYER. K. Hoyland for GEO. SPALDING

DATE. OCTOBER 23, 1976

FILE NO. 9835- 110

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
A- 555- B			1.53	2.65	28.46
892- B			1.13	1.10	15.09
893			2.33	3.10	32.23
894			1.23	1.40	18.17
895			1.00	1.58	15.09
896			1.50	1.95	25.37
897			.83	.80	12.00
U-184 898			.13	.18	5.14
899			.17	.15	5.14
900			.98	1.28	14.06
901			3.85	5.00	47.31
902			.45	.63	8.32
903			2.35	3.05	35.31
904			5.00	7.02	63.43
905			4.23	5.45	70.63
906			.38	.53	6.17
907			.98	1.15	14.06
U-186 908			.58	.98	8.91
909			1.43	2.90	21.26
910			4.90	3.55	48.34
911			4.28	3.08	49.37
912			4.45	9.52	66.51
913			1.68	5.45	27.43
914			2.55	5.73	39.43
915			6.98	10.80	122.06
916			5.33	10.49	89.83
917			6.04	13.42	93.94
U-209 918			3.55	8.91	53.49
919			5.53	9.01	78.86
920			6.98	13.58	102.86
921			10.25	19.77	217.37
922			4.70	6.92	65.49
923			3.90	4.55	52.46
924			2.78	2.90	40.46
925			6.23	10.29	130.97
926			5.67	8.75	97.72
927			6.49	10.25	108.00
928			4.55	6.41	69.60
929			3.48	5.30	48.34
930			1.05	1.90	16.11
931			1.98	2.83	22.29
932			7.70	11.71	135.09
933			5.55	10.09	97.72
U-218 934			4.95	8.60	88.80
935			2.10	5.25	40.46
936			1.53	3.93	29.14
937			2.60	5.35	47.31



ASSAYER. K. Hoyland for GEO. SPALDING

DATE. OCTOBER 23, 1976

FILE NO. 9835- 110

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
938- B			4.15	6.75	68.57
939			6.27	9.99	90.86
940			3.85	7.65	50.40
941			2.70	5.68	40.46
942			5.09	6.61	85.72
943			3.90	4.60	64.46
944			2.45	3.50	49.03
945			.98	2.10	13.03
946			.73	1.48	8.91
947			1.38	2.98	21.26
948			2.18	3.65	32.23
949			2.78	5.00	40.46
950			2.28	4.05	33.26
951			6.42	4.55	71.66
952			.85	2.70	14.06
953			3.73	8.11	56.57
954			3.70	7.90	53.49
955			2.30	4.80	33.26
956			3.78	6.90	58.63
957			3.20	6.55	46.29
958			2.90	5.30	48.34
959			3.82	9.05	68.57
960			4.13	9.01	78.86
961			1.38	3.13	23.31
962			2.88	6.92	50.40
963			7.83	13.57	125.14
964			5.00	9.74	80.57
965			2.63	5.63	42.51
966			.53	.25	8.23
967			1.75	1.48	27.43
968			7.68	16.70	140.23
969			6.19	7.87	79.54
970			6.22	9.59	88.80
971			4.87	7.52	71.66
972			5.00	7.70	69.60
973			5.63	10.60	81.60
974			1.13	1.45	15.09
975			5.79	6.91	93.94
976			7.43	11.15	141.26
977			4.20	6.44	66.51
978			6.32	11.25	98.74
979			5.00	8.52	77.83
980			2.43	5.60	63.43
981			.58	.73	13.03
982			.18	.65	14.06
983			.15	.28	8.23
984			.33	1.08	8.23
985			.73	1.35	13.03



ASSAYER. K. Hoyland for GEO. SPALDING

DATE. OCTOBER 23, 1976

FILE NO. 9835- 110

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
986- B			.05	.45	3.09
987			.05	.33	5.14
988			.07	1.05	4.11
989			1.00	1.63	23.31
990			6.99	12.52	98.74
991			1.78	3.33	27.43
992			3.58	5.90	50.40
993			.45	.85	7.20
994			.50	.63	8.23
995			.35	.70	9.94
996			.68	1.30	19.20
997			.40	.93	8.23
998			.93	1.68	12.00
999			1.88	3.75	31.20
1000- B			.68	.90	8.91



ASSAYER. K. Hoyland for GEO. SPALDING

DATE. NOVEMBER 1, 1976

FILE NO. 9843- 174

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U-099- C			3.88	5.57	65.49
100			1.90	4.30	37.37
101			2.93	6.17	56.57
102			3.95	7.21	70.63
103			5.00	10.06	80.57
104			2.58	5.46	41.49
105			2.75	6.70	45.26
106			1.48	4.38	26.40
107			9.57	19.93	138.17
108			13.40	21.48	215.66
109			10.43	18.62	191.66
110			5.55	9.52	96.69
111			3.78	3.75	50.40
112			1.05	1.35	17.14
113			1.68	2.80	30.17
114			5.00	6.30	77.83
U-216 115			4.15	6.93	61.37
116			2.23	2.05	28.46
117	✓		1.55	1.83	20.23
118			5.60	10.17	70.63
119			3.50	6.25	52.46
120			.23	.35	5.14
121			.45	1.20	7.20
122			.08	.30	2.06
123			.18	.30	3.09
124			.08	.10	2.06
125			.08	.43	2.06
126			3.88	7.34	45.26
127			.30	.88	5.14
128			9.40	9.30	90.86
129			1.88	1.93	18.17
130			2.75	2.35	30.17
131			1.30	2.73	15.09
132			1.48	1.93	19.20
133			2.15	1.60	24.34
134			3.40	3.00	40.46
135			2.60	3.55	32.23
U-217 136			2.23	2.75	28.46
137			1.68	2.65	20.23
138	✓		.40	.63	5.14
139			1.48	2.00	20.23
140			.50	.78	8.23
141			.33	1.18	6.17
142			1.88	3.73	29.14
143			8.05	15.78	118.97
144			7.39	9.26	114.52
145			5.75	6.01	118.97
146			4.53	7.53	87.77



ASSAYER. L. Hoyland Jr GEO. SPALDING

DATE. NOVEMBER 1, 1976

FILE NO. 9843- 174

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U- 147- C			4.68	8.60	68.57
148			5.30	8.88	81.60
149			2.56	5.89	41.49
150			3.70	6.65	59.31
151			4.95	7.30	68.57
152			3.15	6.06	51.43
153			4.20	8.04	80.57
U-212 154			6.29	12.70	93.94
155			4.00	3.60	57.60
156			9.15	15.98	118.63
157			3.85	4.15	46.29
158			2.80	1.70	39.77
159			7.58	14.12	127.89
160			3.38	3.80	47.31
U- 201- C			2.35	3.00	28.46
202			1.55	.93	19.20
203			1.03	1.40	10.97
204			1.98	3.10	27.43
205			.90	1.80	9.94
206			1.28	1.60	12.00
207			.93	1.30	8.91
208			.95	.63	10.97
209			2.33	2.55	33.26
210			2.05	2.75	28.46
211			.40	1.00	8.23
212			1.08	2.28	20.23
213			.53	1.13	12.00
214			.23	.78	6.17
U-194 215			.23	.73	7.20
216			.13	.43	7.20
217			1.90	3.90	34.29
218			3.65	7.20	68.57
219			3.23	5.82	59.31
220			3.00	4.25	58.63
221			8.97	11.07	114.86
222			4.23	7.93	96.69
223			3.28	5.48	58.63
224			3.38	5.71	48.34
225			4.90	6.57	81.60
226			3.20	6.90	80.57
227			4.13	9.21	74.74
228			5.00	8.26	84.69
229			3.93	4.00	57.60
230			2.70	1.50	43.54
231			4.94	5.91	78.86
232			3.90	5.05	78.86
233			9.71	18.19	147.09



ASSAYER. K. Hoyland for GEO. SPALDING

DATE. NOVEMBER 1, 1976

FILE NO. 9843- 174

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR- ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U- 234- C			6.99	14.00	104.92
235			5.23	8.04	79.54
236			2.73	5.05	43.54
237			.55	1.05	15.09
238			.88	1.93	17.14
239			4.25	6.19	63.43
U-194 240			1.00	2.48	21.26
241			1.43	2.98	26.40
242			1.05	1.28	25.37
243			.13	.65	18.17
244			.48	.50	18.17
245			2.28	2.80	37.37
246			3.88	5.00	60.34
247			.70	1.63	25.37
248			2.08	1.93	34.29
U- 271- C			5.00	8.21	93.94
272 *			6.85	5.10	184.46
273			5.70	8.06	108.00
274			4.00	6.80	69.60
U-196 275			5.00	8.49	82.63
276			4.35	7.50	76.80
277			4.28	19.19	61.37
278			9.02	20.34	150.17
279			2.53	5.65	42.51
280			2.03	4.55	36.34
281			4.65	8.31	70.63
U- 312- C			1.05	3.68	25.37
313			2.23	3.15	39.43
U-196 314			1.63	4.03	30.17
315			1.20	3.18	25.37
316			2.58	2.75	45.26
317			3.25	4.85	48.34

* CHECKED TWICE



ASSAYER. K. Hoyland

GEO. SPALDING

DATE. NOVEMBER 1, 1976

FILE NO. 9843- 174

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM KERR- ADDISON MINES

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton	LEAD	ZINC	SILVER gms/tonne
U-333- C			3.83	6.86	63.43
334			2.58	4.45	41.49
335			4.23	7.70	58.63
336			3.23	6.12	54.51
337			4.08	7.05	71.66
338			5.97	9.17	94.63
339			3.85	6.70	50.40
340			5.79	8.39	78.86
341			1.50	1.63	31.20
342			1.28	1.20	30.17
343			2.75	4.60	52.46
344			1.53	2.45	28.46
345			2.93	5.00	46.29
346			.85	1.53	17.14
347			1.83	4.40	24.34
348			.85	1.83	13.03
349			.83	1.03	16.11
350			1.10	1.88	27.43
351			9.14	15.62	120.00
U- 352			4.58	8.31	68.57
213 353			.88	1.38	28.11
354			.18	.80	12.00
355			6.37	13.89	88.80
356			5.70	11.23	70.63
357			2.43	4.45	33.26
358			.68	1.30	20.23
359			.45	1.28	17.14
360			.30	1.00	13.03
361			.18	.98	12.00
362			.20	1.28	6.17
363			.88	1.68	12.00
364			.43	2.53	10.97
365			.05	.85	9.94
366			.05	1.03	9.94
367			.02	.43	8.91
368			.03	1.00	7.89
369			.02	.75	5.14
370			1.28	1.63	29.14
371			6.75	12.22	88.80
372			6.45	3.68	74.74
373			2.85	1.85	56.57
374			.88	.70	24.34
U- 375			1.93	1.43	31.20
217 376			4.73	5.60	63.43
377			2.58	2.80	36.34
378			.55	.63	10.63
379			.80	.88	13.03



ASSAYER. K. Hoyland for GEO. SPALDING