

13APR84 GRUM

DRILL HOLE COLLAR DATA (DH021)

019142

DDH	UTM-N	UTM-E	UTM-ELEV	TOTAL DEPTH	SECTION	RFE	DIR	PLUNGE	ANGLE	
4567506	905,183.0	592,571.0	1,299.9	157.3	W 72	S2	230	11	312	1975 Exploration DDH
4567507	905,138.0	592,530.0	1,299.9	288.3	W 72	S2	230	11	312	
4567509	905,787.0	591,302.0	1,303.0	524.2	W 116	S2	230	11	312	
EA65T01	906,080.0	590,838.0	1,268.0	128.0						1965 TIE Rotary Holes
EA65T02	906,093.0	590,942.0	1,268.0	112.7						
EA65T03	905,960.0	590,612.0	1,276.0	67.0						
EA65T04	905,832.0	590,270.0	1,263.0	70.0						
EA71034	905,850.0	591,207.0	1,301.0	19.5						1971 Overburden Rotary Holes
EA71035	905,690.0	590,960.0	1,308.0	26.8						
EA71036	905,593.0	590,828.0	1,320.0	16.1						
EA71037	905,535.0	590,675.0	1,322.0	17.8						
EA71040	906,125.0	590,482.0	1,243.0	13.1						
EA71162	905,462.0	593,562.0	1,354.0	15.2						
EA71163	905,100.0	592,930.0	1,303.0	15.2						
EA71165	905,495.0	593,000.0	1,332.0	6.0						
EA71166	905,760.0	592,477.0	1,324.0	57.9						
EA71167	906,565.0	591,852.0	1,346.0	9.1						
EA71168	905,277.0	591,418.0	1,338.0	9.1						
EA71169	905,053.0	591,215.0	1,348.0	9.1						
EA71173	904,825.0	591,860.0	1,305.0	9.1						
EA71174	904,625.0	591,687.0	1,304.0	9.1						
EA71179	904,340.0	592,353.0	1,265.0	12.0						
EA71180	904,225.0	592,260.0	1,268.0	24.3						
EA71200	903,915.0	592,380.0	1,229.0	131.1						
EA71201	904,283.0	592,308.0	1,270.0	123.4						
EA76X11	904,375.0	591,980.0	1,278.0	732.7	W 68	S2	230	11	312	Exploration DDH
EA79T01	905,890.0	590,885.0	1,292.0	288.8		S2	230	11	312	
FA80C51	904,775.0	593,430.0	1,295.0	54.9		S2	230	11	312	1980 Crusher Site DDH
FA80C52	904,773.0	593,439.5	1,295.0	41.2		S2	230	11	312	
FA80C53	904,765.3	593,428.0	1,295.0	41.1		S2	230	11	312	
FA80C54	904,777.2	593,420.5	1,295.0	41.1		S2	230	11	312	
FA80C55	904,784.7	593,432.2	1,295.0	41.1		S2	230	11	312	
FA80C56	904,792.0	593,419.5	1,295.0	41.1		S2	230	11	312	
FA80C57	904,785.5	593,447.0	1,295.0	30.5		S2	230	11	312	
FA80C58	904,758.0	593,440.7	1,295.0	30.5		S2	230	11	312	
FA80C59	904,764.5	593,413.2	1,295.0	30.5		S2	230	11	312	
FA80C60	904,814.5	593,405.8	1,295.0	30.5		S2	230	11	312	
FA80C61	904,834.5	593,392.5	1,295.0	30.5		S2	230	11	312	
FA80C62	904,860.0	593,376.3	1,295.0	30.5		S2	230	11	312	
FA81AX1	904,653.2	592,906.1	1,270.8	303.8	W 52	S2	230	11	312	1981 Dumpsite DDH
FAGA001	904,778.4	592,022.4	1,296.8	312.6	W 76	S2	230	11	312	GRUM Deposit Surface DDH
FAGA004	904,922.3	592,170.2	1,286.8	314.8	W 76	S2	230	11	312	
FAGA005	904,990.7	592,214.3	1,293.2	180.5	W 76	S2	230	11	312	
FAGA006	905,267.0	592,451.0	1,299.9	145.4	W 76	S2	230	11	312	
FAGA008	905,349.0	592,220.7	1,308.9	232.6	W 84	S2	230	11	312	
FAGA009	905,103.2	592,322.4	1,302.3	232.0	W 76	S2	230	11	312	
FAGA010	905,029.6	592,175.1	1,298.9	264.6	W 78	S2	230	11	312	
FAGA011	904,901.2	592,217.0	1,281.4	249.9	W 74	S2	230	11	312	
FAGA012	905,198.1	592,078.6	1,312.7	364.5	W 84	S2	230	11	312	
FAGA013	904,776.5	592,358.7	1,277.1	186.0	W 68	S2	230	11	312	
FAGA014	904,874.3	592,111.1	1,290.2	334.6	W 76	S2	230	11	312	

13 APR 84

GRUM

DRILL HOLE COLLAR DATA (DH021)

DDH	UTM-N	UTM-E	UTM-ELEV	TOTAL DEPTH	SECTION	RFE	DIR	PLUNGE	ANGLE	
FAGA015	905,493.2	592,026.0	1,316.5	249.6	W 92	S2	230	11	312	— not logged by CAMC
FAGA016	905,662.7	591,930.5	1,310.5	304.5	W 98	S2	230	11	312	— not logged by CAMC
FAGA017	904,691.1	592,269.0	1,273.9	283.2	W 68	S2	230	11	312	
FAGAC18	905,312.8	591,855.9	1,322.4	448.4	W 92	S2	230	11	312	— not logged by CAMC
FAGA019	904,906.5	592,305.3	1,284.9	256.8	W 72	S2	230	11	312	
FAGAC20	905,240.4	592,119.0	1,311.1	406.6	W 84	S2	230	11	312	
FAGA021	904,951.1	592,346.0	1,291.1	260.8	W 72	S2	230	11	312	
FAGAC22	905,148.8	592,034.9	1,311.5	384.6	W 84	S2	230	11	312	
FAGA023	904,825.6	592,395.7	1,277.9	306.0	W 68	S2	230	11	312	
FAGAC24	905,067.0	592,123.8	1,303.9	356.3	W 80	S2	230	11	312	
FAGA025	905,751.4	592,096.9	1,301.3	315.1	W 96	S2	230	11	312	— not logged by CAMC
FAGAC26	904,742.5	592,485.3	1,277.1	273.3	W 64	S2	230	11	312	
FAGA027	905,114.7	592,167.2	1,303.7	349.6	W 80	S2	230	11	312	
FAGA028	904,697.3	592,443.2	1,274.0	280.7	W 64	S2	230	11	312	
FAGA029	905,683.8	591,531.6	1,306.6	465.7	W 108	S2	230	11	312	
FAGAC30	905,046.7	592,270.2	1,303.3	389.5	W 76	S2	230	11	312	
FAGA031	904,617.2	592,533.0	1,267.6	217.6	W 60	S2	230	11	312	
FAGA032	905,023.4	592,082.3	1,304.4	359.1	W 80	S2	230	11	312	
FAGA033	904,490.0	592,581.3	1,262.5	219.2	W 56	S2	230	11	312	— not logged by CAMC
FAGA034	905,689.5	591,708.8	1,304.7	273.8	W 104	S2	230	11	312	— not logged by CAMC
FAGAC35	904,977.4	592,042.6	1,303.1	389.8	W 80	S2	230	11	312	
FAGA037	904,445.7	592,542.0	1,255.8	158.5	W 56	S2	230	11	312	— not logged by CAMC
FAGA038	904,932.4	592,002.5	1,301.9	363.3	W 80	S2	230	11	312	
FAGA039	904,400.3	592,500.2	1,251.6	234.1	W 56	S2	230	11	312	— not logged by CAMC
FAGAC41	904,887.5	591,961.5	1,303.4	384.0	W 80	S2	230	11	312	
FAGA042	904,354.6	592,459.5	1,254.1	136.6	W 56	S2	230	11	312	— not logged by CAMC
FAGAC45	904,869.2	592,435.8	1,281.6	235.3	W 68	S2	230	11	312	
FAGA046	904,274.1	592,548.5	1,241.9	112.3	W 52	S2	230	11	312	— not logged by CAMC
FAGA049	904,327.9	592,762.8	1,248.4	219.5	W 48	S2	230	11	312	— not logged by CAMC
FAGAC50	904,319.1	592,589.7	1,242.0	203.3	W 52	S2	230	11	312	— not logged by CAMC
FAGA051	905,104.4	591,993.6	1,312.4	367.0	W 84	S2	230	11	312	
FAGA052	904,914.4	592,478.0	1,289.3	261.8	W 68	S2	230	11	312	
FAGA053	905,019.2	592,243.3	1,297.9	357.1	W 76	S2	230	11	312	
FAGA054	904,363.9	592,630.8	1,249.1	142.0	W 52	S2	230	11	312	— not logged by CAMC
FAGAC55	904,788.2	592,525.9	1,277.6	217.9	W 64	S2	230	11	312	
FAGA056	904,995.8	592,385.1	1,299.8	343.1	W 72	S2	230	11	312	
FAGA057	905,564.6	591,758.4	1,314.9	416.4	W 100	S2	230	11	312	— not logged by CAMC
FAGAC58	904,832.0	592,568.5	1,282.6	187.5	W 64	S2	230	11	312	
FAGAC59	905,231.6	591,946.8	1,318.7	397.3	W 88	S2	230	11	312	
FAGAC60	904,862.0	592,265.4	1,278.8	361.5	W 72	S2	230	11	312	
FAGA061	905,274.8	591,988.3	1,318.3	276.3	W 88	S2	230	11	312	
FAGA062	904,868.1	592,347.4	1,279.8	301.1	W 70	S2	230	11	312	
FAGAC63	904,525.2	592,450.3	1,260.7	180.0	W 60	S2	230	11	312	
FAGAC64	905,777.0	591,617.2	1,295.2	432.2	W 108	S2	230	11	312	
FAGA065	904,948.0	592,254.3	1,288.7	167.5	W 74	S2	230	11	312	
FAGA066	904,785.8	592,440.4	1,276.9	182.9	W 66	S2	230	11	312	
FAGAC67	905,118.4	592,251.7	1,303.3	406.8	W 78	S2	230	11	312	
FAGA068	905,076.7	592,298.2	1,304.1	389.1	W 76	S2	230	11	312	
FAGA069	905,159.2	592,206.1	1,302.5	410.3	W 80	S2	230	11	312	
FAGA070	904,909.9	592,390.5	1,286.1	108.2	W 70	S2	230	11	312	
FAGA071	904,990.3	592,300.3	1,297.0	177.4	W 74	S2	230	11	312	

DRILL HOLE COLLAR DATA (DH021)

DDH	UTM-N	UTM-E	UTM-ELEV	TOTAL DEPTH	SECTION	RFE	DIR	PLUNGE	ANGLE
FAGA072	905,073.4	592,215.2	1,304.4	195.0	W 78	S2	230	11	312
FAGA073	905,149.4	592,364.9	1,302.2	364.1	W 76	S2	230	11	312
FAGAC74	904,732.8	592,313.3	1,272.9	323.1	W 68	S2	230	11	312
FAGA075	905,208.1	592,328.4	1,301.2	347.8	W 78	S2	230	11	312
FAGA076	905,203.8	592,247.0	1,301.8	407.1	W 80	S2	230	11	312
FAGA077	904,654.3	592,402.2	1,267.6	305.3	W 64	S2	230	11	312
FAGA078	905,254.9	592,375.8	1,301.1	310.8	W 78	S2	230	11	312
FAGA079	905,251.8	592,283.2	1,301.6	419.1	W 80	S2	230	11	312
FAGAC80	905,299.8	592,418.7	1,300.0	346.3	W 78	S2	230	11	312
FAGA081	904,614.5	592,443.1	1,264.8	273.7	W 62	S2	230	11	312
FAGA082	905,167.6	592,295.3	1,301.7	364.1	W 78	S2	230	11	312
FAGA083	904,813.0	592,224.7	1,278.5	360.8	W 72	S2	230	11	312
FAGA084	904,984.3	592,128.6	1,297.3	456.6	W 78	S2	230	11	312
FAGA085	905,154.8	592,120.3	1,307.6	431.0	W 82	S2	230	11	312
FAGA086	905,870.7	591,697.1	1,290.8	616.2	W 108	S2	230	11	312
FAGAC87	905,199.0	592,161.3	1,305.0	426.4	W 82	S2	230	11	312
FAGAC88	905,035.3	592,341.9	1,303.4	337.6	W 74	S2	230	11	312
FAGA089	905,250.1	592,201.2	1,304.4	378.0	W 82	S2	230	11	312
FAGA090	905,083.2	592,382.9	1,302.1	316.3	W 74	S2	230	11	312
FAGAC91	905,907.1	591,567.8	1,289.5	541.0	W 112	S2	230	11	312
FAGA092	905,126.4	592,424.0	1,300.9	288.6	W 74	S2	230	11	312
FAGA093	905,290.3	592,243.9	1,302.8	350.5	W 82	S2	230	11	312
FAGAC94	905,956.0	591,778.4	1,299.0	301.1	W 108	S2	230	11	312
FAGA095	905,038.1	592,427.7	1,302.8	213.4	W 72	S2	230	11	312
FAGA096	904,955.0	592,432.5	1,293.0	151.5	W 70	S2	230	11	312
FAGA097	906,363.7	591,344.4	1,305.2	100.0	W 128	S2	230	11	312
FAGA098	906,320.3	591,298.9	1,305.9	145.5	W 128	S2	230	11	312
FAGA099	904,870.5	592,518.2	1,285.8	189.5	W 66	S2	230	11	312
FAGA100	905,000.0	592,473.4	1,298.6	250.5	W 70	S2	230	11	312
FAGA101	906,232.2	591,388.7	1,304.4	269.7	W 124	S2	230	11	312
FAGA102	904,790.4	592,612.2	1,279.3	183.4	W 62	S2	230	11	312
FAGA103	904,746.4	592,570.1	1,277.7	214.0	W 62	S2	230	11	312
FAGA104	905,285.0	592,158.7	1,309.6	420.3	W 84	S2	230	11	312
FAGA105	904,563.4	592,403.9	1,263.1	199.5	W 62	S2	230	11	312
FAGA106	904,954.0	592,515.0	1,293.0	190.5	W 68	S2	230	11	312
FAGA107	904,700.6	592,529.6	1,275.9	216.7	W 62	S2	230	11	312
FAGA108	904,484.3	592,494.5	1,259.4	189.5	W 58	S2	230	11	312
FAGA109	904,915.4	592,559.0	1,289.5	190.8	W 66	S2	230	11	312
FAGA110	904,570.7	592,493.3	1,262.8	198.0	W 60	S2	230	11	312
FAGA111	905,191.1	591,991.9	1,315.6	394.1	W 86	S2	230	11	312
FAGA112	904,875.7	592,609.4	1,287.2	172.5	W 64	S2	230	11	312
FAGA113	905,236.3	592,032.5	1,315.9	474.6	W 86	S2	230	11	312
FAGA114	904,469.8	592,423.4	1,259.2	221.6	W 60	S2	230	11	312
FAGA115	905,145.2	591,949.7	1,316.2	448.1	W 86	S2	230	11	312
FAGA116	904,961.0	592,599.3	1,294.0	181.5	W 66	S2	230	11	312
FAGA117	904,734.3	592,401.2	1,275.8	214.3	W 66	S2	230	11	312
FAGA118	905,277.1	592,074.0	1,314.6	468.5	W 86	S2	230	11	312
FAGA119	904,659.6	592,573.5	1,273.6	172.8	W 60	S2	230	11	312
FAGA120	905,322.3	592,113.6	1,313.1	453.2	W 86	S2	230	11	312
FAGA121	904,829.6	592,478.0	1,282.5	263.0	W 66	S2	230	11	312
FAGA122	904,655.0	592,486.6	1,270.2	232.6	W 62	S2	230	11	312

— not logged by CAMC

— not logged by CAMC

DRILL HOLE COLLAR DATA (DHC21)

DDH	UTM-N	UTM-E	UTM-ELEV	TOTAL DEPTH	SECTION	RFE	DIR	PLUNGE	ANGLE
FAGA123	905,319.3	592,029.7	1,317.9	464.8	W 88	S2	230	11	312
FAGA124	905,364.6	592,153.1	1,312.4	423.1	W 86	S2	230	11	312
FAGA125	905,363.6	592,070.9	1,316.9	429.8	W 88	S2	230	11	312
FAGA126	905,185.5	591,905.8	1,319.9	160.4	W 88	S2	230	11	312 — not logged by CAMC
FAGA127	905,406.1	592,108.5	1,316.2	468.2	W 88	S2	230	11	312
FAGA128	905,179.0	591,898.9	1,320.4	477.3	W 88	S2	230	11	312
FAGA129	904,835.1	592,652.4	1,283.2	152.6	W 62	S2	230	11	312
FAGA130	904,749.1	592,655.9	1,276.8	72.0	W 60	S2	230	11	312
FAGA131	904,704.6	592,614.7	1,276.4	165.5	W 60	S2	230	11	312 — not logged by CAMC
FAGA132	905,018.9	592,407.1	1,302.6	144.1	W 72	S2	230	11	312
FAGA133	904,980.2	592,455.5	1,296.8	144.1	W 70	S2	230	11	312
FAGA134	904,935.0	592,493.9	1,290.6	196.3	W 68	S2	230	11	312
FAGA135	904,892.7	592,539.3	1,287.1	175.9	W 66	S2	230	11	312
FAGA136	904,854.8	592,587.2	1,284.7	156.0	W 64	S2	230	11	312
FAGA137	904,898.9	592,628.0	1,289.6	136.1	W 64	S2	230	11	312
FAGA138	905,022.8	592,492.6	1,301.4	96.9	W 70	S2	230	11	312
FAGA139	904,938.2	592,578.8	1,292.3	150.6	W 66	S2	230	11	312
FAGA140	905,426.3	592,283.6	1,306.7	170.0	W 84	S2	230	11	312
FAGA141	905,103.4	592,402.7	1,301.7	93.2	W 74	S2	230	11	312
FAGA142	904,802.5	592,375.2	1,277.5	267.8	W 68	S2	230	11	312
FAGA143	904,977.1	592,534.5	1,295.7	168.0	W 68	S2	230	11	312
FAGA144	905,504.6	592,193.8	1,312.5	145.4	W 88	S2	230	11	312
FAGA145	904,754.2	592,331.0	1,275.4	86.0	W 68	S2	230	11	312
FAGA146	905,583.5	592,100.4	1,313.2	149.4	W 92	S2	230	11	312 — not logged by CAMC
FAGA147	904,848.1	592,416.6	1,278.2	184.4	W 68	S2	230	11	312
FAGA148	905,673.8	592,181.9	1,312.2	113.7	W 92	S2	230	11	312 — not logged by CAMC
FAGA149	904,811.5	592,546.6	1,284.6	198.4	W 64	S2	230	11	312
FAGA150	905,594.3	592,276.3	1,315.8	150.0	W 88	S2	230	11	312
FAGA151	905,457.2	592,155.3	1,313.1	145.4	W 88	S2	230	11	312
FAGA152	904,765.0	592,505.2	1,277.3	209.2	W 64	S2	230	11	312
FAGA153	904,890.9	592,454.8	1,286.6	218.5	W 68	S2	230	11	312
FAGA154	905,413.1	592,198.2	1,310.7	139.6	W 86	S2	230	11	312
FAGA155	905,171.5	592,385.9	1,300.4	94.5	W 76	S2	230	11	312
FAGA156	905,307.6	592,176.4	1,308.8	206.3	W 84	S2	230	11	312
FAGA157	904,715.7	592,378.1	1,273.9	155.4	W 66	S2	230	11	312
FAGA158	905,184.5	592,315.7	1,302.0	135.6	W 78	S2	230	11	312
FAGA159	904,796.9	592,288.5	1,276.8	148.4	W 70	S2	230	11	312
FAGA160	905,226.7	592,262.5	1,301.7	145.1	W 80	S2	230	11	312
FAGA161	905,186.2	592,316.0	1,301.9	122.2	W 78	S2	230	11	312
FAGA162	904,589.5	592,426.9	1,263.7	130.1	W 62	S2	230	11	312
FAGA163	905,299.6	592,327.3	1,302.1	119.5	W 80	S2	230	11	312
FAGA164	905,349.9	592,367.9	1,302.2	110.3	W 80	S2	230	11	312
1980 FAGA200	904,847.9	592,455.5	1,280.5	283.8	W 67	S2	230	11	312 1980
1980 FAGA201	904,635.3	592,512.1	1,269.0	243.2	W 61	S2	230	11	312
1980 FAGA202	904,807.8	592,503.6	1,278.8	288.6	W 65	S2	230	11	312
1980 FAGA203	904,679.0	592,465.0	1,269.6	279.8	W 63	S2	230	11	312
1980 FAGA204	904,769.8	592,548.2	1,277.9	254.8	W 63	S2	230	11	312
1980 FAGA205	904,804.8	592,416.4	1,277.3	284.3	W 67	S2	230	11	312
1980 FAGA206	904,718.6	592,419.6	1,275.3	318.1	W 65	S2	230	11	312
1980 FAGA207	904,730.1	592,587.2	1,277.2	233.7	W 61	S2	230	11	312
1980 FAGA208	904,826.9	592,313.9	1,278.1	224.6	W 70	S2	230	11	312

DRILL HOLE COLLAR DATA (DH021)

DDH	UTM-N	UTM-E	UTM-ELEV	TOTAL DEPTH	SECTION	RFE	DIR	PLUNGE	ANGLE
1980FAGA209	904,682.7	592,550.8	1,274.9	235.0	W 61	S2	230	11	312
1980FAGA210	904,763.3	592,461.8	1,276.3	127.4	W 65	S2	230	11	312
1980FAGA211	904,722.8	592,506.7	1,276.7	261.2	W 63	S2	230	11	312
1980FAGA212	904,768.9	592,446.8	1,276.8	311.1	W 65	S2	230	11	312
1980FAGA213	904,755.1	592,376.7	1,277.0	307.1	W 67	S2	230	11	312
1981FAGA214	905,321.7	592,344.8	1,302.0	492.8	W 80	S2	230	11	312
1981FAGA215	905,057.3	592,358.7	1,302.8	394.3	W 74	S2	230	11	312
1981FAGA216	904,709.2	592,288.5	1,273.8	429.1	W 68	S2	230	11	312
1982FAGA217	904,772.2	592,677.5	1,278.0	187.4	W 60	S2	230	11	312
1982FAGA218	904,619.9	592,618.6	1,271.4	246.1	W 58	S2	230	11	312
1982FAGA219	904,623.1	592,704.0	1,272.5	252.0	W 56	S2	230	11	312
1982FAGA220	904,556.7	592,641.0	1,266.2	291.7	W 56	S2	230	11	312
1982FAGA221	904,596.2	592,597.2	1,268.5	291.7	W 58	S2	230	11	312
1982FAGA222	904,535.0	592,622.2	1,264.8	291.7	W 56	S2	230	11	312
1982FAGA223	904,512.6	592,601.9	1,263.8	262.4	W 56	S2	230	11	312
1982FAGA224	904,552.6	592,557.6	1,264.0	215.5	W 58	S2	230	11	312
1982FAGA225	904,637.2	592,553.5	1,270.3	217.9	W 60	S2	230	11	312
1982FAGA226	904,497.2	592,752.8	1,262.8	217.9	W 52	S2	230	11	312
1982FAGA227	905,275.0	592,303.5	1,301.3	205.1	W 80	S2	230	11	312
1982FAGA228	905,332.1	592,286.3	1,303.2	194.8	W 82	S2	230	11	312
1982FAGA229	905,377.2	592,327.0	1,304.0	159.5	W 82	S2	230	11	312
1982FAGA230	905,394.9	592,262.3	1,307.0	221.6	W 84	S2	230	11	312
1982FAGA231	905,457.5	592,240.4	1,308.9	185.9	W 86	S2	230	11	312
1982FAGA232	905,435.2	592,217.7	1,310.0	206.3	W 86	S2	230	11	312
1982FAGA233	905,371.6	592,242.4	1,306.9	197.8	W 84	S2	230	11	312
1982FAGA234	905,353.1	592,307.8	1,303.0	165.0	W 82	S2	230	11	312
1982FAGA235	905,308.9	592,266.6	1,303.2	175.8	W 82	S2	230	11	312
1982FAGA236	905,266.9	592,225.9	1,304.0	439.2	W 82	S2	230	11	312
1982FAGA237	905,328.5	592,198.5	1,308.2	215.5	W 84	S2	230	11	312
1982FAGA238	905,227.0	592,355.1	1,300.7	132.0	W 78	S2	230	11	312
1982FAGA239	905,193.4	592,405.4	1,299.7	109.1	W 76	S2	230	11	312
1982FAGA240	904,931.7	592,408.7	1,289.5	111.3	W 70	S2	230	11	312
1982FAGA241	904,846.8	592,497.7	1,284.8	161.8	W 66	S2	230	11	312
FAGADL1	905,088.3	592,714.1	1,300.0	99.7	W 66	S2	230	11	312
FAGADL2	905,260.8	592,139.7	1,309.8	111.8	W 84	S2	230	11	312
FAGADL3	904,904.8	592,056.6	1,296.0	102.7	W 78	S2	230	11	312
FAGADL4	904,474.8	592,423.4	1,259.6	61.6	W 60	S2	230	11	312
FAGU001	904,987.4	592,385.1	1,144.0	62.5	W 72	S2	230	11	312
FAGU002	904,988.6	592,384.9	1,144.0	50.2	W 72	S2	230	11	312
FAGU003	904,924.3	592,323.8	1,144.7	82.2	W 72	S2	230	11	312
FAGU004	904,927.5	592,326.6	1,145.0	53.3	W 72	S2	230	11	312
FAGU005	904,927.7	592,327.3	1,141.0	99.0	W 72	S2	230	11	312
FAGU006	904,927.2	592,327.6	1,145.0	36.6	W 72	S2	230	11	312
FAGU007	904,954.5	592,347.1	1,141.2	73.2	W 72	S2	230	11	312
FAGU008	904,954.5	592,347.1	1,145.3	50.2	W 72	S2	230	11	312
FAGU009	904,973.9	592,365.6	1,141.4	64.0	W 72	S2	230	11	312
FAGU010	904,973.9	592,365.6	1,145.3	64.0	W 72	S2	230	11	312
FAGU011	904,990.4	592,387.8	1,143.1	24.3	W 72	S2	230	11	312
FAGU012	904,892.4	592,296.5	1,142.3	79.7	W 72	S2	230	11	312
FAGU013	904,891.9	592,296.1	1,142.3	182.9	W 72	S2	230	11	312
FAGU014	904,891.3	592,298.6	1,147.1	51.8	W 72	S2	230	11	312

1979 Geotechnical DDH

GRUM Deposit Underground DDH

13 APR 84

GRUM

DRILL HOLE COLLAR DATA (DH021)

DDH	UTM-N	UTM-E	UTM-ELEV	TOTAL DEPTH	SECTION	RFE	DIR	PLUNGE	ANGLE
FAGU015	904,908.7	592,226.9	1,155.6	185.9	W 74	S2	230	11	312
FAGU016	904,934.6	592,334.6	1,141.2	106.7	W 72	S2	230	11	312
FAGU017	904,934.7	592,334.4	1,141.2	125.0	W 72	S2	230	11	312
FAGU018	904,892.5	592,296.5	1,142.4	88.4	W 72	S2	230	11	312
FAGU019	904,890.4	592,294.7	1,144.7	59.4	W 72	S2	230	11	312
FAGU020	904,891.5	592,295.7	1,142.3	74.7	W 72	S2	230	11	312
FAGU021	904,924.0	592,323.8	1,145.0	76.2	W 72	S2	230	11	312
FAGU022	904,927.5	592,327.0	1,141.1	99.0	W 72	S2	230	11	312
FAGU023	904,928.1	592,327.9	1,141.1	70.0	W 72	S2	230	11	312
FAGU024	904,934.2	592,335.3	1,144.6	59.4	W 72	S2	230	11	312
FAGU025	904,934.2	592,335.3	1,144.6	114.3	W 72	S2	230	11	312
FAGU026	904,986.3	592,382.5	1,146.2	76.2	W 72	S2	230	11	312
FAGU027	904,990.0	592,387.0	1,146.8	106.1	W 72	S2	230	11	312
FAGU028	904,913.5	592,234.2	1,155.9	64.0	W 74	S2	230	11	312
FAGU029	904,913.9	592,233.9	1,156.6	68.5	W 74	S2	230	11	312
FAGU030	904,913.8	592,233.7	1,159.0	36.6	W 74	S2	230	11	312
FAGU031	904,907.6	592,230.7	1,156.2	61.0	W 74	S2	230	11	312
FAGU032	904,907.7	592,228.3	1,155.8	121.9	W 74	S2	230	11	312
FAGU033	904,905.1	592,225.9	1,158.8	21.8	W 74	S2	230	11	312
FAGU034	904,973.6	592,282.9	1,134.0	126.5	W 74	S2	230	11	312
FAGU035	904,974.1	592,283.2	1,134.0	147.8	W 74	S2	230	11	312
FAGU036	904,838.2	592,376.2	1,157.3	19.8	W 69	S2	230	11	312
FAGU037	904,839.5	592,377.0	1,157.1	53.3	W 69	S2	230	11	312
FAGU038	904,838.8	592,376.6	1,157.2	85.2	W 69	S2	230	11	312
FAGU039	904,973.3	592,282.2	1,134.0	110.3	W 74	S2	230	11	312
FAGU040	904,973.1	592,282.1	1,134.0	108.8	W 74	S2	230	11	312
FAGU041	904,975.2	592,284.4	1,134.0	97.5	W 74	S2	230	11	312
FAGU042	904,973.8	592,283.9	1,138.0	53.3	W 74	S2	230	11	312
FAGU043	904,973.3	592,283.3	1,138.1	45.7	W 74	S2	230	11	312
FAGU044	904,973.8	592,281.1	1,138.2	45.7	W 74	S2	230	11	312
FAGU045	905,038.6	592,339.0	1,132.6	62.5	W 74	S2	230	11	312
FAGU046	905,038.6	592,339.0	1,132.6	83.7	W 74	S2	230	11	312
FAGU047	905,038.6	592,339.0	1,132.6	80.7	W 74	S2	230	11	312
FAGU048	905,034.2	592,337.4	1,132.7	120.7	W 74	S2	230	11	312
FAGU049	905,033.4	592,335.2	1,133.9	82.2	W 74	S2	230	11	312
FAGU050	905,033.1	592,336.0	1,133.9	91.4	W 74	S2	230	11	312
FAGU051	905,033.5	592,335.1	1,135.4	70.0	W 74	S2	230	11	312
FAGU052	905,033.9	592,335.3	1,136.7	57.9	W 74	S2	230	11	312
FAGU053	905,034.6	592,335.8	1,136.9	60.9	W 74	S2	230	11	312
FAGU054	905,037.0	592,337.4	1,137.5	150.9	W 74	S2	230	11	312
FAGU055	905,033.5	592,335.3	1,134.4	36.4	W 74	S2	230	11	312
FAGU056	905,033.5	592,335.3	1,135.5	61.0	W 74	S2	230	11	312
FAGU057	905,033.4	592,335.2	1,133.2	53.3	W 74	S2	230	11	312
FAGU058	905,002.4	592,227.5	1,125.7	106.7	W 76	S2	230	11	312
FAGU059	905,002.7	592,227.9	1,124.8	127.2	W 76	S2	230	11	312
FAGU060	905,003.9	592,228.8	1,124.4	122.0	W 76	S2	230	11	312
FAGU061	905,003.7	592,228.6	1,124.4	120.5	W 76	S2	230	11	312
FAGU062	905,002.6	592,227.8	1,125.0	109.7	W 76	S2	230	11	312
FAGU063	905,002.6	592,227.8	1,126.8	106.6	W 76	S2	230	11	312
FAGU064	905,004.1	592,230.0	1,128.2	57.9	W 76	S2	230	11	312
FAGU065	905,004.2	592,228.9	1,128.4	59.4	W 76	S2	230	11	312

— not logged by CAMC

— not logged by CAMC

13 APR 84

STUM

DRILL HOLE COLLAR DATA (DH021)

DDH	UTM-N	UTM-E	UTM-ELEV	TOTAL DEPTH	SECTION	RFE	DIR	PLUNGE	ANGLE
FAGUC66	905,002.3	592,229.4	1,126.3	99.0	W 76	S2	230	11	312
FAGUC67	905,046.1	592,185.5	1,116.0	76.2	W 78	S2	230	11	312
FAGUC68	905,045.2	592,185.3	1,117.2	53.3	W 78	S2	230	11	312
FAGUC69	905,046.4	592,186.2	1,119.6	38.1	W 78	S2	230	11	312
FAGUC70	905,047.5	592,187.1	1,119.4	39.6	W 78	S2	230	11	312
FAGUC71	905,047.8	592,187.3	1,119.3	45.7	W 78	S2	230	11	312
FAGUC72	905,046.2	592,186.8	1,114.0	137.3	W 78	S2	230	11	312
FAGUC73	905,044.5	592,186.6	1,115.4	121.9	W 78	S2	230	11	312
FAGUC74	904,808.5	592,427.3	1,164.3	107.9	W 67	S2	230	11	312
FAGUC75	905,046.9	592,187.2	1,114.0	170.5	W 78	S2	50	11	312
FAGUC76	904,807.9	592,426.6	1,164.3	65.5	W 67	S2	230	11	312
FAGUC77	905,047.9	592,188.1	1,114.3	167.5	W 78	S2	50	11	312
FAGUC78	904,809.0	592,427.9	1,164.4	106.7	W 67	S2	230	11	312
FAGUC79	905,045.3	592,186.2	1,114.5	97.5	W 78	S2	50	11	312
FAGUC80	904,985.3	592,381.4	1,144.2	76.2	W 67	S2	230	11	312
FAGUC81	905,040.5	592,262.3	1,127.2	38.1	W 76	S2	230	11	312
FAGUC82	904,984.8	592,380.4	1,144.1	45.7	W 72	S2	230	11	312
FAGUC83	905,040.7	592,262.7	1,131.5	38.1	W 76	S2	230	11	312
FAGUC84	904,989.3	592,380.9	1,142.6	76.2	W 72	S2	230	11	312
FAGUC85	905,039.6	592,262.1	1,131.6	44.2	W 76	S2	230	11	312
FAGUC86	904,991.3	592,386.5	1,143.4	94.5	W 72	S2	230	11	312
FAGUC87	905,038.7	592,260.3	1,127.2	61.0	W 76	S2	230	11	312
FAGUC88	904,960.5	592,427.3	1,145.4	65.2	W 70	S2	230	11	312
FAGUC89	905,025.9	592,251.3	1,130.7	38.1	W 76	S2	230	11	312
FAGUC90	904,962.9	592,427.5	1,145.4	79.2	W 70	S2	230	11	312
FAGUC91	905,132.2	592,261.0	1,114.7	97.5	W 78	S2	230	11	312
FAGUC92	904,959.4	592,424.5	1,146.4	73.2	W 70	S2	230	11	312
FAGUC93	905,131.0	592,262.3	1,116.3	76.2	W 78	S2	50	11	312
FAGUC94	905,168.2	592,066.8	1,089.2	26.2	W 84	S2	230	11	312
FAGUC95	905,132.0	592,262.0	1,113.9	121.9	W 78	S2	230	11	312
FAGUC96	904,959.5	592,424.9	1,147.4	121.9	W 70	S2	230	11	312
FAGUC97	905,131.7	592,262.1	1,114.1	62.5	W 78	S2	50	11	312
FAGUC98	904,959.2	592,425.8	1,145.5	52.1	W 70	S2	230	11	312
FAGUC99	905,141.0	592,272.4	1,113.8	184.5	W 78	S2	50	11	312
FAGU100	904,958.8	592,425.7	1,148.4	121.9	W 70	S2	230	11	312
FAGU101	905,142.3	592,272.6	1,113.3	175.3	W 78	S2	230	11	312
FAGU102	904,959.7	592,425.9	1,150.0	47.2	W 70	S2	230	11	312
FAGU103	905,142.1	592,272.9	1,113.8	129.5	W 78	S2	230	11	312
FAGU104	904,961.4	592,427.3	1,150.0	31.4	W 70	S2	230	11	312
FAGU105	905,143.2	592,274.5	1,115.1	38.1	W 78	S2	230	11	312
FAGU106	904,962.3	592,428.5	1,146.6	137.1	W 70	S2	230	11	312
FAGU107	905,142.3	592,272.6	1,117.0	70.0	W 78	S2	230	11	312
FAGU108	904,961.6	592,429.0	1,145.6	72.5	W 70	S2	230	11	312
FAGU109	905,142.6	592,274.4	1,117.5	116.7	W 78	S2	230	11	312
FAGU110	905,101.6	592,317.6	1,122.4	90.7	W 76	S2	230	11	312
FAGU111	904,959.2	592,425.8	1,145.5	122.8	W 70	S2	230	11	312
FAGU112	905,100.5	592,316.6	1,122.4	45.7	W 76	S2	230	11	312
FAGU113	904,961.1	592,428.1	1,146.0	102.7	W 70	S2	230	11	312
FAGU114	905,098.9	592,315.4	1,123.6	45.7	W 76	S2	230	11	312
FAGU115	904,959.3	592,427.0	1,145.4	74.0	W 70	S2	230	11	312
FAGU116	905,098.8	592,315.4	1,125.8	68.5	W 76	S2	230	11	312

— not logged by CAMC

— not logged by CAMC

17 APR 84

GRUM

DRILL HOLE COLLAR DATA (DH021)

DDH	UTM-N	UTM-E	UTM-ELEV	TOTAL DEPTH	SECTION	RFE	DIR	PLUNGE	ANGLE
FAGU117	905,040.2	592,343.4	1,133.1	61.0	W 74	S2	230	11	312
FAGU118	905,099.7	592,316.8	1,127.6	76.2	W 76	S2	230	11	312
FAGU119	904,864.0	592,347.5	1,150.0	103.6	W 70	S2	230	11	312
FAGU120	905,102.8	592,318.6	1,123.6	61.0	W 76	S2	230	11	312
FAGU121	904,863.0	592,346.6	1,150.0	65.5	W 70	S2	230	11	312
FAGU122	905,102.7	592,318.5	1,122.4	91.4	W 76	S2	230	11	312
FAGU123	904,865.9	592,349.5	1,150.0	118.9	W 70	S2	230	11	312
FAGU124	905,069.7	592,288.8	1,127.4	91.4	W 76	S2	230	11	312
FAGU125	904,958.6	592,425.8	1,146.0	92.2	W 70	S2	230	11	312
FAGU126	905,068.7	592,288.2	1,127.4	144.8	W 76	S2	230	11	312
FAGU127	904,866.2	592,349.8	1,151.2	45.7	W 70	S2	230	11	312
FAGU128	905,069.5	592,289.1	1,127.4	83.7	W 76	S2	230	11	312
FAGU129	905,055.9	592,276.3	1,127.0	142.3	W 76	S2	230	11	312
FAGU130	905,069.1	592,288.4	1,132.1	45.7	W 76	S2	230	11	312
FAGU131	904,863.0	592,346.8	1,151.2	45.7	W 70	S2	230	11	312
FAGU132	905,102.4	592,318.9	1,127.4	134.1	W 76	S2	230	11	312
FAGU133	904,865.6	592,349.3	1,149.9	126.5	W 70	S2	230	11	312
FAGU134	905,013.2	592,237.1	1,123.5	99.0	W 76	S2	230	11	312
FAGU135	905,182.9	592,228.6	1,103.4	190.5	W 80	S2	230	11	312
FAGU136	904,863.8	592,347.6	1,152.9	76.2	W 70	S2	230	11	312
FAGU137	904,866.3	592,348.2	1,153.4	61.0	W 70	S2	230	11	312
FAGU138	905,012.8	592,237.3	1,123.3	122.2	W 76	S2	230	11	312
FAGU139	904,865.0	592,347.8	1,153.4	76.2	W 70	S2	230	11	312
FAGU140	905,183.0	592,228.7	1,103.4	123.4	W 80	S2	230	11	312
FAGU141	904,787.4	592,442.5	1,167.8	96.2	W 66	S2	230	11	312
FAGU142	905,180.9	592,226.2	1,103.7	152.4	W 80	S2	230	11	312
FAGU143	904,790.7	592,445.9	1,166.9	132.6	W 66	S2	230	11	312
FAGU144	905,183.2	592,229.3	1,106.9	73.2	W 80	S2	230	11	312
FAGU145	904,791.1	592,445.3	1,167.9	121.9	W 66	S2	230	11	312
FAGU146	905,181.9	592,227.9	1,108.1	73.7	W 80	S2	230	11	312
FAGU147	904,788.0	592,443.1	1,170.2	76.2	W 66	S2	230	11	312
FAGU148	905,052.5	592,191.7	1,114.3	68.5	W 78	S2	50	11	312
FAGU149	905,143.1	592,191.8	1,106.3	182.9	W 80	S2	230	11	312
FAGU150	905,082.4	592,136.0	1,105.0	152.4	W 80	S2	230	11	312
FAGU151	905,081.3	592,134.2	1,108.2	76.2	W 80	S2	230	11	312
FAGU152	905,142.7	592,191.5	1,111.0	61.0	W 80	S2	230	11	312
FAGU153	905,081.1	592,134.4	1,105.6	61.0	W 80	S2	230	11	312
FAGU154	905,100.1	592,155.5	1,109.4	61.0	W 80	S2	230	11	312
FAGU155	904,788.5	592,443.3	1,166.8	61.0	W 66	S2	230	11	312
FAGU156	905,100.1	592,155.4	1,105.6	76.2	W 80	S2	230	11	312
FAGU157	904,789.1	592,443.8	1,166.8	132.6	W 66	S2	230	11	312
FAGU158	905,131.9	592,099.0	1,097.7	74.3	W 82	S2	230	11	312
FAGU159	904,789.1	592,445.3	1,170.9	76.2	W 66	S2	230	11	312
FAGU160	905,131.3	592,098.6	1,095.3	73.2	W 82	S2	230	11	312
FAGU161	904,787.2	592,442.6	1,166.8	59.4	W 66	S2	230	11	312
FAGU162	905,131.5	592,099.0	1,094.4	153.9	W 82	S2	230	11	312
FAGU163	904,740.0	592,481.2	1,174.9	112.0	W 64	S2	230	11	312
FAGU164	905,132.6	592,099.6	1,099.2	50.0	W 82	S2	230	11	312
FAGU165	904,740.3	592,481.2	1,174.3	53.3	W 64	S2	230	11	312
FAGU166	905,223.5	592,182.4	1,094.9	182.9	W 82	S2	230	11	312
FAGU167	904,740.3	592,481.4	1,176.9	61.8	W 64	S2	230	11	312

DRILL HOLE COLLAR DATA (DH021)

DDH	UTM-N	UTM-E	UTM-ELEV	TOTAL DEPTH	SECTION	RFE	DIR	PLUNGE	ANGLE
FAGU168	905,221.3	592,182.3	1,094.9	166.5	W 82	S2	230	11	312
FAGU169	904,697.0	592,522.8	1,182.5	45.7	W 62	S2	230	11	312
FAGU170	905,222.9	592,099.4	1,089.2	96.2	W 84	S2	230	11	312
FAGU171	904,693.6	592,519.8	1,182.3	30.5	W 62	S2	230	11	312
FAGU172	905,220.7	592,181.9	1,095.2	121.9	W 82	S2	230	11	312
FAGU173	904,693.9	592,520.2	1,182.2	57.9	W 62	S2	230	11	312
FAGU174	905,223.8	592,182.4	1,098.7	28.0	W 82	S2	230	11	312
FAGU175	904,696.7	592,522.7	1,181.7	58.3	W 62	S2	230	11	312
FAGU176	905,254.8	592,131.7	1,090.1	170.0	W 84	S2	230	11	312
FAGU177	904,696.6	592,522.5	1,184.5	65.5	W 62	S2	230	11	312
FAGU178	905,255.0	592,132.2	1,094.3	79.5	W 84	S2	230	11	312
FAGU179	904,694.7	592,520.5	1,185.1	51.8	W 62	S2	230	11	312
FAGU180	905,222.8	592,099.5	1,093.4	30.5	W 84	S2	230	11	312
FAGU181	904,832.2	592,401.6	1,161.4	68.5	W 68	S2	230	11	312
FAGU182	905,181.6	592,068.5	1,088.2	153.6	W 84	S2	230	11	312
FAGU183	904,832.2	592,401.5	1,160.6	76.2	W 68	S2	230	11	312
FAGU184	905,178.7	592,066.1	1,088.2	167.5	W 84	S2	230	11	312
FAGU185	904,810.7	592,422.4	1,164.8	91.4	W 67	S2	230	11	312
FAGU186	905,180.7	592,067.9	1,092.5	61.0	W 84	S2	230	11	312
FAGU187	904,811.2	592,422.1	1,164.2	91.4	W 67	S2	230	11	312
FAGU188	905,135.0	592,102.4	1,095.6	83.7	W 82	S2	230	11	312
FAGU189	904,814.4	592,425.4	1,164.2	123.4	W 67	S2	230	11	312
FAGU190	905,133.9	592,101.2	1,094.4	106.7	W 82	S2	230	11	312
FAGU191	904,812.5	592,423.8	1,168.3	61.0	W 67	S2	230	11	312
FAGU192	904,991.4	592,259.1	1,129.6	121.9	W 75	S2	230	11	312
FAGU193	904,842.0	592,368.7	1,155.6	76.2	W 69	S2	230	11	312
FAGU194	904,990.8	592,258.4	1,130.9	128.0	W 75	S2	230	11	312
FAGU195	904,845.3	592,372.1	1,155.7	91.4	W 69	S2	230	11	312
FAGU196	904,989.9	592,257.5	1,129.6	129.5	W 75	S2	230	11	312
FAGU197	904,842.8	592,369.5	1,158.2	35.1	W 69	S2	230	11	312
FAGU198	904,912.1	592,165.0	1,162.2	153.9	W 75	S2	230	11	312
FAGU199	904,884.3	592,325.6	1,146.4	132.6	W 71	S2	230	11	312
FAGU200	904,880.6	592,336.5	1,147.6	45.7	W 71	S2	230	11	312
FAGU201	904,926.2	592,329.6	1,142.2	54.9	W 72	S2	230	11	312
FAGU202	904,926.2	592,329.7	1,142.2	45.7	W 72	S2	230	11	312
FAGU203	904,933.5	592,335.2	1,142.2	73.2	W 72	S2	230	11	312
FAGU204	904,976.7	592,409.3	1,144.2	36.6	W 71	S2	230	11	312
FAGU205	904,979.7	592,410.2	1,144.9	106.7	W 71	S2	230	11	312
FAGU206	904,975.9	592,409.7	1,149.0	106.7	W 71	S2	230	11	312
FAGU207	905,019.5	592,366.3	1,139.8	45.7	W 73	S2	230	11	312
FAGU208	905,018.6	592,365.9	1,138.7	140.1	W 73	S2	230	11	312
FAGU209	905,018.4	592,365.0	1,138.6	99.0	W 73	S2	230	11	312
FAGU210	905,017.3	592,363.7	1,138.5	120.4	W 73	S2	230	11	312
FAGU211	904,949.4	592,302.5	1,138.9	114.3	W 73	S2	230	11	312
FAGU212	904,950.4	592,303.1	1,138.9	70.2	W 73	S2	230	11	312
FAGU213	904,951.3	592,304.3	1,138.9	121.9	W 73	S2	230	11	312
FAGU214	905,067.8	592,328.3	1,128.5	30.5	W 75	S2	230	11	312
FAGU215	905,066.4	592,327.0	1,127.3	138.6	W 75	S2	230	11	312
FAGU216	905,065.5	592,324.6	1,127.4	138.6	W 75	S2	230	11	312
FAGU217	904,910.8	592,163.4	1,162.2	123.6	W 76	S2	230	11	312
FAGU218	905,156.6	592,071.3	1,089.9	45.7	W 83	S2	230	11	312

| | | | |
 — not logged by CAMC
 — not logged by CAMC
 — not logged by CAMC
 | | | | |
 — not logged by CAMC
 — not logged by CAMC

DRILLHOLE	DEPTH(METRES)	ZENITH(DEG)	AZIMUTH(DEG)
4567506	.0	180.0	.0
	61.0	175.5	32.0
	121.9	166.0	93.0
Calculated from FAGA 092			
4567507	.0	180.0	.0
	61.0	175.5	32.0
	121.9	166.0	93.0
	182.9	160.0	85.0
	262.1	155.0	83.0
Calculated from FAGA 092			
4567509	.0	180.0	.0
	182.9	174.0	138.0
	304.8	167.0	135.0
	524.3	177.0	142.0
Acid Azimuths from FAGA 064			
EA65T01	.0	180.0	.0
EA65T02	.0	180.0	.0
EA65T03	.0	180.0	.0
EA65T04	.0	180.0	.0
EA71034	.0	180.0	.0
EA71035	.0	180.0	.0
EA71036	.0	180.0	.0
EA71037	.0	180.0	.0
EA71040	.0	180.0	.0
EA71162	.0	180.0	.0
EA71163	.0	180.0	.0
EA71165	.0	180.0	.0
EA71166	.0	180.0	.0
EA71167	.0	180.0	.0
EA71168	.0	180.0	.0
EA71169	.0	180.0	.0
EA71173	.0	180.0	.0
EA71174	.0	180.0	.0

DRILLHOLE	DEPTH(METRES)	ZENITH(DEG)	AZIMUTH(DEG)
EA71179	.0	180.0	.0
EA71180	.0	180.0	.0
EA71200	.0	180.0	.0
EA71201	.0	180.0	.0
EA76X11	.0	180.0	.0
	22.3	178.8	99.0
	113.7	171.8	58.0
	189.9	165.0	55.0
	266.1	160.8	50.0
	342.3	161.0	55.0
	418.5	164.0	60.0
	498.7	157.5	38.0
	574.9	157.3	40.0
	651.1	158.8	41.0
	727.3	158.2	43.0
EA79T01	.0	180.0	.0
FA80C51	.0	180.0	.0
FA80C52	.0	180.0	.0
FA80C53	.0	180.0	.0
FA80C54	.0	180.0	.0
FA80C55	.0	180.0	.0
FA80C56	.0	180.0	.0
FA80C57	.0	180.0	.0
FA80C58	.0	180.0	.0
FA80C59	.0	180.0	.0
FA80C60	.0	180.0	.0
FA80C61	.0	180.0	.0
FA80C62	.0	180.0	.0
FA81AX1	.0	180.0	.0
	68.9	166.0	28.0
	117.6	174.2	58.0
	178.6	170.0	61.0
	239.6	172.5	54.0

Sperry Sun

Sperry Sun

DRILLHOLE	DEPTH(METRES)	ZENITH(DEG)	AZIMUTH(DEG)	
FA81AX1	300.5	170.0	35.0	
FAGA001	.0	180.0	.0	
	64.0	180.0	.0	
	91.4	176.8	84.0	Calculated from FAGA 004
	152.4	173.5	37.0	
	213.4	174.5	43.0	
	259.1	173.2	321.0	
FAGA004	.0	180.0	.0	
	64.0	180.0	.0	
	91.4	176.8	84.0	Sperry Sun
	152.4	173.5	37.0	
	213.4	174.5	43.0	
	259.1	173.2	321.0	
FAGA005	.0	180.0	.0	
	48.5	179.0	85.0	
	69.8	179.0	86.0	Calculated from FAGA 053 & FAGA 004
	83.5	177.9	88.0	
	107.9	176.9	69.8	
	138.4	175.3	46.3	
FAGA006	.0	180.0	.0	
	61.6	177.3	144.6	Calculated from FAGA 080
	122.5	176.0	129.5	
FAGA008	.0	180.0	.0	
	61.0	173.5	128.0	
	152.4	167.5	133.5	Calculated from FAGA 093 & FAGA 124
	189.0	164.9	139.0	
FAGA009	.0	180.0	.0	
	61.0	175.9	137.0	
	121.9	170.2	123.0	Sperry Sun
	182.9	168.8	114.0	
	219.5	170.0	93.0	
FAGA010	.0	180.0	.0	
	61.0	175.2	69.0	
	121.9	172.8	78.0	Sperry Sun
	182.9	174.5	74.0	
	243.8	177.8	140.0	
FAGA011	.0	180.0	.0	
	61.0	175.3	67.0	
	121.9	172.2	74.0	Sperry Sun
	182.9	171.7	53.0	
	237.7	170.0	83.0	
FAGA012	.0	180.0	.0	

DRILLHOLE	DEPTH(METRES)	ZENITH(DEG)	AZIMUTH(DEG)	
FAGA012	61.0	173.4	124.0	
	121.9	171.3	108.0	
	182.9	171.0	100.0	Calculated from FAGA 022 & FAGA 113
	234.7	167.1	108.5	
	289.6	169.4	123.5	
	344.4	171.4	148.5	
FAGA013	.0	180.0	.0	
	48.8	176.8	54.0	Sperry Sun
	109.7	170.8	88.0	
	164.6	167.6	93.0	
FAGA014	.0	180.0	.0	
	64.0	180.0	.0	
	91.4	176.8	84.0	Calculated from FAGA 004
	152.4	173.5	37.0	
	213.4	174.5	43.0	
	259.1	173.2	321.0	
FAGA015	.0	180.0	.0	
	61.0	174.1	122.0	Calculated from FAGA 127
	121.9	165.8	135.0	
	182.9	162.1	162.0	
	243.8	163.0	173.0	
FAGA016	.0	180.0	.0	
	61.0	175.0	140.0	
	121.9	168.4	144.0	Calculated from Z FAGA 064 & FAGA 127
	182.9	162.7	150.0	
	243.8	158.0	159.0	
	304.5	161.5	146.5	
FAGA017	.0	180.0	.0	
	61.6	175.0	111.5	Calculated from FAGA 074
	122.5	172.0	71.9	
	183.5	168.0	60.5	
	244.5	163.0	59.5	
FAGA018	.0	180.0	.0	
	30.5	174.6	113.0	
	91.4	171.0	98.0	
	213.4	167.9	138.0	Sperry Sun
	274.3	167.0	135.0	
	329.2	164.7	123.0	
	438.9	167.0	95.0	
FAGA019	.0	180.0	.0	
	70.2	176.9	118.5	
	97.6	174.9	98.5	Calculated from FAGA 060 & FAGA 021
	154.7	172.4	98.0	
	200.5	173.0	118.0	

DRILLHOLE	DEPTH(METRES)	ZENITH(DEG)	AZIMUTH(DEG)	
FAGA019	212.6	172.5	112.0	
FAGA020	.0	180.0	.0	
	30.5	179.0	65.0	
	91.4	180.0	.0	
	152.4	172.0	66.5	Sperry Sun
	225.6	174.0	119.0	
	286.5	170.0	52.0	
	365.8	172.0	68.5	
FAGA021	.0	180.0	.0	
	61.0	178.7	158.0	
	115.8	174.8	118.0	Sperry Sun
	207.3	175.9	158.0	
FAGA022	.0	180.0	.0	
	61.0	172.4	118.0	
	121.9	171.6	103.0	
	182.9	171.0	102.0	Sperry Sun
	243.8	166.3	104.0	
	353.6	170.2	154.0	
FAGA023	.0	180.0	.0	
	51.8	178.0	283.0	
	91.4	179.7	133.0	Sperry Sun
	146.3	179.2	113.0	
FAGA024	.0	180.0	.0	
	61.0	175.0	54.0	
	121.9	174.3	88.0	
	182.9	172.0	65.0	Sperry Sun
	256.0	176.8	78.0	
FAGA025	.0	180.0	.0	
	61.0	174.1	122.0	
	121.9	165.8	135.0	
	182.9	162.1	162.0	Calculated from FAGA 127
	243.8	163.0	173.0	
	304.8	167.0	158.0	
FAGA026	.0	180.0	.0	
	121.9	179.0	72.0	
	207.3	177.0	81.0	Tropari
	243.8	178.0	92.0	
	273.4	178.0	92.0	
FAGA027	.0	180.0	.0	
	61.0	176.0	113.0	
	121.9	172.5	84.0	
	182.9	174.0	86.0	Sperry Sun
	243.8	174.7	134.0	

DRILLHOLE	DEPTH(METRES)	ZENITH(DEG)	AZIMUTH(DEG)
FAGA027	303.9	172.0	223.0
FAGA028	.0	180.0	.0
	85.3	175.4	49.0
	115.8	176.0	95.0
	195.1	166.0	86.0
	243.8	165.0	74.0
FAGA029	.0	180.0	.0
	61.0	175.9	158.0
	121.9	171.0	153.0
	182.9	163.2	138.0
	243.8	153.0	145.0
	304.8	156.0	135.0
	350.5	161.3	142.2
FAGA030	.0	180.0	.0
	61.0	171.2	123.0
	121.9	166.1	111.0
	182.9	171.9	97.0
	262.1	174.0	122.0
FAGA031	.0	180.0	.0
	61.0	176.3	112.5
	118.9	168.4	65.0
	170.7	164.5	61.5
FAGA032	.0	180.0	.0
	61.0	176.0	45.0
	121.9	177.0	103.0
	182.9	178.0	48.0
	243.8	174.6	64.0
	353.6	176.4	94.0
FAGA033	.0	180.0	.0
	61.0	178.5	96.5
	121.9	172.5	59.0
	176.8	170.3	54.3
FAGA034	.0	180.0	.0
	61.0	175.9	158.0
	121.9	171.0	153.0
	182.9	163.2	138.0
	243.8	153.0	145.0
FAGA035	.0	180.0	.0
	61.0	176.0	45.0
	121.9	177.0	103.0
	182.9	178.0	43.0
	243.8	174.6	64.0
	353.6	176.4	94.0

Sperry Sun

Calculated from FAGA 064

Sperry Sun

Calculated from FAGA 110 & FAGA 119

Sperry Sun

Calculated from FAGA 110 & FAGA 108

Calculated from FAGA 064

Calculated from FAGA 032

DRILLHOLE	DEPTH(METRES)	ZENITH(DEG)	AZIMUTH(DEG)
FAGA037	.0	180.0	.0
	61.0	179.0	40.0
	121.9	176.0	51.0
			Calculated from FAGA 108
FAGA038	.0	180.0	.0
	61.0	176.0	45.0
	121.9	177.0	103.0
	182.9	178.0	43.0
	243.8	174.6	64.0
	353.6	176.4	94.0
			Calculated from FAGA 032
FAGA039	.0	180.0	.0
	61.0	179.5	40.0
	115.8	175.5	53.3
	170.7	174.5	44.5
	195.1	171.5	27.3
			Calculated from FAGA 108 & 114
FAGA041	.0	180.0	.0
	61.0	176.0	45.0
	121.9	177.0	103.0
	182.9	178.0	43.0
	243.8	174.6	64.0
	353.6	176.4	94.0
			Calculated from FAGA 032
FAGA042	.0	180.0	.0
	61.0	179.5	40.0
	115.8	175.5	53.3
			Calculated from FAGA 108 & 114
FAGA045	.0	180.0	.0
	61.0	179.0	33.0
	121.9	176.0	61.0
	195.1	176.8	93.0
			Sperry Sun
FAGA046	.0	180.0	.0
	61.0	179.5	40.0
			Calculated from FAGA 108 & FAGA 114
FAGA049	.0	180.0	.0
FAGA050	.0	180.0	.0
	61.0	179.5	40.0
	115.8	175.5	53.3
	170.7	174.5	44.5
	195.1	171.5	27.3
			Calculated from FAGA 108 & FAGA 114
FAGA051	.0	180.0	.0
	61.0	173.7	87.0
	91.4	173.3	77.5
	152.4	171.3	101.0
	182.9	172.5	95.0
	243.8	169.3	104.0
	329.2	169.4	128.5
			Calculated from FAGA 022 & FAGA 115

DRILLHOLE	DEPTH(METRES)	ZENITH(DEG)	AZIMUTH(DEG)	
FAGA051	359.7	169.4	127.5	
FAGA052	.0	180.0	.0	
	61.0	179.5	33.0	
	121.9	175.7	68.0	Sperry Sun
	182.9	169.0	84.0	
	237.7	164.0	83.0	
FAGA053	.0	180.0	.0	
	32.9	178.0	85.0	Tropari
	75.6	179.0	92.0	
	124.4	177.0	55.5	
FAGA054	.0	180.0	.0	
	61.0	179.5	40.0	Calculated from FAGA 108 & FAGA 114
	115.8	175.5	53.3	
FAGA055	.0	180.0	.0	
	61.0	173.9	68.0	Sperry Sun
	121.9	168.0	63.0	
	195.1	165.5	58.0	
FAGA056	.0	180.0	.0	
	61.0	179.8	165.0	
	121.9	171.5	128.0	Sperry Sun
	182.9	171.0	116.0	
	243.8	173.0	163.0	
FAGA057	.0	180.0	.0	
	61.0	175.9	158.0	
	121.9	171.0	153.0	
	182.9	163.2	138.0	Calculated from FAGA 064
	243.8	153.0	145.0	
	304.8	156.0	135.0	
	350.5	161.3	142.2	
FAGA058	.0	180.0	.0	
	73.2	177.0	53.0	Tropari
	121.9	173.0	54.0	
	170.7	169.0	54.0	
FAGA059	.0	180.0	.0	
	61.0	175.0	92.0	
	121.9	174.0	101.0	Sperry Sun
	182.9	172.0	113.0	
	243.8	165.5	103.0	
	304.8	167.0	135.0	
	365.8	170.0	173.0	
FAGA060	.0	180.0	.0	
	79.2	175.0	79.0	Tropari

DRILLHOLE	DEPTH(METRES)	ZENITH(DEG)	AZIMUTH(DEG)	
FAGA060	126.5	172.0	76.0	Tropari
	193.5	170.0	78.0	
	217.9	169.0	66.0	
FAGA061	.0	180.0	.0	Calculated from FAGA 059 & FAGA 123
	45.7	173.5	105.0	
	76.2	173.0	100.5	
	106.7	172.5	105.0	
	137.2	173.6	115.5	
	167.6	172.6	121.5	
	198.1	172.2	107.5	
	228.6	168.9	102.5	
	259.1	169.4	105.5	
FAGA062	.0	180.0	.0	Sperry Sun
	61.0	176.5	122.0	
	121.9	170.0	106.0	
	182.9	169.0	114.0	
	225.6	163.0	101.0	
FAGA063	.0	180.0	.0	Calculated from FAGA 108 & FAGA 105 & FAGA 110
	61.0	178.3	128.7	
	121.9	174.6	72.0	
	176.8	173.2	55.8	
FAGA064	.0	180.0	.0	Sperry Sun
	61.0	175.9	158.0	
	121.9	171.0	153.0	
	182.9	163.2	138.0	
	243.8	153.0	145.0	
	304.8	156.0	135.0	
	350.5	161.3	142.2	
FAGA065	.0	180.0	.0	Tropari
	167.6	175.0	157.0	
FAGA066	.0	180.0	.0	Tropari
	57.9	178.0	110.3	
	115.8	178.0	94.0	
	176.8	170.0	103.6	
FAGA067	.0	180.0	.0	Tropari
	122.5	176.0	340.8	
	244.4	175.0	96.8	
	378.6	175.0	103.6	
FAGA068	.0	180.0	.0	Tropari
	121.9	167.0	117.0	
	237.7	173.5	107.5	
	389.2	173.0	120.0	

DRILLHOLE	DEPTH(METRES)	ZENITH(DEG)	AZIMUTH(DEG)	
FAGA069	.0	180.0	.0	Tropari
	122.5	172.0	133.8	
	244.5	176.0	133.6	
	366.4	175.0	173.0	
FAGA070	.0	180.0	.0	Tropari
	49.1	176.0	123.0	
	103.9	174.0	143.9	
FAGA071	.0	180.0	.0	Tropari
	86.0	167.0	102.3	
	168.2	171.0	102.5	
FAGA072	.0	180.0	.0	Tropari
	92.0	172.0	97.5	
	177.4	170.5	106.5	
FAGA073	.0	180.0	.0	Tropari
	64.6	179.0	102.0	
	122.5	180.0	91.5	
	183.5	163.0	95.5	
	244.4	161.0	106.5	
	305.4	159.0	99.9	
FAGA074	.0	180.0	.0	Tropari
	61.6	175.0	111.5	
	122.5	172.0	71.9	
	183.5	168.0	60.5	
	244.5	163.0	59.5	
FAGA075	.0	180.0	.0	Tropari
	61.6	178.0	280.5	
	134.7	177.0	70.2	
	201.8	175.0	14.0	
	262.7	173.0	37.5	
	323.7	170.0	81.5	
FAGA076	.0	180.0	.0	Tropari
	61.6	179.0	130.5	
	122.5	174.0	138.5	
	183.5	169.7	146.4	
	244.5	179.0	142.5	
	305.4	173.0	154.4	
	387.7	173.0	136.5	
FAGA077	.0	180.0	.0	Tropari
	52.4	177.0	69.5	
	104.2	173.0	78.8	
	165.2	169.0	72.5	
	226.2	169.0	71.6	
	287.1	167.0	72.9	

DRILLHOLE	DEPTH(METRES)	ZENITH(DEG)	AZIMUTH(DEG)	
FAGA078	.0	180.0	.0	
	61.6	179.0	107.0	
	122.5	170.5	122.5	Tropari
	183.5	163.0	118.7	
	244.4	160.0	114.8	
	299.3	159.5	28.0	
FAGA079	.0	180.0	.0	
	61.0	179.0	166.6	
	121.9	177.0	140.3	
	182.9	175.0	137.6	Tropari
	243.8	176.0	146.5	
	378.0	171.0	106.4	
FAGA080	.0	180.0	.0	
	61.6	177.3	144.6	
	122.5	176.0	129.5	Tropari
	183.5	161.6	128.8	
	244.4	158.8	119.8	
	305.4	154.6	110.5	
FAGA081	.0	180.0	.0	
	65.8	175.0	23.0	
	126.8	170.0	61.0	Sperry Sun
	187.8	169.2	77.0	
	248.7	169.0	67.0	
FAGA082	.0	180.0	.0	
	61.6	175.0	149.5	
	122.5	169.0	147.0	
	183.5	166.0	148.5	
	238.4	167.0	133.5	Tropari
	293.2	168.0	119.5	
	360.3	167.0	120.5	
FAGA083	.0	180.0	.0	
	53.6	176.6	114.0	
	120.1	170.2	113.0	
	181.1	166.2	105.0	Sperry Sun
	242.0	168.0	85.0	
	303.0	169.0	67.0	
	357.8	168.4	18.0	
FAGA084	.0	180.0	.0	
	85.3	175.0	94.5	
	146.3	172.0	120.5	
	207.3	175.0	112.5	Tropari
	268.2	175.0	80.5	
	329.2	175.0	76.0	
	396.2	179.0	39.0	

DRILLHOLE	DEPTH(METRES)	ZENITH(DEG)	AZIMUTH(DEG)	
FAGA085	.0	180.0	.0	
	61.0	177.5	79.0	
	121.9	174.0	107.0	
	182.9	173.0	106.0	
	243.8	173.2	138.0	Sperry Sun
	304.8	172.2	183.0	
	384.0	172.4	183.0	
	402.3	172.2	183.0	
FAGA086	.0	180.0	.0	
	36.6	179.0	238.0	
	97.5	179.0	289.5	
	182.9	171.0	130.0	
	243.8	165.0	156.5	Tropari
	304.8	161.0	142.5	
	384.0	166.0	133.5	
	426.7	164.0	141.5	
	506.0	161.0	139.5	
FAGA087	.0	180.0	.0	
	121.9	171.4	133.0	
	176.8	170.0	138.0	
	243.8	173.0	129.0	Sperry Sun
	304.5	172.2	155.0	
	353.6	171.0	158.0	
FAGA088	.0	180.0	.0	
	61.0	179.0	120.5	
	121.9	176.0	49.5	Tropari
	182.9	177.5	123.0	
	256.0	173.0	55.0	
	317.0	169.0	106.0	
FAGA089	.0	180.0	.0	
	61.0	180.0	.0	
	109.7	176.0	99.5	Tropary
	189.0	175.0	214.5	
FAGA090	.0	180.0	.0	
	61.0	179.0	60.5	
	121.9	169.0	110.5	Tropary
	182.9	162.0	92.0	
	243.8	165.0	93.5	
	304.8	159.0	79.5	
FAGA091	.0	180.0	.0	
	30.5	177.4	73.0	
	91.4	176.0	83.0	Sperry Sun
	213.4	171.0	85.0	
	335.3	168.0	113.0	
	396.2	166.0	105.0	

DRILLHOLE	DEPTH(METRES)	ZENITH(DEG)	AZIMUTH(DEG)	
FAGA091	518.2	173.0	60.0	
FAGA092	.0	180.0	.0	
	61.0	175.5	32.0	
	121.9	166.0	93.0	Sperry Sun
	182.9	160.0	85.0	
	262.1	155.0	83.0	
FAGA093	.0	180.0	.0	
	61.0	175.0	113.0	
	121.9	169.0	113.0	
	195.1	163.8	124.0	Sperry Sun
	262.1	162.8	117.0	
	335.3	168.0	58.0	
FAGA094	.0	180.0	.0	
	30.5	177.0	73.0	
	91.4	173.5	83.0	Sperry Sun
	152.4	173.0	98.0	
	213.4	171.0	87.0	
	274.3	173.0	193.0	
FAGA095	.0	180.0	.0	
	73.2	178.0	83.0	
	134.1	165.7	104.0	Sperry Sun
	195.1	159.2	88.0	
FAGA096	.0	180.0	.0	
	58.1	176.0	36.5	Calculated from FAGA 070 & FAGA 100
	112.9	173.5	103.0	
FAGA097	.0	180.0	.0	
FAGA098	.0	180.0	.0	
	24.4	179.0	358.0	Sperry Sun
	61.0	176.6	2.0	
	121.9	176.0	303.0	
FAGA099	.0	180.0	.0	
	61.0	175.0	73.0	
	115.8	165.0	77.0	Sperry Sun
	176.8	162.0	76.0	
FAGA100	.0	180.0	.0	
	67.1	176.0	310.0	
	121.9	173.0	62.0	Sperry Sun
	182.9	163.0	82.0	
	225.6	161.0	78.0	
FAGA101	.0	180.0	.0	
	61.0	176.0	18.0	Sperry Sun

DRILLHOLE	DEPTH(METRES)	ZENITH(DEG)	AZIMUTH(DEG)	
FAGA101	121.9	171.0	52.0	Sperry Sun
	213.4	174.0	41.0	
	256.0	175.2	17.0	
FAGA102	.0	180.0	.0	Sperry Sun
	67.1	175.0	73.0	
	128.0	166.8	68.0	
	170.7	169.8	56.0	
FAGA103	.0	180.0	.0	Sperry Sun
	51.8	177.4	288.0	
	112.8	173.3	78.0	
	182.9	171.3	73.0	
FAGA104	.0	180.0	.0	Sperry Sun
	61.0	172.4	144.0	
	121.9	172.5	128.0	
	182.9	170.8	133.0	
	262.1	167.0	143.0	
	323.1	169.6	153.0	
	396.2	166.0	146.0	
FAGA105	.0	180.0	.0	Tropary
	61.0	178.0	193.0	
	121.9	179.0	98.0	
	182.9	176.0	66.0	
FAGA106	.0	180.0	.0	Sperry Sun
	97.5	174.0	75.0	
	170.7	168.7	77.0	
FAGA107	.0	180.0	.0	Sperry Sun
	73.2	179.0	288.0	
	128.0	177.5	48.0	
	207.3	166.0	44.0	
FAGA108	.0	180.0	.0	Tropary
	61.0	179.0	40.0	
	121.9	176.0	51.0	
	170.7	176.0	48.5	
FAGA109	.0	180.0	.0	Sperry Sun
	61.0	179.0	270.0	
	121.9	173.0	34.0	
	182.9	170.2	355.0	
FAGA110	.0	180.0	.0	Sperry Sun
	61.0	178.0	153.0	
	121.9	169.0	67.0	
	182.9	164.5	60.0	

DRILLHOLE	DEPTH(METRES)	ZENITH(DEG)	AZIMUTH(DEG)	
FAGA111	.0	180.0	.0	
	61.0	174.0	293.0	
	121.9	175.0	31.0	Sperry Sun
	243.8	172.0	66.0	
	365.8	175.0	92.0	
FAGA112	.0	180.0	.0	
	85.3	178.0	327.0	Sperry Sun
	164.6	170.0	348.0	
FAGA113	.0	180.0	.0	
	61.0	174.3	126.0	
	121.9	171.0	113.0	
	182.9	171.0	98.0	
	225.6	167.8	113.0	Sperry Sun
	335.3	172.5	143.0	
	378.0	170.0	166.0	
	457.2	172.8	135.0	
FAGA114	.0	180.0	.0	
	61.0	180.0	.0	
	109.7	175.0	55.5	Tropary
	170.7	173.0	40.5	
	219.5	170.0	14.0	
FAGA115	.0	180.0	.0	
	61.0	175.0	52.0	
	182.9	174.0	88.0	
	243.8	172.2	104.0	Sperry Sun
	304.8	168.5	103.0	
	365.8	168.5	101.0	
FAGA116	.0	180.0	.0	
	73.2	178.0	58.0	Sperry Sun
	146.3	168.0	53.0	
FAGA117	.0	180.0	.0	
	61.0	172.8	45.0	
	121.9	172.0	43.0	Sperry Sun
	161.5	170.2	42.0	
FAGA118	.0	180.0	.0	
	61.0	169.9	124.0	
	182.9	167.5	121.0	
	243.8	168.5	135.0	Sperry Sun
	335.3	168.0	146.0	
	396.2	167.7	145.0	
	426.7	167.0	145.0	
FAGA119	.0	180.0	.0	
	61.0	174.5	72.0	Sperry Sun

DRILLHOLE	DEPTH(METRES)	ZENITH(DEG)	AZIMUTH(DEG)	
FAGA119	115.8	167.7	63.0	Sperry Sun
	158.5	164.5	63.0	
FAGA120	.0	180.0	.0	Sperry Sun
	61.0	174.5	127.0	
	121.9	172.8	131.0	
	182.9	173.5	153.0	
	243.8	171.5	148.0	
	304.8	168.0	138.0	
	365.8	168.0	143.0	
FAGA121	.0	180.0	.0	Sperry Sun
	61.0	175.9	95.0	
	134.1	173.2	83.0	
	207.3	170.0	91.0	
	249.9	167.0	98.0	
FAGA122	.0	180.0	.0	Sperry Sun
	61.0	176.0	94.0	
	91.4	174.8	88.0	
	152.4	173.5	78.0	
	228.6	167.3	73.0	
FAGA123	.0	180.0	.0	Sperry Sun
	30.5	172.0	118.0	
	91.4	171.0	109.0	
	152.4	173.2	130.0	
	213.4	172.3	102.0	
	274.3	173.3	108.0	
	378.0	165.2	145.0	
FAGA124	.0	180.0	.0	Sperry Sun
	61.0	171.9	143.0	
	121.9	169.8	135.0	
	182.9	166.0	154.0	
	243.8	168.2	157.0	
	304.8	165.0	149.0	
	365.8	165.2	131.0	
FAGA125	.0	180.0	.0	Sperry Sun
	61.0	173.0	112.0	
	121.9	172.0	118.0	
	182.9	171.1	149.0	
	243.8	168.5	161.0	
335.3	166.0	160.0		
FAGA126	.0	180.0	.0	Calculated from FAGA 128
	121.9	178.0	56.0	
FAGA127	.0	180.0	.0	Sperry Sun
	61.0	174.0	122.0	

DRILLHOLE	DEPTH(METRES)	ZENITH(DEG)	AZIMUTH(DEG)	
FAGA127	121.9	165.8	135.0	
	182.9	162.1	162.0	
	243.8	163.0	173.0	Sperry Sun
	304.8	167.0	158.0	
	365.8	167.3	147.0	
FAGA128	.0	180.0	.0	
	121.9	178.0	56.0	
	182.9	170.8	101.0	Sperry Sun
	243.8	170.0	102.0	
	304.8	165.4	105.0	
365.8	164.2	90.0		
FAGA129	.0	180.0	.0	
	103.6	176.0	209.0	Sperry Sun
	149.4	175.8	191.0	
FAGA130	.0	180.0	.0	
	64.1	174.8	72.5	Calculated from FAGA 119 & FAGA 102
FAGA131	.0	180.0	.0	
	91.4	177.0	42.0	Sperry Sun
	165.5	172.0	62.0	
FAGA132	.0	180.0	.0	
	91.4	178.0	153.0	Sperry Sun
	143.3	175.0	124.0	
FAGA133	.0	180.0	.0	
	67.1	176.0	310.0	Calculated from FAGA 100
	121.9	173.0	62.0	
FAGA134	.0	180.0	.0	
	135.6	175.9	69.0	Sperry Sun
FAGA135	.0	180.0	.0	
	67.0	177.0	32.0	Sperry Sun
	155.4	167.7	83.0	
FAGA136	.0	180.0	.0	
	73.2	177.0	53.0	Calculated from FAGA 058
	121.9	173.0	54.0	
FAGA137	.0	180.0	.0	
	68.9	176.2	2.5	Calculated from FAGA 112 & FAGA 139
	136.2	167.2	26.5	
FAGA138	.0	180.0	.0	
	67.1	176.0	310.0	Calculated from FAGA 100
FAGA139	.0	180.0	.0	

DRILLHOLE	DEPTH(METRES)	ZENITH(DEG)	AZIMUTH(DEG)	
FAGA139	52.4 113.4	174.3 166.4	38.0 65.0	Sperry Sun
FAGA140	.0 84.7 145.7	180.0 171.7 164.0	.0 124.0 124.0	Sperry Sun
FAGA141	.0 61.0	180.0 177.3	.0 46.3	Calculated from FAGA 090 & FAGA 092
FAGA142	.0 88.4 149.4 189.0 231.7	180.0 177.0 174.7 174.0 170.0	.0 90.0 88.0 102.0 74.0	Sperry Sun
FAGA143	.0 76.2 137.2	180.0 173.0 163.5	.0 64.0 73.0	Sperry Sun
FAGA144	.0 61.0 121.9	180.0 174.1 165.8	.0 122.0 135.0	Calculated from FAGA 127
FAGA145	.0 55.2	180.0 175.9	.0 82.8	Calculated from FAGA 013 & FAGA 074
FAGA146	.0 61.0 121.9	180.0 174.1 165.8	.0 122.0 135.0	Calculated from FAGA 127
FAGA147	.0 107.3 151.2	180.0 174.8 172.0	.0 70.0 79.0	Sperry Sun
FAGA148	.0 61.0	180.0 174.1	.0 122.0	Calculated from FAGA 127
FAGA149	.0 67.1 112.8 160.0 190.5	180.0 176.8 171.5 171.0 169.0	.0 63.0 58.0 53.0 58.0	Sperry Sun
FAGA150	.0 61.0 121.9	180.0 174.1 165.8	.0 122.0 135.0	Calculated from FAGA 127
FAGA151	.0 61.0 121.9	180.0 174.1 165.8	.0 122.0 135.0	Calculated from FAGA 127

DRILLHOLE	DEPTH(METRES)	ZENITH(DEG)	AZIMUTH(DEG)
FAGA152	.0 70.1 154.8	180.0 176.5 169.5	.0 52.0 91.0
			Sperry Sun
FAGA153	.0 82.3 164.6	180.0 168.0 177.0	80.0 82.0 32.0
			Sperry Sun
FAGA154	.0 61.0 121.9	180.0 171.9 169.8	.0 143.0 135.0
			Calculated from FAGA 124
FAGA155	.0 64.6	180.0 179.0	.0 102.0
			Calculated from FAGA 073
FAGA156	.0 121.9	180.0 176.0	.0 120.0
			Sperry Sun
FAGA157	.0 61.0 121.9	180.0 177.2 175.9	.0 123.0 83.0
			Sperry Sun
FAGA158	.0 114.0	180.0 174.2	.0 92.0
			Sperry Sun
FAGA159	.0 68.9 114.6 137.2	180.0 171.0 169.0 164.0	.0 106.3 87.5 108.0
			Calculated from FAGA 208 & FAGA 074
FAGA160	.0 61.3 122.2	180.0 179.0 175.5	.0 148.6 139.4
			Calculated from FAGA 076 & FAGA 079
FAGA161	.0 24.4 42.7 93.6	141.0 143.0 140.8 143.0	44.0 47.0 45.0 54.0
			Sperry Sun
FAGA162	.0 95.1	180.0 173.0	.0 41.0
			Sperry Sun
FAGA163	.0 82.9	180.0 174.2	.0 104.0
			Sperry Sun
FAGA164	.0 82.9	180.0 174.2	.0 104.0
			Calculated from FAGA 163
FAGA200	.0 66.4 96.9	180.0 175.9 174.8	353.0 353.0 23.0
			Sperry Sun

DRILLHOLE	DEPTH(METRES)	ZENITH(DEG)	AZIMUTH(DEG)	
FAGA200	127.4	174.0	34.0	
	157.9	173.5	63.0	
	188.4	172.5	94.0	
	218.8	171.5	80.0	Sperry Sun
	249.3	168.5	75.0	
	279.8	167.5	81.0	
FAGA201	.0	180.0	.0	
	83.2	179.0	213.0	
	113.7	177.8	251.0	
	144.2	177.2	130.0	Sperry Sun
	174.6	174.5	105.0	
	205.1	173.9	98.0	
	235.6	173.8	63.0	
FAGA202	.0	180.0	.0	
	68.0	177.8	53.0	
	98.5	174.2	80.0	
	128.9	171.2	68.0	
	159.4	169.7	65.0	
	189.9	168.8	61.0	Sperry Sun
	220.4	167.8	57.0	
	250.8	167.0	56.0	
	281.3	168.0	51.0	
FAGA203	.0	180.0	.0	
	62.2	178.0	48.0	
	92.7	177.5	59.0	
	123.1	176.0	73.0	
	153.6	175.5	59.0	Sperry Sun
	184.1	172.5	76.0	
	214.6	170.5	70.0	
	245.1	170.0	90.0	
	275.5	167.0	63.0	
FAGA204	.0	180.0	.0	
	66.8	178.5	113.0	
	97.2	176.0	87.0	
	127.7	172.0	81.0	
	158.2	172.0	73.0	Sperry Sun
	188.7	172.0	67.0	
	219.1	172.5	55.0	
	249.6	172.5	54.0	
FAGA205	.0	180.0	.0	
	65.8	178.0	336.0	
	96.3	177.5	1.0	Sperry Sun
	245.3	173.0	123.0	
	278.9	172.0	133.0	
FAGA206	.0	180.0	.0	

DRILLHOLE	DEPTH(METRES)	ZENITH(DEG)	AZIMUTH(DEG)
FAGA206	71.0	175.5	77.0
	101.5	175.5	85.0
	132.0	175.0	90.0
	162.5	172.7	90.0
	192.9	171.0	86.0
	223.4	169.5	90.0
	253.9	168.0	83.0
	284.4	166.0	88.0
	314.8	166.0	85.0
FAGA207	.0	180.0	.0
	70.1	175.0	65.0
	100.6	174.0	78.0
	131.1	173.0	187.0
FAGA208	.0	180.0	.0
	76.2	167.0	101.0
	106.7	166.0	103.0
	137.2	164.0	108.0
	167.6	162.0	110.0
	198.1	162.0	89.0
FAGA209	.0	180.0	.0
	75.9	177.3	100.0
	106.4	175.5	97.0
	136.9	173.0	93.0
	167.3	172.0	80.0
	197.8	173.0	51.0
	228.3	172.5	33.0
FAGA210	.0	180.0	.0
	61.0	177.5	11.0
	100.6	178.0	61.0
FAGA211	.0	180.0	.0
	61.9	176.0	32.0
	98.5	176.0	48.0
	125.9	174.0	63.0
	162.5	174.0	53.0
	189.9	172.0	53.0
	226.5	170.5	55.0
	253.9	170.0	49.0
FAGA212	.0	180.0	.0
	62.2	177.0	42.0
	92.7	177.0	40.0
	123.1	176.5	63.0
	153.6	175.0	67.0
	184.1	173.0	61.0
	214.6	170.5	72.0
	245.1	167.0	76.0

Sperry Sun

Sperry Sun

Sperry Sun

Sperry Sun

Sperry Sun

Sperry Sun

Sperry Sun

DRILLHOLE	DEPTH(METRES)	ZENITH(DEG)	AZIMUTH(DEG)	
FAGA212	275.5	165.0	75.0	Sperry Sun
	306.0	164.0	75.0	
FAGA213	.0	180.0	.0	Sperry Sun
	53.6	178.0	5.0	
	84.1	176.0	60.0	
	114.6	175.0	65.0	
	145.1	175.0	70.0	
	177.7	171.5	62.0	
	208.2	170.0	64.0	
	238.7	169.0	65.0	
	269.1	165.5	78.0	
	302.7	167.5	72.0	
FAGA214	.0	180.0	.0	Sperry Sun
	69.5	176.0	203.0	
	120.4	171.0	111.0	
	181.4	168.5	117.0	
	242.3	165.0	110.5	
	303.3	163.0	124.0	
	364.2	162.0	119.0	
	425.2	161.0	110.0	
	486.2	160.0	111.0	
	FAGA215	.0	180.0	
64.9		174.5	123.0	
144.2		169.5	105.0	
205.1		167.5	105.0	
266.1		167.0	103.0	
327.1		164.5	93.0	
388.9		163.5	89.0	
FAGA216		.0	180.0	.0
	61.0	176.5	70.0	
	121.9	173.5	57.0	
	304.8	167.5	75.0	
	365.8	167.0	87.0	
	426.7	168.0	66.0	
FAGA217	.0	180.0	.0	Sperry Sun
	93.9	178.0	259.0	
	121.3	177.5	259.0	
	182.3	174.0	10.0	
FAGA218	.0	180.0	.0	Sperry Sun
	99.0	169.5	48.0	
	117.3	169.5	58.0	
FAGA219	.0	180.0	.0	Sperry Sun
	80.5	177.5	23.0	
	125.9	173.5	36.0	

DRILLHOLE	DEPTH(METRES)	ZENITH(DEG)	AZIMUTH(DEG)	
FAGA219	186.8	170.0	55.0	
	247.8	168.5	15.0	
FAGA220	.0	180.0	.0	
	67.4	175.5	30.0	
	103.6	173.0	55.0	
	164.6	170.5	58.0	Sperry Sun
	225.5	166.5	57.0	
	286.5	164.0	30.0	
FAGA221	.0	180.0	.0	
	54.9	179.0	68.0	
	103.6	177.0	96.0	
	161.5	175.8	57.0	Sperry Sun
	225.5	170.2	33.0	
	286.5	167.5	46.0	
FAGA222	.0	180.0	.0	
	65.8	175.5	114.5	
	102.4	176.0	60.0	
	163.4	172.8	78.0	Sperry Sun
	224.3	169.5	86.0	
	285.3	168.0	58.0	
FAGA223	.0	180.0	.0	
	53.0	177.5	24.0	
	74.4	175.5	64.0	
	135.3	173.0	48.0	Sperry Sun
	196.3	171.0	68.0	
	257.3	166.5	46.0	
FAGA224	.0	161.0	43.0	
	37.2	161.0	43.0	
	51.8	161.0	54.0	Sperry Sun
	88.4	162.0	61.0	
	149.3	162.0	59.0	
	210.3	162.0	41.0	
FAGA225	.0	180.0	.0	
	90.8	175.5	88.0	
	151.8	173.0	93.0	Sperry Sun
	212.7	171.0	57.0	
FAGA226	.0	180.0	.0	
	56.1	178.0	105.0	
	117.0	174.2	73.0	Sperry Sun
	178.0	170.0	77.0	
FAGA227	.0	180.0	.0	
	19.2	179.0	303.0	Sperry Sun
	74.1	178.0	133.0	

DRILLHOLE	DEPTH(METRES)	ZENITH(DEG)	AZIMUTH(DEG)	
FAGA227	135.0	177.8	143.0	Sperry Sun
	196.0	175.0	133.0	
FAGA228	.0	180.0	.0	Sperry Sun
	67.7	175.5	149.0	
	128.7	171.5	141.0	
	189.6	169.0	127.0	
FAGA229	.0	180.0	.0	Sperry Sun
	50.0	177.0	130.0	
	100.0	170.0	130.0	
	150.0	167.0	130.0	
FAGA230	.0	180.0	.0	Sperry Sun
	16.5	177.5	123.0	
	34.7	176.0	139.0	
	95.7	172.2	128.0	
	156.7	170.5	127.0	
	217.6	164.2	141.0	
FAGA231	.0	180.0	.0	Sperry Sun
	16.2	178.2	65.0	
	58.8	177.0	123.0	
	119.8	168.0	129.0	
	180.7	165.0	123.0	
FAGA232	.0	180.0	.0	Sperry Sun
	18.9	177.5	128.0	
	76.8	169.0	135.0	
	137.8	165.5	133.0	
	198.7	165.0	140.0	
FAGA233	.0	180.0	.0	Sperry Sun
	13.1	179.5	123.0	
	71.0	173.0	147.0	
	132.0	170.0	148.0	
	192.9	168.5	146.0	
FAGA234	.0	180.0	.0	Sperry Sun
	36.9	177.0	143.0	
	97.8	164.5	129.0	
	158.8	161.0	113.0	
FAGA235	.0	180.0	.0	Sperry Sun
	49.4	176.0	128.0	
	71.6	174.0	128.0	
	171.3	170.5	136.0	
FAGA236	.0	180.0	.0	Sperry Sun
	24.7	176.0	123.0	
	67.4	169.5	128.0	

DRILLHOLE	DEPTH(METRES)	ZENITH(DEG)	AZIMUTH(DEG)
FAGA236	128.3	169.0	127.0
	189.3	165.0	120.0
	250.2	168.0	133.0
	311.2	169.0	122.0
	372.2	167.5	111.0
	433.1	166.5	104.0
FAGA237	.0	180.0	.0
	26.5	176.5	113.0
	87.5	174.0	124.0
	148.4	169.5	138.0
	209.4	168.5	139.0
FAGA238	.0	180.0	.0
	39.6	178.0	85.0
	79.2	175.0	123.0
	125.0	172.0	119.0
FAGA239	.0	180.0	.0
	55.8	174.3	112.0
	101.5	171.3	112.0
FAGA240	.0	180.0	.0
	45.7	175.0	91.0
	103.6	172.2	122.0
FAGA241	.0	180.0	.0
	48.8	174.0	340.0
	94.5	175.0	16.0
	155.4	171.5	61.0
FAGADL1	.0	180.0	.0
FAGADL2	.0	160.0	230.0
FAGADL3	.0	180.0	.0
FAGADL4	.0	180.0	.0
FAGU001	.0	87.0	110.1
FAGU002	.0	86.8	56.3
FAGU003	.0	53.0	225.1
FAGU004	.0	17.9	235.8
FAGU005	.0	180.0	.0
	65.5	180.0	.0
FAGU006	.0	8.3	45.0

Sperry Sun

Sperry Sun

Sperry Sun

Sperry Sun

Sperry Sun

Sperry Sun

Sperry Sun

DRILLHOLE	DEPTH(METRES)	ZENITH(DEG)	AZIMUTH(DEG)	
FAGU007	.0	150.0	44.0	
FAGU008	.0	14.4	218.4	
FAGU009	.0	145.0	44.0	
FAGU010	.0	10.4	233.6	
FAGU011	.0	131.4	26.2	
FAGU012	.0	160.0	43.8	
FAGU013	.0 152.4	173.0 171.3	43.8 43.0	Sperry Sun
FAGU014	.0	30.9	233.1	
FAGU015	.0 91.4 182.9	150.0 158.0 164.0	44.0 43.0 65.0	Sperry Sun
FAGU016	.0	125.3	46.0	
FAGU017	.0	150.0	43.8	
FAGU018	.0	136.0	44.0	
FAGU019	.0	59.0	223.8	
FAGU020	.0	170.0	223.8	
FAGU021	.0	41.4	227.0	
FAGU022	.0	137.0	227.0	
FAGU023	.0	158.0	47.0	
FAGU024	.0	55.5	47.4	
FAGU025	.0	56.0	47.4	
FAGU026	.0	21.0	235.3	
FAGU027	.0	28.1	48.4	
FAGU028	.0	129.2	48.7	
FAGU029	.0	103.8	46.2	
FAGU030	.0	46.6	51.8	

DRILLHOLE	DEPTH(METRES)	ZENITH(DEG)	AZIMUTH(DEG)	
FAGU031	.0	105.8	92.6	
	8.5	106.3	77.0	Sperry Sun
	61.0	114.0	120.0	
FAGU032	.0	162.8	222.6	
	33.5	169.0	218.0	Sperry Sun
	67.1	172.0	226.0	
	97.5	175.0	253.0	
FAGU033	.0	45.0	224.0	
FAGU034	.0	176.3	153.2	
FAGU035	.0	153.4	57.6	
	61.0	165.8	44.0	Sperry Sun
	108.2	168.4	60.0	
FAGU036	.0	82.3	138.7	
FAGU037	.0	80.8	95.4	
FAGU038	.0	80.3	105.7	
FAGU039	.0	163.3	230.4	
	30.5	165.0	243.0	Sperry Sun
	56.4	165.0	241.0	
FAGU040	.0	143.8	225.3	
	45.7	149.0	235.0	Sperry Sun
	91.4	149.1	251.0	
FAGU041	.0	136.3	44.4	
	30.5	136.0	69.0	Sperry Sun
	61.0	139.0	62.0	
	89.9	142.0	33.0	
FAGU042	.0	21.7	45.5	
FAGU043	.0	.8	206.6	
FAGU044	.0	29.2	236.0	
FAGU045	.0	170.0	44.0	
FAGU046	.0	140.0	44.0	
FAGU047	.0	170.0	224.0	
FAGU048	.0	145.6	214.6	
	76.2	152.5	203.0	Sperry Sun
	118.9	158.5	209.0	

DRILLHOLE	DEPTH(METRES)	ZENITH(DEG)	AZIMUTH(DEG)	
FAGU049	.0	89.2	222.7	
FAGU050	.0	89.4	189.0	
FAGU051	.0	42.0	224.0	
FAGU052	.0	24.8	229.4	
FAGU053	.0	7.1	255.0	
FAGU054	.0	30.2	33.2	
	30.5	28.0	35.0	
	61.5	26.2	34.0	Sperry Sun
	91.5	21.8	22.0	
	122.0	18.0	8.0	
FAGU055	.0	62.9	233.7	
FAGU056	.0	62.0	223.7	
FAGU057	.0	118.2	220.3	
FAGU058	.0	88.3	223.7	
	76.2	92.0	230.0	Sperry Sun
	106.7	92.0	228.0	
FAGU059	.0	135.4	227.1	
	30.5	137.3	230.0	
	61.0	137.0	231.0	Sperry Sun
	91.4	147.5	239.0	
	121.9	152.4	243.0	
FAGU060	.0	180.0	.0	
FAGU061	.0	160.0	224.0	
	45.7	162.8	232.0	Sperry Sun
	91.4	169.0	232.0	
	120.3	171.5	232.0	
FAGU062	.0	111.0	222.3	
	30.5	114.2	224.0	
	61.0	121.0	232.0	Sperry Sun
	100.6	125.0	224.0	
FAGU063	.0	57.5	222.2	
FAGU064	.0	26.2	221.4	
FAGU065	.0	1.8	339.3	
FAGU066	.0	67.1	176.4	

DRILLHOLE	DEPTH(METRES)	ZENITH(DEG)	AZIMUTH(DEG)	
FAGU067	.0	89.1	225.5	
FAGU068	.0	57.1	223.4	
FAGU069	.0	29.9	226.9	
FAGU070	.0	4.2	14.1	
FAGU071	.0	25.0	41.7	
FAGU072	.0	146.2	224.2	
	45.7	161.5	224.0	Sperry Sun
	112.8	172.0	224.0	
FAGU073	.0	88.7	196.3	
FAGU074	.0	81.6	149.8	
	45.7	87.0	149.0	Sperry Sun
	76.2	88.7	149.0	
	106.7	91.0	149.0	
FAGU075	.0	165.4	39.7	
	61.0	174.0	18.0	Sperry Sun
	106.7	176.0	308.0	
	152.4	175.9	234.0	
FAGU076	.0	84.3	171.3	
FAGU077	.0	145.6	41.7	
	30.5	149.8	44.0	Sperry Sun
	61.0	158.0	41.0	
	96.0	162.0	34.0	
	166.1	174.0	71.0	
FAGU078	.0	81.2	135.8	
	45.7	85.8	137.0	Sperry Sun
	76.2	88.0	136.0	
	106.7	90.0	134.0	
FAGU079	.0	119.8	218.4	
	45.7	124.8	228.0	Sperry Sun
	96.0	131.0	229.0	
FAGU080	.0	79.9	154.8	
FAGU081	.0	180.0	.0	
FAGU082	.0	80.4	186.1	
FAGU083	.0	.0	.0	

DRILLHOLE	DEPTH(METRES)	ZENITH(DEG)	AZIMUTH(DEG)	
FAGU084	.0	145.1	49.4	
FAGU085	.0	24.9	227.0	
FAGU086	.0 94.5	121.2 136.8	41.2 49.0	Sperry Sun
FAGU087	.0	143.1	223.7	
FAGU088	.0	180.0	.0	
FAGU089	.0	35.7	201.4	
FAGU090	.0	151.9	38.9	
FAGU091	.0 96.0	98.4 89.0	230.4 232.0	Sperry Sun
FAGU092	.0	89.9	221.5	
FAGU093	.0	59.5	225.7	
FAGU094	.0	87.0	347.5	
FAGU095	.0 61.0 106.7	139.6 145.9 150.0	224.9 228.0 227.0	Sperry Sun
FAGU096	.0 83.8 120.4	70.6 72.5 75.0	223.3 226.0 229.0	Sperry Sun
FAGU097	.0	121.0	219.0	
FAGU098	.0	156.7	216.0	
FAGU099	.0 61.0 106.7 152.4 182.9	150.3 158.0 163.0 165.8 169.0	217.3 221.0 224.0 223.0 214.0	Sperry Sun
FAGU100	.0 61.0 120.4	54.9 57.0 53.2	222.5 224.0 234.0	Sperry Sun
FAGU101	.0 160.0	175.0 170.0	44.0 103.0	Sperry Sun

DRILLHOLE	DEPTH(METRES)	ZENITH(DEG)	AZIMUTH(DEG)	
FAGU102	.0	24.6	222.7	
FAGU103	.0	136.7	42.3	
	61.0	149.8	57.0	
	99.1	151.5	61.0	Sperry Sun
	129.5	153.0	68.0	
FAGU104	.0	26.5	43.3	
FAGU105	.0	90.8	43.3	
FAGU106	.0	89.8	44.4	
	111.3	91.0	46.0	Sperry Sun
FAGU107	.0	.0	.0	
FAGU108	.0	121.0	44.5	
FAGU109	.0	36.3	38.7	
	35.0	32.0	34.0	Sperry Sun
	65.5	28.0	32.0	
	96.0	25.0	32.0	
FAGU110	.0	180.0	.0	
FAGU111	.0	180.0	.0	
	45.7	179.0	223.0	
	91.4	176.8	123.0	Sperry Sun
	122.8	173.0	123.0	
FAGU112	.0	149.4	220.3	
FAGU113	.0	148.0	44.0	
FAGU114	.0	89.5	222.1	
FAGU115	.0	155.3	226.0	
FAGU116	.0	45.1	225.1	
FAGU117	.0	90.0	44.0	
FAGU118	.0	15.5	248.4	
FAGU119	.0	180.0	.0	
	103.6	178.0	54.0	Sperry Sun
FAGU120	.0	90.2	40.1	
FAGU121	.0	150.0	224.0	

DRILLHOLE	DEPTH(METRES)	ZENITH(DEG)	AZIMUTH(DEG)	
FAGU122	.0	145.0	44.0	
FAGU123	.0	135.0	44.0	
FAGU124	.0	180.0	.0	
FAGU125	.0	120.1	227.6	
FAGU126	.0	150.0	224.0	
	112.8	158.0	228.0	Sperry Sun
	144.8	158.0	227.0	
FAGU127	.0	88.5	45.8	
FAGU128	.0	150.0	44.0	
FAGU129	.0	145.0	224.0	
	79.9	151.0	227.0	Sperry Sun
	110.3	152.5	227.0	
	140.8	154.0	228.0	
FAGU130	.0	5.3	250.8	
FAGU131	.0	90.9	225.5	
FAGU132	.0	27.0	44.0	
FAGU133	.0	150.0	44.0	
	103.6	155.0	55.0	Sperry Sun
FAGU134	.0	118.8	42.2	
FAGU135	.0	175.0	44.0	
	89.9	173.0	114.0	Sperry Sun
	137.2	173.0	112.0	
	182.9	172.0	125.0	
FAGU136	.0	42.0	224.0	
FAGU137	.0	26.0	43.9	
FAGU138	.0	138.9	47.3	
	45.7	142.2	43.0	Sperry Sun
	91.4	149.0	42.0	
	121.9	152.0	44.0	
FAGU139	.0	15.0	224.0	
FAGU140	.0	148.8	50.2	
FAGU141	.0	89.7	227.1	

DRILLHOLE	DEPTH(METRES)	ZENITH(DEG)	AZIMUTH(DEG)	
FAGU141	42.7 94.5	91.0 90.0	234.0 239.0	Sperry Sun
FAGU142	.0 56.4 140.2	119.6 122.0 136.0	223.0 226.0 221.0	Sperry Sun
FAGU143	.0 67.1 121.9	115.0 124.0 134.0	44.0 48.0 55.0	Sperry Sun
FAGU144	.0	39.8	45.1	
FAGU145	.0 45.7 91.4	155.0 157.5 162.0	44.0 59.0 68.0	Sperry Sun
FAGU146	.0	1.4	224.0	
FAGU147	.0	43.9	229.2	
FAGU148	.0	126.4	47.4	
FAGU149	.0 106.7 152.4	180.0 174.0 173.0	.0 198.0 193.0	Sperry Sun
FAGU150	.0 61.0 121.9	163.5 165.5 174.5	218.3 217.0 203.0	Sperry Sun
FAGU151	.0	47.0	224.0	
FAGU152	.0	2.6	141.3	
FAGU153	.0	107.2	223.4	
FAGU154	.0	7.5	200.2	
FAGU155	.0	146.0	224.0	
FAGU156	.0	180.0	.0	
FAGU157	.0 56.4 117.4	180.0 174.0 169.5	.0 108.0 80.0	Sperry Sun
FAGU158	.0	45.0	224.0	
FAGU159	.0	23.1	32.4	

DRILLHOLE	DEPTH(METRES)	ZENITH(DEG)	AZIMUTH(DEG)	
FAGU160	.0	105.0	224.0	
FAGU161	.0	121.9	225.1	
FAGU162	.0	155.0	224.0	
	38.1	158.0	228.0	
	77.5	161.0	216.0	Sperry Sun
	123.4	166.0	193.0	
FAGU163	.0	91.0	224.1	
	61.0	90.0	229.0	Sperry Sun
FAGU164	.0	18.0	224.0	
FAGU165	.0	128.6	226.1	
FAGU166	.0	180.0	.0	
	62.5	174.0	218.0	
	108.2	173.0	183.0	Sperry Sun
	152.4	173.5	150.0	
FAGU167	.0	47.1	224.4	
FAGU168	.0	150.0	224.0	
	68.6	161.0	211.0	
	100.6	164.0	204.0	Sperry Sun
	131.1	165.0	193.0	
	161.5	166.5	179.0	
FAGU169	.0	90.2	44.0	
FAGU170	.0	178.6	7.6	
FAGU171	.0	89.7	223.0	
FAGU172	.0	114.0	224.0	
	45.7	118.0	222.0	Sperry Sun
	91.4	130.5	219.0	
FAGU173	.0	143.0	224.0	
FAGU174	.0	.0	.0	
FAGU175	.0	125.2	42.5	
FAGU176	.0	160.0	224.0	
	76.2	162.0	205.0	Sperry Sun
	152.4	160.0	183.0	
FAGU177	.0	47.6	51.7	

DRILLHOLE	DEPTH(METRES)	ZENITH(DEG)	AZIMUTH(DEG)	
FAGU178	.0	13.2	56.3	
FAGU179	.0	30.7	224.9	
FAGU180	.0	2.7	332.2	
FAGU181	.0	87.0	224.0	
FAGU182	.0	180.0	.0	
	88.1	172.0	203.0	Sperry Sun
	149.1	171.0	223.0	
FAGU183	.0	119.9	229.6	
FAGU184	.0	145.0	224.0	
	103.6	152.0	209.0	Sperry Sun
	164.6	161.0	200.0	
FAGU185	.0	88.4	222.3	
FAGU186	.0	17.5	228.3	
FAGU187	.0	125.6	224.5	
FAGU188	.0	90.4	43.1	
FAGU189	.0	133.9	51.5	
FAGU190	.0	160.0	44.0	
	73.2	171.0	73.0	Sperry Sun
	103.6	175.0	109.0	
FAGU191	.0	1.5	256.4	
FAGU192	.0	158.5	52.9	
	118.9	171.0	46.0	Sperry Sun
FAGU193	.0	88.3	226.2	
FAGU194	.0	175.8	132.5	
	61.0	175.0	273.0	Sperry Sun
	118.9	176.0	255.0	
FAGU195	.0	88.3	49.0	
FAGU196	.0	153.7	216.7	
	61.0	163.0	230.0	Sperry Sun
	100.6	165.0	247.0	
FAGU197	.0	49.7	233.4	

DRILLHOLE	DEPTH(METRES)	ZENITH(DEG)	AZIMUTH(DEG)	
FAGU198	.0	147.0	32.0	
	10.7	146.0	34.0	Sperry Sun
	56.4	150.0	34.0	
	102.1	156.0	34.0	
	150.9	161.0	24.0	
FAGU199	.0	89.3	228.3	
	67.1	90.0	228.3	Sperry Sun
	125.0	91.0	228.3	
FAGU200	.0	89.3	44.2	
FAGU201	.0	90.5	163.7	
FAGU202	.0	90.4	122.4	
FAGU203	.0	90.8	81.5	
FAGU204	.0	180.0	.0	
FAGU205	.0	88.7	41.4	Sperry Sun
	82.3	96.0	42.0	
FAGU206	.0	2.6	162.0	
FAGU207	.0	90.0	49.0	
FAGU208	.0	160.7	62.1	Sperry Sun
	65.5	164.0	62.0	
	126.5	161.0	67.0	
FAGU209	.0	179.0	156.0	Sperry Sun
	88.4	176.0	3.0	
FAGU210	.0	157.0	220.9	Sperry Sun
	109.1	167.0	217.0	
FAGU211	.0	154.0	222.0	Sperry Sun
	62.5	155.0	222.0	
	108.2	161.0	218.0	
FAGU212	.0	175.8	58.1	
FAGU213	.0	155.0	46.0	Sperry Sun
	73.2	158.0	43.0	
	118.9	163.0	63.0	
FAGU214	.0	91.7	50.7	
FAGU215	.0	155.2	64.3	Sperry Sun
	89.9	161.0	57.0	

DRILLHOLE	DEPTH(METRES)	ZENITH(DEG)	AZIMUTH(DEG)
FAGU215	135.6	165.0	33.0
FAGU216	.0	171.4	225.4
	61.0	172.5	206.0
	121.9	172.5	155.0
FAGU217	.0	172.0	244.0
	12.2	172.0	288.0
	73.2	177.0	.0
	118.9	178.2	83.0
FAGU218	.0	113.1	231.4

Sperry Sun

Sperry Sun