

SURFACE HOLES 019150 NOTES - DJH. ①

by TROPARI

*note: could not check.

HOLE NO.	DEPTH		DIP	MAG. BEARING	CORR. AZ.
	H.	m.			
A-26 ✓	400	121.9	-89°	N 39° E	072°
	680	207.3	-87°	N 48° E	081°
	800	243.8	-88°	N 59° E	092°
A-60 ✓		79.3	-85°		079°
		126.5	-82°		077° 076°
		193.6	-80°		078°
		217.9	-79°		066°
A-53 ✓	108	32.9	-88°	N 52° E	085°
	248	75.6	-89°	N 59° E	092°
	408	124.4	-87°	N 22.5 E	055.5°
A-58 ✓	240	73.1	-87°	N 20.5 E	053.5
	400	121.9	-83°	N 21.5 E	054.5
	560	170.7	-79°		54 assumed
A-65 ✓	550	167.6	-85°		157°
A-66 ✓	190	57.9	-88°		110.3°
	380	115.8	-88°		094°
	580	176.8	-80°		103.6°
A-67 ✓	402	122.5	-86°	307.8	340.8°
	802	244.4	-85°	63.8	96.8°
	1242	378.5	-85°	70.6	103.6°
A-68 ✓	400	121.9	-77°	NR. calc. from A-9	+20 ? 117
	780	237.7	-83.5°	NR. "	+20 ? 107.5
	877	389.2	-83°	087°	120°

HOLE NO.	DEPTH		DIP	MAG. BEARING	CORR. AZ.
	ft.	m.			
A-69 ✓	402	122.5	-82°	100.8	133.8
	802	249.4	-86°	100.6	133.6
	1202	366.4	-85°	140.0	173.0
A-70 ✓	161	49.1	-86	090	123°
	341	103.9	-84	110.9	143.9°
A-71 ✓	282	85.9	-77°	69.3	102.3°
	552	168.2	-81°	69.5	102.5°
A-72 ✓	302	92.0	-82°	64.5	097.5°
	582	177.4	-80.5°	73.5	106.5°
A-73 ✓	212	64.6	-89	069°	102°
	402	122.5	-90°	058.5°	91.5°
	602	183.5	-73°	062.5°	85. 95.5°
	802	244.4	-71°	073.5°	106.5°
	1002	305.4	-69°	066.9°	099.9°
A-74 ✓	202	61.6	-85	78.5	111.5
	402	122.5	-82	38.9	071.9°
	602	183.5	-78	27.5	060.5°
	802	244.4	-73	26.5	059.5°
A-75 ✓	202	61.6	-88	247.5	280.5°
	442	134.7	-87	37.2	070.2°
	662	201.8	-85	341.0	014.0°
	862	262.7	-83	364.5	037.5°
	1062	323.7	-80	48.5	081.5°

HOLE NO.	DEPTH		DIP	MAG. BEARING	CORR. AZ.
	ft.	m.			
A-76 ✓	202	61.6	-89°	97.5°	130.5°
	402	122.5	-84	105.5°	138.5°
	602	183.5	-79.7	113.4	146.4
	802	244.4	-89	109.5	142.5
	1002	305.4	-83	121.4	154.4
	1272	387.7	-83	103.5	136.5
A-77 ✓	172	52.4	-87	36.5	069.5°
	342	104.2	-83	45.8	078.8°
	542	165.2	-79	39.5	072.5°
	742	226.2	-79	38.6	071.6°
	942	287.1	-77	39.9	072.9°
A-78 ✓	202	61.6	-89	074	107
	402	122.5	-80.5	089.5	122.5
	602	183.5	-73	085.7	118.7
	802	244.4	-70	081.8	114.8 _e
	982	299.3	-69.5	355	028.0
A-79	200	61.0	-89	133.6	166.6
	400	121.9	-87	107.3	140.3
	600	182.9	-85	104.6	137.6
	800	243.8	-86	113.5	146.5
omit	1040	317.0	-82	287.5	* 320.5 *
	1240	377.9	-81	73.4	106.4
A-80 ✓	202	61.6	-87 ^{15'} -87.3	111.40'	144.6
	402	122.5	-86° -86	96.30'	129.5
	602	183.5	-71 ^{40'} -71.6	95.50'	128.8
	802	244.4	-68 ^{50'} -68.8	86.50'	119.8
	1002	305.4	-64 ^{40'} -64.6	77.30'	110.5

HOLE NO.	DEPTH		DIP	MAG. BEARING	CORR. AZ.
	ft.	m.			
A-82 ✓	202	61.6	-85	116.5	149.5
	402	122.5	-79	114.0	147.0
	602	183.5	-76	115.5	148.5
	782	238.3	-77	100.5	133.5
	962	293.2	-78	86.5	119.5
	1182	360.3	-77	87.5	120.5
A-83					
A-84 ✓	280'	85.3	-85	61.5	74.5 94.5
	480	146.3	-82	87.5	120.5
	680	207.3	-85	79.5	112.5
	880	268.2	-85	77.5	80.5
	1080	329.2	-85	43.0	76.0
	1300	396.2	-89	06.0	39.0
A-86 ✓	120	36.6	-89	205°	238°
	320	97.5	-89	256.5°	289.5°
	600	182.9	-81	097.0°	130°
	*800	243.8	-85 -75	123.5°	156.5
	1000	304.8	-71	109.5°	142.5
	1260	384.0	-76	100.5°	133.5
	1400	426.7	-74	108.5°	141.5
	1660	505.9	-71	106.5°	139.5
	1920	585.2	-75		
A-88 ✓	200	61.0	-89	87.5°	120.5
	400	121.9	-86	16.5°	49.5
	600	182.9	-90 -87.5	90.0°	123.0
	840	256.0	-83	22°	55.0
	1040	317.0	-79	73°	106.0

HOLE NO.	DEPTH	DIP	MAG. BEARING	CORR. AZ.
A-89 ✓	200	61.0 -90°	---	---0°
	360	109.7 -86°	66.5°	99.5°
	620	189.0 -85°	S 01° 30' W	211.5° 214.5°
A-90 ✓	200	61.0 -89°	27.5°	60.5
	400	121.9 -79°	77.5°	110.5
	600	182.9 -72°	59°	92.0
	800	243.8 -75°	60.5°	93.5
	1000	304.8 -69°	46.5°	79.5
A-105 ✓	200	61.0 -88	160	193°
	400	121.9 -89	65	98°
	600	182.9 -86	33	66°
A-108 ✓	200	61.0 -89	7°	40
	400	121.9 -86	18°	51
	560	170.7 -86	15.5°	48.5
A-114 ✓	200	61.0 -90	284.5°	317.5 0°
	360	109.7 -85	22.5°	55.5°
	560	170.7 -83	7.5°	40.5°
	720	219.4 -80	341°	14