

RECEIVED MAY 5 1986

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

019230



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Curragh Resources Corp.

Box 1000,

Faro, Yukon Y0B 1K0

Certificate No. K 7397

Date April 28, 1986

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Ag	Pb	Zn	Cu	S.G.				
		grams/tonne	percent	percent	percent					
1	34614	30	2.08	3.00	.15	3.03				
2	34615	15	.98	2.10	.08	2.66				
3	34616	16	1.00	1.88	.08	2.94				
4	34617	17	.98	2.22	.12	3.23				
5	34624	63	5.28	5.26	.16	4.45				
6	34625	21	1.30	2.50	.08	2.75				
7	34626	24	1.68	3.71	.06	2.84				
8	34627	31	1.82	4.48	.05	2.85				
9	34628	19	1.07	2.40	.07	2.78				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

David A. Blundell
Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Curragh Resources Corp.

Certificate No. K 7387 -2

Date _____

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Ag	Pb	Zn	Cu	S.G.			
		grams/tonne	percent	percent	percent				
21	34652	16	1.80	2.99	.16	4.83			
22	34653	6	.05	.07	.25	5.01			
23	34654	11	.34	.37	.21	4.74			
24	34655	15	1.65	1.75	.15	4.24			
25	34656	11	2.69	3.59	.16	4.74			
26	34657	12	3.25	3.24	.16	4.79			
27	34658	6	.76	1.50	.18	4.67			
28	34659	22	4.18	6.28	.20	3.64			
29	34660	26	3.49	7.03	.08	4.22			
30	34661	20	2.60	6.30	.06	3.73			
31	34662	99	5.34	4.25	.09	3.53			
32	34663	25	3.03	5.83	.10	4.19			
33	34664	6	3.35	5.71	.14	4.59			
34	34665	5	.22	2.61	.19	3.90			
35	34666	5	.25	1.10	.24	3.83			
36	34667	4	.21	1.69	.29	3.80			
37	34668	4	.17	1.36	.26	4.70			
38	34669	11	.65	1.32	.45	4.22			
39	34670	12	.31	1.45	.48	3.68			
40	34671	5	.15	1.90	.44	4.18			

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Deak A. Stewart

Registered Assayer, Province of British Columbia



Member
Canadian Testing
Association

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

TO Curragh Resources Corp.

Certificate No. K 7387 -3

Date _____

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Ag	Pb	Zn	Cu	S.G.				
		grams/tonne	percent	percent	percent					
41	34672	11	.34	1.61	.53	4.26				
42	34673	6	.07	1.38	.23	4.46				
43	34674	5	.15	1.77	.31	4.26				
44	34675	4	.23	1.89	.18	4.31				
45	34676	5	3.03	7.12	.12	4.47				
46	34677	6	2.13	5.38	.08	4.60				
47	34678	13	5.40	14.3	.05	4.35				
48	34679	12	3.06	9.47	.04	4.11				
49	34680	13	2.76	8.72	.04	4.06				
50	34681	19	3.97	10.5	.04	3.89				
51	34682	18	3.58	7.10	.02	4.37				
52	34683	8	1.21	5.07	.01	3.53				
53	34684	15	1.74	2.76	.11	3.35				
54	34685	102	6.66	6.11	.12	4.18				
55	34686	16	.83	1.47	.04	3.04				
56	34687	56	4.24	7.46	.16	4.27				
57	34688	18	1.54	5.23	.02	4.89				
58	34689	13	.78	2.02	.01	5.00				
59	34690	25	2.29	4.44	.02	4.98				
60	34691	36	2.81	5.78	.26	4.53				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

Deak A. Stoddell

Registered Assayer, Province of British Columbia

RECEIVED APR 29 1986

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Curragh Resources Corp.
Box 1000,
Faro, Yukon YO8 1K0

Certificate No. K 7387 -1
Date April 23, 1986

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Ag	Pb	Zn	Cu	S.G.				
		grams/tonne	percent	percent	percent					
1	34601	47	1.24	4.27	.15	3.44				
2	34602	54	3.02	5.00	.04	3.08				
3	34603	38	1.94	4.38	.08	3.22				
4	34604	33	1.56	3.37	.05	3.13				
5	34605	26	1.59	3.95	.05	2.93				
6	34606	35	2.22	4.89	.06	2.90				
7	34607	22	1.21	2.86	.04	2.82				
8	34608	12	.56	.69	.06	2.90				
9	34609	21	1.30	1.27	.10	2.93				
0	34610	5	.11	.23	.25	3.46				
11	34511	3	.23	.74	.11	3.41				
12	34612	16	2.51	8.82	.09	3.38				
13	34613	94	6.19	5.72	.18	4.41				
14	34618	36	2.52	4.55	.11	3.36				
15	34619	32	1.93	3.74	.21	4.59				
16	34620	17	2.75	4.10	.08	5.44				
17	34621	37	3.32	5.38	.11	4.84				
18	34622	24	1.87	3.00	.43	4.41				
19	34623	48	1.61	4.09	.20	3.46				
20	34651	61	6.10	12.9	.09	3.81				

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.

David A. Sturdivant

Registered Assayer, Province of British Columbia



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

912 - 1 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5

PHONE: (604) 372-2784 — TELEX: 048-8320

CERTIFICATE OF ASSAY

TO Curragh Resources Corp.


Certificate No. K 7387 -4

Date _____

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Kral No.	Marked	Ag	Pb	Zn	Cu	S.G.			
		grams/tonne	percent	percent	percent				
61	34692	42	3.87	2.63	.07	3.07			
62	34693	29	3.03	5.38	.26	4.59			
63	34694	11	1.85	4.17	.12	5.46			
64	34695	6	.47	1.10	.26	4.88			
65	34696	12	2.86	4.40	.05	4.66			
66	34697	18	2.81	5.76	.12	4.70			
67	34698	18	1.60	4.23	.15	4.07			
68	34699	16	1.21	4.63	.08	3.12			

NOTE:
Rejects retained three weeks.
Pulps retained three months
unless otherwise arranged.


 Registered Assayer Province of British Columbia

UF
CURRAGH O WHEE
KRAL KAM

APRIL 25 1986

ATTN GREG JILSON

SAMPLE NO	AG	PB	ZN	CU	SG
34614	30	2.08	3.00	.15	3.03
34615	15	.98	2.10	.08	2.66
34616	16	1.00	1.88	.08	2.94
34617	17	.98	2.22	.12	3.23
34624	63	5.28	5.26	.16	4.45
34625	21	1.30	2.50	.08	2.76
34626	24	1.68	3.71	.06	2.84
34627	31	1.82	4.48	.05	2.85
34628	19	1.07	2.40	.07	2.78

REGARDS

DEREK

KRAL KAM

4
CURRAGH O WHEE

ASSAY LOG (SAMPLER'S COPY) Date _____

CODE	FROM		TO		SAMPLE	INTR.	REC (m)	UNIT	DESCRIPTION			
	10	14	16	20						22	26	28
	126		131		34684		42		ZCO			
	151		152		34685		112		ZH14			
	158		161		34687		122		ZH12			
	161		164		34688		135		ZEO			
	164		169		34689		145		ZEO			
	169		173		34690		142		ZE4			
	173		180		34691		168		ZE129			
	180		184		34692		140		ZD7			
	184		187		34693		137		ZH42			
	187		191		34694		141		ZE4			
	191		196		34695		145		ZE4			
	196		1100		34696		145		ZE4 (1H4)			
	1100		1105		34697		148		ZE47			
	1105		1109		34698		134		ZC7 (ZE47)			
	1109		1114		34699		155		ZD75			
	1114		1120		34601		162		ZD75			
	1120		1127		34602		165		ZD75			
	1127		1132		34603		150		ZC75			
	1132		1137		34604		14		ZAO			
	1137		1141		34605		145		ZAO			
	1141		1146		34606		145		ZAO			
	1146		1150		34607		147		ZAO			
	1150		1155		34608		148		ZAO			
	1155		1160		34609		145		ZAO			
	152		158		34686				ZBH			

CUBRAGH O WHSE
KRAL KAM
APRIL 22 1986

ATTN GREG JILSON

SAMPLE NO	AG	PB	ZN	CU	SG
34601	47	1.24	4.27	.15	3.44
34602	54	3.02	5.00	.04	3.08
34603	38	1.94	4.38	.08	3.22
34604	33	1.56	3.37	.05	3.13
34605	26	1.59	3.95	.05	2.93
34606	35	2.22	4.89	.06	2.90
34607	22	1.21	2.86	.04	2.82
34608	12	.56	.69	.06	2.90
34609	21	1.30	1.27	.10	2.93
34610	5	.11	.23	.25	3.46
34611	3	.23	.74	.11	3.41
34612	16	2.51	8.82	.09	3.38
34613	94	6.19	5.72	.18	4.41
34618					
34618	36	2.52	4.55	.11	3.36
24619	32	1.93	3.74	.21	4.59
34620	17	2.75	4.10	.08	5.44
34621	37	3.32	5.38	.11	4.84
34622	24	1.87	3.00	.43	4.41
34623	48	1.61	4.09	.20	3.46
34651	61	6.10	12.9	.09	3.81
34652	16	1.80	2.99	.16	4.83
34653	6	.05	.07	.25	5.01
34654	11	.34	.37	.21	4.74
34655	15	1.65	1.75	.15	4.24
34656	11	2.69	3.59	.16	4.74
34657	12	3.25	3.24	.16	4.79
34658	6	.76	1.50	.18	4.67
34659	22	4.18	6.28	.20	3.64
34660	26	3.49	7.03	.08	4.22
34661	20	2.60	6.30	.06	3.73
34662	99	5.34	4.25	.09	3.53
34663	25	3.03	5.83	.10	4.19
34664	6	3.35	5.71	.14	4.59
34665	5	.22	2.61	.19	3.90
34666	5	.25	1.10	.24	3.83
34667	4	.21	1.69	.29	3.80
34668	4	.17	1.36	.26	4.70

34669	11	.65	1.32	.45	4.22
34670	12	.31	1.45	.48	3.68
34671	5	.15	1.90	.44	4.18
34672	11	.34	1.61	.53	4.26
34673	6	.07	1.38	.23	4.46
34674	5	.15	1.77	.31	4.26
34675	4	.23	1.89	.18	4.31
34676	5	3.03	7.12	.12	4.47
34677	6	2.13	5.38	.08	4.60
34678	13	5.40	14.3	.05	4.35
34679	12	3.06	9.47	.04	4.11
34680	13	2.76	8.72	.04	4.06
34681	19	3.97	10.5	.04	3.89
34682	18	3.58	7.10	.02	4.37
34683	8	1.21	5.07	.01	3.53
34684	15	1.74	2.76	.11	3.35
34685	102	6.66	6.11	.12	4.18
34686	16	.83	1.47	.04	3.04
34687	56	4.24	7.46	.16	4.27
34688	18	1.54	5.23	.02	4.89
34689	13	.78	2.02	.01	5.00
34690	25	2.29	4.44	.02	4.98
34691	36	2.81	5.78	.26	4.53
34692	42	3.87	2.63	.07	3.07
34693	29	3.03	5.38	.26	4.59
34694	11	1.85	4.17	.12	5.46
34695	6	.47	1.10	.26	4.88
34696	12	2.86	4.40	.05	4.66
34697	18	2.81	5.76	.12	4.70
34698	18	1.60	4.23	.15	4.07
34699	16	1.21	4.63	.08	3.12

REGARDS
DEREK

KRAL KAM

CURRAGH O WHSE

CURRAGH RESOURCES
1986 DRILL PROGRAM

TAG NUMBER	DDH NAME	FROM	TO	INTERVAL	RECOVERY	PERCENT RECOVERY	ROCK UNIT	NET BACK	1=ORE Pb 2=WASTE	Zn	Ag	PULP	S.G.Pb+Zn
35201	B6F-11	165.2	169.0	3.8	3.8	100.0	267	\$22.44	1	5.47	7.87	95.00	4.20 13.34
35202	B6F-11	169.0	173.5	4.5	4.5	100.0	1H4	\$1.70	2	1.31	0.87	24.00	2.90 2.18
35203	B6F-11	173.5	180.9	7.4	3.7	50.0	1H4	\$15.34	2	4.19	3.47	69.00	3.70 7.66
35204	B6F-11	180.9	184.8	3.9	3.9	100.0	2E4*	\$22.44	1	8.66	8.15	140.00	4.20 16.81
35205	B6F-11	184.8	193.0	8.2	6.7	81.7	1H4	\$12.67	2	2.72	2.75	14.00	3.20 5.47
35206	B6F-11	193.0	198.0	5.0	3.9	78.0	2E46	\$8.55	2	2.07	2.47	17.00	4.50 4.54
35207	B6F-11	198.0	202.0	4.0	4.0	100.0	2E6	\$2.81	2	1.59	1.54	16.00	4.80 3.13
35208	B6F-11	202.0	207.0	5.0	4.3	86.0	2E0	\$0.00	2	0.35	0.15	14.00	4.30 0.50
35209	B6F-11	207.0	211.0	4.0	3.0	75.0	2E0	\$0.00	2	0.72	0.19	9.00	4.50 0.91
35210	B6F-11	211.0	217.0	6.0	3.9	65.0	2E0	\$0.00	2	0.31	0.16	5.00	4.50 0.47
35211	B6F-11	217.0	223.0	6.0	3.7	61.7	2E4	\$15.34	2	2.74	3.15	12.00	5.00 5.89
35212	B6F-11	223.0	228.5	5.5	5.5	100.0	2E18	\$0.00	2	0.90	0.73	24.00	4.80 1.63
35213	B6F-11	228.5	233.5	5.0	5.0	100.0	2EB	\$1.70	2	1.45	0.40	20.00	4.50 1.85
35214	B6F-11	233.5	238.3	4.8	4.8	100.0	2E48	\$10.43	2	2.75	2.47	36.00	4.80 5.22
35215	B6F-11	238.3	243.5	5.2	5.2	100.0	2EB	\$0.00	2	0.45	0.33	9.00	4.50 0.78
35216	B6F-11	243.5	246.6	3.1	3.1	100.0	26E4	\$20.25	1	4.39	4.48	73.00	4.50 8.87
35217	B6F-11	246.6	251.0	4.4	4.4	100.0	2E0	\$1.70	2	1.14	1.14	11.00	4.30 2.28
35218	B6F-11	251.0	255.9	4.9	4.2	85.7	2E0	\$0.00	2	0.66	0.56	11.00	4.30 1.22
35219	B6F-11	255.9	260.4	4.5	4.5	100.0	2E0	\$0.00	2	0.82	0.56	15.00	4.55 1.38
35220	B6F-11	260.4	265.0	4.6	4.6	100.0	2E0	\$2.81	2	1.79	1.78	20.00	4.50 3.57
35221	B6F-11	265.0	271.0	6.0	6.0	100.0	2E0	\$6.16	2	1.33	2.19	16.00	4.80 3.52
35222	B6F-11	271.0	277.5	6.5	5.9	90.8	2E4	\$15.34	2	2.84	3.15	26.00	4.50 5.99
35223	B6F-11	277.5	283.0	5.5	5.5	100.0	2EB14	\$13.46	2	2.15	3.27	22.00	4.50 5.42
35224	B6F-11	283.0	286.5	3.5	3.5	100.0	2EB14	\$22.44	1	3.15	4.86	18.00	4.30 8.01
35225	B6F-11	286.5	291.0	4.5	4.5	100.0	2EB14	\$13.46	2	2.27	3.05	60.00	4.30 5.32
35226	B6F-11	291.0	296.0	5.0	5.0	100.0	2EB14	\$20.56	1	2.37	4.71	7.00	4.50 7.08
35227	B6F-11	296.0	303.0	7.0	7.0	100.0	2A43	\$22.44	1	2.75	7.83	36.00	3.80 10.58
35228	B6F-11	303.0	307.8	4.8	4.8	100.0	2ED	\$1.70	2	1.01	0.92	27.00	4.00 1.93
35229	B6F-11	307.8	312.2	4.4	4.4	100.0	2D54	\$22.44	1	3.74	7.60	18.00	4.00 11.34
AVERAGE	B6F-11	165.2	312.2	147.0	133.3	92.2		\$10.79	2	2.22	2.75		4.97
SELECTED	B6F-11	271	312.2	41.2	40.6	98.5		\$22.44	1	2.52	4.50		7.02
INTERVALS	B6F-11	165.2	193	27.8	22.6	81.3		\$20.25	1	4.09	4.09		8.19
	B6F-11	217	246.6	29.6	27.3	92.2		\$2.81	2	1.95	1.77		3.72

DDH: 86F-14 UTM-N: 9361.6 UTM-E: 14564.2 UTM-ELEV: 3706.9 TOTAL DEPTH: 270.0 SECTION: 118+000
 RFE: S2 RFE DIR: 235 PLUNGE ANGLES: 0 315 DHD CALC: 1 SS CALC: 1

							-----ASSAYS-----														
---DEPTHS---	SAMPLE	INT.	REC.	ROCK	S.G.	Cu	Pb	Zn	Ag(AA)	Ag(FA)	Au(FA)	Po	Py	TOT	BaO	Hg	Mn	As	Ba	S.G.	
FROM	TO	NO.		UNIT	PULP	%	%	%	g/mT	g/mT	g/mT	%	%	Fe	%	%	%	%	%	W.R.	
102.7	108.0	35333	5.3	4.7	2GL	4.20		3.82	4.50	44.00											
108.0	111.5	35334	3.5	3.4	2J814	4.00		2.71	2.01	14.00											
111.5	118.0	35335	6.5	6.5	2E4	4.40		3.30	3.00	44.00											
118.0	126.0	35336	8.0	6.5	2E4	4.30		3.87	4.04	52.00											
126.0	132.2	35337	6.2	6.2	2E0	4.60		1.82	1.36	26.00											
132.2	135.2	35351	3.0	3.0	2J81	4.00		1.15	1.26	8.00											
135.2	139.8	35338	4.6	3.3	2E4	4.50		8.26	8.46	88.00											
139.8	144.0	35339	4.2	3.8	2E0@	4.50		.56	.35												
144.0	150.2	35340	6.2	6.2	2E4	4.40		2.94	3.09	28.00											
150.2	156.5	35341	6.3	6.3	2E44	4.30		5.91	8.23	50.00											
156.5	161.0	35342	4.5	4.4	2E0	4.70		1.25	1.74	16.00											
161.0	165.2	35343	4.2	4.2	2E0	4.70		.95	1.68	12.00											
165.2	170.2	35344	5.0	5.0	2E0	4.70		1.24	2.25	10.00											
170.2	174.7	35345	4.5	3.7	2E4	4.50		1.42	2.94	8.00											
174.7	180.0	35346	5.3	5.0	2E4BX	4.50		2.71	4.05	10.00											
180.0	185.0	35347	5.0	5.0	2E4	4.60		2.67	4.74	26.00											
185.0	190.4	35348	5.4	5.4	2E4	4.60		3.75	6.34	14.00											
190.4	195.0	35349	4.6	4.6	2E4	4.50		2.66	3.59	12.00											
195.0	199.5	35350	4.5	4.5	2E4	4.70		4.22	9.28	18.00											
199.5	204.0	35352	4.5	4.5	2E4	4.70		2.28	5.99	8.00											
204.0	209.5	35353	5.5	5.5	2E14	4.50		2.71	5.70	10.00											
209.5	215.0	35354	5.5	5.5	2E4	4.80		3.33	6.72	8.00											
215.0	220.0	35355	5.0	5.0	2A47	3.60		3.03	5.80	38.00											
220.0	225.0	35356	5.0	5.0	2D57	3.10		1.47	2.80	14.00											
225.0	229.0	35357	4.0	3.9	2C79	3.30		.11	1.18												
229.0	233.0	35358	4.0	4.0	2C579	3.30		.44	1.35	4.00											
233.0	237.5	35359	4.5	4.5	2D79	3.50		1.56	5.11	16.00											
237.5	243.5	35360	6.0	6.0	2A44	3.90		4.95	9.79	36.00											
243.5	248.0	35361	4.5	4.5	2A44	3.20		4.05	9.18	18.00											

**THIS REPORT WAS REQUESTED BY: LEEP .GEOLOGY AT: 09:04:36