



Logged by D. J. Hanson Date \_\_\_\_\_

Faro, Yukon

Depth 523 Core Size BQ

Collar Elevation 4112.8 Coordinates 9701.5 N 14908.2 E

Zone 3 X-Sections 27/118

| Rock Types and Alteration                               | Mineralization & Structures   | Bench | Sample Number |      |     |      |      | A s s a y s |       |       |      | Weighted Average Assays |  |  |  | Remarks |  |  |
|---|---|-------|---------------|------|-----|------|------|-------------|-------|-------|------|-------------------------|--|--|--|---------|--|--|
|   |   |       |               | From | To  | Feet | Pb   | Zn          | Cu    | Pb+Zn | Pb   | Zn                      |  |  |  |         |  |  |
| 313-315'<br>altered diorite                             | -brecciated contact @ 313'  |       |               |      |     |      |      |             |       |       |      |                         |  |  |  | Pb + Zn |  |  |
| 315-318'<br>qtzite breccia with mass.<br>sde. infilling | -py, ga, sph  | 3790  | 2355          | 314  | 319 | 5    | 2.3  | 7.1         | 0.11  | 9.4   |      |                         |  |  |  |         |  |  |
|   |   |       | 2356          | 319  | 323 | 4    | 0.7  | 0.7         | 0.05  | 1.4   |      |                         |  |  |  |         |  |  |
| 318-320'<br>qtz. musc. schist (clay<br>alteration)      |   | 3750  | 2356          | 323  | 324 | 1    | 0.7  | 0.7         | 0.05  | 1.4   |      |                         |  |  |  |         |  |  |
|   |   |       | 2357          | 324  | 329 | 5    | 6.25 | 4.0         | 0.09  | 10.25 |      |                         |  |  |  |         |  |  |
| 320-328'<br>banded and brecciated qtzite                | banded diss. and mass. sdes.<br>(py, ga, sph)   |       |               |      |     |      |      |             |       |       |      |                         |  |  |  |         |  |  |
| 328-358'<br>qtz. musc. + bio. + chl.<br>schist          | fo: 0-50°<br>-broken core 345-348'<br>-minor breccia @ 350' (tr.<br>ga. infilling)                                  |       |               |      |     |      |      |             |       |       |      |                         |  |  |  |         |  |  |
| 358-364.6'<br>qtzite breccia plus mass.<br>sdes.        | -sharp contact @ 30°<br>-py, ga, sph<br>-vuggy texture<br>-remanent banding<br>-qtz. musc. schist trags @<br>262.5' | 3750  | 2358          | 358  | 363 | 5    | 2.2  | 0.8         | 0.49* | 3.0*  |      |                         |  |  |  |         |  |  |
|   |   |       | 3710          | 2359 | 363 | 368  | 5    | 2.1         | 2.9   | 0.21* | 5.0* |                         |  |  |  |         |  |  |
|   |   |       |               | 2360 | 368 | 373  | 5    | 1.7         | 2.4   | 0.12* | 4.1* |                         |  |  |  |         |  |  |
|   |   |       |               | 2361 | 373 | 378  | 5    | 1.9         | 2.0   | 0.26* | 4.9* |                         |  |  |  |         |  |  |
| 364.5-377'<br>banded micaceous qtzite                   | -banded diss. sdes. and mass.<br>banded sdes. (py, ga, sph)<br>-brecciated 274-277'                                 |       |               |      |     |      |      |             |       |       |      |                         |  |  |  |         |  |  |
| 377-391.5'<br>qtz. musc. schist                         | fo: 0-30°<br>local dragfolding  |       |               |      |     |      |      |             |       |       |      |                         |  |  |  |         |  |  |

\* Not Included In Average











Drill Hole Log and Analysis

\* drilled for N.E. slope stability study

ANVIL MINING CORPORATION LIMITED

Hole No. 74-3

Logged by D. J. Hanson

Date

Faro, Yukon

Depth 71 Core Size BQ

Collar Elevation 3836.7 Coordinates 10445.07 N 13459.13 E

Acid Dip: -51° @ 70'  
Bearing: N 10° 28' E

Zone 1 X-Sections

| Rock Types and Alteration                       | Mineralization & Structures   | Bench | Sample Number | From | To | Feet | Assays |      |       |       | Weighted Average Assays |     |     | Remarks |            |
|---|---|-------|---------------|------|----|------|--------|------|-------|-------|-------------------------|-----|-----|---------|------------|
|   |   |       |               |      |    |      | Pb     | Zn   | Cu    | Pb+Zn | Pb                      | Zn  | Cu  |         |            |
| 0-19'<br>mass. sdes.                            | -py, ga, sph<br>-broken and lost core in bench subgrade (0-13')<br>-slicks @ 13.5'<br>-small frag. of altered micaceous qtzite @ 16'    |       |               |      |    |      |        |      |       |       |                         |     |     |         | Pb + Zn    |
|   |   | 3790  | 2313          | 11   | 16 | 5    | 1.76   | 4.05 | 0.18  | 5.81  |                         |     |     |         |            |
|   |   |       | 2314          | 16   | 21 | 5    | 1.20   | 0.83 | 0.06  | 2.03  |                         |     |     |         |            |
|   |   |       | 2315          | 21   | 26 | 5    | 0.84   | 1.58 | 0.07  | 2.42  |                         |     |     |         |            |
| 19-23'<br>bleached fragment of micaceous qtzite | -minor sdes. in filling cavities and fractures  |       | 2316          | 26   | 31 | 5    | 4.25   | 8.75 | 0.06  | 13.00 | 2.8                     | 5.5 | .15 |         | 35' @ 8.3% |
|   |   |       | 2317          | 31   | 36 | 5    | 6.34   | 9.73 | 0.14  | 16.07 |                         |     |     |         |            |
|   |   |       | 2318          | 36   | 41 | 5    | 4.08   | 9.16 | 0.14  | 13.24 |                         |     |     |         |            |
| 23-38'<br>mass. sdes.                           | -py, ga, sph, po<br>-coarse grained py with fine gr. ga and sph<br>-localized po<br>-mass. po @ 30-31' with remanent py<br>-po @ 34-40' |       | 2319          | 41   | 46 | 5    | 1.30   | 4.59 | 0.37  | 5.89  |                         |     |     |         |            |
|   |   |       | 2320          | 46   | 51 | 5    | 0.43   | 0.91 | 0.12* | 1.34* |                         |     |     |         |            |
| 38-39'<br>qtzite breccia                        | sde. infillings   |       |               |      |    |      |        |      |       |       |                         |     |     |         |            |
| 39-40.5'<br>mass. sdes.                         | py, po, ga, sph   |       |               |      |    |      |        |      |       |       |                         |     |     |         |            |
| 40.5-44.5'<br>qtzite breccia                    | -somewhat vuggy<br>-mass. sdes. infilling breccia frags.<br>-diss. sdes. in qtzite frags.   |       |               |      |    |      |        |      |       |       |                         |     |     |         |            |

\* Not included in average.



Logged by D. J. Hanson Date \_\_\_\_\_

Faro, Yukon  
Acid Dip:  $-47.5^{\circ}$  @ 150'  
Survey Dip:  $-47.7^{\circ}$

Depth 306 Core Size BQ

Collar Elevation 3883.1 Coordinates 10192.77 N 13837.77 E

Zone 1 X-Sections \_\_\_\_\_

| Bearing: N03° 27'W<br>Rock Types and Alteration              | Mineralization & Structures   | Bench | Sample Number | From | To  | Feet | A s s a y s |       |      |       | Weighted Average Assays |      |      | Remarks |             |
|--|---|-------|---------------|------|-----|------|-------------|-------|------|-------|-------------------------|------|------|---------|-------------|
|  |   |       |               |      |     |      | Pb          | Zn    | Cu   | Pb+Zn | Pb                      | Zn   | Cu   |         |             |
| Collared in Bedrock  |   |       |               |      |     |      |             |       |      |       |                         |      |      |         | Pb + Zn     |
| 0-65'<br>mass. sdes.   | -py, ga, sph<br>-"gritty" py in places<br>-barite ? @ 46'<br>-vuggy and highly fractured @ 62', 64'<br>-fault @ 64'<br>-contact @ $-40^{\circ}$   | 3870  | 2247          | 16   | 18  | 2    | 3.10        | 6.04  | 0.17 | 9.14  | 3.1                     | 6.0  | 0.17 |         | 2' @ 9.1%   |
| 65-70'<br>qtzite with mass. and sl. ba<br>banded mass. sdes. | -py, ga, sph in siliceous matrix<br>-fault @ 69'  | 3830  | 2247          | 18   | 21  | 3    | 3.10        | 6.04  | 0.17 | 9.14  |                         |      |      |         |             |
|  |   |       | 2248          | 21   | 26  | 5    | 3.48        | 5.73  | 0.09 | 9.21  |                         |      |      |         |             |
|  |   |       | 2249          | 26   | 31  | 5    | 4.03        | 10.42 | 0.13 | 14.45 |                         |      |      |         |             |
|  |   |       | 2250          | 31   | 36  | 5    | 4.20        | 11.25 | 0.09 | 15.45 |                         |      |      |         |             |
|  |   |       | 2251          | 36   | 41  | 5    | 5.79        | 16.50 | 0.10 | 22.29 |                         |      |      |         |             |
|  |   |       | 2252          | 41   | 46  | 5    | 7.87        | 14.10 | 0.13 | 21.97 | 4.4                     | 10.0 | 0.09 |         | 54' @ 14.4% |
|  |   |       | 2253          | 46   | 51  | 5    | 4.91        | 12.70 | 0.07 | 17.61 |                         |      |      |         |             |
|  |   |       | 2321          | 51   | 56  | 5    | 5.08        | 11.13 | 0.04 | 16.21 |                         |      |      |         |             |
|  |   |       | 2322          | 56   | 61  | 5    | 3.85        | 6.53  | 0.07 | 10.38 |                         |      |      |         |             |
|  |   |       | 2323          | 61   | 66  | 5    | 2.93        | 5.80  | 0.06 | 8.73  |                         |      |      |         |             |
| 70-104.5'<br>nearly mass. sdes.<br>(minor qtzite frags.)     | -py, ga, sph<br>-qtzite frag. @ 74'<br>-small qtzite frags. from 75-76'<br>-banded qtzite frags. @ 79-79.5', @ 80-81'<br>-vuggy fractures @ 83'<br>-fractures $45^{\circ}$ & $65^{\circ}$<br>-fault @ 88'<br>-minor banding @ 91' <i>45??</i><br>-qtzite frags. @ 92'<br>-vuggy sdes. 94-95'<br>-slicks @ 98'<br>-fault @ 100'<br>-minor qtzite frags. @ 100'<br>-fault @ 103' & 104'<br>-coarse gritty py @ 104' | 3790  | 2324          | 66   | 71  | 5    | 2.34        | 8.25  | 0.03 | 10.69 |                         |      |      |         |             |
|  |   |       | 2325          | 71   | 72  | 1    | 4.89        | 9.15  | 0.04 | 14.04 |                         |      |      |         |             |
|  |   |       | 2325          | 72   | 76  | 4    | 4.89        | 9.15  | 0.04 | 14.04 |                         |      |      |         |             |
|  |   |       | 2326          | 76   | 81  | 5    | 4.46        | 7.43  | 0.11 | 11.89 |                         |      |      |         |             |
|  |   |       | 2327          | 81   | 86  | 5    | 5.16        | 8.95  | 0.07 | 14.11 |                         |      |      |         |             |
|  |   |       | 2328          | 86   | 91  | 5    | 4.36        | 7.90  | 0.04 | 12.26 |                         |      |      |         |             |
|  |   |       | 2329          | 91   | 96  | 5    | 3.58        | 7.70  | 0.30 | 11.28 | 4.4                     | 8.1  | 0.11 |         | 54' @ 12.5% |
|  |   |       | 2330          | 96   | 101 | 5    | 2.34        | 5.35  | 0.32 | 7.69  |                         |      |      |         |             |
|  |   |       | 2331          | 101  | 106 | 5    | 3.88        | 6.70  | 0.06 | 10.58 |                         |      |      |         |             |
|  |   |       | 2332          | 106  | 111 | 5    | 5.31        | 10.00 | 0.08 | 15.31 |                         |      |      |         |             |
|  |   |       | 2333          | 111  | 116 | 5    | 6.18        | 10.40 | 0.03 | 16.58 |                         |      |      |         |             |
|  |   |       | 2334          | 116  | 121 | 5    | 6.45        | 11.20 | 0.06 | 17.65 |                         |      |      |         |             |
|  |   |       | 2335          | 121  | 126 | 5    | 2.00        | 4.80  | 0.04 | 6.80  |                         |      |      |         |             |

Logged by \_\_\_\_\_ Date \_\_\_\_\_

Faro, Yukon

Depth \_\_\_\_\_ Core Size \_\_\_\_\_

Collar Elevation \_\_\_\_\_ Coordinates \_\_\_\_\_ N \_\_\_\_\_ E \_\_\_\_\_

Zone \_\_\_\_\_ X-Sections \_\_\_\_\_

| Rock Types and Alteration                                 | Mineralization & Structures   | Bench | Sample Number | A s s a y s |     |      |      |      |      |       | Weighted Average Assays |     |      | Remarks |            |
|---|---|-------|---------------|-------------|-----|------|------|------|------|-------|-------------------------|-----|------|---------|------------|
|   |   |       |               | From        | To  | Feet | Pb   | Zn   | Cu   | Pb+Zn | Pb                      | Zn  | Cu   |         |            |
| 104.5-107'<br>qtzite with mass. and diss.<br>banded sdes. | -py, ga, sph  | 3750  | 2336          | 126         | 131 | 5    | 2.63 | 5.10 | 0.18 | 7.73  |                         |     |      |         | Pb + Zn    |
|   |   |       | 2337          | 131         | 136 | 5    | 2.45 | 3.74 | 0.40 | 6.19  |                         |     |      |         |            |
|   |   |       | 2338          | 136         | 141 | 5    | 3.60 | 6.10 | 0.09 | 9.70  |                         |     |      |         |            |
|   |   |       | 2339          | 141         | 146 | 5    | 2.40 | 4.44 | 0.04 | 6.84  |                         |     |      |         |            |
|   |   |       | 2340          | 146         | 151 | 5    | 2.17 | 3.84 | 0.13 | 6.01  | 2.9                     | 4.8 | 0.16 |         | 54' @ 7.7% |
|   |   |       | 2341          | 151         | 156 | 5    | 2.89 | 5.04 | 0.30 | 7.93  |                         |     |      |         |            |
|   |   |       | 2342          | 156         | 161 | 5    | 4.17 | 6.35 | 0.10 | 10.52 |                         |     |      |         |            |
|   |   |       | 2343          | 161         | 166 | 5    | 4.06 | 6.67 | 0.32 | 10.73 |                         |     |      |         |            |
|   |   |       | 2344          | 166         | 171 | 5    | 1.18 | 1.94 | 0.05 | 3.12  |                         |     |      |         |            |
|   |   |       | 2345          | 171         | 176 | 5    | 2.17 | 3.82 | 0.04 | 5.99  |                         |     |      |         |            |
| 107-199.5'<br>mass. sdes.                                 | -py, ga, sph (coarse gr. py)<br>-minor qtzite breccia @ 118'<br>-qtzite band @ 119'<br>-fault @ 123'<br>-fine to med. grained in sil.<br>groundmass 124-125.5'<br>-qtzite frag. @ 129.5'<br>-vuggy fractures @ 137' & 140'<br>(conjugate shears?)<br>-fault @ 147'<br>-vuggy fractures & pockets<br>144-173'<br>-mass. po from 159-166.5'<br>(fine grained ga, sph)<br>-mass py, ga, sph with 0-20%<br>sil matrix 166.5-199.5'<br>-fault @ 182'<br>-vuggy fractures @ 190'<br>-fault @ 196' | 3710  | 2346          | 176         | 180 | 4    | 4.68 | 6.56 | 0.08 | 11.24 |                         |     |      |         |            |
|   |   |       | 2346          | 180         | 181 | 1    | 4.68 | 6.56 | 0.08 | 11.24 |                         |     |      |         |            |
|   |   |       | 2347          | 181         | 186 | 5    | 3.63 | 4.92 | 0.12 | 8.55  |                         |     |      |         |            |
|   |   |       | 2348          | 186         | 191 | 5    | 5.20 | 8.20 | 0.04 | 13.40 |                         |     |      |         |            |
|   |   |       | 2349          | 191         | 196 | 5    | 3.90 | 5.60 | 0.03 | 9.50  | 2.9                     | 5.8 | 0.12 |         | 36' @ 8.7% |
|   |   |       | 2350          | 196         | 201 | 5    | 2.7  | 5.6  | 0.04 | 8.3   |                         |     |      |         |            |
|   |   |       | 2351          | 201         | 206 | 5    | 1.8  | 6.1  | 0.19 | 7.9   |                         |     |      |         |            |
|   |   |       | 2352          | 206         | 211 | 5    | 1.9  | 6.2  | 0.28 | 8.1   |                         |     |      |         |            |
|   |   |       | 2353          | 211         | 216 | 5    | 1.1  | 4.1  | 0.14 | 5.2   |                         |     |      |         |            |
|   |   |       | 2354          | 216         | 221 | 5    | 0.10 | 0.30 | Tr.  | 0.40* |                         |     |      |         |            |
| 199.5-208'<br>banded qtzite                               | -definite contact<br>-fo//banding = 15-25°<br>-sde. (py, ga, sph) bands<br>-sdes. infilling fractures &<br>vugs   |       |               |             |     |      |      |      |      |       |                         |     |      |         |            |
|   |   |       |               |             |     |      |      |      |      |       |                         |     |      |         |            |
|   |   |       |               |             |     |      |      |      |      |       |                         |     |      |         |            |
|   |   |       |               |             |     |      |      |      |      |       |                         |     |      |         |            |
|   |   |       |               |             |     |      |      |      |      |       |                         |     |      |         |            |

\* Not included in average.



Drill Hole Log and Analysis

ANVIL MINING CORPORATION LIMITED

Hole No. 74-5

Logged by D. J. Hanson Date \_\_\_\_\_

Faro, Yukon

Depth 348 Core Size BQ

Collar Elevation 3902.6 Coordinates 9606.26 N 14193.33 E

Zone 1 X-Sections 23/115

| Rock Types and Alteration                                     | Mineralization & Structures                                       | Bench | Sample Number | Assays |     |      |       | Weighted Average Assays |       |       |      | Remarks |      |    |            |  |
|---|---|-------|---------------|--------|-----|------|-------|-------------------------|-------|-------|------|---------|------|----|------------|--|
|   |   |       |               | From   | To  | Feet | Pb    | Zn                      | Cu    | Pb+Zn | Pb   |         | Zn   | Cu |            |  |
| 0-25'<br>qtz. musc. bio. + chl. sch.                          | -fo: 45° minor crenulations<br>-bio. banded                       |       |               |        |     |      |       |                         |       |       |      |         |      |    | (Pb + Zn)  |  |
| 25-35'<br>qtz. musc. schist                                   |   |       |               |        |     |      |       |                         |       |       |      |         |      |    |            |  |
| 35-37'<br>banded qtzite                                       | banded sdes. (py, ga, sph)  | 3870  | 2254          | 30     | 33  | 3    | 0.05* | 0.20*                   | 0.03* | 0.25* |      |         |      |    |            |  |
| 37-46.5'<br>musc. qtz. schist<br>slightly chloritic in places |   | 3830  | 2254          | 33     | 35  | 2    | 0.05* | 0.20*                   | 0.03* | 0.25* |      |         |      |    |            |  |
|   |   |       | 2255          | 35     | 40  | 5    | 2.16* | 3.76*                   | 0.09* | 5.92* |      |         |      |    |            |  |
|   |   |       | 2256          | 40     | 45  | 5    | 0.12* | 0.40*                   | 0.10* | 0.52* |      |         |      |    |            |  |
|   |   |       | 2257          | 45     | 50  | 5    | 3.90  | 3.50                    | 0.28  | 7.40  | 3.9  | 3.7     | 0.21 |    | 28' @ 7.6% |  |
| 46.5-54'<br>mass. sdes.                                       | py, ch py, ga, sph<br>po @ contact (i)                            | 3830  | 2258          | 50     | 55  | 5    | 4.82  | 4.3                     | 0.16  | 9.12  |      |         |      |    |            |  |
|   |   |       | 2259          | 55     | 60  | 5    | 2.74  | 3.4                     | 0.12  | 6.14  |      |         |      |    |            |  |
|   |   |       | 2260          | 60     | 65  | 5    | 5.14  | 3.9                     | 0.19  | 9.04  |      |         |      |    |            |  |
|   |   |       | 2261          | 65     | 70  | 5    | 3.53  | 4.5                     | 0.24  | 8.03  |      |         |      |    |            |  |
| 54-58'<br>banded qtzite and fairly<br>mass. sdes.             | banded sdes. (py, ga, sph)  | 3830  | 2262          | 70     | 73  | 3    | 2.87  | 2.1                     | 0.32  | 4.97  |      |         |      |    |            |  |
|   |   |       | 3790          | 2262   | 73  | 75   | 2     | 2.87                    | 2.1   | 0.32  | 4.97 |         |      |    |            |  |
|   |   |       | 2263          | 75     | 80  | 5    | 3.07  | 2.2                     | 0.27  | 5.27  |      |         |      |    |            |  |
|   |   |       | 2264          | 80     | 85  | 5    | 7.75  | 5.85                    | 0.38  | 13.60 |      |         |      |    |            |  |
| 58-80'<br>mass. sdes.   | py, ga, sph<br>coarse xtline ga @ 63.5'<br>some mass. granular py | 3790  | 2265          | 85     | 90  | 5    | 4.86  | 5.03                    | 0.28  | 9.89  | 4.6  | 3.8     | 0.23 |    | 40' @ 8.4% |  |
|   |   |       | 2266          | 90     | 95  | 5    | 4.89  | 4.60                    | 0.25  | 9.49  |      |         |      |    |            |  |
|   |   |       | 2267          | 95     | 100 | 5    | 3.66  | 3.50                    | 0.20  | 7.16  |      |         |      |    |            |  |
|   |   |       | 2268          | 100    | 105 | 5    | 0.27  | Tr.                     | 0.06  | 0.27  |      |         |      |    |            |  |
| 80-88.5'<br>qtzite with banded fairly<br>mass. sdes.          | py, ga, sph   | 3790  | 2269          | 105    | 110 | 5    | 7.75  | 4.70                    | 0.16  | 12.45 |      |         |      |    |            |  |
|   |   |       | 2270          | 110    | 113 | 3    | 6.16  | 5.70                    | 0.25  | 11.86 |      |         |      |    |            |  |
| 88.5-90'<br>mass. sdes.                                       | py, ga, sph<br>po @ 89'   |       |               |        |     |      |       |                         |       |       |      |         |      |    |            |  |

\* Not included in average.

Logged by \_\_\_\_\_ Date \_\_\_\_\_

Faro, Yukon

Depth \_\_\_\_\_ Core Size \_\_\_\_\_

Collar Elevation \_\_\_\_\_ Coordinates \_\_\_\_\_ N \_\_\_\_\_ E

Zone \_\_\_\_\_ X-Sections \_\_\_\_\_

| Rock Types and Alteration                     | Mineralization & Structures                         | Bench | Sample Number | Assays |     |      |      | Weighted Average Assays |      |       | Remarks |     |      |    |            |
|---|---|-------|---------------|--------|-----|------|------|-------------------------|------|-------|---------|-----|------|----|------------|
|   |   |       |               | From   | To  | Feet | Pb   | Zn                      | Cu   | Pb+Zn |         | Pb  | Zn   | Cu |            |
| 90-95.5'<br>qtzite with banded mass.<br>sdes. | py, ga, sph   | 3750  | 2270          | 113    | 115 | 2    | 6.16 | 5.70                    | 0.25 | 11.86 |         |     |      |    | (Pb + Zn)  |
|   |   |       | 2271          | 115    | 120 | 5    | 2.40 | 1.50                    | 0.24 | 3.90  |         |     |      |    |            |
|   |   |       | 2272          | 120    | 125 | 5    | 1.58 | 2.20                    | 0.32 | 3.78  |         |     |      |    |            |
| 95.5-100'<br>mass. sdes.                      | py, ga, sph   |       | 2273          | 125    | 130 | 5    | 1.48 | 1.65                    | 0.21 | 3.13  |         |     |      |    |            |
|   |   |       | 2274          | 130    | 135 | 5    | 1.98 | 1.20                    | 0.48 | 3.18  | 1.7     | 1.5 | 0.26 |    | 40' @ 3.2% |
| 100-105'<br>banded qtzite                     | banded diss. sdes. (mainly<br>py)                   |       | 2275          | 135    | 140 | 5    | 0.85 | 0.90                    | 0.42 | 1.75  |         |     |      |    |            |
|   |   |       | 2276          | 140    | 145 | 5    | 0.74 | 0.49                    | 0.09 | 1.23  |         |     |      |    |            |
|   |   |       | 2277          | 145    | 150 | 5    | 1.09 | 0.22                    | 0.06 | 1.31  |         |     |      |    |            |
| 105-132.5'<br>mass. sdes.                     | some mass gritty pyrite with<br>barite              |       | 2278          | 150    | 153 | 3    | 1.63 | 3.15                    | 0.25 | 4.78  |         |     |      |    |            |
|   |   | 3710  | 2278          | 153    | 155 | 2    | 1.63 | 3.15                    | 0.25 | 4.78  |         |     |      |    |            |
|   |   |       | 2279          | 155    | 160 | 5    | 4.20 | 8.70                    | 0.29 | 12.90 |         |     |      |    |            |
| 132.5-136.5'<br>micaceous qtzite              | fo: 20-30°<br>minor py                              |       | 2280          | 160    | 165 | 5    | 1.59 | 4.17                    | 0.27 | 5.76  |         |     |      |    |            |
|   |   |       | 2281          | 165    | 170 | 5    | 2.04 | 3.35                    | 0.29 | 5.39  |         |     |      |    |            |
|   |   |       | 2282          | 170    | 175 | 5    | 0.84 | 2.68                    | 0.39 | 3.52  | 2.4     | 5.0 | 0.25 |    | 40' @ 7.4% |
| 136.5-158'<br>mass. sdes.                     | mainly py plus minor ga, sph<br>minor qtzite frags. |       | 2283          | 175    | 180 | 5    | 2.04 | 4.13                    | 0.22 | 6.17  |         |     |      |    |            |
|   |   |       | 2284          | 180    | 185 | 5    | 2.88 | 5.19                    | 0.29 | 8.07  |         |     |      |    |            |
|   |   |       | 2285          | 185    | 190 | 5    | 2.68 | 4.92                    | 0.08 | 7.60  |         |     |      |    |            |
| 158-174'<br>mass. sdes. in qtzose matrix      | py, ga, sph<br>trace ch py<br>fault @ 165'          |       | 2286          | 190    | 193 | 3    | 3.27 | 9.76                    | 0.06 | 13.03 |         |     |      |    |            |
|   |   | 3670  | 2286          | 193    | 195 | 2    | 3.27 | 9.76                    | 0.06 | 13.03 |         |     |      |    |            |
|   |   |       | 2287          | 195    | 200 | 5    | 3.15 | 5.88                    | 0.29 | 9.03  |         |     |      |    |            |
| 174-177'<br>mass. sdes.                       | py, ga, sph   |       | 2288          | 200    | 205 | 5    | 0.56 | 1.60                    | 0.17 | 1.16  |         |     |      |    |            |
|   |   |       | 2289          | 205    | 210 | 5    | 0.34 | 0.94                    | 0.15 | 1.28  |         |     |      |    |            |
| 177-180'<br>qtzite                            | fo: 30°<br>minor sdes.                              |       | 2290          | 210    | 215 | 5    | 1.23 | 2.61                    | 0.22 | 3.84  | 1.1     | 2.8 | 0.25 |    | 40' @ 3.9% |
|   |   |       | 2291          | 215    | 220 | 5    | 0.81 | 2.46                    | 0.28 | 3.27  |         |     |      |    |            |
|   |   |       | 2292          | 220    | 225 | 5    | 0.43 | 1.50                    | 0.40 | 1.93  |         |     |      |    |            |

Logged by \_\_\_\_\_ Date \_\_\_\_\_

Faro, Yukon

Depth \_\_\_\_\_ Core Size \_\_\_\_\_

Collar Elevation \_\_\_\_\_ Coordinates \_\_\_\_\_ N \_\_\_\_\_ E

Zone \_\_\_\_\_ X-Sections \_\_\_\_\_

| Rock Types and Alteration                                | Mineralization & Structures  | Bench | Sample Number | A s s a y s |     |      |      | Weighted Average Assays |      |       |     | Remarks |      |    |             |
|--|--|-------|---------------|-------------|-----|------|------|-------------------------|------|-------|-----|---------|------|----|-------------|
|  |  |       |               | From        | To  | Feet | Pb   | Zn                      | Cu   | Pb+Zn | Pb  |         | Zn   | Cu |             |
| 180-205'<br>mass. sdes.                                  | py, ga, sph  |       | 2293          | 225         | 230 | 5    | 0.29 | 0.99                    | 0.26 | 1.28  |     |         |      |    | (Pb + Zn)   |
|  |  |       | 2294          | 230         | 233 | 3    | 1.54 | 4.03                    | 0.39 | 5.57  |     |         |      |    |             |
| 205-238'<br>banded qtzite                                | banded mass sdes (py, ga, sph)<br>slicks @ 211'  | 3630  | 2294          | 233         | 235 | 2    | 1.54 | 4.03                    | 0.39 | 5.57  |     |         |      |    |             |
|  |  |       | 2295          | 235         | 240 | 5    | 1.21 | 3.57                    | 0.51 | 4.78  |     |         |      |    |             |
| 238-255<br>mass. sdes.                                   | py, ga, sph<br>coarse gritty py<br>vuggy in places   |       | 2296          | 240         | 245 | 5    | 3.78 | 5.02                    | 0.10 | 8.80  |     |         |      |    |             |
|  |  |       | 2297          | 245         | 250 | 5    | 3.11 | 5.05                    | 0.02 | 8.16  |     |         |      |    |             |
| 255-270.5'<br>banded graphitic qtzite<br>(ribbon qtzite) | -banded diss. sdes. in qtzose<br>bands (py, ga, sph)<br>-minor ch py in tension gashes<br>-fo: 0-45° crenulations and<br>minor folds |       | 2298          | 250         | 255 | 5    | 4.38 | 6.45                    | 0.25 | 10.83 | 3.2 | 5.9     | 0.16 |    | 40' @ 9.1%  |
|  |  |       | 2299          | 255         | 260 | 5    | 3.56 | 6.90                    | 0.08 | 10.46 |     |         |      |    |             |
| 270.5-272.5'<br>mass. sdes.                              | py, ga, sph<br>coarse py   |       | 2300          | 260         | 265 | 5    | 2.45 | 4.80                    | 0.04 | 7.25  |     |         |      |    |             |
|  |  |       | 2301          | 265         | 270 | 5    | 3.94 | 9.46                    | 0.08 | 13.40 |     |         |      |    |             |
| 272.5-275'<br>banded qtzite                              | banded mass. sdes. (py, ga,<br>sph)  | 3590  | 2302          | 270         | 273 | 3    | 3.83 | 7.73                    | 0.04 | 11.56 |     |         |      |    |             |
|  |  |       | 2302          | 273         | 275 | 2    | 3.83 | 7.73                    | 0.04 | 11.56 |     |         |      |    |             |
| 275-286'<br>mass. sdes.                                  | py, ga, sph  |       | 2303          | 275         | 280 | 5    | 2.78 | 6.51                    | 0.03 | 9.29  |     |         |      |    |             |
|  |  |       | 2304          | 280         | 285 | 5    | 2.97 | 4.62                    | 0.04 | 7.59  |     |         |      |    |             |
| 286-318'<br>thinly banded micaceous<br>qtzite            | -banded mass. sdes. (py, ga,<br>sph)<br>-fo: 30-75°<br>-vuggy 297-316'<br>-broken core & gouge @ 307'                                | 3550  | 2305          | 285         | 290 | 5    | 4.54 | 10.77                   | 0.07 | 15.31 | 3.8 | 7.9     | 0.06 |    | 32' @ 11.7% |
|  |  |       | 2306          | 290         | 295 | 5    | 5.33 | 7.65                    | 0.09 | 12.98 |     |         |      |    |             |
|  |  |       | 2307          | 295         | 300 | 5    | 5.53 | 11.09                   | 0.06 | 16.62 |     |         |      |    |             |
|  |  |       | 2308          | 300         | 305 | 5    | 1.81 | 7.1                     | 0.07 | 2.51  |     |         |      |    |             |
|  |  |       | 2309          | 305         | 310 | 5    | 0.71 | 1.0                     | 0.07 | 1.71* |     |         |      |    |             |
|  |  |       | 2310          | 310         | 313 | 3    | 1.08 | 2.4                     | 0.06 | 3.48* |     |         |      |    |             |
|  |  |       | 2310          | 313         | 315 | 2    | 1.08 | 2.4                     | 0.06 | 3.48* |     |         |      |    |             |
|  |  |       | 2311          | 315         | 320 | 5    | 0.17 | 1.1                     | 0.31 | 1.27* |     |         |      |    |             |
|  |  |       | 2312          | 320         | 325 | 5    | 1.10 | 2.6                     | 0.14 | 3.70* |     |         |      |    |             |

\* Not included in average.



Drill Hole Log and Analysis

ANVIL MINING CORPORATION LIMITED

Hole No. 74-6

Logged by D. J. Hanson Date \_\_\_\_\_

Faro, Yukon

Depth 428 Core Size BQ

Collar Elevation 3979.8 Coordinates 9815.23 N 14,343.8E

Zone 1 X-Sections 25/115

| Rock Types and Alteration                           | Mineralization & Structures  | Bench | Sample Number |      |     |      |      | A s s a y s |      |       |     | Weighted Average Assays |      |  | Remarks    |
|---|--|-------|---------------|------|-----|------|------|-------------|------|-------|-----|-------------------------|------|--|------------|
|   |  |       |               | From | To  | Feet | Pb   | Zn          | Cu   | Pb+Zn | Pb  | Zn                      | Cu   |  |            |
| Collared in Bedrock                                 |  |       |               |      |     |      |      |             |      |       |     |                         |      |  | (Pb + Zn)  |
| 0-22'   |  |       |               |      |     |      |      |             |      |       |     |                         |      |  |            |
| qtz. musc. + bio. schist                            |  |       |               |      |     |      |      |             |      |       |     |                         |      |  |            |
| 22-27.6'  |  |       |               |      |     |      |      |             |      |       |     |                         |      |  |            |
| "bleached" qtz. musc. schist                        | -fo: 45°   |       |               |      |     |      |      |             |      |       |     |                         |      |  |            |
| 27.6-54'  |  | 3950  | 2390          | 27   | 30  | 3    | 3.3  | 7.9         | 0.08 | 11.2  | 3.3 | 7.9                     | 0.08 |  | 3' @ 11.2% |
| mass. sdes.   | -py, po, ga, sph<br>-banded sdes. (20°)<br>-mass. py (44-54')          | 3910  | 2390          | 30   | 32  | 2    | 3.3  | 7.9         | 0.08 | 11.2  |     |                         |      |  |            |
|   |  |       | 2391          | 32   | 37  | 5    | 4.0  | 7.9         | 0.07 | 11.9  |     |                         |      |  |            |
|   |  |       | 2392          | 37   | 42  | 5    | 7.85 | 6.3         | 0.11 | 14.1  |     |                         |      |  |            |
| 54-64'  |  |       | 2393          | 42   | 47  | 5    | 4.8  | 4.4         | 0.13 | 9.2   |     |                         |      |  |            |
| banded qtzite                                       | -banded diss. sdes.<br>-banding (20°)<br>-definite contact             |       | 2394          | 47   | 52  | 5    | 1.9  | 3.0         | 0.04 | 4.9   | 4.2 | 4.8                     | 0.09 |  | 40' @ 9.0% |
|   |  |       | 2395          | 52   | 57  | 5    | 5.0  | 4.8         | 0.19 | 9.8   |     |                         |      |  |            |
| 64-82'  |  |       | 2396          | 57   | 62  | 5    | 5.7  | 6.2         | 0.06 | 11.9  |     |                         |      |  |            |
| qtz. musc. schist                                   | -minor py<br>-fo: 60°  |       | 2397          | 62   | 67  | 5    | 3.2  | 2.5         | 0.08 | 5.7   |     |                         |      |  |            |
|   |  |       | 2398          | 67   | 70  | 3    | 0.25 | 0.15        | 0.02 | 0.4   |     |                         |      |  |            |
| 82-92'  |  | 3870  | 2398          | 70   | 72  | 2    | 0.25 | 0.15        | 0.02 | 0.4   |     |                         |      |  |            |
| banded qtzite                                       | -banded mass. & diss. sdes.<br>(mainly py)                             |       | 2399          | 72   | 77  | 5    | 0.1  | 0.1         | 0.04 | 0.2   |     |                         |      |  |            |
|   |  |       | 2400          | 77   | 82  | 5    | 0.4  | 0.3         | 0.12 | 0.7   |     |                         |      |  |            |
| 92-99.5'  |  |       | 2413          | 82   | 87  | 5    | 2.06 | 4.50        | 0.08 | 6.6   |     |                         |      |  |            |
| qtz. musc. schist                                   | -fo: 80°   |       | 2401          | 87   | 92  | 5    | 0.78 | 4.58        | 0.11 | 5.4   | 1.4 | 2.8                     | 0.15 |  | 40' @ 4.2% |
|   |  |       | 2402          | 92   | 97  | 5    | 0.41 | 0.36        | 0.06 | 0.8   |     |                         |      |  |            |
| 99.5-234'   |  |       | 2403          | 97   | 102 | 5    | 1.98 | 1.14        | 0.58 | 3.1   |     |                         |      |  |            |
| mass. sdes.<br>some banded and brecciated<br>qtzite | -po from 99.5-103.2<br>-py, ga, sph<br>-mass. py 117-121.5 & 130.4-141 |       | 2404          | 102  | 107 | 5    | 3.25 | 9.40        | 0.12 | 12.6  |     |                         |      |  |            |
|   |  |       | 2405          | 107  | 110 | 3    | 3.29 | 3.85        | 0.08 | 7.1   |     |                         |      |  |            |

Logged by \_\_\_\_\_ Date \_\_\_\_\_

Faro, Yukon

Depth \_\_\_\_\_ Core Size \_\_\_\_\_

Collar Elevation \_\_\_\_\_ Coordinates \_\_\_\_\_ N \_\_\_\_\_ E \_\_\_\_\_

Zone \_\_\_\_\_ X-Sections \_\_\_\_\_

| Rock Types and Alteration  | Mineralization & Structures   | Bench | Sample Number             | From  | To   | Feet | Assays |       |      |       | Weighted Average Assays |      |      | Remarks     |  |  |  |
|----------------------------|---|-------|---------------------------|---|------|------|--------|-------|------|-------|-------------------------|------|------|-------------|--|--|--|
|                            |   |       |                           |   |      |      | Pb     | Zn    | Cu   | Pb+Zn | Pb                      | Zn   | Cu   |             |  |  |  |
| 234-263'<br>pyritic Qtzite | -bleached schist frags. 133-136', & 140-141'<br>-mag. in mass. py 136-141'<br>-mass. py 148-189'<br>-mag. 164-166.5'<br>-mass. sdes. in Qtzite (py, ga, sph) minor breccia<br><br>-banding @ 30°<br>-minor ga, sph, ch py | 3830  | 2405                      | 110   | 112  | 2    | 3.29   | 3.85  | 0.08 | 7.1   |                         |      |      | (Pb + Zn)   |  |  |  |
|                            |   |       | 2406                      | 112   | 117  | 5    | 2.83   | 5.14  | 0.26 | 8.0   |                         |      |      |             |  |  |  |
|                            |   |       | 2407                      | 117   | 122  | 5    | 2.25   | 3.05  | 0.16 | 5.3   |                         |      |      |             |  |  |  |
|                            |   |       | 2408                      | 122   | 127  | 5    | 2.95   | 3.80  | 0.48 | 6.7   | 2.6                     | 3.3  | 0.30 | 40' @ 5.9%  |  |  |  |
|                            |   |       | 2409                      | 127   | 132  | 5    | 2.93   | 3.80  | 0.17 | 6.7   |                         |      |      |             |  |  |  |
|                            |   |       | 2410                      | 132   | 137  | 5    | 0.94   | 1.0   | 0.33 | 1.9   |                         |      |      |             |  |  |  |
|                            |   |       | 2411                      | 137   | 142  | 5    | 1.31   | 1.7   | 0.71 | 3.0   |                         |      |      |             |  |  |  |
|                            |   |       | 2412                      | 142   | 147  | 5    | 5.69   | 5.2   | 0.14 | 10.9  |                         |      |      |             |  |  |  |
|                            |   |       | 2414                      | 147   | 150  | 3    | 0.97   | 1.9   | 0.16 | 2.9   |                         |      |      |             |  |  |  |
|                            |   |       | 263-331'<br>massive sdes. | -py, ga, sph<br>-minor Qtzite breccia frags.<br>-mass. sandy py 302-304'<br>-silicious: 263-302, 304-316<br>-mass. py: 317.5-329.5' | 3790 | 2414 | 150    | 152   | 2    | 0.97  | 1.9                     | 0.16 | 2.9  |             |  |  |  |
|                            |   |       |                           |   |      | 2415 | 152    | 157   | 5    | 1.63  | 3.8                     | 0.15 | 5.4  |             |  |  |  |
|                            |   |       |                           |   |      | 2416 | 157    | 162   | 5    | 0.64  | 1.2                     | 0.72 | 1.8  |             |  |  |  |
| 2417                       | 162   | 167   |                           |   |      | 5    | 0.18   | 1.2   | 0.33 | 1.4   |                         |      |      |             |  |  |  |
| 2418                       | 167   | 172   |                           |   |      | 5    | 0.08   | 0.86  | 0.26 | 0.9   | 0.9                     | 1.9  | 0.38 | 40' @ 2.8%  |  |  |  |
| 2419                       | 172   | 177   |                           |   |      | 5    | 0.12   | 0.90  | 0.53 | 1.0   |                         |      |      |             |  |  |  |
| 2420                       | 177   | 182   |                           |   |      | 5    | 0.14   | 0.40  | 0.72 | 0.5   |                         |      |      |             |  |  |  |
| 2421                       | 182   | 187   |                           |   |      | 5    | 0.26   | 1.15  | 0.17 | 1.4   |                         |      |      |             |  |  |  |
| 331-344<br>pyritic Qtzite. | -minor ch py, ga, sph   | 3750  | 2422                      | 187   | 190  | 3    | 6.11   | 8.8   | 0.10 | 14.9  |                         |      |      |             |  |  |  |
|                            |   |       | 2422                      | 190   | 192  | 2    | 6.11   | 8.8   | 0.10 | 14.9  |                         |      |      |             |  |  |  |
|                            |   |       | 2423                      | 192   | 197  | 5    | 4.63   | 10.9  | 0.11 | 15.5  |                         |      |      |             |  |  |  |
|                            |   |       | 2424                      | 197   | 202  | 5    | 7.73   | 15.8  | 0.11 | 23.5  |                         |      |      |             |  |  |  |
| 344-371<br>massive sdes.   | -mainly py<br>-minor ga, sph<br>-minor po @ 345.5<br>-silicious 362-371'  | 3750  | 2425                      | 202   | 207  | 5    | 4.16   | 9.80  | 0.05 | 14.0  |                         |      |      |             |  |  |  |
|                            |   |       | 2426                      | 207   | 212  | 5    | 3.43   | 10.45 | 0.09 | 13.9  | 4.2                     | 9.9  | 0.07 | 40' @ 14.1% |  |  |  |
|                            |   |       | 2427                      | 212   | 217  | 5    | 4.36   | 11.20 | 0.06 | 15.6  |                         |      |      |             |  |  |  |
| 371-378'<br>pyritic Qtzite | -minor ga, sph, ch py   | 3750  | 2428                      | 217   | 222  | 5    | 3.42   | 7.85  | 0.07 | 11.3  |                         |      |      |             |  |  |  |
|                            |   |       | 2429                      | 222   | 227  | 5    | 2.27   | 6.28  | 0.04 | 8.5   |                         |      |      |             |  |  |  |
| 378-393'<br>massive sdes.  | -py, ga, sph<br>-siliceous 378-385'   | 3750  | 2428                      | 217   | 222  | 5    | 3.42   | 7.85  | 0.07 | 11.3  |                         |      |      |             |  |  |  |
|                            |   |       | 2429                      | 222   | 227  | 5    | 2.27   | 6.28  | 0.04 | 8.5   |                         |      |      |             |  |  |  |

Logged by \_\_\_\_\_ Date \_\_\_\_\_

Faro, Yukon

Depth \_\_\_\_\_ Core Size \_\_\_\_\_

Collar Elevation \_\_\_\_\_ Coordinates \_\_\_\_\_ N \_\_\_\_\_ E \_\_\_\_\_

Zone \_\_\_\_\_ X-Sections \_\_\_\_\_

| Rock Types and Alteration                   | Mineralization & Structures   | Bench | Sample Number | A s s a y s |      |      |      |       |      | Weighted Average Assays |      |      | Remarks |             |           |             |
|---|---|-------|---------------|-------------|------|------|------|-------|------|-------------------------|------|------|---------|-------------|-----------|-------------|
|   |   |       |               | From        | To   | Feet | Pb   | Zn    | Cu   | Pb+Zn                   | Pb   | Zn   |         | Cu          |           |             |
| 393-407.5'<br>sl. micaceous pyritic qtz-ite | -py + ba: 385-386' & 387-388'<br>-banding 20° @ 386'<br>-very siliceous 389-398'<br>minor ga, sph<br><br>-minor banded ga, sph and blebs of ga, sph<br>-stringers ch py<br>-vuggy @ contact |       |               |             |      |      |      |       |      |                         |      |      |         |             | (Pb + Zn) |             |
|   |   |       | 2430          | 227         | 230  | 3    | 1.31 | 5.55  | 0.04 | 6.9                     |      |      |         |             |           |             |
|   |   | 3710  | 2430          | 230         | 232  | 2    | 1.31 | 5.55  | 0.04 | 6.9                     |      |      |         |             |           |             |
|   |   |       | 2431          | 232         | 237  | 5    | 2.68 | 8.60  | 0.06 | 11.3                    |      |      |         |             |           |             |
|   |   |       | 2432          | 237         | 242  | 5    | 1.7  | 7.0   | 0.07 | 8.7                     |      |      |         |             |           |             |
|   |   |       | 2433          | 242         | 247  | 5    | 1.8  | 3.3   | 0.09 | 5.1                     | 1.3  | 4.7  | 0.06    |             |           | 40' @ 6.0%  |
|   |   |       | 2434          | 247         | 252  | 5    | 1.0  | 3.2   | 0.05 | 4.2                     |      |      |         |             |           |             |
|   |   |       | 2435          | 252         | 257  | 5    | 1.5  | 7.0   | 0.04 | 8.5                     |      |      |         |             |           |             |
|   |   |       | 2436          | 257         | 262  | 5    | 0.37 | 0.95  | 0.07 | 1.3                     |      |      |         |             |           |             |
|   |   |       | 2437          | 262         | 267  | 5    | 0.40 | 3.8   | 0.08 | 4.2                     |      |      |         |             |           |             |
|   |   |       | 2438          | 267         | 270  | 3    | 1.18 | 2.6   | 0.04 | 3.8                     |      |      |         |             |           |             |
|   |   | 3670  | 2438          | 270         | 272  | 2    | 1.18 | 2.6   | 0.04 | 3.8                     |      |      |         |             |           |             |
|   |   |       | 2439          | 272         | 277  | 5    | 4.27 | 10.75 | 0.09 | 15.0                    |      |      |         |             |           |             |
|   |   |       | 2440          | 277         | 282  | 5    | 8.7  | 19.0  | 0.03 | 27.7                    |      |      |         |             |           |             |
|   |   |       | 2441          | 282         | 287  | 5    | 7.9  | 16.0  | 0.04 | 23.9                    | 6.7  | 14.0 | 0.06    |             |           | 40' @ 20.7% |
|   |   |       | 2442          | 287         | 292  | 5    | 7.7  | 12.0  | Tr.  | 19.7                    |      |      |         |             |           |             |
|   |   |       | 2443          | 292         | 297  | 5    | 6.54 | 12.30 | 0.08 | 18.8                    |      |      |         |             |           |             |
|   |   |       | 2444          | 297         | 302  | 5    | 8.96 | 21.50 | 0.08 | 30.5                    |      |      |         |             |           |             |
|   |   |       | 2445          | 302         | 307  | 5    | 4.84 | 8.20  | 0.06 | 13.0                    |      |      |         |             |           |             |
|   |   |       | 2446          | 307         | 310  | 3    | 7.23 | 19.3  | 0.08 | 26.5                    |      |      |         |             |           |             |
|   |   | 3630  | 2446          | 310         | 312  | 2    | 7.23 | 19.3  | 0.08 | 26.5                    |      |      |         |             |           |             |
|   | 2447  | 312   | 317           | 5           | 6.24 | 20.2 | 0.10 | 26.4  |      |                         |      |      |         |             |           |             |
|   | 2448  | 317   | 322           | 5           | 4.94 | 6.96 | 0.04 | 11.9  |      |                         |      |      |         |             |           |             |
|   | 2449  | 322   | 327           | 5           | 2.95 | 5.36 | 0.08 | 8.3   |      |                         |      |      |         |             |           |             |
|   | 2450  | 327   | 332           | 5           | 2.20 | 6.36 | 0.09 | 8.6   | 3.0  | 7.0                     | 0.07 |      |         | 40' @ 10.0% |           |             |
|   | 2451  | 332   | 337           | 5           | 0.74 | 1.40 | 0.08 | 2.1   |      |                         |      |      |         |             |           |             |

Logged by \_\_\_\_\_ Date \_\_\_\_\_

Faro, Yukon

Depth \_\_\_\_\_ Core Size \_\_\_\_\_

Collar Elevation \_\_\_\_\_ Coordinates \_\_\_\_\_ N \_\_\_\_\_ E \_\_\_\_\_

Zone \_\_\_\_\_ X-Sections \_\_\_\_\_

| Rock Types and Alteration | Mineralization & Structures | Bench | Sample Number | From | To  | Feet | Assays |      |        |       | Weighted Average Assays |     |      | Remarks |            |
|---------------------------|-----------------------------|-------|---------------|------|-----|------|--------|------|--------|-------|-------------------------|-----|------|---------|------------|
|                           |                             |       |               |      |     |      | Pb     | Zn   | Cu     | Pb+Zn | Pb                      | Zn  | Cu   |         |            |
|                           |                             |       |               |      |     |      |        |      |        |       |                         |     |      |         | (Pb + Zn)  |
|                           |                             |       | 2452          | 337  | 342 | 5    | 2.04   | 4.65 | 0.08   | 6.7   |                         |     |      |         |            |
|                           |                             |       | 2453          | 342  | 347 | 5    | 0.33   | 0.68 | 0.08   | 1.0   |                         |     |      |         |            |
|                           |                             |       | 2454          | 347  | 350 | 3    | 3.12   | 4.90 | 0.02   | 8.0   |                         |     |      |         |            |
|                           |                             | 3590  | 2454          | 350  | 352 | 2    | 3.12   | 4.90 | 0.02   | 8.0   |                         |     |      |         |            |
|                           |                             |       | 2455          | 352  | 357 | 5    | 0.92   | 2.88 | 0.04   | 3.8   |                         |     |      |         |            |
|                           |                             |       | 2456          | 357  | 362 | 5    | 2.0    | 3.4  | 0.08   | 5.4   |                         |     |      |         |            |
|                           |                             |       | 2457          | 362  | 367 | 5    | 0.30   | 1.0  | 0.08   | 1.3   | 2.4                     | 5.7 | 0.06 |         | 40' @ 8.1% |
|                           |                             |       | 2458          | 367  | 372 | 5    | 2.24   | 3.86 | 0.08   | 6.1   |                         |     |      |         |            |
|                           |                             |       | 2459          | 372  | 377 | 5    | 3.0    | 6.0  | 0.08   | 9.0   |                         |     |      |         |            |
|                           |                             |       | 2460          | 377  | 382 | 5    | 4.55   | 11.2 | 0.05   | 15.7  |                         |     |      |         |            |
|                           |                             |       | 2461          | 382  | 387 | 5    | 3.96   | 9.56 | 0.04   | 13.5  |                         |     |      |         |            |
|                           |                             |       | 2462          | 387  | 390 | 3    | 2.15   | 9.55 | 0.08   | 11.7  |                         |     |      |         |            |
|                           |                             | 3550  | 2462          | 390  | 392 | 2    | 2.15   | 9.55 | 0.08   | 11.7  |                         |     |      |         |            |
|                           |                             |       | 2463          | 392  | 397 | 5    | 1.69   | 3.14 | 0.08   | 4.8   | 3.2                     | 5.6 | 0.14 |         | 17' @ 8.8% |
|                           |                             |       | 2464          | 397  | 402 | 5    | 3.86   | 7.24 | 0.13   | 11.1  |                         |     |      |         |            |
|                           |                             |       | 2465          | 402  | 407 | 5    | 4.4    | 5.0  | 0.24   | 9.4   |                         |     |      |         |            |
|                           |                             |       | 2466          | 407  | 412 | 5    | 0.15   | 0.15 | 0.085* | 0.3   |                         |     |      |         |            |
| 407.5-428'                | qtz. musc. schist           |       |               |      |     |      |        |      |        |       |                         |     |      |         |            |
|                           |                             |       |               |      |     |      |        |      |        |       |                         |     |      |         |            |
|                           |                             |       |               |      |     |      |        |      |        |       |                         |     |      |         |            |
| 428'                      | E.O.H.                      |       |               |      |     |      |        |      |        |       |                         |     |      |         |            |
|                           |                             |       |               |      |     |      |        |      |        |       |                         |     |      |         |            |
|                           |                             |       |               |      |     |      |        |      |        |       |                         |     |      |         |            |

\* Not included in average.

Drill Hole Log and Analysis

ANVIL MINING CORPORATION LIMITED

Hole No. 74-7

Logged by D. J. Hanson Date \_\_\_\_\_

Faro, Yukon

Depth 777 Core Size BQ

Collar Elevation 4139.0 Coordinates 9398.70 N 15,001.85E

Zone 3 X-Sections 26/120

| Rock Types and Alteration                   | Mineralization & Structures                             | Bench | Sample Number |      |     |      |      | A s s a y s |       |       |     | Weighted Average Assays |      |  | Remarks |            |
|---|---|-------|---------------|------|-----|------|------|-------------|-------|-------|-----|-------------------------|------|--|---------|------------|
|   |   |       |               | From | To  | Feet | Pb   | Zn          | Cu    | Pb+Zn | Pb  | Zn                      | Cu   |  |         |            |
| 0-16'<br>Overburden                         |   |       |               |      |     |      |      |             |       |       |     |                         |      |  |         | (Pb + Zn)  |
| 16-48.5'<br>calc. silicate gneiss           | -fo: 15-20°   |       |               |      |     |      |      |             |       |       |     |                         |      |  |         |            |
| 48.5-77.7'<br>brown qtz. bio. schist        | -thinly laminated<br>-fo: 20-25°                        |       |               |      |     |      |      |             |       |       |     |                         |      |  |         |            |
| 77.7-293'<br>smokey qtz. felds. prophyry    |   |       |               |      |     |      |      |             |       |       |     |                         |      |  |         |            |
| 293-332'<br>qtz. musc. + bio. + chl. schist | -fo: 25-30°<br>-minor py in fractures<br>-contact @ 30° |       |               |      |     |      |      |             |       |       |     |                         |      |  |         |            |
| 332-333'<br>diorite                         |   |       |               |      |     |      |      |             |       |       |     |                         |      |  |         |            |
| 333-361'<br>qtz. musc. bio. schist          | -fo: 45°<br>-minor pyritic bands                        |       |               |      |     |      |      |             |       |       |     |                         |      |  |         |            |
| 361-404'<br>altered smokey qtz. porphyry    | -xenoliths of schist and<br>mass. sde.                  |       |               |      |     |      |      |             |       |       |     |                         |      |  |         |            |
| 404-412.5'<br>breccia contact zone          | banded massive sde.                                     | 3710  | 2467          | 404  | 409 | 5    | 9.29 | 3.08        | 0.09  | 12.4  |     |                         |      |  |         |            |
|   |   |       | 2468          | 409  | 414 | 5    | 2.58 | 2.52        | 0.06  | 5.1   |     |                         |      |  |         |            |
| 412.5-418'<br>qtz. musc. schist             | -fo: 20°<br>-minor ga & ch py in bull qtz               |       | 2469          | 414  | 419 | 5    | 1.30 | 0.80        | 0.135 | 2.1   | 4.1 | 2.4                     | 0.15 |  |         | 25' @ 6.5% |
|   |   |       | 2470          | 419  | 424 | 5    | 3.65 | 1.65        | 0.22  | 5.3   |     |                         |      |  |         |            |
|   |   |       | 2471          | 424  | 429 | 5    | 3.90 | 3.96        | 0.22  | 7.9   |     |                         |      |  |         |            |

Logged by \_\_\_\_\_ Date \_\_\_\_\_

Faro, Yukon

Depth \_\_\_\_\_ Core Size \_\_\_\_\_

Collar Elevation \_\_\_\_\_ Coordinates \_\_\_\_\_ N \_\_\_\_\_ E

Zone \_\_\_\_\_ X-Sections \_\_\_\_\_

| Rock Types and Alteration         | Mineralization & Structures                                   | Bench | Sample Number |      |     |      |      | A s s a y s |      |       |     | Weighted Average Assays |      |  |            | Remarks |
|-----------------------------------|---|-------|---------------|------|-----|------|------|-------------|------|-------|-----|-------------------------|------|--|------------|---------|
|                                   |   |       |               | From | To  | Feet | Pb   | Zn          | Cu   | Pb+Zn | Pb  | Zn                      | Cu   |  |            |         |
| 418-419'<br>pyritic qtzite.       | -minor ga, sph  | 3670  | 2472          | 429  | 434 | 5    | 1.90 | 2.27        | 0.08 | 4.2   |     |                         |      |  | (Pb + Zn)  |         |
|                                   |   |       | 2473          | 434  | 439 | 5    | 1.06 | 0.94        | 0.26 | 2.0   |     |                         |      |  |            |         |
| 419-420.2'<br>qtz. musc. schist   |   |       | 2474          | 439  | 444 | 5    | 3.01 | 4.30        | 0.11 | 7.3   | 1.3 | 1.8                     | 0.19 |  | 40' @ 3.1% |         |
|                                   |   |       | 2475          | 444  | 449 | 5    | 0.80 | 1.60        | 0.17 | 2.4   |     |                         |      |  |            |         |
| 420.2-420.9'<br>pyritic qtzite.   |   |       | 2476          | 449  | 454 | 5    | 1.12 | 1.84        | 0.11 | 3.0   |     |                         |      |  |            |         |
|                                   |   |       | 2477          | 454  | 459 | 5    | 0.30 | 1.00        | 0.28 | 1.3   |     |                         |      |  |            |         |
| 420.9-422.0'<br>qtz. musc. schist |   |       | 2478          | 459  | 464 | 5    | 0.70 | 1.20        | 0.13 | 1.9   |     |                         |      |  |            |         |
|                                   |   |       | 2479          | 464  | 469 | 5    | 1.60 | 1.60        | 0.35 | 3.2   |     |                         |      |  |            |         |
| 422-422.5'<br>pyritic qtzite.     |   | 3630  | 2480          | 469  | 474 | 5    | 0.77 | 1.71        | 0.26 | 2.5   |     |                         |      |  |            |         |
|                                   |   |       | 2481          | 474  | 479 | 5    | 1.08 | 3.42        | 0.07 | 4.5   |     |                         |      |  |            |         |
| 422.5-423.5'<br>clay gouge        | -minor py   |       | 2482          | 479  | 484 | 5    | 0.74 | 1.78        | 0.10 | 2.5   |     |                         |      |  |            |         |
|                                   |   |       | 2483          | 484  | 489 | 5    | 1.10 | 3.22        | 0.10 | 4.3   | 0.9 | 2.5                     | 0.11 |  | 40' @ 3.4% |         |
| 423.5-453'<br>pyritic qtzite      | -minor ga, sph<br>-sl. banded (5-10°)<br>-contact gradational |       | 2484          | 489  | 494 | 5    | 0.12 | 1.53        | 0.08 | 1.6   |     |                         |      |  |            |         |
|                                   |   |       | 2485          | 494  | 499 | 5    | 0.20 | 0.89        | 0.07 | 1.1   |     |                         |      |  |            |         |
| 453-463.5'<br>mass. pyrite        | -minor ga, sph  | 3590  | 2486          | 499  | 504 | 5    | 1.64 | 5.29        | 0.08 | 6.9   |     |                         |      |  |            |         |
|                                   |   |       | 2487          | 504  | 509 | 5    | 1.72 | 2.46        | 0.08 | 4.2   |     |                         |      |  |            |         |
| 463.5-469.5'<br>pyritic qtzite    | -minor gouge @ 465'<br>-minor ga, sph, ch py                  |       | 2488          | 509  | 514 | 5    | 0.10 | 1.26        | 0.18 | 1.4   |     |                         |      |  |            |         |
|                                   |   |       | 2489          | 514  | 519 | 5    | 1.65 | 2.25        | 0.10 | 3.9   |     |                         |      |  |            |         |
| 469.5-471'<br>breccia             | frags. of qtzite & schist                                     |       | 2490          | 519  | 524 | 5    | 0.2  | 1.25        | 0.05 | 1.4   |     |                         |      |  |            |         |
|                                   |   |       | 2491          | 524  | 529 | 5    | 1.3  | 2.40        | 0.12 | 3.7   | 0.7 | 1.9                     | 0.13 |  | 40' @ 2.6% |         |
|                                   |   |       | 2492          | 529  | 534 | 5    | 0.9  | 3.10        | 0.11 | 4.0   |     |                         |      |  |            |         |
|                                   |   |       | 2493          | 534  | 539 | 5    | 1.05 | 2.90        | 0.19 | 3.9   |     |                         |      |  |            |         |
|                                   |   |       | 2494          | 539  | 544 | 5    | 0.1  | 0.9         | 0.19 | 1.0   |     |                         |      |  |            |         |
|                                   |   |       | 2495          | 544  | 549 | 5    | 0.1  | 1.0         | 0.11 | 1.1   |     |                         |      |  |            |         |
|                                   |   | 3550  | 2496          | 549  | 554 | 5    | 0.2  | 3.4         | 0.13 | 3.6   |     |                         |      |  |            |         |

Logged by \_\_\_\_\_ Date \_\_\_\_\_

Faro, Yukon

Depth \_\_\_\_\_ Core Size \_\_\_\_\_

Collar Elevation \_\_\_\_\_ Coordinates \_\_\_\_\_ N \_\_\_\_\_ E

Zone \_\_\_\_\_ X-Sections \_\_\_\_\_

| Rock Types and Alteration                                   | Mineralization & Structures  | Bench | Sample Number | A s s a y s |     |      |      | Weighted Average Assays |      |       | Remarks |     |      |    |              |
|---|--|-------|---------------|-------------|-----|------|------|-------------------------|------|-------|---------|-----|------|----|--------------|
|   |  |       |               | From        | To  | Feet | Pb   | Zn                      | Cu   | Pb+Zn |         | Pb  | Zn   | Cu |              |
| 471-529'<br>pyritic qtzite grading to sil. mass. py         | -bands & blebs of ga, sph<br>-graphitic banding @ 20°<br>-"ribbon" qtzite in places (i.e. thinly laminated with graphitic sericite bands)<br>-breccia 527-529' |       | 2497          | 554         | 559 | 5    | 0.2  | 1.5                     | 0.12 | 1.7   |         |     |      |    | (Pb + Zn)    |
|   |  |       | 2498          | 559         | 564 | 5    | 0.2  | 1.35                    | 0.07 | 1.5   |         |     |      |    |              |
|   |  |       | 2499          | 564         | 569 | 5    | 0.5  | 1.90                    | 0.05 | 2.4   | 0.7     | 2.1 | 0.08 |    | 40' @ 2.8%   |
|   |  |       | 2500          | 569         | 574 | 5    | 2.4  | 3.1                     | 0.07 | 5.5   |         |     |      |    |              |
|   |  |       | 2501          | 574         | 579 | 5    | 1.2  | 2.0                     | 0.07 | 3.2   |         |     |      |    |              |
|   |  |       | 2502          | 579         | 584 | 5    | 0.7  | 2.5                     | 0.06 | 3.2   |         |     |      |    |              |
|   |  |       | 2503          | 584         | 589 | 5    | 0.3  | 1.3                     | 0.04 | 1.6   |         |     |      |    |              |
| 529-530'<br>massive sdes.                                   | py, ga, sph  | 3510  | 2504          | 589         | 594 | 5    | 0.2  | 1.3                     | 0.07 | 1.5   |         |     |      |    |              |
|   |  |       | 2505          | 594         | 599 | 5    | 2.4  | 5.7                     | 0.04 | 8.1   |         |     |      |    |              |
| 530-607'<br>pyritic qtzite grading to sil. massive pyrite   | -minor bands & blebs of ga, sph<br>-slicks @ 546, 550, & 568<br>-"ribbon" qtzite @ 570-576, 579, 582-586, & 605-607  |       | 2506          | 599         | 604 | 5    | 1.8  | 5.05                    | 0.03 | 6.8   |         |     |      |    |              |
|   |  |       | 2507          | 604         | 609 | 5    | 2.7  | 6.95                    | 0.02 | 9.6   | 2.9     | 7.1 | 0.06 |    | 40' @ 10.0 % |
|   |  |       | 2508          | 609         | 614 | 5    | 4.9  | 12.7                    | 0.07 | 17.6  |         |     |      |    |              |
|   |  |       | 2509          | 614         | 619 | 5    | 5.55 | 13.6                    | 0.01 | 19.1  |         |     |      |    |              |
|   |  |       | 2510          | 619         | 624 | 5    | 4.6  | 8.9                     | 0.03 | 13.5  |         |     |      |    |              |
|   |  |       | 2511          | 624         | 629 | 5    | 0.8  | 2.9                     | 0.17 | 3.7   |         |     |      |    |              |
| 607-611<br>massive sdes.                                    | -py, ga, sph<br>-po @ 610-611'   | 3470  | 2512          | 629         | 634 | 5    | 0.40 | 1.30                    | 0.07 | 1.7   |         |     |      |    |              |
|   |  |       | 2513          | 634         | 639 | 5    | 1.68 | 1.22                    | 0.20 | 2.9   |         |     |      |    |              |
| 611-618'<br>siliceous massive sdes.                         | -py, ga, sph   |       | 2514          | 639         | 644 | 5    | 0.6  | 3.1                     | 0.12 | 3.7   |         |     |      |    |              |
|   |  |       | 2515          | 644         | 649 | 5    | 0.6  | 1.7                     | 0.10 | 2.3   | 1.2     | 2.8 | 0.12 |    | 40' @ 4.0%   |
| 618-622'<br>massive sdes.                                   | -py, ga, sph   |       | 2516          | 649         | 654 | 5    | 2.08 | 2.95                    | 0.07 | 5.0   |         |     |      |    |              |
|   |  |       | 2517          | 654         | 659 | 5    | 1.14 | 2.53                    | 0.10 | 3.7   |         |     |      |    |              |
| 622-630'<br>pyritic qtzite becoming micaceous from 625-630' | -minor ga, sph   |       | 2518          | 659         | 664 | 5    | 0.46 | 2.09                    | 0.21 | 2.5   |         |     |      |    |              |
|   |  |       | 2519          | 664         | 669 | 5    | 2.91 | 7.20                    | 0.07 | 10.1  |         |     |      |    |              |
|   |  |       | 2520          | 669         | 674 | 5    | 4.77 | 7.15                    | 0.09 | 11.9  |         |     |      |    |              |
|   |  |       | 3430          | 2521        | 674 | 679  | 5    | 1.73                    | 2.65 | 0.19  | 4.4     |     |      |    |              |

Logged by \_\_\_\_\_ Date \_\_\_\_\_

Faro, Yukon

Depth \_\_\_\_\_ Core Size \_\_\_\_\_

Collar Elevation \_\_\_\_\_ Coordinates \_\_\_\_\_ N \_\_\_\_\_ E \_\_\_\_\_

Zone \_\_\_\_\_ X-Sections \_\_\_\_\_

| Rock Types and Alteration   | Mineralization & Structures   | Bench | Sample Number | A s s a y s |     |      |      | Weighted Average Assays |      |       | Remarks |     |      |    |             |  |
|---|---|-------|---------------|-------------|-----|------|------|-------------------------|------|-------|---------|-----|------|----|-------------|--|
|   |   |       |               | From        | To  | Feet | Pb   | Zn                      | Cu   | Pb+Zn |         | Pb  | Zn   | Cu |             |  |
| 630-647'<br>qtz. musc. schist (pink andalusite?)  | fo: 10-20°  |       | 2522          | 679         | 684 | 5    | 0.60 | 2.50                    | 0.14 | 3.1   |         |     |      |    | (Pb + Zn)   |  |
|   |   |       | 2523          | 684         | 689 | 5    | 4.21 | 6.77                    | 0.14 | 11.0  |         |     |      |    |             |  |
|   |   |       | 2524          | 689         | 694 | 5    | 4.75 | 8.46                    | 0.12 | 13.2  | 3.2     | 5.7 | 0.13 |    | 40' @ 8.9%  |  |
|   |   |       | 2525          | 694         | 699 | 5    | 1.39 | 3.59                    | 0.10 | 5.0   |         |     |      |    |             |  |
|   |   |       | 2526          | 699         | 704 | 5    | 3.16 | 6.72                    | 0.10 | 9.9   |         |     |      |    |             |  |
| 647-655'<br>micaceous qtzite  | -contact gradational<br>-banded and dissem. sdes.   | 3390  | 2527          | 704         | 709 | 5    | 4.8  | 7.6                     | 0.14 | 12.4  |         |     |      |    |             |  |
|   |   |       | 2528          | 709         | 714 | 5    | 1.6  | 4.6                     | 0.07 | 6.2   |         |     |      |    |             |  |
| 655-656.5'<br>thinly laminated qtz. ser. schist   | -py in qtzose bands<br>-brecciated contact  |       | 2529          | 714         | 719 | 5    | 4.4  | 7.7                     | 0.04 | 12.1  | 3.3     | 6.8 | 0.06 |    | 15' @ 10.1% |  |
|   |   |       | 2530          | 719         | 724 | 5    | 4.0  | 8.25                    | 0.08 | 12.2  |         |     |      |    |             |  |
|   |   |       | 2531          | 724         | 729 | 5    | 0.1  | 0.1                     | 0.04 | *0.2  |         |     |      |    |             |  |
| 656.7-724'<br>micaceous qtzite grading locally to qtz. musc. sch.                                     | -banded diss. & mass. sdes. (py, ga, sph) po @ 659'<br>-alternating arg/aren bands 668-670.5 & 672-673<br>-fo: 60°<br>-fairly mass. sdes. 702-707<br>-po @ 706' |       | 2532          | 729         | 734 | 5    | 2.2  | 3.0                     | 0.10 | *5.2  |         |     |      |    |             |  |
|   |   |       |               |             |     |      |      |                         |      |       |         |     |      |    |             |  |
|   |   |       |               |             |     |      |      |                         |      |       |         |     |      |    |             |  |
|   |   |       |               |             |     |      |      |                         |      |       |         |     |      |    |             |  |
|   |   |       |               |             |     |      |      |                         |      |       |         |     |      |    |             |  |
| 724-777'<br>qtz. musc. schist + pink andalusite<br><br>becoming more biotitic and spotted toward 777' | -fo: 45°<br>-sdes. in qtzite 731-732.5<br>-slicks @ 731<br>-irreg. qtz. banding   |       |               |             |     |      |      |                         |      |       |         |     |      |    |             |  |
|   |   |       |               |             |     |      |      |                         |      |       |         |     |      |    |             |  |
|   |   |       |               |             |     |      |      |                         |      |       |         |     |      |    |             |  |
|   |   |       |               |             |     |      |      |                         |      |       |         |     |      |    |             |  |
|   |   |       |               |             |     |      |      |                         |      |       |         |     |      |    |             |  |
| 777'  | E.O.H.  |       |               |             |     |      |      |                         |      |       |         |     |      |    |             |  |

\* Not included in average.



Logged by \_\_\_\_\_ Date \_\_\_\_\_

Faro, Yukon

Depth \_\_\_\_\_ Core Size \_\_\_\_\_

Collar Elevation \_\_\_\_\_ Coordinates \_\_\_\_\_ N \_\_\_\_\_ E

Zone \_\_\_\_\_ X-Sections \_\_\_\_\_

| Rock Types and Alteration  | Mineralization & Structures   | Bench | Sample Number | A s s a y s |     |      |      | Weighted Average Assays |      |       |     | Remarks |      |    |            |
|--|---|-------|---------------|-------------|-----|------|------|-------------------------|------|-------|-----|---------|------|----|------------|
|  |   |       |               | From        | To  | Feet | Pb   | Zn                      | Cu   | Pb+Zn | Pb  |         | Zn   | Cu |            |
| 347-395'<br>"bleached" qtz. musc. schist   | fo: 0-30°<br>breccia & gouge :357-372<br>:391.5-395                                   |       |               |             |     |      |      |                         |      |       |     |         |      |    | (Pb + Zn)  |
| 395-437'<br>slightly siliceous massive<br>sdes. grading locally to<br>micaceous qtzite               | py, ga, sph, ch py<br>frags. of crenulated qtzite.<br>po @ 407-408'<br>fo: 20° @ 424' | 3590  | 2533          | 390         | 395 | 5    | 0.1  | 0.1                     | 0.03 | 0.2*  |     |         |      |    |            |
|  |   |       | 2534          | 395         | 400 | 5    | 1.5  | 4.5                     | 0.27 | 6.0   |     |         |      |    |            |
|  |   |       | 2535          | 400         | 405 | 5    | 4.9  | 10.9                    | 0.19 | 15.8  |     |         |      |    |            |
|  |   |       | 2536          | 405         | 410 | 5    | 5.0  | 5.5                     | 0.31 | 10.5  | 2.2 | 3.7     | 0.26 |    | 33' @ 5.9% |
| 437-445'<br>massive banded sdes.   | py banding : 20°<br>minor frags. of schist and<br>banded qtzite                       |       | 2537          | 410         | 415 | 5    | 1.2  | 2.95                    | 0.12 | 4.1   |     |         |      |    |            |
|  |   |       | 2538          | 415         | 420 | 5    | 0.2  | 0.2                     | 0.30 | 0.4   |     |         |      |    |            |
|  |   |       | 2539          | 420         | 425 | 5    | 1.35 | 0.4                     | 0.34 | 1.7   |     |         |      |    |            |
| 445-449'<br>banded sdes in fine grained<br>siliceous matrix  | banding: 20-30°   |       | 2540          | 425         | 428 | 3    | 0.5  | 0.15                    | 0.30 | 0.6   |     |         |      |    |            |
|  |   | 3550  | 2540          | 428         | 430 | 2    | 0.5  | 0.15                    | 0.30 | 0.6   |     |         |      |    |            |
|  |   |       | 2541          | 430         | 435 | 5    | 4.0  | 4.0                     | 0.19 | 8.0   |     |         |      |    |            |
| 449-454'<br>buff qtz. musc. sch.   | fo: 20°<br>minor dissem. sdes.  |       | 2542          | 435         | 440 | 5    | 7.08 | 5.9                     | 0.18 | 13.0  |     |         |      |    |            |
|  |   |       | 2543          | 440         | 445 | 5    | 6.45 | 5.15                    | 0.17 | 11.6  |     |         |      |    |            |
|  |   |       | 2544          | 445         | 450 | 5    | 5.1  | 5.0                     | 0.18 | 10.1  | 3.5 | 3.3     | 0.15 |    | 40' @ 6.8% |
|  |   |       | 2545          | 450         | 455 | 5    | 1.2  | 1.4                     | 0.05 | 2.6   |     |         |      |    |            |
| 454-462'<br>d. grey banded thinly lamin-<br>ated qtz. ser. schist                                    | fo: 45° @ 460'<br>minor sdes. in qtzose bands   |       | 2546          | 455         | 460 | 5    | 0.7  | 0.9                     | 0.04 | 1.6   |     |         |      |    |            |
|  |   |       | 2547          | 460         | 465 | 5    | 0.5  | 0.65                    | 0.11 | 1.1   |     |         |      |    |            |
| 462-464'<br>qtz. musc. schist  | fo: 60°   |       | 2548          | 465         | 468 | 3    | 5.02 | 4.76                    | 0.32 | 9.8   |     |         |      |    |            |
|  |   | 3510  | 2548          | 468         | 470 | 2    | 5.02 | 4.76                    | 0.32 | 9.8   |     |         |      |    |            |
|  |   |       | 2549          | 470         | 475 | 5    | 0.36 | 0.34                    | 0.03 | 0.7   |     |         |      |    |            |
| 464-480'<br>sl. graphitic grey banded<br>qtz. ser. schist<br>grading locally to qtz. musc.<br>schist | fo: 30° @ 472'<br>minor sdes. in qtzose bands   |       | 2550          | 482         | 487 | 5    | 3.52 | 3.58                    | 0.06 | 7.1   | 2.1 | 2.8     | 0.16 |    | 40' @ 4.9% |

\* Not included in average.

Logged by \_\_\_\_\_ Date \_\_\_\_\_

Faro, Yukon

Depth \_\_\_\_\_ Core Size \_\_\_\_\_

Collar Elevation \_\_\_\_\_ Coordinates \_\_\_\_\_ N \_\_\_\_\_ E \_\_\_\_\_

Zone \_\_\_\_\_ X-Sections \_\_\_\_\_

| Rock Types and Alteration   | Mineralization & Structures  | Bench | Sample Number | A s s a y s |     |      |       | Weighted Average Assays |      |       |     | Remarks |      |    |            |  |
|---|--|-------|---------------|-------------|-----|------|-------|-------------------------|------|-------|-----|---------|------|----|------------|--|
|   |  |       |               | From        | To  | Feet | Pb    | Zn                      | Cu   | Pb+Zn | Pb  |         | Zn   | Cu |            |  |
| 480-483'<br>bleached qtz. musc. schist  | fo: 30° @ 481'<br>broken core & gouge 482-483'                                       |       | 2551          | 487         | 492 | 5    | 2.21  | 2.59                    | 0.10 | 4.8   |     |         |      |    | (Pb + Zn)  |  |
|   |  |       | 2552          | 492         | 497 | 5    | 4.93  | 7.91                    | 0.30 | 12.8  |     |         |      |    |            |  |
|   |  |       | 2553          | 497         | 502 | 5    | 2.48  | 3.29                    | 0.36 | 5.8   |     |         |      |    |            |  |
|   |  |       | 2554          | 502         | 507 | 5    | 1.24  | 1.58                    | 0.21 | 2.8   |     |         |      |    |            |  |
| 483-487.5'<br>qtzite  | minor massive sde. bands<br>minor breccia with sde.<br>matrix<br>banding: 20° @ 485' | 3470  | 2555          | 507         | 508 | 1    | 1.46  | 4.40                    | 0.28 | 5.9   |     |         |      |    |            |  |
|   |  |       | 2556          | 512         | 517 | 5    | 1.70  | 3.20                    | 0.21 | 4.9   |     |         |      |    |            |  |
|   |  |       | 2557          | 517         | 522 | 5    | 4.05  | 6.25                    | 0.15 | 10.3  |     |         |      |    |            |  |
|   |  |       | 2558          | 522         | 527 | 5    | 2.78  | 5.78                    | 0.34 | 8.6   | 2.2 | 3.8     | 0.23 |    | 40' @ 6.0% |  |
| 487.5-489.5'<br>micaceous qtzite  | minor sde. bands fo: 35°   |       | 2559          | 527         | 532 | 5    | 1.80  | 2.26                    | 0.24 | 4.1   |     |         |      |    |            |  |
|   |  |       | 2560          | 532         | 537 | 5    | 2.06  | 2.98                    | 0.16 | 5.0   |     |         |      |    |            |  |
|   |  |       | 2561          | 537         | 542 | 5    | 2.60  | 4.55                    | 0.30 | 7.1   |     |         |      |    |            |  |
|   |  |       | 2562          | 542         | 547 | 5    | 1.18  | 1.34                    | 0.16 | 2.5   |     |         |      |    |            |  |
| 489.5-491'<br>qtz. musc. schist grading<br>locally to sl. graphitic qtz.<br>ser. schist |  |       | 2563          | 547         | 548 | 1    | 0.75  | 3.15                    | 0.11 | 3.9   |     |         |      |    |            |  |
|   |  |       | 2564          | 548         | 552 | 4    | 0.75  | 3.15                    | 0.11 | 3.9   |     |         |      |    |            |  |
|   |  |       | 2565          | 552         | 557 | 5    | 2.78  | 3.42                    | 0.24 | 6.2   | 1.9 | 3.3     | 0.26 |    | 24' @ 5.2% |  |
|   |  |       | 2566          | 557         | 562 | 5    | 2.30  | 3.66                    | 0.10 | 6.0   |     |         |      |    |            |  |
| 491-542.5'<br>mass. sdes.   | "gritty" py + barite 504.5-514, 515-517<br>po: 522.5-529 & 537.5-540                 | 3430  | 2567          | 562         | 567 | 5    | 25.4* | 2.06                    | 0.04 | 27.5  |     |         |      |    |            |  |
|   |  |       | 2568          | 567         | 572 | 5    | 1.54  | 3.94                    | 0.76 | 5.5   |     |         |      |    |            |  |
|   |  |       |               |             |     |      |       |                         |      |       |     |         |      |    |            |  |
|   |  |       |               |             |     |      |       |                         |      |       |     |         |      |    |            |  |
| 542.5-549'<br>grey banded qtzite  | banded dissem. sdes. (py, ga, sph)<br>banding: 10°<br>minor mass. sdes.              |       |               |             |     |      |       |                         |      |       |     |         |      |    |            |  |
|   |  |       |               |             |     |      |       |                         |      |       |     |         |      |    |            |  |
|   |  |       |               |             |     |      |       |                         |      |       |     |         |      |    |            |  |
|   |  |       |               |             |     |      |       |                         |      |       |     |         |      |    |            |  |

\* Not included in average.





Logged by \_\_\_\_\_ Date \_\_\_\_\_

Faro, Yukon

Depth \_\_\_\_\_ Core Size \_\_\_\_\_

Collar Elevation \_\_\_\_\_ Coordinates \_\_\_\_\_ N \_\_\_\_\_ E \_\_\_\_\_

Zone \_\_\_\_\_ X-Sections \_\_\_\_\_

| Rock Types and Alteration   | Mineralization & Structures  | Bench | Sample Number | From | To  | Feet | A s s a y s |      |      |       | Weighted Average Assays |     |      | Remarks |             |
|---|--|-------|---------------|------|-----|------|-------------|------|------|-------|-------------------------|-----|------|---------|-------------|
|   |  |       |               |      |     |      | Pb          | Zn   | Cu   | Pb+Zn | Pb                      | Zn  | Cu   |         |             |
| 149.2-171'<br>dark banded qtz. musc. bio. schist grading locally to qtz. musc. schist | -minor andalusite<br>-fo: 20° @ 161'<br>-fo: 10° @ 170'                            |       |               |      |     |      |             |      |      |       |                         |     |      |         | (Pb + Zn)   |
| 171-175<br>banded micaceous qtzite  | -py in qtzose bands<br>-fo: 20° @ 173'<br>-minor ga, sph                           | 3750  | 2568          | 171  | 173 | 2    | 1.34        | 3.93 | 0.10 | 5.3   | 1.3                     | 3.9 | 0.10 |         | 2' @ 5.2%   |
|   |  | 3710  | 2568          | 173  | 176 | 3    | 1.34        | 3.93 | 0.10 | 5.3   |                         |     |      |         |             |
|   |  |       | 2569          | 176  | 181 | 5    | 1.63        | 4.29 | 0.28 | 5.9   |                         |     |      |         |             |
|   |  |       | 2570          | 181  | 186 | 5    | 5.71        | 7.42 | 0.30 | 13.1  |                         |     |      |         |             |
| 175-176.5'<br>massive sdes.   | py, ga, sph  |       | 2571          | 186  | 191 | 5    | 6.2         | 7.25 | 0.38 | 13.4  |                         |     |      |         |             |
|   |  |       | 2572          | 191  | 196 | 5    | 5.8         | 6.5  | 0.26 | 12.3  | 4.1                     | 5.3 | 0.23 |         | 40' @ 9.4%  |
| 176.5-178'<br>banded qtzite   | -minor qtzite breccia with sde. matrix.<br>-sde. & ser. bands                      |       | 2573          | 196  | 201 | 5    | 1.50        | 3.50 | 0.16 | 5.0   |                         |     |      |         |             |
|   |  |       | 2574          | 201  | 206 | 5    | 4.05        | 5.1  | 0.14 | 9.1   |                         |     |      |         |             |
|   |  |       | 2575          | 206  | 211 | 5    | 6.65        | 6.05 | 0.24 | 12.7  |                         |     |      |         |             |
|   |  |       | 2576          | 211  | 213 | 2    | 0.40        | 0.80 | 0.03 | 1.2   |                         |     |      |         |             |
| 178-251'<br>massive sdes.   | -py, ga, sph<br>-10-20% SiO <sub>2</sub> gangue<br>-po 191-193'                    | 3670  | 2576          | 213  | 216 | 3    | 0.40        | 0.80 | 0.03 | 1.2   |                         |     |      |         |             |
|   |  |       | 2577          | 216  | 221 | 5    | 8.2         | 7.55 | 0.23 | 15.7  |                         |     |      |         |             |
|   |  |       | 2578          | 221  | 226 | 5    | 5.70        | 6.10 | 0.20 | 11.8  |                         |     |      |         |             |
| 251-256.5'<br>banded qtzite   | -banded sdes: 45°  |       | 2579          | 226  | 231 | 5    | 6.60        | 8.30 | 0.15 | 14.9  |                         |     |      |         |             |
|   |  |       | 2580          | 231  | 236 | 5    | 6.40        | 7.90 | 0.10 | 14.3  | 6.1                     | 6.5 | 0.17 |         | 40' @ 12.6% |
| 256.5-281'<br>mass. sdes.   | -py, ga, sph<br>-"gritty" py in places<br>-po 275-281'                             |       | 2581          | 236  | 241 | 5    | 3.65        | 4.59 | 0.14 | 8.2   |                         |     |      |         |             |
|   |  |       | 2582          | 241  | 246 | 5    | 7.93        | 7.44 | 0.23 | 15.3  |                         |     |      |         |             |
|   |  |       | 2583          | 246  | 251 | 5    | 8.0         | 7.05 | 0.19 | 15.0  |                         |     |      |         |             |
|   |  |       | 2584          | 251  | 253 | 2    | 6.00        | 6.35 | 0.22 | 12.3  |                         |     |      |         |             |
| 281-308'<br>banded qtzite.  | -graphitic sericite banding 5-10°<br>-sdes. in qtzose. bands and as breccia matrix | 3630  | 2584          | 253  | 256 | 3    | 6.00        | 6.35 | 0.22 | 12.3  |                         |     |      |         |             |
|   |  |       | 2585          | 256  | 261 | 5    | 2.75        | 2.55 | 0.33 | 5.3   |                         |     |      |         |             |
|   |  |       | 2586          | 261  | 266 | 5    | 2.9         | 4.0  | 0.19 | 6.9   | 3.6                     | 5.1 | 0.35 |         | 33' @ 8.7%  |

Logged by \_\_\_\_\_ Date \_\_\_\_\_

Faro, Yukon

Depth \_\_\_\_\_ Core Size \_\_\_\_\_

Collar Elevation \_\_\_\_\_ Coordinates \_\_\_\_\_ N \_\_\_\_\_ E

Zone \_\_\_\_\_ X-Sections \_\_\_\_\_

| Rock Types and Alteration  | Mineralization & Structures                             | Bench | Sample Number | A s s a y s |     |      |      | Weighted Average Assays |      |       |      | Remarks |    |    |           |  |
|--|---|-------|---------------|-------------|-----|------|------|-------------------------|------|-------|------|---------|----|----|-----------|--|
|  |   |       |               | From        | To  | Feet | Pb   | Zn                      | Cu   | Pb+Zn | Pb   |         | Zn | Cu |           |  |
|  | -brecciated 286-299.5'<br>minor py & ch py              |       | 2587          | 266         | 271 | 5    | 5.1  | 7.15                    | 0.16 | 12.2  |      |         |    |    | (Pb + Zn) |  |
|  |   |       | 2588          | 271         | 276 | 5    | 3.85 | 7.55                    | 0.66 | 11.4  |      |         |    |    |           |  |
|  |   |       | 2589          | 276         | 281 | 5    | 2.85 | 4.3                     | 0.63 | 7.1   |      |         |    |    |           |  |
|  |   |       | 2590          | 281         | 286 | 5    | 2.6  | 4.1                     | 0.18 | 6.7   |      |         |    |    |           |  |
|  |   |       | 2591          | 286         | 291 | 5    | 0.80 | 1.30                    | 0.10 | *2.1  |      |         |    |    |           |  |
|  |   |       | 2592          | 291         | 293 | 2    | 0.55 | 2.40                    | 0.05 | *2.9  |      |         |    |    |           |  |
|  |   |       | 3590          | 2592        | 293 | 296  | 3    | 0.55                    | 2.40 | 0.05  | *2.9 |         |    |    |           |  |
|  |   |       | 2593          | 296         | 301 | 5    | 0.65 | 1.6                     | 0.22 | *2.2  |      |         |    |    |           |  |
|  |   |       | 2594          | 301         | 306 | 5    | 1.55 | 2.4                     | 0.11 | *3.9  |      |         |    |    |           |  |
|  |   |       | 2595          | 306         | 311 | 5    | 1.0  | 2.7                     | 0.21 | *3.7  |      |         |    |    |           |  |
| 308-340'<br>buff qtz. musc. schist<br>grading to qtz. ser.<br>schist 317-327 | -fo: variable<br>-bull qtz. @ 315.5, 333-334<br>366-337 |       |               |             |     |      |      |                         |      |       |      |         |    |    |           |  |
|  |   |       |               |             |     |      |      |                         |      |       |      |         |    |    |           |  |
|  |   |       |               |             |     |      |      |                         |      |       |      |         |    |    |           |  |
|  |   |       |               |             |     |      |      |                         |      |       |      |         |    |    |           |  |
| 340-384'<br>qtz. musc. + bio. schist   | -fo: 55° @ 340'<br>-fo: 30° @ 362'                      |       |               |             |     |      |      |                         |      |       |      |         |    |    |           |  |
|  |   |       |               |             |     |      |      |                         |      |       |      |         |    |    |           |  |
|  |   |       |               |             |     |      |      |                         |      |       |      |         |    |    |           |  |
|  |   |       |               |             |     |      |      |                         |      |       |      |         |    |    |           |  |
| 384' E.O.H.  |   |       |               |             |     |      |      |                         |      |       |      |         |    |    |           |  |
|  |   |       |               |             |     |      |      |                         |      |       |      |         |    |    |           |  |
|  |   |       |               |             |     |      |      |                         |      |       |      |         |    |    |           |  |
|  |   |       |               |             |     |      |      |                         |      |       |      |         |    |    |           |  |
|  |   |       |               |             |     |      |      |                         |      |       |      |         |    |    |           |  |
|  |   |       |               |             |     |      |      |                         |      |       |      |         |    |    |           |  |
|  |   |       |               |             |     |      |      |                         |      |       |      |         |    |    |           |  |
|  |   |       |               |             |     |      |      |                         |      |       |      |         |    |    |           |  |

\* Not included in average.



Logged by \_\_\_\_\_ Date \_\_\_\_\_

Faro, Yukon

Depth \_\_\_\_\_ Core Size \_\_\_\_\_

Collar Elevation \_\_\_\_\_ Coordinates \_\_\_\_\_ N \_\_\_\_\_ E \_\_\_\_\_

Zone \_\_\_\_\_ X-Sections \_\_\_\_\_

| Rock Types and Alteration  | Mineralization & Structures              | Bench | Sample Number | From | To  | Feet | Assays |      |      |       | Weighted Average Assays |     |      | Remarks |             |
|--|--|-------|---------------|------|-----|------|--------|------|------|-------|-------------------------|-----|------|---------|-------------|
|  |  |       |               |      |     |      | Pb     | Zn   | Cu   | Pb+Zn | Pb                      | Zn  | Cu   |         |             |
| 234-237.5'<br>graphitic qtz. ser. schist                           | -thinly laminated                        |       |               |      |     |      |        |      |      |       |                         |     |      |         | (Pb + Zn)   |
| 237.5-246'<br>"bleached" qtz. musc. sch.<br>(± bio, ± chl 242-246) | -fo: 45° @ 240'<br>-minor py             |       |               |      |     |      |        |      |      |       |                         |     |      |         |             |
| 246-248'<br>chl. feld. schist                                      | -thinly laminated<br>-banding 30°        |       |               |      |     |      |        |      |      |       |                         |     |      |         |             |
| 248-262'<br>qtz. musc. schist                                      | -bio & chl bands                         |       |               |      |     |      |        |      |      |       |                         |     |      |         |             |
| 262-267'<br>banded qtz. chl. musc. sch.                            | -fo: 0° @ 266'                           |       |               |      |     |      |        |      |      |       |                         |     |      |         |             |
| 267-276'<br>qtz. musc. ± chl. schist                               | -fo: 0° @ 269'                           | 3710  | 2596          | 276  | 281 | 5    | 1.30   | 0.40 | 0.61 | 1.7*  |                         |     |      |         |             |
| 276-281'<br>massive sdes.  | -py, ga, sph                             |       | 2597          | 281  | 286 | 5    | 4.00   | 7.80 | 0.05 | 11.8  |                         |     |      |         |             |
|  |  |       | 2598          | 286  | 291 | 5    | 3.10   | 5.50 | 0.21 | 8.6   |                         |     |      |         |             |
|  |  |       | 2598          | 291  | 296 | 5    | 3.10   | 5.50 | 0.21 | 8.6   | 3.9                     | 6.0 | 0.29 |         | 26' @ 10.0% |
| 281-288.2'<br>siliceous massive sdes.                              | -py, ga, sph<br>-60-70% SiO <sub>2</sub> |       | 2599          | 296  | 301 | 5    | 4.90   | 5.60 | 0.46 | 10.5  |                         |     |      |         |             |
|  |  |       | 2600          | 301  | 306 | 5    | 4.50   | 5.90 | 0.50 | 10.4  |                         |     |      |         |             |
|  |  |       | 4001          | 306  | 307 | 1    | 3.27   | 3.44 | 0.37 | 6.7   |                         |     |      |         |             |
|  |  | 3670  | 4001          | 307  | 311 | 4    | 3.27   | 3.44 | 0.37 | 6.7   |                         |     |      |         |             |
| 288.2-305'<br>massive sdes.  | -py, ga, sph<br>-po: 301-303'            |       | 4002          | 311  | 316 | 5    | 0.98   | 2.29 | 0.13 | 3.3   |                         |     |      |         |             |
|  |  |       | 4003          | 316  | 321 | 5    | 0.6    | 0.9  | 0.24 | 1.5   |                         |     |      |         |             |
|  |  |       | 4004          | 321  | 326 | 5    | 0.40   | 0.50 | 0.36 | 0.9   | 1.6                     | 2.6 | 0.27 |         | 40' @ 4.2%  |
|  |  |       | 4005          | 326  | 331 | 5    | 0.95   | 0.30 | 0.29 | 1.2   |                         |     |      |         |             |

\* Not included in average.

Logged by \_\_\_\_\_ Date \_\_\_\_\_

Faro, Yukon

Depth \_\_\_\_\_ Core Size \_\_\_\_\_

Collar Elevation \_\_\_\_\_ Coordinates \_\_\_\_\_ N \_\_\_\_\_ E

Zone \_\_\_\_\_ X-Sections \_\_\_\_\_

| Rock Types and Alteration     | Mineralization & Structures  | Bench | Sample Number | A s s a y s |     |      |      | Weighted Average Assays |      |       |     | Remarks |      |    |             |
|-------------------------------|--|-------|---------------|-------------|-----|------|------|-------------------------|------|-------|-----|---------|------|----|-------------|
|                               |  |       |               | From        | To  | Feet | Pb   | Zn                      | Cu   | Pb+Zn | Pb  |         | Zn   | Cu |             |
| 305-307'<br>fault zone        | -gouge<br>-minor sdes.   |       | 4006          | 331         | 336 | 5    | 1.95 | 2.44                    | 0.25 | 4.4   |     |         |      |    | (Pb + Zn)   |
|                               |  |       | 4007          | 336         | 341 | 5    | 2.75 | 5.90                    | 0.25 | 8.6   |     |         |      |    |             |
|                               |  |       | 4008          | 341         | 346 | 5    | 1.5  | 4.6                     | 0.26 | 6.1   |     |         |      |    |             |
|                               |  |       | 4009          | 346         | 347 | 1    | 3.25 | 5.4                     | 0.24 | 8.6   |     |         |      |    |             |
| 307-393'<br>massive sdes.     | -py, ga, sph<br>-massive py: 307-332<br>-po @ 343'                   | 3630  | 4009          | 347         | 351 | 4    | 3.25 | 5.4                     | 0.24 | 8.6   |     |         |      |    |             |
|                               |  |       | 4010          | 351         | 356 | 5    | 2.0  | 1.1                     | 0.32 | 3.1   |     |         |      |    |             |
|                               |  |       | 4011          | 356         | 361 | 5    | 1.6  | 2.4                     | 0.29 | 4.0   |     |         |      |    |             |
| 393-396'<br>banded qtzite     | -banding: 20°<br>-sph, ga, py<br>-minor breccia                      |       | 4012          | 361         | 366 | 5    | 3.7  | 6.1                     | 0.26 | 9.8   | 2.3 | 3.3     | 0.25 |    | 40' @ 5.6%  |
|                               |  |       | 4013          | 366         | 371 | 5    | 2.4  | 2.7                     | 0.27 | 5.1   |     |         |      |    |             |
|                               |  |       | 4014          | 371         | 376 | 5    | 4.05 | 4.8                     | 0.16 | 8.8   |     |         |      |    |             |
|                               |  |       | 4015          | 376         | 381 | 5    | 0.95 | 1.20                    | 0.29 | 2.1   |     |         |      |    |             |
| 396-400'<br>banded qtzite     | -banded sdes. (mainly py)<br>-faulted contact                        |       | 4016          | 381         | 386 | 5    | 0.46 | 0.85                    | 0.23 | 1.3   |     |         |      |    |             |
|                               |  |       | 4017          | 386         | 387 | 1    | 4.20 | 13.35                   | 0.05 | 17.5  |     |         |      |    |             |
|                               |  |       | 4017          | 387         | 391 | 4    | 4.20 | 13.35                   | 0.05 | 17.5  |     |         |      |    |             |
| 400-407.8'<br>massive sdes.   | -py, ga, sph<br>-qtzite breccia @ 403.5                              | 3590  | 4018          | 391         | 396 | 5    | 3.62 | 8.48                    | 0.06 | 12.1  |     |         |      |    |             |
|                               |  |       | 4019          | 396         | 401 | 5    | 2.45 | 6.62                    | 0.02 | 9.1   | 3.5 | 8.3     | 0.05 |    | 34' @ 11.8% |
|                               |  |       | 4020          | 401         | 406 | 5    | 2.85 | 5.80                    | 0.16 | 8.6   |     |         |      |    |             |
| 407.8-411.5'<br>banded qtzite | -banding // fo = 30°<br>-alternating arg/aren bands<br>-banded sdes. |       | 4021          | 406         | 411 | 5    | 2.97 | 7.48                    | 0.01 | 10.4  |     |         |      |    |             |
|                               |  |       | 4022          | 411         | 416 | 5    | 5.30 | 9.85                    | 0.01 | 15.1  |     |         |      |    |             |
|                               |  |       | 4023          | 416         | 421 | 5    | 3.40 | 7.55                    | 0.04 | 10.9  |     |         |      |    |             |
|                               |  |       | 4024          | 421         | 426 | 5    | 0.47 | 0.99                    | 0.06 | 1.5*  |     |         |      |    |             |
| 411.5-419'<br>massive sdes.   | -py, ga, sph<br>-slicks @ 414.5                                      |       | 4025          | 426         | 427 | 1    | Tr.  | 0.20                    | 0.04 | 0.2*  |     |         |      |    |             |
|                               |  |       | 4025          | 427         | 431 | 4    | Tr.  | 0.20                    | 0.04 | 0.2*  |     |         |      |    |             |
| 419-423'<br>banded qtzite     | -banded sdes. (py, ga, sph)<br>-banding // fo; 20°                   |       | 4026          | 431         | 436 | 5    | 1.95 | 0.40                    | 0.15 | 2.3*  |     |         |      |    |             |
|                               |  |       | 4027          | 436         | 441 | 5    | 0.65 | 2.57                    | 0.03 | 3.2*  |     |         |      |    |             |
|                               |  |       | 4028          | 441         | 446 | 5    | 3.65 | 8.90                    | 0.21 | 12.5* |     |         |      |    |             |

\* Not included in average.

Logged by \_\_\_\_\_ Date \_\_\_\_\_

Faro, Yukon

Depth \_\_\_\_\_ Core Size \_\_\_\_\_

Collar Elevation \_\_\_\_\_ Coordinates \_\_\_\_\_ N \_\_\_\_\_ E \_\_\_\_\_

Zone \_\_\_\_\_ X-Sections \_\_\_\_\_

| Rock Types and Alteration                                      | Mineralization & Structures   | Bench | Sample Number | A s s a y s |     |      |      |      |      | Weighted Average Assays |    |    | Remarks |           |
|--|---|-------|---------------|-------------|-----|------|------|------|------|-------------------------|----|----|---------|-----------|
|  |   |       |               | From        | To  | Feet | Pb   | Zn   | Cu   | Pb+Zn                   | Pb | Zn |         | Cu        |
| 423-424.5'<br>transition zone                                  |   |       | 4029          | 446         | 451 | 5    | Tr.  | 1.65 | 0.17 | 1.6*                    |    |    |         | (Pb + Zn) |
|  |   |       | 4030          | 451         | 456 | 5    | 0.20 | 1.55 | 0.21 | 1.7*                    |    |    |         |           |
| 424.5-431'<br>micaceous pyritic qtzite.                        | -banding // fo = 50-60°   |       |               |             |     |      |      |      |      |                         |    |    |         |           |
| 431-448'<br>banded qtzite                                      | -py banding // fo = 20°<br>-brecciated @ 433' with mass. sde. matrix<br>-fo: 45° @ 443' |       |               |             |     |      |      |      |      |                         |    |    |         |           |
| 448-456'<br>qtz. musc. schist grading locally to banded qtzite | -fo: 25°<br>-minor sdes.  |       |               |             |     |      |      |      |      |                         |    |    |         |           |
| 456-464'<br>qtz. musc. schist                                  | -fo: unobtainable<br>-complexly folded  |       |               |             |     |      |      |      |      |                         |    |    |         |           |
| 464-474'<br>qtz. musc. schist                                  | fo: 30°   |       |               |             |     |      |      |      |      |                         |    |    |         |           |
| 474-508'<br>banded qtz. musc. bio.<br>+ staurolite schist      | -fo: 30° @ 478'   |       |               |             |     |      |      |      |      |                         |    |    |         |           |
| 508' E.O.H.  |   |       |               |             |     |      |      |      |      |                         |    |    |         |           |

\* Not included in average.



Logged by \_\_\_\_\_ Date \_\_\_\_\_

Faro, Yukon

Depth \_\_\_\_\_ Core Size \_\_\_\_\_

Collar Elevation \_\_\_\_\_ Coordinates \_\_\_\_\_ N \_\_\_\_\_ E \_\_\_\_\_

Zone \_\_\_\_\_ X-Sections \_\_\_\_\_

| Rock Types and Alteration                             | Mineralization & Structures                                   | Bench | Sample Number | From | To  | Feet | A s s a y s |       |      |       | Weighted Average Assays |     |      | Remarks |             |
|---|---|-------|---------------|------|-----|------|-------------|-------|------|-------|-------------------------|-----|------|---------|-------------|
|   |   |       |               |      |     |      | Pb          | Zn    | Cu   | Pb+Zn | Pb                      | Zn  | Cu   |         |             |
| 183.7-185'<br>slightly micaceous qtzite.              | -minor dissem. sdes.<br>-faulted contact                      |       |               |      |     |      |             |       |      |       |                         |     |      |         |             |
| 185-190'<br>brown banded qtz. musc.<br>bio. schist    | -fo: 0-10°  |       |               |      |     |      |             |       |      |       |                         |     |      |         |             |
| 190-196'<br>qtz. musc. schist                         | -fo: 15°  |       |               |      |     |      |             |       |      |       |                         |     |      |         |             |
| 196-199'<br>band dark grey graph. qtz.<br>ser. schist | -fo: 30° @ 198'   |       |               |      |     |      |             |       |      |       |                         |     |      |         |             |
| 199-201'<br>qtz. musc. schist                         | -fo: 25°  |       |               |      |     |      |             |       |      |       |                         |     |      |         |             |
| 201-206.2'<br>siliceous massive sdes.                 | -po: 204-206<br>-py, ga, sph<br>-minor breccia                | 3790  | 4031          | 201  | 206 | 5    | 3.70        | 6.70  | 0.18 | 10.4  |                         |     |      |         |             |
|   |   |       | 4032          | 206  | 211 | 5    | 6.85        | 10.15 | 0.14 | 17.0  |                         |     |      |         |             |
|   |   |       | 4033          | 211  | 216 | 5    | 3.90        | 8.30  | Tr.  | 12.2  | 4.6                     | 8.5 | 0.11 |         | 27' @ 13.1% |
|   |   |       | 4034          | 216  | 221 | 5    | 3.10        | 8.25  | 0.12 | 11.3  |                         |     |      |         |             |
|   |   |       | 4035          | 221  | 226 | 5    | 4.85        | 8.30  | 0.14 | 13.1  |                         |     |      |         |             |
|   |   |       | 4036          | 226  | 228 | 2    | 5.85        | 10.45 | 0.04 | 16.3  |                         |     |      |         |             |
| 206.2-255'<br>massive sdes.                           | -py, ga, sph<br>-po: 242-246, 248-252<br>-banding 20° @ 254'  | 3750  | 4036          | 228  | 231 | 3    | 5.85        | 10.45 | 0.04 | 16.3  |                         |     |      |         |             |
|   |   |       | 4037          | 231  | 236 | 5    | 3.92        | 7.65  | 0.04 | 11.6  |                         |     |      |         |             |
|   |   |       | 4038          | 236  | 241 | 5    | 3.70        | 5.95  | 0.10 | 9.6   |                         |     |      |         |             |
|   |   |       | 4039          | 241  | 246 | 5    | 3.52        | 5.32  | 0.25 | 8.8   |                         |     |      |         |             |
|   |   |       | 4040          | 246  | 251 | 5    | 4.90        | 7.90  | 0.22 | 12.8  | 3.4                     | 6.2 | 0.14 |         | 40' @ 9.6%  |
| 255-300'<br>grey banded micaceous<br>qtzite           | -banding 20° @ 260'<br>-banded dissem. sdes. (py,<br>ga, sph) |       | 4041          | 251  | 256 | 5    | 2.75        | 5.10  | 0.13 | 7.8   |                         |     |      |         |             |

Logged by \_\_\_\_\_ Date \_\_\_\_\_

Faro, Yukon

Depth \_\_\_\_\_ Core Size \_\_\_\_\_

Collar Elevation \_\_\_\_\_ Coordinates \_\_\_\_\_ N \_\_\_\_\_ E

Zone \_\_\_\_\_ X-Sections \_\_\_\_\_

| Rock Types and Alteration | Mineralization & Structures                     | Bench | Sample Number | A s s a y s |     |      |      | Weighted Average Assays |      |       |     | Remarks |      |    |            |
|---------------------------|---|-------|---------------|-------------|-----|------|------|-------------------------|------|-------|-----|---------|------|----|------------|
|                           |   |       |               | From        | To  | Feet | Pb   | Zn                      | Cu   | Pb+Zn | Pb  |         | Zn   | Cu |            |
|                           | -fo: 10° @ 281'<br>-thinly laminated 283.5-294' | 3710  | 4042          | 256         | 261 | 5    | 1.43 | 6.12                    | 0.18 | 7.5   |     |         |      |    | (Pb + Zn)  |
|                           |   |       | 4043          | 261         | 266 | 5    | 2.75 | 4.80                    | 0.14 | 7.5   |     |         |      |    |            |
|                           |   |       | 4044          | 266         | 268 | 2    | 1.50 | 2.05                    | 0.08 | 3.5   |     |         |      |    |            |
|                           |   |       | 4044          | 268         | 271 | 3    | 1.50 | 2.05                    | 0.08 | 3.5   |     |         |      |    |            |
|                           |   |       | 4045          | 271         | 276 | 5    | 2.75 | 3.15                    | 0.07 | 5.9   | 2.4 | 3.6     | 0.07 |    | 18' @ 6.0% |
|                           |   |       | 4046          | 276         | 281 | 5    | 3.32 | 4.47                    | 0.07 | 7.8   |     |         |      |    |            |
|                           |   |       | 4047          | 281         | 286 | 5    | 1.60 | 4.25                    | 0.07 | 5.8   |     |         |      |    |            |
|                           |   |       | 4048          | 286         | 291 | 5    | 1.20 | 3.40                    | 0.04 | 4.6*  |     |         |      |    |            |
|                           |   |       | 4049          | 291         | 296 | 5    | 0.80 | 1.22                    | 0.03 | 2.0*  |     |         |      |    |            |
|                           |   |       | 4050          | 296         | 300 | 4    | 1.60 | 3.80                    | 0.06 | 5.4*  |     |         |      |    |            |
| 300'                      | E.O.H.  |       |               |             |     |      |      |                         |      |       |     |         |      |    |            |

\* Not included in average.

Drill Hole Log and Analysis

ANVIL MINING CORPORATION LIMITED

Hole No. 74-12

Logged by D. J. Hanson Date \_\_\_\_\_

Faro, Yukon

Depth 174 Core Size BQ

Collar Elevation 3873.0 Coordinates 9292.84 N 13,500.7E

Zone 1 X-Sections 18/113

| Rock Types and Alteration  | Mineralization & Structures                                    | Bench | Sample Number | Assays |     |      |      | Weighted Average Assays |      |       | Remarks |     |      |    |             |
|--|--|-------|---------------|--------|-----|------|------|-------------------------|------|-------|---------|-----|------|----|-------------|
|  |  |       |               | From   | To  | Feet | Pb   | Zn                      | Cu   | Pb+Zn |         | Pb  | Zn   | Cu |             |
| Collared in Rock   |  |       |               |        |     |      |      |                         |      |       |         |     |      |    | (Pb + Zn)   |
| 0-12'<br>broken sub grade  | -no core   |       |               |        |     |      |      |                         |      |       |         |     |      |    |             |
| 12-112'<br>banded & mottled qtz. musc.<br>bio + chl. schist<br>(+ staurolite in bio.<br>bands)<br>grading locally to qtz.<br>ser. schist | -banding // fo = 20° @ 28'<br>-gouge 58-67'<br>-fo: 10° @ 106' |       |               |        |     |      |      |                         |      |       |         |     |      |    |             |
| 112-113.5'<br>buff qtz. musc. schist<br>(+ pink andalusite)  | -fo: ~ 20°   |       |               |        |     |      |      |                         |      |       |         |     |      |    |             |
| 113.5-115.5'<br>banded micaceous qtzite.   | -py in qtzose bands<br>-"ribbon" texture                       |       |               |        |     |      |      |                         |      |       |         |     |      |    |             |
| 115.5-126'<br>qtz. ser. bio. + staur.<br>schist  |  |       |               |        |     |      |      |                         |      |       |         |     |      |    |             |
| 126-129'<br>qtz. musc. schist  | -fo: 25°   |       |               |        |     |      |      |                         |      |       |         |     |      |    |             |
| 129-130'<br>dark banded qtz. ser. bio.<br>schist   |  | 3710  | 4051          | 130    | 135 | 5    | 2.4  | 4.2                     | 0.07 | 6.6   |         |     |      |    |             |
|  |  |       | 4052          | 135    | 140 | 5    | 3.84 | 6.37                    | 0.30 | 10.2  | 4.2     | 6.7 | 0.21 |    | 15' @ 10.9% |
|  |  |       | 4053          | 140    | 145 | 5    | 6.30 | 9.40                    | 0.27 | 15.7  |         |     |      |    |             |
|  |  |       | 4054          | 145    | 150 | 5    | 1.0  | 3.85                    | 0.16 | 4.8*  |         |     |      |    |             |
|  |  |       | 4055          | 150    | 155 | 5    | 0.40 | 3.65                    | 0.13 | 4.0*  |         |     |      |    |             |
| 130-134.5'<br>"ribbon" qtzite  | -fo: 20°<br>-py in qtzose bands                                |       | 4056          | 155    | 160 | 5    | 1.41 | 2.64                    | 0.05 | 4.0*  |         |     |      |    |             |

Logged by \_\_\_\_\_ Date \_\_\_\_\_

Faro, Yukon

Depth \_\_\_\_\_ Core Size \_\_\_\_\_

Collar Elevation \_\_\_\_\_ Coordinates \_\_\_\_\_ N \_\_\_\_\_ E \_\_\_\_\_

Zone \_\_\_\_\_ X-Sections \_\_\_\_\_

| Rock Types and Alteration           | Mineralization & Structures  | Bench | Sample Number | From | To    | Feet | Assays |      |      |       | Weighted Average Assays |    |    | Remarks   |
|-------------------------------------|--|-------|---------------|------|-------|------|--------|------|------|-------|-------------------------|----|----|-----------|
|                                     |  |       |               |      |       |      | Pb     | Zn   | Cu   | Pb+Zn | Pb                      | Zn | Cu |           |
| 134.5-143.5'<br>massive sdes.       | -py, ga, sph<br>-po: 136-140.5, 141-143  |       | 4057          | 160  | 163   | 3    | 1.0    | 2.55 | 0.05 | 3.5*  |                         |    |    | (Pb + Zn) |
|                                     |  | 3670  | 4057          | 163  | 165   | 2    | 1.0    | 2.55 | 0.05 | 3.5*  |                         |    |    |           |
|                                     |  |       | 4058          | 165  | 167.5 | 2.5  | 1.40   | 4.60 | 0.07 | 6.0*  |                         |    |    |           |
| 143.5-156'<br>banded grey qtzite    | -py, ga, sph in qtzose bands<br>-banding: 30° @ 153'<br>0° @ 156'                            |       |               |      |       |      |        |      |      |       |                         |    |    |           |
|                                     |  |       |               |      |       |      |        |      |      |       |                         |    |    |           |
|                                     |  |       |               |      |       |      |        |      |      |       |                         |    |    |           |
| 156-167.5'<br>"ribbon" qtzite       | -thinly laminated<br>-fo // lam = 10° @ 162'<br>-dissem. sdes. in qtzose bands (py, ga, sph) |       |               |      |       |      |        |      |      |       |                         |    |    |           |
|                                     |  |       |               |      |       |      |        |      |      |       |                         |    |    |           |
|                                     |  |       |               |      |       |      |        |      |      |       |                         |    |    |           |
| 167.5-174<br>buff qtz. musc. schist | -fo: 10° @ 168'  |       |               |      |       |      |        |      |      |       |                         |    |    |           |
|                                     |  |       |               |      |       |      |        |      |      |       |                         |    |    |           |
|                                     |  |       |               |      |       |      |        |      |      |       |                         |    |    |           |

\* Not included in average.

Drill Hole Log and Analysis

ANVIL MINING CORPORATION LIMITED

Hole No. 74-13

Logged by D. J. Hanson Date \_\_\_\_\_

Faro, Yukon

Depth 150 Core Size BQ

Collar Elevation 3844.7 Coordinates 9702.58 N 13342.81 E

Zone 1 X-Sections 110/19

| Rock Types and Alteration                    | Mineralization & Structures                                 | Bench | Sample Number |      |     |      |      | A s s a y s |      |       |     | Weighted Average Assays |      |  | Remarks    |
|--|---|-------|---------------|------|-----|------|------|-------------|------|-------|-----|-------------------------|------|--|------------|
|  |   |       |               | From | To  | Feet | Pb   | Zn          | Cu   | Pb+Zn | Pb  | Zn                      | Cu   |  |            |
| Collared in rock                             |   |       |               |      |     |      |      |             |      |       |     |                         |      |  | (Pb + Zn)  |
| 0-19'<br>qtz. musc. bio. schist              | -fo: 30° @ 17.5'  |       |               |      |     |      |      |             |      |       |     |                         |      |  |            |
| 19-48'<br>buff qtz. musc. schist             | -gouge 29.5-34'   |       |               |      |     |      |      |             |      |       |     |                         |      |  |            |
| 48-82'<br>dark banded qtz. musc. bio. schist | -banding & fo: variable<br>-fo: 20° @ 69'<br>-fo: 45° @ 81' |       |               |      |     |      |      |             |      |       |     |                         |      |  |            |
| 82-85'<br>graphite sericite schist           | -fo: 45°  |       |               |      |     |      |      |             |      |       |     |                         |      |  |            |
| 85-89'<br>bull qtz.                          | -minor sdes. along fractures                                |       |               |      |     |      |      |             |      |       |     |                         |      |  |            |
| 89-105'<br>massive sdes.                     | -py, po, ga, sph<br>-po: 102-105'                           | 3750  | 4066          | 89   | 94  | 5    | 7.57 | 9.16        | 0.15 | 16.7  | 7.6 | 9.0                     | 0.14 |  | 6' @ 16.6% |
|  |   |       | 4067          | 94   | 95  | 1    | 7.52 | 8.48        | 0.10 | 16.0  |     |                         |      |  |            |
| 105-132'<br>grey banded qtzite.              | -dissem. sdes. in qtzose bands<br>-fo: 20° @ 117'           | 3710  | 4067          | 95   | 99  | 4    | 7.52 | 8.48        | 0.10 | 16.0  |     |                         |      |  |            |
|  |   |       | 4068          | 99   | 104 | 5    | 6.08 | 8.09        | 0.40 | 14.2  |     |                         |      |  |            |
|  |   |       | 4059          | 104  | 109 | 5    | 2.10 | 4.70        | 0.21 | 6.8   |     |                         |      |  |            |
|  |   |       | 4060          | 109  | 114 | 5    | 0.65 | 3.10        | 0.17 | 3.7   | 3.2 | 4.9                     | 0.18 |  | 39' @ 8.1% |
|  |   |       | 4061          | 114  | 119 | 5    | 1.09 | 2.76        | 0.08 | 3.8   |     |                         |      |  |            |
| 132-135.4'<br>"ribbon" qtzite.               | -fo//lam = 45° @ 133'<br>-dissem. sdes. in qtzose layers    |       | 4062          | 119  | 124 | 5    | 1.00 | 2.55        | 0.08 | 3.5   |     |                         |      |  |            |
|  |   |       | 4063          | 124  | 129 | 5    | 2.52 | 3.46        | 0.07 | 6.0   |     |                         |      |  |            |
|  |   |       | 4064          | 129  | 134 | 5    | 5.15 | 6.72        | 0.34 | 11.9  |     |                         |      |  |            |
|  |   |       | 4065          | 134  | 135 | 1    | 0.79 | 2.56        | 0.02 | 3.3*  |     |                         |      |  |            |

\* Not included in average.



Drill Hole Log and Analysis

ANVIL MINING CORPORATION LIMITED

Hole No. 74-14

Logged by D. J. Hanson Date \_\_\_\_\_

Faro, Yukon

Depth 196 Core Size BQ

Collar Elevation 3832.4 Coordinates 9330.24 N 13,670.56E

Zone 1 X-Sections 19/114

| Rock Types and Alteration                                       | Mineralization & Structures   | Bench | Sample Number | From To Feet |     |    |       | A s s a y s |      |      |     | Weighted Average Assays |      |  | Remarks     |
|---|---|-------|---------------|--------------|-----|----|-------|-------------|------|------|-----|-------------------------|------|--|-------------|
|   |   |       |               | Pb           | Zn  | Cu | Pb+Zn | Pb          | Zn   | Cu   |     |                         |      |  |             |
| Collared in Rock  |   |       |               |              |     |    |       |             |      |      |     |                         |      |  | (Pb + Zn)   |
| 0-12'<br>Broken sub grade                                       | -no core  |       |               |              |     |    |       |             |      |      |     |                         |      |  |             |
| 12-26.5'<br>brown-green banded qtz.<br>musc. bio. + chl. schist | -fo: 15° @ 13'  |       |               |              |     |    |       |             |      |      |     |                         |      |  |             |
| 26.5-28.4'<br>buff qtz. musc. schist                            | -fo: 15-20°<br>-gouge @ 28'   |       |               |              |     |    |       |             |      |      |     |                         |      |  |             |
| 28.4-82.5'<br>brown banded & mottled qtz.<br>musc. bio. schist  | -fo: 0-10° @ 36'<br>-fo: 0° @ 68'<br>-gouge @ 55' & @ 65-66'                                |       |               |              |     |    |       |             |      |      |     |                         |      |  |             |
| 82.5-91'<br>buff andalusite qtz. musc.<br>schist                | -fo: 15°  |       |               |              |     |    |       |             |      |      |     |                         |      |  |             |
| 91-107'<br>grey banded graphitic<br>qtzite                      | -fo: 25° @ 94'<br>-minor py in granular qtzose<br>bands<br>-complexly folded and<br>faulted |       |               |              |     |    |       |             |      |      |     |                         |      |  |             |
| 107-112'<br>grey banded micaceous qtz-<br>ite                   | -banded dissem. sdes. (py,<br>ga, sph)<br>-S <sub>1</sub> = 20°                             | 3710  | 4069          | 109          | 111 | 2  | 0.60  | 1.30        | 0.08 | 1.9* |     |                         |      |  |             |
|   |   |       | 4070          | 111          | 116 | 5  | 4.26  | 6.63        | 0.05 | 10.9 |     |                         |      |  |             |
|   |   |       | 4071          | 116          | 121 | 5  | 4.60  | 7.70        | 0.08 | 12.3 | 4.2 | 6.8                     | 0.07 |  | 11' @ 11.0% |
|   |   |       | 4072          | 121          | 122 | 1  | 1.70  | 3.55        | 0.07 | 5.2  |     |                         |      |  |             |

\* Not included in average

Logged by \_\_\_\_\_ Date \_\_\_\_\_

Faro, Yukon

Depth \_\_\_\_\_ Core Size \_\_\_\_\_

Collar Elevation \_\_\_\_\_ Coordinates \_\_\_\_\_ N \_\_\_\_\_ E \_\_\_\_\_

Zone \_\_\_\_\_ X-Sections \_\_\_\_\_

| Rock Types and Alteration                    | Mineralization & Structures                                   | Bench | Sample Number | From | To  | Feet | A s s a y s |      |      |       | Weighted Average Assays |     |      | Remarks    |
|--|---|-------|---------------|------|-----|------|-------------|------|------|-------|-------------------------|-----|------|------------|
|  |   |       |               |      |     |      | Pb          | Zn   | Cu   | Pb+Zn | Pb                      | Zn  | Cu   |            |
| 112-121.5'<br>massive sdes.                  | -py, ga, sph<br>-10-30% SiO <sub>2</sub>                      | 3670  | 4072          | 122  | 126 | 4    | 1.70        | 3.55 | 0.07 | 5.2   |                         |     |      | (Pb + Zn)  |
|  |   |       | 4073          | 126  | 131 | 5    | 1.20        | 3.15 | 0.05 | 4.3   |                         |     |      |            |
| 121.5-136.2<br>"ribbon" qtzite               | -dissem. sdes. in qtzose bands<br>-S <sub>1</sub> = 5° @ 126' |       | 4074          | 131  | 136 | 5    | 1.00        | 1.90 | 0.03 | 2.9   |                         |     |      |            |
|  |   |       | 4075          | 136  | 141 | 5    | 1.65        | 3.44 | 0.07 | 5.1   |                         |     |      |            |
|  |   |       | 4076          | 141  | 146 | 5    | 4.10        | 6.79 | 0.09 | 10.9  | 2.7                     | 5.9 | 0.08 | 40' @ 8.6% |
|  |   |       | 4077          | 146  | 151 | 5    | 9.75        | 20.0 | 0.04 | 29.7  |                         |     |      |            |
|  |   |       | 4078          | 151  | 156 | 5    | 1.17        | 5.36 | 0.24 | 6.5   |                         |     |      |            |
| 136.2-140.5'<br>grey banded micaceous qtzite | -banded sdes. (py, ga, sph)<br>-S <sub>1</sub> = 0-5°         |       | 4079          | 156  | 161 | 5    | 1.26        | 3.12 | 0.07 | 4.4   |                         |     |      |            |
|  |   |       | 4080          | 161  | 162 | 1    | 2.37        | 3.47 | 0.12 | 5.8   |                         |     |      |            |
| 140.5-143.7'<br>massive sdes.                | -py, ga, sph<br>-minor po @ footwall contact                  | 3630  | 4080          | 162  | 166 | 4    | 2.37        | 3.47 | 0.12 | 5.8   | 2.4                     | 3.5 | 0.12 | 4' @ 5.9%  |
|  |   |       | 4081          | 166  | 171 | 5    | 1.83        | 2.26 | 0.04 | 4.1*  |                         |     |      |            |
|  |   |       | 4082          | 171  | 176 | 5    | 21.5        | 0.16 | 0.11 | 21.7* |                         |     |      |            |
| 143.7-146'<br>as above 136.2-140.5           | -S <sub>1</sub> = 25°   |       |               |      |     |      |             |      |      |       |                         |     |      |            |
|  |   |       |               |      |     |      |             |      |      |       |                         |     |      |            |
| 146-148.6'<br>massive sdes.                  | -py, ga, sph  |       |               |      |     |      |             |      |      |       |                         |     |      |            |
| 148.6-155'<br>grey banded qtzite             | -banded sdes. (py, ga, sph)                                   |       |               |      |     |      |             |      |      |       |                         |     |      |            |
| 155-171.9'<br>"ribbon" qtzite                | -fo//lam. = 30° @ 162'<br>-banded sdes. (mainly py)           |       |               |      |     |      |             |      |      |       |                         |     |      |            |
| 171.9-176'<br>bull qtz.                      | -vein<br>-po & ga in cavities and fractures                   |       |               |      |     |      |             |      |      |       |                         |     |      |            |

\* Not included in average.







Logged by \_\_\_\_\_ Date \_\_\_\_\_

Faro, Yukon

Depth \_\_\_\_\_ Core Size \_\_\_\_\_

Collar Elevation \_\_\_\_\_ Coordinates \_\_\_\_\_ N \_\_\_\_\_ E

Zone \_\_\_\_\_ X-Sections \_\_\_\_\_

| Rock Types and Alteration  | Mineralization & Structures  | Bench | Sample Number | Assays |      |      |      |      |      | Weighted Average Assays |      |      | Remarks |            |      |             |
|--|--|-------|---------------|--------|------|------|------|------|------|-------------------------|------|------|---------|------------|------|-------------|
|  |  |       |               | From   | To   | Feet | Pb   | Zn   | Cu   | Pb+Zn                   | Pb   | Zn   |         | Cu         |      |             |
| 477-484'<br>"bleached" qtz. musc. schist   | -fo: 30° @ 478'  |       |               |        |      |      |      |      |      |                         |      |      |         | (Pb + Zn)  |      |             |
| 484-495.5'<br>massive sdes.<br><br>495.5-511'<br>sl. micaceous qtzite<br><br>511-529'<br>massive sdes.<br><br>529-534'<br>grey banded qtzite<br><br>534-537'<br>fairly massive sdes.<br><br>537-578'<br>grey banded micaceous qtzite<br><br>578-579'<br>bull qtz. vein | -po: 484-489'<br>-py, ga, sph<br><br>-minor sdes. (py, ga, sph)<br><br>-10-20% po<br>-py, ga, sph<br><br>-minor banded dissem. sdes.<br>(py, ga, sph)<br>-S <sub>1</sub> = 20°<br><br>-py, po, ga, sph<br><br>-minor banded sdes. (py, ga, sph)<br><br>-minor cubic ga | 3510  | 4132          | 484    | 489  | 5    | 5.51 | 14.8 | 0.11 | 20.3                    |      |      |         |            |      |             |
|  |  |       | 4133          | 489    | 494  | 5    | 6.09 | 7.03 | 0.18 | 13.1                    |      |      |         |            |      |             |
|  |  |       | 4134          | 494    | 499  | 5    | 3.88 | 4.49 | 0.16 | 8.4                     |      |      |         |            |      |             |
|  |  |       |               |        | 4135 | 499  | 504  | 5    | 0.30 | 0.30                    | 0.04 | 0.6  | 4.2     | 6.5        | 0.16 | 37' @ 10.7% |
|  |  |       |               |        | 4136 | 504  | 509  | 5    | 3.67 | 6.50                    | 0.25 | 10.2 |         |            |      |             |
|  |  |       |               |        | 4137 | 509  | 514  | 5    | 4.04 | 6.21                    | 0.17 | 10.2 |         |            |      |             |
|  |  |       |               |        | 4138 | 514  | 519  | 5    | 4.88 | 6.09                    | 0.22 | 11.0 |         |            |      |             |
|  |  |       |               |        | 4139 | 519  | 521  | 2    | 5.93 | 6.77                    | 0.16 | 12.7 |         |            |      |             |
|  |  |       |               | 3470   | 4139 | 521  | 524  | 3    | 5.93 | 6.77                    | 0.16 | 12.7 |         |            |      |             |
|  |  |       |               |        | 4140 | 524  | 529  | 5    | 4.61 | 5.66                    | 0.07 | 10.3 |         |            |      |             |
|  |  |       |               |        | 4141 | 529  | 534  | 5    | 1.6  | 3.9                     | 0.10 | 5.5  |         |            |      |             |
|  |  |       |               |        | 4142 | 534  | 539  | 5    | 3.3  | 4.6                     | 0.17 | 7.9  |         |            |      |             |
|  |  |       |               |        | 4143 | 539  | 544  | 5    | 2.3  | 4.1                     | 0.09 | 6.4  | 3.4     | 4.3        | 0.11 | 40' @ 7.7%  |
|  |  |       |               |        | 4144 | 544  | 549  | 5    | 3.1  | 2.9                     | 0.18 | 6.0  |         |            |      |             |
|  |  |       |               |        | 4145 | 549  | 554  | 5    | 4.20 | 4.00                    | 0.10 | 8.2  |         |            |      |             |
|  |  |       | 4146          | 554    | 559  | 5    | 1.4  | 3.8  | 0.08 | 5.2                     |      |      |         |            |      |             |
|  |  |       | 4147          | 559    | 561  | 2    | 7.1  | 2.5  | 0.08 | 9.6                     |      |      |         |            |      |             |
|  |  | 3430  | 4147          | 561    | 564  | 3    | 7.1  | 2.5  | 0.08 | 9.6                     |      |      |         |            |      |             |
|  |  |       | 4148          | 564    | 569  | 5    | 6.1  | 2.2  | 0.05 | 8.3                     | 5.1  | 2.7  | 0.14    | 13' @ 9.8% |      |             |
|  |  |       | 4149          | 569    | 574  | 5    | 2.8  | 3.2  | 0.26 | 6.0                     |      |      |         |            |      |             |
|  |  |       | 4150          | 574    | 579  | 5    | 1.5  | 1.9  | 0.12 | 3.4*                    |      |      |         |            |      |             |
| 579-585'<br>buff qtz. musc. schist   | -fo: 45° @ 582'  |       |               |        |      |      |      |      |      |                         |      |      |         |            |      |             |

Drill Hole Log and Analysis

ANVIL MINING CORPORATION LIMITED

Hole No. 74-18

Logged by D. J. Hanson Date \_\_\_\_\_

Faro, Yukon

Depth 250 Core Size B0

Collar Elevation 4015.5 Coordinates 7445.10 N 15,512.85E

Zone 3 X-Sections 19/132

| Rock Types and Alteration                          | Mineralization & Structures  | Bench | Sample Number |      |     |      |      | A s s a y s |      |       |     | Weighted Average Assays |      |  |  | Remarks    |
|--|--|-------|---------------|------|-----|------|------|-------------|------|-------|-----|-------------------------|------|--|--|------------|
|  |  |       |               | From | To  | Feet | Pb   | Zn          | Cu   | Pb+Zn | Pb  | Zn                      | Cu   |  |  |            |
| 0-25' O/B  |  |       |               |      |     |      |      |             |      |       |     |                         |      |  |  | (Pb + Zn)  |
| 25-105'<br>banded qtz. musc. bio. +<br>chl. schist | -fo: 20° @ 52'   |       |               |      |     |      |      |             |      |       |     |                         |      |  |  |            |
| 105-124'<br>buff qtz. musc. schist<br>minor qtzite | -fo: 20° @ 110'<br>-minor py, ch py                                |       |               |      |     |      |      |             |      |       |     |                         |      |  |  |            |
| 124-128.5'<br>brecciated qtzite                    | -sde. matrix   | 3870  | 4151          | 124  | 129 | 5    | 4.1  | 6.2         | 0.11 | 10.3  |     |                         |      |  |  |            |
| 128.5-149'<br>massive sdes.                        | -py, ga, sph<br>-brecciated 128.5-133.5'<br>-po: 139-145'          |       | 4152          | 129  | 134 | 5    | 3.51 | 4.77        | 0.14 | 8.3   | 3.9 | 5.6                     | 0.24 |  |  | 20' @ 9.5% |
|  |  |       | 4153          | 134  | 139 | 5    | 3.61 | 5.23        | 0.35 | 8.8   |     |                         |      |  |  |            |
|  |  |       | 4154          | 139  | 144 | 5    | 4.47 | 6.01        | 0.35 | 10.5  |     |                         |      |  |  |            |
|  |  |       | 4155          | 144  | 146 | 2    | 1.44 | 2.93        | 0.24 | 4.4*  |     |                         |      |  |  |            |
| 149-162'<br>micaceous qtzite                       | -banded sdes. (py, ga, sph)<br>-S <sub>1</sub> = 40° @ 155'        | 3830  | 4155          | 146  | 149 | 3    | 1.44 | 2.93        | 0.24 | 4.4*  |     |                         |      |  |  |            |
|  |  |       | 4156          | 149  | 154 | 5    | 1.12 | 3.56        | 0.25 | 4.7*  |     |                         |      |  |  |            |
|  |  |       | 4157          | 154  | 159 | 5    | 0.70 | 1.91        | 0.11 | 2.6*  |     |                         |      |  |  |            |
|  |  |       | 4158          | 159  | 164 | 5    | 1.30 | 2.85        | 0.12 | 4.1*  |     |                         |      |  |  |            |
| 162-191'<br>graphitic "ribbon" qtzite              | -minor sdes.<br>-brecciated & fractured<br>-minor fold axis @ 188' |       |               |      |     |      |      |             |      |       |     |                         |      |  |  |            |
| 191-192'<br>bull qtz.                              |  |       |               |      |     |      |      |             |      |       |     |                         |      |  |  |            |
| 192-216'<br>staurolite qtz. musc. schist           | -fo: 10° @ 197'  |       |               |      |     |      |      |             |      |       |     |                         |      |  |  |            |

\* Not included in average.



Drill Hole Log and Analysis

ANVIL MINING CORPORATION LIMITED

Hole No. 74-19

Logged by D. J. Hanson Date \_\_\_\_\_

Faro, Yukon

Depth 373 Core Size BQ

Collar Elevation 4016.4 Coordinates 7431.26 N 15,336.40E

Zone 3 X-Sections \_\_\_\_\_

| Rock Types and Alteration   | Mineralization & Structures  | Bench | Sample Number |      |     |      |      | A s s a y s |      |       |     | Weighted Average Assays |      |  | Remarks    |
|---|--|-------|---------------|------|-----|------|------|-------------|------|-------|-----|-------------------------|------|--|------------|
|   |  |       |               | From | To  | Feet | Pb   | Zn          | Cu   | Pb+Zn | Pb  | Zn                      | Cu   |  |            |
| 0-18' O/B   |  |       |               |      |     |      |      |             |      |       |     |                         |      |  | (Pb + Zn)  |
| 18-191'<br>graphitic qtz. ser. + bio. schist alternating with qtz. bio. ser. schist   | -fo: 10° @ 65'<br>-fo: 10° @ 169'  |       |               |      |     |      |      |             |      |       |     |                         |      |  |            |
| 191-231'<br>buff qtz. musc. schist alternating with qtz. musc. bio. + chl. schist     | -fo: 10° @ 222'<br>-breccia & gouge 228-229'   |       |               |      |     |      |      |             |      |       |     |                         |      |  |            |
| 231-256'<br>qtzite breccia  | -sde. matrix<br>-S <sub>1</sub> = 10° @ 263'<br>-mass. & dissem. sdes. in qtzose bands | 3750  | 4159          | 231  | 236 | 5    | 0.14 | 0.15        | 0.36 | 0.3*  |     |                         |      |  |            |
|   |  |       | 4160          | 236  | 241 | 5    | 1.15 | 5.46        | 0.10 | 6.6   |     |                         |      |  |            |
|   |  |       | 4161          | 241  | 246 | 5    | 1.97 | 3.40        | 0.13 | 5.4   |     |                         |      |  |            |
|   |  |       | 4162          | 246  | 251 | 5    | 2.24 | 3.48        | 0.10 | 5.7   | 1.4 | 3.0                     | 0.11 |  | 30' @ 4.4% |
| 256-288'<br>graphitic "ribbon" qtzite and graphitic micaceous qtzite<br>minor breccia | -minor sdes. in qtzose bands   |       | 4163          | 251  | 256 | 5    | 1.10 | 2.00        | 0.19 | 3.1   |     |                         |      |  |            |
|   |  |       | 4164          | 256  | 261 | 5    | 0.60 | 1.80        | 0.05 | 2.4   |     |                         |      |  |            |
|   |  |       | 4165          | 261  | 266 | 5    | 1.21 | 2.05        | 0.10 | 3.3   |     |                         |      |  |            |
|   | -sde. matrix   | 3710  | 4166          | 266  | 271 | 5    | 2.20 | 3.40        | 0.10 | 5.6   |     |                         |      |  |            |
| 288-291.6'<br>bull qtz.   | -minor breccia with sde. matrix  |       | 4167          | 271  | 276 | 5    | 1.90 | 3.70        | 0.08 | 5.6   | 2.1 | 3.6                     | 0.09 |  | 10' @ 5.7% |
|   |  |       | 4168          | 276  | 281 | 5    | 0.80 | 1.40        | 0.07 | 2.2*  |     |                         |      |  |            |
|   |  |       | 4169          | 281  | 286 | 5    | 0.60 | 1.50        | 0.10 | 2.1*  |     |                         |      |  |            |
| 291.6-351'<br>buff qtz. musc. schist alternating with grey qtz. ser. schist           |  |       | 4170          | 286  | 288 | 2    | 0.50 | 0.60        | 0.08 | 1.1*  |     |                         |      |  |            |

\* Not included in average.



Drill Hole Log and Analysis

ANVIL MINING CORPORATION LIMITED

Hole No. 74-20

Logged by D. J. Hanson Date \_\_\_\_\_

Faro, Yukon

Depth 427 Core Size BQ

Collar Elevation 4004.4 Coordinates 7690.76 N15,281.18 E

Zone 3 X-Sections 19/130

| Rock Types and Alteration                      | Mineralization & Structures                        | Bench | Sample Number | From | To  | Feet | A s s a y s |      |      |       | Weighted Average Assays |     |      | Remarks |            |
|--|--|-------|---------------|------|-----|------|-------------|------|------|-------|-------------------------|-----|------|---------|------------|
|  |  |       |               |      |     |      | Pb          | Zn   | Cu   | Pb+Zn | Pb                      | Zn  | Cu   |         |            |
| 0-34' O/B                                      |  |       |               |      |     |      |             |      |      |       |                         |     |      |         | (Pb + Zn)  |
| 34-128'<br>qtz. musc. bio. + chl. schist       | -fo: 20° @ 80'                                     |       |               |      |     |      |             |      |      |       |                         |     |      |         |            |
| 128-143'<br>chiastolite qtz. musc. bio. schist |  |       |               |      |     |      |             |      |      |       |                         |     |      |         |            |
| 143-167'<br>buff qtz. musc. schist             | -fo: 20-25° @ 153'                                 |       |               |      |     |      |             |      |      |       |                         |     |      |         |            |
| 167-204'<br>qtz. musc. bio. + chl. schist      | -fo: 20° @ 169'                                    |       |               |      |     |      |             |      |      |       |                         |     |      |         |            |
| 204-219'<br>buff qtz. musc. schist             | -fo: 10° @ 212'                                    |       |               |      |     |      |             |      |      |       |                         |     |      |         |            |
| 219-231.5'<br>grey banded micaceous qtzite     | -minor py<br>-S <sub>1</sub> = 20° @ 222'          | 3750  | 4171          | 219  | 224 | 5    | 0.10        | 0.20 | 0.21 | 0.3*  |                         |     |      |         |            |
|  |  |       | 4172          | 224  | 229 | 5    | 0.57        | 2.76 | 0.12 | 3.3*  |                         |     |      |         |            |
| 231.5-244'<br>massive sdes.                    | -py (mainly) ga, sph<br>-fault @ 240'              |       | 4173          | 229  | 234 | 5    | 0.27        | 2.32 | 0.43 | 2.6*  |                         |     |      |         |            |
|  |  |       | 4174          | 234  | 239 | 5    | 0.13        | 0.93 | 0.02 | 1.1*  |                         |     |      |         |            |
| 244-246.5'<br>qtz. musc. schist                | -fo: 20°   |       | 4175          | 239  | 244 | 5    | 5.51        | 6.20 | 0.11 | 11.7  | 4.5                     | 3.9 | 0.08 |         | 15' @ 8.4% |
|  |  |       | 4176          | 244  | 249 | 5    | 2.00        | 2.50 | 0.10 | 4.5   |                         |     |      |         |            |
|  |  |       | 4177          | 249  | 254 | 5    | 5.9         | 2.95 | .03  | 8.8   |                         |     |      |         |            |
| 246.5-255'<br>grey micaceous qtzite            | -minor massive sdes.<br>-banded sdes. py, ga, sph. | 3710  | 4178          | 254  | 259 | 5    | 3.8         | 5.15 | 0.25 | 8.9   |                         |     |      |         |            |
|  |  |       | 4179          | 259  | 264 | 5    | 1.69        | 3.17 | 0.34 | 4.9   |                         |     |      |         |            |
|  |  |       | 4180          | 264  | 269 | 5    | 2.98        | 4.57 | 0.35 | 7.5   |                         |     |      |         |            |
|  |  |       | 4181          | 269  | 274 | 5    | 2.1         | 4.35 | 0.22 | 6.4   | 2.5                     | 4.2 | 0.24 |         | 40' @ 6.7% |

\* Not included in average.



Drill Hole Log and Analysis

ANVIL MINING CORPORATION LIMITED

Hole No. 74-21

Logged by D. J. Hanson Date \_\_\_\_\_

Faro, Yukon

Depth 250 Core Size BQ

Collar Elevation 4014.0 Coordinates 7191.91 N 15402.36 E

Zone 3 X-Sections 17/133

| Rock Types and Alteration                              | Mineralization & Structures          | Bench | Sample Number | From | To  | Feet | Assays |      |      |       | Weighted Average Assays |     |      | Remarks |            |
|--|--------------------------------------|-------|---------------|------|-----|------|--------|------|------|-------|-------------------------|-----|------|---------|------------|
|  |                                      |       |               |      |     |      | Pb     | Zn   | Cu   | Pb+Zn | Pb                      | Zn  | Cu   |         |            |
| 0-20' O/B  |                                      |       |               |      |     |      |        |      |      |       |                         |     |      |         | (Pb + Zn)  |
| 20-22'<br>calc. silicate gneiss                        |                                      |       |               |      |     |      |        |      |      |       |                         |     |      |         |            |
| 22-27'<br>bio. granodiorite                            |                                      |       |               |      |     |      |        |      |      |       |                         |     |      |         |            |
| 27-35'<br>lost core<br>(chips of calc-silicate gneiss) | -borken & lost core 20-87'           |       |               |      |     |      |        |      |      |       |                         |     |      |         |            |
| 35-98'<br>buff musc. schist                            | -clay gouge 77-87'                   |       |               |      |     |      |        |      |      |       |                         |     |      |         |            |
| 98-112'<br>massive sdes.                               | -py, ga, sph                         | 3910  | 4187          | 99   | 104 | 5    | 4.23   | 4.07 | 0.24 | 8.3   | 4.2                     | 4.1 | 0.24 |         | 5' @ 8.3%  |
|  |                                      | 3870  | 4188          | 104  | 109 | 5    | 5.52   | 5.58 | 0.24 | 11.1  |                         |     |      |         |            |
| 112-124'<br>brecciated qtzite                          | -sde. matrix<br>-minor massive sdes. |       | 4189          | 109  | 114 | 5    | 4.24   | 4.13 | 0.11 | 8.4   |                         |     |      |         |            |
|  |                                      |       | 4190          | 114  | 119 | 5    | 4.02   | 5.49 | 0.11 | 9.5   | 3.4                     | 4.0 | 0.16 |         | 23' @ 7.4% |
|  |                                      |       | 4191          | 119  | 124 | 5    | 0.70   | 1.46 | 0.09 | 2.2   |                         |     |      |         |            |
| 124-127'<br>massive sdes.                              | py, ga, sph                          |       | 4192          | 124  | 127 | 3    | 2.1    | 3.0  | .31  | 5.1   |                         |     |      |         |            |
| 127-131'<br>buff qtz. musc. schist                     |                                      |       | 4193          | 139  | 144 | 5    | 5.62   | 6.61 | 0.39 | 12.2* |                         |     |      |         |            |
| 131-139'<br>micaceous qtzite                           | -minor sde. banding                  | 3830  | 4194          | 144  | 149 | 5    | 4.74   | 4.31 | 0.11 | 9.0*  |                         |     |      |         |            |
|  |                                      |       |               |      |     |      |        |      |      |       |                         |     |      |         |            |
|  |                                      |       |               |      |     |      |        |      |      |       |                         |     |      |         |            |

\* Not included in average.

