

Doug

PACIFIC
WATERPROOF

019479

LEVEL
NOTEBOOK No. 311

Checked MB

ANVIL

BLIND CRK.

Soil Sample

NOTES

36-68005 - 8800N

Page 1

Job: ANVIL DATE: 18 July 73

LOCATION	COLOR	TYPE	DEPTH	REMARKS/STATE
BL24100E	D.G.R.	Fine SANDY	8"	mod.
+25	"	"	10"	"
+45	"	"	24"	"
65	L BR	SANDY	6"	"
85	BR.	SANDY	12"	clearing "
105	D.G.R.	SANDY	"	" " M. STEEP
125	BR.	"	18"	" " STEEP
145	M.BR.	SANDY	12"	FOREST "
165	M BR	"	"	" "
185	L B.K	ORG.	"	" "
205	BR	CLAY	8"	" mod.
225	BR	CLAY SANDY	"	clear STEEP
245	L GRAY	WHITE ASH SANDY	18"	" "
265	BR	M SANDY	12"	" "
285	BR	M SANDY	18"	Forest "
305	BR	"	24"	" m.
BL24 + 305 - 123" clearing				
325	BLACK	Humis	10"	Clear STEEP
BL24 - 325 - 92" cliff				
345	BR	SANDY	9"	clear M. Steep
365	D BR	FINE SANDY	16"	Forest M flat
385	Black	Humis	24"	clear Forest mod.
40	BR	FINE SANDY	18"	Forest M flat.
42	BR	SANDY	10"	clear mod.

LOCATION	COLOR	TYPE	DEPTH	REMARKS/SLOPE
44 ^s	BR.	SANDY	18"	clear MOD.
46 ^s	BR.	COARSE SANDY	12"	clear Flat
48 ^s	BR.	SANDY	14"	" "
50 ^s	Black	HUMUS	24"	clear MOD
52 ^s	BR.	HUMUS	6"	" "
54 ^s	BR.	SANDY	12"	" "
56 ^s	Black	HUMUS	12"	PK ma Frost!
58 ^s	BR.	SANDY	5"	clear STEEP
60 ^s	BR.	SANDY	8"	Forest "
62 ^s	BR.	"	16"	" "
64 ^s	"	"	4"	" "
66 ^s	"	"	12"	" "
68 ^s	"	"	14"	" "
BL36-68E	LBR	"	8"	" "
66 ^s	BR	SANDY	18"	" "
64 ^s	"	"	"	Flat
62 ^s	"	"	6"	steep
60 ^s	Gr.	FINE MED SANDY	24"	steep
58 ^s	GR	FINE SANDY	12"	steep
56 ^s	BR	SANDY	6"	" "
54 ^s	BR	"	10"	clear "
52 ^s	BR	"	14"	" "
50 ^s	Black	HUMUS	24"	" "
48 ^s	BR	COARSE SANDY	12"	" "
46 ^s	BR	SANDY	8"	" "

LOCATION	COLOR	TYPE	DEPTH	REMARKS/SLOPE
BL36-41 ^s	BR	SANDY	5"	clear MOD
42	BR	SANDY	8"	" Flat
40	BR	"	8"	" "
38	GR	FINE SANDY	12"	" "
36	BR	SANDY	6"	" "
34	BR	SANDY	10"	" "
32	GR	"	"	" "
30	BR	"	7"	" MOD
28	BR	"	5"	" Flat
26	BR	"	8"	" MOD
24	BR	"	6"	" MOD
22	BR	"	5"	" MOD
20	BR	"	6"	" MOD
18	BR	"	4"	" steep
16 ^D	BR	FINE	4"	" det CRAP "
14	BR	SANDY	10"	" "
12	BR	FINE SANDY	24"	" "
10	BR	SANDY	10"	" "
8	GR	FINE SANDY	10"	" "
6	BR	SANDY	5"	" "
4	DR GR	SANDY HUMUS	12"	" "
2	BR	SANDY	8"	Forest "
BL3600	BR	"	10"	Forest steep

175 FEET WEST OF 36E.

NOT BAD. hal.

July 19/73

Location	Color	Type	DEPTH	Remarks	Slope	Location	Color	Type	DEPTH	Remarks	Slope
12E-00	BR	SANDY	12"	Forest	steep	12E-46N	BROWN	SANDY	12"	m. Forest	mod.
12E-2N	Black	Hunk	6"	"	mod	48	BROWN	SANDY	8"	Forest	mod.
4N	BR	SANDY	8"	"	"	50	"	"	11"	"	steep
6N	BR	"	10"	"	"	52	"	SANDY	12"	"	"
8N	"	"	12"	"	"	54	"	"	10"	"	"
10N	BR	"	12"	"	"	56	"	"	12"	"	"
12N	BR	"	14"	"	"	58	"	"	8"	"	steep
14N	"	"	6"	"	"	60	"	"	10"	"	mod.
16N	BR	"	10"	"	"	62	BR	"	8"	"	"
18N	"	"	6"	"	"	64	"	"	11"	"	"
20N	"	"	14"	"	"	66	BR	"	7"	"	steep
22N	BR	"	18"	"	"	68	"	"	8"	"	"
24N	"	"	5"	"	"	70	"	"	12"	"	"
26N	"	"	12"	"	"	72	"	"	11"	"	Flat
28N	BR	"	8"	"	"	74	"	"	14"	"	mod
30N	"	"	24"	"	m Flat	76	"	SANDY	8"	"	Flat
32	"	"	8"	"	"	78	BR	"	5"	"	steep
34	GR	"	7"	m Forest	Flat	80	GR	"	14"	m	Flat
36	TRK	"	"	"	"	82	BB	"	15"	m	Flat
38	BR	"	10"	"	"	84	BR	"	13"	m	steep
40	"	"	8"	"	"	86	BR	"	10"	m	Flat
42	"	"	6"	"	"	88	BR	"	6"	m	steep
44	"	"	10"	"	"						

LOCATION	COLOR	TYPE	DEPTH	Remarks/slope	LOCATION	COLOR	TYPE	DEPTH	Remarks/slope
DE-88N	BR	SANDY	12"	clear. Flat	DE+38N	GR.	PERMA SANDY	8"	Forest mod.
86N	BR	"	5"	Forest steep.	36	BR	SANDY	14"	" "
84	BR	"	4"	" Flat.	34	"	" coarse.	9"	" steep
82	"	"	6"	" "	32	"	" "	8"	" "
80	"	"	12"	" mod.	30	BR.	Fine Sandy	18"	" "
78	DBR	"	14"	" Flat.	28	BR	"	24"	" mod.
76	BR	"	9"	" steep	26	GR	SANDY	12"	" "
74	GR	Fine sandy	12"	" mod.	24	BR	"	5"	" "
72	DBR	"	14"	" mod.	22	"	"	8"	" steep
70	BR	"	10"	" "	20	BR	coarse sandy	10"	" "
68	LBR	SANDY	12"	" "	19	GR	Fine sandy	12"	" "
66	DBR	SANDY	7"	" "	18	BR	Sandy	8"	" mod.
64	BR	SANDY	10"	" "	16	GR	"	10"	" steep
62	BR	"	14"	" "	14	BR	"	12"	" "
60	"	"	8"	" "	12	BR	"	6"	" "
58	DBR	PERMA HUMUS	10"	" "	10	BR	"	6"	" mod.
56	BR	SANDY	12"	" "	8	"	"	8"	" "
54	BR	"	12"	" "	6	"	"	10"	" "
52	DBR	"	8"	" "	4	"	"	12"	" steep
50	DBR	Fine sandy	14"	" "	2	LBR	"	14"	" mod.
48	BR	SANDY	18"	" "	0	BR	HUMUS	10"	" mod.
46	DBR	PERMA SANDY	14"	" "	50 feet short 260 W.				
44	BR	PERMA SANDY	12"	" "					
42	GR	COARSE	8"	" "					
40	GR	FINE	10"	" "					

LOCATION	COLOR	TYPE	DEPTH	REMARKS/SLOPE	LOCATION	COLOR	TYPE	DEPTH	REMARKS/SLOPE
72E-00	BR.	SANDY	10"	clear steep.	48E-50N	BR.	SANDY	3"	clear mod
2N	"	"	8"	" "	72E 52	BR	FINE "	5"	" "
4N	"	"	12"	forest "	54	BR.	FINE "	4"	" "
6N	"	"	6"	" "	56	BR	FINE "	6"	" "
8N	"	"	8"	" mod.	58	BR	FINE "	10"	" "
10N	"	"	10"	" "	60	BR	FINE "	8"	" "
12N	"	"	8"	clear. "	62	BR.	HUMIS	12"	" "
14	"	"	12"	clear. "	64	BR	SANDY	3"	" "
16	L BR.	"	9"	FOREST STEEP.	66	BR.	"	"	" "
18	BR.	"	10"	" "	68	BR.	FINE "	5"	" "
20	"	"	12"	" "	70	BR.	SANDY	6"	" "
22	"	"	8"	" "	72	BR.	"	4"	" "
24	"	"	5"	" "	74	BR	FINE "	10"	" "
26	"	"	10"	" "	76	BR.	SANDY	8"	" "
28	L BR.	"	8"	" "	78	BR.	"	12"	" "
30	BR.	"	6"	" mod.	80	BR	FINE "	10"	" "
32	"	"	12"	" STEEP	82	BR	"	8"	" "
34	"	"	11"	" "	84	GR	SANDY	12"	" "
36	"	"	6"	" mod.	86	BR	"	12"	" "
38	"	"	8"	" "	88	GR	"	"	" "
40	"	"	"	clear. "	48E-88N	BR.	SANDY	10"	FOREST mod.
42	"	"	3"	" "	86	L BR	COARSE SANDY	8"	" "
44	"	COARSE SANDY	4"	" "	84	BR	"	12"	" "
46	"	"	4"	" "	82	BR	SANDY	"	" "
48	"	SANDY	10"	" "	80	L BR	"	14"	" "

LOCATION	COLOR	TYPE	DEPTH	REMARKS/SLOPE	LOCATION	COLOR	TYPE	DEPTH	REMARKS/SLOPE
10E-78N	L. BROWN	SANDY	8"	FOREST mod.	48e-28N	DARK BROWN	SANDY	8"	FOREST mod
76	BR	"	10"	" "	26N	BROWN	"	10"	" "
74	BLACK	Hum's	14"	" "	24N	BR	"	6"	" "
72	BR.	COARSE SANDY	8"	" "	23N	GR	"	8"	" "
70	GR	SANDY	8"	" "	22N	BR	"	10"	" "
68	BR.	COARSE SANDY	6"	" "	20N	BR	"	14"	" "
66	BR	SANDY	10"	" "	18N	Black	Hum's	18"	" "
64	BR	"	9"	" "	16N	DBR	FINE SAND	8"	" "
62	BR	"	13"	" "	14N	GR	SANDY	12"	" "
60	DBR	FINE "	10"	" "	12N	GR	"	14"	" "
58	LBR	"	8"	" "	20N	BR	SANDY	6"	" "
56	LBR	SANDY	12"	" STEEP	8N	DBR	"	8"	" "
54	BR	"	8"	" "	6N	BR	"	10"	" "
52	BR	COARSE	6"	" "	4N	BR	"	8"	" "
50	BR	COARSE SANDY	5"	" "	2N	BR	"	6"	" steep
48	BR	SANDY	8"	" "	50 SW 00N	BR	"	8"	" "
46	LBR	"	10"	" "	00E-00S	GR	"	"	" Park
44	BR	"	6"	" "	2S	GR.	"	12"	" "
42	BR	"	12"	" "	4S	GR	"	13"	" "
40	GR	"	14"	" "	6S	BR	"	10"	" "
38	BR	"	6"	" "	8	BR	"	"	" "
36	DBR	"	10"	" "	10	GR	"	12"	" "
34	BR	COARSE SANDY	8"	" MOD	12	BR	"	14"	" "
32	GR	SANDY	10"	" "	14	GR	"	10"	" "
30	BR	"	14"	" "	16	BR	"	"	" "

LOCATION	COLOR	TYPE	DEPTH	Remark	slope
18	Black	Hump	14"	"	"
20	BR	SANDY	12"	"	"
22	Black	Hump	14"	"	"
24	GK	SANDY	18"		
26	"	COARSE	20"		
28	"	SANDY	14"		
30	"	"	10"		
32	BR	"	14"		
34	GK	"	11"		
36	BR	"	18"		
38	GK	"	10"		
40	GK	"	9"		
42	GK	COARSE	8"		
44	GK	"	12"		
46	Black	Hump	14"		
48	GK	fine SANDY	16"		
50	GK	COARSE SANDY	12"		
52	GK	fine SANDY	8"		
54	white ash	COARSE	24"		
56	GK	SANDY	10"		
58	GK	"	6"		
60	GK	COARSE	13"		
62	GK	"	10"		
64	GK	fine SANDY	6"		

66	white ash	COARSE	12"
68	GK	SANDY	8"
70	GK	"	10"
72	GK	"	14"
74	GK	"	8"

LOCATION	COLOR	TYPE	DEPTH	REMARKS	slope
48E-03	LBR	SANDY	8"	Loose	steep
25	BR	SANDY	6"	clean	STEEP
45	BR	"	16"	"	STEEP
8	LBR	"	7"	"	"
8	DBR	fine SANDY	4"	"	"
10	LBR	SANDY	3"	"	mod.
12	LBR	SANDY	8"	"	mod.
14	DBR	"	4"	"	"
16	BR	fine "	4"	"	"
18	BR	SANDY	3"	"	"
20	BR	"	5"	"	"
22	LBR	fine SANDY	8"	"	"
24	BR	SANDY	10"	"	steep
26	BR	"	8"	"	FLAT
28	BR	COARSE	10"	"	FLAT
30	BR	SANDY	12"	"	"
32	BR	SANDY	8"	"	mod.
34	BR	"	12"	"	"

LOCATION	COLOR	TYPE	DEPTH	REMARKS	Slop.						
48 E 36	BROWN	fine SANDY	12"	clean	STEEP	52	BR	"	10"	"	"
38	BR.	SANDY	8"	"	STEEP	50	BR	SANDY	6"	"	"
40	BR	"	"	"	"	48	"	"	8"	ferrous	mod
42	BR	fine SANDY	6"	"	"	46	"	"	7"	"	mod
44	BR	SANDY	10 1/2"	"	"	44	"	fine SANDY	6"	"	"
46	BR	coarse SANDY	9"	"	"	42	BR	SANDY	7"	"	"
48	BR	fine SANDY	14"	"	"	40	BR	"	7"	clean	steep
50						38	BR	"	10"	"	"
52						36	BR	"	8"	"	mod.
54	BR	fine SANDY	14"	"	"	34	BR	"	5"	"	Flat.
56	BR	SANDY	3"	"	"	32	DBR	"	8"	"	"
58	"	"	8"	"	"	30	GR	coarse	10"	"	mod.
60	BR	"	14 1/2"	"	"	28	GR	SANDY	12"	"	mod.
62	BR	"	11"	"	"	26	LBR	Fine SANDY	8 1/2"	"	steep
64	GR	"	18"	"	"	24	DBR	coarse SANDY	4"	"	"
66	BK	"	12"	"	"	22	"	"	4"	"	"
48 68	BR	"	8"	"	"	20	"	Fine SANDY	10"	"	Flat.
72 68	BR	"	14"	"	"	18	"	"	8"	"	mod.
66	BR	"	5"	"	"	16	"	coarse SANDY	6"	"	mod.
64	BR	"	8"	"	"	14	"	"	4"	"	mod.
62						12	"	SANDY	5"	"	steep
60	BR	"	10"	"	"	10	BR.	"	6"	"	"
58	BR	"	6"	"	"	8	BR	fine SANDY	8"	"	"
56	BR	"	10"	"	"	6					
54	BR	"	4"	"	"	4					

400 long

LOCATION	color	TYPE	DEPTH	Remarks/slope	LOCATION	color	TYPE	DEPTH	SLOPE
96W-05	Brown	Sandy	6"	moderate	96W-05	GR	SANDY	10"	mod
25	"	"	"	"	526	BR	COARSE SANDY	6"	"
45	"	COARSE SANDY	8"	"	54	BR	FINE SAND	8"	"
65	"	SANDY	4"	"	56	BR	FINE SAND	9"	"
8	"	"	6"	"	50	BR	"	12"	"
10	BR	"	10"	"	60	BR	"	13"	"
12	BR	"	5"	"	62	GR	SANDY	8"	"
14	BR	FINE SANDY	7"	"	64	DBR	FINE SANDY	6 1/2"	"
16	BR	COARSE SANDY	5"	"	66	BR	SANDY	7"	"
18	BR	SANDY	6"	"	68	BR	sl	6"	"
20	BR	"	8"	"	70	GR	FINE SANDY	10"	"
22	BR	"	7"	"	72	GR	"	8"	"
24	BR	"	10"	"	74	BR	"	6"	"
26	GR	COARSE SANDY	5"	flat	108W-74	BR	SANDY	7"	"
28	DBR	SANDY	8"	MOD	72	BR	"	6"	"
30	BR	"	6"	OS	70	BR	C SAND	4"	"
32	BR	FINE SANDY	10"	"	68	BR	F SAND	6"	"
34	"	"	8"	"	66	BR	SANDY	8"	"
36	BR	SANDY	6"	"	64	BR	"	10"	"
38	BR	"	7"	steep	62	BR	"	7"	"
40	BR	"	12"	steep	60	DBR	"	6"	"
42	BR	COARSE SANDY	8"	flat	58	BR	"	8"	"
44	BR	SANDY	10"	"	56	BR	F SANDY	10"	"
46	GR	FINE SAND	10"	mod	54	BR	F SANDY	6"	"
48	BR	COARSE SANDY	5"	"	52	BR	SANDY	5"	"

LOCATION	COLOR	TYPE	DEPTH	SLOPE	LOCATION	COLOR	C-COARSE F-Fine	TYPE	DEPTH	SLOPE
72W-52 ⁵⁴	BR	COARSE SANDY	10"	MOD	84W-01	DBR		SANDY	10"	MOD.
	BR	COARSE SANDY	6"	MOD.	2 ¹	BR.		SANDY	4"	Flat.
50 ¹	BR	SANDY	7"	MOD.	4 ¹	BR.		SANDY	12"	MOD.
40 ¹	BR	FINE SANDY	8"	MOD	6 ¹	BR		"	10"	u
48 ²	BR	FINE SANDY	10"	MOD	8	BR		"	6"	u
44	BR	SANDY	6"	MOD	10	BR		SANDY	14"	steep.
42	BR	SAND	8"	MOD	12 ¹	BR.		"	7"	"
40	BR	FINE SAND.	4"	MOD	14	BR		F SANDY	8"	"
38	BR	SANDY	4"	steep	16	BR		SANDY	6"	"
36	GR.	SANDY	7"	MOD.	18	BR		F SANDY	10"	"
34	GR-BR	FINE SAND	6"	MOD.	20	BR		SAND	6"	"
32	BR	COARSE SANDY	8"	MOD.	22	BR		"	4"	"
30	BR	SANDY	6"	MOD	24	BR		F SAND	8"	MOD
28	BR	sandy	8"	MOD.	26	BR		SAND	6"	"
26	BR.	SANDY	6"	MOD	28	BR		SAND	7"	steep
24	BR	FINE SANDY	10"	MOD.	30	BR		F SAND	8"	"
22	BR	FINE SANDY	6"	MOD.	32	BR		"	10"	"
20	BR	SANDY	6"	MOD.	34	BR		SAND	8"	"
18	BR	COARSE SANDY	4"	steep	36	BR		SAND	6"	"
16	BR	SANDY	7"	steep	38	BR		F SAND	10"	"
14	BR	SANDY	6"	steep	40	BR		SAND	8"	"
12	BR	FINE SAND	8"	steep	42	BR		F SAND	4"	"
10	BR	FINE SAND	7"	"	44	BR		SAND	3"	"
8	BR	FINE SAND	8"	"	46	BR		"	"	"
6	BR	FINE SAND	12"	steep	48	BR		"	"	"
4	BR	FINE SAND	5"	steep	50	BR		"	"	"
2	BR	COARSE SAND	6"	steep	52	BR		"	"	"
0	BR	SAND.	7"	steep	54	BR		"	"	"

LOCATION	COLOR	TYPE	DEPTH	SLOPE	LOCATION	COLOR	TYPE	DEPTH	SLOPE
96w-54 ^N	BR	SAND	6"	MOD	108 ^N	BR	F SAND	8"	MOD
52 ^N	BR	SAND	8"	"	2 ^N	BR	SAND	4"	"
50 ^N	BR	"	6"	"	4 ^N	BR	SAND	7"	"
48	BR	"	"	"	6 ^N	BR	"	8"	"
46	BR	"	12"	"	8 ^N	BR	SAND	6"	"
44	BR	"	8"	"	10 ^N	BR	SAND	"	"
42	DBR	F SAND	10"	"	12 ^N	BR	SAND	7"	"
40	BR	"	10"	"	14 ^N	BR	C SAND	6"	"
38	BR	"	12"	Steep	16 ^N	BR	F SAND	6"	"
36	BR	SAND	8"	"	18 ^N	BR	SAND	10"	"
34	BR	SAND	7"	"	20 ^N	BR	"	4"	"
32	BR	SAND	6"	"	22 ^N	BR	F SAND	6"	"
30	BR	SAND	6"	MOD	24 ^N	BR	SAND	8"	"
28	BR	SAND	8"	"	26 ^N	BR	F SAND	10"	"
26	BR	SAND	10"	"	28 ^N	BR	F SAND	6"	"
24	BR	SAND	8"	"	30 ^N	BR	F SAND	8"	"
20	BR	SAND	9"	"	2	BR	F SAND	10"	"
18	BR	SAND	12"	"	34	BR	SAND	6"	"
16	BR	SAND	10"	"	36	DBR	SAND	8"	"
14	BR	SAND	8"	"	38	BR	SAND	10"	Steep
12	BR	"	10"	"	40	BR	"	6"	"
10	BR	"	6"	"	42	BR	"	5"	"
8	BR	SAND	5"	"	44	BR	F SAND	6"	MOD
6	BR	"	10"	"	46	BR	"	8"	"
4	BR	"	8"	"	48	BR	"	10"	"
2	BR	SAND	8"	"	50	BR	"	10"	"
0					52	BR	"	10"	"

20
260

LOCATION	COLOR	C-Course F-Fine TYPE	DEPTH	SLOPE
120W-54	BR	SAND	6"	MOD.
52	BR	SAND	10"	"
50	BR	SAND	12"	"
48	BR	SAND	6"	"
46	BR	SAND	4"	"
44	BR	SAND	8"	"
42	BR	SAND	6"	"
40	BR	SAND	8"	"
38	BR	SAND	6"	"
36	BR	SAND	6"	"
34	BR	SAND	7"	"
32	BR	SAND	10"	"
30	BR	SAND	6"	FLAT.
28	BR	SAND	8"	"
26	BR	SAND	4"	MOD.
24	BR	SAND	8"	"
22	BR	"	10"	"
20	BR	SAND	6"	"
18	BR	SAND	4"	"
16	BR	SAND	8"	"
14	BR	SAND	6"	"
12	BR	SAND	4"	steep
10	BR	SAND	6"	steep
8	BR	SAND	8"	steep
6	BR	SAND	5"	steep
4	BR	SAND	8"	MOD.
2	BR	SAND	10"	"

LOCATION	COLOR	TYPE	DEPTH	SLOPE
108W-95	BR	SAND	3"	steep
45	"	"	4"	"
65	"	"	"	"
85	BR	"	10"	"
105	BR	"	6"	"
125	BR	"	"	"
14	BR	SAND	12"	"
16	BR	SAND	4"	"
18	BR	"	3"	"
20	BR	"	8"	"
22	BR	"	10"	"
24	BR	"	2"	"
26	BR	"	10"	"
28	BR	"	6"	"
30	BR	"	8"	"
32	BR	"	4"	"
34	BR	"	6"	"
36	BR	"	4"	"
38	BR	"	3"	"
40	BR	"	4"	"
42	BR	SAND	2"	"
44	BR	SAND	4"	"
46	BR	"	2"	"
48	BR	SAND	4"	"
50	BR	SAND	4"	"

10W
20S

		C-course F. Fine		
	Color	Type	Depth	Slope
52 ^s	BR	SAND	4	steep
54 ^s	BR	"	"	"
56 ^s	"	"	8"	"
58	BR	SAND	6	"
60	BR	SAND	4"	"
62	BR	"	3"	"
64	BR	F SAND	8"	"
66	BR	SAND	4"	"
68	BR	F SAND	8	"
70	BR	F SAND	4'	"
72	BR	C SAND	10'	"
74	BR	C SAND	6"	"

Location	Color	Type	Depth	Slope
180W74 ^s	BR	SAND	8"	STEEP
72 ^s	BR	"	6"	"
70 ^s	BR	"	10"	"
68 ^s	BR	F SAND	3"	"
66 ^s	BR	SAND	4"	"
64	BR	"	8"	"
62	BR	"	4"	"
60	BR	"	6"	"
58	BR	"	8"	"
56	BR	"	4	"
54	BR	"	6"	"
52	BR	"	7	"

Location	Color	Type	Depth	Slope
50	BROWN	SANDY	4'	steep
48	BR	F SAND	6"	"
46	BR	SAND	8	"
44	BR	F SAND	8"	"
42	BR	SAND	10"	"
40	BR	"	4"	mod
38	BR	F SAND	3"	"
36	BR	SAND	8"	"
34	GR BR	"	8"	flat
32	BR	F SAND	10"	"
30	BR	SAND	6"	"
28	BR	"	5"	"
26	BR	C SAND	10"	"
24	BR	SAND	6"	mod
22	BR	"	10"	"
20	BR	"	5"	"
18	BR	C SAND	8"	"
16	BR	SAND	4"	"
14	BR	"	10"	"
12	BR	"	8"	"
10	BR	"	4"	"
8	BR	C SAND	6"	"
6	BR	SAND	4"	"
4	BR	"	8"	"
2	BR	"	6"	"
0	BR	"	10"	"

10 bands
30 W.

LOCATION	color	e-coarse + Fine		DEPTH	slope
		Type	DEPTH		
228w 05	BR	SAND	4		mod
25	BR	"	8		
45	BR	"	6		
65	BR	"	7		
85	BR	"	8		
10	BR	"	10		
12	BR	"	4		
14	BR	"	8		
16	BR	"	12		
18	BR	"	6		
20	BR	"	10		
22	BR	"	14		
24	BR	"	4		
26	"	"	8		
28	"	"	6		
30	BR	"	7		
32	BR	"	9		
34	BR	"	10		
36	BR	"	8		
38	BR	"	6		
40	BR	"	4		
42	BR	"	6		
44	BR	"	6		
46	BR	"	8		
48	BR	"	8		

50	BR	SAND	10		mod
52	BR	"	4		
54	BR	"	4		
56	BR	"	10		
58	BR	"	12		
60	BR	"	4		
62	BR	"	12		
64	BR	"	6		
66	BR	"	4		
68	BR	"	6		
70	BR	"	8		
72	BR	"	8		
74	BR	"	8		

LOCATION	color	Type	Depth	slope
216w + 745L	BR	SAND	6'	Mod
725	BR	"	10	
705	BR	"	4	
685	BR	C SAND	8	
665	BR	F SAND	7	
645L	BR	SAND	9	
625	BR	"	6	
605	BR	"	8	
58	BR	F SAND	10	
56	BR	"	8	
54	BR	"	6	

LOCATION	COLOR	TYPE	DEPTH	SLOPE
R16 ^W 52	BR	SAND	4"	
50	BR	SAND	6"	
48	BR	F SAND	4"	
46	BR	SAND	8"	
44	BR	"	6"	
42	L	"	8"	
40	GR	"	8"	
38	GR	F SAND	6"	
36	BR	SAND	6"	
34	"	"	4"	
32	"	"	8"	
30	"	"	6"	
28	"	"	4"	
26	"	"	4"	
24	"	F SAND	8"	
22	"	C SAND	6"	
20	GR	F SAND	10"	
18	GR	F SAND	14"	
16	BR	F SAND	16"	
14	BR	F SAND	8"	
12	BR	F SAND	4"	
10	BR	SAND	6"	
8	BR	SAND	8"	
6	L	F SAND	4"	
4	L	C SAND	6"	

2-000 SE
F-Fine

BANG ON! ✓ R4 4

LOCATION	COLOR	TYPE	DEPTH	SLOPE
OS2W 05	BR	SAND	4"	steep
25	BR	F SAND	6"	"
45	BR	SAND	6"	"
65	BR	SAND	8"	"
85	BR	F SAND	4"	"
105	BR	SAND	7"	"
12	BR	"	6"	"
4	BR	"	6"	"
16	BR	"	8"	"
18	BR	"	4"	"
20	BR	C "	10"	"
22	BR	C "	6"	"
24	BR	C "	4"	"
26	GR	SAND	10"	"
28	BR	F SAND	12"	"
30	BR	SAND	10"	"
32	"	"	6"	"
34	"	"	8"	"
36	"	"	6"	"
38	"	"	7"	"
40	"	"	4"	"
42	"	"	6"	"

C-Coarse
F-Fine

252 ^w	44	BR	SAND	6"	steep
	46	"	"	8"	"
	48	"	F SAND	6"	"
	50	"	F SAND	4"	"
	52	"	SAND	10"	"
	54	BR	F SAND	6	"
	56	BR	SAND	6	"
	58	BR	C	5"	Md
	60	"	"	7"	"
	62	"	F	4"	"
	64	"	SAND	6"	"
	66	"	"	8"	"
	68	"	"	4"	"
	70	"	"	6"	"
	72	"	"	8"	"
	74	"	"	4"	"
240 ^w	74	BR	SAND	6"	steep
	72	BR	"	10"	"
	70	BR	"	4"	"
	68	"	"	6	"
	66	"	"	8	"
	64	"	F	10	"
	62	BR	SAND	8	"
	60	"	"	6"	"
	58	"	"	4	"

240 ^w	56	BR	SAND	6"	"
	54	BR	"	4"	"
	52	BR	"	3"	"
	50	BR	F SAND	10"	"
	48	BR	F SAND	10"	"
	46	BR	SAND	8"	"
	44	BR	F SAND	6"	"
	42	BR	SAND	5"	"
	40	BR	"	12"	"
	38	BR	"	6"	"
	36	BR	"	8"	"
	34	BR	"	6"	"
	32	BR	"	5"	"
	30	BR	"	6"	"
	28	BR	"	8"	"
	26	BR	"	4"	"
	24	"	"	8"	"
	22	"	"	3"	"
	20	"	"	6"	"
	18	"	"	8"	"
	16	BR	"	10"	"
	14	BR	"	7	"
	12	BR	"	8	"
	10	BR	"	6	"
	8	BR	"	10	"

C - coarse
F - Fine

240W	6	BR	SAWD	6"
	4	BR	SAWD	4"
	2	BR	"	8
10 str	0	BR	"	10
50 L	✓	B	"	

LOCATION	COLOR	TYPE	DEPTH
26400 ON	BK	SAND	6
2N	BK	SAND	8
4N	BR	"	6"
6N	BR	"	4
8	BR	"	5
10	"	"	7
12	"	"	5
14	"	"	3
16	"	"	7
18	"	"	8
20	"	"	6
22	"	"	7
24	"	C SAND	4
26	"	SAND	3
28	"	"	6
30	"	"	4
32	"	"	8
34	"	"	10
36	"	"	4

sleep

W	NO SAMPLE	DEPTH	MOD.
20438	Boz	6	mod.
40	Boz	4	
42	BR	10	
44	BR	8	
46	BR	7	
48	BR	9	
50	BR	4	
52	BR	6	
54	BR	8	
252 54N	BR	6"	mod
52		10	
50		4	
48		12	
46		6	
44		7	
42		10	
40		8	
38		6	
36		6	
34		4	
32		10	
30		12	
28		7	
26		8	
24		9	

C - coarse
F - Fine

252W22	BR	SAND	10	Plat sleep.
20	BR	"	6	
18	BR	"	4	
16	BR	"	4	
14	BR	"	6	
12	"	"	7	
10	"	"	10	
8	"	"	12	
6	"	"	4	
4	"	"	5	
2	"	"	4	
0	"	"	3	

209 short ✓

276W22	BR	SAND	6	mod
24	BR	"	9	
26	BR	F SAND	10	
28	BR	F SAND	10	
30	BR	C SAND	6	
32	"	SAND	8	
34	"	"	4	
36	"	"	10	
38	"	"	4	
40	"	"	6	
42	"	"	8	
44	"	"	4	

Location	Color	Depth	Dept	Slope
276WON	BR	SAND	4	mod.
2N	BR	"	6	
4N	BR	"	6	
6N	BR	C SAND	4	
8	BR	SAND	8	
10	BR	"	8	
12	BR	"	6	
14	BR	"	10	
16	BR	F SAND	12	
18	BR	F SAND	8	
20	BR	F SAND	12	

46	BR	F SAND	8	
48	BR	F SAND	9	
50	BR	SAND	8	
52	"	"	6	
54	"	"	8	
288WON	BR	SAND	8	mod
2	BR	"	6	"
4	BR	"	4	"
6	BR	"	6	"
8	BR	"	7	
10	BR	"	8	
12	BR	F SAND	6	
14	BR	F SAND	12	

C-COARSE
F-FINE

288w/6	BR	SAND	4
18	BR	SAND	7
20	BR	"	8
22	BR	F SAND	4
24	BR	C SAND	6
26	BR	C SAND	8
28	BR	SAND	6
30	"	C SAND	5
32	"	SAND	4
34	"	"	4
36	"	"	6
38	"	C SAND	8
40	"	C SAND	8
42	"	C SAND	4
44	"	C SAND	6
46	Bege	SAND	12
48	BR	"	10
50	"	"	6
52	"	"	8
54	"	F SAND	6
300w on	BR	F SAND	8
2	"	SAND	7
4	"	"	6
6	"	"	10
8	"	"	8

mod

300w/10	BR	SAND	6
12	"	SAND	7
14	"	"	10
16	"	SAND	4
18	"	"	6
20	"	"	5
22	AW	SAMPLE	lake
24	BR	SAND	6
26	BR	"	9
28	BR	"	8
30	"	"	4
32	"	"	6
34	"	"	8
36	"	"	6
38	BR	"	12
40	BR	"	10
42	"	"	14
44	"	"	8
46	"	"	6
48	"	"	10
50	BR	"	4
52	BR	"	6
54	BR	"	
320w/11	BR	"	
2	BR	"	

C-COARSE
F-FINE

step
mod
step
not
step
mod
mod
mod

C - Coarse
F - Fine

LOCATION

312W	4	BR	SAND	8
	6	BR	SAND	4
	8	"	"	6
	10	"	"	6
	12	"	"	10
	14	"	"	8
	16	"	"	7
	18	"	"	6
	20	"	"	4
	22	"	SAND	10
	24	"	"	5
	26	"	"	2
	28	"	"	9
	30	"	"	8
	32	"	"	10
	34	"	"	10
	36	"	"	4
	38	GR	SAND	10
	40	BR	SAND	8
	42	"	"	6
	44	"	"	10
	46	"	"	6
	48	BR	"	12
	50	BR	F SAND	10
	52	BR	SAND	8

mod

54 BR SAND 6 mod

steep
steep
mod
mod
mod