

GRUM JOINT VENTURE

019566

F

DRILL
LOG
FILE

UNDERGROUND
HOLES

4-1 to 218

HOLE NO: U-1
 HOLE LENGTH: 62.50

LATITUDE: 10778.51
 DEPARTURE: 7691.73
 ELEVATION: 1154.57

AZIMUTH: 110.13
 DIP: 3.00

INTERVAL		ASSAYS			
FROM	TO	PB	ZN	AG	
		%	%	GM/TON	
0.00	2.00	3.98	5.89	55.53	13.95
2.00	4.00	4.17	4.60	54.51	13.07
4.00	6.00	4.28	6.45	62.39	14.58
6.00	8.00	4.05	9.45	63.42	15.6
8.00	9.00	4.09	6.90	57.59	14
9.00	14.00	N/A	N/A	N/A	14
14.00	15.00	9.26	15.00	129.24	16
15.00	17.30	3.38	10.46	55.53	13
17.30	18.80	8.50	17.22	111.07	16.67
18.80	44.10	N/A	N/A	N/A	14
44.10	45.70	8.35	12.52	139.18	16
45.70	47.20	8.15	14.81	115.87	13
47.20	48.80	6.79	13.74	109.01	20.64
48.80	50.30	7.56	12.16	97.70	14
50.30	51.80	N/A	N/A	N/A	
51.80	53.30	7.99	10.07	164.89	
53.30	54.90	8.85	14.60	129.24	
54.90	62.50	N/A	N/A	N/A	

13.95 / 13.07 / 14.58 / 15.6 / 14 - straight forward interval

1000 K *10 kilos*

$Gm/T / \% =$
 $Gm - \% / T$

HOLE NO: U-2
HOLE LENGTH: 50.30

LATITUDE: 10779.73
DEPARTURE: 7691.54
ELEVATION: 1154.66

AZIMUTH: 56.20
DIP: 3.00

INTERVAL		ASSAYS			
FROM	TO	PB	ZN	AG	
		%	%	GM/TON	
0.00	1.20	4.73	7.63	63.42	13
1.20	2.50	4.20	6.64	56.56	13.4
2.50	3.40	4.50	5.70	56.56	13
3.40	4.40	3.30	7.81	48.33	14
4.40	6.20	5.18	9.77	84.67	
6.20	8.40	3.00	6.98	50.39	16
8.40	50.30	N/A	N/A	N/A	

Ag/pb

HOLE NO: U-3
HOLE LENGTH: 82.30

LATITUDE: 10717.12
DEPARTURE: 7628.66
ELEVATION: 1155.32

AZIMUTH: 225.03
DIP: 35.00

INTERVAL		ASSAYS			
FROM	TO	PB	ZN	AG	
		%	%	GM/TON	
0.00	1.00	1.88	2.10	23.31	
1.00	3.00	3.30	5.25	39.42	
3.00	5.00	3.68	5.00	36.34	
5.00	7.00	5.15	6.35	62.39	
7.00	7.80	3.98	4.00	54.51	
7.80	8.90	4.43	8.95	72.67	
8.90	11.90	1.65	1.30	35.31	
11.90	14.30	1.50	2.05	28.45	
14.30	16.00	10.08	19.27	158.37	15.7
16.00	42.70	N/A	N/A	N/A	
42.70	43.50	7.95	6.82	102.84	
43.50	45.50	6.32	5.00	94.61	
45.50	47.50	6.71	5.00	90.84	
47.50	49.00	11.40	6.52	127.52	
49.00	51.80	1.73	1.55	20.23	
51.80	52.80	1.95	1.82	25.37	13
52.80	64.00	N/A	N/A	N/A	
64.00	65.40	1.00	1.30	16.45	14
65.40	66.70	7.04	5.65	97.36	
66.70	72.40	N/A	N/A	N/A	
72.40	74.10	3.68	2.90	49.36	13
74.10	82.30	N/A	N/A	N/A	

HOLE NO: U-4
HOLE LENGTH: 53.30

LATITUDE: 10720.19
DEPARTURE: 7631.53
ELEVATION: 1155.62

AZIMUTH: 235.37
DIP: 75.00

INTERVAL		ASSAYS			
FROM	TO	PB	ZN	AG	
		%	%	GM/TON	
0.00	6.90	N/A	N/A	N/A	
6.90	10.60	2.98	4.95	44.22	-14.8
10.60	14.20	2.68	4.63	42.16	15.7
14.20	14.90	1.13	2.10	20.91	
14.90	15.50	2.40	3.80	43.19	
15.50	17.50	10.31	17.51	153.23	-14.8
17.50	19.00	9.81	17.25	144.32	14.7
19.00	45.70	N/A	N/A	N/A	
45.70	46.20	2.70	2.50	30.17	
46.20	47.80	9.70	6.72	126.15	-13.01
47.80	48.70	2.25	1.49	27.42	-12.19
48.70	53.30	N/A	N/A	N/A	

Shown on typed
log as +76.00
on survey record as 75°

HOLE NO: U-5
 HOLE LENGTH: 99.10

LATITUDE: 10720.45
 DEPARTURE: 7632.27
 ELEVATION: 1151.62

AZIMUTH: 0.00
 DIP: -90.00

INTERVAL		ASSAYS			
FROM	TO	PB	ZN	AG	
		%	%	GM/TON	
0.00	27.40	N/A	N/A	N/A	
27.40	28.40	2.70	3.88	53.13	-19.6
28.40	30.40	6.03	11.86	76.79	12
30.40	32.40	1.55	2.50	32.22	
32.40	34.00	4.80	10.85	81.59	
34.00	34.90	N/A	N/A	N/A	
34.90	37.70	3.53	6.72	57.59	
37.70	40.50	N/A	N/A	N/A	
40.50	43.80	2.95	5.93	51.76	
43.80	44.60	3.40	4.80	143.63	(42)
44.60	46.40	2.30	4.10	37.71	
46.40	48.80	1.43	3.53	26.74	
48.80	50.20	2.80	5.93	46.28	
50.20	52.20	4.55	10.04	69.59	
52.20	54.20	3.90	8.50	64.45	
54.20	56.20	5.10	9.47	88.79	
56.20	58.20	4.05	6.56	75.76	
58.20	60.20	3.53	4.15	53.48	
60.20	62.20	1.93	3.20	31.19	
62.20	64.20	7.04	12.21	107.98	
64.20	66.20	6.53	12.57	109.01	16
66.20	68.20	4.13	6.92	68.56	
68.20	70.20	8.17	21.13	129.92	-15.9
70.20	72.20	7.05	9.77	93.93	
72.20	74.20	1.73	3.27	19.20	
74.20	99.10	N/A	N/A	N/A	

Log shows
 one dip test
 at 68.6 at -90°

31/08/77 KERR ADDISON MINES LTD. - GRUM PROJECT
DIAMOND DRILL LOG MA

PAGE: 11
STER FILE

HOLE NO: U-6
HOLE LENGTH: 36.60

LATITUDE: 10719.91
DEPARTURE: 7632.55
ELEVATION: 1155.60

AZIMUTH: 45.00
DIP: 80.00

INTERVAL		ASSAYS			
FROM	TO	PB	ZN	AG	
		%	%	GM/TON	
0.00	2.40	2.85	3.65	44.22	
2.40	4.60	2.30	4.70	33.25	
4.60	6.00	1.95	3.75	27.42	
6.00	9.10	2.28	4.58	37.71	
9.10	11.10	3.08	5.40	40.45	
11.10	14.30	3.08	4.65	35.31	
14.30	15.20	.95	2.70	15.43	
15.20	18.50	1.93	3.65	37.71	
18.50	19.50	1.78	3.50	38.74	
19.50	21.20	3.78	6.85	69.59	
21.20	21.80	4.83	7.50	90.50	
21.80	23.80	13.55	26.10	211.85	- 15.6
23.80	25.90	11.34	22.17	176.54	15.57
25.90	28.00	2.93	5.85	50.39	
28.00	30.00	9.32	17.82	161.46	17
30.00	32.00	8.42	14.00	128.21	16
32.00	33.20	8.60	15.52	135.06	
33.20	36.60	N/A	N/A	N/A	

HOLE NO: U-7
HOLE LENGTH: 73.20

LATITUDE: 10746.70
DEPARTURE: 7652.80
ELEVATION: 1151.80

AZIMUTH: 44.00
DIP: -60.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	10.70	N/A	N/A	N/A
10.70	11.20	3.40	1.53	50.73
11.20	13.20	4.65	1.98	52.45
13.20	15.20	3.85	2.60	50.39
15.20	19.80	2.93	2.43	49.71
19.80	21.40	.39	.90	9.94
21.40	23.00	.68	1.00	12.00
23.00	24.80	2.70	3.65	40.45
24.80	32.00	N/A	N/A	N/A
32.00	35.00	1.65	2.45	31.19
35.00	35.70	3.38	5.09	62.05
35.70	53.80	N/A	N/A	N/A
53.80	54.70	7.39	12.72	128.21
54.70	56.10	3.00	4.00	44.22
56.10	73.20	N/A	N/A	N/A

HOLE NO: U-9
 HOLE LENGTH: 64.00

LATITUDE: 10765.60
 DEPARTURE: 7671.80
 ELEVATION: 1152.00

AZIMUTH: 44.00
 DIP: -55.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	4.50	N/A	N/A	N/A
4.50	6.50	3.68	3.95	50.39
6.50	8.50	2.28	3.20	33.25
8.50	10.50	6.31	3.25	63.42
10.50	12.50	4.88	7.48	52.45
12.50	14.50	4.05	5.60	49.36
14.50	16.50	3.68	4.75	44.22
16.50	18.00	3.38	6.92	46.28
18.00	22.30	N/A	N/A	N/A
22.30	24.30	1.83	4.40	29.14
24.30	26.00	6.11	12.11	89.81
26.00	27.00	9.70	12.52	140.21
27.00	29.00	N/A	N/A	N/A
29.00	31.00	7.81	13.69	159.40
31.00	32.00	2.10	2.00	38.74
32.00	33.00	2.20	2.98	37.71
33.00	38.10	N/A	N/A	N/A
38.10	39.50	.33	1.10	4.46
39.50	41.10	7.38	10.69	100.78
41.10	42.70	7.54	12.93	115.87
42.70	44.20	9.75	14.05	168.31
44.20	45.40	3.38	7.23	52.45
45.40	47.20	4.80	7.53	72.67
47.20	48.70	5.03	6.10	74.73
48.70	50.30	6.50	7.84	79.53
50.30	51.20	6.50	10.69	102.84
51.20	53.30	2.25	4.50	36.34
53.30	64.00	N/A	N/A	N/A

HOLE NO: U-10
 HOLE LENGTH: 64.00

LATITUDE: 10765.58
 DEPARTURE: 7671.82
 ELEVATION: 1155.95

AZIMUTH: 233.47
 DIP: 80.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	2.70	4.43	9.63	82.61
2.70	4.30	2.85	4.75	50.39
4.30	6.10	3.38	7.12	50.39
6.10	7.60	3.08	7.43	47.31
7.60	9.10	3.08	5.80	46.28
9.10	10.70	6.74	8.91	109.01
10.70	12.20	2.25	6.32	36.34
12.20	13.70	.37	.94	3.09
13.70	15.20	.98	3.00	12.00
15.20	40.40	N/A	N/A	N/A
40.40	41.10	11.69	15.98	160.43
41.10	44.50	1.63	3.95	25.37
44.50	50.40	N/A	N/A	N/A
50.40	52.50	1.05	1.60	21.25
52.50	53.30	N/A	N/A	N/A
53.30	54.90	2.50	4.10	43.54
54.90	56.40	3.30	5.90	49.36
56.40	57.20	9.17	16.09	141.23
57.20	64.00	N/A	N/A	N/A

HOLE NO: U-12
 HOLE LENGTH: 79.90

LATITUDE: 10685.91
 DEPARTURE: 7600.50
 ELEVATION: 1152.91

AZIMUTH: 43.47
 DIP: -70.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	15.70	N/A	N/A	N/A
15.70	16.80	8.29	15.96	107.98
16.80	18.00	2.85	4.75	49.36
18.00	19.00	5.20	6.71	81.59
19.00	20.70	5.78	7.28	80.56
20.70	22.30	1.13	3.65	18.17
22.30	23.70	5.48	7.50	109.01
23.70	24.90	5.98	10.57	90.84
24.90	26.10	6.20	10.12	82.61
26.10	27.40	3.55	4.93	36.34
27.40	28.70	3.85	5.50	57.59
28.70	55.10	N/A	N/A	N/A
55.10	56.40	6.94	6.35	121.01
56.40	57.90	7.06	11.03	100.78
57.90	59.40	5.78	8.95	75.76
59.40	61.00	3.00	4.65	45.25
61.00	62.50	1.70	.48	30.17
62.50	64.00	.15	.28	9.94
64.00	65.50	4.50	4.90	70.62
65.50	67.00	6.33	5.35	84.67
67.00	68.60	.20	1.18	9.94
68.60	70.10	.05	.88	9.94
70.10	71.60	.25	.90	12.00
71.60	73.10	.25	2.00	10.97
73.10	74.70	2.80	2.38	46.28
74.70	76.20	.45	6.51	9.94
76.20	79.90	N/A	N/A	N/A

DIAMOND DRILL LOG MA

STER FILE

HOLE NO: U-13
HOLE LENGTH: 182.90LATITUDE: 10685.48
DEPARTURE: 7600.08
ELEVATION: 1152.91AZIMUTH: 43.47
DIP: -83.00

DIP TESTS: DEPTH 152.40 DIP -81.00 AZIMUTH 42.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	17.10	N/A	N/A	N/A
17.10	18.30	5.20	6.86	71.65
18.30	19.80	7.26	11.03	112.10
19.80	21.30	6.84	7.96	100.78
21.30	22.90	4.30	4.20	73.70
22.90	24.40	4.40	5.62	63.08
24.40	25.90	4.60	6.51	74.73
25.90	27.90	10.03	14.69	130.95
27.90	55.20	N/A	N/A	N/A
55.20	56.40	6.61	8.98	96.67
56.40	57.90	4.40	5.25	70.62
57.90	59.50	6.94	8.55	98.73
59.50	62.50	3.50	2.95	54.51
62.50	64.00	.15	.53	8.91
64.00	65.50	2.85	.78	49.36
65.50	67.10	.20	1.03	9.94
67.10	68.60	.35	1.70	10.97
68.60	70.10	4.60	2.03	74.73
70.10	71.60	3.10	3.48	42.51
71.60	77.40	N/A	N/A	N/A
77.40	78.20	11.06	17.37	151.17
78.20	157.20	N/A	N/A	N/A
157.20	158.50	2.40	2.28	31.19
158.50	160.00	3.85	3.15	45.25
160.00	161.50	5.25	3.75	58.62
161.50	178.00	N/A	N/A	N/A
178.00	179.80	2.00	.88	34.28
179.80	182.90	N/A	N/A	N/A

DIAMOND DRILL LOG MA

STER FILE

HOLE NO: U-14
 HOLE LENGTH: 51.80

LATITUDE: 10684.80
 DEPARTURE: 7602.59
 ELEVATION: 1157.71

AZIMUTH: 233.06
 DIP: 59.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	19.50	N/A	N/A	N/A
19.50	20.10	10.69	9.88	130.95
20.10	21.70	3.85	2.15	49.36
21.70	23.50	.48	.13	31.19
23.50	24.90	6.47	6.49	92.90
24.90	26.40	.40	.15	20.23
26.40	27.40	7.00	6.47	84.67
27.40	29.10	6.90	7.20	94.61
29.10	30.30	8.41	3.96	103.87
30.30	32.30	1.35	1.20	14.05
32.30	36.20	N/A	N/A	N/A
36.20	37.30	1.53	1.68	18.17
37.30	38.90	8.36	7.86	117.92
38.90	40.30	6.75	7.52	100.78
40.30	41.60	6.98	8.46	112.10
41.60	43.20	6.90	8.82	109.01
43.20	44.50	2.60	1.88	44.22
44.50	45.10	8.38	8.77	104.90
45.10	51.80	N/A	N/A	N/A

HOLE NO: U-15
 HOLE LENGTH: 185.90

LATITUDE: 10704.13
 DEPARTURE: 7531.34
 ELEVATION: 1166.19

AZIMUTH: 44.00
 DIP: -60.00

DIP TESTS: DEPTH DIP AZIMUTH
 91.40 -68.00 42.20
 182.90 -74.00 65.20

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	19.80	N/A	N/A	N/A
19.80	21.30	3.35	1.82	52.45
21.30	22.90	2.55	.53	39.42
22.90	24.40	5.35	3.00	76.79
24.40	25.90	1.85	1.53	48.33
25.90	27.40	6.07	5.53	82.61
27.40	29.10	8.57	5.67	107.98
29.10	30.50	3.40	3.25	45.25
30.50	65.50	N/A	N/A	N/A
65.50	67.00	1.15	1.20	20.91
67.00	68.60	4.13	5.30	69.59
68.60	70.10	7.28	9.22	138.15
70.10	71.30	7.59	11.81	130.95
71.30	106.70	N/A	N/A	N/A
106.70	108.20	.78	1.48	12.00
108.20	109.70	5.65	7.05	90.84
109.70	111.30	7.50	8.21	125.12
111.30	112.80	8.01	12.77	128.21
112.80	113.90	.98	1.48	23.31
113.90	115.00	4.90	7.25	74.73
115.00	116.10	3.23	3.60	49.36
116.10	117.30	2.28	2.90	45.25
117.30	118.50	.95	1.38	21.25
118.50	119.90	3.85	8.16	59.30
119.90	121.30	4.10	4.10	65.47
121.30	122.50	.45	.83	15.08
122.50	124.80	2.25	1.56	34.28
124.80	125.50	4.55	10.04	63.42
125.50	126.60	1.73	2.88	32.22
126.60	127.60	1.48	4.80	25.37
127.60	171.80	N/A	N/A	N/A
171.80	172.90	2.15	2.00	30.17
172.90	174.50	3.95	3.40	41.48
174.50	175.70	4.30	4.00	42.51
175.70	177.30	3.30	3.15	49.36
177.30	178.60	2.40	2.25	33.25
178.60	179.50	2.95	3.43	36.34
179.50	181.00	2.85	2.70	34.28
181.00	182.40	3.60	2.78	42.51
182.40	183.80	1.60	1.28	23.31
183.80	184.80	.50	.70	15.08
184.80	185.90	2.55	2.03	33.25

HOLE NO: U-16
HOLE LENGTH: 106.70

LATITUDE: 10727.09
DEPARTURE: 7639.76
ELEVATION: 1151.80

AZIMUTH: 45.58
DIP: -36.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	59.90	N/A	N/A	N/A
59.90	60.30	9.30	18.66	139.52
60.30	61.10	.75	1.05	18.85
61.10	63.00	7.69	12.72	116.89
63.00	64.30	6.10	12.87	110.04
64.30	65.80	2.03	8.23	36.34
65.80	67.10	3.40	6.38	45.25
67.10	106.70	N/A	N/A	N/A

HOLE NO: U-17
 HOLE LENGTH: 125.00

LATITUDE: 10727.20
 DEPARTURE: 7639.60
 ELEVATION: 1151.80

AZIMUTH: 43.48
 DIP: -60.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	35.70	N/A	N/A	N/A
35.70	36.60	1.28	2.00	23.31
36.60	38.60	3.18	5.70	59.30
38.60	41.60	4.40	6.38	64.45
41.60	42.40	6.81	13.53	115.87
42.40	43.20	3.05	4.20	40.45
43.20	45.20	3.90	7.62	68.56
45.20	47.20	4.15	7.65	71.65
47.20	49.20	4.75	7.65	81.59
49.20	50.90	8.22	15.35	130.95
50.90	52.90	1.20	1.75	30.17
52.90	54.90	3.95	5.35	57.59
54.90	56.20	.43	.55	18.17
56.20	114.00	N/A	N/A	N/A
114.00	116.10	2.00	2.28	38.39
116.10	117.70	N/A	N/A	N/A
117.70	120.00	4.10	7.86	60.33
120.00	125.00	N/A	N/A	N/A

HOLE NO: U-18
 HOLE LENGTH: 88.40

LATITUDE: 10686.00
 DEPARTURE: 7600.50
 ELEVATION: 1153.00

AZIMUTH: 44.00
 DIP: -46.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	14.40	N/A	N/A	N/A
14.40	16.30	8.92	15.05	146.03
16.30	17.90	10.48	12.08	137.12
17.90	19.60	11.75	14.37	138.15
19.60	21.30	6.51	12.75	99.75
21.30	22.90	6.46	12.84	87.76
22.90	24.40	4.15	8.99	71.65
24.40	25.90	5.00	8.13	83.64
25.90	27.40	2.83	3.95	56.56
27.40	29.00	1.30	1.65	25.37
29.00	30.50	4.35	9.65	70.62
30.50	32.00	6.53	11.83	73.70
32.00	33.50	9.50	17.92	117.92
33.50	35.10	4.40	10.72	71.65
35.10	36.60	3.23	5.99	63.42
36.60	38.60	4.70	7.97	77.82
38.60	51.90	N/A	N/A	N/A
51.90	53.30	2.58	4.40	220.08
53.30	57.60	N/A	N/A	N/A
57.60	58.10	.73	.75	12.00
58.10	59.50	2.38	4.90	44.22
59.50	61.00	2.53	4.20	44.22
61.00	62.50	2.08	3.78	31.19
62.50	64.40	1.90	4.35	54.51
64.40	65.50	1.93	3.48	42.51
65.50	67.10	4.93	10.05	83.64
67.10	68.60	4.15	8.50	83.64
68.60	70.10	3.45	8.27	59.30
70.10	71.60	3.50	8.07	61.36
71.60	73.90	3.20	4.85	55.53
73.90	75.10	6.00	9.24	90.84
75.10	76.30	2.45	3.75	42.51
76.30	77.70	3.38	5.10	64.45
77.70	79.90	3.58	5.40	61.36
79.90	84.40	3.30	4.00	49.36
84.40	88.40	N/A	N/A	N/A

DIAMOND DRILL LOG MA

STER FILE

HOLE NO: U-19
HOLE LENGTH: 59.40

LATITUDE: 10684.01
DEPARTURE: 7598.68
ELEVATION: 1155.27

AZIMUTH: 223.48
DIP: 31.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	20.30	N/A	N/A	N/A
20.30	22.90	2.90	2.15	45.25
22.90	29.30	N/A	N/A	N/A
29.30	30.50	2.28	2.05	35.31
30.50	32.00	2.13	1.98	39.42
32.00	33.50	3.85	3.10	59.30
33.50	35.10	4.90	4.75	73.70
35.10	36.60	6.78	6.22	95.64
36.60	38.10	7.10	7.52	102.84
38.10	39.60	4.80	3.55	65.47
39.60	40.80	4.30	3.10	55.53
40.80	42.20	8.10	7.09	126.15
42.20	44.20	6.35	7.29	97.70
44.20	45.70	5.85	7.29	103.87
45.70	47.20	5.94	8.07	111.07
47.20	50.00	4.88	3.55	70.62
50.00	59.40	N/A	N/A	N/A

HOLE NO: U-20
HOLE LENGTH: 74.70

LATITUDE: 10685.03
DEPARTURE: 7599.64
ELEVATION: 1152.92

AZIMUTH: 223.48
DIP: -80.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	18.30	N/A	N/A	N/A
18.30	19.80	6.75	9.96	119.98
19.80	21.40	7.79	13.41	121.01
21.40	23.00	7.96	11.72	129.92
23.00	59.40	N/A	N/A	N/A
59.40	60.40	5.88	6.98	82.61
60.40	71.30	N/A	N/A	N/A
71.30	72.80	6.68	7.47	93.93
72.80	74.70	N/A	N/A	N/A

HOLE NO: U-21
 HOLE LENGTH: 76.20

LATITUDE: 10716.85
 DEPARTURE: 7628.66
 ELEVATION: 1155.64

AZIMUTH: 227.00
 DIP: 55.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	3.00	2.45	2.95	30.17
3.00	6.10	5.05	5.10	60.33
6.10	9.10	5.91	7.91	70.62
9.10	11.80	3.45	5.92	46.28
11.80	13.50	10.37	14.64	149.12
13.50	14.70	2.53	4.60	39.42
14.70	15.90	10.67	18.93	156.32
15.90	39.60	N/A	N/A	N/A
39.60	41.10	7.85	7.25	113.12
41.10	43.00	11.80	6.31	127.18
43.00	45.90	2.58	1.75	32.22
45.90	72.60	N/A	N/A	N/A

HOLE NO: U-22
 HOLE LENGTH: 99.10

LATITUDE: 10720.18
 DEPARTURE: 7631.99
 ELEVATION: 1151.71

AZIMUTH: 227.00
 DIP: -47.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	3.00	N/A	N/A	N/A
3.00	4.60	1.63	2.03	26.74
4.60	10.70	N/A	N/A	N/A
10.70	12.20	3.40	1.25	41.14
12.20	21.30	N/A	N/A	N/A
21.30	22.20	2.20	.93	26.74
22.20	22.90	4.00	2.20	55.19
22.90	24.40	8.11	9.81	98.73
24.40	26.50	1.20	1.48	25.37
26.50	27.50	5.15	5.97	116.89
27.50	29.20	9.84	16.77	171.40
29.20	30.40	5.36	9.05	60.33
30.40	32.00	9.37	18.66	114.15
32.00	34.50	6.91	12.10	87.76
34.50	37.10	1.90	2.45	25.37
37.10	39.60	4.45	9.49	69.59
39.60	41.20	3.75	5.80	53.48
41.20	63.60	N/A	N/A	N/A
63.60	65.30	9.10	7.32	129.24
65.30	66.90	5.92	9.00	90.84
66.90	68.60	4.95	8.85	78.84
68.60	70.10	4.85	5.55	68.56
70.10	72.30	7.44	8.29	97.70
72.30	73.90	2.33	3.18	35.31
73.90	75.50	5.31	2.38	84.67
75.50	77.30	5.31	7.07	71.65
77.30	79.20	5.10	4.60	80.56
79.20	80.80	5.71	4.25	86.73
80.80	82.30	2.95	.90	48.33
82.30	83.80	6.37	4.80	96.67
83.80	85.60	3.88	4.05	55.53
85.60	99.10	N/A	N/A	N/A

HOLE NO: U-23
 HOLE LENGTH: 70.10

LATITUDE: 10720.80
 DEPARTURE: 7632.89
 ELEVATION: 1151.70

AZIMUTH: 47.00
 DIP: -68.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	1.90	2.03	2.55	26.74
1.90	8.80	N/A	N/A	N/A
8.80	11.70	1.42	2.55	18.85
11.70	19.30	N/A	N/A	N/A
19.30	22.30	1.18	3.50	16.45
22.30	23.90	1.94	2.50	16.45
23.90	31.80	N/A	N/A	N/A
31.80	33.50	4.90	5.90	71.65
33.50	35.10	3.73	5.92	60.33
35.10	36.60	4.30	7.65	74.73
36.60	38.10	5.60	10.01	97.70
38.10	39.60	5.20	9.18	88.75
39.60	41.10	1.40	3.20	24.34
41.10	42.70	3.10	6.15	45.25
42.70	44.20	4.33	7.47	81.59
44.20	45.70	2.73	3.48	44.22
45.70	47.20	4.15	8.54	79.19
47.20	48.80	2.23	2.28	45.25
48.80	51.20	2.75	3.70	51.42
51.20	52.90	.40	.55	13.03
52.90	54.90	1.43	1.63	28.45
54.90	56.70	2.78	3.58	44.22
56.70	57.90	2.73	4.55	46.28
57.90	67.10	N/A	N/A	N/A
67.10	67.80	.48	.93	17.83
67.80	70.10	4.00	7.55	66.50

HOLE NO: U-25
 HOLE LENGTH: 114.30

LATITUDE: 10726.67
 DEPARTURE: 7640.42
 ELEVATION: 1155.16

AZIMUTH: 47.24
 DIP: 34.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	59.50	N/A	N/A	N/A
59.50	61.00	2.18	3.10	46.62
61.00	62.50	.88	2.85	15.43
62.50	65.50	3.35	11.52	65.47
65.50	68.60	1.70	3.25	34.28
68.60	72.30	1.63	4.03	35.31
72.30	90.70	N/A	N/A	N/A
90.70	93.00	1.78	3.43	29.14
93.00	95.80	1.83	3.85	30.17
95.80	97.50	2.58	5.28	39.42
97.50	99.50	2.35	3.58	39.42
99.50	101.90	8.18	15.27	121.01
101.90	114.30	N/A	N/A	N/A

↓
 On log
 dip shown as
 34° 30'
 No accurate
 survey however

HOLE NO: U-26
 HOLE LENGTH: 76.20

LATITUDE: 10777.49
 DEPARTURE: 7689.09
 ELEVATION: 1156.85

AZIMUTH: 235.18
 DIP: 69.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	1.50	1.25	.48	27.42
1.50	3.00	.25	2.20	8.23
3.00	4.60	1.75	4.40	31.19
4.60	6.10	4.70	11.21	83.64
6.10	7.60	2.00	3.43	33.25
7.60	9.10	1.42	2.73	23.31
9.10	10.70	1.67	4.20	27.42
10.70	12.20	2.90	7.69	48.33
12.20	13.70	3.65	7.61	56.56
13.70	15.20	2.80	7.79	47.31
15.20	16.80	4.08	7.81	61.36
16.80	18.30	1.65	4.75	23.31
18.30	19.80	3.10	6.01	41.48
19.80	21.30	2.90	6.42	45.25
21.30	22.90	3.10	5.71	50.39
22.90	24.40	1.35	3.80	28.80
24.40	25.90	.98	3.05	14.40
25.90	27.40	.85	1.18	10.97
27.40	29.00	2.60	2.33	43.19
29.00	30.50	1.78	3.53	33.25
30.50	32.00	1.88	4.13	43.19
32.00	33.50	1.88	3.55	38.74
33.50	35.10	2.05	1.88	30.17
35.10	36.60	1.17	1.85	17.83
36.60	38.60	.68	1.63	8.91
38.60	40.00	4.20	5.53	119.64
40.00	48.10	N/A	N/A	N/A
48.10	50.30	3.25	8.20	55.19
50.30	52.40	2.90	7.64	57.59
52.40	55.10	4.70	8.12	71.99
55.10	56.40	1.73	4.13	31.88
56.40	59.00	1.40	2.68	20.91
59.00	76.20	N/A	N/A	N/A

HOLE NO: U-27
 HOLE LENGTH: 106.10

LATITUDE: 10781.03
 DEPARTURE: 7693.72
 ELEVATION: 1157.39

AZIMUTH: 48.25
 DIP: 62.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	1.50	6.85	10.29	84.69
1.50	3.00	2.83	4.50	40.46
3.00	4.60	3.35	3.20	42.51
4.60	6.10	3.10	1.95	50.40
6.10	7.60	.98	.60	25.37
7.60	9.10	2.25	2.90	46.29
9.10	11.20	2.23	4.15	36.34
11.20	13.60	N/A	N/A	N/A
13.60	15.20	1.20	2.05	26.40
15.20	16.80	2.88	3.10	36.34
16.80	18.30	1.25	2.35	24.34
18.30	19.80	3.35	3.62	43.54
19.80	23.00	5.56	5.45	69.60
23.00	24.10	N/A	N/A	N/A
24.10	25.90	2.18	5.39	38.40
25.90	27.40	2.43	4.30	40.46
27.40	29.40	N/A	N/A	N/A
29.40	30.50	1.55	2.70	28.46
30.50	32.00	3.68	7.68	65.49
32.00	33.50	1.63	3.95	29.14
33.50	35.10	1.93	4.30	30.17
35.10	36.60	1.25	2.10	24.34
36.60	38.10	2.65	2.55	41.49
38.10	39.60	2.20	5.50	45.26
39.60	41.10	2.68	7.18	53.49
41.10	42.70	3.90	6.16	61.51
42.70	45.70	1.45	3.45	34.29
45.70	48.80	1.75	3.15	32.23
48.80	51.80	2.75	5.93	41.49
51.80	54.90	3.45	6.92	56.57
54.90	57.90	1.70	3.18	31.20
57.90	61.00	1.75	2.40	30.17
61.00	64.00	2.73	4.80	40.46
64.00	67.10	5.90	10.84	82.63
67.10	69.70	.33	3.95	9.94
69.70	71.60	8.35	13.94	117.94
71.60	73.20	7.27	12.32	93.94
73.20	75.40	4.00	7.89	65.49
75.40	92.70	N/A	N/A	N/A
92.70	94.50	3.88	8.03	75.77
94.50	96.00	2.23	3.60	33.26
96.00	97.50	5.70	6.84	81.60
97.50	99.10	2.05	2.95	33.26
99.10	100.60	1.20	2.35	18.17
100.60	102.10	2.80	3.30	34.29
102.10	103.50	.90	2.33	12.00
103.50	103.90	1.93	4.35	31.20
103.90	106.10	4.18	6.32	66.51

HOLE NO: U-28
 HOLE LENGTH: 64.00

LATITUDE: 10708.75
 DEPARTURE: 7538.75
 ELEVATION: 1166.52

AZIMUTH: 48.42
 DIP: -39.30

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	7.40	N/A	N/A	N/A
7.40	9.00	.58	.48	8.23
9.00	10.70	.97	.70	15.09
10.70	13.20	.04	.03	.34
13.20	14.80	.68	.20	25.37
14.80	15.50	7.24	4.75	102.86
15.50	17.60	7.50	5.75	95.66
17.60	19.80	11.85	8.71	146.74
19.80	21.30	14.95	9.52	186.52
21.30	22.10	4.83	3.60	64.46
22.10	55.30	N/A	N/A	N/A
55.30	56.70	.22	.63	4.11
56.70	57.90	8.50	13.85	179.66
57.90	59.40	7.53	10.08	116.92
59.40	61.00	7.78	12.37	151.20
61.00	62.50	6.75	12.62	109.94
62.50	64.00	6.82	10.46	110.06

HOLE NO: U-29
 HOLE LENGTH: 68.60

LATITUDE: 10709.13
 DEPARTURE: 7538.50
 ELEVATION: 1167.26

AZIMUTH: 46.14
 DIP: -13.51

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TQN
0.00	22.60	N/A	N/A	N/A
22.60	25.40	2.13	1.95	35.31
25.40	54.90	N/A	N/A	N/A
54.90	55.40	.03	.58	.00
55.40	55.70	4.45	7.63	40.46
55.70	56.50	5.65	9.01	77.83
56.50	57.70	.50	1.23	8.91
57.70	59.60	7.47	13.19	106.97
59.60	60.60	6.70	15.73	90.86
60.60	61.50	3.03	7.36	48.34
61.50	63.70	1.88	2.85	34.29
63.70	65.50	.95	2.78	17.14
65.50	68.60	1.73	3.80	30.17

HOLE NO: U-30
 HOLE LENGTH: 36.60

LATITUDE: 10709.04
 DEPARTURE: 7538.30
 ELEVATION: 1169.60

AZIMUTH: 51.50
 DIP: 43.22

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	3.00	N/A	N/A	N/A
3.00	4.60	3.80	3.65	65.49
4.60	6.00	.40	.03	15.09
6.00	6.50	1.30	.23	35.31
6.50	7.40	7.60	6.93	98.74
7.40	8.10	4.65	2.45	73.71
8.10	9.60	9.40	8.70	145.03
9.60	10.70	.90	.60	10.97
10.70	11.90	.60	.50	7.20
11.90	15.20	1.43	1.23	17.14
15.20	18.30	2.05	1.65	24.34
18.30	20.30	.80	.93	9.94
20.30	21.40	N/A	N/A	N/A
21.40	23.40	.83	.68	10.97
23.40	24.20	N/A	N/A	N/A
24.20	25.90	4.15	3.20	49.37
25.90	26.90	2.50	1.88	36.34
26.90	29.00	6.92	5.39	77.83
29.00	30.60	N/A	N/A	N/A

HOLE NO: U-31
 HOLE LENGTH: 61.00

LATITUDE: 10702.96
 DEPARTURE: 7535.11
 ELEVATION: 1166.86

AZIMUTH: 92.35
 DIP: -15.45

DIP TESTS: DEPTH 8.20 DIP -16.30 AZIMUTH 76.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	13.70	N/A	N/A	N/A
13.70	15.20	.23	.18	2.06
15.20	16.80	1.40	1.10	20.23
16.80	17.80	.85	.50	13.03
17.80	18.10	1.03	.73	16.11
18.10	19.80	2.83	2.05	35.31
19.80	21.00	2.20	1.10	31.20
21.00	22.00	1.40	1.13	17.14
22.00	22.60	.38	.35	4.11
22.60	27.30	N/A	N/A	N/A
27.30	28.50	1.43	.93	19.20
28.50	29.20	N/A	N/A	N/A
29.20	29.60	1.03	.60	27.43
29.60	30.70	8.11	5.17	103.89
30.70	32.00	2.25	1.63	27.43
32.00	33.50	2.05	.83	24.34
33.50	35.10	11.12	3.88	132.00
35.10	35.80	3.60	1.55	55.54
35.80	38.10	10.12	4.35	121.03
38.10	38.90	5.71	3.95	67.54
38.90	39.60	N/A	N/A	N/A
39.60	39.90	.68	.45	8.91
39.90	61.00	N/A	N/A	N/A

HOLE NO: U-32 LATITUDE: 10703.10 AZIMUTH: 222.33
 HOLE LENGTH: 121.90 DEPARTURE: 7532.66 DIP: -72.51
 ELEVATION: 1166.37

DIP TESTS:	DEPTH	DIP	AZIMUTH
	33.50	-79.00	217.00
	67.00	-82.00	224.00
	97.50	-85.30	252.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	1.80	2.48	4.98	38.40
1.80	28.20	N/A	N/A	N/A
28.20	29.30	.48	.33	8.23
29.30	30.50	2.43	1.90	41.49
30.50	53.40	N/A	N/A	N/A
53.40	54.70	5.12	8.92	98.74
54.70	90.10	N/A	N/A	N/A
90.10	92.30	3.90	4.50	49.37
92.30	93.00	.25	.23	9.94
93.00	107.90	N/A	N/A	N/A
107.90	109.70	1.90	1.90	25.37
109.70	111.30	1.30	.88	17.14
111.30	113.00	.50	.95	9.94
113.00	121.90	N/A	N/A	N/A

HOLE NO: U-33
 HOLE LENGTH: 21.90

LATITUDE: 10700.57
 DEPARTURE: 7530.24
 ELEVATION: 1169.41

AZIMUTH: 224.00
 DIP: 45.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	2.80	N/A	N/A	N/A
2.80	3.40	4.43	3.25	71.66
3.40	5.10	1.10	1.13	19.20
5.10	6.20	N/A	N/A	N/A
6.20	7.80	6.05	7.93	88.80
7.80	21.90	N/A	N/A	N/A

HOLE NO: U-34
 HOLE LENGTH: 126.50

LATITUDE: 10767.51
 DEPARTURE: 7589.08
 ELEVATION: 1144.61

AZIMUTH: 153.32
 DIP: -86.18

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	1.90	2.88	3.65	35.31
1.90	4.40	.72	.13	8.23
4.40	6.10	1.53	1.50	15.09
6.10	8.30	2.20	4.08	32.23
8.30	46.70	N/A	N/A	N/A
46.70	48.40	.63	.93	15.09
48.40	50.30	7.51	12.47	140.23
50.30	51.80	2.95	3.73	44.23
51.80	53.30	5.63	8.08	120.00
53.30	54.90	4.13	6.84	71.66
54.90	56.40	3.40	6.24	50.40
56.40	57.90	2.65	6.23	42.51
57.90	59.40	4.10	8.08	69.60
59.40	61.00	3.40	5.14	57.60
61.00	62.50	3.63	5.69	73.71
62.50	64.00	6.22	9.60	114.17
64.00	65.50	5.40	9.15	105.94
65.50	67.10	2.73	6.41	38.40
67.10	68.60	5.62	9.50	100.80
68.60	70.10	3.13	6.01	44.23
70.10	71.60	4.55	7.88	73.71
71.60	73.20	3.23	5.06	57.60
73.20	74.70	2.60	5.37	44.23
74.70	76.20	3.45	6.67	60.34
76.20	77.70	3.00	4.90	41.49
77.70	79.20	4.00	4.23	52.46
79.20	80.80	3.65	6.41	59.31
80.80	82.30	4.27	7.35	62.40
82.30	83.80	5.51	7.98	70.63
83.80	85.30	4.58	7.25	71.66
85.30	86.90	3.25	5.47	50.40
86.90	88.40	4.50	6.28	57.60
88.40	89.90	6.79	11.13	100.80
89.90	91.40	3.98	3.78	60.34
91.40	93.00	4.48	7.83	63.43
93.00	94.50	4.46	6.81	63.43
94.50	96.00	4.36	8.85	55.54
96.00	97.50	6.36	8.08	80.57
97.50	99.10	4.31	6.02	55.54
99.10	100.60	.05	.35	6.17
100.60	102.10	.25	1.75	17.14
102.10	103.60	.10	1.53	8.23
103.60	105.20	.15	.33	8.91
105.20	106.70	1.30	1.10	25.37
106.70	108.10	2.00	1.45	33.26
108.10	126.50	N/A	N/A	N/A

HOLE NO: U-35
 HOLE LENGTH: 147.80

LATITUDE: 10768.05
 DEPARTURE: 7589.41
 ELEVATION: 1144.64

AZIMUTH: 57.10
 DIP: -63.23

DIP TESTS: DEPTH DIP AZIMUTH
 60.80 76.00 48.00
 108.20 -78.00 60.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	1.50	1.89	3.70	30.17
1.50	4.40	1.04	2.28	16.11
4.40	6.70	2.10	4.20	34.29
6.70	8.00	.58	1.00	10.97
8.00	51.00	N/A	N/A	N/A
51.00	52.10	2.58	5.87	41.49
52.10	59.40	N/A	N/A	N/A
59.40	61.50	1.05	2.00	25.37
61.50	62.50	3.75	5.00	66.51
62.50	64.00	2.93	4.55	54.51
64.00	65.50	3.95	6.48	68.57
65.50	67.10	3.45	5.49	55.54
67.10	68.60	4.03	5.59	53.49
68.60	70.10	5.80	7.35	101.83
70.10	71.60	2.83	1.98	41.49
71.60	73.20	6.30	9.47	81.60
73.20	74.70	6.60	9.95	100.80
74.70	76.20	6.50	11.90	110.06
76.20	77.70	6.36	11.64	125.14
77.70	79.20	1.70	2.33	29.14
79.20	81.10	4.25	9.44	72.69
81.10	85.30	N/A	N/A	N/A
85.30	86.90	2.60	3.10	30.17
86.90	88.40	2.80	2.75	33.26
88.40	90.50	.94	1.65	14.06
90.50	106.70	N/A	N/A	N/A
106.70	108.20	1.10	1.93	15.09
108.20	147.80	N/A	N/A	N/A

DIAMOND DRILL LOG MA

STER FILE

HOLE NO: U-36
HOLE LENGTH: 19.80

LATITUDE: ~~10631.98~~
DEPARTURE: ~~7680.82~~
ELEVATION: 1167.49

AZIMUTH: ~~136.36~~
DIP: 7.44

INTERVAL
FROM TO

ASSAYS
PB ZN AG
% % GM/TON

FROM	TO	PB	ZN	AG
0.00	15.20	N/A	N/A	N/A
15.20	16.80	8.17	10.82	133.00
16.80	19.80	N/A	N/A	N/A

LAT: 10,630.20
DEP: 7,677.75
AZI: 138° 48' 21"

HOLE NO: U-38
 HOLE LENGTH: 85.30

LATITUDE: 10632.55
 DEPARTURE: 7681.27
 ELEVATION: 1167.83

AZIMUTH: 103.48
 DIP: 9.49

10630.51

7678.25

Azi. 106°-00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	11.10	N/A	N/A	N/A
11.10	12.20	2.35	5.52	33.26
12.20	13.70	1.70	4.13	31.20
13.70	15.20	4.63	11.80	76.80
15.20	16.80	5.63	15.15	85.72
16.80	18.30	2.48	6.28	46.29
18.30	19.80	3.73	10.77	62.40
19.80	21.30	3.45	7.99	60.34
21.30	22.90	4.03	9.46	93.94
22.90	24.40	6.20	12.50	104.92
24.40	25.90	5.42	10.15	75.77
25.90	27.40	4.25	6.02	71.66
27.40	29.00	.65	1.18	13.03
29.00	85.30	N/A	N/A	N/A

DIAMOND DRILL LOG MA

STER FILE

HOLE NO: U-39
HOLE LENGTH: 110.30

LATITUDE: 10767.25
DEPARTURE: 7588.40
ELEVATION: 1144.62

AZIMUTH: 230.24
DIP: -73.15

DIP TESTS: DEPTH DIP AZIMUTH
 30.48 -75.00 241.00
 56.39 -75.00 240.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	1.50	1.74	1.43	21.26
1.50	3.00	1.18	1.30	17.14
3.00	4.00	1.53	2.78	36.34
4.00	6.10	.14	.08	3.09
6.10	8.10	1.85	.20	18.17
8.10	9.50	1.95	2.43	24.34
9.50	11.00	1.35	2.00	21.26
11.00	17.20	N/A	N/A	N/A
17.20	20.20	1.18	1.43	13.03
20.20	22.90	1.98	3.25	25.37
22.90	25.90	.65	1.15	6.17
25.90	28.40	1.88	1.00	15.09
28.40	38.90	N/A	N/A	N/A
38.90	41.00	.58	1.33	8.91
41.00	42.70	.19	.28	3.09
42.70	44.40	7.59	13.05	122.06
44.40	48.80	N/A	N/A	N/A
48.80	50.30	.63	1.00	15.09
50.30	51.80	4.75	5.45	75.77
51.80	53.30	5.70	7.70	90.86
53.30	54.90	4.90	8.77	82.63
54.90	56.40	7.69	13.76	75.77
56.40	57.90	4.48	6.42	67.54
57.90	59.40	3.95	7.26	62.40
59.40	61.00	4.30	6.94	78.86
61.00	62.50	3.05	3.90	49.37
62.50	64.00	1.85	2.10	36.34
64.00	65.50	.55	.70	12.00
65.50	67.10	2.55	1.58	50.40
67.10	68.60	4.75	4.95	62.40
68.60	70.10	2.30	2.28	43.54
70.10	71.60	1.30	1.85	25.37
71.60	73.20	1.78	3.23	25.37
73.20	74.70	2.90	6.86	57.60
74.70	76.20	2.23	4.70	44.23
76.20	77.70	2.50	4.75	54.51
77.70	79.20	3.48	7.68	100.80
79.20	80.80	2.90	5.75	45.26
80.80	82.30	7.36	16.65	125.14
82.30	83.80	8.28	14.95	129.94
83.80	85.30	5.10	8.24	80.57
85.30	86.90	4.68	7.88	59.31
86.90	88.40	2.80	5.15	41.49
88.40	89.90	2.90	4.80	44.23
89.90	91.40	1.25	2.13	28.46
91.40	93.00	3.88	2.95	60.34

HOLE NO: U-40
 HOLE LENGTH: 108.80

LATITUDE: 10767.35
 DEPARTURE: 7588.31
 ELEVATION: 1144.60

AZIMUTH: 225.20
 DIP: -53.58

DIP TESTS: DEPTH CIP AZIMUTH
 45.70 -59.00 234.00
 91.40 -59.00 249.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	42.70	N/A	N/A	N/A
42.70	43.40	.07	.48	5.14
43.40	45.00	6.10	9.92	85.72
45.00	46.70	6.10	9.20	95.66
46.70	54.70	N/A	N/A	N/A
54.70	56.20	2.23	4.03	60.34
56.20	57.80	N/A	N/A	N/A
57.80	59.40	5.20	7.17	93.94
59.40	61.00	.48	.70	8.23
61.00	62.50	6.15	10.43	102.86
62.50	64.00	3.70	6.15	58.63
64.00	65.50	1.55	1.70	37.37
65.50	67.10	3.20	5.20	61.37
67.10	68.60	3.75	7.50	55.54
68.60	70.10	3.98	6.66	85.72
70.10	71.60	3.90	6.62	92.92
71.60	73.20	4.80	7.55	98.74
73.20	74.70	5.18	8.40	117.94
74.70	85.80	N/A	N/A	N/A
85.80	88.40	.43	.93	8.91
88.40	89.90	.15	.75	5.14
89.90	91.40	.30	1.70	12.00
91.40	93.00	1.68	2.95	32.23
93.00	94.50	1.68	3.10	37.37
94.50	96.00	.80	4.10	13.03
96.00	97.50	1.43	2.53	20.23
97.50	99.10	.08	.65	5.14
99.10	100.60	.35	1.50	8.91
100.60	102.10	4.50	12.71	90.86
102.10	103.60	6.90	10.86	106.97
103.60	104.60	.99	3.20	22.29
104.60	108.80	N/A	N/A	N/A

HOLE NO: U-41
 HOLE LENGTH: 97.50

LATITUDE: 10769.06
 DEPARTURE: 7590.68
 ELEVATION: 1144.63

AZIMUTH: 44.25
 DIP: -46.19

DIP TESTS:

DEPTH	DIP	AZIMUTH
30.40	-46.00	68.00
60.10	-49.00	60.00
89.90	-52.00	32.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	57.90	N/A	N/A	N/A
57.90	61.00	2.02	3.50	24.34
61.00	63.70	1.90	3.15	25.37
63.70	87.30	N/A	N/A	N/A
87.30	88.40	6.08	10.07	93.94
88.40	89.90	5.78	7.58	90.86
89.90	91.40	7.81	9.91	118.97
91.40	93.00	3.60	9.25	62.40
93.00	96.00	.59	1.05	9.94
96.00	97.50	N/A	N/A	N/A

HOLE NO: U-42
 HOLE LENGTH: 53.30

LATITUDE: 10767.69
 DEPARTURE: 7590.11
 ELEVATION: 1148.63

AZIMUTH: 45.29
 DIP: 68.18

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	3.00	.93	1.38	13.03
3.00	6.10	.79	1.23	12.00
6.10	7.30	.90	.83	13.03
7.30	9.10	5.95	5.49	70.63
9.10	10.70	2.85	4.75	42.51
10.70	12.20	4.10	7.98	62.40
12.20	13.70	6.41	9.94	87.77
13.70	15.20	3.45	4.65	45.26
15.20	16.80	1.14	2.00	19.20
16.80	18.30	2.60	4.73	36.34
18.30	19.80	2.00	3.85	27.43
19.80	21.30	.68	1.35	12.00
21.30	22.90	2.20	3.50	31.20
22.90	24.40	2.13	4.00	30.17
24.40	25.90	1.58	1.90	22.29
25.90	27.40	1.25	1.80	18.17
27.40	29.00	2.70	3.90	42.51
29.00	30.50	6.33	12.51	91.89
30.50	32.00	4.90	9.00	82.63
32.00	33.80	8.98	18.92	156.34
33.80	53.30	N/A	N/A	N/A

HOLE NO: U-43
HOLE LENGTH: 45.70

LATITUDE: 10767.24
DEPARTURE: 7589.51
ELEVATION: 1148.76

AZIMUTH: 206.33
DIP: 89.15

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	3.00	1.15	1.75	14.06
3.00	5.00	1.35	1.40	17.14
5.00	6.60	N/A	N/A	N/A
6.60	9.10	2.88	3.00	35.31
9.10	10.70	4.55	5.21	53.49
10.70	12.20	4.78	8.14	72.69
12.20	13.70	10.78	19.02	166.29
13.70	15.20	11.93	21.05	173.49
15.20	16.80	9.80	18.15	145.03
16.80	18.30	12.61	21.91	224.92
18.30	19.80	14.30	22.73	177.60
19.80	21.30	8.05	12.76	115.89
21.30	22.90	9.43	16.24	143.32
22.90	24.60	7.28	13.87	117.94
24.60	25.40	.15	.30	4.11
25.40	45.70	N/A	N/A	N/A

HOLE NO: U-44
 HOLE LENGTH: 45.70

LATITUDE: 10767.80
 DEPARTURE: 7587.31
 ELEVATION: 1148.79

AZIMUTH: 235.57
 DIP: 60.46

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	3.00	1.23	1.70	17.14
3.00	4.60	2.43	2.40	29.14
4.60	6.10	2.20	3.20	25.37
6.10	7.60	4.35	5.19	52.46
7.60	9.10	3.90	7.17	48.34
9.10	10.70	3.10	6.18	40.46
10.70	12.20	1.93	3.33	31.20
12.20	13.70	7.74	12.24	114.17
13.70	15.20	10.86	16.86	169.37
15.20	16.80	6.16	13.86	89.83
16.80	18.30	3.90	5.85	60.34
18.30	19.80	8.60	15.24	133.03
19.80	33.40	N/A	N/A	N/A
33.40	34.80	1.35	1.15	21.36
34.80	36.10	7.37	5.95	89.83
36.10	45.70	N/A	N/A	N/A

HOLE NO: U-45
 HOLE LENGTH: 62.50

LATITUDE: 10831.00
 DEPARTURE: 7647.00
 ELEVATION: 1143.25

AZIMUTH: 44.00
 DIP: -80.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	1.50	2.75	6.25	48.34
1.50	3.00	4.68	6.68	65.49
3.00	4.60	7.19	5.74	75.77
4.60	6.10	4.40	4.60	53.49
6.10	7.60	6.47	11.27	97.72
7.60	9.10	2.37	7.01	39.43
9.10	11.00	2.80	5.79	48.34
11.00	12.90	.03	.18	1.03
12.90	14.40	3.90	6.65	54.51
14.40	16.20	2.30	6.48	38.40
16.20	34.30	N/A	N/A	N/A
34.30	35.10	.04	.13	1.03
35.10	36.60	5.81	11.17	94.63
36.60	38.10	1.65	2.70	26.40
38.10	39.60	3.53	6.10	49.37
39.60	41.30	5.44	5.54	68.57
41.30	45.70	N/A	N/A	N/A
45.70	47.20	2.83	3.30	40.46
47.20	48.80	6.64	7.32	92.92
48.80	50.30	7.67	13.16	114.17
50.30	51.80	5.86	7.90	94.63
51.80	53.30	6.15	9.70	98.74
53.30	54.90	8.44	13.26	122.06
54.90	56.40	4.03	5.79	69.60
56.40	57.90	1.28	2.10	16.11
57.90	59.40	.40	.83	7.20
59.40	61.50	N/A	N/A	N/A
61.50	62.50	1.34	1.38	18.17

HOLE NO: U-46
 HOLE LENGTH: 83.80

LATITUDE: 10831.00
 DEPARTURE: 7647.00
 ELEVATION: 1143.25

AZIMUTH: 44.00
 DIP: -50.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	2.10	5.76	10.87	97.72
2.10	4.10	1.78	2.48	29.14
4.10	5.50	4.38	7.86	75.77
5.50	7.40	5.00	9.15	78.86
7.40	10.00	.97	3.00	15.09
10.00	11.10	5.64	9.80	88.80
11.10	12.40	.53	3.03	13.03
12.40	14.20	N/A	N/A	N/A
14.20	15.50	3.60	5.55	60.34
15.50	16.80	.23	.35	5.14
16.80	41.20	N/A	N/A	N/A
41.20	42.70	2.68	3.35	45.26
42.70	44.20	3.13	2.40	51.43
44.20	45.70	4.55	4.05	68.57
45.70	46.90	4.20	3.40	65.49
46.90	49.10	N/A	N/A	N/A
49.10	51.40	1.35	1.98	21.26
51.40	60.70	N/A	N/A	N/A
60.70	62.50	6.64	10.77	111.09
62.50	64.00	4.80	7.14	99.77
64.00	65.50	3.45	5.87	74.74
65.50	67.10	5.44	8.64	79.54
67.10	68.60	5.50	9.50	83.66
68.60	70.10	4.28	8.49	73.71
70.10	71.10	5.50	10.47	100.80
71.10	83.80	N/A	N/A	N/A

HOLE NO: U-47
 HOLE LENGTH: 80.80

LATITUDE: 10831.00
 DEPARTURE: 7647.00
 ELEVATION: 1143.25

AZIMUTH: 224.00
 DIP: -48.00

-80.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	1.80	9.27	9.80	135.00
1.80	3.00	7.64	6.71	87.77
3.00	5.00	4.40	2.35	48.34
5.00	6.40	1.68	2.40	26.40
6.40	8.30	.39	.95	7.20
8.30	9.10	4.20	1.80	39.43
9.10	10.70	4.53	2.45	44.22
10.70	12.20	4.10	5.88	53.49
12.20	13.70	3.43	6.36	54.51
13.70	15.00	2.63	4.30	45.26
15.00	16.80	8.20	14.39	133.03
16.80	18.30	8.60	17.73	146.06
18.30	19.80	6.95	21.00	125.14
19.80	21.30	7.90	20.19	123.09
21.30	22.20	11.45	26.28	209.83
22.20	29.50	N/A	N/A	N/A
29.50	30.30	.10	.15	.69
30.30	31.30	2.75	3.48	41.49
31.30	32.90	6.92	12.45	112.12
32.90	34.40	4.28	9.82	63.46
34.40	37.60	N/A	N/A	N/A
37.60	39.50	4.13	5.49	58.63
39.50	57.50	N/A	N/A	N/A
57.50	59.40	6.32	7.40	82.63
59.40	61.00	3.48	4.20	58.63
61.00	62.50	6.22	7.72	85.72
62.50	64.00	6.75	11.03	112.12
64.00	65.50	3.68	6.23	82.63
65.50	80.80	N/A	N/A	N/A

DIAMOND DRILL LOG MA

STER FILE

HOLE NO: U-48
HOLE LENGTH: 120.70

LATITUDE: 10826.65
DEPARTURE: 7645.32
ELEVATION: 1143.34

AZIMUTH: 214.35
DIP: 55.30

DIP TESTS:	DEPTH	DIP	AZIMUTH
	30.50	-60.00	207.48
	76.20	-62.30	201.00
	118.90	-68.30	208.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	1.50	4.93	9.76	93.94
1.50	2.90	8.85	7.27	121.03
2.90	4.60	6.95	3.10	80.57
4.60	6.10	4.88	3.60	57.60
6.10	8.10	2.98	5.21	49.37
8.10	10.70	1.09	2.39	22.29
10.70	12.20	1.60	2.95	29.14
12.20	14.50	2.68	4.48	40.46
14.50	22.30	N/A	N/A	N/A
22.30	24.40	2.70	6.31	55.54
24.40	25.90	4.40	9.74	90.86
25.90	27.20	2.98	6.97	55.54
27.20	28.70	N/A	N/A	N/A
28.70	29.80	1.74	4.48	26.40
29.80	31.10	2.48	6.26	33.26
31.10	32.10	N/A	N/A	N/A
32.10	35.10	2.40	4.90	43.54
35.10	38.10	2.68	6.54	45.26
38.10	39.60	5.87	10.03	85.72
39.60	41.10	10.13	12.15	157.37
41.10	42.70	4.95	11.34	77.83
42.70	44.20	7.80	14.06	112.12
44.20	46.20	1.30	1.55	23.31
46.20	48.00	.58	1.20	8.91
48.00	61.50	N/A	N/A	N/A
61.50	64.00	.33	1.63	4.11
64.00	65.50	1.40	2.63	10.97
65.50	67.10	1.20	2.40	18.17
67.10	68.60	7.49	13.76	130.97
68.60	70.50	3.10	5.10	54.51
70.50	73.20	3.43	4.70	50.40
73.20	74.70	6.99	12.08	104.92
74.70	76.20	6.02	10.65	111.09
76.20	77.70	5.41	9.07	84.69
77.70	80.80	1.20	1.13	19.20
80.80	120.70	N/A	N/A	N/A

HOLE NO: U-49
 HOLE LENGTH: 82.30

LATITUDE: 10825.93
 DEPARTURE: 7643.09
 ELEVATION: 1144.54

AZIMUTH: 222.39
 DIP: 0.50

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	1.50	2.08	3.80	35.31
1.50	4.70	1.28	2.55	21.26
4.70	6.10	2.05	3.90	32.23
6.10	7.60	2.28	3.85	35.31
7.60	9.10	.93	1.60	17.14
9.10	12.20	1.65	4.85	21.26
12.20	13.70	1.75	3.60	25.37
13.70	15.30	2.28	3.20	31.20
15.30	16.70	2.10	3.30	31.20
16.70	18.20	1.73	2.78	27.43
18.20	19.80	2.25	5.60	42.51
19.80	21.30	2.95	9.63	53.49
21.30	76.20	N/A	N/A	N/A
76.20	77.70	2.15	5.15	33.26
77.70	79.20	1.65	2.15	20.23
79.20	80.70	1.35	.38	12.00
80.70	82.30	1.35	.20	10.97

STER FILE

HOLE NO: U-50
 HOLE LENGTH: 91.40

LATITUDE: 10825.60
 DEPARTURE: 7643.90
 ELEVATION: 1144.52

AZIMUTH: 189.02
 DIP: 0.37

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	3.00	2.05	3.68	43.54
3.00	6.10	1.30	2.75	17.14
6.10	9.10	1.50	3.83	25.37
9.10	10.70	.80	1.75	14.06
10.70	12.20	N/A	N/A	N/A
12.20	13.70	9.72	12.48	150.17
13.70	15.20	2.93	3.30	44.23
15.20	16.80	3.20	3.95	52.46
16.80	18.30	7.57	11.31	136.12
18.30	19.80	7.87	11.46	147.09
19.80	21.30	2.38	3.75	41.49
21.30	22.90	2.93	5.86	49.37
22.90	24.40	3.38	7.09	58.63
24.40	25.90	4.25	7.59	75.77
25.90	27.40	4.70	7.85	77.83
27.40	30.50	2.65	4.30	44.23
30.50	32.00	5.31	10.55	80.57
32.00	42.70	N/A	N/A	N/A
42.70	45.70	2.18	2.55	30.17
45.70	48.80	5.71	2.80	62.40
48.80	50.30	2.90	1.40	36.34
50.30	88.30	N/A	N/A	N/A
88.30	91.40	1.65	1.10	17.14

HOLE NO: U-51
 HOLE LENGTH: 70.10

LATITUDE: 10826.00
 DEPARTURE: 7643.00
 ELEVATION: 1146.00

AZIMUTH: 224.00
 DIP: 48.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	1.50	2.10	4.45	35.31
1.50	3.00	3.20	10.14	49.37
3.00	4.50	3.15	6.93	56.57
4.50	6.00	2.93	4.10	46.29
6.00	7.60	2.45	4.20	44.23
7.60	9.10	1.60	2.90	25.37
9.10	10.60	1.53	3.75	30.17
10.60	12.10	1.68	1.28	25.37
12.10	13.70	1.48	1.43	23.31
13.70	15.20	2.65	2.30	38.40
15.20	22.90	N/A	N/A	N/A
22.90	24.30	3.93	5.39	74.74
24.30	25.90	1.95	5.14	28.46
25.90	27.40	2.75	7.93	42.51
27.40	28.90	2.20	3.50	33.31
28.90	30.50	1.08	2.50	17.14
30.50	32.00	1.58	1.68	20.23
32.00	33.50	1.08	1.83	14.06
33.50	35.00	.65	1.45	13.03
35.00	36.50	1.88	1.55	31.20
36.50	38.00	3.18	6.62	55.54
38.00	39.60	1.65	2.83	30.17
39.60	41.10	5.61	8.99	98.74
41.10	41.60	6.30	10.14	94.63
41.60	70.10	N/A	N/A	N/A

HOLE NO: U-52
 HOLE LENGTH: 57.90

LATITUDE: 10826.40
 DEPARTURE: 7643.19
 ELEVATION: 1147.30

AZIMUTH: 229.23
 DIP: 65.13

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	3.00	2.33	7.21	45.26
3.00	6.10	2.15	5.81	41.49
6.10	9.10	2.05	4.50	31.20
9.10	12.10	2.18	3.55	34.29
12.10	13.70	1.73	2.45	27.43
13.70	15.20	2.55	2.80	35.31
15.20	16.00	2.78	3.60	36.34
16.00	19.80	N/A	N/A	N/A
19.80	20.80	5.26	8.25	83.66
20.80	25.90	N/A	N/A	N/A
25.90	28.40	2.43	4.75	38.40
28.40	29.80	N/A	N/A	N/A
29.80	32.00	1.30	1.50	17.14
32.00	35.10	2.80	1.18	24.34
35.10	36.60	2.68	3.05	32.26
36.60	38.10	1.93	3.15	34.29
38.10	39.40	1.70	2.30	29.14
39.40	40.40	6.01	9.96	95.66
40.40	57.90	N/A	N/A	N/A

HOLE NO: U-53
 HOLE LENGTH: 60.90

LATITUDE: 10827.04
 DEPARTURE: 7643.68
 ELEVATION: 1147.51

AZIMUTH: 225.01
 DIP: 83.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	1.80	2.00	3.55	38.40
1.80	3.00	3.20	6.46	50.40
3.00	4.50	1.70	3.55	30.17
4.50	6.00	2.98	6.24	54.51
6.00	7.60	2.63	7.80	50.40
7.60	9.10	2.30	5.58	42.51
9.10	10.60	1.85	4.30	28.46
10.60	12.20	1.50	3.43	30.17
12.20	13.70	2.68	4.20	45.26
13.70	15.20	2.83	5.00	50.40
15.20	16.70	2.63	2.90	40.46
16.70	18.20	1.55	2.65	26.40
18.20	19.80	.80	1.38	14.06
19.80	21.30	.15	.25	4.11
21.30	28.90	N/A	N/A	N/A
28.90	30.00	2.20	5.70	41.49
30.00	33.50	3.33	6.60	55.54
33.50	35.00	1.55	2.63	25.37
35.00	36.50	1.78	2.08	24.34
36.50	38.10	3.68	2.20	40.46
38.10	39.60	2.30	4.05	37.37
39.60	41.10	1.75	3.70	30.17
41.10	42.60	2.25	4.30	36.34
42.60	44.20	2.28	4.10	35.31
44.20	45.70	6.29	10.50	93.94
45.70	60.90	N/A	N/A	N/A

HOLE NO: U-54
 HOLE LENGTH: 150.90

LATITUDE: 10829.44
 DEPARTURE: 7645.42
 ELEVATION: 1148.12

AZIMUTH: 33.12
 DIP: 60.00

DIP TESTS: DEPTH DIP AZIMUTH
 30.50 62.00 34.00
 61.00 64.00 33.00
 91.50 68.00 21.00
 122.00 72.00 7.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	3.00	1.83	3.55	36.34
3.00	6.10	1.80	3.10	40.26
6.10	9.10	1.65	4.58	34.29
9.10	12.20	2.48	4.80	50.40
12.20	15.20	1.88	3.15	27.43
15.20	18.30	1.35	1.95	29.14
18.30	21.30	2.58	5.00	44.23
21.30	24.40	4.05	7.75	65.49
24.40	27.40	2.65	7.06	45.26
27.40	30.50	5.53	10.72	84.69
30.50	32.00	6.48	12.34	97.72
32.00	33.50	6.28	10.16	87.77
33.50	35.40	6.06	12.65	95.66
35.40	37.40	3.05	7.27	57.60
37.40	40.00	N/A	N/A	N/A
40.00	41.10	4.75	7.42	71.66
41.10	42.70	2.98	4.00	45.26
42.70	45.70	.83	1.63	14.06
45.70	47.20	.63	.73	18.17
47.20	48.80	1.13	1.85	23.31
48.80	50.30	2.83	4.65	42.51
50.30	51.80	4.95	7.55	74.74
51.80	54.90	3.60	7.72	52.46
54.90	57.90	2.50	4.65	45.26
57.90	62.50	N/A	N/A	N/A
62.50	65.50	2.68	4.55	40.46
65.50	67.10	3.55	6.55	48.34
67.10	68.70	2.40	5.64	39.43
68.70	69.70	N/A	N/A	N/A
69.70	71.20	2.95	5.38	45.26
71.20	94.10	N/A	N/A	N/A
94.10	96.00	2.20	3.50	44.23
96.00	97.50	2.30	3.80	43.20
97.50	99.10	1.85	4.10	35.31
99.10	100.60	2.10	3.08	39.43
100.60	102.10	2.55	4.10	48.34
102.10	103.50	4.28	10.82	96.69
103.50	105.00	3.75	7.72	83.66
105.00	106.60	4.35	10.67	91.89
106.60	109.30	1.25	4.00	25.37
109.30	115.30	N/A	N/A	N/A
115.30	116.90	1.90	5.40	36.34
116.90	150.90	N/A	N/A	N/A

HOLE NO: U-56
 HOLE LENGTH: 61.00

LATITUDE: 10825.99
 DEPARTURE: 7643.19
 ELEVATION: 1146.13

AZIMUTH: 223.41
 DIP: 28.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	1.80	N/A	N/A	N/A
1.80	3.00	1.38	1.73	21.26
3.00	4.50	.90	1.85	19.20
4.50	6.10	.40	1.90	10.97
6.10	7.60	.75	2.98	15.09
7.60	9.10	1.75	4.55	31.20
9.10	10.60	1.33	3.30	30.17
10.60	12.10	1.35	3.53	26.40
12.10	13.70	1.38	4.20	30.17
13.70	15.20	1.48	3.73	29.14
15.20	16.70	1.15	2.68	25.37
16.70	18.20	2.43	4.85	46.29
18.20	19.80	1.78	3.53	32.23
19.80	21.30	3.23	3.75	32.23
21.30	45.00	N/A	N/A	N/A
45.00	47.20	2.30	3.60	37.37
47.20	48.70	.80	1.55	20.23
48.70	50.20	.90	1.28	15.09
50.20	51.80	1.62	.88	18.17
51.80	53.30	4.25	4.35	49.37
53.30	54.80	3.60	7.77	41.49
54.80	56.30	3.00	5.84	37.37
56.30	61.00	N/A	N/A	N/A

HOLE NO: U-58
 HOLE LENGTH: 106.60

LATITUDE: 10797.87
 DEPARTURE: 7534.52
 ELEVATION: 1136.29

AZIMUTH: 223.41
 DIP: 1.40

DIP TESTS:	DEPTH	CIP	AZIMUTH
	76.20	-2.00	230.00
	107.00	-2.00	227.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	1.50	3.45	3.65	50.40
1.50	3.00	2.38	2.60	36.34
3.00	4.50	7.42	11.57	85.72
4.50	6.00	7.10	9.41	104.92
6.00	7.60	7.30	12.68	155.32
7.60	9.10	8.33	13.80	111.09
9.10	10.60	.85	1.25	16.11
10.60	12.10	1.83	2.70	31.20
12.10	13.70	2.23	4.10	40.46
13.70	15.20	4.98	10.85	77.83
15.20	16.70	6.62	15.67	98.74
16.70	19.00	6.12	15.12	90.86
19.00	86.80	N/A	N/A	N/A
86.80	88.30	5.05	2.44	57.60
88.30	89.90	5.00	3.05	60.34
89.90	91.40	.33	.13	20.23
91.40	93.00	.48	.33	17.14
93.00	94.50	5.15	5.05	80.57
94.50	96.00	2.03	.85	49.37
96.00	97.50	5.00	1.83	88.00
97.50	99.00	2.53	2.75	41.49
99.00	100.50	3.50	4.10	47.31
100.50	106.60	N/A	N/A	N/A

HOLE NO: U-59
 HOLE LENGTH: 127.20

LATITUDE: 10798.16
 DEPARTURE: 7534.89
 ELEVATION: 1135.44

AZIMUTH: 227.06
 DIP: -45.22

DIP TESTS:	DEPTH	DIP	AZIMUTH
	30.40	-47.00	228.00
	61.00	-47.00	229.00
	91.40	-57.00	238.00
	121.90	-62.00	241.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	1.50	3.80	8.22	55.54
1.50	3.00	4.43	10.12	66.51
3.00	4.50	2.70	4.60	40.46
4.50	6.10	4.98	9.08	69.60
6.10	7.60	4.25	8.60	60.34
7.60	9.10	5.70	10.65	76.80
9.10	10.60	8.73	17.15	137.14
10.60	12.10	11.26	19.08	163.54
12.10	13.60	9.63	15.98	149.14
13.60	15.10	10.33	18.33	153.26
15.10	16.50	13.29	18.52	197.83
16.50	18.00	5.49	6.90	76.80
18.00	19.50	13.20	15.37	163.54
19.50	21.00	11.09	18.22	153.26
21.00	22.50	7.20	9.84	121.03
22.50	24.00	7.25	10.55	113.14
24.00	25.50	8.00	10.96	129.26
25.50	27.00	7.15	10.20	114.86
27.00	28.50	7.20	10.30	123.09
28.50	30.00	7.00	9.90	123.09
30.00	31.50	9.20	12.28	139.20
31.50	33.00	7.60	10.15	111.09
33.00	34.50	10.95	13.95	151.20
34.50	36.00	9.50	13.39	143.32
36.00	37.50	7.20	10.00	104.92
37.50	39.00	7.10	10.45	100.80
39.00	40.50	7.70	10.96	96.69
40.50	42.60	6.80	9.79	109.03
42.60	44.20	6.90	10.60	104.92
44.20	45.70	6.92	12.53	127.20
45.70	47.20	8.85	12.29	163.54
47.20	48.70	9.08	17.70	139.20
48.70	50.30	8.53	13.55	121.03
50.30	51.80	1.28	.43	25.37
51.80	53.30	.28	.53	12.00
53.30	54.80	5.82	8.73	98.74
54.80	102.10	N/A	N/A	N/A
102.10	103.60	2.00	2.38	27.43
103.60	105.10	2.40	2.60	32.23
105.10	106.60	.23	.54	8.23
106.60	108.20	.10	.25	6.17
108.20	109.70	.38	.45	8.91
109.70	110.50	1.38	1.30	19.20
110.50	127.20	N/A	N/A	N/A

HOLE NO: U-60
 HOLE LENGTH: 122.00

LATITUDE: 10799.37
 DEPARTURE: 7535.89
 ELEVATION: 1134.97

AZIMUTH: 0.00
 DIP: -90.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	1.50	3.20	3.75	37.37
1.50	3.00	3.90	4.95	34.29
3.00	4.50	2.73	4.70	29.14
4.50	6.10	3.03	2.85	31.20
6.10	7.60	4.08	3.70	44.23
7.60	9.10	2.05	3.75	27.43
9.10	10.60	.43	1.58	7.20
10.60	12.20	3.40	4.05	40.46
12.20	13.70	1.75	1.75	23.31
13.70	15.20	1.10	.88	17.14
15.20	16.70	1.50	1.48	23.31
16.70	18.20	1.63	2.12	28.46
18.20	19.80	.88	1.25	20.23
19.80	21.30	1.25	1.50	24.34
21.30	22.80	1.05	1.35	20.23
22.80	24.40	2.05	3.75	35.31
24.40	26.00	2.08	2.05	32.23
26.00	27.40	3.33	4.40	47.31
27.40	28.90	.35	1.40	14.06
28.90	30.00	4.58	7.21	68.57
30.00	32.00	4.55	4.45	63.43
32.00	33.50	6.10	8.46	89.83
33.50	35.00	4.08	5.55	70.63
35.00	42.60	N/A	N/A	N/A
42.60	44.10	3.85	4.90	55.54
44.10	56.30	N/A	N/A	N/A
56.30	57.90	1.28	2.10	39.43
57.90	59.40	.45	.80	9.94
59.40	61.00	7.20	13.64	114.86
61.00	62.50	4.88	8.49	74.74
62.50	105.10	N/A	N/A	N/A
105.10	106.60	5.80	8.90	90.86
106.60	108.20	3.05	5.00	51.43
108.20	109.70	4.53	6.85	76.80
109.70	111.20	1.13	2.78	26.40
111.20	112.70	2.80	4.20	48.34
112.70	122.00	N/A	N/A	N/A

HOLE NO: U-61
 HOLE LENGTH: 120.30

LATITUDE: 10799.08
 DEPARTURE: 7535.68
 ELEVATION: 1135.00

AZIMUTH: 224.00
 DIP: -70.00

DIP TESTS: DEPTH DIP AZIMUTH
 45.72 -73.00 231.00
 91.44 -79.00 232.00 }
 120.30 -81.00 232.00 } *estimated*

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	1.50	4.88	8.08	80.57
1.50	3.00	3.78	5.55	38.40
3.00	4.50	2.83	4.10	30.17
4.50	6.10	3.40	4.45	38.40
6.10	7.60	4.13	5.25	53.49
7.60	9.10	4.08	5.35	70.63
9.10	10.60	.83	1.10	26.40
10.60	12.10	.10	.45	12.00
12.10	13.70	.90	.95	38.40
13.70	15.20	.75	1.23	22.29
15.20	16.70	2.04	3.55	43.54
16.70	18.20	.58	.63	26.40
18.20	19.80	.10	.33	12.00
19.80	21.30	.20	.58	16.11
21.30	22.80	.08	.19	8.91
22.80	24.30	.12	.17	9.94
24.30	25.90	7.17	7.16	109.03
25.90	27.40	11.16	8.41	161.49
27.40	28.90	9.63	5.10	147.09
28.90	30.00	1.23	.51	31.20
30.00	32.00	7.27	8.79	90.86
32.00	33.50	2.83	4.00	50.40
33.50	54.80	N/A	N/A	N/A
54.80	56.30	1.75	2.40	30.17
56.30	59.40	N/A	N/A	N/A
59.40	60.90	5.80	9.41	94.63
60.90	86.80	N/A	N/A	N/A
86.80	88.30	1.70	2.03	27.43
88.30	89.90	1.80	2.03	35.31
89.90	91.40	2.78	2.85	40.56
91.40	92.90	1.28	1.80	24.34
92.90	94.40	.25	.48	8.91
94.40	96.00	.40	.16	8.23
96.00	111.20	N/A	N/A	N/A
111.20	112.70	4.03	6.82	70.63
112.70	114.30	8.43	17.14	129.26
114.30	115.80	4.80	9.69	72.69
115.80	120.30	N/A	N/A	N/A

HOLE NO: U-62
 HOLE LENGTH: 109.70

LATITUDE: 10798.09
 DEPARTURE: 7534.80
 ELEVATION: 1135.60

AZIMUTH: 222.17
 DIP: -21.00

DIP TESTS:	DEPTH	DIP	AZIMUTH
	30.48	-24.80	223.00
	60.96	-31.00	233.00
	100.58	-35.00	222.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	1.50	7.27	9.25	106.97
1.50	3.00	6.40	5.60	96.69
3.00	4.50	4.50	4.35	65.49
4.50	6.00	3.70	4.00	63.43
6.00	7.10	6.72	9.23	130.97
7.10	9.10	6.00	8.00	137.14
9.10	10.60	4.63	7.26	101.83
10.60	12.10	6.90	12.57	116.92
12.10	13.70	5.25	9.58	76.80
13.70	89.90	N/A	N/A	N/A
89.90	91.40	4.30	6.55	85.72
91.40	92.90	5.85	8.79	109.03
92.90	94.40	6.60	8.94	118.97
94.40	96.00	5.50	9.19	116.92
96.00	97.50	4.00	5.95	76.80
97.50	109.70	N/A	N/A	N/A

HOLE NO: U-63

LATITUDE: 10796.01

AZIMUTH: 222.14

HOLE LENGTH: 106.60

DEPARTURE: 7534.77

DIP: 32.30

ELEVATION: 1137.45

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	1.50	8.50	14.87	96.69
1.50	3.00	7.60	10.27	88.80
3.00	4.50	5.97	8.48	135.09
4.50	6.00	5.79	10.58	121.03
6.00	7.60	6.25	11.70	104.92
7.60	9.10	7.77	12.73	100.80
9.10	10.60	6.65	20.48	80.57
10.60	12.10	3.30	14.21	48.34
12.10	39.60	N/A	N/A	N/A
39.60	41.10	7.92	4.10	70.63
41.10	42.60	7.10	3.90	68.57
42.60	56.30	N/A	N/A	N/A
56.30	57.90	3.88	4.35	54.51
57.90	59.40	3.15	2.60	47.31
59.40	60.90	4.70	6.42	71.66
60.90	62.40	7.30	8.18	113.14
62.40	64.00	15.00	12.57	221.83
64.00	106.60	N/A	N/A	N/A

DIAMOND DRILL LOG MA

S T E R F I L E

HOLE NO: U-65
HOLE LENGTH: 59.40LATITUDE: 10799.57
DEPARTURE: 7535.98
ELEVATION: 1139.03AZIMUTH: 339.16
DIP: 88.09

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	1.50	4.23	8.84	63.43
1.50	3.00	7.69	11.06	91.89
3.00	4.50	8.33	12.65	146.06
4.50	6.00	6.49	8.98	121.03
6.00	7.60	6.10	10.05	111.09
7.60	9.10	8.55	14.59	161.49
9.10	10.60	8.65	14.69	169.37
10.60	12.10	8.43	14.38	117.94
12.10	13.70	4.85	12.80	87.77
13.70	15.20	4.58	10.20	79.20
15.20	16.70	4.38	4.70	75.77
16.70	18.20	10.55	16.57	161.49
18.20	19.80	8.63	12.13	126.17
19.80	21.30	1.30	2.22	14.06
21.30	42.60	N/A	N/A	N/A
42.60	44.10	3.45	2.95	45.26
44.10	45.70	14.33	11.98	179.66
45.70	47.20	15.28	8.98	188.57
47.20	48.70	15.53	11.47	157.37
48.70	50.20	4.95	3.70	70.63
50.20	59.40	N/A	N/A	N/A

HOLE NO: U-66
 HOLE LENGTH: 99.00

LATITUDE: 10797.70
 DEPARTURE: 7536.37
 ELEVATION: 1136.90

AZIMUTH: 176.26
 DIP: 23.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	1.50	10.12	13.52	143.32
1.50	3.00	8.17	15.09	108.00
3.00	4.50	5.51	10.89	84.69
4.50	6.00	4.28	8.52	50.40
6.00	7.60	7.00	10.20	77.83
7.60	9.10	6.80	9.44	129.26
9.10	10.60	5.90	9.54	126.17
10.60	12.10	5.20	8.95	94.63
12.10	13.70	3.58	8.06	73.71
13.70	15.20	5.44	8.93	89.83
15.20	16.70	3.55	6.17	64.46
16.70	18.20	3.88	4.20	56.57
18.20	19.80	2.75	1.40	34.29
19.80	21.30	8.77	13.21	101.83
21.30	22.80	7.59	14.69	111.09
22.80	24.30	7.25	14.25	98.74
24.30	25.90	5.59	21.24	69.60
25.90	39.20	N/A	N/A	N/A
39.20	41.10	4.68	3.10	56.57
41.10	42.60	1.33	1.05	21.26
42.60	44.10	1.43	1.13	19.20
44.10	45.70	1.20	.98	14.06
45.70	47.20	N/A	N/A	N/A
47.20	48.70	2.35	1.68	30.17
48.70	71.60	N/A	N/A	N/A
71.60	73.10	2.53	.53	45.26
73.10	74.60	3.98	4.85	60.34
74.60	76.20	2.08	1.55	37.37
76.20	77.70	6.70	5.64	111.09
77.70	79.20	5.80	7.10	84.69
79.20	80.70	6.55	8.07	80.57
80.70	82.20	9.33	10.08	138.17
82.20	83.80	2.70	1.55	37.37
83.80	85.30	1.80	1.00	26.40
85.30	86.80	4.18	3.45	72.69
86.80	88.30	4.50	3.80	54.51
88.30	89.90	5.75	7.45	73.71
89.90	91.40	6.10	8.78	100.80
91.40	92.90	6.80	7.72	98.74
92.90	94.40	2.48	2.35	35.31
94.40	96.00	5.25	6.21	79.54
96.00	97.50	5.90	8.02	100.80
97.50	99.00	6.20	8.88	105.94

HOLE NO: U-67
 HOLE LENGTH: 76.20

LATITUDE: 10842.75
 DEPARTURE: 7493.68
 ELEVATION: 1126.59

AZIMUTH: 225.28
 DIP: 1.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	1.50	1.33	.95	20.23
1.50	3.00	3.23	2.50	36.34
3.00	4.50	.95	.40	14.00
4.50	6.00	3.93	4.40	40.46
6.00	7.60	2.68	4.95	33.26
7.60	9.10	3.30	3.90	42.51
9.10	10.60	2.78	4.00	32.23
10.60	12.10	.79	2.05	18.17
12.10	13.70	.78	1.70	15.09
13.70	15.20	2.30	2.75	39.43
15.20	16.70	2.68	5.82	42.51
16.70	18.20	4.93	10.11	67.54
18.20	19.80	9.45	13.79	128.23
19.80	21.30	10.51	13.81	100.80
21.30	22.80	8.20	12.82	114.17
22.80	24.30	2.23	5.00	41.49
24.30	25.90	3.43	8.12	65.49
25.90	27.40	6.12	13.01	100.80
27.40	28.90	2.63	17.20	36.34
28.90	30.40	5.40	21.54	58.63
30.40	32.00	5.50	22.72	67.54
32.00	33.50	5.95	22.18	80.57
33.50	35.00	5.15	17.92	121.03
35.00	36.50	2.50	5.00	50.40
36.50	76.20	N/A	N/A	N/A

HOLE NO: U-69
 HOLE LENGTH: 38.10

LATITUDE: 10843.02
 DEPARTURE: 7494.45
 ELEVATION: 1130.21

AZIMUTH: 226.53
 DIP: 60.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	1.50	.31	.48	7.20
1.50	3.00	2.32	1.65	30.17
3.00	4.50	2.55	3.58	28.46
4.50	6.00	2.08	3.78	34.29
6.00	7.60	4.25	6.62	66.51
7.60	9.10	9.15	16.71	130.97
9.10	10.60	6.99	12.62	146.06
10.60	12.10	5.20	10.33	74.74
12.10	13.70	2.20	4.58	36.34
13.70	15.20	2.58	5.16	40.46
15.20	16.70	4.08	10.07	65.49
16.70	18.20	5.30	12.06	87.77
18.20	19.80	5.73	12.93	90.86
19.80	21.30	5.68	10.22	86.74
21.30	22.80	6.74	13.40	110.06
22.80	24.30	6.04	8.82	98.81
24.30	25.90	6.84	12.93	140.23
25.90	38.10	N/A	N/A	N/A

HOLE NO: U-71
 HOLE LENGTH: 45.70

LATITUDE: 10844.37
 DEPARTURE: 7495.55
 ELEVATION: 1129.90

AZIMUTH: 41.39
 DIP: 65.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	1.50	.33	.19	7.20
1.50	3.00	2.50	1.50	32.23
3.00	4.50	3.75	4.35	44.23
4.50	6.00	1.28	2.80	20.23
6.00	7.60	2.45	4.45	40.46
7.60	9.10	1.98	3.80	31.20
9.10	10.60	6.47	11.66	82.63
10.60	12.10	15.03	23.74	223.89
12.10	13.70	4.95	11.00	72.69
13.70	15.20	1.73	3.80	27.43
15.20	16.70	2.63	5.96	36.34
16.70	18.20	4.18	9.32	59.31
18.20	19.80	4.37	8.76	74.74
19.80	21.30	4.42	12.28	66.51
21.30	22.80	6.14	13.10	94.63
22.80	24.30	7.94	11.97	114.17
24.30	25.90	3.58	6.93	45.26
25.90	45.70	N/A	N/A	N/A

HOLE NO: U-72
 HOLE LENGTH: 137.30

LATITUDE: 10842.74
 DEPARTURE: 7494.99
 ELEVATION: 1124.62

AZIMUTH: 224.08
 DIP: -56.15

DIP TESTS: DEPTH DIP AZIMUTH
 45.72 -71.00 224.08
 112.70 -82.00 224.08

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TCN
0.00	1.50	2.08	1.32	22.29
1.50	3.00	2.50	1.00	25.37
3.00	4.50	3.00	1.44	38.40
4.50	6.10	2.10	.66	29.14
6.10	7.60	1.25	.52	16.11
7.60	9.10	1.15	.78	17.14
9.10	10.60	.60	.39	10.97
10.60	12.10	.58	.70	9.94
12.10	13.70	.31	.45	4.11
13.70	15.20	.35	.67	6.17
15.20	16.70	.44	.63	5.14
16.70	18.20	.27	.54	6.17
18.20	19.80	.27	.45	5.14
19.80	21.30	1.50	2.80	23.31
21.30	22.80	1.58	1.20	27.43
22.80	24.30	2.35	3.65	45.26
24.30	25.90	.79	1.15	26.40
25.90	27.40	2.50	3.94	33.26
27.40	28.90	1.27	1.92	23.31
28.90	30.40	5.81	7.71	74.74
30.40	40.80	N/A	N/A	N/A
40.80	42.70	1.40	2.25	29.14
42.70	63.70	N/A	N/A	N/A
63.70	65.50	3.05	5.05	60.34
65.50	103.00	N/A	N/A	N/A
103.00	105.10	1.74	2.25	28.46
105.10	106.60	3.08	3.00	39.43
106.60	108.20	2.23	2.54	30.17
108.20	109.70	.70	.63	9.94
109.70	111.20	2.98	3.12	34.29
111.20	112.70	2.95	3.20	36.34
112.70	115.20	.25	.46	4.11
115.20	117.30	.64	1.35	9.94
117.30	118.80	.99	1.21	15.09
118.80	120.30	1.23	2.40	17.14
120.30	121.90	1.33	1.43	23.31
121.90	123.40	1.40	1.55	28.46
123.40	124.90	2.88	3.90	45.26
124.90	126.40	10.09	19.85	181.37
126.40	128.00	9.32	20.36	156.34
128.00	129.50	8.71	18.60	141.26
129.50	131.00	7.57	15.47	102.86
131.00	132.50	1.78	3.38	37.37
132.50	134.10	2.60	6.03	59.31
134.10	135.60	9.20	14.85	146.06
135.60	137.30	9.47	14.00	153.26

HOLE NO: U-73
 HOLE LENGTH: 121.90

LATITUDE: 10841.07
 DEPARTURE: 7494.76
 ELEVATION: 1126.00

AZIMUTH: 196.17
 DIP: 1.16

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	2.90	2.15	1.64	24.34
2.90	4.40	.66	.45	10.97
4.40	5.30	3.28	2.70	35.31
5.30	7.60	4.45	7.84	52.46
7.60	9.00	4.20	7.84	49.37
9.00	10.70	3.70	5.75	40.46
10.70	12.00	3.30	3.90	34.29
12.00	14.40	.60	.88	12.00
14.40	15.20	2.28	4.36	40.46
15.20	17.10	2.75	4.75	50.40
17.10	19.10	2.98	6.80	46.29
19.10	20.70	4.03	9.32	59.31
20.70	23.20	3.58	7.94	53.49
23.20	24.40	7.09	10.64	108.00
24.40	25.90	7.64	10.23	105.94
25.90	26.80	7.80	12.93	111.09
26.80	29.20	6.20	12.16	101.83
29.20	29.80	7.74	12.77	122.06
29.80	30.20	1.43	1.60	16.11
30.20	31.90	11.82	23.00	146.06
31.90	32.50	9.32	15.68	160.46
32.50	33.30	.26	.15	8.91
33.30	34.50	3.09	5.40	48.34
34.50	35.50	9.12	13.74	175.54
35.50	36.00	.16	.25	1.03
36.00	38.50	N/A	N/A	N/A
38.50	39.20	7.59	17.61	55.54
39.20	41.90	.78	1.62	12.00
41.90	121.90	N/A	N/A	N/A

HOLE NO: U-74
 HOLE LENGTH: 107.90

LATITUDE: 10602.79
 DEPARTURE: 7732.38
 ELEVATION: 1174.98

AZIMUTH: 147.35
 DIP: 8.30

DIP TESTS:	DEPTH	CIP	AZIMUTH
	45.70	3.00	149.00
	76.20	1.00	149.00
	106.70	-1.00	149.00

DIP !!
 Reversed from
 test readings
 due to instrument
 being put down
 hole backwards

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	56.50	N/A	N/A	N/A
56.50	57.90	3.38	3.52	44.23
57.90	59.20	.85	1.40	13.03
59.20	60.50	3.33	5.40	35.31
60.50	61.60	1.72	1.85	23.31
61.60	67.90	N/A	N/A	N/A
67.90	69.30	.11	.68	10.97
69.30	70.60	.12	.45	8.91
70.60	71.90	.32	1.20	17.14
71.90	73.10	.07	1.15	6.17
73.10	74.50	.05	.73	8.23
74.50	75.70	.80	1.90	30.17
75.70	77.00	.49	1.73	23.31
77.00	78.60	.45	1.58	21.26
78.60	79.90	.48	1.40	16.11
79.90	81.50	.09	.60	10.97
81.50	82.80	.49	2.33	15.09
82.80	84.30	.08	.45	7.20
84.30	85.60	.07	.68	7.20
85.60	86.80	.10	.67	8.91
86.80	88.20	.08	.58	8.91
88.20	91.40	.50	.75	17.14
91.40	96.80	N/A	N/A	N/A
96.80	97.50	.62	1.00	28.46
97.50	103.10	N/A	N/A	N/A
103.10	104.50	1.67	2.28	26.40
104.50	105.90	2.25	2.78	34.29
105.90	107.90	N/A	N/A	N/A

HOLE NO: U-75
 HOLE LENGTH: 170.70

LATITUDE: 10843.47
 DEPARTURE: 7495.47
 ELEVATION: 1124.59

AZIMUTH: 39.40
 DIP: -75.25

DIP TESTS:	DEPTH	DIP	AZIMUTH
	60.96	-84.00	20.00
	106.68	-86.00	302.00
	152.40	-86.00	232.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	4.80	N/A	N/A	N/A
4.80	6.90	.75	1.10	10.97
6.90	8.50	2.10	1.82	24.34
8.50	12.10	N/A	N/A	N/A
12.10	13.40	2.93	1.64	31.20
13.40	22.20	N/A	N/A	N/A
22.20	24.60	.40	.64	7.20
24.60	26.30	N/A	N/A	N/A
26.30	29.00	1.30	.18	15.09
29.00	41.10	N/A	N/A	N/A
41.10	42.70	.55	1.12	13.03
42.70	48.70	N/A	N/A	N/A
48.70	50.90	2.03	2.26	32.23
50.90	53.70	.13	.33	10.97
53.70	55.20	5.20	8.30	85.72
55.20	56.70	5.15	8.20	105.94
56.70	57.60	2.35	.90	29.14
57.60	59.60	2.70	3.70	59.31
59.60	60.50	3.80	4.30	50.40
60.50	61.00	6.10	9.22	125.14
61.00	61.50	3.18	4.70	45.26
61.50	62.10	3.18	4.70	45.26
62.10	63.60	8.70	11.66	144.32
63.60	65.50	4.83	8.86	77.83
65.50	67.10	5.30	8.60	87.77
67.10	68.60	4.90	9.01	91.89
68.60	70.10	3.88	8.17	69.60
70.10	71.60	4.60	7.82	70.63
71.60	73.20	4.65	7.61	76.80
73.20	74.50	5.20	8.50	87.77
74.50	127.50	N/A	N/A	N/A
127.50	128.60	3.38	6.57	51.43
128.60	129.50	5.87	11.66	89.83
129.50	131.60	2.03	2.75	35.31
131.60	132.30	.13	.33	14.06
132.30	132.90	2.50	4.10	42.51
132.90	147.80	N/A	N/A	N/A
147.80	149.90	.83	.89	15.09
149.90	151.00	N/A	N/A	N/A
151.00	152.40	.92	.98	14.06
152.40	165.80	N/A	N/A	N/A
165.80	167.40	2.53	2.35	30.17
167.40	170.70	N/A	N/A	N/A

HOLE NO: U-76
 HOLE LENGTH: 65.50

LATITUDE: 10602.16
 DEPARTURE: 7731.64
 ELEVATION: 1175.06

AZIMUTH: 169.08
 DIP: 5.40

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	18.30	N/A	N/A	N/A
18.30	21.10	.30	1.20	8.91
21.10	27.40	N/A	N/A	N/A
27.40	29.30	3.90	5.00	50.40
29.30	30.50	5.15	7.05	83.66
30.50	32.00	4.60	5.85	73.71
32.00	32.80	6.92	10.21	86.74
32.80	34.30	4.30	5.10	57.60
34.30	36.40	12.04	12.77	183.43
36.40	38.50	2.70	1.60	40.46
38.50	41.10	1.95	1.15	32.23
41.10	42.70	1.20	.25	20.23
42.70	65.50	N/A	N/A	N/A

HOLE NO: U-77
 HOLE LENGTH: 167.60

LATITUDE: 10844.45
 DEPARTURE: 7496.31
 ELEVATION: 1124.89

AZIMUTH: 44.00
 DIP: -55.37

DIP TESTS:	DEPTH	DIP	AZIMUTH
	30.48	-59.30	43.00
	60.96	-68.00	38.00
	96.01	-72.00	34.00
	167.60	-84.00	36.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	1.60	N/A	N/A	N/A
1.60	4.60	.98	1.00	9.94
4.60	12.20	N/A	N/A	N/A
12.20	13.70	2.55	4.00	30.17
13.70	65.60	N/A	N/A	N/A
65.60	68.60	1.21	1.60	21.26
68.60	70.10	1.88	2.50	25.37
70.10	71.60	.15	.60	24.34
71.60	73.20	5.75	10.05	101.83
73.20	74.70	7.80	14.42	105.94
74.70	76.20	1.53	1.60	30.17
76.20	77.70	.07	.27	8.23
77.70	79.20	.20	.75	9.94
79.20	80.80	.80	.55	24.34
80.80	82.30	.11	.41	5.14
82.30	83.80	5.83	8.62	97.72
83.80	85.30	2.70	3.75	44.23
85.30	88.40	1.05	1.45	13.03
88.40	90.00	N/A	N/A	N/A
90.00	92.90	.65	.88	12.00
92.90	94.40	1.35	1.67	19.20
94.40	96.00	1.38	1.44	21.26
96.00	97.50	.55	.60	8.91
97.50	99.00	2.03	2.40	27.43
99.00	100.50	.83	1.25	12.00
100.50	102.50	2.23	4.20	31.20
102.50	103.60	4.90	7.70	81.60
103.60	105.10	6.29	7.52	63.43
105.10	106.60	4.98	6.73	93.94
106.60	108.20	4.73	1.90	90.85
108.20	123.00	N/A	N/A	N/A
123.00	125.20	6.06	6.63	78.86
125.20	132.60	N/A	N/A	N/A
132.60	134.10	4.18	6.89	66.51
134.10	135.60	2.20	4.25	34.29
135.60	137.10	2.98	2.90	43.54
137.10	138.60	5.46	5.71	63.43
138.60	140.20	6.96	9.94	87.77
140.20	141.70	1.23	2.78	15.09
141.70	143.20	.08	1.22	5.14
143.20	145.50	3.75	4.55	50.40
145.50	163.00	.00	.00	.00
163.00	163.70	1.50	1.78	22.29
163.70	167.60	N/A	N/A	N/A

HOLE NO: U-78
 HOLE LENGTH: 106.70

LATITUDE: 10603.29
 DEPARTURE: 7732.98
 ELEVATION: 1175.07

AZIMUTH: ~~135.49~~
 DIP: 8.50

DIP TESTS:	DEPTH	DIP	AZIMUTH
	45.72	4.00	136.00
	76.20	2.00	136.00
	106.68	0.00	133.00

10,599.75 N
 7,790.10 E
 AZI: 135° 49'

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	38.10	N/A	N/A	N/A
38.10	39.60	.25	1.20	17.14
39.60	44.20	N/A	N/A	N/A
44.20	45.70	.05	1.00	9.94
45.70	50.30	N/A	N/A	N/A
50.30	51.80	.05	.62	5.14
51.80	56.10	N/A	N/A	N/A
56.10	57.60	.40	.42	26.40
57.60	64.00	N/A	N/A	N/A
64.00	65.50	.05	.25	4.11
65.50	70.10	N/A	N/A	N/A
70.10	71.60	.06	.37	9.94
71.60	77.70	N/A	N/A	N/A
77.70	79.20	.14	.75	8.23
79.20	83.80	N/A	N/A	N/A
83.80	85.30	.11	.55	18.17
85.30	89.90	N/A	N/A	N/A
89.90	91.40	.09	.25	9.94
91.40	94.90	N/A	N/A	N/A
94.90	96.50	1.73	2.20	28.46
96.50	97.80	.66	1.28	20.23
97.80	99.40	.13	.75	9.94
99.40	106.70	N/A	N/A	N/A

HOLE NO: U-79
 HOLE LENGTH: 97.50

LATITUDE: 10841.87
 DEPARTURE: 7494.41
 ELEVATION: 1125.11

AZIMUTH: 218.23
 DIP: -29.51

DIP TESTS: DEPTH DIP AZIMUTH
 45.70 -35.00 227.00
 96.00 -41.00 228.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	1.50	1.37	1.00	18.17
1.50	3.00	.44	.24	8.91
3.00	4.60	.50	.14	9.94
4.60	6.10	3.40	1.78	35.31
6.10	7.60	2.93	2.63	30.17
7.60	9.10	3.15	1.30	32.22
9.10	10.70	3.10	1.00	29.14
10.70	12.20	1.53	.30	19.20
12.20	13.70	1.25	.26	28.45
13.70	15.20	.73	.38	16.11
15.20	16.80	2.88	3.45	31.20
16.80	18.30	2.60	1.32	29.14
18.30	19.80	1.89	1.56	23.31
19.80	21.30	2.38	2.86	26.40
21.30	22.90	1.85	.63	24.34
22.90	24.40	4.35	4.40	48.34
24.40	25.90	3.30	3.80	40.45
25.90	27.40	3.65	4.40	58.62
27.40	29.00	5.20	4.95	89.82
29.00	30.50	2.30	2.54	45.25
30.50	32.00	2.70	3.06	48.34
32.00	33.50	4.68	7.45	62.40
33.50	35.10	2.43	2.10	40.45
35.10	36.60	5.00	9.28	95.65
36.60	64.00	N/A	N/A	N/A
64.00	65.50	6.16	8.64	70.62
65.50	67.10	3.90	7.14	54.51
67.10	68.60	8.24	13.78	113.14
68.60	70.10	9.10	13.22	132.00
70.10	71.60	7.92	8.52	127.20
71.60	73.20	6.18	9.34	115.88
73.20	74.70	5.31	7.67	118.97
74.70	76.20	5.35	7.18	114.85
76.20	77.70	4.28	6.72	95.65
77.70	79.20	6.57	10.25	110.05
79.20	97.50	N/A	N/A	N/A

HOLE NO: U-80
 HOLE LENGTH: 76.20

LATITUDE: 10776.53
 DEPARTURE: 7687.98
 ELEVATION: 1154.80

AZIMUTH: 154.50
 DIP: 10.05

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	1.50	.82	.35	34.29
1.50	3.00	2.45	1.05	52.46
3.00	4.60	1.98	1.10	50.40
4.60	5.50	.80	.59	21.26
5.50	6.40	N/A	N/A	N/A
6.40	7.60	.23	4.00	8.91
7.60	9.10	.40	2.83	15.09
9.10	10.70	.83	4.70	21.26
10.70	12.20	2.05	5.00	39.43
12.20	13.70	1.52	3.88	28.46
13.70	15.20	1.77	5.65	28.46
15.20	16.80	5.20	7.11	72.69
16.80	18.30	2.40	5.15	37.37
18.30	19.80	2.10	4.38	34.29
19.80	21.30	2.10	2.88	30.17
21.30	22.90	1.00	2.55	16.11
22.90	24.40	1.29	2.43	21.26
24.40	25.90	1.04	2.92	19.20
25.90	27.40	1.05	2.65	17.14
27.40	29.00	3.35	6.07	50.40
29.00	30.50	3.30	8.49	56.57
30.50	32.00	2.50	5.48	39.43
32.00	33.50	1.45	1.65	22.29
33.50	35.10	.15	1.18	9.94
35.10	36.60	.35	1.40	13.03
36.60	38.10	1.14	1.95	22.29
38.10	39.60	2.65	4.50	37.37
39.60	41.10	5.05	9.52	65.49
41.10	42.70	3.45	5.15	52.46
42.70	44.20	4.95	2.95	89.83
44.20	45.70	4.40	8.98	65.49
45.70	47.20	2.43	2.13	35.31
47.20	48.80	5.65	4.30	71.66
48.80	50.30	2.33	3.80	32.23
50.30	51.80	1.45	3.78	26.40
51.80	53.30	5.35	5.20	72.69
53.30	54.90	2.78	4.90	39.43
54.90	56.40	3.05	6.70	50.40
56.40	57.90	3.00	6.98	39.43
57.90	59.40	1.00	2.53	20.23
59.40	60.50	3.43	7.80	55.54
60.50	76.20	N/A	N/A	N/A

HOLE NO: U-81
HOLE LENGTH: 38.10

LATITUDE: 10835.04
DEPARTURE: 7570.33
ELEVATION: 1137.79

AZIMUTH: 0.00
DIP: -90.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	9.10	N/A	N/A	N/A
9.10	10.70	3.38	5.60	59.31
10.70	12.20	4.35	5.40	68.57
12.20	15.20	2.95	2.38	45.25
15.20	18.30	1.61	1.15	16.11
18.30	21.30	1.62	.85	19.20
21.30	24.40	2.03	.78	22.28
24.40	27.40	1.55	1.95	18.17
27.40	38.10	N/A	N/A	N/A

HOLE NO: U-82
 HOLE LENGTH: 45.70

LATITUDE: 10776.09
 DEPARTURE: 7686.96
 ELEVATION: 1154.67

AZIMUTH: 186.54
 DIP: 9.38

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	2.70	N/A	N/A	N/A
2.70	4.90	2.58	5.39	36.34
4.90	6.90	N/A	N/A	N/A
6.90	9.10	.84	1.83	13.03
9.10	11.40	1.03	3.48	19.20
11.40	13.70	2.05	3.70	29.14
13.70	15.20	2.40	3.95	40.46
15.20	16.80	2.05	4.95	31.20
16.80	18.30	1.15	2.28	18.17
18.30	19.80	1.15	3.00	20.23
19.80	21.30	.91	3.20	15.09
21.30	22.90	1.48	2.80	27.43
22.90	24.40	2.05	3.80	41.49
24.40	25.90	6.29	11.52	112.12
25.90	27.40	2.88	5.82	60.34
27.40	29.00	3.40	5.50	61.37
29.00	30.50	4.28	3.15	61.37
30.50	32.00	3.90	1.76	50.40
32.00	33.50	5.48	3.02	69.60
33.50	35.10	.14	.86	2.05
35.10	36.60	.53	.20	7.88
36.60	38.10	.20	.10	3.08
38.10	39.60	.63	.22	9.94
39.60	41.10	.28	.82	5.14
41.10	42.50	.45	1.40	5.14
42.50	44.20	.15	.34	.34
44.20	45.70	1.28	2.64	23.31

HOLE NO: U-84
 HOLE LENGTH: 76.20

LATITUDE: 10780.56
 DEPARTURE: 7687.55
 ELEVATION: 1153.23

AZIMUTH: 49.27
 DIP: -55.03

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	3.00	5.51	6.68	66.51
3.00	4.60	3.80	8.13	56.57
4.60	6.20	3.83	7.96	61.37
6.20	10.20	.05	.14	.34
10.20	12.50	8.27	13.41	136.12
12.50	13.00	.10	2.10	2.06
13.00	13.70	6.99	14.17	99.77
13.70	15.20	8.37	13.51	156.34
15.20	16.90	8.59	16.37	149.14
16.90	17.30	.05	.22	2.06
17.30	18.60	4.25	9.69	77.83
18.60	41.10	N/A	N/A	N/A
41.10	42.70	8.32	10.89	111.09
42.70	44.20	7.16	12.41	106.97
44.20	45.70	5.20	13.11	84.68
45.70	47.20	4.79	9.87	73.71
47.20	48.80	4.08	8.46	66.51
48.80	50.30	4.50	8.56	78.85
50.30	51.80	5.20	7.69	75.77
51.80	53.30	7.34	9.41	100.80
53.30	54.90	4.30	7.64	74.74
54.90	76.20	N/A	N/A	N/A

HOLE NO: U-85
 HOLE LENGTH: 44.20

LATITUDE: 10834.14
 DEPARTURE: 7570.12
 ELEVATION: 1142.23

AZIMUTH: 227.02
 DIP: 65.07

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	7.60	N/A	N/A	N/A
7.60	9.10	.83	1.00	17.14
9.10	10.70	.63	1.13	13.03
10.70	12.20	.93	1.93	16.11
12.20	13.70	.58	1.20	10.97
13.70	15.20	4.10	8.96	62.40
15.20	16.80	7.12	17.45	114.17
16.80	18.30	7.22	22.48	120.00
18.30	19.80	5.32	17.28	87.77
19.80	21.30	6.40	11.30	98.74
21.30	23.20	5.63	11.09	84.69
23.20	44.20	N/A	N/A	N/A

HOLE NO: U-86
 HOLE LENGTH: 94.50

LATITUDE: 10782.36
 DEPARTURE: 7693.25
 ELEVATION: 1153.99

AZIMUTH: 41.12
 DIP: -31.12

DIP TESTS: DEPTH 94.40 DIP -47.00 AZIMUTH 48.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	3.30	3.65	8.15	59.31
3.30	6.10	N/A	N/A	N/A
6.10	7.60	6.70	17.88	116.91
7.60	7.90	N/A	N/A	N/A
7.90	9.10	5.00	17.62	100.80
9.10	9.80	4.28	9.58	70.62
9.80	54.40	N/A	N/A	N/A
54.40	55.40	4.25	6.84	69.60
55.40	81.00	N/A	N/A	N/A
81.00	82.30	2.68	5.00	40.45
82.30	83.80	2.45	4.10	39.42
83.80	85.30	.78	.52	9.94
85.30	94.50	N/A	N/A	N/A

HOLE NO: U-88
HOLE LENGTH: 65.50

LATITUDE: 10750.45
DEPARTURE: 7733.16
ELEVATION: 1156.05

AZIMUTH: 0.00
DIP: -90.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	1.50	10.85	23.68	124.11
1.50	3.00	6.33	9.54	55.54
3.00	4.60	5.35	8.80	130.97
4.60	6.10	1.60	3.40	29.14
6.10	7.60	6.51	16.00	109.02
7.60	9.10	5.45	11.54	86.74
9.10	10.70	6.83	11.02	89.82
10.70	12.20	5.80	5.10	83.65
12.20	13.70	4.40	6.67	65.48
13.70	15.70	7.13	12.16	121.02
15.70	16.80	1.78	2.70	36.34
16.80	44.20	N/A	N/A	N/A
44.20	45.70	5.65	7.90	79.54
45.70	50.40	N/A	N/A	N/A
50.40	51.80	6.05	9.15	94.62
51.80	53.30	7.05	9.15	100.80
53.30	54.70	7.15	9.15	104.91
54.70	56.20	2.83	4.15	41.48
56.20	57.90	6.58	6.88	85.71
57.90	59.40	2.73	2.00	27.42
59.40	61.00	2.85	1.64	32.22
61.00	62.50	5.80	7.26	79.54
62.50	64.00	3.69	7.16	60.34
64.00	65.50	1.90	4.00	32.22

HOLE NO: U-89
 HOLE LENGTH: 38.10

LATITUDE: 10820.70 ✓
 DEPARTURE: 7559.00 ✓
 ELEVATION: 1141.32 ✓

AZIMUTH: 201.23
 DIP: +54.18

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	1.50	.93	1.78	14.06
1.50	3.00	.69	1.18	13.03
3.00	4.60	2.57	4.05	35.31
4.60	6.10	1.90	4.45	27.43
6.10	7.60	1.59	2.60	23.31
7.60	9.10	.73	.88	13.03
9.10	10.70	1.15	1.13	17.14
10.70	12.20	1.45	1.65	24.34
12.20	13.70	2.20	3.85	32.23
13.70	15.20	2.58	4.50	36.34
15.20	16.80	2.35	4.70	33.26
16.80	18.30	1.44	2.23	20.23
18.30	19.80	9.05	15.37	111.09
19.80	21.30	9.91	18.46	147.09
21.30	22.90	9.65	20.62	169.37
22.90	24.40	8.40	18.55	143.32
24.40	25.90	10.59	22.50	154.29
25.90	27.40	6.54	12.92	103.89
27.40	29.00	8.07	12.36	123.09
29.00	30.50	N/A	N/A	N/A
30.50	32.00	6.74	8.51	103.89
32.00	38.10	N/A	N/A	N/A

HOLE NO: U-91 LATITUDE: 10926.78✓ AZIMUTH: 230.24✓
HOLE LENGTH: 97.50✓ DEPARTURE: 7571.58✓ DIP: -8.26✓
ELEVATION: 1124.82✓

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	1.50	1.86	2.63	35.31
1.50	3.00	2.63	2.35	50.40
3.00	4.60	1.73	3.63	33.26
4.60	6.10	.78	1.83	17.14
6.10	7.60	2.38	4.85	44.23
7.60	9.10	1.42	2.93	28.46
9.10	10.70	1.28	2.50	22.29
10.70	12.20	1.96	3.00	32.23
12.20	13.70	1.61	2.58	24.34
13.70	15.20	1.88	3.75	26.40
15.20	16.80	.85	1.93	12.00
16.80	18.30	3.13	4.65	42.51
18.30	19.80	3.23	4.30	46.59
19.80	22.90	2.08	4.88	24.40
22.90	25.90	.98	1.93	14.06
25.90	29.00	1.68	2.83	25.37
29.00	30.50	2.33	2.50	35.31
30.50	32.00	1.65	.98	23.31
32.00	33.50	1.60	1.63	26.40
33.50	35.10	1.18	.98	17.14
35.10	38.10	.75	1.68	9.94
38.10	41.10	N/A	N/A	N/A
41.10	42.70	1.20	2.13	23.31
42.70	60.00	N/A	N/A	N/A
60.00	62.50	.78	1.48	16.11
62.50	64.00	3.48	3.70	50.40
64.00	65.50	3.08	6.65	49.37
65.50	67.10	1.50	3.00	26.40
67.10	68.60	1.40	2.23	26.34
68.60	70.10	.73	1.35	10.97
70.10	73.20	1.08	.88	13.03
73.20	76.20	.70	.98	13.03
76.20	77.70	1.53	2.10	25.37
77.70	79.20	N/A	N/A	N/A
79.20	80.80	.55	.75	17.14
80.80	82.30	.43	.93	8.22
82.30	83.80	1.08	1.75	13.02
83.80	85.30	4.73	1.26	50.40
85.30	86.90	3.30	2.86	41.48
86.90	88.40	1.03	1.30	10.97
88.40	89.90	.53	.63	8.22
89.90	91.40	.52	.68	6.17
91.40	93.00	.50	.60	7.20
93.00	94.50	.48	.68	8.22
94.50	96.00	2.98	3.55	49.37
96.00	97.50	.83	.68	16.11

HOLE NO: U-92 LATITUDE: 10749.48 ✓ AZIMUTH: 223.44 ✓
 HOLE LENGTH: 73.20 ✓ DEPARTURE: 7730.37 ✓ DIP: -0.57 ✓
 ELEVATION: 1157.06 ✓

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TDN
0.00	1.80	8.40	16.10	124.12
1.80	3.50	9.85	13.27	160.46
3.50	5.00	8.70	15.02	122.06
5.00	6.40	9.17	15.27	137.14
6.40	7.60	7.07	14.51	103.89
7.60	8.80	10.75	19.12	127.20
8.80	10.40	1.44	7.35	23.31
10.40	11.80	1.09	9.37	17.14
11.80	13.80	1.55	7.01	32.23
13.80	15.20	4.35	10.36	72.69
15.20	16.70	7.90	18.25	94.63
16.70	18.30	8.78	13.59	114.86
18.30	19.80	1.08	5.50	17.14
19.80	21.30	3.05	8.31	42.51
21.30	22.90	.89	3.40	17.14
22.90	24.40	1.14	3.60	21.26
24.40	25.90	1.38	2.93	25.37
25.90	27.60	4.50	7.90	62.40
27.60	29.00	1.33	2.05	34.29
29.00	30.90	1.80	2.23	34.29
30.90	32.80	2.23	3.58	36.34
32.80	34.60	.81	.98	17.14
34.60	36.60	3.23	5.65	48.34
36.60	38.10	3.42	3.50	54.51
38.10	39.60	2.54	3.45	43.54
39.60	41.10	3.88	2.85	42.51
41.10	42.70	1.85	3.38	26.40
42.70	44.20	.77	1.75	17.14
44.20	45.30	1.70	2.78	34.29
45.30	47.50	2.18	4.48	29.14
47.50	73.20	N/A	N/A	N/A

DIAMOND DRILL LOG MA

STER FILE

HOLE NO: U-93 ✓ LATITUDE: 10925.53 ✓ AZIMUTH: 225.44 ✓
 HOLE LENGTH: 76.20 ✓ DEPARTURE: 7572.89 ✓ DIP: +30.32 ✓
 ELEVATION: 1126.41 ✓

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	1.50	1.78	2.00	37.37
1.50	3.00	1.82	2.78	35.31
3.00	4.60	2.60	4.55	50.40
4.60	7.60	2.53	3.58	45.26
7.60	9.10	2.45	3.90	45.26
9.10	10.70	2.90	3.80	53.49
10.70	12.20	2.10	4.40	37.37
12.20	13.70	1.95	2.80	29.14
13.70	15.20	1.28	2.93	10.97
15.20	16.80	1.13	3.25	15.09
16.80	18.30	1.05	2.33	20.23
18.30	19.80	1.65	2.88	23.31
19.80	21.30	1.68	2.38	22.29
21.30	22.90	2.05	3.30	33.26
22.90	24.40	1.13	1.08	16.11
24.40	25.90	1.35	1.73	24.34
25.90	27.40	1.90	2.15	26.40
27.40	29.00	.68	.70	10.97
29.00	43.90	N/A	N/A	N/A
43.90	45.70	2.85	6.31	47.31
45.70	47.20	2.08	3.50	28.46
47.20	48.80	2.00	3.80	28.46
48.80	50.30	1.48	3.38	23.31
50.30	51.80	1.13	2.53	18.17
51.80	53.30	.68	1.50	14.06
53.30	54.90	.98	2.08	17.14
54.90	57.90	.88	1.05	13.03
57.90	59.40	2.98	1.85	35.31
59.40	61.00	1.78	4.10	29.14
61.00	62.50	.63	2.03	24.34
62.50	64.00	2.68	5.45	44.23
64.00	65.50	3.38	6.11	56.57
65.50	67.10	6.86	12.32	104.92
67.10	68.00	N/A	N/A	N/A
68.00	69.50	4.62	9.59	74.74
69.50	76.20	N/A	N/A	N/A

HOLE NO: U-94 ✓ LATITUDE: 10968.13 ✓ AZIMUTH: 347.28 ✓
 HOLE LENGTH: 26.20 ✓ DEPARTURE: 7378.32 ✓ DIP: 5.00 ✓
 ELEVATION: 1099.79 ✓

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	1.70	4.35	7.44	62.40
1.70	2.70	N/A	N/A	N/A
2.70	5.10	1.48	4.43	24.34
5.10	6.10	N/A	N/A	N/A
6.10	7.60	.28	1.05	5.14
7.60	9.10	.43	1.05	7.20
9.10	10.70	.33	.63	5.14
10.70	13.90	.55	.60	10.97
13.90	14.70	N/A	N/A	N/A
14.70	16.80	.68	.98	13.03
16.80	18.30	.23	.38	5.14
18.30	20.10	1.05	.75	16.11
20.10	21.60	.35	.59	7.20
21.60	23.30	.35	.34	5.14
23.30	24.60	N/A	N/A	N/A
24.60	26.20	.73	.60	10.97

HOLE NO: U-95 LATITUDE: 10926.50 ✓ AZIMUTH: 224.52 ✓
 HOLE LENGTH: 121.90 ✓ DEPARTURE: 7572.53 ✓ DIP: -49.34 ✓
 ELEVATION: 1124.08 ✓

DIP TESTS: DEPTH ✓ CIP ✓ AZIMUTH ✓
 60.90 ✓ -56.00 ✓ 227.00 ✓
 106.68 ✓ -60.00 ✓ 226.00 ✓

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	1.50	3.28	6.14	57.60
1.50	3.00	4.63	3.85	73.71
3.00	4.60	2.45	5.35	41.49
4.60	6.70	3.50	5.90	54.51
6.70	9.10	2.20	4.97	40.46
9.10	10.70	2.93	4.28	33.26
10.70	12.20	2.15	3.60	32.23
12.20	13.70	4.50	8.41	73.71
13.70	15.20	4.05	6.14	70.63
15.20	16.80	1.96	3.35	34.29
16.80	18.30	1.28	2.95	26.40
18.30	19.80	2.80	4.55	46.29
19.80	21.30	6.92	9.48	88.80
21.30	22.90	6.55	5.90	90.86
22.90	24.40	5.40	10.22	55.54
24.40	25.50	N/A	N/A	N/A
25.50	27.10	3.55	11.25	65.49
27.10	28.60	1.43	3.53	26.40
28.60	30.90	1.98	7.16	31.20
30.90	38.20	N/A	N/A	N/A
38.20	41.10	6.10	13.70	87.77
41.10	42.70	6.45	11.70	93.94
42.70	44.20	5.96	8.36	78.86
44.20	45.70	3.55	4.20	50.40
45.70	47.20	2.38	2.65	38.40
47.20	50.30	N/A	N/A	N/A
50.30	51.80	3.35	5.40	52.46
51.80	53.60	2.13	2.60	30.17
53.60	110.50	N/A	N/A	N/A
110.50	112.80	.20	.33	8.23
112.80	114.30	1.08	1.38	18.17
114.30	115.80	3.85	6.67	66.51
115.80	117.30	7.00	8.23	74.74
117.30	119.50	5.19	4.70	92.92
119.50	121.90	N/A	N/A	N/A

HOLE NO: U-96 LATITUDE: 10749.52 ✓ AZIMUTH: 223.17 ✓
 HOLE LENGTH: 121.90 ✓ DEPARTURE: 7730.76 ✓ DIP: 19.27 ✓
 ELEVATION: 1158.03 ✓

DIP TESTS: DEPTH DIP AZIMUTH
 83.82 ✓ 17.00 ✓ 225.00 ✓
 120.40 ✓ 15.00 ✓ 228.00 ✓

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	1.50	2.90	8.50	53.49
1.50	3.00	6.26	11.49	129.26
3.00	4.60	4.80	14.44	47.31
4.60	6.10	5.73	16.23	60.34
6.10	7.40	4.45	12.05	63.43
7.40	9.30	10.01	18.35	135.09
9.30	10.70	6.94	14.60	103.89
10.70	12.20	7.19	14.61	105.94
12.20	13.70	6.70	10.20	91.89
13.70	15.20	5.00	11.17	73.71
15.20	16.70	5.46	11.15	80.57
16.70	18.70	.59	4.40	14.06
18.70	19.80	2.20	4.30	39.43
19.80	21.70	1.18	2.28	23.31
21.70	22.90	.66	1.68	13.03
22.90	24.40	.58	.90	9.94
24.40	25.90	1.10	2.58	16.11
25.90	27.40	3.70	7.15	56.57
27.40	29.00	3.13	3.55	42.51
29.00	30.50	3.40	3.35	43.54
30.50	32.00	1.43	1.80	32.23
32.00	33.50	1.10	3.80	16.11
33.50	35.30	1.80	3.38	23.31
35.30	36.20	.23	3.50	3.09
36.20	38.10	2.78	5.50	40.46
38.10	39.60	2.53	5.67	39.43
39.60	41.10	.68	.60	12.00
41.10	42.70	.95	1.75	15.09
42.70	44.20	3.23	4.15	73.71
44.20	45.70	2.83	4.12	64.46
45.70	47.20	.05	.13	.00
47.20	48.80	1.48	2.80	27.43
48.80	50.30	.73	1.93	14.06
50.30	56.40	N/A	N/A	N/A
56.40	57.90	.50	1.25	7.20
57.90	98.10	N/A	N/A	N/A
98.10	99.90	3.45	4.70	48.34
99.90	101.40	8.84	20.27	116.92
101.40	102.70	6.41	15.49	95.66
102.70	104.40	7.20	13.54	98.74
104.40	121.90	N/A	N/A	N/A

HOLE NO: U-97 LATITUDE: 10926.18 ✓ AZIMUTH: 219.02 ✓
HOLE LENGTH: 62.50 ✓ DEPARTURE: 7572.66 ✓ DIP: -31.00 ✓
ELEVATION: 1124.22 ✓

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	3.00	3.03	5.65	51.43
3.00	4.60	2.93	4.60	50.40
4.60	6.10	2.20	2.75	39.43
6.10	7.60	2.43	4.90	46.29
7.60	9.10	1.73	4.03	34.29
9.10	10.70	1.13	3.03	21.26
10.70	12.20	1.58	2.98	27.43
12.20	13.70	1.53	4.65	26.40
13.70	15.20	1.28	4.78	24.34
15.20	16.80	1.43	5.47	28.46
16.80	18.30	2.98	4.35	55.54
18.30	21.30	2.23	8.02	40.46
21.30	22.90	1.65	5.15	28.46
22.90	24.40	1.68	5.07	39.43
24.40	25.90	1.75	4.50	37.37
25.90	27.40	1.85	5.08	44.23
27.40	29.00	1.98	4.05	46.29
29.00	30.50	2.13	3.40	52.46
30.50	32.00	1.83	4.90	42.51
32.00	33.50	2.81	4.65	56.57
33.50	35.10	3.78	6.55	69.60
35.10	36.60	1.63	4.84	33.26
36.60	38.10	3.35	8.20	62.40
38.10	39.60	3.23	7.65	64.46
39.60	40.80	3.58	7.13	66.51
40.80	42.00	3.80	8.95	74.74
42.00	44.20	3.13	10.48	43.54
44.20	45.70	3.58	7.85	58.63
45.70	47.20	1.30	2.88	20.23
47.20	49.30	1.15	2.80	20.23
49.30	62.50	N/A	N/A	N/A

HOLE NO: U-98 LATITUDE: 10749.23 ✓ AZIMUTH: 215.29 ✗
 HOLE LENGTH: 83.80 ✓ DEPARTURE: 7731.64 ✓ DIP: -66.42 ✓
 ELEVATION: 1156.09 ✓

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TDN
0.00	2.00	4.75	8.61	70.60
2.00	3.80	8.37	19.67	145.00
3.80	5.80	9.17	23.91	152.20
5.80	8.10	2.10	4.65	43.50
8.10	10.20	7.02	9.74	121.00
10.20	12.60	5.46	11.55	76.80
12.60	14.20	3.10	4.05	46.30
14.20	15.60	5.26	7.44	94.60
15.60	17.10	2.68	4.70	45.30
17.10	18.30	1.13	1.78	14.10
18.30	21.50	N/A	N/A	N/A
21.50	22.90	.68	1.30	9.94
22.90	24.40	.73	.75	18.17
24.40	25.90	1.80	2.80	29.14
25.90	27.40	3.78	7.05	46.29
27.40	63.80	N/A	N/A	N/A

HOLE NO: U-99 ✓ LATITUDE: 10935.22 ✓ AZIMUTH: 217.15 ✓
 HOLE LENGTH: 182.90 ✓ DEPARTURE: 7583.25 ✓ DIP: -60.17 ✓
 ELEVATION: 1123.95 ✓

DIP TESTS:	DEPTH	DIP	AZIMUTH
	60.96 ✓	-68.00 ✓	218.00 ✓
	106.60 ✓	-73.00 ✓	223.00 ✓
	152.40 ✓	-76.00 ✓	222.00 ✓
	182.80 ✓	-79.00 ✓	214.00 ✓

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	1.50	5.81	6.40	68.57
1.50	3.00	4.18	9.07	63.43
3.00	4.60	4.90	12.40	78.86
4.60	6.10	3.00	8.22	83.66
6.10	7.60	2.60	6.27	43.54
7.60	49.20	.00	.00	.00
49.20	50.60	4.09	5.78	62.40
50.60	114.30	.00	.00	.00
114.30	115.80	6.20	11.25	108.00
115.80	117.30	4.30	6.93	55.54
117.30	119.70	6.47	9.15	104.92
119.70	121.00	6.16	8.77	80.57
121.00	123.40	3.10	4.50	44.23
123.40	125.00	2.98	4.35	39.43
125.00	126.50	.85	1.38	10.97
126.50	132.90	N/A	N/A	N/A
132.90	135.60	.55	.63	15.09
135.60	139.50	.38	.58	8.91
139.50	143.30	.35	.38	8.91
143.30	145.30	.18	.60	7.20
145.30	147.00	.23	.60	7.20
147.00	148.70	.28	.43	13.03
148.70	150.30	N/A	N/A	N/A
150.30	153.30	3.00	3.75	49.37
153.30	182.90	N/A	N/A	N/A

HOLE NO: U-100
 HOLE LENGTH: 121.90 ✓

LATITUDE: 10748.85 ✓
 DEPARTURE: 7731.50 ✓
 ELEVATION: 1159.02 ✓

AZIMUTH: 222.29
 DIP: 35.07

DIP TESTS: DEPTH DIP AZIMUTH
 61.00 ✓ 33.00 ✓ 223.00 ✓
 120.40 ✓ 37.00 ✓ 233.00 ✓

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	3.00	5.75	11.65	96.69
3.00	4.60	7.70	14.97	111.09
4.60	6.10	11.77	21.01	164.57
6.10	7.60	9.26	16.97	127.20
7.60	9.10	7.30	13.60	90.86
9.10	10.70	6.75	13.13	92.92
10.70	12.20	2.85	6.01	37.37
12.20	13.70	6.15	10.53	78.86
13.70	15.20	2.00	4.24	33.26
15.20	16.80	1.03	3.50	23.31
16.80	18.30	1.73	4.38	33.26
18.30	19.80	4.74	10.17	68.57
19.80	21.30	3.78	4.10	52.46
21.30	22.90	1.23	1.88	17.14
22.90	24.40	2.50	3.05	33.26
24.40	25.90	2.78	4.55	36.34
25.90	26.70	1.63	2.88	25.37
26.70	27.40	2.18	5.93	30.17
27.40	29.80	1.23	2.73	19.20
29.80	31.50	3.14	5.60	50.40
31.50	33.50	2.83	6.49	40.46
33.50	35.10	1.38	2.55	17.14
35.10	36.60	2.38	5.90	34.29
36.60	38.10	1.13	4.94	17.14
38.10	39.60	3.08	3.50	41.49
39.60	41.10	1.70	7.00	25.37
41.10	42.70	1.05	2.63	15.09
42.70	44.20	4.89	10.94	86.74
44.20	47.20	2.43	3.15	37.37
47.20	48.80	4.89	2.75	71.66
48.80	50.30	5.54	4.50	72.69
50.30	51.80	1.90	1.83	26.40
51.80	54.00	1.43	.68	18.17
54.00	56.50	.00	.13	.00
56.50	58.70	1.10	2.45	15.09
58.70	80.20	N/A	N/A	N/A
80.20	82.00	2.20	5.20	31.20
82.00	83.20	1.38	3.70	22.29
83.20	86.40	.48	1.23	7.20
86.40	89.40	.55	1.53	7.20
89.40	90.40	3.28	5.50	45.26
90.40	92.20	3.43	6.97	47.31
92.20	121.90	N/A	N/A	N/A

HOLE NO: U-101
 HOLE LENGTH: 175.30 ✓

LATITUDE: ✓ 10936.50
 DEPARTURE: ✓ 7583.50
 ELEVATION: ✓ 1123.90

AZIMUTH: 44.00 ✓
 DIP: -85.00 ✓

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	2.70	4.98	7.46	74.74
2.70	4.20	2.88	5.40	46.29
4.20	54.90	N/A	N/A	N/A
54.90	56.40	7.77	13.02	126.17
56.40	57.90	2.80	2.76	41.49
57.90	59.40	3.38	3.06	49.37
59.40	61.00	4.65	3.10	72.69
61.00	62.50	4.08	4.86	64.46
62.50	64.00	3.50	2.80	50.40
64.00	65.60	4.35	5.84	66.51
65.60	67.30	N/A	N/A	N/A
67.30	70.10	1.93	2.70	28.46
70.10	71.60	2.60	3.66	40.46
71.60	73.20	3.08	2.46	45.26
73.20	74.70	2.05	2.60	32.23
74.70	77.70	.13	.60	3.09
77.70	80.80	1.48	3.00	24.34
80.80	83.80	1.03	1.20	19.20
83.80	86.90	1.30	1.88	20.23
86.90	89.90	.33	.46	6.17
89.90	91.40	1.48	2.18	24.34
91.40	93.00	1.98	2.80	31.20
93.00	95.50	.85	.90	10.97
95.50	98.10	1.18	1.20	13.03
98.10	99.20	8.05	13.43	130.97
99.20	130.60	N/A	N/A	N/A
130.60	132.60	.05	.13	2.06
132.60	134.10	.02	.03	.00
134.10	137.20	.03	.05	.00
137.20	140.20	.48	.73	6.17
140.20	141.70	.08	.18	3.09
141.70	143.30	.03	.13	.00
143.30	144.80	1.60	2.06	26.40
144.80	145.90	4.88	6.03	65.49
145.90	147.50	4.96	10.11	72.69
147.50	149.00	1.53	2.68	23.31
149.00	175.30	N/A	N/A	N/A

HOLE NO: U-102
 HOLE LENGTH: 47.20 ✓

LATITUDE: 10749.74 ✓
 DEPARTURE: 7731.80 ✓
 ELEVATION: 1160.64 ✓

AZIMUTH: 222.40 ✓
 DIP: 65.27 ✓

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	3.00	8.08	16.53	114.17
3.00	4.60	7.74	15.98	128.23
4.60	6.10	7.67	17.00	112.12
6.10	8.10	9.90	19.64	127.20
8.10	12.00	.95	1.68	12.00
12.00	13.70	6.15	8.89	74.74
13.70	15.20	3.05	5.95	46.29
15.20	18.30	2.80	3.05	35.31
18.30	19.80	6.97	5.20	87.77
19.80	22.20	.05	.03	.00
22.20	22.70	7.72	14.54	145.03
22.70	24.40	.55	1.05	13.03
24.40	25.90	.88	1.20	13.03
25.90	29.00	2.58	4.00	44.23
29.00	33.50	2.58	4.40	35.31
33.50	37.90	N/A	N/A	N/A
37.90	39.60	2.48	6.25	27.43
39.60	41.10	2.33	2.90	34.29
41.10	42.70	2.98	7.45	43.54
42.70	44.20	3.78	7.90	50.40
44.20	45.70	2.98	5.45	40.46
45.70	47.20	N/A	N/A	N/A

HOLE NO: U-103
 HOLE LENGTH: 129.50 ✓

LATITUDE: 10936.34 ✓
 DEPARTURE: 7583.72 ✓
 ELEVATION: 1123.93 ✓

AZIMUTH: 42.19 ✓
 DIP: -46.42 ✓

DIP TESTS:	DEPTH	DIP	AZIMUTH
	59.40 ✓	-59.00 ✓	56.00 ✓
	99.10 ✓	-62.00 ✓	60.00 ✓
	129.50 ✓	-63.00 ✓	67.00 ✓

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	1.50	5.56	8.35	81.60
1.50	3.00	4.43	7.20	64.46
3.00	4.60	3.23	4.45	42.51
4.60	129.50	N/A	N/A	N/A

HOLE NO: U-106
 HOLE LENGTH: 137.20 ✓

LATITUDE: 10752.19 ✓
 DEPARTURE: 7734.48 ✓
 ELEVATION: 1157.25 ✓

AZIMUTH: 46.00 ✓
 DIP: 0.00 ✓

DIP TESTS: DEPTH 111.30 ✓ DIP -1.00 ✓ AZIMUTH 46.00 ✓

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	1.50	9.86	22.57	168.34
1.50	3.50	8.40	19.86	137.14
3.50	4.60	4.58	12.62	78.86
4.60	6.20	8.81	19.97	137.14
6.20	9.20	9.20	15.20	150.17
9.20	10.70	9.74	13.95	130.97
10.70	13.90	9.41	14.72	146.06
13.90	15.20	.63	.48	14.06
15.20	16.80	.30	.45	6.17
16.80	94.50	N/A	N/A	N/A
94.50	97.50	.08	.00	.00
97.50	100.00	.78	.53	9.94
100.00	102.10	4.98	5.70	78.86
102.10	103.60	8.88	10.50	111.09
103.60	105.20	2.63	5.74	34.29
105.20	106.70	2.23	4.35	32.23
106.70	108.20	2.00	3.90	30.17
108.20	109.70	2.03	3.85	30.17
109.70	111.30	1.64	3.68	26.40
111.30	112.80	1.23	2.90	21.26
112.80	114.30	.75	1.40	15.09
114.30	115.80	1.45	2.58	22.29
115.80	117.30	1.28	3.40	17.14
117.30	118.90	1.10	2.43	16.11
118.90	120.40	1.30	3.68	21.26
120.40	121.90	1.10	2.80	20.23
121.90	123.40	1.25	4.78	24.34
123.40	125.10	1.58	5.20	34.29
125.10	127.50	.13	.25	.00
127.50	129.90	.10	.13	.00
129.90	137.20	N/A	N/A	N/A

HOLE NO: U-107
 HOLE LENGTH: 70.10 ✓

LATITUDE: 10936.50 ✓
 DEPARTURE: 7583.50 ✓
 ELEVATION: 1127.60 ✓

AZIMUTH: 0.00 ✓
 DIP: 90.00 ✓

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	3.00	1.78	2.60	28.46
3.00	7.60	.10	.18	.00
7.60	10.70	.01	.00	.00
10.70	12.20	2.03	3.46	31.20
12.20	13.70	1.55	2.55	23.31
13.70	15.20	1.68	2.85	26.40
15.20	16.80	1.60	3.45	30.17
16.80	18.30	1.00	2.13	18.17
18.30	19.80	1.38	2.00	21.26
19.80	21.30	1.53	1.88	24.34
21.30	22.90	2.75	3.40	38.40
22.90	24.40	3.80	5.00	53.49
24.40	25.90	4.20	5.55	55.54
25.90	27.40	2.85	4.85	38.40
27.40	29.00	4.50	8.36	73.71
29.00	30.50	7.35	12.75	100.80
30.50	32.00	6.08	9.91	84.69
32.00	33.50	3.30	7.82	54.51
33.50	35.00	3.65	9.70	48.34
35.00	36.50	3.15	4.95	52.46
36.50	38.60	2.89	3.35	38.40
38.60	42.00	N/A	N/A	N/A
42.00	44.20	3.60	6.43	60.34
44.20	45.70	1.15	2.18	22.29
45.70	47.20	2.08	2.45	30.17
47.20	48.80	1.95	1.76	28.11
48.80	50.30	1.55	3.30	39.14
50.30	52.00	1.85	2.05	26.40
52.00	57.50	N/A	N/A	N/A
57.50	59.40	2.70	4.40	41.49
59.40	61.00	1.78	3.00	34.29
61.00	62.50	6.26	9.96	97.72
62.50	70.10	N/A	N/A	N/A

HOLE NO: U-108 LATITUDE: 10751.56 ✓ AZIMUTH: 44.31 ✓
 HOLE LENGTH: 72.50 ✓ DEPARTURE: 7734.92 ✓ DIP: -30.57 ✓
 ELEVATION: 1156.25 ✓

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	3.00	9.31	21.22	144.23
3.00	4.60	3.70	6.91	55.54
4.60	6.10	4.19	6.74	83.66
6.10	7.80	5.98	10.61	85.72
7.80	9.10	6.38	9.64	88.80
9.10	10.70	.88	1.03	17.14
10.70	12.80	.83	1.15	17.14
12.80	53.90	N/A	N/A	N/A
53.90	54.90	8.30	9.87	117.60
54.90	56.40	7.85	9.51	111.09
56.40	58.60	6.75	8.44	92.92
58.60	61.00	6.54	8.64	84.69
61.00	62.50	2.73	2.35	34.29
62.50	64.00	1.65	1.50	23.31
64.00	65.50	3.60	2.78	37.37
65.50	67.10	1.80	1.48	20.23
67.10	68.60	1.05	.60	16.11
68.60	70.10	.10	.43	4.11
70.10	72.50	.43	.68	10.97

HOLE NO: U-109
 HOLE LENGTH: 116.70 ✓

LATITUDE: 10936.75 ✓
 DEPARTURE: 7585.23 ✓
 ELEVATION: 1127.59 ✓

AZIMUTH: 38.43 ✓
 DIP: 53.40 ✓

DIP TESTS:	DEPTH	DIP	AZIMUTH
	35.10 ✓	58.00 ✓	34.00 ✓
	65.50 ✓	62.00 ✓	31.00 ✓
	96.00 ✓	65.00 ✓	31.00 ✓

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	1.50	1.73	5.35	30.17
1.50	3.00	1.83	4.48	34.29
3.00	4.60	5.62	11.02	108.00
4.60	50.80	N/A	N/A	N/A
50.80	53.30	4.90	8.12	70.63
53.30	67.30	N/A	N/A	N/A
67.30	70.10	2.40	3.36	43.54
70.10	71.60	3.38	5.64	50.40
71.60	73.20	1.60	3.68	20.23
73.20	74.70	.35	.20	3.09
74.70	76.20	2.20	3.66	37.37
76.20	77.70	4.55	8.36	72.69
77.70	79.20	3.20	6.60	57.60
79.20	81.00	.68	1.18	8.91
81.00	90.80	N/A	N/A	N/A
90.80	93.00	1.63	1.88	21.26
93.00	94.50	2.15	3.30	33.26
94.50	96.00	2.43	4.10	38.40
96.00	97.50	1.70	3.95	28.11
97.50	99.10	.73	1.15	9.94
99.10	100.60	1.55	2.98	20.23
100.60	115.80	N/A	N/A	N/A
115.80	116.70	1.83	1.85	31.20

HOLE NO: U-111
 HOLE LENGTH: 122.80 ✓

LATITUDE: 10749.23 ✓
 DEPARTURE: 7731.63 ✓
 ELEVATION: 1156.10 ✓

AZIMUTH: 0.00 ✓
 DIP: -90.00 ✓

DIP TESTS:	DEPTH	DIP	AZIMUTH
	46.00 ✓	-89.00 ✓	202.00 ✓
	91.00 ✓	-86.00 ✓	122.00 ✓
	123.00 ✓	-83.00 ✓	122.00 ✓

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	59.80	N/A	N/A	N/A
59.80	61.30	6.20	6.00	67.54
61.30	62.80	5.10	6.37	63.43
62.80	64.30	2.35	3.46	31.20
64.30	65.80	.40	.68	7.89
65.80	67.30	.55	.73	9.94
67.30	68.80	.38	.35	5.14
68.80	70.30	1.70	2.80	18.17
70.30	71.80	.85	1.10	13.03
71.80	73.30	.28	.43	6.17
73.30	74.80	.55	.73	7.20
74.80	76.30	.78	.23	8.23
76.30	77.80	.33	.63	5.14
77.80	79.30	.28	.73	6.17
79.30	80.80	.13	.25	5.14
80.80	82.30	.28	.70	6.17
82.30	83.80	.13	.20	2.06
83.80	85.30	.10	.30	2.06
85.30	86.80	.00	.00	.00
86.80	88.30	.38	.25	7.20
88.30	89.80	.05	.03	3.09
89.80	91.30	.00	.00	.00
91.30	92.80	.00	.00	.00
92.80	105.80	N/A	N/A	N/A
105.80	107.50	.02	.10	.00
107.50	122.80	N/A	N/A	N/A

HOLE NO: U-113
 HOLE LENGTH: 102.70 ✓

LATITUDE: 10752.87 ✓
 DEPARTURE: 7733.46 ✓
 ELEVATION: 1155.90 ✓

AZIMUTH: 44.00 ✓
 DIP: -58.00 ✓

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	62.10	N/A	N/A	N/A
62.10	63.60	5.56	4.36	67.54
63.60	65.10	2.90	2.50	43.54
65.10	66.60	7.23	5.15	85.72
66.60	68.10	.15	.15	.00
68.10	69.60	1.33	1.23	18.17
69.60	71.10	4.60	8.74	64.46
71.10	72.60	2.60	3.40	32.23
72.60	74.10	4.00	3.36	53.49
74.10	75.60	10.26	5.90	114.86
75.60	77.10	11.27	7.56	116.92
77.10	78.60	6.96	5.36	73.71
78.60	80.10	3.63	3.16	35.31
80.10	81.60	3.65	3.80	42.51
81.60	83.10	4.05	4.80	50.40
83.10	84.60	4.10	4.30	49.37
84.60	86.10	5.61	7.91	80.57
86.10	87.60	3.55	8.75	58.63
87.60	89.10	2.98	4.00	40.46
89.10	91.60	.80	1.28	13.03
91.60	93.60	.50	.53	9.94
93.60	102.70	N/A	N/A	N/A

HOLE NO: U-114
 HOLE LENGTH: 45.70 ✓

LATITUDE: 10891.95 ✓
 DEPARTURE: 7625.06 ✓
 ELEVATION: 1134.22 ✓

AZIMUTH: 222.04 ✓
 DIP: 0.00 ✓

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	1.50	4.22	10.25	67.54
1.50	3.00	4.14	8.21	66.51
3.00	4.60	5.76	8.87	86.74
4.60	5.20	.68	1.45	8.23
5.20	6.10	4.15	6.76	58.63
6.10	7.60	5.55	5.86	78.86
7.60	9.10	3.08	5.15	55.54
9.10	10.70	.55	.45	10.97
10.70	13.70	.18	.28	3.09
13.70	16.50	.18	.30	3.09
16.50	18.30	4.80	8.26	71.66
18.30	19.80	3.13	6.73	50.40
19.80	21.30	2.73	3.45	44.23
21.30	22.90	1.93	3.33	32.23
22.90	24.40	2.33	3.85	35.31
24.40	25.90	1.48	3.10	28.46
25.90	27.40	2.20	4.35	40.46
27.40	29.00	1.53	2.18	28.46
29.00	30.50	.98	1.88	17.14
30.50	32.00	1.80	3.75	35.31
32.00	33.50	2.98	5.00	48.34
33.50	35.10	3.25	3.90	52.46
35.10	36.60	4.00	6.74	51.60
36.60	38.40	3.20	4.25	51.43
38.40	41.00	1.30	2.95	19.20
41.00	42.70	2.00	3.96	31.20
42.70	44.20	1.75	4.20	27.43
44.20	45.70	1.93	2.58	25.37

HOLE NO: U-116
 HOLE LENGTH: 68.60 ✓

LATITUDE: 10891.83 ✓
 DEPARTURE: 7625.10 ✓
 ELEVATION: 1136.46 ✓

AZIMUTH: 225.03 ✓
 DIP: 44.52 ✓

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	1.50	5.46	10.31	91.89
1.50	3.20	2.28	4.36	47.31
3.20	4.10	.18	.33	6.17
4.10	5.40	.45	.75	18.17
5.40	7.10	.02	.05	1.03
7.10	9.20	.01	.08	.00
9.20	11.10	4.34	6.13	70.63
11.10	19.10	N/A	N/A	N/A
19.10	21.30	2.53	3.66	41.49
21.30	22.90	1.60	2.48	28.46
22.90	24.40	4.43	6.90	67.54
24.40	26.00	4.85	4.90	70.63
26.00	43.40	N/A	N/A	N/A
43.40	45.00	.13	.23	3.09
45.00	47.20	4.50	7.69	63.43
47.20	48.80	3.78	7.21	55.54
48.80	50.30	3.10	6.51	51.43
50.30	51.80	.73	1.38	15.09
51.80	53.30	2.00	4.25	27.43
53.30	54.90	1.75	2.33	27.43
54.90	56.40	1.25	1.83	14.06
56.40	57.90	2.68	1.80	25.37
57.90	59.40	2.18	4.20	29.14
59.40	61.00	1.98	3.25	29.14
61.00	62.50	3.55	4.75	52.46
62.50	64.00	5.29	9.89	75.77
64.00	68.60	N/A	N/A	N/A

HOLE NO: U-117
HOLE LENGTH: 61.00 ✓

LATITUDE: 10832.50 ✓
DEPARTURE: 7651.50 ✓
ELEVATION: 1125.22 ✓

AZIMUTH: 43.16 ✓
DIP: -0.47 ✓

INTERVAL		ASSAYS		
FRDM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	3.00	2.38	5.00	44.23
3.00	4.60	1.40	4.20	33.26
4.60	6.10	1.10	2.80	26.40
6.10	7.60	1.70	3.63	28.46
7.60	9.60	3.00	6.05	53.49
9.60	15.50	N/A	N/A	N/A
15.50	17.00	1.00	1.30	23.31
17.00	18.50	4.20	7.96	70.63
18.50	20.00	2.70	2.70	36.34
20.00	21.50	3.00	5.93	50.40
21.50	23.40	2.55	4.56	40.46
23.40	61.00	N/A	N/A	N/A

HOLE NO: U-118 LATITUDE: 10892.67 ✓ AZIMUTH: 248.24 ✓
 HOLE LENGTH: 76.20 ✓ DEPARTURE: 7626.49 ✓ DIP: 74.34 ✓
 ELEVATION: 1138.16 ✓

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	1.50	.45	1.28	9.94
1.50	3.00	5.69	10.20	77.83
3.00	4.60	2.08	6.74	38.40
4.60	6.10	2.78	6.25	45.26
6.10	7.60	5.00	10.71	90.86
7.60	9.10	8.40	16.54	168.34
9.10	10.70	9.30	18.49	208.80
10.70	13.70	N/A	N/A	N/A
13.70	15.20	4.05	9.66	66.51
15.20	16.80	3.75	6.15	59.31
16.80	21.30	N/A	N/A	N/A
21.30	22.90	1.45	2.66	27.43
22.90	24.40	1.08	4.10	24.34
24.40	25.90	6.36	9.65	94.63
25.90	27.40	6.40	12.35	100.80
27.40	29.00	4.15	4.00	55.54
29.00	31.00	.15	.50	3.09
31.00	39.60	N/A	N/A	N/A
39.60	41.10	6.10	10.37	68.57
41.10	42.70	3.45	7.86	46.29
42.70	44.20	1.33	2.20	24.34
44.20	45.70	1.33	3.40	23.31
45.70	47.20	1.40	3.86	25.37
47.20	48.80	2.13	2.86	27.43
48.80	50.30	4.28	3.86	50.40
50.30	51.80	1.48	2.70	17.14
51.80	53.30	1.98	2.00	26.40
53.30	54.90	1.13	1.36	16.11
54.90	56.50	4.08	7.69	61.37
56.50	76.20	N/A	N/A	N/A

HOLE NO: U-119
 HOLE LENGTH: 103.60 ✓

LATITUDE: 10656.15 ✓
 DEPARTURE: 7650.75 ✓
 ELEVATION: 1160.60 ✓

AZIMUTH: 0.00 ✓
 DIP: -90.00 ✓

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	4.60	6.56	13.19	130.97
4.60	6.10	4.98	8.60	87.77
6.10	7.60	4.98	9.46	80.57
7.60	8.60	6.30	9.89	106.97
8.60	57.90	N/A	N/A	N/A
57.90	59.40	3.08	4.70	50.40
59.40	61.00	1.63	2.43	26.40
61.00	62.50	7.53	11.05	111.09
62.50	64.00	3.40	4.86	53.49
64.00	65.50	.13	1.05	8.23
65.50	67.10	3.50	3.30	55.54
67.10	68.60	1.28	.65	27.43
68.60	70.10	.75	1.42	21.26
70.10	71.60	.10	.40	8.91
71.60	73.20	.08	.55	12.00
73.20	76.20	1.98	2.60	30.17
76.20	103.60	N/A	N/A	N/A

HOLE NO:	U-121	LATITUDE:	10655.20 ✓	AZIMUTH:	224.00 ✓
HOLE LENGTH:	65.50 ✓	DEPARTURE:	7649.75 ✓	DIP:	-60.00 ✓
		ELEVATION:	1160.60 ✓		

INTERVAL		ASSAYS			
FROM	TO	PB %	ZN %	AG GM/TON	
0.00	2.70	3.15	5.10	58.63	<i>AZI: 226° 12'</i>
2.70	30.50	N/A	N/A	N/A	
30.50	32.00	.38	.78	9.94	
32.00	37.80	N/A	N/A	N/A	
37.80	40.70	.28	.50	8.23	

HOLE NO: U-123
 HOLE LENGTH: 118.90

LATITUDE: 10657.80
 DEPARTURE: 7651.75
 ELEVATION: 1160.61

AZIMUTH: 44.00
 DIP: -45.00

Azi: 46°12'

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	3.00	4.25	8.75	80.57
3.00	4.60	5.26	10.09	89.83
4.60	6.10	3.88	7.72	70.63
6.10	7.60	4.98	8.27	91.89
7.60	9.10	6.10	9.44	99.77
9.10	10.70	2.20	4.80	54.51
10.70	12.20	2.38	6.50	34.29
12.20	13.70	2.85	6.33	54.51
13.70	15.20	2.38	6.82	39.43
15.20	16.80	3.08	6.17	69.60
16.80	18.30	4.48	7.45	85.72
18.30	21.30	2.11	2.13	43.54
21.30	22.90	.10	.15	2.74
22.90	24.40	4.50	5.15	92.92
24.40	25.90	2.85	2.68	55.54
25.90	31.00	N/A	N/A	N/A
31.00	32.50	4.65	8.35	75.77
32.50	34.00	4.55	7.97	62.40
34.00	45.70	N/A	N/A	N/A
45.70	47.20	10.75	19.60	174.52
47.20	48.80	11.06	23.63	185.49
48.80	50.30	4.98	8.82	60.34
50.30	51.80	5.82	9.35	82.63
51.80	53.30	4.45	7.98	60.34
53.30	54.90	9.53	18.75	124.12
54.90	56.40	.09	.30	15.09
56.40	57.90	.20	.15	18.17
57.90	59.40	.08	.45	9.94
59.40	61.00	.15	.60	15.09
61.00	62.50	.35	.78	15.09
62.50	64.00	1.33	1.83	21.26
64.00	65.50	6.82	9.68	78.86
65.50	67.10	1.00	1.40	20.23
67.10	68.60	.45	.70	19.20
68.60	70.10	.93	1.10	17.14
70.10	71.60	.10	.33	5.14
71.60	73.20	.15	.58	10.97
73.20	74.70	.08	.30	7.20
74.70	76.20	.10	.50	7.20
76.20	77.70	.12	.35	6.17
77.70	79.20	.13	.68	7.20
79.20	80.80	1.30	2.53	27.43
80.80	82.00	3.65	6.14	65.49
82.00	101.50	N/A	N/A	N/A
101.50	103.60	4.85	6.24	70.36
103.60	105.20	2.00	1.36	30.17
105.20	106.70	3.95	1.73	28.46
106.70	108.20	7.37	3.75	77.83
108.20	109.70	2.30	1.33	28.46
109.70	111.30	.40	.30	9.94

HOLE NO: U-125
HOLE LENGTH: 92.30 ✓

LATITUDE: 10748.61 ✓
DEPARTURE: 7731.64 ✓
ELEVATION: 1156.65 ✓

AZIMUTH: 227.38 ✓
DIP: -30.06 ✓

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	1.50	13.26	30.48	147.09
1.50	3.00	5.92	10.11	116.92
3.00	4.60	4.10	9.96	85.72
4.60	6.10	6.96	11.38	141.26
6.10	8.10	6.01	8.95	103.89
8.10	10.10	5.72	9.92	105.94
10.10	12.10	4.15	9.96	58.63
12.10	14.10	6.27	13.89	100.80
14.10	16.10	7.71	19.90	126.17
16.10	18.10	9.26	17.66	157.37
18.10	20.10	8.71	24.30	149.14
20.10	22.10	9.81	26.75	162.52
22.10	24.10	7.71	14.10	142.29
24.10	26.10	5.70	14.15	77.83
26.10	28.10	5.92	12.78	92.92
28.10	30.10	6.25	12.57	99.77
30.10	32.10	8.66	14.50	146.06
32.10	34.10	10.75	19.40	184.46
34.10	36.10	5.20	11.07	81.60
36.10	38.10	4.88	8.15	59.31
38.10	40.10	6.76	9.20	93.94
40.10	42.10	4.95	10.11	75.77
42.10	45.10	.48	.70	5.14
45.10	52.10	N/A	N/A	N/A
52.10	53.60	6.37	8.46	87.77
53.60	55.60	7.35	13.99	120.00
55.60	57.30	4.70	7.80	78.86
57.30	58.80	7.36	11.80	114.86
58.80	60.30	4.05	6.54	67.54
60.30	61.80	6.80	12.63	110.06
61.80	63.30	2.15	2.90	35.31
63.30	64.80	1.85	2.78	30.17
64.80	66.30	.83	1.38	22.29
66.30	67.80	.23	.83	14.06
67.80	69.30	.65	.78	20.23
69.30	71.30	.60	1.05	9.94
71.30	72.80	.20	.25	10.97
72.80	74.30	6.43	11.36	100.80
74.30	75.80	6.57	10.85	91.89
75.80	77.30	3.50	6.06	35.31
77.30	78.80	3.38	8.38	50.40
78.80	80.30	5.63	16.35	82.63
80.30	81.80	7.07	19.28	96.69
81.80	83.30	14.46	25.37	209.83
83.30	84.80	4.00	9.86	54.51
84.80	86.30	4.75	13.50	78.51
86.30	87.80	9.71	21.69	151.20
87.80	89.30	4.10	10.77	76.80
89.30	90.80	8.66	18.01	114.86
90.80	92.30	2.98	1.26	43.54

HOLE NO: U-126
 HOLE LENGTH: 144.80 ✓

LATITUDE: 10862.50 ✓
 DEPARTURE: 7597.00 ✓
 ELEVATION: 1138.00 ✓

AZIMUTH: 224.00 ✓
 DIP: -60.00 ✓

DIP TESTS: DEPTH DIP AZIMUTH
 112.70 ✓ -68.00 ✓ 227.00 ✓
 144.80 ✓ -68.00 ✓ 227.00 ✓

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	4.60	1.53	3.13	19.20
4.60	6.10	2.00	6.08	32.23
6.10	7.60	2.40	3.65	37.37
7.60	9.10	1.93	2.53	28.46
9.10	10.70	1.63	3.38	31.20
10.70	12.20	2.05	4.65	37.37
12.20	13.70	2.70	4.30	34.29
13.70	15.20	2.90	6.32	45.26
15.20	16.80	2.80	4.68	40.46
16.80	18.30	2.45	4.20	37.37
18.30	19.80	2.49	5.15	39.43
19.80	21.30	5.94	6.05	74.74
21.30	22.90	6.71	3.95	77.83
22.90	24.40	4.50	2.90	50.40
24.40	25.90	4.39	3.45	55.54
25.90	27.40	7.56	3.80	95.66
27.40	29.00	5.99	9.37	87.77
29.00	30.50	4.45	8.34	65.49
30.50	32.00	4.65	9.61	70.63
32.00	33.50	4.10	8.23	84.69
33.50	35.10	4.85	9.08	83.66
35.10	36.60	4.70	7.98	74.74
36.60	38.10	4.70	8.38	77.83
38.10	39.60	4.48	6.70	65.49
39.60	41.10	4.21	7.62	65.49
41.10	42.70	7.36	13.69	114.17
42.70	44.20	4.51	7.41	65.49
44.20	45.70	5.42	7.93	78.86
45.70	47.20	3.73	4.80	67.54
47.20	48.80	5.71	10.07	82.63
48.80	50.30	7.34	10.12	100.80
50.30	51.80	3.48	3.30	46.29
51.80	54.90	.61	1.30	8.91
54.90	58.30	1.12	2.33	17.14
58.30	74.00	N/A	N/A	N/A
74.00	76.20	.48	.98	8.91
76.20	77.70	1.20	2.20	22.29
77.70	79.20	5.53	9.58	93.94
79.20	80.80	4.63	7.31	70.63
80.80	82.30	2.10	3.40	40.46
82.30	83.80	3.53	4.70	45.26
83.80	85.30	2.93	4.95	42.51
85.30	86.90	.44	.48	12.00
86.90	88.40	1.42	2.43	21.26
88.40	89.90	3.10	4.70	51.43
89.90	91.40	6.38	9.96	86.80

HOLE NO: U-127
 HOLE LENGTH: 45.70 ✓

LATITUDE: 10658.25 ✓
 DEPARTURE: ~~7654.50~~ X
 ELEVATION: 1161.82 ✓

AZIMUTH: 43.51 ✓
 DIP: 1.29 ✓

INTERVAL		ASSAYS			
FROM	TO	PB	ZN	AG	
		%	%	GM/TON	
0.00	3.00	9.41	13.98	140.23	<i>Dep: 7,651.50</i>
3.00	4.60	10.72	18.36	137.14	
4.60	5.80	1.28	2.48	17.14	<i> Azi: 96° 03' 58"</i>
5.80	7.30	.25	.40	5.14	
7.30	8.70	7.30	10.76	93.94	
8.70	10.20	6.20	15.01	96.69	
10.20	11.70	1.53	2.50	30.17	
11.70	13.70	8.26	12.41	87.77	
13.70	15.20	4.80	10.51	95.66	
15.20	16.80	6.90	12.04	80.57	
16.80	18.30	5.80	11.07	65.49	
18.30	19.80	2.65	5.15	36.34	
19.80	21.30	6.28	12.48	63.09	
21.30	22.90	5.85	10.77	99.77	
22.90	24.40	6.18	12.90	96.69	
24.40	25.90	7.27	15.27	100.80	
25.90	27.40	.55	1.63	20.23	
27.40	29.00	.15	.73	8.23	
29.00	30.50	4.70	6.83	60.34	
30.50	32.00	1.88	2.15	24.40	
32.00	33.50	.38	.68	8.91	
33.50	35.10	.15	.50	4.11	
35.10	36.60	.28	.55	5.14	
36.60	38.20	.53	.80	8.23	
38.20	45.70	N/A	N/A	N/A	

HOLE NO: U-128
 HOLE LENGTH: 83.80 ✓

LATITUDE: 10863.30 ✓
 DEPARTURE: 7598.00 ✓
 ELEVATION: 1138.00 ✓

AZIMUTH: 44.00 ✓
 DIP: -60.00 ✓

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	4.60	3.10	4.55	47.31
4.60	6.10	3.15	5.10	49.37
6.10	7.60	2.03	4.25	35.31
7.60	9.10	1.98	3.70	32.23
9.10	10.70	3.35	4.60	47.31
10.70	12.20	1.80	2.88	25.37
12.20	13.70	1.73	3.00	26.40
13.70	15.20	1.75	4.23	29.14
15.20	16.80	1.60	4.75	28.11
16.80	18.30	6.55	9.33	85.72
18.30	19.80	5.55	3.88	63.43
19.80	24.50	N/A	N/A	N/A
24.50	26.40	3.30	3.25	49.03
26.40	67.50	N/A	N/A	N/A
67.50	70.10	1.68	2.33	22.29
70.10	71.60	4.83	5.20	70.63
71.60	73.20	5.80	7.26	76.80
73.20	74.70	6.40	8.75	78.86
74.70	76.20	6.40	9.23	76.80
76.20	77.70	5.65	8.40	69.60
77.70	79.20	2.88	3.25	37.37
79.20	80.80	4.85	8.87	77.83
80.80	82.30	6.08	10.92	95.66
82.30	83.80	7.80	11.69	102.86

HOLE NO: U-129
 HOLE LENGTH: 142.30 ✓

LATITUDE: 10850.00 ✓
 DEPARTURE: 7584.80 ✓
 ELEVATION: 1137.60 ✓

AZIMUTH: 224.00 ✓
 DIP: -55.00 ✓

DIP TESTS: DEPTH DIP AZIMUTH
 79.90 ✓ -61.00 ✓ 226.00 ✓
 110.30 ✓ -63.00 ✓ 226.00 ✓
 140.80 ✓ -64.00 ✓ 227.00 ✓

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	5.00	N/A	N/A	N/A
5.00	6.70	3.65	4.70	53.49
6.70	8.70	4.20	4.15	70.63
8.70	10.70	3.00	2.75	40.46
10.70	12.70	2.98	2.10	38.40
12.70	14.70	1.23	.95	20.23
14.70	16.70	1.38	1.13	21.26
16.70	19.70	2.25	2.05	24.34
19.70	22.70	2.30	1.75	23.31
22.70	25.70	1.23	2.10	14.06
25.70	53.90	N/A	N/A	N/A
53.90	55.90	.33	.70	7.20
55.90	58.50	1.03	2.10	17.14
58.50	68.50	N/A	N/A	N/A
68.50	70.50	.23	.50	5.14
70.50	72.00	1.15	2.23	20.23
72.00	73.50	1.60	2.40	26.40
73.50	75.00	1.10	1.08	25.37
75.00	76.50	2.23	4.20	76.80
76.50	78.00	3.40	3.65	43.54
78.00	79.50	3.80	6.76	55.54
79.50	81.00	1.73	5.70	30.17
81.00	82.50	1.65	3.58	28.46
82.50	84.00	3.58	6.43	55.54
84.00	85.50	5.25	10.06	88.80
85.50	87.00	3.88	7.24	67.54
87.00	89.00	2.45	2.75	42.51
89.00	92.00	2.18	4.15	50.40
92.00	121.30	N/A	N/A	N/A
121.30	122.80	6.82	10.10	97.72
122.80	124.30	6.18	9.51	87.77
124.30	125.80	3.10	6.17	55.54
125.80	127.30	2.10	3.30	42.51
127.30	128.80	1.73	1.98	39.43
128.80	130.30	1.77	2.48	36.34
130.30	131.80	4.25	5.75	79.54
131.80	134.60	5.00	7.03	72.69
134.60	142.30	N/A	N/A	N/A

HOLE NO: U-130
 HOLE LENGTH: 45.70

LATITUDE: 10862.88
 DEPARTURE: 7597.28
 ELEVATION: 1142.72

AZIMUTH: 250.47
 DIP: 84.40

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	3.00	1.75	1.08	25.37
3.00	8.50	N/A	N/A	N/A
8.50	11.00	2.55	4.35	40.46
11.00	18.00	N/A	N/A	N/A
18.00	19.50	3.25	6.17	45.26
19.50	21.30	4.33	7.86	64.46
21.30	22.90	3.80	6.95	54.51
22.90	24.40	1.70	3.30	29.14
24.40	25.90	1.78	2.03	24.34
25.90	27.40	3.48	3.05	47.31
27.40	29.00	4.13	3.15	59.31
29.00	30.50	2.03	3.25	33.26
30.50	32.00	1.18	1.40	10.97
32.00	33.50	2.20	1.33	20.23
33.50	34.70	1.43	1.66	16.11
34.70	36.60	2.43	4.43	39.43
36.60	37.80	3.45	6.00	54.51
37.80	45.70	N/A	N/A	N/A

HOLE NO: U-131
HOLE LENGTH: 45.70 ✓

LATITUDE: 10655.40 ✓
DEPARTURE: 7649.00 ✓
ELEVATION: 1161.75 ✓

AZIMUTH: 223.34 ✓
DIP: -0.56 ✓

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	3.00	4.88	8.55	79.54
3.00	4.60	5.26	8.80	90.86
4.60	5.50	6.26	11.88	96.69
5.50	15.40	N/A	N/A	N/A
15.40	16.80	4.80	6.63	72.69
16.80	45.70	N/A	N/A	N/A

Azi: 225° 46' 15"

HOLE NO: U-132
 HOLE LENGTH: 132.50 ✓

LATITUDE: 10895.40 ✓
 DEPARTURE: 7628.70 ✓
 ELEVATION: 1133.00 X

AZIMUTH: 44.00 ✓
 DIP: 63.00 ✓

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	15.00	N/A	N/A	N/A
15.00	16.80	3.38	6.45	67.54
16.80	43.50	N/A	N/A	N/A
43.50	44.60	1.85	3.05	27.43
44.60	51.80	N/A	N/A	N/A
51.80	53.50	3.25	7.08	51.43
53.50	62.00	N/A	N/A	N/A
62.00	64.00	3.93	4.65	59.31
64.00	65.50	3.65	6.35	52.46
65.50	67.10	1.05	1.55	15.09
67.10	68.60	.80	.90	9.94
68.60	70.10	.83	1.73	13.03
70.10	72.40	3.38	4.76	55.54
72.40	76.20	.78	1.25	17.14
76.20	83.70	N/A	N/A	N/A
83.70	85.30	2.18	4.00	42.51
85.30	86.90	2.78	4.76	55.54
86.90	88.40	2.25	4.90	43.54
88.40	89.90	2.65	4.46	58.63
89.90	91.40	3.28	4.80	53.49
91.40	93.00	2.10	3.10	35.31
93.00	94.50	1.80	3.90	25.37
94.50	96.00	2.33	4.46	32.23
96.00	97.50	3.00	2.66	43.54
97.50	99.10	2.13	2.70	32.23
99.10	100.60	3.00	4.96	43.54
100.60	102.10	2.88	3.16	39.43
102.10	103.60	2.08	5.25	33.26
103.60	105.20	.65	3.10	9.94
105.20	108.00	1.53	2.68	24.34
108.00	132.50	N/A	N/A	N/A

HOLE NO: U-133 LATITUDE: 10657.75 ✓
 HOLE LENGTH: 126.50 ✓ DEPARTURE: 7652.00 ✓
 ELEVATION: 1160.57 ✓

AZIMUTH: 44.00 ✓
 DIP: -60.00 ✓

DIP TESTS: DEPTH 103.60 ✓ DIP -65.00 ✓ AZIMUTH 54.00 ✓

Azi: 46°12'

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	3.00	5.36	8.42	87.77
3.00	4.60	4.38	9.28	88.80
4.60	6.10	3.90	7.44	73.71
6.10	7.60	4.18	7.89	83.66
7.60	9.10	6.40	9.26	110.06
9.10	10.70	4.25	9.26	75.77
10.70	12.20	5.37	7.84	85.71
12.20	13.70	3.08	5.80	60.34
13.70	15.20	3.75	5.97	70.63
15.20	16.80	4.83	8.52	83.66
16.80	18.30	4.88	5.75	111.09
18.30	47.20	N/A	N/A	N/A
47.20	48.80	9.71	18.51	161.49
48.80	50.30	9.74	19.50	164.57
50.30	51.80	7.10	15.43	111.09
51.80	53.30	11.10	11.58	168.34
53.30	54.40	N/A	N/A	N/A
54.40	56.40	4.70	5.45	75.77
56.40	57.90	2.80	5.35	45.26
57.90	59.40	4.48	9.56	62.40
59.40	61.00	.83	1.85	14.74
61.00	62.50	.20	.98	8.91
62.50	64.00	.15	1.60	13.03
64.00	67.10	.10	.68	15.09
67.10	70.10	.18	.68	9.94
70.10	93.00	N/A	N/A	N/A
93.00	95.80	2.15	3.05	23.34
95.80	114.30	N/A	N/A	N/A
114.30	115.80	6.30	9.03	104.92
115.80	117.60	3.13	3.45	40.46
117.60	126.50	N/A	N/A	N/A

HOLE NO: U-134
 HOLE LENGTH: 99.10 ✓

LATITUDE: 10808.43 ✓
 DEPARTURE: 7544.40 ✓
 ELEVATION: 1134.12 ✓

AZIMUTH: 42.13 ✓
 DIP: -28.48 ✓

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	4.60	.13	.20	20.57
4.60	7.00	.30	.56	5.14
7.00	29.00	N/A	N/A	N/A
29.00	30.50	4.10	2.20	58.63
30.50	32.00	3.35	1.60	44.23
32.00	33.50	2.75	2.10	34.29
33.50	35.10	1.99	.85	25.37
35.10	36.60	1.98	1.46	25.37
36.60	38.10	1.55	.80	18.17
38.10	39.60	.23	.18	2.06
39.60	41.10	.93	.63	9.94
41.10	42.70	2.90	1.00	33.26
42.70	44.20	1.65	3.38	20.23
44.20	47.20	.30	.80	3.09
47.20	50.30	.73	1.20	8.23
50.30	53.30	1.00	1.56	10.97
53.30	54.90	.85	.96	9.94
54.90	56.40	1.35	2.90	22.29
56.40	57.90	2.28	3.30	33.26
57.90	59.40	2.98	2.40	40.46
59.40	61.00	5.94	8.11	78.86
61.00	62.50	4.43	6.24	65.49
62.50	64.00	3.65	7.18	58.63
64.00	65.70	.80	1.80	16.11
65.70	85.30	N/A	N/A	N/A
85.30	89.90	4.20	4.56	55.54
89.90	99.10	3.13	6.10	43.54

HOLE NO: U-135
 HOLE LENGTH: 190.50 ✓

LATITUDE: 10978.34 ✓
 DEPARTURE: 7540.54 ✓
 ELEVATION: 1110.88 ✓

AZIMUTH: 44.00 ✓
 DIP: -85.00 ✓

DIP TESTS: DEPTH DIP AZIMUTH
 89.90 ✓ -83.30 ✓ 111.00 ✓
 137.20 ✓ -83.00 ✓ 109.00 ✓
 182.90 ✓ -82.00 ✓ 122.00 ✓

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	1.50	5.27	8.10	77.83
1.50	3.50	4.05	6.78	55.54
3.50	43.50	N/A	N/A	N/A
43.50	45.70	6.26	10.87	125.14
45.70	48.20	5.00	7.71	82.63
48.20	49.50	N/A	N/A	N/A
49.50	51.80	.20	.03	17.14
51.80	55.00	N/A	N/A	N/A
55.00	57.90	3.35	4.75	52.46
57.90	59.40	3.35	5.15	57.60
59.40	61.00	4.33	7.84	76.80
61.00	62.50	3.98	5.20	61.37
62.50	64.50	N/A	N/A	N/A
64.50	67.20	1.73	2.13	22.28
67.20	68.90	N/A	N/A	N/A
68.90	71.60	.81	1.25	8.91
71.60	74.30	.33	.50	3.09
74.30	82.00	N/A	N/A	N/A
82.00	83.80	.98	2.00	13.03
83.80	86.90	.68	1.28	7.20
86.90	105.30	N/A	N/A	N/A
105.30	108.20	3.45	5.15	65.49
108.20	111.30	2.10	3.65	29.14
111.30	125.50	N/A	N/A	N/A
125.50	128.50	.53	1.00	10.97
128.50	131.50	.25	.13	5.14
131.50	134.20	N/A	N/A	N/A
134.20	135.60	7.02	8.07	96.69
135.60	137.30	4.20	8.25	63.43
137.30	138.70	2.15	4.45	34.29
138.70	141.70	.05	.00	2.06
141.70	144.80	1.28	1.50	20.23
144.80	169.50	N/A	N/A	N/A
169.50	172.20	2.08	3.85	38.40
172.20	173.70	5.66	8.04	90.86
173.70	175.30	4.15	4.25	53.49
175.30	176.80	1.30	1.33	25.37
176.80	178.30	2.13	1.20	18.17
178.30	179.80	1.93	1.85	24.34
179.80	181.40	2.83	2.35	51.43
181.40	182.90	3.35	3.05	54.51
182.90	184.40	2.60	2.35	40.46
184.40	186.00	1.13	1.18	22.29
186.00	190.50	N/A	N/A	N/A

HOLE NO: U-136
 HOLE LENGTH: 76.20 ✓

LATITUDE: ~~10657.16~~ ✓
 DEPARTURE: ~~7651.88~~ ✓
 ELEVATION: 1163.49 ✓

AZIMUTH: ~~226.12~~ ✓
 DIP: 48.00 ✓

INTERVAL		ASSAYS			
FROM	TO	PB	ZN	AG	
		%	%	GM/TON	
0.00	32.00	N/A	N/A	N/A	<i>Lat: 10,656.00</i>
32.00	33.50	5.76	5.40	75.77	
33.50	35.10	5.36	5.45	72.69	<i>dep: 7,649.75</i>
35.10	39.00	N/A	N/A	N/A	<i>Azi: 226°12'</i>
39.00	41.10	2.55	1.90	52.46	
41.10	42.70	3.95	2.45	70.63	
42.70	45.70	7.15	7.13	103.87	
45.70	48.80	6.40	6.53	100.80	
48.80	50.30	7.36	7.79	104.92	
50.30	51.80	6.10	6.63	95.66	
51.80	53.30	7.06	6.75	89.93	
53.30	54.90	4.45	3.75	60.34	
54.90	56.40	1.70	1.23	25.37	
56.40	57.90	1.93	1.00	32.23	
57.90	59.40	2.05	1.25	34.29	
59.40	61.50	1.85	1.40	35.31	
61.50	76.20	N/A	N/A	N/A	

HOLE NO: U-138 ✓
 HOLE LENGTH: 122.20 ✓

LATITUDE: 10808.03 ✓
 DEPARTURE: 7544.56 ✓
 ELEVATION: 1133.91 ✓

AZIMUTH: 47.15 ✓
 DIP: -48.54 ✓

DIP TESTS:	DEPTH	DIP	AZIMUTH
	45.70 ✓	-52.00 ✓	42.00 ✓
	91.40 ✓	-59.00 ✓	41.00 ✓
	121.90 ✓	-62.00 ✓	42.00 ✓

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	3.90	1.07	1.43	18.17
3.90	6.20	N/A	N/A	N/A
6.20	7.50	2.28	3.25	36.34
7.50	30.70	N/A	N/A	N/A
30.70	33.80	1.25	1.08	14.06
33.80	36.60	1.03	1.18	16.11
36.60	39.80	2.80	2.45	37.37
39.80	42.70	1.08	.45	17.14
42.70	46.00	N/A	N/A	N/A
46.00	49.00	2.38	1.05	26.40
49.00	52.10	1.00	1.35	15.09
52.10	55.10	1.93	.63	23.31
55.10	56.60	N/A	N/A	N/A
56.60	59.70	1.85	1.95	27.43
59.70	63.00	.54	.53	8.23
63.00	77.00	N/A	N/A	N/A
77.00	79.50	1.14	1.68	25.37
79.50	81.00	.09	.23	13.03
81.00	82.60	2.65	3.45	38.40
82.60	84.10	1.90	3.20	29.14
84.10	85.60	.35	.63	4.11
85.60	107.50	N/A	N/A	N/A
107.50	109.00	4.25	.82	61.37
109.00	110.50	.90	1.10	13.03
110.50	112.00	.65	1.08	9.94
112.00	113.50	.58	1.75	8.23
113.50	117.60	1.13	2.10	14.06
117.60	122.20	N/A	N/A	N/A

HOLE NO: U-139 ✓
 HOLE LENGTH: 76.20 ✓

LATITUDE: 10657.10 ✓
 DEPARTURE: 7651.00 ✓
 ELEVATION: 1164.00 ✓

AZIMUTH: ~~224.00~~ ✓
 DIP: 75.00 ✓

INTERVAL		ASSAYS			
FROM	TO	PB %	ZN %	AG GM/TON	
0.00	37.00	N/A	N/A	N/A	<i>Azi: 226° 12'</i>
37.00	39.60	6.35	6.50	86.74	
39.60	41.10	2.58	.75	36.34	
41.10	42.70	3.70	3.40	65.49	
42.70	44.20	5.97	5.15	82.63	
44.20	47.00	4.55	3.77	59.31	
47.00	64.50	N/A	N/A	N/A	
64.50	67.50	4.10	3.25	54.51	
67.50	76.20	N/A	N/A	N/A	

HOLE NO: U-140
HOLE LENGTH: 123.40 ✓
LATITUDE: 10978.48 ✓
DEPARTURE: 7540.69 ✓
ELEVATION: 1110.90 ✓
AZIMUTH: 50.09 ✓
DIP: -58.45 ✓

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TDN
0.00	3.00	4.08	8.19	63.43
3.00	55.80	N/A	N/A	N/A
55.80	56.80	7.05	16.64	114.86
56.80	59.80	N/A	N/A	N/A
59.80	62.50	5.48	7.84	77.83
62.50	83.40	N/A	N/A	N/A
83.40	86.40	.88	1.46	58.63
86.40	87.50	3.98	5.20	16.11
87.50	98.00	N/A	N/A	N/A
98.00	100.00	3.63	6.53	53.49
100.00	100.60	N/A	N/A	N/A
100.60	102.10	.91	.80	17.14
102.10	104.30	.35	.53	5.14
104.30	123.40	N/A	N/A	N/A

DIAMOND DRILL LOG MA

STER FILE

HOLE NO: U-142
HOLE LENGTH: 152.40/LATITUDE: 10976.42 ✓
DEPARTURE: 7538.10 ✓
ELEVATION: 1111.22 ✓AZIMUTH: 223.02 ✓
DIP: -29.33 ✓

DIP TESTS:	DEPTH	DIP	AZIMUTH
	56.40 ✓	-33.00 ✓	225.00 ✓
	140.20 ✓	-46.00 ✓	220.00 ✓

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	2.10	10.76	14.99	190.63
2.10	4.50	8.44	10.61	141.26
4.50	6.10	1.98	3.05	33.26
6.10	7.60	6.66	10.56	100.80
7.60	9.10	3.93	7.14	58.29
9.10	11.70	4.60	7.46	73.71
11.70	21.30	N/A	N/A	N/A
21.30	22.90	.25	.15	7.20
22.90	24.40	2.48	6.25	44.23
24.40	25.90	4.58	10.66	106.97
25.90	27.40	1.68	3.55	28.11
27.40	29.00	.65	.83	14.06
29.00	30.50	.53	.60	9.94
30.50	33.50	.73	.73	15.09
33.50	36.60	.33	.15	7.89
36.60	39.60	.33	.70	8.91
39.60	41.10	3.80	8.23	72.69
41.10	42.70	4.18	9.60	76.80
42.70	44.20	4.05	8.40	68.57
44.20	45.70	5.25	10.66	93.94
45.70	47.20	5.92	14.33	114.86
47.20	48.80	.75	2.55	16.11
48.80	50.30	1.90	5.65	36.34
50.30	51.80	5.67	12.95	109.03
51.80	53.30	6.56	14.47	103.89
53.30	54.90	8.76	20.63	164.57
54.90	56.40	5.81	7.29	81.60
56.40	57.90	2.28	2.55	34.29
57.90	59.60	1.50	4.60	30.17
59.60	67.00	N/A	N/A	N/A
67.00	70.20	2.24	4.45	36.34
70.20	97.00	N/A	N/A	N/A
97.00	99.10	.90	1.45	15.09
99.10	100.60	.55	1.03	9.94
100.60	102.10	.70	.90	14.06
102.10	103.60	.63	.98	13.03
103.60	105.20	1.94	1.63	26.40
105.20	106.70	5.20	1.70	58.63
106.70	108.20	.80	.90	22.29
108.20	109.70	.05	.23	20.23
109.70	111.30	.05	.30	18.17
111.30	112.80	.08	.25	8.91
112.80	114.30	3.30	4.10	48.34
114.30	115.80	.04	.20	8.23
115.80	117.30	2.63	4.15	46.29
117.30	118.90	4.00	6.38	64.46

HOLE NO: U-142

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
118.90	120.40	2.13	4.05	25.37
120.40	121.90	2.38	4.30	45.26
121.90	123.40	5.20	8.89	70.63
123.40	125.00	6.69	12.04	91.89
125.00	126.50	4.65	8.13	71.66
126.50	128.70	3.78	8.43	64.46
128.70	152.40	N/A	N/A	N/A

HOLE NO: U-143
 HOLE LENGTH: 132.60✓

LATITUDE: 10579.20 ✓
 DEPARTURE: 7746.00 ✓
 ELEVATION: 1177.58 ✓

AZIMUTH: ~~44.00~~
 DIP: -25.00 ✓

DIP TESTS: DEPTH DIP AZIMUTH
 67.00 ✓ -34.00 ✓ 47.00
 121.90 ✓ -44.00 ✓ 54.00

Az: 46° 12' 00"

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	4.60	.18	.63	7.20
4.60	7.60	.07	.43	5.14
7.60	10.30	.17	.45	7.20
10.30	13.40	.08	.10	4.11
13.40	16.80	.10	.23	28.11
16.80	19.80	.23	.58	7.89
19.80	22.90	.15	.43	5.14
22.90	25.90	.18	.13	7.89
25.90	29.00	.03	.23	2.06
29.00	32.00	.20	.43	7.20
32.00	35.10	.63	.48	15.09
35.10	38.10	.10	.23	5.14
38.10	42.70	.18	.63	5.14
42.70	76.80	N/A	N/A	N/A
76.80	79.20	1.40	2.13	20.23
79.20	80.80	2.05	2.50	45.26
80.80	82.30	N/A	N/A	N/A
82.30	83.80	3.40	2.85	48.34
83.80	85.30	7.75	8.86	100.80
85.30	86.90	6.40	4.55	63.43
86.90	88.40	4.30	3.65	47.31
88.40	89.90	.90	.93	9.94
89.90	91.40	.18	.35	6.17
91.40	93.00	1.73	1.90	20.23
93.00	94.50	2.90	3.40	32.23
94.50	96.00	3.10	2.10	35.31
96.00	97.50	.40	.08	8.23
97.50	99.10	5.93	6.95	68.57
99.10	100.60	4.38	7.46	67.54
100.60	102.10	3.08	6.52	42.51
102.10	105.20	.68	.84	9.94
105.20	108.20	.43	.60	8.91
108.20	111.30	1.03	1.15	10.97
111.30	114.30	.55	1.03	8.23
114.30	117.30	1.08	.70	18.17
117.30	120.40	.28	.40	7.20
120.40	123.40	.18	.50	4.11
123.40	126.50	.30	.60	3.09
126.50	132.60	N/A	N/A	N/A

HOLE NO: U-145
 HOLE LENGTH: 121.90

LATITUDE: 10580.50
 DEPARTURE: 7746.50
 ELEVATION: 1178.50

AZIMUTH: 44-00
 DIP: -65.00

DIP TESTS: DEPTH DIP AZIMUTH
 45.72 ✓ -67.00 ✓ 59.00 ✓
 91.44 ✓ -72.00 ✓ 67.00 ✓

Azi: 46° 12'

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	4.60	.08	.90	6.17
4.60	7.60	.07	1.28	5.14
7.60	10.70	.35	1.68	9.94
10.70	13.70	.25	.70	14.06
13.70	16.80	.05	.43	6.17
16.80	19.80	.18	.85	6.17
19.80	22.90	.13	.53	7.20
22.90	38.30	N/A	N/A	N/A
38.30	42.70	.04	.35	3.06
42.70	45.70	.04	.45	5.14
45.70	47.20	.75	2.75	15.09
47.20	48.80	.90	2.58	18.17
48.80	50.30	2.60	3.55	30.17
50.30	51.80	1.65	2.23	30.17
51.80	90.50	N/A	N/A	N/A
90.50	93.00	3.30	5.94	54.51
93.00	94.50	2.48	4.10	38.40
94.50	97.50	N/A	N/A	N/A
97.50	99.10	1.38	1.88	20.23
99.10	100.60	2.40	2.20	27.43
100.60	102.10	1.50	.75	19.20
102.10	103.60	.63	1.08	9.94
103.60	106.70	2.65	4.25	42.51
106.70	121.90	N/A	N/A	N/A

HOLE NO: U-146
 HOLE LENGTH: 73.70 ✓

LATITUDE: 10977.39 ✓
 DEPARTURE: 7539.85 ✓
 ELEVATION: 1115.61 ✓

AZIMUTH: 245.56 ✓
 DIP: 88.38 ✓

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	15.20	N/A	N/A	N/A
15.20	18.30	1.30	2.10	24.34
18.30	21.30	1.10	1.55	24.34
21.30	22.90	1.43	2.13	26.40
22.90	24.40	1.93	2.80	28.46
24.40	25.90	3.30	4.60	45.26
25.90	27.40	1.40	3.40	21.26
27.40	29.00	5.49	7.16	77.83
29.00	30.50	3.20	6.00	49.37
30.50	32.30	4.23	5.66	70.63
32.30	39.00	N/A	N/A	N/A
39.00	41.60	2.35	4.25	38.40
41.60	44.00	N/A	N/A	N/A
44.00	45.70	1.90	3.68	35.31
45.70	47.20	1.68	1.18	35.31
47.20	49.10	3.90	5.20	65.49
49.10	73.70	N/A	N/A	N/A

HOLE NO: U-147 ✓
 HOLE LENGTH: 76.20 ✓

LATITUDE: 10576.60 ✓
 DEPARTURE: 7743.25 ✓
 ELEVATION: 1180.90 ✓

AZIMUTH: ~~227.02~~ X
 DIP: 46.09

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	6.10	.17	2.23	5.14
6.10	9.10	.13	.88	7.20
9.10	12.20	.18	1.15	10.97
12.20	15.20	.10	.93	7.20
15.20	18.30	.13	.80	8.23
18.30	19.80	1.65	3.00	31.20
19.80	21.30	6.98	14.88	93.94
21.30	22.90	7.08	12.80	108.00
22.90	24.40	4.83	9.95	80.57
24.40	25.90	5.63	12.29	98.74
25.90	27.40	4.33	8.66	72.69
27.40	29.00	4.70	9.19	81.60
29.00	30.50	5.46	11.48	94.63
30.50	32.00	3.30	5.60	42.51
32.00	33.50	4.88	8.66	80.57
33.50	35.10	3.65	7.82	61.37
35.10	37.00	1.90	4.25	25.37
37.00	50.30	N/A	N/A	N/A
50.30	53.30	.09	1.05	32.23
53.30	54.90	.20	.85	18.17
54.90	56.40	.08	.45	10.97
56.40	57.90	.88	1.80	20.23
57.90	76.20	N/A	N/A	N/A

Azi: 229° 14' 28"

HOLE NO: U-148
 HOLE LENGTH: 68.60

LATITUDE: 10848.99
 DEPARTURE: 7500.08
 ELEVATION: 1124.87

AZIMUTH: 47.24
 DIP: -36.28

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	6.10	N/A	N/A	N/A
6.10	9.10	1.63	2.65	23.31
9.10	27.30	N/A	N/A	N/A
27.30	30.50	2.08	2.65	33.26
30.50	33.50	2.35	4.10	34.29
33.50	38.10	N/A	N/A	N/A
38.10	39.60	3.68	3.95	46.29
39.60	41.10	2.93	3.50	36.34
41.10	42.70	3.20	4.70	41.49
42.70	44.20	5.94	7.87	73.71
44.20	45.70	5.77	6.85	77.83
45.70	47.20	2.28	3.10	32.23
47.20	51.80	N/A	N/A	N/A
51.80	54.90	2.68	4.20	38.40
54.90	56.40	2.30	5.15	40.46
56.40	57.90	3.70	7.13	62.40
57.90	59.40	4.00	7.00	66.51
59.40	61.00	3.38	6.10	59.31
61.00	62.50	4.13	5.51	55.54
62.50	64.00	2.13	2.90	28.46
64.00	68.60	N/A	N/A	N/A

HOLE NO: U-149
 HOLE LENGTH: 182.90 ✓

LATITUDE: 10939.53 ✓
 DEPARTURE: 7502.63 ✓
 ELEVATION: 1116.93 ✓

AZIMUTH: 0.00 ✓
 DIP: -90.00 ✓

DIP TESTS: DEPTH DIP / AZIMUTH
 106.60 / -84.00 / 197.00 ✓
 152.40 / -83.00 / 192.00 ✓

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	4.60	.73	.85	9.94
4.60	7.60	1.83	1.13	19.20
7.60	10.70	.58	.78	7.20
10.70	14.00	1.13	2.10	16.11
14.00	16.80	1.68	4.38	30.17
16.80	18.30	.73	2.55	20.23
18.30	19.80	1.78	4.20	35.31
19.80	21.30	2.90	6.15	48.34
21.30	22.90	2.60	4.35	44.23
22.90	24.40	5.11	9.54	97.72
24.40	25.90	3.70	6.60	58.63
25.90	28.00	N/A	N/A	N/A
28.00	30.50	1.93	2.20	31.20
30.50	33.00	5.49	9.65	90.86
33.00	38.10	N/A	N/A	N/A
38.10	40.00	2.30	2.80	36.34
40.00	97.40	N/A	N/A	N/A
97.40	100.00	.73	.68	14.06
100.00	104.50	N/A	N/A	N/A
104.50	106.40	2.05	3.60	30.17
106.40	108.20	6.57	8.48	106.97
108.20	109.70	2.23	2.75	34.29
109.70	111.30	2.90	3.20	40.46
111.30	112.80	2.65	1.55	48.34
112.80	121.00	N/A	N/A	N/A
121.00	122.00	4.80	7.40	70.63
122.00	123.00	N/A	N/A	N/A
123.00	124.00	3.78	3.40	50.40
124.00	125.30	N/A	N/A	N/A
125.30	128.00	4.30	5.50	64.46
128.00	129.50	3.18	4.85	47.31
129.50	131.60	5.20	8.17	79.54
131.60	134.10	1.45	2.03	25.37
134.10	137.20	.63	1.00	9.94
137.20	138.70	2.28	4.00	43.54
138.70	140.20	4.93	8.89	82.63
140.20	141.70	.38	.20	19.20
141.70	144.40	N/A	N/A	N/A
144.40	146.30	1.28	1.45	22.29
146.30	147.80	.53	.93	17.14
147.80	149.40	5.71	9.55	79.54
149.40	150.90	1.60	3.20	30.17
150.90	152.40	1.58	3.50	28.46
152.40	153.90	1.33	1.73	30.17
153.90	155.40	2.03	2.60	36.34
155.40	180.40	N/A	N/A	N/A

HOLE NO: U-150
 HOLE LENGTH: 152.40

LATITUDE: 10880.40
 DEPARTURE: 7445.21
 ELEVATION: 1112.59

AZIMUTH: 218.15
 DIP: -73.29

DIP TESTS: DEPTH DIP AZIMUTH
 60.96 -77.00 217.00
 121.90 -84.00 202.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	3.00	3.78	5.00	41.49
3.00	6.10	2.30	1.83	25.37
6.10	9.10	1.04	.35	16.11
9.10	12.20	.65	.35	13.03
12.20	15.20	.40	.63	6.17
15.20	18.30	1.65	2.23	20.23
18.30	21.30	2.23	2.35	26.40
21.30	22.90	1.70	3.80	20.23
22.90	24.40	1.20	1.85	17.14
24.40	25.90	5.19	7.49	70.63
25.90	27.40	1.20	1.10	30.17
27.40	29.00	4.60	5.10	71.66
29.00	31.50	6.52	9.90	110.06
31.50	47.50	N/A	N/A	N/A
47.50	49.40	4.88	10.51	91.89
49.40	92.50	N/A	N/A	N/A
92.50	94.50	1.53	2.78	23.31
94.50	137.20	N/A	N/A	N/A
137.20	138.70	2.08	4.10	31.20
138.70	140.20	9.19	16.37	143.32
140.20	141.70	2.60	6.26	46.29
141.70	152.40	N/A	N/A	N/A

HOLE NO: U-152
 HOLE LENGTH: 61.00

LATITUDE: 10939.20
 DEPARTURE: 7502.38
 ELEVATION: 1121.60

AZIMUTH: 141.20
 DIP: 87.22

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	18.70	N/A	N/A	N/A
18.70	21.30	1.33	2.58	17.14
21.30	24.40	2.88	3.30	33.26
24.40	27.40	.78	.90	9.94
27.40	30.50	.33	.43	5.14
30.50	33.50	N/A	N/A	N/A
33.50	36.60	1.68	2.68	25.37
36.60	38.10	2.43	4.00	35.31
38.10	39.60	2.48	4.95	42.51
39.60	41.10	2.45	5.40	45.26
41.10	42.70	1.65	3.15	28.46
42.70	44.20	3.13	4.00	47.31
44.20	46.60	6.74	9.04	99.77
46.60	61.00	N/A	N/A	N/A

HOLE NO: U-153
 HOLE LENGTH: 61.00

LATITUDE: 10879.10
 DEPARTURE: 7443.54
 ELEVATION: 1113.23

AZIMUTH: 223.22
 DIP: -17.13

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	1.50	4.42	9.69	63.43
1.50	3.00	5.78	9.47	78.86
3.00	4.60	2.88	5.78	44.23
4.60	6.10	5.82	9.22	94.63
6.10	7.60	3.60	8.50	50.40
7.60	9.10	6.07	12.53	80.57
9.10	10.70	6.19	12.47	80.57
10.70	12.20	4.30	7.37	59.31
12.20	13.70	4.55	8.95	64.46
13.70	15.20	3.50	8.10	55.54
15.20	16.80	2.13	3.83	33.26
16.80	18.30	1.40	1.90	22.29
18.30	19.80	1.68	3.75	30.17
19.80	21.30	2.15	4.55	35.31
21.30	22.90	3.38	7.26	48.34
22.90	24.40	1.18	1.40	24.34
24.40	25.90	.53	.93	15.09
25.90	27.40	1.85	2.70	35.31
27.40	29.00	4.40	8.25	60.34
29.00	30.50	2.15	2.70	33.26
30.50	32.00	8.41	11.16	124.46
32.00	33.50	7.06	9.10	104.92
33.50	35.10	12.69	22.43	195.77
35.10	36.60	6.47	11.46	98.74
36.60	38.10	5.27	6.58	86.74
38.10	39.60	.95	.80	16.11
39.60	42.20	5.42	7.19	90.86
42.20	61.00	N/A	N/A	N/A

DIAMOND DRILL LOG MA

STER FILE

HOLE NO: U-154
 HOLE LENGTH: 61.00 ✓

LATITUDE: 10897.52 ✓
 DEPARTURE: 7465.14 ✓
 ELEVATION: 1119.96 ✓

AZIMUTH: 200.10 ✓
 DIP: 82.30 ✓

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	3.00	3.13	6.01	44.23
3.00	4.60	3.35	4.55	46.29
4.60	6.10	4.45	8.14	70.63
6.10	7.60	9.34	14.83	136.12
7.60	9.10	2.03	3.70	34.29
9.10	10.70	1.30	2.53	22.29
10.70	12.20	2.50	5.10	39.43
12.20	13.70	3.80	7.04	55.40
13.70	15.20	4.65	9.90	68.57
15.20	16.80	1.63	3.83	30.17
16.80	18.30	3.68	6.51	52.46
18.30	19.80	.63	1.05	12.00
19.80	21.30	4.80	8.74	78.86
21.30	22.90	3.88	6.34	68.57
22.90	24.40	1.55	2.03	27.43
24.40	26.80	4.05	6.06	69.60
26.80	61.00	N/A	N/A	N/A

HOLE NO: U-155
 HOLE LENGTH: 61.00 ✓

LATITUDE: 10578.00 ✓
 DEPARTURE: 7744.50 ✓
 ELEVATION: 1177.40 ✓

AZIMUTH: 224.00 ✓
 DIP: -56.00 ✓

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	1.50	N/A	N/A	N/A
1.50	4.60	.10	.30	5.14
4.60	7.60	.20	1.00	8.23
7.60	9.10	1.78	1.95	30.17
9.10	10.70	1.23	2.30	17.14
10.70	12.20	1.30	2.25	18.17
12.20	13.70	.55	1.35	12.00
13.70	15.20	.43	.58	10.97
15.20	16.80	.08	.98	4.11
16.80	19.80	.18	.60	8.91
19.80	22.90	.05	.98	4.11
22.90	25.90	.18	.73	8.23
25.90	29.00	.48	.73	8.91
29.00	32.00	.05	.78	9.94
32.00	35.10	.10	1.13	12.00
35.10	38.10	.13	2.08	13.03
38.10	41.10	.20	1.65	14.06
41.10	44.20	.63	1.88	22.29
44.20	47.20	.20	1.33	15.09
47.20	50.30	1.08	1.53	22.29
50.30	53.00	1.80	3.65	38.40
53.00	61.00	N/A	N/A	N/A

Lat: 10,579.20
dep: 7,746.00
Azi: 226°12'

HOLE NO: U-157
 HOLE LENGTH: 132.60

LATITUDE: 10579.00
 DEPARTURE: 7745.50
 ELEVATION: 1177.40

AZIMUTH: 0.00
 DIP: -90.00

DIP TESTS: DEPTH DIP AZIMUTH
 56.40 -84.00 105.00
 117.30 -79.00 79.00

*Lat: 10, 578.55
 dep: 7, 745.00*

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	4.60	.53	1.80	10.97
4.60	6.10	.83	1.70	16.11
6.10	7.60	2.25	2.75	30.17
7.60	9.10	1.30	1.08	22.29
9.10	10.70	.45	1.18	8.91
10.70	12.20	.08	.40	4.11
12.20	13.70	.13	1.95	7.20
13.70	15.20	.15	1.00	7.20
15.20	16.80	.13	.63	10.97
16.80	18.30	.65	1.10	22.29
18.30	22.90	.10	.18	6.17
22.90	24.40	.13	.13	6.17
24.40	27.40	.10	1.35	5.14
27.40	30.50	.02	.18	3.09
30.50	33.50	.05	.63	4.11
33.50	36.60	.02	.33	5.14
36.60	39.60	.02	.20	3.09
39.60	42.70	.05	.23	2.06
42.70	44.20	1.15	2.80	20.23
44.20	46.00	2.50	3.15	40.46
46.00	121.30	N/A	N/A	N/A
121.30	123.40	6.00	9.39	108.00
123.40	125.00	6.30	7.78	100.80
125.00	127.00	2.28	2.45	35.31
127.00	132.60	N/A	N/A	N/A

HOLE NO: U-158 ✓ LATITUDE: 10930.92 ✓
HOLE LENGTH: 74.30 ✓ DEPARTURE: 7409.54 ✓ AZIMUTH: 224.00 ✓
ELEVATION: 1108.33 ✓ DIP: 45.00 ✓

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	3.00	3.03	5.95	46.29
3.00	4.60	2.98	6.03	48.34
4.60	6.10	7.68	10.09	124.12
6.10	7.60	9.45	16.21	138.17
7.60	9.10	5.30	11.85	78.86
9.10	10.70	1.93	3.40	34.29
10.70	12.20	3.95	6.71	60.34
12.20	13.70	3.93	9.69	58.63
13.70	16.80	1.53	2.60	25.37
16.80	39.50	N/A	N/A	N/A
39.50	42.70	2.00	1.78	25.37
42.70	45.50	N/A	N/A	N/A
45.50	47.20	6.30	6.45	95.66
47.20	68.60	N/A	N/A	N/A
68.60	70.20	.45	.58	10.97
70.20	74.30	N/A	N/A	N/A

DIAMOND DRILL LOG MA

STER FILE

HOLE NO: U-160
HOLE LENGTH: 73.20 ✓LATITUDE: 10930.32 ✓
DEPARTURE: 7409.15 ✓
ELEVATION: 1105.88 ✓AZIMUTH: 224.00 ✓
DIP: -15.00 ✓

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	4.60	2.43	2.55	28.46
4.60	7.00	2.73	4.75	32.23
7.00	10.00	1.13	2.45	18.17
10.00	12.20	3.30	6.18	52.46
12.20	13.70	4.95	6.78	66.51
13.70	15.20	5.20	7.98	75.77
15.20	16.80	5.48	8.74	75.77
16.80	18.30	7.18	8.73	118.97
18.30	19.60	7.42	13.21	110.06
19.60	22.90	N/A	N/A	N/A
22.90	24.40	2.00	4.45	34.29
24.40	25.90	2.13	4.30	38.40
25.90	27.40	4.88	7.59	75.77
27.40	29.00	2.30	4.45	37.37
29.00	30.50	4.08	6.08	67.54
30.50	32.00	5.00	8.25	75.77
32.00	33.50	2.28	4.88	40.46
33.50	36.00	N/A	N/A	N/A
36.00	37.10	5.34	7.08	84.69
37.10	38.40	N/A	N/A	N/A
38.40	40.20	3.30	3.95	49.03
40.20	42.70	8.76	14.98	145.03
42.70	44.40	9.16	16.02	156.34
44.40	45.30	N/A	N/A	N/A
45.30	47.20	3.00	2.85	55.54
47.20	49.80	1.60	2.55	30.17
49.80	51.80	7.26	12.00	120.00
51.80	54.90	5.45	10.35	100.80
54.90	57.90	5.65	10.09	94.63
57.90	59.40	5.80	9.85	80.57
59.40	61.00	5.75	9.38	101.83
61.00	62.50	7.00	10.25	129.94
62.50	65.00	6.60	9.70	115.89
65.00	67.10	N/A	N/A	N/A
67.10	68.60	3.88	6.23	69.60
68.60	73.20	N/A	N/A	N/A

HOLE NO: U-161 ✓
 HOLE LENGTH: 59.40 ✓

LATITUDE: 10577.30 ✓
 DEPARTURE: 7744.00 ✓
 ELEVATION: 1177.48 ✓

AZIMUTH: 222.51 ✓
 DIP: -31.54 ✓

INTERVAL		ASSAYS			AG GM/TON
FROM	TO	PB %	ZN %		
0.00	4.60	.33	.58	10.97	
4.60	7.60	.18	.80	8.91	
7.60	9.10	.13	.58	7.20	
9.10	10.70	.55	1.10	12.00	
10.70	12.20	1.18	2.73	20.23	
12.20	13.70	3.48	3.48	52.46	
13.70	15.20	1.75	1.75	28.46	
15.20	16.80	7.86	9.22	95.66	
16.80	18.30	3.18	3.60	44.23	
18.30	19.80	1.70	.78	30.17	
19.80	21.30	3.90	2.60	54.51	
21.30	22.90	7.66	10.30	103.89	
22.90	24.40	8.66	17.08	158.40	
24.40	25.90	6.61	9.30	100.80	
25.90	27.40	6.10	10.70	108.00	
27.40	29.00	9.20	10.60	140.23	
29.00	30.50	6.50	8.89	91.89	
30.50	32.00	6.28	8.40	88.80	
32.00	33.50	7.20	9.65	96.69	
33.50	35.10	2.90	3.35	38.40	
35.10	36.60	3.10	4.15	42.51	
36.60	38.10	3.48	4.75	46.29	
38.10	40.20	2.05	2.90	21.26	
40.20	42.20	3.25	4.65	34.29	
42.20	44.20	.23	.30	8.23	
44.20	46.20	.08	.48	9.94	
46.20	48.20	.18	.70	13.03	
48.20	50.20	.88	1.00	20.23	
50.20	53.30	5.15	4.80	70.63	
53.30	54.40	N/A	N/A	N/A	
54.40	56.10	6.01	8.40	72.69	
56.10	59.40	N/A	N/A	N/A	

Azi: 225° 03' 37"

HOLE NO: U-162 ✓
 HOLE LENGTH: 153.90 ✓

LATITUDE: 10930.50 ✓
 DEPARTURE: 7409.50 ✓
 ELEVATION: 1105.00 ✓

AZIMUTH: 224.00 ✓
 DIP: -65.00 ✓

DIP TESTS: DEPTH DIP AZIMUTH
 38.10 ✓ -66.00 ✓ 227.00 ✓
 77.70 ✓ -71.00 ✓ 213.00 ✓
 123.40 ✓ -76.00 ✓ 192.00 ✓

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	10.10	N/A	N/A	N/A
10.10	12.20	1.90	.43	27.43
12.20	15.20	.63	.33	12.00
15.20	18.30	1.55	.98	24.34
18.30	21.30	.78	1.25	9.94
21.30	24.40	1.20	2.05	16.11
24.40	25.90	.60	1.55	10.97
25.90	27.60	4.18	5.93	67.54
27.60	34.60	N/A	N/A	N/A
34.60	35.50	4.48	8.93	85.72
35.50	49.20	N/A	N/A	N/A
49.20	50.30	7.45	12.72	134.06
50.30	51.80	8.25	18.54	139.20
51.80	53.30	4.18	8.68	68.57
53.30	54.90	7.45	11.31	186.52
54.90	100.40	N/A	N/A	N/A
100.40	102.10	1.55	2.18	21.26
102.10	103.60	2.00	2.75	28.46
103.60	105.20	1.05	1.28	15.09
105.20	106.70	2.00	2.70	28.46
106.70	108.20	.93	1.08	15.09
108.20	109.70	.13	.13	5.14
109.70	111.30	.98	1.03	10.97
111.30	112.80	1.68	2.50	23.31
112.80	142.10	N/A	N/A	N/A
142.10	143.60	2.48	4.85	44.23
143.60	145.10	1.00	2.35	16.11
145.10	146.60	5.00	7.06	75.77
146.60	153.90	N/A	N/A	N/A

HOLE NO: U-163 ✓
 HOLE LENGTH: 112.10 ✓
 LATITUDE: 10528.50 ✓
 DEPARTURE: 7781.06 ✓
 ELEVATION: 1185.49 ✓

AZIMUTH: 224.07 ✓
 DIP: -1.01 ✓

DIP TESTS: DEPTH 61.00 ✓ DIP 0.00 / 229.00 ✓ AZIMUTH

*Lat: 10,527.85
 dep: 7,781.60
 Azi: 226°19'16"*

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	3.00	.10	1.68	6.17
3.00	6.10	.33	1.13	13.03
6.10	8.00	2.15	3.75	35.31
8.00	60.50	N/A	N/A	N/A
60.50	63.10	4.75	8.64	77.83
63.10	86.90	N/A	N/A	N/A
86.90	90.10	2.50	1.90	33.26
90.10	93.10	3.95	2.40	39.43
93.10	96.00	1.73	1.45	24.34
96.00	112.10	N/A	N/A	N/A

HOLE NO: U-165
 HOLE LENGTH: 53.30 ✓

LATITUDE: 10528.78 ✓
 DEPARTURE: 7781.08 ✓
 ELEVATION: 1184.90 ✓

AZIMUTH: 226.06 ✓
 DIP: -38.36 ✓

INTERVAL		ASSAYS			
FROM	TO	PB %	ZN %	AG GM/TON	
0.00	3.00	2.85	3.59	31.20	<i>Lat: 10,527.50</i> <i>Dep: 7,781.10</i> <i>Azi: 228° 18' 30"</i>
3.00	6.10	.75	1.15	9.94	
6.10	7.60	.10	.70	7.20	
7.60	9.50	.85	1.55	25.37	
9.50	18.20	N/A	N/A	N/A	
18.20	21.30	.73	.78	23.31	
21.30	24.40	.13	1.13	12.00	
24.40	27.40	1.15	1.30	25.37	
27.40	30.50	.08	.70	13.03	
30.50	33.50	.03	.48	10.97	
33.50	36.60	.25	.75	10.97	
36.60	38.10	2.23	2.95	38.40	
38.10	39.60	1.83	2.23	32.23	
39.60	41.60	1.10	.98	24.34	
41.60	53.30	N/A	N/A	N/A	

HOLE NO: U-166
 HOLE LENGTH: 182.90

LATITUDE: 11020.25
 DEPARTURE: 7495.50
 ELEVATION: 1105.50

AZIMUTH: 0.00
 DIP: -90.00

DIP TESTS:	DEPTH	DIP	AZIMUTH
	62.48	-84.00	214.00
	108.20	-83.00	184.00
	152.40	-84.00	150.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	1.80	2.23	4.48	52.46
1.80	3.00	3.38	6.88	66.51
3.00	4.60	.83	1.13	15.09
4.60	35.10	N/A	N/A	N/A
35.10	36.60	4.45	7.34	67.54
36.60	38.10	2.15	1.90	34.29
38.10	40.20	1.73	2.18	25.37
40.20	47.50	N/A	N/A	N/A
47.50	49.00	1.20	1.35	20.23
49.00	51.60	N/A	N/A	N/A
51.60	53.30	.95	1.70	17.14
53.30	54.90	.88	2.00	14.06
54.90	112.80	N/A	N/A	N/A
112.80	114.00	.70	.90	10.97
114.00	115.80	3.18	4.75	59.31
115.80	117.30	3.53	4.40	53.49
117.30	118.90	3.18	3.85	49.03
118.90	120.40	2.78	4.10	50.40
120.40	122.10	N/A	N/A	N/A
122.10	123.60	.98	1.68	15.09
123.60	131.10	N/A	N/A	N/A
131.10	132.60	.58	.55	9.94
132.60	134.10	1.45	2.48	22.29
134.10	135.60	.80	1.45	15.09
135.60	138.20	N/A	N/A	N/A
138.20	140.20	2.98	4.25	41.49
140.20	141.70	5.81	7.52	75.77
141.70	143.30	4.28	5.55	55.54
143.30	144.80	.22	.60	14.06
144.80	146.30	.65	.50	19.20
146.30	148.30	.56	.58	21.26
148.30	149.70	1.50	.95	29.14
149.70	150.50	4.05	6.01	56.57
150.50	169.10	N/A	N/A	N/A
169.10	170.70	.70	.75	8.91
170.70	182.90	N/A	N/A	N/A

HOLE NO: U-167
 HOLE LENGTH: 61.80

LATITUDE: 10528.78
 DEPARTURE: 7781.26
 ELEVATION: 1187.51

AZIMUTH: 225.34
 DIP: 42.56

INTERVAL		ASSAYS			
FROM	TO	PB %	ZN %	AG GM/TON	
0.00	3.00	.14	.78	7.20	<i>Lat: 10,527.80</i> <i>Dep: 7,781.50</i> <i>Azi: 227°46'</i>
3.00	4.60	.78	1.28	22.29	
4.60	6.10	1.63	2.68	29.14	
6.10	11.60	N/A	N/A	N/A	
11.60	12.70	5.89	7.30	84.69	
12.70	32.00	N/A	N/A	N/A	
32.00	33.50	5.40	9.79	73.71	
33.50	35.10	4.73	6.76	68.57	
35.10	36.60	4.65	7.92	68.57	
36.60	38.10	4.05	4.25	69.60	
38.10	39.60	4.51	6.41	82.63	
39.60	41.10	3.80	6.24	66.51	
41.10	42.70	4.30	6.93	73.71	
42.70	44.20	6.00	10.81	87.77	
44.20	45.70	5.40	6.74	70.63	
45.70	47.20	8.70	13.62	124.12	
47.20	48.80	7.03	14.71	104.92	
48.80	61.80	N/A	N/A	N/A	

HOLE NO: U-168
HOLE LENGTH: 166.70 ✓

LATITUDE: 11018.00 ✓
DEPARTURE: 7495.33 ✓
ELEVATION: 1105.49 ✓

AZIMUTH: 224.00 ✓
DIP: -60.00 ✓

DIP TESTS:	DEPTH	DIP	AZIMUTH
	68.58 ✓	-71.00 ✓	210.00 ✓
	100.58 ✓	-74.00 ✓	203.00 ✓
	131.06 ✓	-75.00 ✓	192.00 ✓
	161.54 ✓	-76.30 ✓	117.00 ✓

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	1.80	7.51	19.38	161.49
1.80	3.70	2.58	8.03	48.34
3.70	4.60	3.40	7.47	63.43
4.60	6.10	4.73	10.95	74.74
6.10	7.60	2.43	7.95	44.23
7.60	9.10	.07	.10	1.03
9.10	16.40	.00	.00	.00
16.40	17.50	2.25	4.50	39.43
17.50	19.60	.00	.00	.00
19.60	20.60	.40	.73	12.00
20.60	30.90	.00	.00	.00
30.90	32.00	6.47	13.80	106.97
32.00	33.50	.96	1.75	12.00
33.50	35.10	4.50	8.02	73.71
35.10	36.60	4.13	7.62	70.63
36.60	38.10	3.35	6.26	56.57
38.10	115.00	.00	.00	.00
115.00	116.50	1.15	1.43	21.26
116.50	118.00	4.65	7.55	79.54
118.00	119.50	5.00	8.68	87.77
119.50	121.00	5.46	8.91	85.72
121.00	122.50	5.45	9.03	90.86
122.50	124.50	5.10	7.16	96.69
124.50	133.90	.00	.00	.00
133.90	135.60	3.28	2.70	53.49
135.60	137.20	2.13	1.30	33.26
137.20	138.70	4.50	7.08	65.49
138.70	140.20	4.00	8.06	61.37
140.20	141.70	5.20	9.24	95.66
141.70	143.30	5.90	9.59	90.86
143.30	144.80	5.00	8.01	83.66
144.80	146.30	.63	1.05	13.03
146.30	147.80	.20	.55	9.94
147.80	150.00	.00	.00	.00
150.00	150.90	.10	.18	7.20
150.90	152.40	1.00	1.05	20.23
152.40	153.90	3.85	6.93	56.57
153.90	155.40	3.90	6.53	65.49
155.40	156.50	4.65	6.35	65.49
156.50	166.70	N/A	N/A	N/A

HOLE NO: U-170
 HOLE LENGTH: 96.30 ✓

LATITUDE: 11021.85 ✓
 DEPARTURE: 7412.45 ✓
 ELEVATION: 1099.86 ✓

AZIMUTH: 7.35 ✓
 DIP: -88.39 ✓

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	1.50	3.08	4.50	57.60
1.50	3.00	2.53	4.30	49.37
3.00	4.60	4.50	7.77	83.66
4.60	6.10	2.38	3.25	41.49
6.10	7.60	2.60	4.90	56.57
7.60	9.10	2.03	3.85	40.46
9.10	10.70	1.30	1.43	22.29
10.70	12.20	1.20	1.50	18.17
12.20	13.70	2.55	2.80	40.46
13.70	15.20	2.03	4.00	35.31
15.20	16.80	1.38	3.00	23.31
16.80	18.30	1.65	3.75	30.17
18.30	19.80	1.60	3.68	26.40
19.80	21.30	.43	.95	6.17
21.30	22.90	.60	1.23	9.94
22.90	24.40	.28	.90	6.17
24.40	25.90	.90	1.20	15.09
25.90	27.40	1.13	1.85	18.17
27.40	29.00	.93	1.33	15.09
29.00	30.50	.50	.58	8.23
30.50	32.50	N/A	N/A	N/A
32.50	33.50	3.25	4.45	52.46
33.50	34.70	7.88	18.48	136.12
34.70	36.30	4.38	7.55	81.60
36.30	38.40	3.90	7.20	70.63
38.40	39.90	3.88	4.95	56.57
39.90	41.40	6.00	7.22	95.66
41.40	43.00	2.50	5.63	49.37
43.00	44.50	2.95	5.30	50.40
44.50	46.00	4.28	11.31	84.69
46.00	47.60	5.40	7.16	94.63
47.60	49.10	5.90	6.64	99.77
49.10	50.60	2.20	3.95	33.31
50.60	52.10	5.65	7.37	80.57
52.10	53.60	4.05	4.35	57.60
53.60	55.20	1.65	4.10	34.29
55.20	96.30	N/A	N/A	N/A

HOLE NO: U-172
 HOLE LENGTH: 121.90 ✓

LATITUDE: 11017.45 ✓
 DEPARTURE: 7494.88 ✓
 ELEVATION: 1105.82 ✓

AZIMUTH: 224.00 ✓
 DIP: -24.00 ✓

DIP TESTS: DEPTH DIP AZIMUTH
 45.72 ✓ -28.00 ✓ 221.00 ✓
 91.44 ✓ -40.00 ✓ 219.00 ✓

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	1.80	N/A	N/A	N/A
1.80	3.30	6.87	15.93	146.06
3.30	4.60	9.43	20.32	175.53
4.60	6.10	4.05	6.90	85.72
6.10	7.20	3.80	13.66	67.54
7.20	14.00	.00	.00	.00
14.00	15.20	6.89	12.60	122.06
15.20	16.80	7.47	13.10	146.06
16.80	18.30	5.49	9.90	93.94
18.30	19.80	4.35	6.70	67.54
19.80	21.30	2.80	3.85	45.26
21.30	22.90	3.55	7.43	65.49
22.90	24.40	3.18	6.38	54.52
24.40	25.90	1.30	3.10	22.29
25.90	27.40	3.78	8.27	60.34
27.40	29.00	3.60	8.09	54.51
29.00	30.50	1.28	2.70	19.20
30.50	32.00	4.50	8.25	63.43
32.00	33.50	5.21	9.00	82.63
33.50	35.10	.53	.15	8.23
35.10	36.60	2.80	5.35	43.51
36.60	38.10	3.30	8.05	60.34
38.10	39.60	3.75	7.85	64.46
39.60	40.60	2.30	4.25	46.29
40.60	40.90	.00	.00	.00
40.90	41.30	1.50	2.03	30.17
41.30	49.20	.00	.00	.00
49.20	50.30	4.23	6.40	62.06
50.30	51.80	6.23	8.84	85.72
51.80	53.30	6.28	9.24	89.83
53.30	54.90	4.00	8.76	61.37
54.90	56.40	3.28	7.50	55.54
56.40	57.90	2.40	5.83	41.49
57.90	59.40	5.56	8.50	82.63
59.40	61.00	1.38	2.55	23.31
61.00	62.50	.50	1.08	9.94
62.50	64.00	.68	1.88	12.00
64.00	65.00	.50	1.00	8.23
65.00	70.10	.00	.00	.00
70.10	71.60	1.55	2.43	20.23
71.60	73.20	1.10	2.10	17.14
73.20	94.50	.00	.00	.00
94.50	96.00	3.43	3.90	49.37
96.00	97.50	3.08	4.00	35.31
97.50	99.10	1.13	1.20	21.26
99.10	100.60	.50	.65	17.14

HOLE NO: U-172

INTERVAL		ASSAYS		
FROM	TO	FB %	ZN %	AG GM/TON
100.60	102.10	1.20	1.15	28.11
102.10	103.60	4.05	4.30	44.23
103.60	105.20	2.18	2.05	25.37
105.20	106.70	1.83	3.03	27.43
106.70	108.20	2.30	2.15	40.46
108.20	109.70	.50	1.00	10.97
109.70	111.30	.55	.85	13.03
111.30	112.80	1.78	.93	24.34
112.80	114.30	1.68	.65	23.31
114.30	115.80	.98	1.53	25.37
115.80	117.30	6.73	11.29	120.00
117.30	118.90	2.65	2.85	46.29
118.90	120.40	2.48	2.65	40.46
120.40	121.90	4.65	9.13	66.51

HOLE NO: U-173 ✓ LATITUDE: 10481.50 ✓
 HOLE LENGTH: 57.90 ✓ DEPARTURE: 7819.50 ✓
 ELEVATION: 1192.80 ✓ AZIMUTH: 224.00 ✓
 DIP: -53.00 ✓

INTERVAL		ASSAYS			
FROM	TO	PB %	ZN %	AG GM/TON	
0.00	3.00	3.10	7.48	55.54	<i>LAT: 10 481.25</i> <i>Dep: 7 818.80</i> <i>Ag: 226° 12'</i>
3.00	14.30	N/A	N/A	N/A	
14.30	15.30	.35	.80	8.91	
15.30	18.30	.45	.70	7.89	
18.30	21.30	N/A	N/A	N/A	
21.30	22.90	.23	.65	5.14	
22.90	24.40	.05	.38	2.06	
24.40	33.50	N/A	N/A	N/A	
33.50	34.50	.10	.08	4.11	
34.50	36.60	1.25	.25	21.26	
36.60	38.10	1.70	1.40	22.29	
38.10	39.60	1.63	1.25	17.14	
39.60	41.10	.05	.13	4.11	
41.10	42.70	.55	.33	15.09	
42.70	44.20	1.60	1.38	28.46	
44.20	45.70	2.40	2.00	47.31	
45.70	47.20	.50	.28	14.06	
47.20	48.80	1.03	.75	21.26	
48.80	50.30	1.35	1.55	19.20	
50.30	51.80	N/A	N/A	N/A	
51.80	54.00	.28	.38	8.23	
54.00	57.90	N/A	N/A	N/A	

HOLE NO:	U-176	LATITUDE:	11052.88 ✓	AZIMUTH:	224.00 ✓
HOLE LENGTH:	170.70 ✓	DEPARTURE:	7445.67 ✓	DIP:	-70.00 ✓
		ELEVATION:	1100.72 ✓		

DIP TESTS:	DEPTH	DIP	AZIMUTH
	76.20 ✓	-72.00 ✓	204.00 ✓
	152.40 ✓	-70.00 ✓	182.00 ✓

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	28.00	N/A	N/A	N/A
28.00	30.80	4.00	8.64	80.57
30.80	58.50	.00	.00	.00
58.50	60.60	4.88	8.33	67.54
60.60	62.80	2.55	3.80	44.23
62.80	109.70	.00	.00	.00
109.70	111.30	.55	1.08	12.00
111.30	112.80	.70	.95	14.06
112.80	114.30	1.00	.83	20.23
114.30	115.80	1.80	3.03	34.29
115.80	117.30	5.25	7.51	72.69
117.30	150.80	.00	.00	.00
150.80	152.40	4.23	6.87	72.69
152.40	153.90	5.49	7.93	102.86
153.90	155.40	5.33	7.04	75.77
155.40	157.00	2.95	4.05	48.34
157.00	158.50	1.63	1.78	29.14
158.50	160.00	2.60	3.80	41.49
160.00	162.00	4.68	9.37	69.60
162.00	170.70	N/A	N/A	N/A

DIAMOND DRILL LOG MA

STER FILE

HOLE NO: U-177
HOLE LENGTH: 65.50 ✓LATITUDE: 10483.95 ✓
DEPARTURE: 7821.13 ✓
ELEVATION: 1195.12 ✓AZIMUTH: 51.41 ✓
DIP: 42.22 ✓

INTERVAL		ASSAYS			AG GM/TON	<i>Lat: 10,483.85</i> <i>Dep: 7,825.00</i> <i> Azi: 53° 53'</i>
FROM	TO	PB %	ZN %			
0.00	3.00	.15	.45	8.91		
3.00	4.60	1.21	.98	20.23		
4.60	6.10	.94	1.43	16.11		
6.10	7.60	.65	.60	15.09		
7.60	10.70	.30	.85	10.97		
10.70	13.70	.14	.58	8.91		
13.70	16.70	.49	.63	13.03		
16.70	19.70	.35	.35	10.97		
19.70	30.50	N/A	N/A	N/A		
30.50	33.50	.08	.18	6.17		
33.50	36.60	N/A	N/A	N/A		
36.60	38.10	2.68	3.35	34.29		
38.10	39.60	.58	1.30	9.94		
39.60	42.70	N/A	N/A	N/A		
42.70	44.20	.06	.10	5.14		
44.20	45.70	N/A	N/A	N/A		
45.70	47.20	.83	.85	13.03		
47.20	48.80	.10	.08	5.14		
48.80	50.30	2.38	3.58	38.40		
50.30	51.80	.08	.18	5.14		
51.80	53.30	.05	.08	5.14		
53.30	65.50	N/A	N/A	N/A		

HOLE NO: U-178 LATITUDE: 11053.12 ✓
HOLE LENGTH: 70.10 ✓ DEPARTURE: 7446.15 ✓
ELEVATION: 1104.90 ✓ AZIMUTH: 56.15 ✓
DIP: 77.04 ✓

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	4.60	4.51	7.36	60.34
4.60	6.10	2.15	4.65	35.31
6.10	7.60	1.90	4.10	28.46
7.60	9.10	4.55	10.77	74.74
9.10	10.70	5.24	9.66	87.77
10.70	12.20	2.35	3.44	33.26
12.20	13.70	1.60	1.90	23.31
13.70	15.20	.23	.36	5.14
15.20	16.80	2.78	.75	29.14
16.80	18.30	3.30	1.25	37.37
18.30	20.50	.00	.00	.00
20.50	22.50	3.79	2.65	45.26
22.50	23.50	.00	.00	.00
23.50	24.50	3.83	4.05	50.40
24.50	25.90	.00	.00	.00
25.90	29.00	2.45	3.80	36.34
29.00	36.70	.00	.00	.00
36.70	39.70	2.80	5.00	41.49
39.70	70.10	N/A	N/A	N/A

HOLE NO: U-179 / LATITUDE: ~~10482.08~~ ✓
 HOLE LENGTH: 51.80 / DEPARTURE: ~~7819.08~~ ✓
 ELEVATION: 1195.71 / AZIMUTH: ~~224.55~~ ✓
 DIP: 59.18 ✓

INTERVAL		ASSAYS			
FROM	TO	PB %	ZN %	AG GM/TON	
0.00	1.50	.05	.20	7.20	<i>Lat: 10,482.00</i>
1.50	3.00	.08	.53	14.06	
3.00	4.60	.38	.88	14.06	
4.60	6.10	2.13	2.20	30.17	<i>Dep: 7,819.50</i>
6.10	7.60	6.54	7.24	92.92	
7.60	9.10	7.78	9.98	105.94	<i>Azi: 227°07'</i>
9.10	10.70	9.63	17.24	142.49	
10.70	12.20	6.27	16.59	100.80	
12.20	13.70	N/A	N/A	N/A	
13.70	15.20	9.73	23.77	144.34	
15.20	16.10	9.97	22.30	155.32	
16.10	17.50	N/A	N/A	N/A	
17.50	18.30	2.95	4.85	42.51	
18.30	29.70	N/A	N/A	N/A	
29.70	32.00	5.43	11.50	85.72	
32.00	33.50	2.33	4.90	40.46	
33.50	35.10	.95	2.58	10.97	
35.10	36.60	2.28	5.72	29.14	
36.60	38.10	3.73	5.98	59.31	
38.10	39.60	3.98	4.55	73.71	
39.60	41.10	2.70	3.75	39.43	
41.10	42.70	3.68	2.55	48.34	
42.70	44.20	.43	1.00	8.23	
44.20	45.70	N/A	N/A	N/A	

HOLE NO: U-180
HOLE LENGTH: 30.50 ✓
LATITUDE: 11021.75 ✓
DEPARTURE: 7412.56 ✓
ELEVATION: 1104.04 ✓

AZIMUTH: 332.14 ✓
DIP: 87.21 ✓

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	3.00	2.40	4.25	35.31
3.00	6.00	.50	.80	8.23
6.00	9.00	.40	.73	7.20
9.00	12.00	.90	1.60	13.03
12.00	15.00	.87	.55	9.94
15.00	16.50	1.58	2.23	25.37
16.50	18.00	2.23	2.90	35.31
18.00	19.50	.68	.83	16.11
19.50	21.00	4.78	6.84	71.66
21.00	22.20	3.68	4.55	52.46
22.20	30.50	N/A	N/A	N/A

HOLE NO: U-181
 HOLE LENGTH: 68.60✓

LATITUDE: 10622.81✓
 DEPARTURE: 7703.95✓
 ELEVATION: 1172.01✓

AZIMUTH: 224.00✓
 DIP: 3.00✓

INTERVAL		ASSAYS			
FROM	TO	PB	ZN	AG	
		%	%	GM/TON	
0.00	1.50	6.12	11.95	78.86	<i>Lat: 10,623.25</i>
1.50	3.00	8.91	16.86	129.94	
3.00	4.60	7.13	11.60	90.84	
4.60	6.10	4.80	9.14	78.86	<i>Dep: 7,704.20</i>
6.10	7.60	7.41	14.53	87.77	<i>Ag: 226.12'</i>
7.60	9.10	6.31	15.14	117.94	
9.10	10.70	10.41	22.56	184.46	
10.70	11.80	10.41	20.77	171.43	
11.80	49.80	N/A	N/A	N/A	
49.80	51.30	5.40	9.30	91.89	
51.30	52.80	7.05	11.92	87.77	
52.80	54.30	5.70	10.16	84.69	
54.30	55.80	4.58	8.09	85.72	
55.80	57.10	2.40	5.48	37.37	
57.10	58.60	5.65	8.67	103.89	
58.60	60.40	7.80	10.21	150.17	
60.40	68.60	N/A	N/A	N/A	

HOLE NO: U-182 LATITUDE: 10981.46 ✓
 HOLE LENGTH: 153.60 ✓ DEPARTURE: 7380.44 ✓
 ELEVATION: 1098.84 ✓ AZIMUTH: 0.00 ✓
 DIP: -90.00 ✓

DIP TESTS: DEPTH DIP AZIMUTH
 88.10 ✓ -82.00 ✓ 200.00 ✓
 149.00 ✓ -80.00 ✓ 222.00 ✓

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	3.00	.40	.83	8.23
3.00	5.20	.58	.75	9.26
5.20	6.20	.00	.00	.00
6.20	9.30	3.28	5.10	52.46
9.30	12.30	1.50	3.73	19.20
12.30	20.20	.00	.00	.00
20.20	23.20	.43	.90	8.23
23.20	25.00	1.23	2.28	22.29
25.00	51.80	.00	.00	.00
51.80	54.90	1.50	2.00	28.46
54.90	56.40	4.90	10.32	90.86
56.40	59.40	.00	.00	.00
59.40	61.00	4.80	9.39	100.80
61.00	62.50	3.28	7.57	55.54
62.50	64.00	8.75	14.65	126.17
64.00	65.50	6.00	10.27	104.92
65.50	67.00	4.63	8.18	89.83
67.00	68.50	4.48	5.22	68.57
68.50	71.00	6.75	12.50	111.09
71.00	142.50	.00	.00	.00
142.50	143.80	5.00	8.93	85.72
143.80	153.60	N/A	N/A	N/A

HOLE NO: U-183 ✓
 HOLE LENGTH: 76.20 ✓

LATITUDE: ~~10622.86~~ ✓
 DEPARTURE: ~~7703.86~~ ✓
 ELEVATION: 1171.19 ✓

AZIMUTH: ~~229.38~~ ✓
 DIP: -29.56 ✓

INTERVAL		ASSAYS			
FROM	TO	PB	ZN	AG	
		%	%	GM/TON	
0.00	1.50	6.27	13.71	110.06	<i>Lat: 10,623.25</i>
1.50	3.00	3.50	2.55	47.31	
3.00	4.50	1.68	2.55	30.17	
4.50	6.00	2.13	4.00	35.31	<i>dep: 7,709.20</i>
6.00	7.50	3.33	3.65	43.54	
7.50	8.50	1.05	2.45	22.29	<i>Azi: 231° 50'</i>
8.50	9.70	6.11	8.16	70.63	
9.70	11.20	5.91	11.75	76.80	
11.20	12.70	7.46	14.83	103.89	
12.70	14.20	7.28	12.71	114.17	
14.20	15.70	3.80	7.95	67.54	
15.70	17.20	4.98	8.08	69.60	
17.20	18.70	5.68	12.05	74.74	
18.70	20.20	7.61	21.12	134.06	
20.20	21.80	8.72	19.99	151.20	
21.80	76.20	N/A	N/A	N/A	

HOLE NO: U-184 ✓
 HOLE LENGTH: 167.60 ✓

LATITUDE: 10978.60 ✓
 DEPARTURE: 7377.98 ✓
 ELEVATION: 1098.83 ✓

AZIMUTH: 224.00 ✓
 DIP: -55.00 ✓

DIP TESTS: DEPTH DIP AZIMUTH
 103.60 / -62.00 / 208.00 ✓
 164.59 / -71.00 / 200.00 ✓

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	3.00	.53	.80	8.91
3.00	5.00	.58	1.55	8.91
5.00	6.00	.00	.00	.00
6.00	7.50	.58	.48	8.91
7.50	9.00	.55	1.03	7.20
9.00	12.00	.75	1.25	10.97
12.00	13.50	3.40	6.86	61.37
13.50	23.20	.00	.00	.00
23.20	24.80	2.50	3.66	38.40
24.80	26.10	.00	.00	.00
26.10	27.60	1.80	2.60	27.43
27.60	29.10	1.55	3.15	25.37
29.10	30.60	.48	.95	7.20
30.60	32.10	.65	1.08	12.00
32.10	33.60	.75	1.25	10.97
33.60	35.10	.40	.78	5.14
35.10	36.60	.60	1.23	8.91
36.60	39.60	.85	1.28	12.00
39.60	42.60	.65	.90	8.91
42.60	45.60	.65	1.20	9.94
45.60	48.60	.88	1.23	12.00
48.60	50.50	.00	.00	.00
50.50	52.00	2.05	2.65	29.14
52.00	53.50	5.78	8.93	87.77
53.50	55.00	3.88	8.85	65.49
55.00	56.50	4.70	11.84	71.66
56.50	58.00	3.50	7.77	57.60
58.00	59.30	9.86	12.34	140.23
59.30	64.20	.00	.00	.00
64.20	65.80	7.90	14.06	110.06
65.80	67.40	10.30	15.27	136.12
67.40	70.10	.00	.00	.00
70.10	71.00	8.35	11.48	112.12
71.00	98.00	.00	.00	.00
98.00	100.60	1.80	2.55	26.40
100.60	108.50	.00	.00	.00
108.50	111.50	1.13	1.10	15.09
111.50	113.00	2.33	3.10	32.23
113.00	116.00	1.23	1.40	18.17
116.00	119.00	1.00	1.58	15.09
119.00	122.80	.00	.00	.00
122.80	125.80	1.50	1.95	25.37
125.80	128.80	.83	.80	12.00
128.80	131.80	.13	.18	5.14
131.80	134.80	.17	.15	5.14
134.80	136.30	.98	1.28	14.06

HOLE NO: U-185
 HOLE LENGTH: 91.40 ✓

LATITUDE: 10600.81 ✓
 DEPARTURE: 7224.12 ✓
 ELEVATION: 1175.36 ✓

AZIMUTH: 222.17 ✓
 DIP: 1.36 ✓

INTERVAL		ASSAYS			
FROM	TO	PB %	ZN %	AG GM/TON	
0.00	6.10	N/A	N/A	N/A	<i>Lat: 10,600.75 Dep: 7,723.40 Az: 224° 29'</i>
6.10	7.60	1.23	1.85	20.23	
7.60	9.10	6.43	14.02	93.94	
9.10	10.70	6.83	15.27	110.06	
10.70	12.20	5.86	11.84	66.51	
12.20	13.70	7.81	15.99	84.69	
13.70	15.20	6.43	11.59	84.69	
15.20	16.80	8.11	17.43	104.92	
16.80	18.30	10.47	26.45	172.46	
18.30	19.80	6.23	17.52	90.86	
19.80	20.50	9.69	20.65	141.26	
20.50	57.90	.00	.00	.00	
57.90	58.60	5.50	9.70	80.57	
58.60	91.40	N/A	N/A	N/A	

HOLE NO: U-186
 HOLE LENGTH: 61.00 ✓

LATITUDE: 10980.57 ✓
 DEPARTURE: 7379.75 ✓
 ELEVATION: 1103.11 ✓

AZIMUTH: 228.15 ✓
 DIP: 72.27 ✓

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	3.00	.38	.53	6.17
3.00	6.00	.98	1.15	14.06
6.00	9.00	.58	.98	8.91
9.00	11.50	1.43	2.90	21.26
11.50	61.00	N/A	N/A	N/A

HOLE NO: U-187 ✓ LATITUDE: ~~10601.26~~ ✓
 HOLE LENGTH: 91.40 ✓ DEPARTURE: ~~7723.86~~ ✓ AZIMUTH: ~~224.29~~ ✓
 ELEVATION: 1174.78 ✓ DIP: -35.35 ✓

INTERVAL		ASSAYS			
FROM	TO	PB	ZN	AG	
		%	%	GM/TON	
0.00	16.80	N/A	N/A	N/A	<i>Lat: 10,601.00</i>
16.80	18.30	.10	.70	4.11	<i>dep: 7,723.65</i>
18.30	19.80	.43	.78	15.09	<i>Az: 226° 41'</i>
19.80	21.30	1.48	2.85	20.23	
21.30	22.90	3.05	3.55	40.46	
22.90	24.40	1.23	1.33	17.14	
24.40	25.90	1.10	1.48	15.09	
25.90	27.40	1.93	1.85	20.23	
27.40	29.00	.98	2.05	31.20	
29.00	30.50	.60	1.33	8.23	
30.50	32.00	1.63	2.93	22.29	
32.00	33.50	1.03	1.68	14.06	
33.50	35.10	.33	1.25	9.94	
35.10	45.70	.00	.00	.00	
45.70	47.20	.47	4.90	7.20	
47.20	48.80	.05	1.33	5.14	
48.80	50.30	.03	.93	5.14	
50.30	51.80	.04	2.35	9.94	
51.80	53.30	.04	5.00	8.23	
53.30	54.90	.10	2.13	8.91	
54.90	56.40	.09	2.08	12.00	
56.40	57.90	.13	1.95	10.97	
57.90	59.40	.28	1.80	8.91	
59.40	60.30	1.95	3.98	42.51	
60.30	91.40	N/A	N/A	N/A	

DIAMOND DRILL LOG MA

STER FILE

HOLE NO: U-188 ✓ LATITUDE: 10933.92 ✓ AZIMUTH: 43.06 ✓
 HOLE LENGTH: 83.80 ✓ DEPARTURE: 7412.99 ✓ DIP: -0.23 ✓
 ELEVATION: 1106.24 ✓

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	3.00	N/A	N/A	N/A
3.00	6.00	.98	2.10	13.03
6.00	9.00	.73	1.48	8.91
9.00	15.20	.00	.00	.00
15.20	16.70	1.38	2.98	21.26
16.70	18.20	2.18	3.65	32.23
18.20	19.70	2.78	5.00	40.46
19.70	21.20	2.28	4.05	33.26
21.20	22.70	1.78	3.33	27.43
22.70	24.20	3.58	5.90	50.40
24.20	27.20	.45	.85	7.20
27.20	30.20	.50	.63	8.23
30.20	33.20	.35	.70	9.94
33.20	36.20	.68	1.30	19.20
36.20	39.20	.40	.93	8.23
39.20	42.20	.93	1.68	12.00
42.20	45.00	1.88	3.75	31.20
45.00	56.00	.00	.00	.00
56.00	57.90	.68	.90	8.91
57.90	83.80	N/A	N/A	N/A

HOLE NO: U-189
 HOLE LENGTH: 123.40 ✓

LATITUDE: 10604.20 ✓
 DEPARTURE: 7727.50 ✓
 ELEVATION: 1174.79 ✓

AZIMUTH: 51.28 ✓
 DIP: -43.56 ✓

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	36.60	N/A	N/A	N/A
36.60	38.10	.04	.10	4.11
38.10	39.60	.04	.05	3.09
39.60	46.00	.00	.00	.00
46.00	47.20	.03	.20	2.06
47.20	48.80	.02	.08	2.06
48.80	50.30	.05	.20	3.09
50.30	51.80	.05	.15	3.09
51.80	53.30	.03	.13	3.09
53.30	54.90	.05	.38	5.14
54.90	56.40	.01	.50	1.03
56.40	58.40	2.65	5.40	32.23
58.40	60.40	1.18	3.40	21.26
60.40	61.00	1.05	1.80	25.37
61.00	62.50	.18	1.10	3.09
62.50	82.90	.00	.00	.00
82.90	85.30	3.20	1.80	29.14
85.30	87.50	1.08	.85	16.11
87.50	88.40	.55	.90	14.06
88.40	89.90	1.03	1.43	18.17
89.90	90.80	1.25	1.23	17.14
90.80	93.00	1.85	2.15	27.43
93.00	93.90	1.05	1.43	12.00
93.90	95.40	.40	.38	8.23
95.40	96.30	.53	.85	5.14
96.30	97.80	.55	.98	6.17
97.80	100.30	2.78	2.13	24.34
100.30	101.80	3.68	2.03	32.23
101.80	103.60	1.85	1.20	20.23
103.60	105.20	2.48	2.63	29.14
105.20	106.70	4.45	4.95	67.54
106.70	108.20	1.53	1.13	25.37
108.20	109.70	1.03	.83	15.09
109.70	111.30	.30	.33	9.94
111.30	112.80	.25	.35	9.94
112.80	114.30	2.03	2.65	36.34
114.30	115.80	.38	.45	7.20
115.80	117.30	.20	.35	12.00
117.30	118.90	.10	.20	5.14
118.90	120.40	.20	.40	3.09
120.40	121.90	.05	.05	1.03
121.90	123.40	.05	.05	1.03

Azi: 53° 40'

HOLE NO: U-190
 HOLE LENGTH: 106.70 ✓

LATITUDE: 10932.85 ✓
 DEPARTURE: 7411.77 ✓
 ELEVATION: 1105.05 ✓

AZIMUTH: 44.00 ✓
 DIP: -70.00 ✓

DIP TESTS: DEPTH DIP AZIMUTH
 73.10 ✓ -81.00 ✓ 72.00 ✓
 103.60 ✓ -87.00 ✓ 112.00 ✓

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	4.20	N/A	N/A	N/A
4.20	7.20	.83	1.55	10.97
7.20	10.20	1.58	1.60	16.11
10.20	13.20	2.65	1.98	32.23
13.20	15.20	.88	1.48	12.00
15.20	28.00	.00	.00	.00
28.00	31.00	1.78	3.23	23.31
31.00	34.00	1.03	.73	13.03
34.00	37.00	.78	1.35	9.94
37.00	40.00	.25	.48	6.17
40.00	43.00	.39	1.08	8.91
43.00	46.00	1.05	2.03	18.17
46.00	47.50	1.25	3.28	25.37
47.50	49.00	4.90	8.59	65.49
49.00	50.50	1.13	1.13	27.43
50.50	52.00	.93	.93	20.23
52.00	53.50	.78	1.00	15.09
53.50	55.00	.85	.93	26.40
55.00	56.50	1.40	1.83	28.46
56.50	58.00	7.98	11.51	116.92
58.00	59.50	5.35	8.28	90.86
59.50	61.00	6.35	7.40	92.92
61.00	62.50	4.93	7.28	79.54
62.50	64.00	4.90	9.05	68.57
64.00	65.50	2.75	3.60	34.29
65.50	67.00	3.98	7.55	56.57
67.00	68.50	6.50	10.66	91.89
68.50	70.00	4.48	7.73	76.80
70.00	71.50	4.15	6.52	73.71
71.50	73.50	6.31	9.55	83.66
73.50	74.50	5.04	6.24	79.54
74.50	76.00	6.20	8.92	93.94
76.00	77.50	5.24	8.39	113.14
77.50	78.50	6.20	10.14	98.74
78.50	106.70	N/A	N/A	N/A

HOLE NO: U-191
 HOLE LENGTH: 61.00 ✓

LATITUDE: 10602.58⁰ ✓
 DEPARTURE: 7725.65 ✓⁷⁰
 ELEVATION: 1178.89 ✓

AZIMUTH: 256.25 ✓
 DIP: 88.31 ✓

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	6.10	N/A	N/A	N/A
6.10	9.10	.45	.80	9.94
9.10	12.20	.60	1.30	25.37
12.20	13.70	3.35	3.75	50.40
13.70	15.20	7.15	12.83	94.63
15.20	16.80	5.00	9.60	83.66
16.80	18.30	6.62	12.28	86.74
18.30	19.80	6.85	13.69	103.89
19.80	21.30	8.96	14.71	126.17
21.30	24.30	6.95	12.53	109.03
24.30	50.30	.00	.00	.00
50.30	53.30	5.83	15.46	75.77
53.30	56.40	4.40	13.20	67.54
56.40	57.90	7.05	16.45	114.17
57.90	61.00	N/A	N/A	N/A

Azi: 258 + 37'

HOLE NO: U-192
 HOLE LENGTH: 121.90 ✓

LATITUDE: 10786.02 ✓
 DEPARTURE: 7565.86 ✓
 ELEVATION: 1140.18 ✓

AZIMUTH: 52.52 ✓
 DIP: -68.33 ✓

DIP TESTS: DEPTH 118.80 ✓ DIP -81.00 ✓ AZIMUTH 44.00 ✓

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	1.90	2.13	4.10	27.43
1.90	3.80	2.93	2.70	35.31
3.80	5.30	.85	1.18	9.94
5.30	6.80	1.93	2.50	22.29
6.80	8.30	1.10	1.05	13.03
8.30	9.80	.95	1.43	9.94
9.80	12.80	1.03	1.48	13.03
12.80	15.00	.00	.00	.00
15.00	16.50	2.48	3.25	35.31
16.50	18.00	1.93	2.80	22.29
18.00	19.50	1.50	2.00	17.14
19.50	21.00	2.05	2.93	24.34
21.00	22.50	2.08	2.85	25.37
22.50	60.70	.00	.00	.00
60.70	63.70	.35	.83	8.91
63.70	66.70	1.38	2.20	22.29
66.70	69.00	.03	.43	7.20
69.00	70.50	3.93	5.25	65.49
70.50	72.00	3.18	7.78	57.60
72.00	73.50	4.50	8.24	65.49
73.50	75.00	2.63	4.60	33.26
75.00	76.50	1.13	3.18	17.14
76.50	78.00	1.10	2.93	12.00
78.00	79.50	3.23	6.01	50.40
79.50	81.00	5.85	11.16	85.72
81.00	82.50	4.65	3.35	50.40
82.50	84.00	2.20	1.75	29.14
84.00	85.50	3.28	4.40	51.43
85.50	87.00	4.08	6.25	62.40
87.00	88.50	1.05	2.13	15.09
88.50	90.00	4.78	7.17	62.40
90.00	91.50	3.90	7.88	60.34
91.50	93.00	.88	1.30	16.11
93.00	94.50	4.05	7.73	60.34
94.50	96.00	3.00	4.60	44.23
96.00	97.50	2.75	5.56	40.46
97.50	99.00	.93	1.43	29.14
99.00	100.50	3.00	6.54	51.43
100.50	102.00	4.03	7.42	62.40
102.00	103.50	2.05	3.68	32.23
103.50	105.00	4.70	4.70	61.37
105.00	106.50	.45	.33	16.11
106.50	108.00	.08	1.38	8.23
108.00	109.50	.13	1.15	10.97
109.50	111.00	.10	.30	9.94
111.00	112.50	.08	.25	13.03
112.50	114.00	.08	.53	12.00

HOLE NO: U-194 LATITUDE: 10785.41 ✓
HOLE LENGTH: 128.00 ✓ DEPARTURE: 7565.13 ✓ AZIMUTH: 132.32 ✓
ELEVATION: 1141.48 ✓ DIP: -85.47 ✓

DIP TESTS: DEPTH DIP AZIMUTH
61.00 ✓ -85.00 ✓ 272.00 ✓
118.90 ✓ -86.00 ✓ 252.00 ✓

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	1.20	N/A	N/A	N/A
1.20	4.00	2.35	3.00	28.46
4.00	5.50	1.55	.93	19.20
5.50	7.00	1.03	1.40	10.97
7.00	8.50	1.98	3.10	27.43
8.50	10.00	.90	1.80	9.94
10.00	11.50	1.28	1.60	12.00
11.50	13.00	.93	1.30	8.91
13.00	14.50	.95	.63	10.97
14.50	17.50	2.33	2.55	33.26
17.50	19.80	2.05	2.75	28.46
19.80	39.50	.00	.00	.00
39.50	41.00	.40	1.00	8.23
41.00	42.50	1.08	2.28	20.23
42.50	44.00	.53	1.13	12.00
44.00	45.50	.23	.78	6.17
45.50	47.00	.23	.73	7.20
47.00	48.50	.13	.43	7.20
48.50	50.00	1.90	3.90	34.29
50.00	51.50	3.65	7.20	68.57
51.50	53.40	3.23	5.82	59.31
53.40	57.20	.00	.00	.00
57.20	58.70	3.00	4.25	58.63
58.70	60.20	8.97	11.07	114.86
60.20	61.70	4.23	7.93	96.69
61.70	63.20	3.28	5.48	58.63
63.20	64.70	3.38	5.71	48.34
64.70	66.20	4.90	6.57	81.60
66.20	67.70	3.20	6.90	80.57
67.70	69.20	4.13	9.21	74.74
69.20	70.70	5.00	8.26	84.69
70.70	72.20	3.93	4.00	57.60
72.20	73.70	2.70	1.50	43.54
73.70	75.20	4.94	5.91	78.86
75.20	76.20	3.90	5.05	78.86
76.20	87.20	.00	.00	.00
87.20	88.70	9.71	18.19	147.09
88.70	90.20	6.99	14.00	104.92
90.20	91.70	5.23	8.04	79.54
91.70	93.20	2.73	5.05	43.54
93.20	94.70	.55	1.05	15.09
94.70	96.20	.88	1.93	17.14
96.20	97.70	4.25	6.19	63.43
97.70	99.20	1.00	2.48	21.26
99.20	100.70	1.43	2.98	26.40
100.70	102.20	1.05	1.28	25.37

DIAMOND DRILL LOG MA

STER FILE

HOLE NO: U-196
HOLE LENGTH: 129.50 ✓LATITUDE: 10784.53 ✓
DEPARTURE: 7564.22 ✓
ELEVATION: 1140.18 ✓AZIMUTH: 216.41 ✓
DIP: -63.39 ✓DIP TESTS: DEPTH DIP AZIMUTH
61.00 ✓ -73.00 ✓ 229.00 ✓
100.60 ✓ -75.00 ✓ 245.00 ✓

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	3.00	1.80	1.70	20.23
3.00	4.50	1.95	2.93	26.40
4.50	6.00	1.63	1.63	22.29
6.00	7.50	1.60	.88	22.29
7.50	9.00	.88	.35	12.00
9.00	10.50	2.20	2.00	32.23
10.50	12.00	2.88	2.55	36.34
12.00	13.50	2.70	2.95	32.23
13.50	15.00	2.80	1.25	30.17
15.00	16.50	3.10	1.85	31.20
16.50	18.00	2.70	.80	26.40
18.00	19.50	.13	.55	3.09
19.50	21.00	.10	.10	6.17
21.00	22.50	.14	.35	6.17
22.50	25.50	.75	.73	8.91
25.50	28.50	.18	.40	3.09
28.50	31.50	.13	.93	3.09
31.50	34.50	.53	1.23	8.91
34.50	36.60	1.95	3.40	30.17
36.60	38.10	2.58	4.15	41.49
38.10	39.60	6.23	8.77	92.92
39.60	40.30	6.10	8.47	102.86
40.30	62.50	.00	.00	.00
62.50	64.00	5.00	8.21	93.94
64.00	65.50	6.85	5.10	184.46
65.50	67.00	5.70	8.06	108.00
67.00	68.50	4.00	6.80	69.60
68.50	70.00	5.00	8.49	82.63
70.00	71.50	4.35	7.50	76.80
71.50	94.50	.00	.00	.00
94.50	96.00	4.28	19.19	61.37
96.00	97.50	9.02	20.34	150.17
97.50	99.00	2.53	5.65	42.51
99.00	100.50	2.03	4.55	36.34
100.50	102.00	4.65	8.31	70.63
102.00	103.50	1.05	3.68	25.37
103.50	105.00	2.23	3.15	39.43
105.00	106.50	1.63	4.03	30.17
106.50	108.00	1.20	3.18	25.37
108.00	109.50	2.58	2.75	45.26
109.50	111.00	3.25	4.85	48.34
111.00	129.50	N/A	N/A	N/A

HOLE NO: U-199 LATITUDE: 10677.07 ✓ AZIMUTH: 228.18 ✓
 HOLE LENGTH: 132.60 ✓ DEPARTURE: 7629.42 ✓ DIP: 0.45 ✓
 ELEVATION: 1156.97 ✓

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	2.10	N/A	N/A	N/A
2.10	3.60	8.39	12.65	124.12
3.60	5.10	7.40	10.21	114.17
5.10	6.60	6.40	8.85	92.92
6.60	8.10	7.85	10.31	113.14
8.10	9.60	6.50	8.95	75.77
9.60	11.10	6.75	10.15	76.80
11.10	12.60	6.97	8.69	104.92
12.60	14.10	3.60	8.16	46.29
14.10	15.60	3.03	3.35	47.31
15.60	17.10	6.75	6.52	97.72
17.10	18.60	8.60	11.52	156.34
18.60	20.10	7.40	9.93	114.17
20.10	21.60	7.00	9.70	93.94
21.60	23.10	7.20	9.65	100.83
23.10	24.60	4.18	6.31	79.54
24.60	27.00	.00	.00	.00
27.00	28.50	6.10	10.21	108.00
28.50	30.00	5.40	9.55	98.74
30.00	31.50	6.20	9.85	139.20
31.50	33.00	6.40	9.25	104.92
33.00	34.50	5.10	9.78	85.72
34.50	36.00	4.55	9.18	62.40
36.00	103.00	.00	.00	.00
103.00	104.50	3.90	3.65	49.37
104.50	106.00	1.83	1.05	29.14
106.00	107.50	1.13	.30	27.43
107.50	109.00	6.80	6.47	68.57
109.00	110.50	1.95	1.73	23.31
110.50	132.60	N/A	N/A	N/A

HOLE NO: U-200 ✓ LATITUDE: 10673.00 ✓ AZIMUTH: 44.12 ✓
 HOLE LENGTH: 45.70 ✓ DEPARTURE: 7640.15 ✓ DIP: 0.43 ✓
 ELEVATION: 1158.25 ✓

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	6.00	N/A	N/A	N/A
6.00	7.90	7.95	15.80	126.17
7.90	9.40	9.17	16.40	138.17
9.40	10.90	8.88	14.23	122.06
10.90	12.40	9.94	11.45	147.09
12.40	13.90	6.30	10.43	100.80
13.90	15.40	.88	2.38	16.11
15.40	16.90	6.63	11.55	110.06
16.90	18.40	9.52	15.70	162.52
18.40	20.00	8.63	14.68	117.26
20.00	21.30	.00	.00	.00
21.30	22.90	2.33	1.10	31.20
22.90	24.40	2.50	4.30	43.54
24.40	27.00	2.05	3.45	30.17
27.00	45.70	N/A	N/A	N/A

DIAMOND DRILL LOG MA

STER FILE

HOLE NO: U-201 ✓ LATITUDE: 10718.84 ✓ AZIMUTH: 163.41 ✓
 HOLE LENGTH: 54.90 ✓ DEPARTURE: 7634.56 ✓ DIP: -0.30 ✓
 ELEVATION: 1152.84 ✓

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	3.50	N/A	N/A	N/A
3.50	6.50	4.05	4.10	52.49
6.50	9.50	2.35	3.85	27.43
9.50	12.50	1.63	.50	16.11
12.50	15.50	1.60	1.15	16.11
15.50	18.50	2.88	4.05	35.31
18.50	21.50	3.18	6.29	38.40
21.50	24.50	4.33	6.75	50.40
24.50	26.00	6.25	8.29	77.83
26.00	27.50	4.64	4.68	59.31
27.50	29.00	1.26	.58	23.31
29.00	30.50	.38	.63	12.00
30.50	32.00	.60	.65	13.03
32.00	33.50	2.03	2.80	25.37
33.50	36.60	4.94	9.68	87.77
36.60	38.10	4.50	9.96	79.54
38.10	41.10	4.47	8.11	72.69
41.10	44.20	4.69	9.35	93.94
44.20	45.70	5.65	10.04	102.86
45.70	47.20	5.70	11.00	105.94
47.20	48.80	5.90	10.97	104.92
48.80	50.30	5.80	10.16	109.03
50.30	52.80	3.78	8.14	98.74
52.80	54.90	N/A	N/A	N/A

DIAMOND DRILL LOG MA

STER FILE

HOLE NO: U-206
HOLE LENGTH: 106.70 ✓LATITUDE: 10766.34 ✓
DEPARTURE: 7715.96 ✓
ELEVATION: 1159.65 ✓AZIMUTH: 161.59 ✓
DIP: 87.26 ✓

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	1.50	N/A	N/A	N/A
1.50	3.00	4.35	8.98	66.51
3.00	4.60	3.45	4.60	45.26
4.60	6.10	5.70	4.00	67.54
6.10	7.60	9.75	6.23	114.17
7.60	9.10	4.78	4.25	58.63
9.10	12.20	3.65	4.20	43.54
12.20	13.70	6.50	2.50	69.60
13.70	15.20	8.50	4.40	89.83
15.20	16.80	4.03	2.03	46.29
16.80	18.30	5.04	2.33	55.54
18.30	19.80	4.85	1.63	55.54
19.80	21.30	5.70	1.48	64.46
21.30	22.90	8.55	7.52	83.66
22.90	24.40	3.70	2.70	41.49
24.40	25.90	3.33	4.10	47.31
25.90	27.40	2.15	4.66	37.37
27.40	29.00	2.38	5.00	44.23
29.00	30.50	2.15	4.76	40.46
30.50	32.00	1.90	3.95	39.43
32.00	33.50	1.60	3.73	33.26
33.50	35.10	1.90	4.68	39.43
35.10	36.60	1.75	2.53	31.20
36.60	38.10	3.35	6.48	57.60
38.10	39.60	2.48	4.06	46.29
39.60	41.10	3.30	7.44	66.51
41.10	42.70	1.80	3.30	29.14
42.70	44.20	1.15	1.40	15.09
44.20	45.70	1.40	2.88	23.31
45.70	47.20	1.38	3.25	26.40
47.20	48.80	1.68	4.18	30.17
48.80	50.30	1.43	3.18	21.26
50.30	51.80	1.50	3.00	24.34
51.80	53.30	1.58	4.20	27.43
53.30	54.90	1.70	2.48	26.40
54.90	56.40	.63	1.30	10.97
56.40	59.40	1.83	2.40	24.34
59.40	61.00	2.20	5.50	30.17
61.00	62.50	1.35	2.88	21.26
62.50	64.00	5.42	7.70	67.54
64.00	65.50	6.65	10.55	80.57
65.50	67.10	7.61	11.66	102.86
67.10	68.50	9.89	16.00	138.17
68.50	106.70	N/A	N/A	N/A

HOLE NO: U-209 ✓ LATITUDE: 10810.13 ✓ AZIMUTH: 156.02 ✓
 HOLE LENGTH: 97.50 ✓ DEPARTURE: 7672.49 ✓ DIP: -88.59 ✓
 ELEVATION: 1149.21 ✓

DIP TESTS: DEPTH 88.30 ✓ DIP -86.00 ✓ AZIMUTH 2.00 ✓

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	3.00	4.90	3.55	48.34
3.00	4.50	4.28	3.08	49.37
4.50	6.00	4.45	9.52	66.51
6.00	7.50	1.65	5.45	27.43
7.50	9.00	2.55	5.73	39.43
9.00	10.50	6.98	10.80	122.06
10.50	13.80	.00	.00	.00
13.80	16.80	5.33	10.49	89.83
16.80	18.30	6.04	13.42	93.94
18.30	19.80	3.55	8.91	53.49
19.80	21.30	.00	.00	.00
21.30	22.80	5.53	9.01	78.86
22.80	24.30	6.98	13.58	102.86
24.30	26.00	10.25	19.77	217.37
26.00	33.50	.00	.00	.00
33.50	35.10	4.70	6.92	65.49
35.10	39.40	.00	.00	.00
39.40	41.10	3.90	4.55	52.46
41.10	42.70	2.78	2.90	40.46
42.70	44.20	6.23	10.29	130.97
44.20	45.70	5.67	8.75	97.72
45.70	47.20	6.49	10.25	108.00
47.20	48.70	4.55	6.41	69.60
48.70	50.20	3.48	5.30	48.34
50.20	51.90	1.05	1.90	16.11
51.90	57.90	.00	.00	.00
57.90	59.40	1.98	2.83	22.29
59.40	97.50	N/A	N/A	N/A

DIAMOND DRILL LOG MA

STER FILE

HOLE NO: U-210
HOLE LENGTH: 120.40 ✓LATITUDE: 10809.00 ✓
DEPARTURE: 7671.17 ✓
ELEVATION: 1149.15 ✓AZIMUTH: 220.53 ✓
DIP: -66.59 ✓

DIP TESTS: DEPTH 109.10 ✓ DIP -77.00 ✓ AZIMUTH 217.00 ✓

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	3.00	6.42	4.55	71.66
3.00	4.50	.85	2.70	14.06
4.50	6.00	3.73	8.11	56.57
6.00	7.50	3.70	7.90	53.49
7.50	9.00	2.30	4.80	33.26
9.00	10.50	3.78	6.90	58.63
10.50	12.00	3.20	6.55	46.29
12.00	13.50	2.90	5.30	48.34
13.50	15.00	3.82	9.05	68.57
15.00	16.50	4.13	9.01	78.86
16.50	18.00	1.38	3.13	23.31
18.00	19.50	2.88	6.92	50.40
19.50	21.00	7.83	13.57	125.14
21.00	22.50	5.00	9.74	80.57
22.50	24.00	2.63	5.63	42.51
24.00	25.50	.53	.25	8.23
25.50	27.10	1.75	1.48	27.43
27.10	29.80	.00	.00	.00
29.80	32.00	7.68	16.70	140.23
32.00	36.40	.00	.00	.00
36.40	38.40	6.19	7.87	79.54
38.40	59.40	.00	.00	.00
59.40	60.90	6.22	9.59	88.80
60.90	62.40	4.87	7.52	71.66
62.40	63.90	5.00	7.70	69.60
63.90	65.40	5.63	10.60	81.60
65.40	66.90	1.13	1.45	15.09
66.90	89.90	.00	.00	.00
89.90	92.90	.58	.73	13.03
92.90	94.40	.18	.65	14.06
94.40	95.90	.15	.28	8.23
95.90	98.90	.33	1.08	8.23
98.90	100.40	.73	13.03	13.03
100.40	101.90	.05	.45	3.09
101.90	104.90	.05	.33	5.14
104.90	107.90	.07	1.05	4.11
107.90	109.90	1.00	1.63	23.31
109.90	113.20	.00	.00	.00
113.20	114.40	6.99	12.52	98.74
114.40	120.40	N/A	N/A	N/A

HOLE NO: U-212 LATITUDE: 10743.75 ✓
 HOLE LENGTH: 70.20 ✓ DEPARTURE: 7608.68 ✓ AZIMUTH: 58.03 ✓
 ELEVATION: 1149.52 ✓ DIP: -85.50 ✓

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	10.70	N/A	N/A	N/A
10.70	11.20	1.30	2.73	15.09
11.20	12.20	1.48	1.93	19.20
12.20	13.70	2.15	1.60	24.34
13.70	15.20	3.40	3.00	40.46
15.20	16.80	2.60	3.55	32.23
16.80	18.30	2.23	2.75	28.46
18.30	19.80	1.68	2.65	20.23
19.80	21.30	.40	.63	5.14
21.30	22.90	1.48	2.00	20.23
22.90	30.00	.00	.00	.00
30.00	32.00	.50	.78	8.23
32.00	33.50	.33	1.18	6.17
33.50	36.00	1.88	3.73	29.14
36.00	38.10	8.05	15.78	118.97
38.10	41.90	.00	.00	.00
41.90	42.70	7.39	9.26	114.52
42.70	44.20	5.75	6.01	118.97
44.20	45.70	4.53	7.53	87.77
45.70	47.20	4.68	8.60	68.57
47.20	48.80	5.30	8.88	81.60
48.80	50.30	2.56	5.89	41.49
50.30	51.80	3.70	6.65	59.31
51.80	53.30	4.95	7.30	68.57
53.30	54.90	.00	.00	.00
54.90	56.40	3.15	6.06	51.43
56.40	59.10	4.20	8.04	80.57
59.10	61.00	6.29	12.70	93.94
61.00	62.50	4.00	3.60	57.60
62.50	64.00	9.15	15.98	118.63
64.00	65.50	3.85	4.15	46.29
65.50	67.10	2.80	1.70	39.77
67.10	68.60	7.58	14.12	127.89
68.60	70.20	3.38	3.80	47.31

HOLE NO: U-213
HOLE LENGTH: 121.90 ✓

LATITUDE: 10744.66 ✓
DEPARTURE: 7609.87 ✓
ELEVATION: 1149.50 ✓

AZIMUTH: 46.00 ✓
DIP: -64.56 ✓

DIP TESTS: DEPTH DIP AZIMUTH
73.20 ✓ -68.00 ✓ 43.00 ✓
118.90 ✓ -73.00 ✓ 53.00 ✓

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	51.20	N/A	N/A	N/A
51.20	52.70	3.83	6.86	63.43
52.70	54.20	2.58	4.45	41.49
54.20	55.70	4.23	7.70	58.63
55.70	57.20	3.23	6.12	54.51
57.20	58.70	4.08	7.05	71.66
58.70	60.20	5.97	9.17	94.63
60.20	61.70	3.85	6.70	50.40
61.70	63.20	5.79	8.39	78.86
63.20	64.70	1.50	1.63	31.20
64.70	66.20	1.28	1.20	30.17
66.20	67.70	2.75	4.60	52.46
67.70	69.20	1.53	2.45	28.46
69.20	70.70	2.93	5.00	46.29
70.70	72.20	.85	1.53	17.14
72.20	73.70	1.83	4.40	24.34
73.70	75.20	.85	1.83	13.03
75.20	76.70	.83	1.03	16.11
76.70	78.20	1.10	1.88	27.43
78.20	79.70	9.14	15.62	120.00
79.70	81.20	4.58	8.31	68.57
81.20	82.70	.88	1.38	28.11
82.70	84.20	.18	.80	12.00
84.20	85.70	6.37	13.89	88.80
85.70	87.20	5.70	11.23	70.63
87.20	88.70	2.43	4.45	33.26
88.70	90.20	.68	1.30	20.23
90.20	91.70	.45	1.28	17.14
91.70	93.20	.30	1.00	13.03
93.20	94.70	.18	.98	12.00
94.70	96.20	.20	1.28	6.17
96.20	97.70	.88	1.68	12.00
97.70	99.20	.43	2.53	10.97
99.20	100.70	.05	.65	9.94
100.70	102.20	.05	1.03	9.94
102.20	103.70	.02	.43	8.91
103.70	105.20	.03	1.00	7.89
105.20	106.70	.02	.75	5.14
106.70	108.90	1.28	1.63	29.14
108.90	113.90	.00	.00	.00
113.90	114.70	6.75	12.22	88.80
114.70	121.90	N/A	N/A	N/A

HOLE NO: U-214 ✓
 HOLE LENGTH: 30.50 ✓

LATITUDE: 10860.46 ✓
 DEPARTURE: 7637.09 ✓
 ELEVATION: 1139.16 ✓

AZIMUTH: 50.42 ✓
 DIP: -1.39 ✓

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	3.00	N/A	N/A	N/A
3.00	4.50	2.88	5.10	43.54
4.50	6.00	4.75	5.20	63.43
6.00	7.50	3.20	3.95	38.40
7.50	9.00	4.25	9.52	58.63
9.00	10.50	5.00	10.09	75.77
10.50	12.20	3.40	8.79	60.34
12.20	30.50	N/A	N/A	N/A

HOLE NO: U-216 ✓ LATITUDE: 10858.26 ✓ AZIMUTH: 225.25 ✓
 HOLE LENGTH: 138.70 ✓ DEPARTURE: 7633.34 ✓ DIP: -81.23 ✓
 ELEVATION: 1137.98 ✓

DIP TESTS: DEPTH DIP AZIMUTH
 61.00 ✓ -82.00 ✓ 204.00 ✓
 121.90 ✓ -82.00 ✓ 157.00 ✓

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	1.50	3.88	5.57	65.49
1.50	3.00	1.90	4.30	37.37
3.00	4.60	2.93	6.17	56.57
4.60	6.10	3.95	7.21	70.63
6.10	7.60	5.00	10.06	80.57
7.60	9.10	2.58	5.46	41.49
9.10	10.70	2.75	6.70	45.26
10.70	12.50	1.48	4.38	26.40
12.50	35.10	N/A	N/A	N/A
35.10	36.60	9.57	19.93	138.17
36.60	38.10	13.40	21.48	215.66
38.10	39.60	10.43	18.62	191.66
39.60	46.10	N/A	N/A	N/A
46.10	48.10	5.55	9.52	96.69
48.10	49.80	N/A	N/A	N/A
49.80	51.80	3.78	3.75	50.40
51.80	53.30	1.05	1.35	17.14
53.30	62.80	N/A	N/A	N/A
62.80	64.00	1.68	2.80	30.17
64.00	65.50	5.00	6.30	77.83
65.50	67.10	4.15	6.93	61.37
67.10	68.60	2.23	2.05	28.46
68.60	70.10	1.55	1.83	20.23
70.10	71.60	5.60	10.17	70.63
71.60	73.60	3.50	6.25	52.46
73.60	94.00	N/A	N/A	N/A
94.00	96.00	.23	.35	5.14
96.00	97.50	.45	1.20	7.20
97.50	99.10	.08	.30	2.06
99.10	100.60	.00	.00	.00
100.60	102.10	.18	.30	3.09
102.10	103.60	N/A	N/A	N/A
103.60	105.20	.08	.10	2.06
105.20	106.70	.08	.43	2.06
106.70	108.20	3.88	7.34	45.26
108.20	109.70	.30	.88	5.14
109.70	123.30	.00	.00	.00
123.30	123.80	9.40	9.30	90.86
123.80	126.50	N/A	N/A	N/A
126.50	128.00	1.88	1.93	18.17
128.00	129.50	2.75	2.35	30.17
129.50	138.70	N/A	N/A	N/A

HOLE NO: U-217 ✓ LATITUDE: 10707.98 ✓ AZIMUTH: 288.00 ✓
 HOLE LENGTH: 123.60 ✓ DEPARTURE: 7467.90 ✓ DIP: -85.00 ✓
 ELEVATION: 1172.83 ✓

DIP TESTS: DEPTH DIP AZIMUTH
 12.20 ✓ -82.00 ✓ 288.00 ✓
 73.10 ✓ -87.00 ✓ 357.00 ✓
 118.90 ✓ -90.00 ✓ 0.00 ?

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	47.30	N/A	N/A	N/A
47.30	48.80	6.45	3.68	74.77
48.80	50.30	2.85	1.85	56.57
50.30	51.80	.88	.70	24.34
51.80	53.70	1.93	1.43	31.20
53.70	117.20	.00	.00	.00
117.20	118.70	4.73	5.60	63.43
118.70	120.20	2.58	2.80	36.34
120.20	121.70	2.55	.63	10.63
121.70	123.00	.80	.88	13.03
123.00	123.60	N/A	N/A	N/A

