

019567

GRUM JOINT VENTURE

DRILL LOG FILE
(DLF)

SURFACE HOLES

A

OCT. 1977

HOLE NO: A-4 LATITUDE: 10719.32 AZIMUTH: 0.00
 HOLE LENGTH: 314.86 DEPARTURE: 7475.03 DIP: -90.00
 ELEVATION: 1297.38

DIP TESTS:	DEPTH	DIP	AZIMUTH
	64.01	-90.00	0.00
	91.44	-87.00	74.50
	152.40	-83.30	34.50
	213.36	-84.30	42.20
	259.08	-83.00	319.50

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	146.76	N/A	N/A	N/A
146.76	149.81	.10	.16	2.06
149.81	156.97	N/A	N/A	N/A
156.97	160.63	.30	.25	4.11
160.63	163.83	N/A	N/A	N/A
163.83	165.35	3.00	2.62	55.53
165.35	166.88	2.25	2.04	53.48
166.88	168.25	.20	.20	13.03
168.25	169.77	.94	.90	.00
169.77	171.39	4.05	3.24	.00
171.39	199.95	N/A	N/A	N/A
199.95	201.47	6.16	8.75	126.15
201.47	203.00	7.50	10.10	126.15
203.00	204.52	5.96	10.80	129.24
204.52	205.89	7.19	13.98	151.17
205.89	208.03	2.23	3.84	60.33
208.03	244.57	N/A	N/A	N/A
244.57	245.67	1.60	1.76	33.59
245.67	256.55	N/A	N/A	N/A
256.55	259.35	.18	.39	6.17
259.35	260.88	.40	.96	9.94
260.88	261.58	4.35	5.34	64.45
261.58	261.95	.63	.74	28.11
261.95	283.71	N/A	N/A	N/A
283.71	285.99	.50	.52	9.94
285.99	314.86	N/A	N/A	N/A

HOLE NO: A-5
 HOLE LENGTH: 180.53

LATITUDE: 10786.52
 DEPARTURE: 7520.97
 ELEVATION: 1303.85

AZIMUTH: 0.00
 DIP: -90.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	128.02	N/A	N/A	N/A
128.02	129.84	10.60	9.62	131.64
129.84	154.84	N/A	N/A	N/A
154.84	156.21	.68	1.80	4.11
156.21	157.58	.15	.38	2.74
157.58	158.95	.25	.24	1.37
158.95	160.48	1.03	1.44	12.34
160.48	161.70	6.50	21.50	113.81
161.70	163.68	4.70	22.90	58.96
163.68	165.35	9.20	15.50	176.20
165.35	165.96	.38	.38	9.60
165.96	166.51	3.98	8.06	61.02
166.51	169.62	.38	.62	2.74
169.62	170.47	4.05	6.85	77.47
170.47	171.75	6.45	12.30	104.90
171.75	173.13	6.60	13.10	152.20
173.13	174.32	5.78	9.24	149.46
174.32	175.87	5.85	9.03	82.27
175.87	177.09	6.90	9.10	141.23
177.09	178.77	9.20	17.40	125.46
178.77	180.38	1.13	2.28	16.45
180.38	180.53	N/A	N/A	N/A

HOLE NO: A-8 LATITUDE: 11144.64 AZIMUTH: 0.00
 HOLE LENGTH: 232.56 DEPARTURE: 7537.27 DIP: -90.00
 ELEVATION: 1319.14

DIP TESTS:	DEPTH	DIP	AZIMUTH
✓	60.96	-83.30	130.10
✓	121.92	-79.30	122.10
	182.88	-75.00	142.40

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	72.54	N/A	N/A	N/A
72.54	74.68	.98	1.12	13.71
74.68	76.20	.90	1.26	16.45
76.20	80.16	.80	.90	10.97
80.16	81.38	.21	.08	2.74
81.38	93.51	N/A	N/A	N/A
93.51	95.25	2.03	6.08	37.02
95.25	96.93	2.48	4.62	31.54
96.93	98.15	3.08	6.48	39.76
98.15	98.91	1.93	2.28	28.80
98.91	177.85	N/A	N/A	N/A
177.85	180.59	3.23	6.11	50.73
180.59	232.56	N/A	N/A	N/A

HOLE NO: A-9 LATITUDE: 10896.01 AZIMUTH: 0.00
 HOLE LENGTH: 231.95 DEPARTURE: 7632.18 DIP: -90.00
 ELEVATION: 1312.92

DIP TESTS:	DEPTH	DIP	AZIMUTH
	60.96	-86.00	133.20
	121.92	-80.00	121.20
	182.88	-79.00	114.20
	219.46	-80.00	93.20

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	113.93	N/A	N/A	N/A
113.93	124.60	1.48	3.71	33.94
124.60	124.97	N/A	N/A	N/A
124.97	126.80	5.55	7.92	27.42
126.80	132.28	N/A	N/A	N/A
132.28	146.00	4.32	7.15	77.13
146.00	231.95	N/A	N/A	N/A

D I A M O N D D R I L L L O G M A

S T E R F I L E

HOLE NO: A-10 LATITUDE: 10826.53 AZIMUTH: 0.00
 HOLE LENGTH: 264.57 DEPARTURE: 7482.81 DIP: -90.00
 ELEVATION: 1309.47

DIP TESTS:	DEPTH	DIP	AZIMUTH
	60.96	-85.15	60.50
	121.92	-82.30	72.50
	182.88	-84.30	72.20
	243.84	-88.00	104.20

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	157.89	N/A	N/A	N/A
157.89	189.89	4.39	6.75	66.85
189.89	222.50	N/A	N/A	N/A
222.50	230.43	5.14	8.03	90.16
230.43	233.78	N/A	N/A	N/A
233.78	236.34	3.00	6.72	62.39
236.34	237.44	N/A	N/A	N/A
237.44	238.66	1.73	3.12	34.97
238.66	239.27	N/A	N/A	N/A
239.27	240.06	5.25	13.80	95.98
240.06	244.45	N/A	N/A	N/A
244.45	248.41	4.50	6.27	76.79
248.41	264.57	N/A	N/A	N/A

HOLE NO: A-11 LATITUDE: 10696.65 AZIMUTH: 0.00
 HOLE LENGTH: 249.94 DEPARTURE: 7521.19 DIP: -90.00
 ELEVATION: 1292.05

DIP TESTS:	DEPTH	DIP	AZIMUTH
	60.96	-85.20	63.50
	121.92	-82.30	74.20
	182.88	-81.30	53.20
	237.74	-78.00	80.50

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	115.52	N/A	N/A	N/A
115.52	117.96	6.00	6.84	92.56
117.96	119.02	N/A	N/A	N/A
119.02	120.55	2.10	2.58	43.88
120.55	121.46	N/A	N/A	N/A
121.46	122.77	1.95	1.26	38.39
122.77	123.90	N/A	N/A	N/A
123.90	127.71	.53	.40	9.60
127.71	133.20	N/A	N/A	N/A
133.20	134.42	1.30	.58	15.77
134.42	138.23	.28	.27	7.54
138.23	150.42	N/A	N/A	N/A
150.42	152.40	4.88	3.84	32.91
152.40	154.38	4.22	3.90	26.74
154.38	178.00	N/A	N/A	N/A
178.00	180.29	6.00	9.40	112.44
180.29	182.58	8.74	13.50	156.32
182.58	211.23	N/A	N/A	N/A
211.23	213.36	2.40	2.70	47.31
213.36	214.58	.33	.54	24.00
214.58	221.89	N/A	N/A	N/A
221.89	224.49	.88	.66	31.54
224.49	227.08	3.38	5.28	65.82
227.08	249.94	N/A	N/A	N/A

HOLE NO: A-12 LATITUDE: 10997.64 AZIMUTH: 0.00
 HOLE LENGTH: 364.54 DEPARTURE: 7391.02 DIP: -90.00
 ELEVATION: 1323.36

DIP TESTS:	DEPTH	DIP	AZIMUTH
	60.96	-86.30	91.50
	121.92	-83.30	84.20
	182.88	-82.00	97.35
	243.84	-79.15	93.35
	304.80	-79.15	89.30

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TDN
0.00	227.08	N/A	N/A	N/A
227.08	230.12	.38	.58	10.28
230.12	232.56	2.33	7.80	43.19
232.56	247.19	N/A	N/A	N/A
247.19	250.24	2.00	2.70	30.85
250.24	253.29	3.45	3.06	44.56
253.29	256.34	2.35	3.48	38.39
256.34	260.15	.45	.26	1.37
260.15	272.80	N/A	N/A	N/A
272.80	275.84	1.20	2.40	21.94
275.84	278.89	.73	1.76	13.03
278.89	281.94	2.18	3.90	47.99
281.94	284.99	1.13	1.68	18.51
284.99	288.04	.25	.22	15.08
288.04	291.08	1.25	1.62	30.17
291.08	294.13	1.00	.80	28.80
294.13	297.18	1.03	.60	26.05
297.18	300.23	1.45	2.40	28.11
300.23	303.28	.48	.38	4.11
303.28	306.32	1.00	.90	32.91
306.32	309.37	1.45	.20	52.79
309.37	312.42	.80	.54	24.68
312.42	315.47	.10	.23	26.05
315.47	318.36	.10	.19	16.45
318.36	321.41	4.73	6.96	95.98
321.41	354.48	N/A	N/A	N/A
354.48	355.09	4.43	5.10	67.53
355.09	355.55	5.63	6.45	67.53
355.55	356.16	4.73	6.24	60.33
356.16	357.68	2.78	2.70	42.51
357.68	358.60	5.78	8.10	72.67
358.60	359.91	4.73	8.74	80.56
359.91	361.37	1.40	3.54	34.28
361.37	363.41	2.93	8.52	58.62
363.41	364.54	2.78	1.30	44.22

HOLE NO: A-13 LATITUDE: 10568.32 AZIMUTH: 0.00
 HOLE LENGTH: 186.23 DEPARTURE: 7659.52 DIP: -90.00
 ELEVATION: 1287.69

DIP TESTS:	DEPTH	DIP	AZIMUTH
	48.77	-87.00	57.20
	109.73	-81.30	88.20
	164.59	-77.30	91.20

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	40.69	N/A	N/A	N/A
40.69	44.35	1.25	.62	26.05
44.35	48.31	8.10	8.40	106.95
48.31	52.27	7.65	5.52	92.56
52.27	54.86	N/A	N/A	N/A
54.86	58.98	5.03	4.20	91.87
58.98	60.05	1.50	1.90	29.48
60.05	61.57	5.25	5.40	71.30
61.57	64.16	1.25	.16	33.94
64.16	66.75	1.63	.90	53.48
66.75	121.31	N/A	N/A	N/A
121.31	123.14	.90	2.00	24.68
123.14	125.12	3.23	4.74	67.87
125.12	130.45	N/A	N/A	N/A
130.45	136.55	.80	1.50	19.20
136.55	186.23	N/A	N/A	N/A

HOLE NO: A-15
 HOLE LENGTH: 249.63

LATITUDE: 11294.24
 DEPARTURE: 7346.49
 ELEVATION: ~~1313.91~~
 1327.1

AZIMUTH: 0.00
 DIP: -90.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	129.36	N/A	N/A	N/A
129.36	132.25	1.30	1.16	22.62
132.25	138.07	N/A	N/A	N/A
138.07	141.12	3.00	3.00	49.36
141.12	144.17	6.00	4.02	125.46
144.17	147.22	3.38	3.48	61.02
147.22	149.20	5.18	7.44	87.76
149.20	150.27	3.15	3.48	49.36
150.27	151.49	5.40	3.18	57.59
151.49	153.01	3.60	3.54	47.99
153.01	158.50	N/A	N/A	N/A
158.50	170.69	1.50	2.22	15.08
170.69	173.74	1.98	3.84	34.97
173.74	176.78	3.60	5.58	48.68
176.78	179.83	1.83	2.40	29.48
179.83	182.88	2.40	3.42	27.42
182.88	185.93	1.93	2.88	30.17
185.93	189.89	1.40	2.70	24.68
189.89	249.63	N/A	N/A	N/A

HOLE NO: A-16
 HOLE LENGTH: 304.50

LATITUDE: 11466.44
 DEPARTURE: 7255.62
 ELEVATION: ~~1300.52~~

AZIMUTH: 0.00
 DIP: -90.00

1321

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	226.16	N/A	N/A	N/A
226.16	228.90	.68	.78	22.62
228.90	231.95	1.19	1.72	20.57
231.95	235.00	.20	.16	4.80
235.00	238.05	.09	.01	9.60
238.05	241.10	.05	.02	9.60
241.10	244.14	.07	.02	15.08
244.14	247.19	.64	1.12	17.83
247.19	254.20	N/A	N/A	N/A
254.20	257.25	.13	.10	8.23
257.25	258.78	N/A	N/A	N/A
258.78	261.21	.09	.04	4.11
261.21	262.43	N/A	N/A	N/A
262.43	265.48	2.30	4.98	32.91
265.48	270.66	2.35	3.18	42.51
270.66	271.58	1.58	3.24	31.54
271.58	275.23	1.42	3.18	21.25
275.23	304.50	N/A	N/A	N/A

HOLE NO: A-17
 HOLE LENGTH: 283.20

LATITUDE: 10485.40
 DEPARTURE: 7567.43
 ELEVATION: 1284.51

AZIMUTH: 0.00
 DIP: -90.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	210.01	N/A	N/A	N/A
210.01	213.36	1.98	1.54	26.74
213.36	216.41	.34	.26	6.17
216.41	219.46	1.83	1.40	27.42
219.46	221.89	1.70	1.42	26.05
221.89	227.08	N/A	N/A	N/A
227.08	229.51	1.88	1.18	31.54
229.51	231.95	N/A	N/A	N/A
231.95	235.00	2.00	1.58	34.28
235.00	237.13	.30	.30	10.97
237.13	238.96	6.38	7.92	87.76
238.96	239.57	N/A	N/A	N/A
239.57	241.55	1.03	.65	16.45
241.55	242.93	1.83	1.08	27.42
242.93	244.45	3.15	5.04	45.25
244.45	245.97	.25	.16	4.80
245.97	247.50	.50	.66	6.17
247.50	249.02	.98	1.52	17.83
249.02	251.16	.28	.12	17.83
251.16	252.07	2.50	1.84	47.99
252.07	253.59	1.85	1.26	27.42
253.59	255.12	1.20	.51	23.31
255.12	256.64	1.43	.66	23.31
256.64	258.01	1.30	.61	19.88
258.01	283.16	N/A	N/A	N/A

HOLE NO: A-18 LATITUDE: 11118.54 AZIMUTH: 0.00
 HOLE LENGTH: 448.40 DEPARTURE: 7171.43 DIP: -90.00
 ELEVATION: ~~1320.34~~

1333.0

DIP TESTS:	DEPTH	DIP	AZIMUTH
	30.50	-84.00	113.20
	91.40	-81.00	97.20
	213.40	-78.00	136.20
	274.30	-77.00	106.20
	335.30	-74.00	123.20
	439.10	-77.00	95.20

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	311.20	N/A	N/A	N/A
311.20	312.72	6.08	11.96	97.36
312.72	313.94	5.10	9.53	116.55
313.94	315.47	5.48	9.24	107.98
315.47	316.99	6.45	10.11	121.69
316.99	317.91	4.43	6.48	94.61
317.91	319.74	N/A	N/A	N/A
319.74	320.65	1.85	2.28	32.22
320.65	322.17	N/A	N/A	N/A
322.17	323.70	6.38	11.54	118.61
323.70	324.92	3.30	4.98	67.19
324.92	326.44	N/A	N/A	N/A
326.44	327.96	2.78	3.84	38.39
327.96	329.49	1.58	3.06	30.85
329.49	331.01	1.50	2.58	24.00
331.01	332.84	1.38	2.70	26.05
332.84	334.37	1.40	3.60	45.25
334.37	336.19	2.20	4.74	78.84
336.19	337.72	5.93	10.92	115.18
337.72	339.24	4.73	7.32	106.95
339.24	341.38	.60	.87	8.23
341.38	420.50	N/A	N/A	N/A
420.50	421.90	5.70	8.11	92.90
421.90	423.40	1.28	1.42	20.23
423.40	425.81	4.73	7.56	80.56
425.81	448.36	N/A	N/A	N/A

HOLE NO: A-19 LATITUDE: 10699.70 AZIMUTH: 0.00
 HOLE LENGTH: 256.95 DEPARTURE: 7609.33 DIP: -90.00
 ELEVATION: 1295.52

DIP TESTS: DEPTH DIP AZIMUTH
 60.96 -87.00 118.00
 121.92 -83.30 97.30
 182.88 -83.00 111.30

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	102.35	N/A	N/A	N/A
102.35	103.81	1.85	1.92	47.31
103.81	105.34	1.18	1.02	10.97
105.34	108.20	6.68	5.64	109.01
108.20	134.72	N/A	N/A	N/A
134.72	135.94	.05	.17	1.37
135.94	137.77	2.50	4.02	58.28
137.77	139.63	1.15	2.00	31.54
139.63	142.43	.38	.60	21.94
142.43	143.65	7.35	9.36	139.86
143.65	147.83	.25	.82	14.40
147.83	150.27	2.28	1.60	34.28
150.27	152.55	4.95	6.96	60.33
152.55	154.59	1.33	2.58	10.97
154.59	155.45	.60	.33	9.60
155.45	158.92	N/A	N/A	N/A
158.92	160.75	.88	1.14	9.94
160.75	161.94	N/A	N/A	N/A
161.94	163.68	2.25	4.68	58.28
163.68	164.59	4.35	6.84	56.22
164.59	165.51	7.55	12.72	111.75
165.51	166.73	3.15	4.74	50.05
166.73	168.25	2.05	3.72	38.39
168.25	169.77	2.28	3.90	53.48
169.77	171.30	2.50	6.24	52.11
171.30	172.82	4.50	9.48	76.79
172.82	174.35	4.74	8.64	76.79
174.35	175.87	5.78	10.20	109.70
175.87	176.69	3.08	5.76	67.87
176.69	177.79	1.85	3.33	46.62
177.79	183.37	N/A	N/A	N/A
183.37	183.89	2.18	5.10	50.73
183.89	194.16	N/A	N/A	N/A
194.16	197.21	9.15	15.86	137.81
197.21	198.42	1.90	2.88	27.42
198.42	200.86	5.70	9.49	90.50
200.86	202.51	2.70	3.30	50.73
202.51	205.28	2.93	4.14	55.88
205.28	208.18	.08	.37	16.45
208.18	211.23	.35	1.50	19.20
211.23	214.27	.14	.35	15.08
214.27	216.74	.18	.19	10.97
216.74	219.00	2.85	4.02	33.59
219.00	220.68	.14	.62	8.23
220.68	222.20	.07	2.00	8.23

HOLE NO: A-20 LATITUDE: 11038.90 AZIMUTH: 0.00
 HOLE LENGTH: 406.60 DEPARTURE: 7432.51 DIP: -90.00
 ELEVATION: 1321.72

DIP TESTS:	DEPTH	DIP	AZIMUTH
	30.48	-89.00	64.20
	91.44	-90.00	0.00
	152.40	-82.00	65.50
	225.55	-84.00	118.30
	286.51	-80.00	51.00
	406.60	-82.00	67.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	183.79	N/A	N/A	N/A
183.79	185.01	.43	.70	10.97
185.01	186.84	2.48	4.14	41.82
186.84	188.06	N/A	N/A	N/A
188.06	189.59	1.73	3.06	28.11
189.59	191.11	3.38	2.46	43.19
191.11	192.63	2.50	3.54	56.22
192.63	194.16	2.85	5.52	35.65
194.16	195.68	1.88	2.88	27.42
195.68	197.21	.90	1.76	20.57
197.21	198.73	.88	1.66	13.71
198.73	200.25	.98	.74	15.08
200.25	201.78	.68	.66	15.08
201.78	203.30	1.05	.66	15.08
203.30	204.83	3.15	4.50	50.05
204.83	206.04	5.25	8.04	78.16
206.04	210.01	N/A	N/A	N/A
210.01	211.23	4.35	6.72	72.67
211.23	212.75	.28	.27	17.14
212.75	214.27	.30	.48	5.48
214.27	215.80	3.23	4.98	61.02
215.80	217.32	5.10	9.24	93.24
217.32	218.85	3.38	7.44	66.50
218.85	220.37	2.85	6.72	50.05
220.37	221.89	3.15	7.44	55.53
221.89	223.42	2.43	5.40	45.94
223.42	224.94	2.00	3.72	37.71
224.94	226.47	.58	1.18	19.20
226.47	227.99	N/A	N/A	N/A
227.99	229.51	1.48	2.58	37.02
229.51	231.34	1.53	3.24	28.80
231.34	237.13	N/A	N/A	N/A
237.13	238.66	1.38	2.34	41.14
238.66	240.49	3.15	5.28	84.33
240.49	247.50	N/A	N/A	N/A
247.50	249.02	5.55	7.44	76.10
249.02	250.55	4.50	3.48	77.47
250.55	251.76	2.15	3.36	47.31
251.76	256.95	N/A	N/A	N/A
256.95	258.47	.98	1.74	24.68
258.47	325.01	N/A	N/A	N/A
325.01	328.00	1.13	1.04	16.11

HOLE NO: A-20

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
328.00	332.51	N/A	N/A	N/A
332.51	333.30	4.43	6.21	77.82
333.30	337.69	N/A	N/A	N/A
337.69	338.51	2.08	2.28	53.48
338.51	340.19	1.63	2.88	32.22
340.19	343.20	N/A	N/A	N/A
343.20	344.79	3.38	5.55	67.53
344.79	351.01	N/A	N/A	N/A
351.01	352.01	2.78	2.46	45.25
352.01	352.99	3.00	2.94	35.31
352.99	355.00	.43	.76	5.14
355.00	356.71	5.03	6.66	78.84
356.71	357.20	.20	.30	3.09
357.20	359.39	.58	.58	22.28
359.39	360.61	.08	.04	1.03
360.61	361.61	3.15	6.33	47.31
361.61	362.01	.15	.16	2.06
362.01	362.71	.78	1.30	15.08
362.71	363.90	4.43	7.94	63.42
363.90	364.69	2.20	3.18	40.45
364.69	366.00	1.03	1.94	25.37
366.00	367.01	1.40	2.22	30.17
367.01	367.99	1.70	2.94	34.28
367.99	368.99	1.50	1.60	30.17
368.99	370.00	.43	.86	19.20
370.00	371.00	3.75	4.32	64.45
371.00	372.19	3.90	4.02	60.33
372.19	372.65	1.90	1.84	46.28
372.65	374.69	1.75	2.70	32.22
374.69	406.60	N/A	N/A	N/A

DIAMOND DRILL LOG MA

STER FILE

HOLE NO: A-21

LATITUDE: 10743.08

AZIMUTH: 0.00

HOLE LENGTH: 260.91

DEPARTURE: 7651.38

DIP: -90.00

ELEVATION: 1301.68

DIP TESTS:	DEPTH	DIP	AZIMUTH
	60.96	-88.30	157.20
	115.82	-85.00	117.20
	207.26	-86.00	157.20

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	100.10	N/A	N/A	N/A
100.10	101.07	.03	.10	.00
101.07	103.51	5.78	11.35	79.53
103.51	104.30	.10	.30	.00
104.30	107.14	8.25	14.83	149.46
107.14	109.42	2.23	4.26	32.22
109.42	112.35	4.43	8.76	56.22
112.35	113.69	3.75	1.44	39.76
113.69	115.21	4.20	1.50	45.94
115.21	117.35	.68	1.74	9.60
117.35	119.09	.64	1.66	9.60
119.09	121.10	.70	1.34	10.97
121.10	123.20	.63	1.14	10.28
123.20	132.28	N/A	N/A	N/A
132.28	133.81	.03	.05	.00
133.81	167.03	N/A	N/A	N/A
167.03	168.55	.08	.33	.00
168.55	171.39	N/A	N/A	N/A
171.39	172.36	1.60	3.24	23.31
172.36	179.83	N/A	N/A	N/A
179.83	181.20	.08	.10	8.91
181.20	183.34	2.43	4.74	42.51
183.34	185.32	3.08	5.04	47.99
185.32	186.84	2.50	4.20	52.11
186.84	189.89	4.43	8.76	71.30
189.89	192.94	4.28	9.12	76.79
192.94	194.46	5.03	9.36	83.64
194.46	195.99	6.83	11.50	128.89
195.99	197.51	2.25	4.26	51.42
197.51	200.25	5.18	9.00	45.25
200.25	201.78	.15	.23	5.48
201.78	203.39	.42	.74	6.86
203.39	210.13	N/A	N/A	N/A
210.13	212.42	.98	1.58	10.97
212.42	214.55	.18	.51	16.45
214.55	216.87	.34	.29	8.23
216.87	218.60	.74	1.10	5.48
218.60	221.04	1.53	2.22	20.57
221.04	223.91	.23	.33	9.60
223.91	226.56	1.35	1.19	26.05
226.56	227.99	.15	.46	9.60
227.99	231.04	.10	.14	10.97
231.04	232.56	.18	.25	8.23
232.56	234.09	.89	1.08	23.31
234.09	236.22	1.25	1.54	24.68

HOLE NO: A-21

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
236.22	237.44	.54	.78	9.60
237.44	240.49	.17	.28	5.48
240.49	243.54	.08	.19	6.17
243.54	246.28	.08	.56	9.60
246.28	248.35	1.93	2.64	38.39
248.35	260.91	N/A	N/A	N/A

HOLE NO: A-22 LATITUDE: 10949.58 AZIMUTH: 0.00
 HOLE LENGTH: 384.66 DEPARTURE: 7345.91 DIP: -90.00
 ELEVATION: 1322.15

DIP TESTS:	DEPTH	DIP	AZIMUTH
	60.96	-83.30	119.20
	121.92	-81.00	103.20
	182.88	-81.00	103.20
	243.84	-76.30	102.20
	353.57	-80.00	154.20

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	154.23	N/A	N/A	N/A
154.23	154.72	1.45	1.58	23.31
154.72	174.19	N/A	N/A	N/A
174.19	175.72	.75	.50	5.48
175.72	178.70	.23	.18	.69
178.70	180.41	N/A	N/A	N/A
180.41	180.99	.78	.78	10.97
180.99	183.25	5.03	5.52	68.56
183.25	184.77	6.00	6.84	105.93
184.77	186.90	.78	1.06	9.94
186.90	188.70	.85	2.40	30.17
188.70	229.88	N/A	N/A	N/A
229.88	231.04	4.35	8.50	58.96
231.04	232.11	6.83	8.40	133.01
232.11	233.78	3.23	4.44	50.73
233.78	236.83	5.33	8.88	78.16
236.83	239.88	2.35	5.16	47.99
239.88	242.62	2.08	4.56	58.96
242.62	243.38	1.93	3.06	23.31
243.38	245.82	.23	.43	5.48
245.82	247.01	.63	.25	20.57
247.01	250.00	3.83	6.96	52.11
250.00	251.31	.69	1.40	16.45
251.31	252.56	2.08	2.00	45.25
252.56	254.48	4.35	8.16	62.39
254.48	257.43	4.35	7.68	66.50
257.43	270.54	N/A	N/A	N/A
270.54	271.03	6.68	11.45	152.20
271.03	273.71	N/A	N/A	N/A
273.71	274.44	.08	.10	6.86
274.44	275.33	1.58	3.00	27.42
275.33	276.76	6.60	12.67	94.61
276.76	278.83	6.00	11.92	127.52
278.83	279.81	.05	.06	1.37
279.81	342.93	N/A	N/A	N/A
342.93	344.94	4.35	7.20	80.90
344.94	345.40	6.08	10.65	98.73
345.40	347.47	3.53	6.36	43.88
347.47	349.18	3.53	6.60	49.36
349.18	352.23	4.88	7.80	100.10
352.23	354.85	5.18	8.76	88.79
354.85	355.49	.50	.77	6.17
355.49	356.34	4.58	7.80	87.76

HOLE NO: A-22

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
356.34	356.68	2.55	3.54	33.25
356.68	357.50	.47	.40	8.23
357.50	361.13	N/A	N/A	N/A
361.13	362.29	3.08	5.28	64.45
362.29	363.26	.14	.12	1.03
363.26	384.66	N/A	N/A	N/A

HOLE NO: A-23 LATITUDE: 10616.47 AZIMUTH: 0.00
 HOLE LENGTH: 306.02 DEPARTURE: 7697.84 DIP: -90.00
 ELEVATION: 1288.52

DIP TESTS:	DEPTH	DIP	AZIMUTH
	51.81	-88.00	34.42
	91.44	-89.00	112.20
	146.30	-88.00	102.20

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	78.03	N/A	N/A	N/A
78.03	78.94	12.20	23.40	177.57
78.94	80.16	11.20	21.10	176.54
80.16	81.08	7.35	12.41	105.93
81.08	83.06	5.40	10.50	82.61
83.06	83.97	.48	.51	16.11
83.97	85.65	4.28	7.08	58.62
85.65	87.33	1.45	1.16	17.14
87.33	89.00	.70	1.48	10.97
89.00	92.66	.98	1.60	14.05
92.66	95.71	.43	.87	9.26
95.71	99.06	.75	1.12	12.00
99.06	100.89	2.85	4.86	40.45
100.89	101.44	5.55	12.10	85.70
101.44	102.72	4.88	10.80	100.78
102.72	105.77	4.50	9.00	70.62
105.77	108.66	2.93	8.16	50.39
108.66	110.95	N/A	N/A	N/A
110.95	112.56	4.50	9.48	75.76
112.56	114.91	N/A	N/A	N/A
114.91	117.96	9.00	19.50	157.35
117.96	121.01	8.10	19.61	126.15
121.01	124.05	9.60	19.00	151.17
124.05	127.41	5.73	10.54	91.87
127.41	129.84	.37	1.32	13.03
129.84	131.67	.28	1.26	14.05
131.67	133.81	2.93	6.12	37.37
133.81	135.94	6.90	14.59	109.01
135.94	137.77	8.25	15.71	121.01
137.77	140.82	3.23	3.78	36.34
140.82	143.87	.55	.76	13.03
143.87	146.91	.89	2.00	16.11
146.91	149.96	.44	1.04	12.00
149.96	153.01	.20	1.38	9.26
153.01	155.14	.17	1.04	6.17
155.14	158.19	.29	.60	12.00
158.19	161.24	.17	.67	14.05
161.24	162.76	.27	.79	7.20
162.76	163.98	3.83	4.56	65.47
163.98	165.81	1.45	.70	29.14
165.81	167.94	.14	.37	8.91
167.94	170.02	.08	.78	12.00
170.02	173.13	.05	.29	5.14
173.13	173.74	.22	.65	8.23
173.74	176.17	2.18	2.94	35.31

HOLE NO: A-23

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
176.17	221.89	N/A	N/A	N/A
221.89	224.33	.03	.03	2.06
224.33	235.46	N/A	N/A	N/A
235.46	237.59	4.80	6.48	60.33
237.59	239.42	N/A	N/A	N/A
239.42	242.01	3.38	3.48	54.51
242.01	243.54	2.80	1.18	34.28
243.54	245.27	2.78	3.66	46.28
245.27	246.89	.32	.76	5.14
246.89	262.74	N/A	N/A	N/A
262.74	263.96	.73	.98	12.00
263.96	265.18	.85	.58	18.17
265.18	267.00	.50	.60	10.97
267.00	275.69	N/A	N/A	N/A
275.69	277.06	1.43	1.08	21.25
277.06	278.43	N/A	N/A	N/A
278.43	280.42	.82	.82	14.05
280.42	306.02	N/A	N/A	N/A

HOLE NO: A-24 LATITUDE: 10865.37 AZIMUTH: 0.00
 HOLE LENGTH: 356.31 DEPARTURE: 7432.51 DIP: -90.00
 ELEVATION: 1314.47

DIP TESTS:	DEPTH	DIP	AZIMUTH
	60.96	-85.00	52.20
	121.92	-84.30	82.20
	182.88	-82.00	64.40
	256.03	-87.00	82.20

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	139.81	N/A	N/A	N/A
139.81	142.83	6.15	5.40	90.84
142.83	143.41	1.25	.74	20.23
143.41	144.75	.07	.08	.00
144.75	146.03	5.55	3.54	86.73
146.03	147.37	.18	.04	4.11
147.37	150.45	7.20	6.12	97.70
150.45	150.88	.65	.68	9.26
150.88	177.24	N/A	N/A	N/A
177.24	177.70	.78	1.50	3.09
177.70	178.40	.08	.11	2.06
178.40	179.22	7.20	12.30	122.04
179.22	180.14	3.53	4.86	60.33
180.14	181.97	2.13	3.72	35.31
181.97	185.01	7.20	10.20	102.84
185.01	187.27	3.83	7.56	75.76
187.27	188.37	2.40	4.50	37.37
188.37	189.13	.85	1.74	16.11
189.13	191.87	.19	.50	5.14
191.87	194.16	8.25	14.63	111.07
194.16	196.08	4.13	7.92	64.45
196.08	197.60	3.83	6.96	60.33
197.60	199.40	2.35	5.64	37.37
199.40	201.05	2.85	4.92	39.42
201.05	203.15	5.70	6.24	60.33
203.15	204.12	4.05	2.76	57.59
204.12	205.13	.72	.63	14.05
205.13	208.12	.73	.36	15.08
208.12	210.59	.62	.82	12.00
210.59	213.02	.30	.65	7.20
213.02	215.40	1.95	3.42	28.45
215.40	216.71	.49	.77	7.20
216.71	218.42	3.30	6.12	42.51
218.42	219.36	1.65	2.34	15.08
219.36	221.28	2.05	3.18	31.19
221.28	223.11	2.50	3.54	32.22
223.11	223.42	2.50	3.24	42.51
223.42	224.64	.72	.98	15.08
224.64	226.16	.03	1.06	1.03
226.16	226.62	.25	.41	3.09
226.62	227.99	.37	1.60	9.94
227.99	228.90	2.15	3.90	60.33
228.90	229.51	2.50	4.92	70.62
229.51	229.82	.08	.34	3.09

HOLE NO: A-24

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
229.82	231.04	4.65	8.52	96.67
231.04	233.78	.13	.19	4.11
233.78	249.63	N/A	N/A	N/A
249.63	251.80	.05	.11	2.06
251.80	253.47	4.65	8.88	96.67
253.47	254.93	.05	.10	1.03
254.93	257.31	1.28	2.28	35.31
257.31	328.82	N/A	N/A	N/A
328.82	330.65	4.95	9.72	92.90
330.65	332.54	7.80	16.97	113.12
332.54	335.58	5.10	6.24	75.76
335.58	337.87	7.20	12.10	111.07
337.87	340.92	5.78	9.72	84.67
340.92	343.63	6.30	11.37	112.44
343.63	345.16	.08	.13	2.06
345.16	356.31	N/A	N/A	N/A

HOLE NO: A-26 LATITUDE: 10530.88 AZIMUTH: 0.00
 HOLE LENGTH: 273.41 DEPARTURE: 7785.18 DIP: -90.00
 ELEVATION: 1287.67

DIP TESTS:	DEPTH	DIP	AZIMUTH
	121.92	-89.00	71.00
	207.26	-87.00	80.00
	273.41	-88.00	91.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	46.63	N/A	N/A	N/A
46.63	49.68	1.55	3.84	25.37
49.68	51.51	2.30	5.16	28.45
51.51	55.78	N/A	N/A	N/A
55.78	57.82	2.00	3.24	20.23
57.82	59.44	4.13	9.96	100.78
59.44	61.42	5.55	13.20	103.87
61.42	62.06	N/A	N/A	N/A
62.06	63.70	7.80	17.55	130.95
63.70	65.23	6.30	14.45	102.84
65.23	68.03	7.35	15.54	116.89
68.03	69.65	3.30	11.67	51.42
69.65	70.41	N/A	N/A	N/A
70.41	71.17	3.15	6.24	51.42
71.17	72.54	.53	1.44	9.94
72.54	73.67	3.68	8.04	63.42
73.67	74.46	6.60	16.30	105.93
74.46	74.98	.69	1.00	10.97
74.98	75.59	N/A	N/A	N/A
75.59	76.05	6.90	14.22	121.01
76.05	77.57	N/A	N/A	N/A
77.57	80.62	6.53	13.92	111.07
80.62	81.69	8.40	14.10	142.26
81.69	82.60	9.30	19.50	213.91
82.60	85.65	8.25	15.80	130.95
85.65	88.09	9.60	18.90	171.40
88.09	91.14	5.85	7.44	105.93
91.14	94.18	6.15	9.00	105.93
94.18	96.16	6.23	7.56	83.64
96.16	98.33	1.58	1.06	22.26
98.33	100.58	3.08	3.72	35.31
100.58	103.27	.32	.74	6.17
103.27	105.00	1.38	1.35	17.14
105.00	106.22	7.05	8.04	97.70
106.22	108.97	1.35	3.00	20.23
108.97	112.01	1.28	1.35	24.34
112.01	115.06	.18	1.10	30.17
115.06	118.11	.14	.92	10.97
118.11	121.16	.07	.65	6.17
121.16	124.21	.35	1.74	14.05
124.21	127.25	.01	1.34	5.14
127.25	128.47	.18	1.04	7.20
128.47	129.54	3.98	4.20	64.45
129.54	131.83	1.50	1.43	28.45
131.83	134.72	2.33	2.40	41.48

HOLE NO: A-27 LATITUDE: 10911.85 AZIMUTH: 0.00
 HOLE LENGTH: 349.61 DEPARTURE: 7477.25 DIP: -90.00
 ELEVATION: 1314.27

DIP TESTS:	DEPTH	DIP	AZIMUTH
	60.96	-86.51	117.20
	121.92	-83.00	82.50
	182.88	-84.00	82.20
	243.84	-85.00	132.20
	304.80	-82.00	222.20

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	160.26	N/A	N/A	N/A
160.26	160.93	1.90	2.82	35.31
160.93	162.00	2.50	4.50	48.33
162.00	165.20	2.23	4.92	45.25
165.20	168.25	2.78	4.92	47.31
168.25	169.77	3.45	5.64	82.61
169.77	172.06	1.63	3.24	26.40
172.06	174.96	.93	.77	10.97
174.96	177.70	1.14	.89	16.11
177.70	180.75	2.00	2.10	26.40
180.75	183.34	3.08	.88	33.25
183.34	184.65	2.78	3.60	32.22
184.65	185.53	.73	.94	12.00
185.53	187.76	.42	.54	9.94
187.76	190.80	.54	.86	9.94
190.80	193.85	.63	1.48	9.94
193.85	195.22	.43	1.14	6.17
195.22	196.90	1.24	1.96	23.31
196.90	199.19	1.73	1.98	30.17
199.19	200.65	4.05	10.20	66.50
200.65	203.70	.88	1.80	14.05
203.70	205.50	N/A	N/A	N/A
205.50	206.50	.99	2.40	5.14
206.50	207.78	1.33	2.88	20.23
207.78	209.09	N/A	N/A	N/A
209.09	212.14	2.35	3.86	35.31
212.14	215.19	2.40	2.28	35.31
215.19	217.32	4.13	3.18	55.53
217.32	219.15	5.10	3.24	68.56
219.15	220.98	5.25	6.48	75.76
220.98	223.02	7.05	10.98	118.95
223.02	225.25	2.50	3.24	44.22
225.25	228.30	1.05	2.22	18.17
228.30	231.34	2.70	3.42	37.37
231.34	234.39	1.23	1.06	18.17
234.39	258.17	N/A	N/A	N/A
258.17	259.69	.40	.60	8.23
259.69	262.74	1.08	1.30	22.28
262.74	265.79	2.20	1.72	28.45
265.79	268.83	1.83	2.40	30.17
268.83	271.88	2.23	2.34	31.19
271.88	274.93	2.18	2.22	27.42
274.93	277.37	N/A	N/A	N/A

HOLE NO: A-27

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
277.37	278.89	1.33	1.20	17.14
278.89	280.42	2.33	3.84	33.25
280.42	281.94	3.00	4.38	39.42
281.94	284.99	.78	1.38	15.08
284.99	287.52	1.15	1.94	25.37
287.52	325.68	N/A	N/A	N/A
325.68	326.29	.07	.16	1.03
326.29	327.36	3.90	6.96	60.33
327.36	327.72	.18	.38	5.14
327.72	330.19	1.73	2.46	26.40
330.19	332.08	.49	.57	7.20
332.08	335.13	3.45	7.08	62.39
335.13	338.18	4.73	8.88	70.62
338.18	340.00	1.93	3.00	31.19
340.00	342.75	2.18	3.30	38.39
342.75	344.12	.17	.45	13.03
344.12	345.64	3.15	4.62	50.39
345.64	349.61	N/A	N/A	N/A

HOLE NO: A-28 LATITUDE: 10486.81 AZIMUTH: 0.00
 HOLE LENGTH: 280.72 DEPARTURE: 7741.81 DIP: -90.00
 ELEVATION: 1284.65

DIP TESTS:	DEPTH	DIP	AZIMUTH
	85.34	-85.30	50.20
	115.82	-86.00	97.20
	195.07	-76.00	84.20
	274.32	-75.00	117.20

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	50.60	N/A	N/A	N/A
50.60	51.05	.84	.84	15.08
51.05	85.13	N/A	N/A	N/A
85.13	85.65	.79	.80	14.05
85.65	88.09	6.68	11.04	115.87
88.09	89.37	2.08	1.38	32.22
89.37	90.89	N/A	N/A	N/A
90.89	91.41	3.68	10.20	115.87
91.41	91.59	N/A	N/A	N/A
91.59	92.60	6.68	10.97	126.15
92.60	124.05	N/A	N/A	N/A
124.05	125.88	1.28	1.80	20.23
125.88	128.32	.85	1.12	18.17
128.32	131.37	.48	.62	7.20
131.37	133.81	.77	.65	19.20
133.81	193.55	N/A	N/A	N/A
193.55	195.47	.53	.66	9.26
195.47	213.97	N/A	N/A	N/A
213.97	214.30	.05	.03	5.14
214.30	215.62	.93	.77	16.11
215.62	217.08	3.53	2.52	46.28
217.08	217.66	.83	.59	25.37
217.66	219.24	1.28	1.26	28.45
219.24	221.59	3.75	3.00	52.45
221.59	224.64	1.50	.82	30.17
224.64	227.69	2.85	3.24	44.56
227.69	228.30	.49	.91	14.05
228.30	242.62	N/A	N/A	N/A
242.62	243.99	.12	.09	5.14
243.99	248.72	N/A	N/A	N/A
248.72	250.24	.05	.08	1.03
250.24	252.83	N/A	N/A	N/A
252.83	255.42	1.02	1.08	18.17
255.42	260.15	N/A	N/A	N/A
260.15	261.67	.75	.60	20.23
261.67	280.72	N/A	N/A	N/A

HOLE NO: A-29
 HOLE LENGTH: 465.73

LATITUDE: 11498.39
 DEPARTURE: 6857.36
 ELEVATION: 1317.20

AZIMUTH: 0.00
 DIP: -90.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	368.50	N/A	N/A	N/A
368.50	371.25	.93	2.22	9.94
371.25	374.29	1.23	2.22	18.16
374.29	375.33	.65	1.28	7.20
375.33	377.65	1.65	2.58	14.05
377.65	379.17	.80	1.42	9.94
379.17	382.22	1.18	1.46	15.08
382.22	385.75	N/A	N/A	N/A
385.75	388.62	1.44	2.40	24.34
388.62	391.67	1.23	2.00	16.11
391.67	393.95	2.00	4.00	17.14
393.95	403.65	N/A	N/A	N/A
403.65	405.08	1.28	2.94	22.28
405.08	406.60	N/A	N/A	N/A
406.60	407.97	1.80	4.20	37.37
407.97	408.43	2.28	4.92	44.22
408.43	409.96	2.50	4.80	42.51
409.96	411.48	1.93	4.20	32.22
411.48	413.31	2.48	1.36	30.17
413.31	414.53	2.33	5.10	30.17
414.53	436.05	N/A	N/A	N/A
436.05	436.84	.22	.41	5.14
436.84	438.61	3.68	16.67	80.56
438.61	439.06	1.35	5.40	21.25
439.06	439.83	1.30	3.84	22.28
439.83	441.96	N/A	N/A	N/A
441.96	442.94	.58	1.60	12.00
442.94	465.73	N/A	N/A	N/A

DIAMOND DRILL LOG MA

STER FILE

HOLE NO: A-30 LATITUDE: 10840.94 AZIMUTH: 0.00
 HOLE LENGTH: 389.53 DEPARTURE: 7578.39 DIP: -90.00
 ELEVATION: 1313.87

DIP TESTS:	DEPTH	DIP	AZIMUTH
	60.96	-81.30	122.20
	121.92	-76.00	110.20
	182.88	-82.00	96.20
	262.13	-84.00	122.20

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	144.54	N/A	N/A	N/A
144.54	145.39	8.70	17.10	148.09
145.39	146.30	.23	.42	5.14
146.30	148.44	2.20	5.16	37.37
148.44	150.57	.69	.98	12.00
150.57	151.94	1.60	1.94	20.23
151.94	152.34	2.23	3.24	28.45
152.34	153.89	1.38	.85	20.23
153.89	155.60	1.94	2.00	22.28
155.60	157.61	1.63	2.94	25.37
157.61	158.92	N/A	N/A	N/A
158.92	161.33	2.13	4.38	35.31
161.33	163.68	.19	1.02	1.03
163.68	164.56	.95	2.40	5.14
164.56	166.39	.07	.18	2.06
166.39	168.25	2.85	7.32	40.45
168.25	170.99	3.45	6.84	58.62
170.99	176.78	N/A	N/A	N/A
176.78	177.27	1.10	1.00	15.08
177.27	179.53	3.53	6.12	53.48
179.53	180.96	2.48	6.00	45.25
180.96	182.70	4.05	6.48	66.50
182.70	184.95	2.50	4.86	42.51
184.95	186.63	3.08	2.82	50.39
186.63	188.34	2.85	2.88	38.39
188.34	190.80	3.45	4.92	51.42
190.80	192.79	1.43	3.48	20.23
192.79	194.52	1.13	1.98	15.08
194.52	195.53	3.00	4.26	51.42
195.53	197.11	2.35	4.74	37.37
197.11	197.97	3.15	5.04	49.36
197.97	200.13	2.85	3.48	38.39
200.13	201.78	1.74	1.39	30.17
201.78	202.63	1.63	.84	20.23
202.63	213.79	N/A	N/A	N/A
213.79	216.71	5.93	8.40	85.70
216.71	218.91	4.88	10.31	80.56
218.91	219.76	.23	1.38	4.11
219.76	221.44	6.08	9.96	105.93
221.44	223.27	8.10	14.88	128.21
223.27	225.03	7.20	11.78	102.84
225.03	225.64	2.00	2.46	30.17
225.64	227.38	.33	.85	4.11
227.38	230.58	1.10	1.48	15.08

HOLE NO: A-31
 HOLE LENGTH: 217.63

LATITUDE: 10404.19
 DEPARTURE: 7829.50
 ELEVATION: 1278.24

AZIMUTH: 0.00
 DIP: -90.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	114.64	N/A	N/A	N/A
114.64	115.98	4.95	7.05	68.56
115.98	123.20	N/A	N/A	N/A
123.20	124.42	1.33	1.18	25.37
124.42	133.65	N/A	N/A	N/A
133.65	134.42	1.68	1.62	20.23
134.42	135.97	1.15	1.35	20.23
135.97	148.38	N/A	N/A	N/A
148.38	148.80	.32	.94	6.17
148.80	168.55	N/A	N/A	N/A
168.55	170.38	4.58	4.86	60.33
170.38	171.91	3.90	3.60	44.22
171.91	172.82	3.38	2.76	39.42
172.82	174.04	.64	.34	15.08
174.04	217.63	N/A	N/A	N/A

HOLE NO: A-32 LATITUDE: 10822.83 AZIMUTH: 0.00
 HOLE LENGTH: 359.21 DEPARTURE: 7389.90 DIP: -90.00
 ELEVATION: 1315.03

DIP TESTS:	DEPTH	DIP	AZIMUTH
	60.96	-87.00	43.20
	121.92	-87.00	100.20
	182.88	-87.00	42.20
	243.84	-85.00	62.20
	353.57	-87.00	97.20

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	154.99	N/A	N/A	N/A
154.99	156.36	.09	.11	2.06
156.36	158.04	1.05	2.46	14.05
158.04	158.89	3.23	3.30	42.51
158.89	242.86	N/A	N/A	N/A
242.86	243.99	1.80	3.00	25.37
243.99	244.69	5.33	8.61	115.87
244.69	283.86	N/A	N/A	N/A
283.86	285.38	1.65	2.82	26.40
285.38	286.57	4.73	5.22	70.62
286.57	289.26	.95	.95	20.23
289.26	292.30	.80	1.11	13.03
292.30	295.35	1.14	1.08	20.23
295.35	298.40	.68	.60	14.05
298.40	301.45	.88	1.24	17.14
301.45	302.97	1.38	1.64	22.28
302.97	306.02	.10	.36	5.14
306.02	309.07	.14	.24	5.14
309.07	312.12	.10	.26	6.17
312.12	315.16	.12	.42	5.14
315.16	318.21	.14	.50	9.94
318.21	321.26	.13	.38	6.17
321.26	324.31	.13	.44	5.14
324.31	325.53	.10	.23	3.09
325.53	326.23	1.43	1.60	20.23
326.23	327.08	.94	1.48	16.11
327.08	327.66	N/A	N/A	N/A
327.66	328.09	1.24	1.04	22.28
328.09	328.79	1.93	1.56	35.31
328.79	329.18	.77	.59	15.08
329.18	359.21	N/A	N/A	N/A

HOLE NO: A-33
HOLE LENGTH: 218.90

LATITUDE: 10275.72
DEPARTURE: 7874.24
ELEVATION: 1273.10

AZIMUTH: 0.00
DIP: -90.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	103.69	N/A	N/A	N/A
103.69	105.31	1.08	1.56	17.14
105.31	106.38	.35	.58	9.94
106.38	107.17	.20	.11	5.14
107.17	107.59	.49	.58	9.94
107.59	218.85	N/A	N/A	N/A

HOLE NO: A-34 LATITUDE: 11499.28 AZIMUTH: 0.00
 HOLE LENGTH: 273.86 DEPARTURE: 7034.65 DIP: -90.00
 ELEVATION: 1315.30

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	232.41	N/A	N/A	N/A
232.41	234.09	.75	1.94	10.97
234.09	234.70	N/A	N/A	N/A
234.70	236.22	.83	1.02	9.94
236.22	237.74	.79	.56	8.23
237.74	240.79	.63	1.20	8.91
240.79	242.32	.87	1.44	13.03
242.32	243.84	.75	2.58	14.05
243.84	245.36	N/A	N/A	N/A
245.36	247.19	.69	1.60	9.94
247.19	248.72	3.68	9.30	60.33
248.72	251.76	1.30	1.98	20.23
251.76	254.81	1.38	1.86	20.23
254.81	257.86	N/A	N/A	N/A
257.86	259.38	1.03	1.32	15.08
259.38	273.86	N/A	N/A	N/A

DIAMOND DRILL LOG MA

STER FILE

HOLE NO: A-35

LATITUDE: 10777.92

AZIMUTH: 0.00

HOLE LENGTH: 389.84

DEPARTURE: 7348.92

DIP: -90.00

ELEVATION: 1313.70

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	158.50	N/A	N/A	N/A
158.50	158.80	.09	.07	5.14
158.80	159.72	6.00	3.72	82.61
159.72	161.73	1.60	.37	43.54
161.73	163.53	4.28	3.72	65.47
163.53	164.20	N/A	N/A	N/A
164.20	164.56	.39	.04	15.08
164.56	165.78	7.35	7.75	95.64
165.78	166.39	1.60	1.64	37.37
166.39	167.03	N/A	N/A	N/A
167.03	168.86	3.53	3.66	50.39
168.86	169.56	1.60	1.64	22.28
169.56	171.48	5.33	4.68	75.76
171.48	172.52	.45	.62	9.94
172.52	285.60	N/A	N/A	N/A
285.60	288.65	.83	.72	15.08
288.65	290.17	1.25	.86	18.17
290.17	325.56	N/A	N/A	N/A
325.56	327.17	.13	.06	5.14
327.17	327.96	N/A	N/A	N/A
327.96	328.57	1.10	1.18	23.31
328.57	329.64	N/A	N/A	N/A
329.64	330.34	.20	.14	1.03
330.34	331.68	1.23	1.02	19.20
331.68	334.67	.53	.56	9.94
334.67	337.57	.75	.63	8.91
337.57	339.39	2.10	2.58	26.40
339.39	341.28	1.35	2.00	20.23
341.28	343.39	N/A	N/A	N/A
343.39	343.88	.48	.59	10.97
343.88	346.86	3.83	4.44	45.25
346.86	347.78	.50	.42	9.94
347.78	349.00	1.25	1.74	15.08
349.00	352.04	.27	.52	6.17
352.04	355.09	.15	.58	5.14
355.09	356.25	N/A	N/A	N/A
356.25	357.07	3.75	3.90	46.28
357.07	358.14	.20	.37	4.11
358.14	361.19	.17	.44	4.11
361.19	364.78	N/A	N/A	N/A
364.78	366.37	1.80	1.60	22.28
366.37	367.89	1.75	1.42	20.23
367.89	389.84	N/A	N/A	N/A

HOLE NO: A-37
 HOLE LENGTH: 158.50

LATITUDE: 10232.49
 DEPARTURE: 7833.75
 ELEVATION: 1266.44

AZIMUTH: 0.00
 DIP: -90.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	65.23	N/A	N/A	N/A
65.23	68.28	.97	1.12	16.11 ¹⁸
68.28	70.41	.77	.74	15.08 ¹⁷
70.41	71.63	.35	.72	9.94 ¹⁸
71.63	72.39	4.58	5.40	60.33 ¹⁷
72.39	74.07	.68	.70	18.17 ²⁰
74.07	75.59	7.35	6.12	73.70 ²¹
75.59	76.35	2.23	3.60	30.17 ²²
76.35	77.27	2.63	1.96	30.17 ²³
77.27	79.25	7.20	9.44	63.42 ²⁴
79.25	80.16	2.03	2.82	22.28 ²⁵
80.16	82.60	8.41	12.75	95.64 ²⁶
82.60	84.12	5.55	7.32	57.59 ²⁷
84.12	85.56	1.04	1.16	17.14 ²⁸
85.56	86.35	9.39	14.20	101.81 ²⁹
86.35	89.31	2.78	5.46	35.31 ³⁰
89.31	92.35	2.50	5.16	35.31 ³¹
92.35	95.40	4.05	5.88	48.33 ³²
95.40	98.45	2.50	4.14	37.37 ³³
98.45	101.50	1.12	2.28	16.11 ³⁴
101.50	103.08	2.15	3.12	25.37 ³⁵
103.08	104.85	4.13	6.00	50.39 ³⁶
104.85	106.68	.50	.96	6.17 ³⁷
106.68	108.69	1.23	1.34	15.08 ³⁸
108.69	112.90	.39	.58	6.17 ³⁹
112.90	114.48	3.83	4.68	53.48 ⁴⁰
114.48	117.65	.29	.36	8.23 ⁴¹
117.65	120.70	.07	.20	5.14 ⁴²
120.70	122.59	.40	.60	9.94 ⁴³
122.59	123.78	2.08	2.88	27.42 ⁴⁴
123.78	124.91	1.60	1.72	20.23 ⁴⁵
124.91	126.19	3.23	6.60	38.39 ⁴⁶
126.19	158.50	N/A	N/A	N/A

HOLE NO: A-38
 HOLE LENGTH: 363.32

LATITUDE: 10734.00
 DEPARTURE: 7307.52
 ELEVATION: 1312.47

AZIMUTH: 0.00
 DIP: -90.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	184.59	N/A	N/A	N/A
184.59	185.32	1.80	1.40	29.14
185.32	187.91	2.50	3.00	42.51
187.91	189.28	1.03	.98	15.08
189.28	192.12	3.23	2.40	40.45
192.12	192.54	N/A	N/A	N/A
192.54	195.22	.90	1.00	9.94
195.22	215.04	N/A	N/A	N/A
215.04	216.41	6.08	4.86	77.82
216.41	225.55	N/A	N/A	N/A
225.55	227.99	8.25	8.55	86.73
227.99	230.58	5.63	7.61	70.62
230.58	271.27	N/A	N/A	N/A
271.27	274.44	1.18	1.56	13.03
274.44	275.42	8.55	5.16	95.64
275.42	276.18	4.95	.59	55.53
276.18	278.22	1.58	.60	17.14
278.22	279.26	4.50	7.40	62.39
279.26	280.72	.14	.18	7.20
280.72	282.55	.14	.16	6.17
282.55	284.20	7.65	9.75	105.93
284.20	287.24	.43	.42	9.94
287.24	290.02	1.20	.78	19.20
290.02	291.85	.80	1.20	15.08
291.85	292.91	.63	.58	10.97
292.91	293.52	5.40	4.86	60.33
293.52	295.14	.52	.85	9.26
295.14	296.27	4.35	4.50	58.62
296.27	298.22	2.20	1.56	36.34
298.22	341.07	N/A	N/A	N/A
341.07	342.38	2.10	1.94	25.37
342.38	343.30	.34	.18	7.20
343.30	343.84	1.98	1.76	30.17
343.84	346.65	.58	.45	10.97
346.65	348.69	2.10	1.98	27.42
348.69	351.50	3.60	3.00	47.31
351.50	352.35	.60	.58	5.14
352.35	353.54	2.00	2.00	30.17
353.54	363.32	N/A	N/A	N/A

HOLE NO: A-41
 HOLE LENGTH: 384.10

LATITUDE: 10689.07
 DEPARTURE: 7267.54
 ELEVATION: 1318.63

AZIMUTH: 0.00
 DIP: -90.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	217.93	N/A	N/A	N/A
217.93	219.36	1.60	2.28	27.42
219.36	221.59	.13	.11	8.23
221.59	222.66	2.45	1.50	51.42
222.66	223.72	6.45	7.07	115.87
223.72	225.86	9.00	8.53	121.01
225.86	228.30	.38	.27	12.00
228.30	229.82	1.50	.49	26.40
229.82	231.34	.15	.17	2.06
231.34	232.14	6.15	7.20	90.84
232.14	233.66	.63	.28	9.94
233.66	235.61	.50	.34	9.94
235.61	236.04	N/A	N/A	N/A
236.04	238.81	1.15	.80	15.08
238.81	239.88	.33	.24	7.20
239.88	241.10	N/A	N/A	N/A
241.10	243.23	.58	.36	8.23
243.23	256.25	N/A	N/A	N/A
256.25	257.37	.35	.20	10.97
257.37	258.10	.01	.01	1.03
258.10	259.26	.35	.26	9.94
259.26	260.79	5.48	6.48	72.67
260.79	262.31	.18	.23	6.17
262.31	263.80	.35	.44	9.94
263.80	266.15	2.20	1.80	35.31
266.15	266.70	.28	.31	7.20
266.70	279.04	N/A	N/A	N/A
279.04	281.18	1.18	1.24	20.23
281.18	282.40	4.13	4.38	58.62
282.40	283.92	1.50	1.64	26.40
283.92	285.45	.55	.23	12.00
285.45	286.30	.09	.08	1.03
286.30	287.88	.45	.30	9.94
287.88	288.77	.04	.07	1.03
288.77	289.50	1.23	1.20	16.11
289.50	384.05	N/A	N/A	N/A

HOLE NO: A-45 LATITUDE: 10658.86 AZIMUTH: 0.00
 HOLE LENGTH: 235.31 DEPARTURE: 7738.69 DIP: -90.00
 ELEVATION: 1292.05

DIP TESTS:	DEPTH	DIP	AZIMUTH
	60.96	-89.00	62.20
	121.92	-86.00	57.20
	195.07	-86.00	91.20

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	44.50	N/A	N/A	N/A
44.50	50.90	5.93	7.44	80.56
50.90	51.82	.73	3.18	9.94
51.82	53.04	2.33	5.28	28.45
53.04	55.93	2.33	7.20	31.19
55.93	57.91	3.90	5.22	49.36
57.91	60.96	4.43	12.10	60.33
60.96	62.79	4.50	5.40	54.51
62.79	64.16	N/A	N/A	N/A
64.16	66.45	6.00	9.60	80.56
66.45	67.21	2.30	4.42	19.20
67.21	73.15	N/A	N/A	N/A
73.15	76.20	.42	.98	9.94
76.20	77.72	6.90	14.20	103.87
77.72	79.25	8.25	16.20	100.78
79.25	81.08	8.63	16.80	121.01
81.08	83.82	8.74	17.00	130.95
83.82	84.43	7.50	15.60	100.78
84.43	86.56	1.25	2.00	9.94
86.56	87.93	3.60	6.60	56.56
87.93	166.12	N/A	N/A	N/A
166.12	167.79	.08	.12	5.14
167.79	169.47	.19	.59	5.14
169.47	171.30	3.23	5.28	37.37
171.30	172.52	.70	2.28	8.23
172.52	177.70	N/A	N/A	N/A
177.70	178.77	1.48	.86	19.20
178.77	190.20	N/A	N/A	N/A
190.20	193.85	1.88	3.84	34.28
193.85	195.07	6.23	8.82	95.64
195.07	196.60	1.80	4.80	38.39
196.60	197.21	4.95	8.28	97.70
197.21	198.91	N/A	N/A	N/A
198.91	201.17	1.98	1.98	30.17
201.17	202.69	1.04	.63	15.08
202.69	204.22	6.53	3.66	60.33
204.22	207.26	.97	.46	15.08
207.26	208.79	.27	.37	8.91
208.79	210.31	.94	1.30	15.08
210.31	210.92	2.20	1.50	30.17
210.92	212.45	2.20	3.24	32.22
212.45	213.21	1.63	3.12	30.17
213.21	235.31	N/A	N/A	N/A

HOLE NO: A-50 LATITUDE: 10104.55 AZIMUTH: 0.00
 HOLE LENGTH: 203.30 DEPARTURE: 7877.98 DIP: -90.00
 ELEVATION: 1252.61

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	21.34	N/A	N/A	N/A
21.34	23.77	2.45	1.88	27.42
23.77	26.37	2.48	1.92	34.28
26.37	28.50	N/A	N/A	N/A
28.50	29.57	2.35	2.46	30.17
29.57	48.31	N/A	N/A	N/A
48.31	49.19	3.15	3.00	35.31
49.19	49.41	N/A	N/A	N/A
49.41	50.90	2.30	1.96	30.17
50.90	53.34	.85	.72	19.20
53.34	203.30	N/A	N/A	N/A

DIAMOND DRILL LOG MA

STER FILE

HOLE NO: A-51 LATITUDE: 10906.31 AZIMUTH: 0.00
 HOLE LENGTH: 366.98 DEPARTURE: 7303.36 DIP: -90.00
 ELEVATION: 1323.02

DIP TESTS:	DEPTH	DIP	AZIMUTH
	60.96	-84.30	84.50
	182.88	-82.30	95.20
	243.84	-79.15	102.50
	366.98	-79.30	127.00

} average of
 A-22 A-115

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	169.77	N/A	N/A	N/A
169.77	171.30	1.00	1.12	10.97
171.30	172.82	1.08	1.08	15.08
172.82	173.74	.70	.54	9.94
173.74	174.65	.29	.32	6.17
174.65	174.96	1.02	.86	32.22
174.96	204.67	N/A	N/A	N/A
204.67	205.59	1.03	.90	10.97
205.59	206.47	N/A	N/A	N/A
206.47	207.08	1.88	1.34	21.25
207.08	207.57	N/A	N/A	N/A
207.57	209.40	2.85	1.72	55.53
209.40	210.37	8.05	6.60	113.12
210.37	213.36	.75	1.70	15.08
213.36	213.97	4.28	4.26	54.51
213.97	297.48	N/A	N/A	N/A
297.48	299.62	.90	1.34	13.03
299.62	301.11	2.38	2.88	38.39
301.11	301.29	N/A	N/A	N/A
301.29	304.10	.80	.62	12.00
304.10	307.85	.18	.18	4.11
307.85	308.31	1.23	.90	15.08
308.31	311.35	.18	.27	5.14
311.35	313.85	.83	.70	12.00
313.85	324.79	N/A	N/A	N/A
324.79	325.68	2.05	1.76	21.25
325.68	335.34	N/A	N/A	N/A
335.34	336.26	2.35	2.28	35.31
336.26	337.60	N/A	N/A	N/A
337.60	338.66	1.95	1.62	30.17
338.66	340.16	.03	.16	2.06
340.16	341.38	1.90	1.84	27.42
341.38	343.20	.20	.27	5.14
343.20	344.18	.83	.82	10.97
344.18	345.34	.69	.86	12.00
345.34	346.04	4.28	6.12	48.33
346.04	347.32	1.33	1.60	20.23
347.32	366.98	N/A	N/A	N/A

HOLE NO: A-52 LATITUDE: 10702.92 AZIMUTH: 0.00
 HOLE LENGTH: 261.82 DEPARTURE: 7782.06 DIP: -90.00
 ELEVATION: 1299.89 ✓

DIP TESTS:	DEPTH	DIP	AZIMUTH
	60.96	-90.00	0.00
	121.92	-85.30	67.00
	182.88	-79.00	84.00
	237.74	-74.00	82.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	78.03	N/A	N/A	N/A
78.03	78.33	11.00	20.45	171.40
78.33	85.04	N/A	N/A	N/A
85.04	85.89	1.75	2.22	27.42
85.89	86.11	N/A	N/A	N/A
86.11	87.78	8.18	10.72	110.04
87.78	143.87	N/A	N/A	N/A
143.87	146.91	.25	.55	7.20
146.91	149.11	.18	.44	7.20
149.11	157.58	N/A	N/A	N/A
157.58	158.65	3.90	5.46	50.39
158.65	160.78	3.23	5.52	45.25
160.78	175.41	N/A	N/A	N/A
175.41	176.48	4.65	4.20	50.39
176.48	179.53	2.50	3.84	41.48
179.53	181.66	3.83	4.98	53.48
181.66	183.03	2.45	3.36	41.48
183.03	184.10	6.75	8.16	77.82
184.10	186.08	1.23	1.94	20.23
186.08	187.91	.60	.99	9.94
187.91	189.22	1.28	1.10	13.03
189.22	192.91	.27	.40	7.20
192.91	194.86	.45	.56	8.23
194.86	196.75	.32	.40	4.11
196.75	199.80	.48	.16	5.14
199.80	201.50	.27	.37	7.20
201.50	209.09	N/A	N/A	N/A
209.09	210.77	.05	.15	2.06
210.77	261.82	N/A	N/A	N/A

HOLE NO: A-53
 HOLE LENGTH: 357.23

LATITUDE: 10814.20
 DEPARTURE: 7550.77
 ELEVATION: 1308.52

AZIMUTH: 0.00
 DIP: -90.00

DIP TESTS:	DEPTH	DIP	AZIMUTH
	32.92	-88.00	84.20
	75.60	-89.00	91.20
	124.36	-87.00	54.50

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	140.67	N/A	N/A	N/A
140.67	141.73	7.05	13.81	113.12
141.73	145.08	6.23	13.55	100.78
145.08	145.69	3.90	8.53	55.53
145.69	147.22	3.08	7.42	49.36
147.22	146.74	6.90	17.20	100.78
148.74	149.96	10.57	18.79	194.71
149.96	151.79	1.13	2.88	15.08
151.79	153.01	2.25	4.20	30.17
153.01	154.84	2.00	4.02	27.42
154.84	155.91	1.50	2.70	18.17
155.91	157.89	3.90	3.78	41.48
157.89	159.93	.70	1.04	13.03
159.93	161.42	1.68	4.02	22.28
161.42	166.82	N/A	N/A	N/A
166.82	169.01	.52	1.20	7.20
169.01	171.36	N/A	N/A	N/A
171.36	172.97	.57	1.56	9.94
172.97	234.39	N/A	N/A	N/A
234.39	237.04	.38	.78	8.91
237.04	238.29	3.68	6.96	52.45
238.29	240.15	.74	.68	19.20
240.15	243.23	4.43	6.00	62.39
243.23	244.45	5.40	11.10	94.61
244.45	245.67	2.00	3.96	35.31
245.67	248.29	2.28	1.80	35.31
248.29	251.34	1.55	1.34	27.42
251.34	252.37	4.73	7.20	67.53
252.37	254.87	5.03	9.59	82.61
254.87	257.25	4.95	8.09	65.47
257.25	258.53	4.58	7.20	64.45
258.53	259.99	5.33	9.88	79.53
259.99	262.13	.27	.33	9.94
262.13	263.62	.75	2.34	15.08
263.62	264.66	5.10	9.83	65.47
264.66	267.52	.53	1.38	21.25
267.52	268.96	5.55	11.50	75.76
268.96	270.36	.60	.69	18.17
270.36	272.40	5.70	8.71	65.47
272.40	273.71	.27	.28	9.94
273.71	277.09	.19	.80	9.94
277.09	278.31	.27	1.38	9.94
278.31	280.23	.07	.98	5.14
280.23	281.97	.08	1.06	5.14
281.97	283.80	.89	1.98	21.25

HOLE NO: A-55 LATITUDE: 10575.80 AZIMUTH: 0.00
 HOLE LENGTH: 217.93 DEPARTURE: 7827.11 DIP: -90.00
 ELEVATION: 1288.66

DIP TESTS:	DEPTH	DIP	AZIMUTH
	60.96	-84.00	67.20
	121.92	-78.00	60.20
	195.07	-75.30	56.20

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	149.05	N/A	N/A	N/A
149.05	150.24	1.64	2.64	35.31
150.24	151.33	.85	1.66	14.05
151.33	152.86	3.00	7.44	45.25
152.86	166.88	N/A	N/A	N/A
166.88	167.30	.90	.94	8.91
167.30	169.01	6.00	7.82	73.70
169.01	169.38	.30	.62	5.14
169.38	174.74	N/A	N/A	N/A
174.74	175.20	1.08	2.76	17.14
175.20	180.53	N/A	N/A	N/A
180.53	181.90	1.23	2.88	20.23
181.90	182.88	5.33	5.16	51.42
182.88	184.40	1.23	1.38	25.37
184.40	187.33	1.15	1.18	16.11
187.33	189.89	1.35	1.72	17.14
189.89	192.94	.83	.74	7.20
192.94	194.95	1.45	1.72	22.28
194.95	196.29	.37	.26	9.94
196.29	217.93	N/A	N/A	N/A

HOLE NO: A-56 LATITUDE: 10786.97 AZIMUTH: 0.00
 HOLE LENGTH: 343.20 DEPARTURE: 7691.92 DIP: -90.00
 ELEVATION: 1310.39

DIP TESTS:	DEPTH	DIP	AZIMUTH
	60.96	-90.00	0.00
	121.92	-81.00	126.20
	182.88	-81.00	116.20
	243.84	-83.00	161.20

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	96.47	N/A	N/A	N/A
96.47	98.15	8.40	12.14	97.70
98.15	100.28	4.05	7.44	45.25
100.28	102.17	2.28	4.98	34.28
102.17	103.02	1.10	4.02	8.23
103.02	103.94	1.93	4.92	30.17
103.94	106.07	1.98	3.54	30.17
106.07	107.29	5.25	1.26	44.22
107.29	109.42	1.85	1.52	22.28
109.42	110.34	.05	4.02	1.03
110.34	112.17	2.25	6.72	35.31
112.17	114.00	.13	.39	3.09
114.00	115.21	.07	.44	2.06
115.21	118.26	1.98	3.78	30.17
118.26	119.42	1.98	3.72	29.14
119.42	121.31	1.78	4.08	26.40
121.31	122.53	2.30	7.08	37.37
122.53	124.36	1.73	4.20	28.45
124.36	126.19	2.85	5.28	45.25
126.19	129.24	2.93	5.58	45.25
129.24	132.28	1.65	3.84	27.42
132.28	134.42	2.50	5.46	33.25
134.42	135.64	1.98	5.28	29.14
135.64	137.16	1.00	3.72	15.08
137.16	139.29	3.23	7.08	54.51
139.29	141.12	3.30	6.00	44.22
141.12	143.16	3.98	3.30	54.51
143.16	145.05	N/A	N/A	N/A
145.05	146.91	2.40	4.44	40.45
146.91	148.74	1.00	3.18	25.37
148.74	150.39	.89	1.02	21.25
150.39	151.24	4.28	2.00	52.45
151.24	153.31	5.25	7.93	64.45
153.31	154.84	.90	4.56	14.05
154.84	156.36	3.74	7.92	51.42
156.36	157.58	3.68	9.05	60.33
157.58	158.59	3.08	7.44	40.45
158.59	161.39	N/A	N/A	N/A
161.39	163.04	5.33	7.56	74.73
163.04	166.12	N/A	N/A	N/A
166.12	166.97	6.83	15.65	121.01
166.97	167.94	N/A	N/A	N/A
167.94	169.62	6.75	11.64	100.78
169.62	170.38	1.13	4.56	17.14

HOLE NO: A-56

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
170.38	172.33	7.13	12.50	111.07
172.33	173.74	2.35	4.44	31.19
173.74	177.30	6.30	13.51	95.64
177.30	179.83	N/A	N/A	N/A
179.83	181.36	3.68	13.15	80.56
181.36	184.53	N/A	N/A	N/A
184.53	185.32	2.93	8.04	70.62
185.32	185.93	1.08	1.80	15.08
185.93	188.67	6.00	9.37	95.64
188.67	191.41	4.50	8.16	77.82
191.41	193.85	6.75	9.42	93.93
193.85	195.07	6.45	10.65	104.90
195.07	196.23	.93	1.56	14.05
196.23	202.30	N/A	N/A	N/A
202.30	203.61	1.33	2.00	18.17
203.61	205.13	2.70	5.40	34.28
205.13	265.05	N/A	N/A	N/A
265.05	265.82	.05	3.90	5.14
265.82	266.67	3.98	6.48	48.33
266.67	268.01	.50	1.32	8.23
268.01	297.42	N/A	N/A	N/A
297.42	298.49	1.95	2.46	30.17
298.49	300.14	4.35	5.28	63.42
300.14	300.72	N/A	N/A	N/A
300.72	302.06	4.50	5.40	75.76
302.06	343.20	N/A	N/A	N/A

HOLE NO: A-57
 HOLE LENGTH: 416.40

LATITUDE: 11372.97
 DEPARTURE: 7080.84
 ELEVATION: ~~1312.41~~

AZIMUTH: 0.00
 DIP: -90.00

1325.54

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	208.61	N/A	N/A	N/A
208.61	209.18	.12	.21	4.11
209.18	211.56	1.45	2.70	21.25
211.56	218.33	N/A	N/A	N/A
218.33	218.63	2.30	4.40	35.31
218.63	219.55	N/A	N/A	N/A
219.55	220.55	1.05	2.46	15.08
220.55	221.41	.09	.13	2.06
221.41	222.69	1.43	2.70	16.11
222.69	223.21	N/A	N/A	N/A
223.21	224.97	1.50	3.00	28.45
224.97	226.44	.93	1.76	12.00
226.44	228.26	N/A	N/A	N/A
228.26	228.54	.84	.99	13.03
228.54	229.42	1.33	2.52	17.14
229.42	231.04	1.28	2.94	18.17
231.04	233.17	1.35	3.06	20.23
233.17	235.73	1.40	2.88	21.25
235.73	237.59	.48	.42	8.23
237.59	240.79	1.50	1.28	19.20
240.79	241.92	N/A	N/A	N/A
241.92	244.14	.83	1.30	15.08
244.14	246.67	1.13	1.50	20.23
246.67	248.93	2.33	3.18	34.28
248.93	251.28	1.08	1.60	18.17
251.28	254.45	1.35	2.40	20.23
254.45	255.85	.90	1.24	12.00
255.85	257.25	1.73	3.06	23.31
257.25	258.93	1.25	1.54	20.23
258.93	261.12	1.10	1.60	20.23
261.12	262.10	.80	.74	13.03
262.10	262.95	1.03	1.98	17.14
262.95	263.65	.68	.68	9.94
263.65	266.40	.93	.98	15.08
266.40	267.58	1.50	2.64	21.25
267.58	269.23	N/A	N/A	N/A
269.23	270.72	2.10	3.06	34.28
270.72	271.21	N/A	N/A	N/A
271.21	272.80	1.88	3.42	23.31
272.80	275.05	N/A	N/A	N/A
275.05	276.45	1.80	3.54	25.37
276.45	278.28	1.80	4.20	25.37
278.28	279.20	1.60	4.32	24.34
279.20	280.11	1.45	3.78	21.25
280.11	283.62	1.48	3.12	26.40
283.62	286.33	2.10	4.20	32.22
286.33	287.73	.85	.76	10.97
287.73	288.46	1.70	1.76	26.40
288.46	290.17	.30	.34	5.14
290.17	297.91	N/A	N/A	N/A

HOLE NO: A-58 LATITUDE: 10618.08 AZIMUTH: 0.00
 HOLE LENGTH: 187.45 DEPARTURE: 7870.86 DIP: -90.00
 ELEVATION: 1293.25

DIP TESTS: DEPTH DIP AZIMUTH
 73.15 -87.00 53.00
 121.92 -83.00 54.00
 170.69 -79.00 54.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	133.05	N/A	N/A	N/A
133.05	134.87	9.45	7.20	105.93
134.87	136.70	4.73	6.60	70.62
136.70	138.07	1.83	4.68	37.37
138.07	138.99	4.05	7.08	80.56
138.99	139.99	8.55	9.70	113.12
139.99	140.82	6.38	8.93	83.64
140.82	142.19	1.23	1.34	20.23
142.19	143.41	7.40	4.26	80.56
143.41	144.29	1.58	.77	31.19
144.29	146.30	.37	.35	10.97
146.30	148.29	2.10	.91	28.45
148.29	150.88	.58	.71	13.03
150.88	153.01	.54	.59	15.08
153.01	155.14	.04	.02	6.17
155.14	156.42	.03	.06	5.14
156.42	156.97	.04	.17	4.11
156.97	157.89	.03	.13	2.06
157.89	159.72	N/A	N/A	N/A
159.72	160.63	.15	.03	5.14
160.63	163.98	.22	.46	4.11
163.98	165.81	.18	.25	1.03
165.81	187.45	N/A	N/A	N/A

HOLE NO: A-59 LATITUDE: 11034.67 AZIMUTH: 0.00
 HOLE LENGTH: 397.58 DEPARTURE: 7260.11 DIP: -90.00
 ELEVATION: 1329.27

DIP TESTS:	DEPTH	CIP	AZIMUTH
	60.96	-85.00	90.20
	121.92	-84.00	100.00
	182.88	-82.00	114.00
	243.84	-75.00	102.00
	304.80	-77.00	110.00
	365.76	-80.00	122.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	258.74	N/A	N/A	N/A
258.74	260.45	5.93	11.11	90.84
260.45	269.84	N/A	N/A	N/A
269.84	271.67	1.65	3.18	25.37
271.67	273.47	2.40	4.02	34.28
273.47	274.32	1.23	2.34	17.14
274.32	280.08	N/A	N/A	N/A
280.08	283.25	.15	.28	3.09
283.25	284.04	.85	1.36	13.03
284.04	284.53	N/A	N/A	N/A
284.53	285.29	.73	1.24	12.00
285.29	285.60	N/A	N/A	N/A
285.60	287.15	1.03	1.98	14.05
287.15	288.58	.66	1.60	8.23
288.58	290.29	.30	.44	4.11
290.29	290.93	N/A	N/A	N/A
290.93	292.61	2.10	4.20	37.37
292.61	295.66	1.28	2.52	22.28
295.66	298.76	1.88	3.96	30.17
298.76	299.37	1.38	1.38	19.20
299.37	308.52	N/A	N/A	N/A
308.52	310.44	.49	.94	7.20
310.44	312.79	.44	1.00	7.20
312.79	314.98	1.38	2.34	21.25
314.98	316.23	.65	.95	9.94
316.23	318.79	.65	1.24	9.94
318.79	321.87	.65	1.14	9.94
321.87	323.36	.63	.56	6.17
323.36	324.73	.07	.09	1.03
324.73	327.11	3.53	6.12	46.28
327.11	327.75	1.28	1.40	17.14
327.75	329.67	.90	.45	20.23
329.67	331.62	6.15	10.38	100.78
331.62	333.36	4.95	8.52	90.84
333.36	335.40	8.43	14.39	104.90
335.40	336.90	5.70	11.67	121.01
336.90	337.54	1.48	2.40	23.31
337.54	337.84	.14	.72	6.17
337.84	339.97	.19	.38	2.06
339.97	340.31	9.65	16.21	201.57
340.31	341.01	.05	.18	6.17
341.01	341.35	14.61	19.44	196.77

HOLE NO: A-59

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
341.35	343.14	.07	.12	2.06
343.14	344.45	11.00	17.19	176.54
344.45	380.45	N/A	N/A	N/A
380.45	381.70	2.33	2.52	53.13
381.70	382.86	3.30	4.62	68.56
382.86	384.11	N/A	N/A	N/A
384.11	384.41	4.50	8.16	43.54
384.41	384.66	N/A	N/A	N/A
384.66	387.25	5.10	8.28	73.70
387.25	387.64	.68	.40	8.23
387.64	389.75	6.30	9.41	100.78
389.75	390.91	5.70	8.52	100.78
390.91	392.40	5.70	8.64	80.56
392.40	393.62	2.10	1.84	44.22
393.62	397.58	N/A	N/A	N/A

DIAMOND DRILL LOG MA

STER FILE

HOLE NO:	A-60	LATITUDE:	10656.40	AZIMUTH:	0.00
HOLE LENGTH:	361.49	DEPARTURE:	7568.59	DIP:	-90.00
		ELEVATION:	1289.47		

DIP TESTS:	DEPTH	DIP	AZIMUTH
	79.25	-85.00	78.50
	126.49	-82.00	75.50
	193.55	-80.00	77.50
	217.93	-79.00	65.50

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	99.97	N/A	N/A	N/A
99.97	100.80	.28	.24	4.11
100.80	102.35	5.18	7.08	78.50
102.35	103.33	7.50	9.71	123.07
103.33	104.03	3.53	3.78	75.76
104.03	105.46	.09	.12	3.09
105.46	106.34	.15	.15	4.11
106.34	107.23	1.60	.54	29.14
107.23	109.42	7.35	8.76	112.10
109.42	110.83	7.28	7.56	111.07
110.83	111.47	.24	.25	4.11
111.47	114.00	3.68	3.18	43.54
114.00	116.13	5.18	5.04	80.56
116.13	116.65	.68	.51	19.20
116.65	123.72	N/A	N/A	N/A
123.72	124.66	.19	.11	2.06
124.66	125.94	.84	.77	13.03
125.94	127.28	N/A	N/A	N/A
127.28	128.32	.78	.85	9.94
128.32	132.37	N/A	N/A	N/A
132.37	133.41	2.78	2.82	49.36
133.41	135.45	5.55	4.74	64.45
135.45	137.01	4.73	4.80	54.51
137.01	137.53	.69	.99	7.20
137.53	145.88	N/A	N/A	N/A
145.88	147.13	11.48	17.35	171.40
147.13	179.95	N/A	N/A	N/A
179.95	180.59	1.55	1.86	19.20
180.59	183.03	N/A	N/A	N/A
183.03	183.67	1.13	1.02	20.23
183.67	259.69	N/A	N/A	N/A
259.69	262.13	.07	.04	.00
262.13	267.00	N/A	N/A	N/A
267.00	268.53	.10	.36	1.03
268.53	274.32	N/A	N/A	N/A
274.32	276.33	.02	.03	.00
276.33	286.21	N/A	N/A	N/A
286.21	287.33	1.30	1.14	16.11
287.33	322.48	N/A	N/A	N/A
322.48	323.55	.39	.51	8.23
323.55	325.68	2.93	2.70	39.42
325.68	326.53	1.00	.85	15.08
326.53	328.45	.63	.32	9.94
328.45	330.07	3.68	2.88	44.22

HOLE NO: A-60

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
330.07	331.59	1.28	.74	25.37
331.59	335.28	.25	.25	7.20
335.28	339.67	N/A	N/A	N/A
339.67	341.10	1.63	.66	27.42
341.10	345.06	N/A	N/A	N/A
345.06	347.81	.08	.03	3.09
347.81	361.49	N/A	N/A	N/A

HOLE NO: A-61 LATITUDE: 11080.86 AZIMUTH: 0.00
 HOLE LENGTH: 276.45 DEPARTURE: 7302.55 DIP: -90.00
 ELEVATION: 1328.93

DIP TESTS:	DEPTH	DIP	AZIMUTH
	60.96	-83.30	108.10
	121.92	-80.00	117.30
	182.88	-77.00	137.00
	243.80	-74.00	137.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	240.55	N/A	N/A	N/A
240.55	242.19	.39	.72	6.17
242.19	243.23	1.40	2.46	17.14
243.23	244.11	1.93	4.02	40.45
244.11	245.27	1.05	1.66	10.97
245.27	256.03	N/A	N/A	N/A
256.03	257.56	1.88	2.64	35.31
257.56	264.14	N/A	N/A	N/A
264.14	265.79	1.55	1.88	22.28
265.79	268.56	1.85	3.00	32.57
268.56	271.61	1.50	1.72	22.28
271.61	273.47	1.28	1.76	19.20
273.47	276.45	1.10	1.54	15.08

DIAMOND DRILL LOG MA

STER FILE

HOLE NO: A-62
HOLE LENGTH: 301.14

LATITUDE: 10660.22
DEPARTURE: 7650.77
ELEVATION: 1290.45

AZIMUTH: 0.00
DIP: -90.00

DIP TESTS:	DEPTH	DIP	AZIMUTH
	61.00	-86.30	121.20
	121.90	-80.00	105.20
	182.90	-79.00	113.20
	225.60	-73.00	100.20

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	48.16	N/A	N/A	N/A
48.16	52.12	.33	.18	9.94
52.12	74.37	N/A	N/A	N/A
74.37	75.59	2.10	2.40	29.14
75.59	76.50	11.13	9.51	153.23
76.50	81.38	N/A	N/A	N/A
81.38	82.45	7.53	6.48	92.90
82.45	84.43	9.93	6.24	114.84
84.43	85.53	.62	.78	8.91
85.53	126.64	N/A	N/A	N/A
126.64	128.63	6.68	11.05	105.93
128.63	130.45	5.60	10.25	85.70
130.45	131.77	.18	.62	8.57
131.77	132.95	2.78	5.88	50.39
132.95	134.63	4.65	8.94	84.67
134.63	136.31	4.80	10.16	92.90
136.31	138.17	5.94	11.82	103.87
138.17	166.02	N/A	N/A	N/A
166.02	167.03	1.12	1.14	12.00
167.03	176.05	N/A	N/A	N/A
176.05	177.45	3.08	4.26	45.25
177.45	178.92	.18	.45	19.20
178.92	181.66	.27	.72	10.97
181.66	183.18	.49	.80	12.00
183.18	186.23	.27	1.30	9.94
186.23	198.61	N/A	N/A	N/A
198.61	201.17	.53	.76	8.91
201.17	218.15	N/A	N/A	N/A
218.15	220.77	1.43	1.36	15.08
220.77	245.24	N/A	N/A	N/A
245.24	246.46	3.75	4.50	32.22
246.46	247.95	.04	.14	1.03
247.95	248.72	.48	.72	2.06
248.72	251.76	N/A	N/A	N/A
251.76	252.95	.10	.14	1.03
252.95	254.87	3.08	4.02	45.25
254.87	256.31	.68	1.12	10.97
256.31	258.74	1.98	1.36	30.17
258.74	260.66	5.55	6.24	76.79
260.66	262.13	1.95	2.46	32.22
262.13	267.00	N/A	N/A	N/A
267.00	269.02	.68	.78	13.03
269.02	295.26	N/A	N/A	N/A
295.26	296.36	.23	.24	8.23

HOLE NO: A-63 LATITUDE: 10314.44 AZIMUTH: 0.00
 HOLE LENGTH: 180.14 DEPARTURE: 7744.20 DIP: -90.00
 ELEVATION: 1271.27

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	78.64	N/A	N/A	N/A
78.64	79.86	1.73	1.48	26.40
79.86	80.77	1.40	1.02	25.37
80.77	81.53	2.15	2.64	30.17
81.53	83.21	3.15	1.90	41.48
83.21	86.26	.37	.32	9.94
86.26	89.31	.15	.12	5.14
89.31	90.22	.37	.29	15.08
90.22	93.27	.18	.15	5.14
93.27	96.01	.14	.27	5.14
96.01	96.62	.10	.38	3.43
96.62	98.45	.50	1.10	9.94
98.45	99.06	.47	1.38	8.91
99.06	99.49	5.63	7.20	62.39
99.49	100.04	.05	.48	2.06
100.04	102.63	5.70	7.90	73.70
102.63	104.70	4.13	6.72	69.59
104.70	106.22	4.43	6.96	65.47
106.22	107.75	4.58	6.48	68.56
107.75	108.66	1.68	2.00	28.45
108.66	110.95	5.33	8.95	71.65
110.95	111.86	.87	1.60	9.94
111.86	112.65	4.58	7.56	58.62
112.65	113.08	N/A	N/A	N/A
113.08	114.00	1.93	3.42	27.42
114.00	114.60	N/A	N/A	N/A
114.60	117.35	.20	.40	6.17
117.35	119.33	.15	.55	5.14
119.33	121.31	1.23	2.46	20.23
121.31	122.38	.27	.69	8.23
122.38	124.66	.10	.29	3.43
124.66	127.71	.09	.31	1.37
127.71	129.84	.08	.23	1.03
129.84	132.22	4.50	6.24	58.62
132.22	133.65	1.40	1.78	17.14
133.65	145.39	N/A	N/A	N/A
145.39	146.00	.44	.75	6.17
146.00	147.92	2.15	2.22	25.37
147.92	150.88	.15	.17	5.14
150.88	153.92	.27	.39	6.86
153.92	156.58	2.20	2.40	33.25
156.58	159.11	.13	.22	3.43
159.11	161.67	1.88	1.66	26.40
161.67	163.40	1.10	1.40	20.23
163.40	164.90	1.65	1.62	25.37
164.90	166.54	1.85	1.56	28.45
166.54	167.37	.23	.25	6.17
167.37	168.46	4.65	5.22	55.53
168.46	169.38	.12	.13	3.43
169.38	171.91	1.70	2.58	23.31

SPECIAL TO MOORE BUSINESS FORMS 4

HOLE NO: A-64 LATITUDE: 11589.36 AZIMUTH: 0.00
 HOLE LENGTH: 432.21 DEPARTURE: 6945.43 DIP: -90.00
 ELEVATION: 1305.76

DIP TESTS:	DEPTH	DIP	AZIMUTH
	60.96	-86.00	152.20
	121.92	-81.30	152.20
	182.88	-73.25	136.50
	243.80	-63.30	144.20
	304.80	-66.00	134.20
	350.52	-71.30	142.20

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	320.80	N/A	N/A	N/A
320.80	322.17	.85	1.68	7.20
322.17	322.87	N/A	N/A	N/A
322.87	324.92	1.13	1.80	15.08
324.92	369.11	N/A	N/A	N/A
369.11	372.16	1.10	2.34	15.08
372.16	385.63	N/A	N/A	N/A
385.63	387.10	1.43	2.58	15.08
387.10	389.23	1.33	2.40	15.08
389.23	390.91	N/A	N/A	N/A
390.91	392.73	1.70	2.88	18.17
392.73	394.26	2.50	6.42	29.14
394.26	395.78	3.60	8.77	51.42
395.78	397.31	2.13	5.25	39.42
397.31	398.83	1.63	4.80	25.37
398.83	432.21	N/A	N/A	N/A

HOLE NO: A-65 LATITUDE: 10742.70 AZIMUTH: 0.00
 HOLE LENGTH: 167.64 DEPARTURE: 7559.77 DIP: -90.00
 ELEVATION: 1299.30

DIP TESTS: DEPTH DIP AZIMUTH
 167.64 -85.00 158.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	123.75	N/A	N/A	N/A
123.75	125.58	1.43	1.52	18.17
125.58	126.49	10.50	10.11	115.87
126.49	128.02	6.00	5.64	74.73
128.02	128.93	4.80	2.46	58.62
128.93	130.45	8.42	5.40	94.61
130.45	132.16	6.53	3.78	84.67
132.16	153.92	N/A	N/A	N/A
153.92	154.20	.20	.60	2.06
154.20	155.97	8.70	13.84	145.00
155.97	157.28	8.10	8.20	114.84
157.28	159.99	4.43	7.65	63.42
159.99	161.54	.22	.37	5.14
161.54	164.29	.57	.69	15.08
164.29	165.20	3.75	1.56	37.37
165.20	167.64	4.20	1.54	40.45

SPEID-10 MOORE BUSINESS FORMS 4

HOLE NO: A-66 LATITUDE: 10575.39 AZIMUTH: 0.00
 HOLE LENGTH: 182.88 DEPARTURE: 7741.44 DIP: -90.00
 ELEVATION: 1287.53

DIP TESTS: DEPTH DIP AZIMUTH
 57.91 -88.00 110.00
 115.82 -88.00 94.00
 176.78 -80.00 103.30

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	51.21	N/A	N/A	N/A
51.21	53.04	1.58	2.34	28.11
53.04	53.95	1.10	1.82	15.08
53.95	61.57	N/A	N/A	N/A
61.57	63.46	.84	1.84	14.05
63.46	64.31	N/A	N/A	N/A
64.31	66.45	2.23	3.36	38.39
66.45	68.28	1.53	3.18	23.31
68.28	70.01	2.10	4.44	23.31
70.01	81.69	N/A	N/A	N/A
81.69	84.12	5.40	10.80	66.50
84.12	85.74	8.84	14.83	105.93
85.74	86.56	5.10	5.76	61.02
86.56	88.57	5.48	4.98	63.42
88.57	89.46	5.63	5.52	61.36
89.46	90.22	.40	.82	9.94
90.22	93.27	.28	1.07	8.23
93.27	95.10	.56	.95	10.97
95.10	97.08	.95	.96	20.23
97.08	100.13	.49	3.12	8.23
100.13	103.02	.21	.42	5.14
103.02	103.63	.30	1.08	9.94
103.63	106.07	4.55	6.00	58.62
106.07	107.20	4.65	5.82	52.45
107.20	107.81	.15	.96	5.14
107.81	113.69	.00	.00	.00
113.69	115.21	.44	.77	8.91
115.21	118.26	N/A	N/A	N/A
118.26	119.66	2.25	1.22	37.37
119.66	129.69	N/A	N/A	N/A
129.69	131.86	.28	.78	8.23
131.86	138.68	N/A	N/A	N/A
138.68	140.21	.03	4.20	1.03
140.21	143.26	N/A	N/A	N/A
143.26	144.78	.04	.09	2.06
144.78	155.45	N/A	N/A	N/A
155.45	156.36	8.56	10.15	130.95
156.36	158.19	1.75	3.00	25.37
158.19	160.02	5.70	7.20	72.67
160.02	161.97	N/A	N/A	N/A
161.97	162.89	2.00	1.66	30.17
162.89	182.88	N/A	N/A	N/A

HOLE NO: A-67 LATITUDE: 10913.48 AZIMUTH: 0.00
 HOLE LENGTH: 406.62 DEPARTURE: 7561.88 DIP: -90.00
 ELEVATION: 1313.90

DIP TESTS:	DEPTH	DIP	AZIMUTH
	122.53	-86.00	340.00
	244.45	-85.00	96.00
	378.56	-85.00	103.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	139.29	N/A	N/A	N/A
139.29	142.04	8.52	14.11	126.15
142.04	144.17	2.05	4.50	30.17
144.17	146.36	.57	.60	5.14
146.36	147.58	1.80	1.48	20.23
147.58	149.99	1.50	1.84	16.11
149.99	152.10	1.14	3.30	20.23
152.10	153.31	5.25	7.40	65.47
153.31	155.30	2.93	3.84	39.42
155.30	161.45	N/A	N/A	N/A
161.45	163.22	1.04	1.74	15.08
163.22	166.42	N/A	N/A	N/A
166.42	168.43	2.13	3.84	34.28
168.43	173.64	N/A	N/A	N/A
173.64	176.17	1.95	2.97	30.17
176.17	178.92	1.75	2.76	26.05
178.92	180.75	1.55	2.34	17.14
180.75	182.79	1.50	2.34	21.25
182.79	184.89	2.33	3.90	34.28
184.89	186.48	2.38	3.30	36.34
186.48	189.01	2.18	4.26	33.25
189.01	190.26	1.25	3.06	17.14
190.26	192.39	.55	1.40	6.17
192.39	194.16	2.13	4.92	30.17
194.16	195.99	2.15	4.62	35.31
195.99	197.51	1.73	4.08	34.28
197.51	199.34	1.63	4.08	37.37
199.34	200.68	1.73	3.66	39.42
200.68	201.69	2.78	5.82	55.53
201.69	204.34	4.05	9.05	72.67
204.34	205.74	N/A	N/A	N/A
205.74	208.27	4.35	5.58	62.39
208.27	210.01	3.90	7.99	55.53
210.01	211.74	N/A	N/A	N/A
211.74	213.91	2.13	4.26	32.22
213.91	229.21	N/A	N/A	N/A
229.21	230.34	6.90	9.32	124.09
230.34	237.74	N/A	N/A	N/A
237.74	240.06	6.90	10.18	125.12
240.06	243.41	N/A	N/A	N/A
243.41	243.93	3.98	4.02	50.39
243.93	245.67	N/A	N/A	N/A
245.67	247.47	1.10	1.52	15.08
247.47	277.98	N/A	N/A	N/A
277.98	280.81	1.10	1.83	10.97

HOLE NO: A-68 LATITUDE: 10870.22 AZIMUTH: 0.00
 HOLE LENGTH: 389.23 DEPARTURE: 7607.27 DIP: -90.00
 ELEVATION: 1314.71

DIP TESTS:	DEPTH	DIP	AZIMUTH
	121.92	-77.00	119.00
	237.74	-83.30	119.00
	389.23	-83.00	119.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	128.47	N/A	N/A	N/A
128.47	129.75	7.71	12.62	105.93
129.75	130.45	2.38	4.08	28.45
130.45	132.19	1.13	2.64	15.08
132.19	133.20	2.93	5.64	40.45
133.20	135.94	1.60	2.88	20.23
135.94	137.40	3.98	3.12	35.31
137.40	139.17	3.60	2.40	28.45
139.17	141.85	1.68	2.46	22.28
141.85	143.99	.98	1.64	15.08
143.99	144.78	3.15	4.92	45.25
144.78	147.31	4.20	8.20	60.33
147.31	156.97	N/A	N/A	N/A
156.97	158.50	1.78	3.12	26.40
158.50	160.02	N/A	N/A	N/A
160.02	161.24	1.58	2.88	25.37
161.24	163.98	1.80	1.80	28.45
163.98	165.81	1.30	1.20	19.20
165.81	168.86	1.55	3.06	26.40
168.86	170.08	1.35	2.58	16.11
170.08	173.43	2.45	4.56	40.45
173.43	176.30	2.45	4.56	40.45
176.30	179.47	1.93	3.78	29.14
179.47	181.57	1.33	3.78	22.28
181.57	183.67	1.70	2.88	35.31
183.67	185.32	2.13	4.92	44.22
185.32	187.36	4.28	5.22	62.39
187.36	188.70	3.38	1.76	32.22
188.70	190.20	3.30	4.80	40.45
190.20	192.88	5.45	9.85	81.59
192.88	193.43	1.10	3.00	20.23
193.43	199.92	N/A	N/A	N/A
199.92	201.66	4.50	4.26	55.53
201.66	203.51	.53	1.18	9.94
203.51	205.22	8.00	7.80	110.04
205.22	206.84	8.15	15.38	121.01
206.84	207.97	3.30	5.22	64.45
207.97	208.79	.62	.50	7.20
208.79	209.70	4.65	4.32	55.53
209.70	210.37	N/A	N/A	N/A
210.37	212.14	2.00	1.84	30.17
212.14	213.76	1.73	2.52	37.37
213.76	215.28	1.18	3.18	25.37
215.28	217.44	7.63	9.81	102.84
217.44	219.27	10.23	19.00	141.23

HOLE NO: A-69 LATITUDE: 10955.31 AZIMUTH: 0.00
 HOLE LENGTH: 410.26 DEPARTURE: 7517.40 DIP: -90.00
 ELEVATION: 1313.14

DIP TESTS:	DEPTH	DIP	AZIMUTH
	122.53	-82.00	133.00
	244.45	-86.00	133.00
	366.37	-85.00	172.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	137.77	N/A	N/A	N/A
137.77	138.56	6.31	8.39	91.87
138.56	140.18	.40	.39	9.94
140.18	140.94	6.48	5.04	95.64
140.94	143.16	.27	.33	6.17
143.16	143.80	6.76	9.39	91.87
143.80	144.29	N/A	N/A	N/A
144.29	146.61	4.73	6.72	66.50
146.61	147.83	3.90	7.40	56.56
147.83	149.35	1.08	1.84	20.23
149.35	150.91	2.45	4.08	35.31
150.91	151.30	1.40	3.48	23.31
151.30	156.51	N/A	N/A	N/A
156.51	158.80	.79	1.84	10.97
158.80	160.84	2.03	2.88	27.08
160.84	162.31	2.43	4.62	35.31
162.31	164.59	1.02	1.68	18.17
164.59	168.07	.20	.48	2.06
168.07	169.74	2.05	4.56	27.08
169.74	170.32	.59	1.44	7.20
170.32	172.15	N/A	N/A	N/A
172.15	172.46	.72	1.54	6.17
172.46	175.26	2.15	3.48	30.17
175.26	177.24	N/A	N/A	N/A
177.24	179.25	2.23	4.62	35.31
179.25	180.75	1.63	3.84	27.08
180.75	182.48	2.28	3.66	34.28
182.48	185.62	1.47	2.61	20.23
185.62	186.75	.40	.92	3.09
186.75	187.76	1.68	2.58	24.34
187.76	189.59	2.10	4.26	28.11
189.59	190.80	3.00	4.74	36.34
190.80	191.51	1.18	2.40	14.05
191.51	192.63	.58	1.38	7.20
192.63	194.52	1.28	1.62	15.08
194.52	196.14	1.45	2.76	20.23
196.14	198.27	2.05	4.08	30.17
198.27	200.56	1.58	2.94	25.37
200.56	202.69	1.63	4.08	24.34
202.69	204.52	1.63	3.60	5.48
204.52	206.08	.69	1.50	20.23
206.08	207.29	1.30	3.12	29.14
207.29	209.25	2.30	5.58	44.22
209.25	210.92	.63	.74	13.03
210.92	213.24	5.10	8.28	80.56

HOLE NO: A-69

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
213.24	213.97	6.55	11.05	95.64
213.97	215.13	.47	.30	9.94
215.13	215.89	1.35	1.90	26.05
215.89	217.08	.17	.21	4.11
217.08	217.72	1.78	6.42	27.08
217.72	218.85	.24	.41	4.11
218.85	219.94	5.18	9.48	59.65
219.94	220.22	N/A	N/A	N/A
220.22	221.38	8.58	24.07	111.07
221.38	222.11	N/A	N/A	N/A
222.11	222.53	1.13	1.82	18.17
222.53	222.93	N/A	N/A	N/A
222.93	223.85	5.74	14.43	105.93
223.85	228.75	N/A	N/A	N/A
228.75	229.06	3.98	8.29	51.42
229.06	231.28	N/A	N/A	N/A
231.28	232.23	9.25	19.60	145.35
232.23	234.30	3.08	3.84	49.36
234.30	235.31	.40	.70	8.91
235.31	236.01	4.20	6.60	64.45
236.01	237.74	N/A	N/A	N/A
237.74	239.36	3.38	4.26	50.39
239.36	240.52	.27	1.14	2.06
240.52	241.71	N/A	N/A	N/A
241.71	243.47	1.20	1.74	15.08
243.47	304.65	N/A	N/A	N/A
304.65	306.32	5.03	8.55	84.67
306.32	309.37	4.80	5.46	72.67
309.37	312.42	4.43	4.62	65.47
312.42	314.25	5.95	9.13	83.64
314.25	315.32	5.48	9.51	82.61
315.32	315.99	3.08	4.62	41.48
315.99	316.84	.37	.42	8.23
316.84	318.30	5.48	6.60	71.65
318.30	320.34	1.28	1.44	26.05
320.34	322.11	.83	.60	20.23
322.11	323.70	1.42	1.16	22.28
323.70	325.98	.18	.08	12.00
325.98	326.56	1.15	1.58	16.11
326.56	334.88	N/A	N/A	N/A
334.88	336.96	.82	1.56	14.05
336.96	339.55	N/A	N/A	N/A
339.55	342.60	.62	1.11	12.00
342.60	350.82	N/A	N/A	N/A
350.82	352.26	.23	.25	2.06
352.26	354.88	2.82	2.64	31.19
354.88	355.24	.95	.75	8.91
355.24	410.26	N/A	N/A	N/A

SPECIAL TO MOORE BUSINESS FORMS 4

HOLE NO: A-70 LATITUDE: 10700.89 AZIMUTH: 0.00
 HOLE LENGTH: 108.20 DEPARTURE: 7694.94 DIP: -90.00
 ELEVATION: 1296.69

DIP TESTS: DEPTH DIP AZIMUTH
 49.07 -86.00 122.20
 103.94 -84.00 143.15

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	61.42	N/A	N/A	N/A
61.42	61.97	4.58	8.00	60.33
61.97	63.25	1.65	1.88	27.08
63.25	64.77	3.38	5.88	42.51
64.77	66.60	6.59	14.70	112.78
66.60	67.88	1.23	.37	17.14
67.88	69.83	1.18	1.18	14.05
69.83	72.33	N/A	N/A	N/A
72.33	73.76	1.68	3.96	29.14
73.76	74.98	1.95	4.92	30.17
74.98	77.72	2.03	4.80	34.28
77.72	79.25	1.38	2.76	19.20
79.25	81.69	1.88	4.38	30.17
81.69	82.75	1.38	3.12	22.28
82.75	85.10	1.08	2.94	16.11
85.10	85.95	.98	2.70	15.08
85.95	87.78	1.75	3.72	26.05
87.78	88.39	.93	3.18	15.08
88.39	108.20	N/A	N/A	N/A

HOLE NO: A-71 LATITUDE: 10783.74 AZIMUTH: 0.00
 HOLE LENGTH: 177.39 DEPARTURE: 7606.99 DIP: -90.00
 ELEVATION: 1307.62

DIP TESTS: DEPTH DIP AZIMUTH
 85.95 -77.00 101.30
 168.25 -81.00 101.30

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	119.79	N/A	N/A	N/A
119.79	121.77	8.77	18.41	130.95
121.77	122.53	2.33	4.38	35.31
122.53	124.36	3.42	7.34	49.36
124.36	126.64	1.55	2.22	22.28
126.64	127.92	1.43	2.76	16.80
127.92	129.48	1.10	1.96	16.11
129.48	131.31	1.48	2.40	22.28
131.31	134.33	3.08	4.86	35.31
134.33	136.70	.95	2.00	15.08
136.70	137.92	.47	.70	9.94
137.92	139.66	1.40	3.18	29.14
139.66	140.39	N/A	N/A	N/A
140.39	141.06	1.75	1.98	30.17
141.06	142.74	N/A	N/A	N/A
142.74	144.29	.30	.96	5.14
144.29	146.27	N/A	N/A	N/A
146.27	147.46	.89	1.32	19.20
147.46	159.04	N/A	N/A	N/A
159.04	161.15	2.33	2.00	32.22
161.15	163.43	1.85	1.04	24.34
163.43	165.96	1.88	1.02	21.25
165.96	168.80	3.45	2.46	36.34
168.80	170.60	1.35	1.02	15.08
170.60	172.67	3.45	1.74	35.31
172.67	175.26	.85	1.09	14.05
175.26	177.39	N/A	N/A	N/A

HOLE NO: A-72 LATITUDE: 10869.20 AZIMUTH: 0.00
 HOLE LENGTH: 195.07 DEPARTURE: 7524.17 DIP: -90.00
 ELEVATION: 1314.96

DIP TESTS: DEPTH DIP AZIMUTH
 92.05 -82.00 96.30
 177.39 -80.00 105.30

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	154.29	N/A	N/A	N/A
154.29	156.36	9.53	18.11	126.15
156.36	157.37	5.64	12.45	79.53
157.37	159.68	1.83	3.12	28.11
159.68	160.42	.79	.95	10.97
160.42	162.00	2.15	4.20	30.17
162.00	162.52	N/A	N/A	N/A
162.52	162.85	2.50	.16	30.17
162.85	163.49	N/A	N/A	N/A
163.49	165.26	.75	.76	8.91
165.26	168.25	1.04	1.46	15.08
168.25	169.77	N/A	N/A	N/A
169.77	172.52	1.18	1.96	15.08
172.52	174.71	1.80	3.00	25.37
174.71	176.48	N/A	N/A	N/A
176.48	177.67	1.63	2.88	20.23
177.67	180.29	.47	.77	7.20
180.29	181.05	.63	1.44	7.20
181.05	183.09	2.00	3.06	35.31
183.09	184.31	N/A	N/A	N/A
184.31	185.62	1.35	2.40	21.25
185.62	186.54	4.73	4.98	82.61
186.54	195.07	N/A	N/A	N/A

HOLE NO: A-73
 HOLE LENGTH: 364.24

LATITUDE: 10941.06
 DEPARTURE: 7676.01
 ELEVATION: 1312.84

AZIMUTH: 0.00
 DIP: -90.00

DIP TESTS:	DEPTH	DIP	AZIMUTH
	64.62	-89.00	101.00
	122.53	-90.00	90.30
	183.49	-73.00	94.30
	244.45	-71.00	105.30
	305.41	-69.00	99.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	35.66	N/A	N/A	N/A
35.66	36.67	.54	1.04	8.91
36.67	38.40	1.43	2.73	24.34
38.40	39.32	1.60	3.42	32.22
39.32	41.15	1.83	4.32	35.31
41.15	42.67	1.38	1.30	27.42
42.67	46.02	N/A	N/A	N/A
46.02	46.94	3.60	9.54	66.50
46.94	61.08	N/A	N/A	N/A
61.08	63.79	2.48	4.56	37.37
63.79	64.62	N/A	N/A	N/A
64.62	66.26	1.95	3.84	30.17
66.26	68.43	3.08	5.04	45.25
68.43	69.83	2.38	3.72	38.39
69.83	72.18	2.29	4.86	38.39
72.18	73.70	2.50	6.01	40.45
73.70	75.29	1.00	1.92	18.17
75.29	77.11	.35	.42	3.09
77.11	79.86	8.86	14.93	128.21
79.86	81.38	4.20	5.28	58.62
81.38	84.43	3.45	7.32	50.39
84.43	86.38	4.13	7.30	55.53
86.38	88.15	1.95	5.76	25.37
88.15	90.53	2.15	4.86	32.22
90.53	92.35	2.08	3.48	28.11
92.35	94.18	5.93	12.58	90.84
94.18	95.25	2.78	5.16	44.22
95.25	97.38	2.93	7.68	46.28
97.38	98.60	N/A	N/A	N/A
98.60	99.52	1.00	4.26	18.17
99.52	100.07	N/A	N/A	N/A
100.07	100.64	2.40	7.02	39.42
100.64	103.39	5.84	10.45	88.79
103.39	299.01	N/A	N/A	N/A
299.01	300.81	3.83	7.68	51.42
300.81	301.29	N/A	N/A	N/A
301.29	304.28	5.84	7.64	78.50
304.28	304.50	.18	.28	5.14
304.50	364.24	N/A	N/A	N/A

HOLE NO: A-74 LATITUDE: 10525.90 AZIMUTH: 0.00
 HOLE LENGTH: 323.09 DEPARTURE: 7612.95 DIP: -90.00
 ELEVATION: 1283.48

DIP TESTS: DEPTH DIP AZIMUTH
 61.57 -85.00 110.30
 122.53 -82.00 80.00
 183.49 -78.00 59.30
 244.45 -73.00 58.30

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	93.88	N/A	N/A	N/A
93.88	96.47	.60	.33	8.23
96.47	98.45	1.53	1.40	20.23
98.45	99.67	4.43	1.22	47.31
99.67	102.41	.14	.26	8.23
102.41	104.39	.45	.25	12.00
104.39	107.44	.15	.14	6.17
107.44	109.73	.12	.21	7.20
109.73	112.17	.15	.40	8.23
112.17	112.78	N/A	N/A	N/A
112.78	114.30	.13	.36	6.17
114.30	157.03	N/A	N/A	N/A
157.03	158.95	1.03	.70	14.05
158.95	160.32	N/A	N/A	N/A
160.32	162.92	3.23	3.18	34.28
162.92	165.51	.15	.13	9.94
165.51	167.94	.12	.11	8.23
167.94	171.30	.17	.24	9.94
171.30	172.82	.10	.14	2.06
172.82	174.04	2.18	3.00	25.37
174.04	175.26	4.50	5.55	54.51
175.26	176.69	.20	.28	8.91
176.69	178.25	N/A	N/A	N/A
178.25	181.30	.18	.42	8.91
181.30	181.45	N/A	N/A	N/A
181.45	184.56	.24	.51	13.03
184.56	185.01	N/A	N/A	N/A
185.01	186.93	1.95	3.24	30.17
186.93	187.91	N/A	N/A	N/A
187.91	191.11	.10	.24	7.20
191.11	194.31	.20	.15	8.23
194.31	197.51	.60	.13	14.05
197.51	200.56	.07	.19	6.17
200.56	202.69	.12	.21	8.23
202.69	205.13	.43	.20	10.97
205.13	206.81	3.08	2.94	37.37
206.81	208.18	.24	.16	8.91
208.18	209.64	.43	.32	10.97
209.64	210.62	.25	.22	9.94
210.62	211.93	6.53	7.54	82.61
211.93	214.58	.80	.83	9.94
214.58	223.21	N/A	N/A	N/A
223.21	224.85	1.63	1.20	20.23
224.85	296.88	N/A	N/A	N/A

SPECIAL TO MOORE BUSINESS FORMS

HOLE NO: A-74

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
296.88	298.70	.03	.11	2.06
298.70	323.09	N/A	N/A	N/A

HOLE NO: A-75 LATITUDE: 11000.76 AZIMUTH: 0.00
 HOLE LENGTH: 347.78 DEPARTURE: 7641.05 DIP: -90.00
 ELEVATION: 1311.83

DIP TESTS:	DEPTH	DIP	AZIMUTH
	61.57	-88.00	280.00
	134.72	-87.00	69.30
	201.78	-85.00	13.00
	262.74	-83.00	37.00
	323.70	-80.00	81.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	26.21	N/A	N/A	N/A
26.21	27.74	2.28	5.58	40.45
27.74	28.96	1.60	3.84	26.05
28.96	30.48	2.00	4.02	31.19
30.48	32.61	1.85	3.90	30.17
32.61	35.05	N/A	N/A	N/A
35.05	35.97	2.20	3.48	34.28
35.97	37.49	2.35	4.32	31.19
37.49	39.01	1.65	3.06	24.34
39.01	40.84	N/A	N/A	N/A
40.84	42.06	2.18	5.88	31.19
42.06	43.59	1.48	3.48	24.34
43.59	44.81	1.63	3.78	24.34
44.81	45.87	2.20	5.76	39.42
45.87	47.24	.34	1.90	6.17
47.24	48.77	3.30	5.22	50.39
48.77	50.44	.28	.96	5.14
50.44	51.48	2.93	5.88	45.25
51.48	53.64	N/A	N/A	N/A
53.64	56.69	1.60	1.96	21.25
56.69	58.83	1.48	3.36	22.28
58.83	59.59	1.93	4.50	34.28
59.59	61.26	3.90	9.08	64.45
61.26	62.79	3.15	5.16	43.19
62.79	64.92	4.35	6.36	57.59
64.92	67.67	1.95	3.30	30.17
67.67	68.37	N/A	N/A	N/A
68.37	69.80	2.85	4.50	37.37
69.80	71.63	2.13	3.96	35.31
71.63	72.85	1.40	3.54	20.23
72.85	73.91	2.43	5.40	35.31
73.91	75.13	N/A	N/A	N/A
75.13	75.90	1.45	4.74	20.23
75.90	77.42	3.60	10.82	50.39
77.42	78.94	3.60	7.08	60.33
78.94	80.47	3.45	5.64	51.42
80.47	82.08	4.05	7.08	56.56
82.08	84.06	.70	2.58	9.94
84.06	85.77	4.43	7.68	60.33
85.77	87.78	2.33	4.44	34.28
87.78	89.12	3.53	6.48	47.31
89.12	90.83	4.99	8.76	70.62
90.83	91.87	3.68	7.80	48.33

SPEEDI-LO MOORE BUSINESS FORMS 4

HOLE NO: A-75

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
91.87	92.29	N/A	N/A	N/A
92.29	93.88	1.63	3.60	24.34
93.88	96.32	1.10	3.10	15.08
96.32	97.84	2.25	7.08	34.28
97.84	99.06	3.23	6.72	40.45
99.06	100.28	3.98	6.60	52.45
100.28	103.33	6.09	14.43	80.56
103.33	104.70	3.23	8.97	53.48
104.70	106.22	2.38	5.34	35.31
106.22	107.75	4.95	6.36	59.30
107.75	108.66	2.85	5.64	45.25
108.66	109.09	N/A	N/A	N/A
109.09	110.95	3.08	5.88	40.45
110.95	245.03	N/A	N/A	N/A
245.03	246.55	12.75	9.23	171.40
246.55	249.05	N/A	N/A	N/A
249.05	250.58	6.68	5.16	78.50
250.58	252.25	6.08	4.20	67.53
252.25	253.04	N/A	N/A	N/A
253.04	253.59	4.13	10.89	59.65
253.59	254.66	3.90	7.44	57.59
254.66	259.38	N/A	N/A	N/A
259.38	261.40	5.40	10.50	81.59
261.40	262.52	4.50	8.23	67.53
262.52	262.83	N/A	N/A	N/A
262.83	264.26	4.80	7.62	70.62
264.26	264.93	5.10	8.56	74.73
264.93	347.78	N/A	N/A	N/A

SPECIAL MOORE BUSINESS FORMS

HOLE NO: A-76 LATITUDE: 10998.77 AZIMUTH: 0.00
 HOLE LENGTH: 407.21 DEPARTURE: 7559.52 DIP: -90.00
 ELEVATION: 1312.38

DIP TESTS:	DEPTH	DIP	AZIMUTH
	61.57	-89.00	130.00
	122.53	-84.00	138.00
	183.49	-80.00	146.00
	244.45	-89.00	142.00
	305.41	-83.00	154.00
	387.70	-83.00	136.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	113.08	N/A	N/A	N/A
113.08	114.00	2.10	4.44	20.23
114.00	115.37	N/A	N/A	N/A
115.37	115.98	1.50	2.46	23.31
115.98	139.54	N/A	N/A	N/A
139.54	140.51	6.70	10.65	62.39
140.51	142.10	4.65	7.20	66.50
142.10	143.56	3.75	5.28	52.45
143.56	144.11	N/A	N/A	N/A
144.11	145.88	2.23	3.84	30.17
145.88	147.10	2.63	3.48	28.11
147.10	149.32	1.90	1.68	24.34
149.32	251.22	N/A	N/A	N/A
251.22	252.83	9.34	13.23	141.23
252.83	274.41	N/A	N/A	N/A
274.41	276.24	2.45	5.52	45.25
276.24	280.81	N/A	N/A	N/A
280.81	282.34	2.30	3.18	35.31
282.34	284.50	N/A	N/A	N/A
284.50	285.38	6.94	7.68	91.87
285.38	285.81	N/A	N/A	N/A
285.81	287.43	5.18	4.92	63.42
287.43	292.82	N/A	N/A	N/A
292.82	293.58	9.45	14.36	115.87
293.58	336.93	N/A	N/A	N/A
336.93	337.84	.10	.10	1.03
337.84	338.36	6.44	11.65	68.56
338.36	339.27	.02	.06	1.03
339.27	341.68	N/A	N/A	N/A
341.68	343.97	2.35	3.48	35.31
343.97	364.85	N/A	N/A	N/A
364.85	366.46	4.35	4.44	52.45
366.46	367.80	N/A	N/A	N/A
367.80	369.42	3.15	3.06	40.45
369.42	370.64	1.00	.31	12.00
370.64	372.16	4.73	3.60	48.33
372.16	373.38	1.60	.22	9.94
373.38	374.45	5.37	4.20	48.33
374.45	375.67	.59	.27	10.97
375.67	377.34	5.03	3.66	50.39
377.34	378.71	4.05	3.42	39.42
378.71	407.21	N/A	N/A	N/A

HOLE NO: A-77 LATITUDE: 10444.88 AZIMUTH: 0.00
 HOLE LENGTH: 305.41 DEPARTURE: 7699.64 DIP: -90.00
 ELEVATION: 1278.23

DIP TESTS:	DEPTH	DIP	AZIMUTH
	52.42	-87.00	69.00
	104.24	-83.00	79.00
	165.20	-79.00	72.00
	226.16	-79.00	71.00
	305.41	-77.00	72.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	115.06	N/A	N/A	N/A
115.06	116.89	.85	.78	14.05
116.89	118.32	3.45	2.82	34.28
118.32	119.02	1.28	.64	24.34
119.02	121.37	3.60	2.88	40.45
121.37	123.81	.73	.52	15.08
123.81	174.47	N/A	N/A	N/A
174.47	175.87	1.23	1.30	20.23
175.87	178.06	.05	.04	4.11
178.06	178.55	1.03	.98	24.34
178.55	181.23	2.00	1.66	33.25
181.23	182.00	.73	.40	20.23
182.00	185.68	N/A	N/A	N/A
185.68	187.45	.63	.21	14.05
187.45	189.59	2.18	2.70	27.42
189.59	191.26	2.08	2.52	25.37
191.26	192.63	1.28	1.16	15.08
192.63	195.07	3.00	2.64	30.17
195.07	196.60	1.68	1.30	19.20
196.60	198.39	1.38	1.18	16.11
198.39	199.80	2.70	2.46	31.19
199.80	202.08	2.38	2.28	30.17
202.08	204.83	1.73	1.36	20.23
204.83	237.29	N/A	N/A	N/A
237.29	238.23	.37	.63	6.17
238.23	239.69	3.15	2.28	41.48
239.69	241.34	.95	.72	10.97
241.34	243.87	3.08	2.82	41.48
243.87	246.19	2.70	.74	40.45
246.19	248.11	.15	.14	2.06
248.11	258.32	N/A	N/A	N/A
258.32	259.69	.08	.03	1.03
259.69	305.41	N/A	N/A	N/A

HOLE NO: A-78 LATITUDE: 11046.27 AZIMUTH: 0.00
 HOLE LENGTH: 310.90 DEPARTURE: 7689.80 DIP: -90.00
 ELEVATION: 1311.67

DIP TESTS:	DEPTH	DIP	AZIMUTH
	61.57	-89.00	106.00
	122.53	-80.30	122.00
	183.49	-85.42	118.00
	244.45	-70.00	121.00
	299.31	-69.30	27.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	51.66	N/A	N/A	N/A
51.66	53.19	5.40	9.20	90.84
53.19	54.62	N/A	N/A	N/A
54.62	55.32	6.38	13.30	90.84
55.32	56.85	N/A	N/A	N/A
56.85	58.00	3.90	8.04	59.65
58.00	74.58	N/A	N/A	N/A
74.58	76.08	5.03	4.80	65.47
76.08	78.64	N/A	N/A	N/A
78.64	80.77	8.72	14.83	126.15
80.77	82.60	2.45	4.14	37.37
82.60	83.97	3.90	6.84	54.51
83.97	85.34	1.68	4.20	28.11
85.34	85.95	1.83	3.00	27.08
85.95	262.71	N/A	N/A	N/A
262.71	263.90	5.10	5.40	64.45
263.90	264.08	N/A	N/A	N/A
264.08	264.87	1.83	3.18	25.37
264.87	265.18	N/A	N/A	N/A
265.18	266.70	1.23	3.00	20.23
266.70	267.61	3.75	6.36	75.76
267.61	284.13	N/A	N/A	N/A
284.13	286.05	5.25	7.20	89.81
286.05	287.43	1.50	3.00	20.23
287.43	288.95	1.88	3.24	24.34
288.95	290.17	1.90	3.72	26.05
290.17	291.39	1.15	1.18	20.23
291.39	293.52	1.80	4.38	31.19
293.52	294.13	.59	.94	8.23
294.13	310.90	N/A	N/A	N/A

HOLE NO: A-79 LATITUDE: 11045.78 AZIMUTH: 0.00
 HOLE LENGTH: 419.10 DEPARTURE: 7597.11 DIP: -90.00
 ELEVATION: 1312.16

DIP TESTS:	DEPTH	DIP	AZIMUTH
	60.96	-89.00	165.56
	121.92	-87.00	139.40
	182.88	-85.00	136.56
	243.84	-86.00	145.50
	316.99	-82.00	319.50
	377.95	-81.00	105.44

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	61.72	N/A	N/A	N/A
61.72	63.09	1.77	4.44	28.11
63.09	65.38	2.30	4.14	32.22
65.38	74.68	N/A	N/A	N/A
74.68	76.17	2.78	3.78	38.39
76.17	77.36	N/A	N/A	N/A
77.36	78.64	.48	1.08	7.20
78.64	80.01	1.83	4.08	28.11
80.01	80.92	N/A	N/A	N/A
80.92	82.20	1.68	4.08	22.28
82.20	84.00	1.78	3.66	27.08
84.00	84.80	N/A	N/A	N/A
84.80	86.29	1.83	3.72	30.17
86.29	89.31	N/A	N/A	N/A
89.31	90.83	3.30	5.46	45.25
90.83	92.51	2.93	5.40	37.37
92.51	96.01	4.13	2.82	44.22
96.01	97.38	1.58	1.94	25.37
97.38	99.36	1.35	2.46	23.31
99.36	100.89	2.50	4.26	35.31
100.89	102.41	1.48	3.00	21.25
102.41	104.24	1.90	4.14	29.14
104.24	106.83	N/A	N/A	N/A
106.83	109.73	.93	1.84	15.08
109.73	114.15	N/A	N/A	N/A
114.15	115.67	1.19	3.60	20.23
115.67	116.89	4.50	5.28	60.33
116.89	118.14	N/A	N/A	N/A
118.14	119.48	2.78	6.48	49.36
119.48	121.68	6.17	10.92	100.78
121.68	286.51	N/A	N/A	N/A
286.51	287.58	.85	1.74	12.00
287.58	289.41	2.23	4.26	39.42
289.41	289.83	N/A	N/A	N/A
289.83	291.79	2.28	3.60	36.34
291.79	292.52	2.33	2.46	28.11
292.52	344.64	N/A	N/A	N/A
344.64	346.25	5.84	5.40	61.36
346.25	347.78	8.11	8.11	87.76
347.78	349.30	5.71	6.12	63.08
349.30	350.52	7.21	8.22	74.73
350.52	352.04	4.20	6.36	53.48

HOLE NO: A-80 LATITUDE: 11090.02 AZIMUTH: 0.00
 HOLE LENGTH: 346.25 DEPARTURE: 7733.92 DIP: -90.00
 ELEVATION: 1310.56

DIP TESTS:	DEPTH	DIP	AZIMUTH
	61.57	-87.15	144.00
	122.53	-86.00	128.50
	183.49	-71.40	128.10
	244.45	-68.50	119.50
	305.41	-64.40	109.50

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	264.87	N/A	N/A	N/A
264.87	266.55	.70	1.44	8.23
266.55	268.07	1.10	1.80	15.08
268.07	269.75	1.25	2.34	18.17
269.75	346.25	N/A	N/A	N/A

HOLE NO: A-81
 HOLE LENGTH: 273.71

LATITUDE: 10403.99
 DEPARTURE: 7739.45
 ELEVATION: 1275.39

AZIMUTH: 0.00
 DIP: -90.00

DIP TESTS:	DEPTH	DIP	AZIMUTH
	65.84	-85.00	22.20
	126.79	-80.05	59.50
	187.76	-79.20	75.00
	248.72	-79.10	65.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	54.56	N/A	N/A	N/A
54.56	56.39	.40	.37	5.14
56.39	57.91	2.23	1.91	34.28
57.91	59.44	.19	.38	9.94
59.44	60.35	N/A	N/A	N/A
60.35	63.09	.75	.68	18.17
63.09	64.62	13.92	11.72	156.32
64.62	67.06	1.10	1.22	17.14
67.06	68.28	12.52	10.53	143.29
68.28	69.80	6.78	8.16	77.47
69.80	71.02	10.50	9.79	122.04
71.02	173.28	N/A	N/A	N/A
173.28	174.96	1.08	.88	16.11
174.96	176.48	2.13	2.34	26.05
176.48	177.79	2.00	1.90	25.37
177.79	184.25	N/A	N/A	N/A
184.25	185.78	2.63	2.64	37.37
185.78	187.45	2.70	2.64	35.31
187.45	187.97	N/A	N/A	N/A
187.97	189.49	2.25	2.64	27.08
189.49	191.02	1.68	1.52	21.25
191.02	192.54	1.88	1.80	25.37
192.54	193.64	2.25	2.58	34.28
193.64	273.71	N/A	N/A	N/A

HOLE NO: A-82 LATITUDE: 10961.25 AZIMUTH: 0.00
 HOLE LENGTH: 364.24 DEPARTURE: 7606.81 DIP: -90.00
 ELEVATION: 1312.30

DIP TESTS:	DEPTH	DIP	AZIMUTH
	61.57	-85.00	148.50
	122.53	-79.00	146.20
	183.49	-76.00	147.50
	238.35	-77.00	132.50
	293.22	-78.00	118.50
	364.23	-77.00	119.50

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	98.15	N/A	N/A	N/A
98.15	98.91	2.78	5.04	20.23
98.91	102.17	N/A	N/A	N/A
102.17	103.94	1.80	3.06	28.45
103.94	105.16	1.98	3.42	28.45
105.16	114.30	N/A	N/A	N/A
114.30	115.82	1.63	3.60	33.25
115.82	118.72	N/A	N/A	N/A
118.72	120.70	6.15	10.37	91.87
120.70	121.77	N/A	N/A	N/A
121.77	123.44	2.08	3.30	44.22
123.44	124.91	2.05	3.12	44.22
124.91	137.10	N/A	N/A	N/A
137.10	138.93	3.30	6.45	41.48
138.93	273.41	N/A	N/A	N/A
273.41	274.14	4.72	9.40	90.84
274.14	292.21	N/A	N/A	N/A
292.21	293.74	3.53	4.44	54.51
293.74	295.20	2.23	4.44	33.25
295.20	313.33	N/A	N/A	N/A
313.33	315.47	.90	.94	9.94
315.47	320.65	N/A	N/A	N/A
320.65	322.17	4.92	6.35	72.67
322.17	327.05	N/A	N/A	N/A
327.05	328.73	4.28	3.18	45.25
328.73	330.25	3.98	1.34	40.45
330.25	331.77	1.38	1.86	16.11
331.77	333.30	1.34	1.56	19.20
333.30	334.82	2.20	3.78	23.31
334.82	336.35	1.45	2.73	18.17
336.35	337.87	.49	.89	7.20
337.87	339.39	.54	.88	8.91
339.39	340.92	.48	.54	9.94
340.92	342.44	.38	.35	8.91
342.44	343.97	.27	.47	7.20
343.97	345.49	.35	.29	9.94
345.49	364.24	N/A	N/A	N/A

HOLE NO: A-83 LATITUDE: 10608.52 AZIMUTH: 0.00
 HOLE LENGTH: 360.88 DEPARTURE: 7526.49 DIP: -90.00
 ELEVATION: 1289.13

DIP TESTS:	DEPTH	DIP	AZIMUTH
	53.65	-86.36	112.20
	120.09	-80.18	112.20
	181.05	-76.24	104.20
	242.01	-78.00	83.50
	302.97	-79.00	66.20
	357.83	-78.20	18.20

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	138.38	N/A	N/A	N/A
138.38	140.82	5.20	3.66	72.67
140.82	141.27	N/A	N/A	N/A
141.27	144.32	3.53	3.12	44.22
144.32	145.08	1.65	1.98	20.23
145.08	192.48	N/A	N/A	N/A
192.48	192.79	1.65	3.18	28.45
192.79	192.91	3.08	4.14	55.53
192.91	193.52	2.30	3.06	30.17
193.52	194.01	1.95	2.58	27.42
194.01	195.53	.43	.44	9.94
195.53	197.39	.34	.20	7.20
197.39	197.66	1.33	1.22	17.14
197.66	222.20	N/A	N/A	N/A
222.20	223.72	1.03	.95	20.23
223.72	238.35	N/A	N/A	N/A
238.35	241.40	.10	.46	5.14
241.40	254.51	N/A	N/A	N/A
254.51	256.95	.10	.07	4.11
256.95	258.41	N/A	N/A	N/A
258.41	259.08	1.08	1.26	16.11
259.08	260.60	1.60	1.92	26.40
260.60	262.28	1.38	1.60	20.23
262.28	263.26	1.20	1.62	21.25
263.26	273.10	N/A	N/A	N/A
273.10	274.02	1.18	1.08	16.11
274.02	360.88	N/A	N/A	N/A

SPECIFIC TO MOORE BUSINESS FORMS 4

HOLE NO: A-84 LATITUDE: 10782.49 AZIMUTH: 0.00
 HOLE LENGTH: 456.59 DEPARTURE: 7435.08 DIP: -90.00
 ELEVATION: 1307.89

DIP TESTS:	DEPTH	DIP	AZIMUTH
	85.34	-85.00	93.50
	146.30	-82.00	119.50
	207.26	-85.00	111.50
	268.22	-85.00	79.50
	329.18	-85.00	75.20
	426.72	-89.00	38.20

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	148.74	N/A	N/A	N/A
148.74	149.35	1.39	.67	17.14
149.35	150.88	N/A	N/A	N/A
150.88	153.31	1.58	1.50	20.23
153.31	215.49	N/A	N/A	N/A
215.49	216.71	3.08	4.86	45.25
216.71	219.15	5.63	8.88	91.87
219.15	253.29	N/A	N/A	N/A
253.29	254.60	1.30	1.84	20.23
254.60	255.85	4.93	5.10	54.51
255.85	257.89	.47	.62	10.97
257.89	259.08	1.38	1.08	24.34
259.08	277.37	N/A	N/A	N/A
277.37	278.89	1.18	1.02	20.23
278.89	281.18	.95	.70	19.20
281.18	282.70	N/A	N/A	N/A
282.70	284.23	.05	.40	1.03
284.23	285.75	.43	.30	13.03
285.75	286.82	.12	.07	7.20
286.82	318.52	N/A	N/A	N/A
318.52	319.28	3.53	2.46	40.45
319.28	456.59	N/A	N/A	N/A

SHELDON MOORE BUSINESS FORMS 4

DIAMOND DRILL LOG MA

STER FILE

HOLE NO: A-85 LATITUDE: 10953.21 AZIMUTH: 0.00
 HOLE LENGTH: 430.99 DEPARTURE: 7431.50 DIP: -90.00
 ELEVATION: 1318.21

DIP TESTS:	DEPTH	DIP	AZIMUTH
	60.96	-87.30	78.50
	121.92	-84.00	105.20
	182.88	-83.00	104.50
	243.84	-83.12	137.20
	304.80	-82.18	180.20
	384.05	-82.30	183.20
	402.34	-82.24	183.20

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	181.36	N/A	N/A	N/A
181.36	183.95	2.18	4.44	40.45
183.95	186.75	1.65	3.30	30.17
186.75	189.74	.83	2.40	14.05
189.74	192.79	1.23	2.10	19.20
192.79	195.83	1.18	.96	9.94
195.83	198.88	.25	.62	6.17
198.88	201.93	.40	1.08	8.91
201.93	204.98	.83	.94	13.03
204.98	208.03	.43	.68	5.14
208.03	211.07	.44	1.14	6.17
211.07	214.12	.44	1.10	5.14
214.12	217.17	.80	1.16	12.00
217.17	218.85	2.48	5.82	34.28
218.85	219.91	N/A	N/A	N/A
219.91	221.89	.19	.33	1.03
221.89	224.33	.22	.48	2.06
224.33	226.92	1.37	2.65	20.23
226.92	228.14	2.40	1.56	38.39
228.14	230.43	3.38	2.82	45.25
230.43	233.48	1.98	.92	25.37
233.48	236.52	1.38	3.40	19.20
236.52	239.57	1.02	1.80	15.08
239.57	242.62	3.00	3.96	36.34
242.62	245.67	2.03	2.22	30.17
245.67	246.89	.74	1.50	6.17
246.89	258.01	N/A	N/A	N/A
258.01	261.06	.60	1.10	9.94
261.06	262.74	.38	.61	7.20
262.74	264.63	3.83	3.96	47.31
264.63	266.18	2.38	3.72	30.17
266.18	268.56	4.73	5.40	65.47
268.56	270.60	.98	1.68	17.14
270.60	273.56	.34	1.28	6.17
273.56	277.67	1.20	1.42	23.31
277.67	281.64	N/A	N/A	N/A
281.64	284.68	1.38	1.40	21.25
284.68	288.86	N/A	N/A	N/A
288.86	291.45	1.14	1.48	22.28
291.45	292.85	.12	.32	5.14
292.85	295.96	4.13	3.96	45.25

HOLE NO: A-86 LATITUDE: 11680.81 AZIMUTH: 0.00
 HOLE LENGTH: 616.31 DEPARTURE: 7027.70 DIP: -90.00
 ELEVATION: ~~1301.36~~ 1315.61

DIP TESTS:	DEPTH	DIP	AZIMUTH
	36.58	-89.00	237.20
	97.54	-89.00	288.50
	182.88	-81.00	129.20
	243.84	-85.00	155.50
	304.80	-71.00	141.50
	426.72	-76.00	140.50
	505.97	-74.00	138.50

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	376.58	N/A	N/A	N/A
376.58	379.78	.43	.33	4.11
379.78	380.85	2.25	3.48	30.17
380.85	383.07	2.08	4.14	31.19
383.07	384.60	1.58	2.70	23.31
384.60	386.00	1.78	3.18	25.37
386.00	387.10	1.65	2.94	24.34
387.10	388.96	1.60	4.62	21.25
388.96	391.88	N/A	N/A	N/A
391.88	393.34	N/A	N/A	N/A
393.34	393.95	N/A	N/A	N/A
393.95	398.07	N/A	N/A	N/A
398.07	508.80	N/A	N/A	N/A
508.80	509.72	3.75	4.68	34.28
509.72	616.31	N/A	N/A	N/A

HOLE NO: A-87 LATITUDE: 10996.26 AZIMUTH: 0.00
 HOLE LENGTH: 426.42 DEPARTURE: 7473.74 DIP: -90.00
 ELEVATION: 1315.61

DIP TESTS:	DEPTH	DIP	AZIMUTH
	60.96	-90.00	0.00
	121.92	-81.30	132.20
	176.78	-80.00	137.20
	243.84	-83.00	127.20
	304.48	-82.30	157.20
	353.57	-81.00	157.20

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	163.07	N/A	N/A	N/A
163.07	163.62	.45	.76	8.91
163.62	165.05	5.37	9.26	81.59
165.05	165.69	4.35	5.60	70.62
165.69	166.42	2.93	3.12	45.25
166.42	168.92	.89	1.02	15.08
168.92	169.93	2.05	3.60	27.42
169.93	170.99	3.15	2.58	40.45
170.99	173.74	1.15	3.96	20.23
173.74	176.36	.43	.78	7.20
176.36	178.16	.10	.15	2.06
178.16	178.70	.62	.58	15.08
178.70	179.65	3.45	5.64	55.53
179.65	183.43	N/A	N/A	N/A
183.43	186.45	1.10	2.28	18.17
186.45	189.49	N/A	N/A	N/A
189.49	192.33	2.03	3.30	28.45
192.33	194.71	.95	1.20	15.08
194.71	196.23	1.40	1.04	20.23
196.23	197.82	.62	.44	8.91
197.82	199.22	.93	.84	12.00
199.22	202.20	3.00	4.26	41.48
202.20	203.00	2.00	2.22	26.40
203.00	206.04	3.08	3.90	43.54
206.04	209.09	1.30	2.46	19.20
209.09	211.23	1.13	2.34	20.23
211.23	212.48	1.48	3.12	22.28
212.48	215.34	1.25	2.85	19.20
215.34	217.78	1.23	2.46	21.25
217.78	219.88	1.28	2.88	21.25
219.88	222.81	3.90	3.48	75.76
222.81	225.70	2.38	6.66	42.51
225.70	227.69	.07	.11	2.06
227.69	229.67	.17	.16	3.09
229.67	231.95	4.20	8.36	75.76
231.95	233.48	2.08	7.26	45.25
233.48	234.79	N/A	N/A	N/A
234.79	235.98	3.15	7.61	38.39
235.98	237.29	N/A	N/A	N/A
237.29	239.27	7.33	14.54	112.44
239.27	240.18	.55	2.34	13.03
240.18	249.05	N/A	N/A	N/A

DIAMOND DRILL LOG MA

STER FILE

HOLE NO:	A-88	LATITUDE:	10827.58	AZIMUTH:	0.00
HOLE LENGTH:	340.77	DEPARTURE:	7649.82	DIP:	-90.00
		ELEVATION:	1313.97		

DIP TESTS:	DEPTH	DIP	AZIMUTH
	60.96	-89.00	121.20
	131.92	-86.00	118.20
	182.88	-87.30	122.00
	256.03	-83.00	115.00
	316.99	-79.00	111.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	116.43	N/A	N/A	N/A
116.43	118.11	5.70	9.55	79.53
118.11	120.09	2.00	3.90	22.28
120.09	122.22	1.50	2.46	18.17
122.22	125.27	1.58	2.40	16.11
125.27	127.10	1.04	3.84	21.25
127.10	128.78	1.23	2.46	20.23
128.78	129.54	N/A	N/A	N/A
129.54	129.94	1.65	3.09	25.37
129.94	133.96	N/A	N/A	N/A
133.96	135.33	.98	2.34	26.05
135.33	135.94	4.05	7.44	85.70
135.94	138.23	1.18	1.48	26.40
138.23	140.82	6.19	12.44	93.93
140.82	143.26	5.03	9.84	80.56
143.26	146.30	2.70	6.00	41.48
146.30	147.83	2.38	5.40	38.39
147.83	150.57	1.33	3.12	28.45
150.57	153.31	2.06	4.14	43.54
153.31	156.36	2.05	4.56	44.56
156.36	157.43	2.08	4.56	43.54
157.43	157.73	.33	.83	4.11
157.73	160.93	N/A	N/A	N/A
160.93	161.24	3.00	6.67	47.31
161.24	165.60	N/A	N/A	N/A
165.60	167.03	2.78	5.26	40.45
167.03	169.47	2.00	4.74	39.42
169.47	170.54	2.74	4.20	45.25
170.54	176.78	N/A	N/A	N/A
176.78	178.61	4.28	4.14	72.67
178.61	197.82	N/A	N/A	N/A
197.82	199.03	5.03	10.50	96.67
199.03	200.25	5.33	11.65	98.38
200.25	200.86	N/A	N/A	N/A
200.86	201.17	1.85	2.58	30.17
201.17	204.06	N/A	N/A	N/A
204.06	204.83	4.28	6.55	57.59
204.83	205.74	5.68	8.77	80.56
205.74	208.03	7.87	10.83	103.87
208.03	208.79	5.03	5.40	57.59
208.79	209.40	N/A	N/A	N/A
209.40	210.01	5.64	6.24	67.53
210.01	210.71	N/A	N/A	N/A

HOLE NO: A-89 LATITUDE: 11046.47 AZIMUTH: 0.00
 HOLE LENGTH: 378.00 DEPARTURE: 7515.27 DIP: -90.00
 ELEVATION: 1315.36

DIP TESTS: DEPTH DIP AZIMUTH
 30.48 -89.00 62.50
 109.73 -86.00 98.50
 188.98 -85.00 213.50 ✓

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	94.92	N/A	N/A	N/A
94.92	95.40	.83	2.46	9.94
95.40	96.32	2.18	5.80	35.31
96.32	96.62	3.08	4.14	43.54
96.62	97.84	2.43	4.32	38.39
97.84	99.15	2.67	3.24	40.45
99.15	100.63	1.93	3.48	32.22
100.63	102.02	1.65	3.06	24.34
102.02	142.96	N/A	N/A	N/A
142.96	143.33	4.50	7.78	74.73
143.33	144.27	2.35	2.70	51.42
144.27	145.69	4.20	3.18	50.39
145.69	148.09	4.50	6.79	56.56
148.09	149.02	3.15	5.44	46.28
149.02	151.20	1.15	2.10	16.11
151.20	152.54	.60	1.22	8.91
152.54	155.11	.88	1.05	12.00
155.11	156.86	N/A	N/A	N/A
156.86	157.51	3.23	6.60	45.25
157.51	162.21	N/A	N/A	N/A
162.21	163.78	3.90	7.44	65.47
163.78	165.51	.93	1.74	15.08
165.51	168.01	1.13	1.14	22.28
168.01	178.69	N/A	N/A	N/A
178.69	180.34	4.65	7.55	80.56
180.34	180.66	N/A	N/A	N/A
180.66	182.03	3.60	5.76	50.39
182.03	259.90	N/A	N/A	N/A
259.90	260.70	5.03	9.50	72.67
260.70	269.80	N/A	N/A	N/A
269.80	272.00	5.75	9.32	93.93
272.00	280.80	N/A	N/A	N/A
280.80	281.55	2.85	7.22	48.33
281.55	281.90	N/A	N/A	N/A
281.90	282.75	3.60	6.22	59.30
282.75	283.30	N/A	N/A	N/A
283.30	285.00	2.45	6.83	43.54
285.00	288.40	1.93	3.24	28.45
288.40	291.30	3.90	3.36	50.39
291.30	291.80	1.08	.90	19.20
291.80	293.30	N/A	N/A	N/A
293.30	294.90	1.43	1.16	18.17
294.90	296.00	N/A	N/A	N/A
296.00	297.30	5.40	7.38	85.70
297.30	342.80	N/A	N/A	N/A

HOLE NO: A-89

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
342.80	344.40	.05	.36	1.03
344.40	347.70	.21	.38	8.23
347.70	349.80	.03	.03	1.03
349.80	352.70	N/A	N/A	N/A
352.70	356.70	.08	.14	3.09
356.70	357.60	.09	.16	1.03
357.60	358.00	N/A	N/A	N/A
358.00	359.80	2.50	3.84	51.42
359.80	366.00	N/A	N/A	N/A
366.00	366.90	3.83	4.08	57.59
366.90	369.50	N/A	N/A	N/A
369.50	371.10	3.30	3.60	44.22
371.10	372.50	3.42	2.82	35.31
372.50	374.00	4.43	3.42	40.45
374.00	377.00	2.93	1.90	34.28
377.00	378.00	.70	.52	19.20

SPED UP MOORE BUSINESS FORMS 4

HOLE NO: A-90 LATITUDE: 10874.36 AZIMUTH: 0.00
 HOLE LENGTH: 316.40 DEPARTURE: 7692.18 DIP: -90.00
 ELEVATION: 1312.72

DIP TESTS:	DEPTH	DIP	AZIMUTH
	60.96	-89.00	59.50
	121.92	-79.00	109.50
	182.88	-72.00	91.20
	243.84	-69.00	78.50

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	49.25	N/A	N/A	N/A
49.25	51.65	2.40	5.16	41.48
51.65	53.65	.13	1.08	2.06
53.65	56.50	1.45	3.90	26.40
56.50	57.67	N/A	N/A	N/A
57.67	61.50	1.88	4.44	31.19
61.50	62.40	N/A	N/A	N/A
62.40	63.30	2.08	5.04	34.28
63.30	63.67	N/A	N/A	N/A
63.67	64.70	1.50	3.72	25.37
64.70	66.50	1.48	3.42	24.34
66.50	68.45	N/A	N/A	N/A
68.45	69.77	1.18	1.58	15.08
69.77	70.20	N/A	N/A	N/A
70.20	72.50	.87	1.64	17.14
72.50	77.39	N/A	N/A	N/A
77.39	79.05	4.60	7.56	61.36
79.05	79.90	.70	1.82	12.00
79.90	82.65	7.43	10.70	110.04
82.65	84.70	1.68	5.40	25.37
84.70	86.95	2.18	5.04	38.39
86.95	88.90	3.45	6.60	44.22
88.90	90.00	1.88	1.88	20.23
90.00	91.00	2.38	2.46	34.28
91.00	92.00	4.35	7.08	66.50
92.00	93.00	5.11	6.13	76.79
93.00	93.95	3.60	4.08	50.39
93.95	94.60	3.83	8.72	60.33
94.60	94.85	4.13	9.60	71.65
94.85	96.40	.35	.40	5.14
96.40	98.50	3.75	5.52	60.33
98.50	99.50	3.23	4.14	44.56
99.50	101.95	N/A	N/A	N/A
101.95	104.00	3.12	5.52	44.22
104.00	105.00	5.88	9.51	85.01
105.00	106.00	4.28	8.50	54.51
106.00	107.00	8.91	15.64	125.12
107.00	108.00	6.94	13.67	103.87
108.00	206.00	N/A	N/A	N/A
206.00	207.00	4.69	6.05	90.84
207.00	213.30	N/A	N/A	N/A
213.30	214.60	4.80	7.83	62.39
214.60	215.40	7.50	12.32	100.78
215.40	216.20	3.19	5.04	45.25

HOLE NO: A-91 LATITUDE: 11720.80 AZIMUTH: 0.00
 HOLE LENGTH: 539.80 DEPARTURE: 6899.62 DIP: -90.00
 ELEVATION: ~~1300.15~~ 1301.23

DIP TESTS:	DEPTH	DIP	AZIMUTH
	30.48	-67.30	72.20
	91.44	-86.00	81.20
	213.36	-81.20	84.20
	335.28	-78.00	112.20
	396.24	-78.00	105.20
	518.16	-83.00	58.20

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	398.90	N/A	N/A	N/A
398.90	400.70	1.00	1.54	12.00
400.70	402.50	N/A	N/A	N/A
402.50	405.00	1.48	2.94	14.05
405.00	539.80	N/A	N/A	N/A

HOLE NO: A-92 LATITUDE: 10916.45 AZIMUTH: 0.00
 HOLE LENGTH: 288.65 DEPARTURE: 7734.46 DIP: -90.00
 ELEVATION: 1311.54

DIP TESTS:	DEPTH	DIP	AZIMUTH
	60.96	-86.00	30.20
	121.92	-76.00	92.20
	182.88	-70.00	85.40
	262.13	-64.00	81.20

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	49.40	N/A	N/A	N/A
49.40	50.30	2.08	3.42	41.48
50.30	51.20	3.75	4.92	50.39
51.20	52.40	5.73	4.02	69.59
52.40	53.90	10.65	16.76	157.35
53.90	54.90	8.62	14.07	121.01
54.90	55.80	3.98	7.22	63.42
55.80	56.70	5.63	11.01	86.73
56.70	189.60	N/A	N/A	N/A
189.60	190.50	5.58	7.04	81.59
190.50	191.50	3.68	5.48	54.51
191.50	192.50	8.12	7.55	114.84
192.50	193.30	6.78	5.28	90.84
193.30	194.30	.70	.70	9.94
194.30	288.60	N/A	N/A	N/A

HOLE NO: A-93 LATITUDE: 11085.29 AZIMUTH: 0.00
 HOLE LENGTH: 350.52 DEPARTURE: 7558.80 DIP: -90.00
 ELEVATION: 1313.38

DIP TESTS:	DEPTH	DIP	AZIMUTH
	60.96	-85.00	118.20
	121.92	-79.00	111.20
	195.07	-74.00	123.20
	262.13	-72.30	115.20
	338.33	-78.00	57.48

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	76.60	N/A	N/A	N/A
76.60	78.50	2.03	4.94	37.37
78.50	79.10	N/A	N/A	N/A
79.10	81.90	2.50	5.04	43.54
81.90	82.30	N/A	N/A	N/A
82.30	83.60	.28	.42	8.91
83.60	87.50	.62	1.02	12.00
87.50	106.40	N/A	N/A	N/A
106.40	109.70	.83	2.00	16.11
109.70	112.80	1.33	2.58	22.28
112.80	139.30	N/A	N/A	N/A
139.30	140.80	1.78	1.70	27.42
140.80	142.00	N/A	N/A	N/A
142.00	143.60	4.50	8.49	71.65
143.60	288.80	N/A	N/A	N/A
288.80	290.80	4.88	4.56	75.76
290.80	298.40	N/A	N/A	N/A
298.40	300.90	.88	1.62	13.03
300.90	302.10	1.43	3.30	21.25
302.10	302.70	3.38	5.88	57.59
302.70	303.50	N/A	N/A	N/A
303.50	304.60	1.43	1.70	21.25
304.60	350.50	N/A	N/A	N/A

HOLE NO: A-94 LATITUDE: 11770.72 AZIMUTH: 0.00
 HOLE LENGTH: 301.14 DEPARTURE: 7111.62 DIP: -90.00
 ELEVATION: 1309.63

DIP TESTS:	DEPTH	DIP	AZIMUTH
	30.48	-87.00	76.20
	91.44	-83.30	80.20
	152.40	-82.30	96.20
	213.36	-81.00	87.20
	274.32	-83.30	190.20

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	301.10	N/A	N/A	N/A

HOLE NO: A-95 LATITUDE: 10828.04 AZIMUTH: 0.00
 HOLE LENGTH: 213.40 DEPARTURE: 7735.68 DIP: -90.00
 ELEVATION: 1313.41

DIP TESTS:	DEPTH	DIP	AZIMUTH
	73.15	-89.00	82.20
	134.11	-76.00	103.20
	195.07	-88.00	88.20

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	57.00	N/A	N/A	N/A
57.00	57.90	5.33	9.90	74.73
57.90	58.80	10.50	16.61	173.46
58.80	60.40	3.15	4.50	49.36
60.40	61.60	2.03	2.58	36.34
61.60	63.40	3.83	6.48	60.33
63.40	66.00	5.55	8.53	79.19
66.00	213.40	N/A	N/A	N/A

HOLE NO: A-96
 HOLE LENGTH: 151.50

LATITUDE: 10744.23
 DEPARTURE: 7737.63
 ELEVATION: 1303.59

AZIMUTH: 0.00
 DIP: -90.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	49.40	N/A	N/A	N/A
49.40	53.10	1.03	2.10	18.17
53.10	56.70	2.50	3.66	32.22
56.70	57.70	3.68	6.00	54.51
57.70	58.70	1.83	5.88	25.37
58.70	59.70	N/A	N/A	N/A
59.70	62.20	2.78	5.88	45.25
62.20	63.40	3.45	6.93	56.56
63.40	66.10	2.43	5.64	35.31
66.10	68.30	3.15	10.52	54.51
68.30	69.80	1.68	8.30	33.25
69.80	89.30	N/A	N/A	N/A
89.30	92.40	2.15	4.44	33.25
92.40	94.10	3.08	6.70	45.25
94.10	94.60	8.37	23.93	154.95
94.60	134.40	N/A	N/A	N/A
134.40	135.30	6.67	11.39	112.10
135.30	136.90	9.61	13.15	111.07
136.90	139.30	10.27	16.58	152.20
139.30	142.30	8.97	17.28	141.23
142.30	143.30	7.88	18.33	115.87
143.30	145.10	9.87	23.51	138.49
145.10	146.30	7.20	20.30	126.15
146.30	148.40	6.00	14.13	98.73
148.40	149.10	9.63	22.37	177.57
149.10	150.30	7.53	17.61	125.12
150.30	151.50	7.20	17.92	142.26

Dip of Beany test
 DIP AZIMUTH
 49.07 88° 106°
 103.94 86° 105°

HOLE NO: A-98 LATITUDE: 12141.45 AZIMUTH: 0.00
 HOLE LENGTH: 145.50 DEPARTURE: 6642.05 DIP: -90.00
 ELEVATION: 1316.20

DIP TESTS:	DEPTH	DIP	AZIMUTH
	24.38	-89.00	0.20
	60.96	-87.00	1.20
	121.92	-86.00	303.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	24.20	N/A	N/A	N/A
24.20	26.80	2.70	2.64	35.31
26.80	145.50	N/A	N/A	N/A

HOLE NO: A-99 LATITUDE: 10657.97 AZIMUTH: 0.00
 HOLE LENGTH: 189.60 DEPARTURE: 7821.61 DIP: -90.00
 ELEVATION: 1296.41

DIP TESTS:	DEPTH	DIP	AZIMUTH
	60.96	-85.00	72.00
	115.82	-75.00	77.00
	176.78	-72.00	75.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	62.40	N/A	N/A	N/A
62.40	64.00	1.33	4.38	21.25
64.00	138.50	N/A	N/A	N/A
138.50	139.50	4.50	5.04	65.47
139.50	140.50	N/A	N/A	N/A
140.50	141.60	8.08	7.35	96.67
141.60	142.30	2.43	5.40	41.48
142.30	143.90	3.83	4.38	40.45
143.90	145.40	3.08	4.32	41.48
145.40	147.50	2.30	3.30	30.17
147.50	150.20	5.63	7.43	74.73
150.20	152.50	4.73	7.84	70.62
152.50	153.20	3.00	3.96	45.25
153.20	154.20	6.90	10.31	101.81
154.20	155.90	1.93	1.08	31.19
155.90	157.60	.95	.34	16.11
157.60	160.60	.23	.16	8.91
160.60	163.70	.13	.08	7.20
163.70	166.40	.33	.54	10.97
166.40	170.40	1.43	1.00	22.28
170.40	173.40	.23	.58	6.17
173.40	176.80	.78	1.34	9.94
176.80	178.30	.35	.66	6.17
178.30	181.70	.20	.34	1.03
181.70	189.60	N/A	N/A	N/A

HOLE NO: A-100
 HOLE LENGTH: 250.55

LATITUDE: 10788.73
 DEPARTURE: 7780.36
 ELEVATION: 1309.23

AZIMUTH: 0.00
 DIP: -90.00

DIP TESTS:	DEPTH	DIP	AZIMUTH
	67.05	-86.00	303.00
	121.92	-83.00	58.00
	182.88	-73.00	81.00
	231.65	-71.00	76.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	65.40	N/A	N/A	N/A
65.40	66.20	10.35	10.50	176.54
66.20	67.40	N/A	N/A	N/A
67.40	68.70	11.55	12.29	176.54
68.70	68.90	N/A	N/A	N/A
68.90	70.10	3.00	4.62	39.42
70.10	71.20	N/A	N/A	N/A
71.20	73.50	11.10	11.11	153.23
73.50	81.30	N/A	N/A	N/A
81.30	82.80	6.68	9.17	103.87
82.80	88.80	N/A	N/A	N/A
88.80	89.60	8.25	8.46	115.87
89.60	90.90	N/A	N/A	N/A
90.90	92.20	9.45	9.23	130.95
92.20	93.40	4.13	4.14	59.30
93.40	94.10	.55	.96	8.23
94.10	174.70	N/A	N/A	N/A
174.70	175.60	7.65	11.40	121.01
175.60	176.50	6.23	10.05	98.73
176.50	178.20	7.50	11.67	118.95
178.20	179.20	2.25	3.18	40.45
179.20	180.70	4.65	5.96	70.62
180.70	181.40	3.30	5.58	48.33
181.40	181.90	3.60	6.31	46.28
181.90	182.30	4.88	7.30	77.82
182.30	183.20	3.08	4.38	44.22
183.20	184.40	2.08	4.08	33.25
184.40	185.40	2.93	4.38	48.33
185.40	250.50	N/A	N/A	N/A

HOLE NO: A-101 LATITUDE: 12050.85 AZIMUTH: 0.00
 HOLE LENGTH: 269.75 DEPARTURE: 6729.44 DIP: -90.00
 ELEVATION: 1314.99

DIP TESTS:	DEPTH	DIP	AZIMUTH
	60.96	-86.00	17.00
	121.92	-81.00	53.00
	213.36	-84.00	41.00
	256.03	-85.00	17.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	269.70	N/A	N/A	N/A

HOLE NO: A-102
 HOLE LENGTH: 201.78

LATITUDE: 10575.30
 DEPARTURE: 7913.47
 ELEVATION: 1289.92

AZIMUTH: 0.00
 DIP: -90.00

DIP TESTS:	DEPTH	DIP	AZIMUTH
	67.05	-85.00	74.00
	128.02	-77.00	67.00
	170.69	-79.30	55.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	137.10	N/A	N/A	N/A
137.10	139.30	1.76	2.40	26.40
139.30	140.30	10.18	9.58	117.92
140.30	142.00	1.23	1.58	25.37
142.00	183.40	N/A	N/A	N/A

HOLE NO: A-103
 HOLE LENGTH: 214.00

LATITUDE: 10532.37
 DEPARTURE: 7870.14
 ELEVATION: 1288.27

AZIMUTH: 0.00
 DIP: -90.00

DIP TESTS:	DEPTH	DIP	AZIMUTH
	51.82	-87.00	292.00
	112.77	-83.00	77.00
	182.88	-81.00	72.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	143.00	N/A	N/A	N/A
143.00	145.00	2.85	5.28	40.45
145.00	160.10	N/A	N/A	N/A
160.10	160.90	6.38	6.10	76.79
160.90	162.10	.15	.14	6.17
162.10	163.80	3.00	5.50	21.25
163.80	170.40	N/A	N/A	N/A
170.40	171.90	5.70	7.51	92.90
171.90	214.00	N/A	N/A	N/A

HOLE NO: A-104 LATITUDE: 11082.33 AZIMUTH: 0.00
 HOLE LENGTH: 420.30 DEPARTURE: 7473.48 DIP: -90.00
 ELEVATION: 1320.17

DIP TESTS:	DEPTH	DIP	AZIMUTH
	60.96	-82.30	144.20
	121.92	-82.30	117.20
	182.88	-80.30	131.20
	262.13	-77.00	142.20
	323.09	-80.00	152.20
	396.24	-76.00	145.20

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TDN
0.00	103.10	N/A	N/A	N/A
103.10	104.70	2.00	3.30	34.28
104.70	105.20	N/A	N/A	N/A
105.20	107.70	1.98	3.90	30.17
107.70	109.60	2.08	3.84	35.31
109.60	118.40	N/A	N/A	N/A
118.40	121.60	3.23	5.34	50.39
121.60	125.90	1.73	3.00	26.40
125.90	128.00	1.43	3.00	20.23
128.00	129.50	2.30	4.02	27.42
129.50	132.70	1.98	4.08	37.37
132.70	133.90	1.15	2.28	18.17
133.90	135.80	3.75	8.25	47.31
135.80	139.00	2.48	6.06	45.25
139.00	142.00	3.08	5.16	46.28
142.00	145.20	3.98	5.16	55.53
145.20	148.40	3.08	5.56	43.54
148.40	151.20	1.83	4.38	29.14
151.20	153.10	.30	1.68	6.17
153.10	156.90	1.80	1.81	27.42
156.90	160.30	2.23	3.18	30.17
160.30	161.30	N/A	N/A	N/A
161.30	163.70	2.63	2.76	40.45
163.70	166.70	3.00	5.04	44.22
166.70	169.10	1.88	4.02	33.25
169.10	170.80	2.08	1.40	24.34
170.80	173.40	.78	1.46	13.03
173.40	176.60	N/A	N/A	N/A
176.60	178.80	1.48	1.78	21.25
178.80	180.20	N/A	N/A	N/A
180.20	180.70	5.24	10.64	103.87
180.70	199.60	N/A	N/A	N/A
199.60	202.70	5.33	8.43	93.93
202.70	205.70	3.15	4.56	47.31
205.70	206.70	1.63	4.14	27.42
206.70	362.20	N/A	N/A	N/A
362.20	364.80	.38	.37	8.23
364.80	367.20	.34	.52	8.91
367.20	368.00	.34	.66	9.94
368.00	368.70	3.30	4.14	45.25
368.70	391.70	N/A	N/A	N/A
391.70	393.30	5.19	8.43	95.64

SPEED OF MOORE BUSINESS FORMS 4

HOLE NO: A-105 LATITUDE: 10354.00 AZIMUTH: 0.00
 HOLE LENGTH: 199.60 DEPARTURE: 7698.85 DIP: -90.00
 ELEVATION: 1273.74

DIP TESTS:	DEPTH	DIP	AZIMUTH
	60.96	-88.00	192.00
	121.92	-89.00	97.00
	182.88	-86.00	65.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	99.60	N/A	N/A	N/A
99.60	102.20	2.92	2.00	35.31
102.20	106.70	.52	.92	13.03
106.70	109.90	.19	.24	6.17
109.90	111.40	N/A	N/A	N/A
111.40	112.90	.22	.36	5.14
112.90	114.80	5.97	6.45	82.61
114.80	117.30	.19	.34	6.17
117.30	119.80	.27	.31	7.20
119.80	122.80	.12	.42	5.14
122.80	123.70	2.23	3.20	25.37
123.70	125.00	.23	.76	9.94
125.00	144.50	N/A	N/A	N/A
144.50	146.00	3.00	2.30	40.45
146.00	167.20	N/A	N/A	N/A
167.20	168.40	3.45	3.00	41.48
168.40	168.90	4.88	7.29	55.53
168.90	171.30	.27	.21	9.94
171.30	173.50	.68	.71	16.11
173.50	174.30	4.58	3.66	57.59
174.30	176.90	2.93	2.10	38.39
176.90	199.60	N/A	N/A	N/A

HOLE NO: A-106 LATITUDE: 10741.58 AZIMUTH: 0.00
 HOLE LENGTH: 190.50 DEPARTURE: 7820.74 DIP: -90.00
 ELEVATION: 1303.61

DIP TESTS: DEPTH DIP AZIMUTH
 97.54 -84.00 74.00
 170.69 -78.00 75.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	46.80	N/A	N/A	N/A
46.80	47.60	7.80	8.83	110.04
47.60	49.20	11.94	9.11	182.37
49.20	50.30	.07	.10	.00
50.30	50.50	6.48	14.49	49.36
50.50	90.30	N/A	N/A	N/A
90.30	91.40	6.79	6.37	97.70
91.40	151.30	N/A	N/A	N/A
151.30	153.80	5.48	8.28	97.70
153.80	154.80	5.33	5.50	75.76
154.80	157.20	7.82	9.00	100.78
157.20	159.40	1.25	1.66	20.23
159.40	161.20	4.28	5.28	53.48
161.20	164.00	1.28	2.22	23.31
164.00	168.50	N/A	N/A	N/A
168.50	171.00	.22	.51	8.23
171.00	174.00	.27	.55	8.23
174.00	176.20	.24	.27	9.26
176.20	178.00	.20	.22	9.26
178.00	181.30	.27	.35	2.06
181.30	190.50	N/A	N/A	N/A

HOLE NO: A-107 LATITUDE: 10487.32 AZIMUTH: 0.00
 HOLE LENGTH: 216.71 DEPARTURE: 7828.25 DIP: -90.00
 ELEVATION: 1286.46

DIP TESTS:	DEPTH	DIP	AZIMUTH
	73.15	-89.00	286.00
	128.02	-87.00	43.00
	207.26	-76.00	44.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	52.40	N/A	N/A	N/A
52.40	54.90	7.98	15.22	117.92
54.90	55.50	.39	4.50	6.17
55.50	56.70	2.70	5.30	39.42
56.70	58.50	4.88	9.27	63.42
58.50	61.00	4.20	8.82	61.36
61.00	62.90	6.76	11.70	80.56
62.90	65.50	9.06	17.05	146.03
65.50	67.80	7.72	15.26	103.87
67.80	69.80	11.11	21.65	171.40
69.80	71.30	6.89	13.66	111.07
71.30	73.80	.40	1.20	13.03
73.80	76.20	.65	.90	9.94
76.20	79.20	.95	.93	15.08
79.20	82.00	.14	.35	5.14
82.00	84.70	.23	.31	9.94
84.70	87.50	.29	.84	8.91
87.50	90.50	.12	.42	8.23
90.50	93.50	N/A	N/A	N/A
93.50	96.60	.13	.31	8.23
96.60	99.10	.04	.42	7.20
99.10	102.40	.12	.65	9.94
102.40	105.20	.13	.40	9.94
105.20	108.20	.07	.15	6.17
108.20	110.60	.05	.12	5.14
110.60	112.20	.04	.04	4.11
112.20	114.90	.28	.25	6.17
114.90	116.40	.52	.61	14.05
116.40	118.00	1.63	2.10	26.40
118.00	119.50	1.58	1.80	29.14
119.50	121.00	2.93	3.84	47.31
121.00	121.50	.27	.40	9.94
121.50	122.20	10.61	15.60	164.54
122.20	124.00	2.85	3.54	41.48
124.00	216.70	N/A	N/A	N/A

HOLE NO: A-108
 HOLE LENGTH: 189.60

LATITUDE: 10272.31
 DEPARTURE: 7787.35
 ELEVATION: 1270.02

AZIMUTH: 0.00
 DIP: -90.00

DIP TESTS:	DEPTH	DIP	AZIMUTH
	60.96	-89.00	39.00
	121.92	-86.00	50.00
	170.69	-86.00	47.30

INTERVAL		ASSAYS			
FROM	TO	PB %	ZN %	AG GM/TON	
0.00	69.60	N/A	N/A	N/A	
69.60	70.70	1.13	.69	20.23	91685
70.70	74.00	4.28	3.06	50.39	91686
74.00	75.30	4.13	4.10	49.36	91687
75.30	76.80	4.73	5.00	49.36	91688
76.80	78.30	6.79	5.80	78.84	91689
78.30	79.90	3.90	3.80	60.33	91690
79.90	80.80	.28	.43	10.97	91691
80.80	82.90	.19	.20	9.94	91692
82.90	84.40	.18	.54	9.94	91693
84.40	85.90	.20	.38	7.20	91694
85.90	87.50	5.98	5.16	89.13	91695
87.50	89.00	4.73	7.60	68.56	91696
89.00	92.30	1.43	2.64	21.25	91697
92.30	93.00	6.54	11.41	93.93	91698
93.00	95.10	1.75	3.18	25.37	91699
95.10	96.60	.20	.60	8.23	91700
96.60	99.70	.17	.60	4.11	91701
99.70	101.90	.12	.59	6.17	91702
101.90	104.80	1.63	3.06	26.40	91703
104.80	107.10	5.78	5.88	82.61	91704
107.10	136.20	N/A	N/A	N/A	
136.20	138.60	1.00	1.26	20.23	91705
138.60	139.30	5.38	7.25	79.19	91706
139.30	140.30	.18	.33	7.20	91707
140.30	140.70	3.90	5.52	72.67	91708
140.70	143.90	2.15	1.76	32.22	91709
143.90	146.10	1.83	1.30	27.42	91710
146.10	148.40	.68	.98	12.00	91711
148.40	151.30	1.53	1.46	23.31	91712
151.30	153.00	3.00	3.00	37.37	91713
153.00	156.10	2.00	2.46	26.40	91714
156.10	159.10	1.13	.88	16.11	91715
159.10	162.20	.12	.12	5.14	91716
162.20	163.80	.09	.06	4.11	91717
163.80	164.80	.08	.02	2.06	91718
164.80	166.20	.90	.65	20.23	91719
166.20	189.60	N/A	N/A	N/A	

SPECIAL MOORE BUSINESS FORMS 4

HOLE NO: A-109 LATITUDE: 10701.75 AZIMUTH: 0.00
 HOLE LENGTH: 190.80 DEPARTURE: 7863.64 DIP: -90.00
 ELEVATION: 1300.10

DIP TESTS:	DEPTH	DIP	AZIMUTH
	60.96	-88.00	272.00
	121.92	-85.00	33.00
	182.88	-80.00	352.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	129.10	N/A	N/A	N/A
129.10	131.10	2.85	3.84	45.25
131.10	132.10	2.23	4.02	35.31
132.10	134.00	.27	.45	5.14
134.00	135.70	2.93	4.14	46.28
135.70	137.00	6.90	10.98	92.90
137.00	139.00	7.05	10.80	104.90
139.00	141.00	5.33	8.10	82.61
141.00	143.00	5.03	6.84	76.79
143.00	145.00	3.23	4.80	57.59
145.00	147.00	5.55	7.24	80.56
147.00	149.60	15.02	10.10	152.20
149.60	190.80	N/A	N/A	N/A

HOLE NO: A-110 LATITUDE: 10358.85 AZIMUTH: 0.00
 HOLE LENGTH: 198.12 DEPARTURE: 7788.45 DIP: -90.00
 ELEVATION: 1273.38

DIP TESTS:	DEPTH	DIP	AZIMUTH
	60.96	-88.00	152.00
	121.92	-79.00	66.00
	182.88	-74.30	59.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	41.40	N/A	N/A	N/A
41.40	44.00	.69	.68	10.97
44.00	46.00	1.63	1.30	20.23
46.00	48.00	2.85	2.88	32.22
48.00	49.30	2.85	2.52	35.31
49.30	51.20	1.58	1.60	32.22
51.20	58.50	N/A	N/A	N/A
58.50	60.50	4.05	5.90	50.39
60.50	62.50	3.60	4.86	51.42
62.50	63.50	2.93	3.54	41.48
63.50	64.80	5.04	9.73	61.36
64.80	66.00	4.73	7.04	64.45
66.00	166.70	N/A	N/A	N/A
166.70	167.60	1.58	2.00	26.40
167.60	168.80	2.03	1.90	27.42
168.80	170.90	1.00	1.20	17.14
170.90	175.00	N/A	N/A	N/A
175.00	176.20	.12	.09	5.14
176.20	198.10	N/A	N/A	N/A

HOLE NO: A-111
 HOLE LENGTH: 394.20

LATITUDE: 10992.84
 DEPARTURE: 7304.09
 ELEVATION: 1326.20

AZIMUTH: 0.00
 DIP: -90.00

DIP TESTS:	DEPTH	DIP	AZIMUTH
	60.96	-82.00	292.00
	121.92	-85.00	165.00
	188.97	-84.00	157.00
	243.84	-82.00	67.00
	305.80	-80.00	32.00
	365.76	-85.00	92.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	185.10	N/A	N/A	N/A
185.10	185.80	2.18	1.84	32.22
185.80	187.60	N/A	N/A	N/A
187.60	190.00	1.20	1.28	16.11
190.00	234.50	N/A	N/A	N/A
234.50	235.50	6.69	15.37	109.01
235.50	236.80	5.75	17.82	95.64
236.80	237.90	N/A	N/A	N/A
237.90	239.90	3.98	8.01	80.56
239.90	242.00	1.44	2.46	34.28
242.00	244.00	1.60	2.22	28.45
244.00	246.00	1.08	1.76	20.23
246.00	248.00	.62	.94	12.00
248.00	250.00	.48	.74	8.23
250.00	251.40	2.03	4.02	35.31
251.40	252.00	N/A	N/A	N/A
252.00	254.00	2.20	3.72	33.25
254.00	256.00	2.28	3.60	36.34
256.00	258.50	2.55	4.14	35.31
258.50	271.90	N/A	N/A	N/A
271.90	273.90	.80	1.46	19.20
273.90	275.40	.85	1.14	8.91
275.40	276.20	1.03	1.72	12.00
276.20	277.80	N/A	N/A	N/A
277.80	279.80	1.00	1.10	15.08
279.80	281.00	.78	.96	14.05
281.00	282.10	.88	1.12	13.03
282.10	285.30	N/A	N/A	N/A
285.30	287.00	4.73	8.37	60.33
287.00	288.70	4.43	3.78	51.42
288.70	290.60	5.55	7.38	69.59
290.60	291.80	4.20	6.88	55.53
291.80	293.10	6.08	8.36	100.78
293.10	303.00	N/A	N/A	N/A
303.00	305.00	7.05	11.84	147.06
305.00	307.00	8.10	14.17	127.18
307.00	309.00	11.25	18.02	186.48
309.00	312.00	5.85	9.67	95.64
312.00	314.00	6.90	10.53	109.01
314.00	315.30	12.33	19.11	196.77
315.30	369.30	N/A	N/A	N/A
369.30	370.80	5.85	8.94	88.79

HOLE NO: A-112 LATITUDE: 10660.63 AZIMUTH: 0.00
 HOLE LENGTH: 172.52 DEPARTURE: 7912.97 DIP: -90.00
 ELEVATION: 1297.80

DIP TESTS:	DEPTH	DIP	AZIMUTH
	85.34	-88.00	322.00
	128.02	-87.00	69.00
	164.59	-80.00	347.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	110.40	N/A	N/A	N/A
110.40	111.60	11.57	16.18	162.49
111.60	113.10	9.15	10.64	136.09
113.10	115.20	6.75	9.16	102.84
115.20	117.70	7.05	9.17	103.87
117.70	120.20	1.95	3.66	27.42
120.20	121.30	2.48	1.74	35.31
121.30	121.90	5.81	5.48	84.67
121.90	124.00	1.43	2.46	27.42
124.00	127.40	1.45	1.62	26.40
127.40	128.00	8.27	16.42	123.07
128.00	130.80	1.43	1.80	24.34
130.80	140.90	N/A	N/A	N/A
140.90	141.90	.98	2.52	14.05
141.90	172.50	N/A	N/A	N/A

HOLE NO: A-113 LATITUDE: 11036.93 AZIMUTH: 0.00
 HOLE LENGTH: 474.60 DEPARTURE: 7345.95 DIP: -90.00
 ELEVATION: 1326.54

DIP TESTS:	DEPTH	DIP	AZIMUTH
	60.96	-84.00	32.00
	121.92	-81.00	112.00
	182.88	-81.00	97.00
	225.55	-78.00	112.00
	335.28	-82.00	142.00
	377.95	-80.00	97.00
	474.57	-83.00	134.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	215.40	N/A	N/A	N/A
215.40	216.40	5.35	12.57	87.76
216.40	217.70	5.03	8.32	81.59
217.70	225.70	N/A	N/A	N/A
225.70	226.60	5.26	7.98	75.76
226.60	227.40	N/A	N/A	N/A
227.40	228.00	2.63	5.88	40.45
228.00	316.00	N/A	N/A	N/A
316.00	316.80	2.38	4.50	35.31
316.80	317.60	3.60	6.28	50.39
317.60	318.60	2.40	2.94	39.42
318.60	365.30	N/A	N/A	N/A
365.30	366.20	.50	1.22	9.94
366.20	367.20	2.15	4.20	36.34
367.20	368.20	5.40	8.71	86.73
368.20	369.20	3.45	6.12	59.30
369.20	370.20	4.73	8.10	82.61
370.20	370.80	6.08	9.73	111.07
370.80	371.80	.73	1.34	8.91
371.80	372.80	1.63	2.52	22.28
372.80	373.50	.83	1.58	12.00
373.50	374.50	5.83	6.89	84.67
374.50	375.50	6.15	10.35	96.67
375.50	376.70	2.85	5.64	41.48
376.70	377.50	4.58	8.09	78.84
377.50	377.90	.96	.66	15.08
377.90	378.90	2.13	3.30	42.51
378.90	379.80	2.70	3.30	39.42
379.80	380.20	.85	.86	13.03
380.20	474.60	N/A	N/A	N/A

HOLE NO: A-114 LATITUDE: 10259.84 AZIMUTH: 0.00
 HOLE LENGTH: 221.60 DEPARTURE: 7715.81 DIP: -90.00
 ELEVATION: 1269.77

DIP TESTS:	DEPTH	DIP	AZIMUTH
	60.96	-90.00	0.00
	109.73	-85.00	54.00
	170.69	-83.00	40.00
	219.45	-80.00	13.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	93.20	N/A	N/A	N/A
93.20	95.20	.68	.30	18.17
95.20	97.70	1.20	.94	19.20
97.70	98.70	N/A	N/A	N/A
98.70	100.70	1.43	1.16	24.34
100.70	102.70	1.45	1.56	24.34
102.70	104.70	1.15	.30	20.23
104.70	106.70	.98	.43	27.42
106.70	108.50	1.15	.95	20.23
108.50	112.60	N/A	N/A	N/A
112.60	114.60	1.58	1.36	25.37
114.60	116.60	1.23	.98	18.17
116.60	118.60	1.02	.77	19.20
118.60	120.60	1.75	1.40	25.37
120.60	122.60	1.63	1.12	25.37
122.60	124.60	1.63	1.34	24.34
124.60	127.00	N/A	N/A	N/A
127.00	129.00	1.04	.68	23.31
129.00	131.00	1.24	.80	24.34
131.00	133.00	1.18	.66	24.34
133.00	135.00	2.30	2.34	42.51
135.00	137.00	3.08	3.36	43.54
137.00	137.90	.74	.82	9.94
137.90	138.80	N/A	N/A	N/A
138.80	140.50	1.30	1.12	19.20
140.50	141.90	4.05	4.14	40.45
141.90	143.90	.80	1.30	18.17
143.90	145.40	.15	.25	8.91
145.40	147.40	2.08	2.46	35.31
147.40	149.70	1.10	.66	22.28
149.70	221.60	N/A	N/A	N/A

HOLE NO: A-115 LATITUDE: 10948.14 AZIMUTH: 0.00
 HOLE LENGTH: 448.10 DEPARTURE: 7260.70 DIP: -90.00
 ELEVATION: 1326.86

DIP TESTS:	DEPTH	DIP	AZIMUTH
	60.96	-85.30	50.20
	182.88	-84.00	87.20
	243.84	-82.00	103.20
	304.80	-79.00	102.20
	365.76	-79.00	97.20

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	221.20	N/A	N/A	N/A
221.20	222.20	2.08	1.50	34.28
222.20	224.00	.95	.58	16.11
224.00	225.80	3.90	4.38	56.56
225.80	325.90	N/A	N/A	N/A
325.90	327.40	.23	.30	4.11
327.40	329.00	1.63	1.34	22.28
329.00	330.90	.63	.42	9.94
330.90	331.90	1.35	.82	22.28
331.90	332.65	.33	.88	9.94
332.65	333.45	4.35	5.04	68.56
333.45	334.50	.93	1.08	19.20
334.50	336.20	.33	.40	9.94
336.20	337.70	1.48	1.98	23.31
337.70	339.20	.55	.30	10.97
339.20	340.70	.08	.18	2.06
340.70	342.00	.18	.18	4.11
342.00	343.40	.43	.24	8.23
343.40	344.70	.25	.10	8.23
344.70	346.00	.20	.06	5.14
346.00	347.50	.43	.26	7.20
347.50	349.00	.35	.24	8.23
349.00	349.80	.60	.46	9.94
349.80	350.50	4.13	4.26	60.33
350.50	351.80	.48	.92	13.03
351.80	353.30	.20	.16	2.06
353.30	354.80	.45	.50	8.91
354.80	356.20	4.28	5.52	50.39
356.20	357.90	1.60	2.76	22.28
357.90	360.50	N/A	N/A	N/A
360.50	361.30	2.23	4.68	32.22
361.30	408.40	N/A	N/A	N/A
408.40	410.20	1.40	2.34	20.23
410.20	412.50	N/A	N/A	N/A
412.50	413.40	3.38	.52	30.17
413.40	419.90	N/A	N/A	N/A
419.90	420.90	3.23	4.50	35.31
420.90	421.90	1.75	1.90	30.17
421.90	422.80	5.78	8.31	63.42
422.80	423.80	5.48	7.07	62.39
423.80	424.80	3.68	6.94	34.28
424.80	425.80	3.23	5.28	42.51
425.80	426.80	.25	2.46	5.14

HOLE NO: A-115

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
426.80	427.80	1.98	2.46	36.34
427.80	428.80	.70	.52	15.08
428.80	430.40	.83	.94	12.00
430.40	431.20	.45	.48	14.05
431.20	432.10	1.08	1.06	20.23
432.10	433.20	1.43	1.28	19.20
433.20	448.10	N/A	N/A	N/A

SPEDIFLO MOORE BUSINESS FORMS 4

HOLE NO: A-116 LATITUDE: 10746.22 AZIMUTH: 0.00
 HOLE LENGTH: 181.70 DEPARTURE: 7905.17 DIP: -90.00
 ELEVATION: 1304.60

DIP TESTS: DEPTH DIP AZIMUTH
 73.15 -88.00 57.00
 146.30 -78.00 52.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	110.90	N/A	N/A	N/A
110.90	111.90	1.63	2.94	27.42
111.90	114.20	1.63	2.82	22.28
114.20	181.70	N/A	N/A	N/A

HOLE NO: A-117
 HOLE LENGTH: 214.27

LATITUDE: 10524.96
 DEPARTURE: 7700.87
 ELEVATION: 1286.46

AZIMUTH: 0.00
 DIP: -90.00

DIP TESTS:	DEPTH	DIP	AZIMUTH
	60.96	-83.00	47.00
	121.92	-82.00	42.00
	161.54	-86.00	37.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	80.80	N/A	N/A	N/A
80.80	81.20	6.08	11.95	97.70
81.20	81.70	14.62	25.08	239.96
81.70	82.30	10.27	13.77	161.46
82.30	83.30	13.13	24.65	233.79
83.30	83.90	11.21	23.13	202.59
83.90	85.20	8.22	18.67	164.54
85.20	86.00	11.65	23.40	211.85
86.00	87.00	7.65	11.52	113.12
87.00	88.00	4.43	5.76	60.33
88.00	89.00	5.85	13.68	92.90
89.00	89.60	6.39	9.89	104.90
89.60	97.10	N/A	N/A	N/A
97.10	98.10	5.33	8.89	99.75
98.10	99.30	N/A	N/A	N/A
99.30	100.30	5.88	8.82	100.78
100.30	101.30	3.90	6.77	58.62
101.30	102.30	5.63	8.15	110.04
102.30	103.30	5.03	6.48	83.64
103.30	150.30	N/A	N/A	N/A
150.30	151.10	5.78	5.40	81.59
151.10	151.40	N/A	N/A	N/A
151.40	152.40	6.05	10.21	84.67
152.40	153.40	.70	1.42	23.31
153.40	154.40	1.26	1.50	38.39
154.40	155.10	1.50	1.30	27.42
155.10	156.10	3.68	3.30	48.33
156.10	157.90	9.21	12.52	122.04
157.90	212.30	N/A	N/A	N/A

HOLE NO: A-118 LATITUDE: 11076.78 AZIMUTH: 0.00
 HOLE LENGTH: 468.50 DEPARTURE: 7388.58 DIP: -90.00
 ELEVATION: 1325.26

DIP TESTS:	DEPTH	DIP	AZIMUTH
	60.96	-80.00	123.00
	182.88	-78.00	121.00
	243.84	-78.00	132.00
	335.28	-78.00	142.00
	396.24	-78.00	142.00
	426.72	-77.00	142.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	162.00	N/A	N/A	N/A
162.00	164.00	2.43	3.48	37.37
164.00	164.40	N/A	N/A	N/A
164.40	165.00	1.78	2.52	30.17
165.00	203.00	N/A	N/A	N/A
203.00	204.00	1.75	3.06	30.17
204.00	205.00	3.23	4.92	37.37
205.00	206.00	2.85	4.80	34.28
206.00	207.00	1.70	2.10	20.23
207.00	208.00	1.65	4.20	21.25
208.00	209.00	2.70	3.30	30.17
209.00	210.00	2.28	2.52	28.45
210.00	211.00	1.68	1.94	20.23
211.00	212.00	1.70	1.08	23.31
212.00	213.00	.93	.86	10.97
213.00	214.00	.63	.68	9.94
214.00	215.00	2.10	.94	29.14
215.00	216.90	.30	.32	8.23
216.90	217.50	5.33	6.93	75.76
217.50	218.50	3.98	6.60	57.59
218.50	220.00	1.65	4.14	27.42
220.00	226.00	N/A	N/A	N/A
226.00	226.80	3.68	4.33	52.45
226.80	227.80	.58	.58	9.94
227.80	228.80	3.75	2.88	47.31
228.80	229.80	5.39	4.92	75.76
229.80	230.30	1.48	1.98	26.40
230.30	231.30	6.16	10.58	97.70
231.30	232.30	7.11	10.86	100.78
232.30	233.30	5.57	10.76	90.84
233.30	234.30	3.98	7.52	60.33
234.30	235.30	1.83	3.72	27.42
235.30	240.50	N/A	N/A	N/A
240.50	241.70	1.48	1.90	24.34
241.70	243.40	2.18	3.96	34.28
243.40	245.40	.73	.94	20.23
245.40	247.40	.63	.84	23.31
247.40	248.70	.88	1.30	19.20
248.70	251.50	N/A	N/A	N/A
251.50	252.10	1.43	2.64	25.37
252.10	290.20	N/A	N/A	N/A
290.20	290.50	5.76	10.07	85.70

HOLE NO: A-119 LATITUDE: 10445.49 AZIMUTH: 0.00
 HOLE LENGTH: 172.82 DEPARTURE: 7871.16 DIP: -90.00
 ELEVATION: 1284.22

DIP TESTS:	DEPTH	DIP	AZIMUTH
	60.96	-85.00	72.00
	115.82	-78.00	63.00
	158.50	-75.00	62.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	49.00	N/A	N/A	N/A
49.00	51.20	2.43	6.56	43.54
51.20	52.30	1.78	4.98	37.37
52.30	52.90	3.83	7.41	55.53
52.90	172.80	N/A	N/A	N/A

HOLE NO: A-120 LATITUDE: 11118.58 AZIMUTH: 0.00
 HOLE LENGTH: 453.24 DEPARTURE: 7427.24 DIP: -90.00
 ELEVATION: 1324.73

DIP TESTS:	DEPTH	DIP	AZIMUTH
	60.96	-84.00	97.00
	121.92	-83.00	97.00
	182.88	-84.00	120.00
	243.84	-82.00	115.00
	304.80	-78.00	105.00
	453.24	-78.00	110.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	109.10	N/A	N/A	N/A
109.10	111.10	3.08	4.80	39.42
111.10	113.90	2.48	4.38	37.37
113.90	115.10	4.73	8.42	68.56
115.10	116.80	N/A	N/A	N/A
116.80	119.20	3.08	5.04	46.28
119.20	120.70	N/A	N/A	N/A
120.70	122.80	1.53	3.12	22.28
122.80	124.00	4.35	7.06	59.30
124.00	125.00	2.93	4.08	35.31
125.00	126.20	.70	1.26	12.00
126.20	127.10	.48	.82	9.94
127.10	128.30	.43	1.02	8.23
128.30	130.40	1.28	.82	20.23
130.40	134.80	N/A	N/A	N/A
134.80	136.20	1.53	2.94	21.25
136.20	137.70	2.25	1.98	26.40
137.70	139.60	2.48	3.66	23.31
139.60	140.80	3.38	6.51	45.25
140.80	142.30	2.48	4.50	50.39
142.30	143.80	3.30	6.78	33.25
143.80	145.60	4.35	6.73	50.39
145.60	146.70	N/A	N/A	N/A
146.70	147.40	3.00	5.10	47.31
147.40	151.70	N/A	N/A	N/A
151.70	153.20	2.78	5.11	35.31
153.20	154.50	3.45	5.04	42.51
154.50	156.40	1.93	3.90	28.45
156.40	162.20	N/A	N/A	N/A
162.20	164.20	1.78	3.90	26.40
164.20	165.30	N/A	N/A	N/A
165.30	166.70	1.50	2.10	25.37
166.70	168.80	1.30	1.98	27.42
168.80	170.00	1.78	2.28	26.40
170.00	172.00	2.28	3.72	35.31
172.00	174.00	2.40	3.90	41.48
174.00	176.00	1.88	3.72	29.14
176.00	178.00	2.25	6.48	38.39
178.00	180.00	1.13	2.64	20.23
180.00	180.70	2.93	3.66	53.48
180.70	183.30	N/A	N/A	N/A
183.30	184.40	3.98	6.00	49.36

HOLE NO: A-120

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
184.40	185.80	.10	.12	3.09
185.80	187.00	3.30	7.36	61.36
187.00	189.30	.38	.34	5.14
189.30	190.50	3.75	6.00	63.42
190.50	192.10	4.88	5.48	70.62
192.10	193.20	.08	.14	3.09
193.20	194.50	3.15	6.33	55.53
194.50	220.80	N/A	N/A	N/A
220.80	222.80	4.88	7.34	91.87
222.80	224.30	4.43	7.18	74.73
224.30	225.80	.88	1.98	15.08
225.80	228.10	.53	1.68	10.97
228.10	307.00	N/A	N/A	N/A
307.00	307.80	7.02	14.93	126.15
307.80	309.60	5.70	11.26	102.84
309.60	311.80	.93	1.88	24.34
311.80	313.30	5.74	9.45	81.59
313.30	314.00	N/A	N/A	N/A
314.00	317.30	4.88	5.76	65.47
317.30	318.80	N/A	N/A	N/A
318.80	319.70	5.33	6.34	91.87
319.70	321.70	N/A	N/A	N/A
321.70	322.80	4.35	8.15	75.76
322.80	324.80	4.43	5.88	71.65
324.80	326.80	3.90	5.64	67.53
326.80	327.80	4.43	6.44	80.56
327.80	335.00	N/A	N/A	N/A
335.00	335.40	4.50	6.79	97.70
335.40	371.50	N/A	N/A	N/A
371.50	373.80	.33	.56	7.20
373.80	375.20	.15	.16	4.11
375.20	379.20	N/A	N/A	N/A
379.20	380.70	.03	.06	4.11
380.70	381.40	1.98	4.14	39.42
381.40	382.10	8.67	17.65	125.12
382.10	388.00	N/A	N/A	N/A
388.00	390.40	.88	1.10	18.17
390.40	391.30	.06	.06	2.06
391.30	393.90	2.93	4.26	44.22
393.90	403.80	N/A	N/A	N/A
403.80	405.10	4.95	7.41	62.73
405.10	407.40	1.30	1.12	25.37
407.40	408.60	5.18	6.83	65.47
408.60	453.20	N/A	N/A	N/A

HOLE NO: A-121
 HOLE LENGTH: 260.00

LATITUDE: 10618.20
 DEPARTURE: 7780.26
 ELEVATION: 1293.13

AZIMUTH: 0.00
 DIP: -90.00

DIP TESTS:	DEPTH	DIP	AZIMUTH
	60.96	-86.00	94.00
	121.92	-83.00	83.00
	207.26	-80.00	89.00
	249.94	-77.00	97.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	156.80	N/A	N/A	N/A
156.80	157.90	3.60	3.90	65.47
157.90	158.40	3.06	6.44	47.31
158.40	159.10	N/A	N/A	N/A
159.10	160.30	.58	1.06	9.94
160.30	180.40	N/A	N/A	N/A
180.40	181.20	7.50	8.53	98.73
181.20	182.80	.80	.48	15.08
182.80	185.10	1.28	.94	18.17
185.10	186.40	1.10	.94	15.08
186.40	188.40	.88	.80	15.08
188.40	189.90	3.90	6.11	60.33
189.90	192.60	1.45	1.40	19.20
192.60	193.80	2.70	1.22	25.37
193.80	194.80	.80	.38	8.91
194.80	197.00	.75	1.02	7.20
197.00	198.70	.85	1.22	9.94
198.70	199.90	.48	1.04	8.91
199.90	201.50	1.60	1.18	23.65
201.50	202.80	5.53	6.33	74.73
202.80	203.60	2.93	3.54	37.37
203.60	204.20	.65	.54	12.00
204.20	206.00	1.83	1.60	21.25
206.00	208.20	1.63	1.48	28.45
208.20	209.10	3.23	4.74	51.42
209.10	210.00	.10	.10	2.06
210.00	260.00	N/A	N/A	N/A

HOLE NO: A-122 LATITUDE: 10443.29 AZIMUTH: 0.00
 HOLE LENGTH: 232.60 DEPARTURE: 7784.10 DIP: -90.00
 ELEVATION: 1280.78

DIP TESTS:	DEPTH	DIP	AZIMUTH
	60.96	-86.00	94.00
	91.44	-85.00	87.00
	152.40	-84.00	80.00
	228.60	-77.00	72.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	120.60	N/A	N/A	N/A
120.60	121.30	1.48	1.14	30.17
121.30	123.10	5.63	8.65	100.78
123.10	137.00	N/A	N/A	N/A
137.00	138.00	.33	.54	8.23
138.00	139.70	.95	1.28	16.11
139.70	140.90	.88	.74	21.25
140.90	202.20	N/A	N/A	N/A
202.20	203.00	4.95	5.53	72.67
203.00	204.10	1.20	1.06	19.20
204.10	206.70	4.05	3.00	49.36
206.70	209.10	2.50	1.74	40.45
209.10	209.70	.48	.38	10.97
209.70	211.00	3.68	2.46	42.51
211.00	213.70	N/A	N/A	N/A
213.70	214.10	.65	.24	9.94
214.10	215.60	3.19	2.52	40.45
215.60	216.40	.63	.34	15.08
216.40	219.00	3.68	3.00	45.25
219.00	220.80	1.65	.92	24.34
220.80	221.60	N/A	N/A	N/A
221.60	222.70	2.70	5.40	38.39
222.70	232.60	N/A	N/A	N/A

DIAMOND DRILL LOG MA

STER FILE

HOLE NO: A-123
HOLE LENGTH: 464.82

LATITUDE: 11120.20
DEPARTURE: 7345.44
ELEVATION: 1328.52

AZIMUTH: 0.00
DIP: -90.00

DIP TESTS:	DEPTH	DIP	AZIMUTH
	30.48	-82.00	116.00
	91.44	-81.00	107.00
	170.69	-83.00	127.00
	213.36	-82.00	101.00
	274.32	-83.00	106.00
	377.95	-75.00	144.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	113.20	N/A	N/A	N/A
113.20	115.00	2.38	3.48	37.37
115.00	116.00	1.83	2.00	24.34
116.00	118.00	1.93	3.54	26.40
118.00	120.00	1.90	3.48	29.14
120.00	122.00	1.75	3.18	26.40
122.00	124.00	1.99	3.00	28.45
124.00	127.60	N/A	N/A	N/A
127.60	128.90	1.84	2.76	29.14
128.90	130.00	1.48	2.46	24.34
130.00	132.60	N/A	N/A	N/A
132.60	134.40	1.23	1.66	28.45
134.40	135.90	2.50	4.02	36.34
135.90	136.80	2.48	5.40	35.31
136.80	137.80	1.78	2.76	28.45
137.80	139.30	1.93	2.46	30.17
139.30	141.40	2.45	3.18	37.37
141.40	142.30	2.59	3.90	41.48
142.30	144.50	2.70	4.02	43.54
144.50	145.40	3.53	5.93	65.47
145.40	146.60	2.78	4.02	46.28
146.60	150.60	N/A	N/A	N/A
150.60	151.50	1.23	1.18	21.25
151.50	156.50	N/A	N/A	N/A
156.50	158.50	2.50	4.38	40.45
158.50	160.00	2.78	4.20	44.22
160.00	160.70	1.73	2.64	29.14
160.70	175.60	N/A	N/A	N/A
175.60	177.10	.58	.68	9.94
177.10	178.60	.43	.70	8.91
178.60	188.50	N/A	N/A	N/A
188.50	189.40	1.53	3.48	19.20
189.40	191.10	2.18	5.40	31.19
191.10	191.60	N/A	N/A	N/A
191.60	193.50	2.93	5.64	33.25
193.50	194.50	3.23	7.20	50.39
194.50	195.70	3.75	8.00	63.42
195.70	196.30	4.58	4.02	59.30
196.30	197.60	2.85	2.40	33.25
197.60	200.10	1.93	2.14	28.45
200.10	201.50	2.48	5.76	46.28
201.50	203.30	1.88	4.68	34.28

HOLE NO: A-123

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
203.30	204.20	1.70	4.08	26.40
204.20	205.50	2.18	1.47	25.37
205.50	209.40	N/A	N/A	N/A
209.40	211.20	3.60	3.60	38.39
211.20	229.60	N/A	N/A	N/A
229.60	230.70	2.85	6.29	48.33
230.70	230.80	N/A	N/A	N/A
230.80	231.90	2.63	4.50	36.34
231.90	233.50	1.23	1.40	18.17
233.50	234.20	5.71	7.18	88.79
234.20	234.60	N/A	N/A	N/A
234.60	236.10	1.18	1.70	19.20
236.10	237.60	.58	.76	7.20
237.60	239.10	N/A	N/A	N/A
239.10	239.90	2.38	2.14	33.25
239.90	244.00	N/A	N/A	N/A
244.00	246.00	4.65	6.90	68.56
246.00	248.00	4.73	8.11	77.82
248.00	250.00	4.20	8.07	64.45
250.00	251.80	.75	1.54	12.00
251.80	253.00	7.73	16.75	143.29
253.00	254.00	2.70	4.02	46.28
254.00	273.10	N/A	N/A	N/A
273.10	274.60	5.21	11.86	84.67
274.60	275.70	6.93	14.44	123.07
275.70	278.00	N/A	N/A	N/A
278.00	279.30	2.43	5.64	38.39
279.30	281.00	5.11	6.05	76.79
281.00	282.50	3.75	5.86	58.62
282.50	284.00	4.35	5.64	73.70
284.00	285.60	4.95	7.58	85.70
285.60	286.70	3.68	7.69	68.56
286.70	299.10	N/A	N/A	N/A
299.10	300.40	2.63	3.42	44.22
300.40	302.00	1.15	2.10	18.17
302.00	304.00	1.88	2.76	30.17
304.00	306.00	3.15	4.92	50.39
306.00	307.20	3.98	6.23	60.33
307.20	316.30	N/A	N/A	N/A
316.30	317.80	.40	1.36	5.14
317.80	319.40	.38	.95	4.11
319.40	320.60	N/A	N/A	N/A
320.60	322.60	.50	.92	8.91
322.60	324.50	.23	.52	5.14
324.50	374.00	N/A	N/A	N/A
374.00	375.20	1.68	1.92	25.37
375.20	376.40	7.65	11.53	126.15
376.40	377.40	4.95	5.76	68.56
377.40	378.90	N/A	N/A	N/A
378.90	380.20	3.83	2.10	50.39
380.20	383.40	N/A	N/A	N/A
383.40	384.10	7.41	3.18	106.95

HOLE NO: A-124
 HOLE LENGTH: 423.10

LATITUDE: 11162.11
 DEPARTURE: 7470.04
 ELEVATION: 1323.03

AZIMUTH: 0.00
 DIP: -90.00

DIP TESTS:	DEPTH	DIP	AZIMUTH
	60.96	-82.00	142.00
	121.92	-80.00	133.00
	182.88	-76.00	162.00
	243.84	-78.00	146.00
	304.80	-75.00	148.00
	365.76	-75.00	129.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	79.60	N/A	N/A	N/A
79.60	82.60	1.98	4.02	32.22
82.60	84.60	1.68	4.02	27.42
84.60	86.60	2.23	4.32	33.25
86.60	89.60	2.03	4.20	35.31
89.60	92.60	2.70	5.64	46.28
92.60	95.60	2.45	4.80	42.51
95.60	98.60	2.78	4.56	35.31
98.60	101.60	2.85	4.92	43.54
101.60	103.60	3.60	6.38	52.45
103.60	106.60	2.03	3.90	30.17
106.60	109.60	2.23	3.18	32.22
109.60	112.60	2.43	3.30	31.19
112.60	115.60	2.33	4.74	30.17
115.60	118.60	1.73	4.38	25.37
118.60	128.80	N/A	N/A	N/A
128.80	130.80	3.88	5.28	62.39
130.80	132.00	3.53	6.01	63.42
132.00	133.20	3.30	4.32	60.33
133.20	134.70	2.43	4.14	44.22
134.70	139.70	N/A	N/A	N/A
139.70	141.50	3.60	7.47	64.45
141.50	147.30	N/A	N/A	N/A
147.30	148.60	2.63	4.80	45.25
148.60	203.10	N/A	N/A	N/A
203.10	204.10	4.58	7.01	74.73
204.10	207.10	N/A	N/A	N/A
207.10	209.10	.38	1.05	9.94
209.10	211.80	3.00	4.80	38.39
211.80	260.90	N/A	N/A	N/A
260.90	261.90	5.61	14.38	134.03
261.90	263.20	N/A	N/A	N/A
263.20	263.70	5.45	13.70	112.10
263.70	324.60	N/A	N/A	N/A
324.60	326.10	2.03	3.78	30.17
326.10	387.10	N/A	N/A	N/A
387.10	388.10	3.98	3.24	42.51
388.10	389.10	4.43	4.50	58.62
389.10	390.10	4.88	4.80	49.36
390.10	391.10	1.88	.94	24.00
391.10	393.10	.68	1.38	9.94
393.10	395.10	.43	.63	10.97

HOLE NO: A-125 LATITUDE: 11163.43 AZIMUTH: 0.00
 HOLE LENGTH: 429.80 DEPARTURE: 7387.77 DIP: -90.00
 ELEVATION: 1327.26

DIP TESTS:	DEPTH	DIP	AZIMUTH
	60.96	-83.00	111.00
	121.92	-82.00	117.00
	182.88	-81.00	148.00
	243.84	-78.00	166.00
	335.28	-76.00	158.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	113.80	N/A	N/A	N/A
113.80	115.20	3.00	6.85	53.48
115.20	116.50	.83	1.94	15.08
116.50	119.20	2.08	4.14	29.14
119.20	122.20	1.98	4.74	31.19
122.20	124.40	2.78	4.98	35.31
124.40	126.60	2.08	3.42	31.19
126.60	133.90	N/A	N/A	N/A
133.90	135.10	3.00	5.10	44.22
135.10	172.20	N/A	N/A	N/A
172.20	173.60	1.98	3.30	29.14
173.60	175.00	2.38	5.10	37.37
175.00	177.70	1.88	4.05	29.14
177.70	227.00	N/A	N/A	N/A
227.00	227.70	3.53	4.30	54.51
227.70	229.00	6.41	11.84	109.01
229.00	229.50	N/A	N/A	N/A
229.50	231.00	.75	1.18	9.94
231.00	317.60	N/A	N/A	N/A
317.60	318.60	5.42	6.50	90.84
318.60	321.90	N/A	N/A	N/A
321.90	322.80	2.75	4.50	43.54
322.80	324.80	3.44	5.55	49.36
324.80	325.80	1.65	1.66	21.25
325.80	326.60	N/A	N/A	N/A
326.60	328.60	2.85	3.98	38.39
328.60	331.10	1.63	2.10	28.45
331.10	336.50	N/A	N/A	N/A
336.50	337.60	2.50	2.70	25.37
337.60	340.60	N/A	N/A	N/A
340.60	342.60	1.38	2.20	16.11
342.60	344.00	N/A	N/A	N/A
344.00	345.60	3.23	4.05	39.42
345.60	355.10	N/A	N/A	N/A
355.10	355.70	.83	1.08	16.11
355.70	356.70	5.18	8.75	85.70
356.70	357.40	4.43	7.87	73.70
357.40	357.60	N/A	N/A	N/A
357.60	358.60	3.98	5.00	56.56
358.60	359.60	3.56	5.50	60.33
359.60	360.90	3.94	6.57	61.36
360.90	361.30	N/A	N/A	N/A
361.30	362.30	2.38	4.40	40.45

HOLE NO: A-127 LATITUDE: 11204.91 AZIMUTH: 0.00
 HOLE LENGTH: 468.20 DEPARTURE: 7426.64 DIP: -90.00
 ELEVATION: 1326.78

DIP TESTS:	DEPTH	DIP	AZIMUTH
	60.96	-82.00	126.00
	121.92	-76.00	135.00
	182.88	-72.00	160.00
	243.84	-73.00	172.00
	304.80	-77.00	157.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	89.40	N/A	N/A	N/A
89.40	90.50	1.88	2.94	23.31
90.50	93.50	N/A	N/A	N/A
93.50	96.50	1.70	2.88	26.40
96.50	99.50	1.78	4.50	40.45
99.50	102.50	2.08	5.34	43.54
102.50	105.50	1.68	2.88	25.37
105.50	108.50	1.20	3.30	26.40
108.50	111.50	1.38	3.66	25.37
111.50	114.50	1.68	4.20	38.39
114.50	117.50	1.78	4.02	35.31
117.50	120.50	1.58	3.96	29.14
120.50	123.70	2.15	4.86	38.39
123.70	162.50	N/A	N/A	N/A
162.50	165.80	1.28	3.54	23.31
165.80	235.90	N/A	N/A	N/A
235.90	237.20	5.61	9.78	85.70
237.20	240.70	.88	1.06	14.05
240.70	242.60	2.63	3.54	47.31
242.60	244.40	3.08	6.88	59.30
244.40	245.40	N/A	N/A	N/A
245.40	246.00	2.30	6.84	48.33
246.00	327.50	N/A	N/A	N/A
327.50	329.50	4.73	6.29	76.79
329.50	332.40	3.68	4.56	56.56
332.40	334.20	N/A	N/A	N/A
334.20	334.60	1.10	2.16	20.23
334.60	336.60	7.13	10.56	126.15
336.60	337.70	8.78	18.74	146.03
337.70	339.70	7.65	14.28	98.73
339.70	341.50	7.20	15.57	96.67
341.50	343.20	6.78	15.11	98.73
343.20	345.20	4.73	9.36	74.73
345.20	347.20	5.85	11.12	87.76
347.20	348.40	5.40	8.39	102.84
348.40	401.70	N/A	N/A	N/A
401.70	402.50	4.80	5.76	57.59
402.50	403.40	5.33	5.16	70.62
403.40	403.70	.25	.40	8.23
403.70	404.70	4.43	4.14	75.76
404.70	406.00	6.38	9.34	106.95
406.00	408.20	1.78	.88	20.23
408.20	408.90	.55	.53	12.00

HOLE NO: A-128
 HOLE LENGTH: 477.30

LATITUDE: 10983.48
 DEPARTURE: 7210.71
 ELEVATION: 1330.97

AZIMUTH: 0.00
 DIP: -90.00

DIP TESTS:	DEPTH	DIP	AZIMUTH
	121.92	-88.00	100.00
	182.88	-81.00	100.00
	243.84	-80.00	100.00
	304.80	-76.00	104.00
	365.10	-74.00	104.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	237.80	N/A	N/A	N/A
237.80	239.80	.93	.65	14.05
239.80	241.00	2.45	1.63	35.31
241.00	242.10	6.08	8.00	106.95
242.10	246.20	N/A	N/A	N/A
246.20	247.50	2.23	3.28	28.45
247.50	317.60	N/A	N/A	N/A
317.60	318.20	7.25	8.32	148.09
318.20	318.80	15.59	23.00	302.35
318.80	346.50	N/A	N/A	N/A
346.50	347.00	.76	.74	14.05
347.00	347.80	N/A	N/A	N/A
347.80	348.80	4.13	4.86	53.48
348.80	352.20	N/A	N/A	N/A
352.20	353.60	1.58	1.50	22.28
353.60	355.10	1.13	1.08	21.25
355.10	356.60	1.31	1.50	19.20
356.60	360.00	3.13	5.40	42.51
360.00	361.50	1.65	2.38	26.40
361.50	362.10	8.10	9.68	99.75
362.10	363.00	N/A	N/A	N/A
363.00	365.00	5.18	6.16	65.47
365.00	367.10	N/A	N/A	N/A
367.10	368.30	6.74	8.65	100.78
368.30	370.00	2.06	2.90	26.40
370.00	419.70	N/A	N/A	N/A
419.70	422.30	1.13	2.68	18.17
422.30	425.80	N/A	N/A	N/A
425.80	426.80	1.33	2.70	20.23
426.80	428.30	3.08	3.54	51.42
428.30	429.80	2.70	4.65	43.54
429.80	431.70	N/A	N/A	N/A
431.70	434.40	2.56	2.22	27.42
434.40	435.10	N/A	N/A	N/A
435.10	435.80	N/A	N/A	N/A
435.80	436.60	3.00	3.42	34.28
436.60	437.60	4.13	2.46	40.45
437.60	438.60	3.98	3.20	35.31
438.60	439.60	5.89	6.32	50.39
439.60	444.70	N/A	N/A	N/A
444.70	445.90	3.30	2.52	36.34
445.90	477.00	N/A	N/A	N/A

HOLE NO: A-129 LATITUDE: 10618.83 AZIMUTH: 0.00
 HOLE LENGTH: 152.70 DEPARTURE: 7954.88 DIP: -90.00
 ELEVATION: 1293.84

DIP TESTS: DEPTH DIP AZIMUTH
 103.63 -86.00 122.00
 149.35 -86.00 192.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	101.50	N/A	N/A	N/A
101.50	103.90	1.83	3.70	26.40
103.90	105.40	2.05	3.20	25.37
105.40	106.90	3.18	2.85	48.34
106.90	108.40	3.45	2.46	41.49
108.40	109.90	.68	.85	8.91
109.90	111.90	5.60	9.95	77.83
111.90	113.40	2.18	3.60	31.20
113.40	115.20	.25	.18	5.14
115.20	152.70	N/A	N/A	N/A

DIAMOND DRILL LOG MA

STER FILE

HOLE NO: A-132
HOLE LENGTH: 144.20

LATITUDE: 10809.44
DEPARTURE: 7714.55
ELEVATION: 1313.26

AZIMUTH: 0.00
DIP: -90.00

DIP TESTS:	DEPTH	DIP	AZIMUTH
	91.44	-88.00	157.00
	143.26	-85.00	122.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	70.60	N/A	N/A	N/A
70.60	72.10	2.00	3.40	35.31
72.10	73.60	2.60	2.65	38.40
73.60	75.10	1.23	2.80	17.14
75.10	76.60	1.25	4.08	20.23
76.60	78.10	2.13	4.40	30.17
78.10	79.90	3.65	6.38	45.26
79.90	82.60	N/A	N/A	N/A
82.60	84.10	2.05	2.63	30.17
84.10	85.60	1.30	1.33	25.37
85.60	87.10	2.23	2.60	39.43
87.10	88.20	1.65	2.50	31.20
88.20	90.80	1.70	3.40	23.31
90.80	93.20	N/A	N/A	N/A
93.20	94.70	.70	1.65	7.20
94.70	96.20	7.24	9.32	104.92
96.20	97.20	6.99	12.13	98.74
97.20	99.20	4.78	10.46	76.80
99.20	100.70	2.95	5.98	41.49
100.70	102.20	2.50	4.90	38.40
102.20	103.70	1.55	2.18	28.11
103.70	105.20	1.63	3.35	33.26
105.20	106.70	.75	1.78	16.11
106.70	108.20	1.60	3.88	28.11
108.20	109.70	1.53	3.55	25.37
109.70	111.20	.85	2.13	12.00
111.20	112.70	1.40	3.03	26.40
112.70	114.20	1.39	4.05	34.29
114.20	115.70	1.35	3.30	29.14
115.70	117.20	1.30	1.80	27.43
117.20	118.70	2.28	5.35	45.26
118.70	120.80	2.50	4.80	47.31
120.80	133.40	N/A	N/A	N/A
133.40	134.90	4.48	10.56	74.74
134.90	136.40	5.84	10.56	75.77
136.40	137.90	7.06	12.02	87.77
137.90	139.40	6.20	14.04	101.83
139.40	140.90	1.05	2.55	16.11
140.90	141.30	N/A	N/A	N/A
141.30	142.90	3.58	8.10	63.43
142.90	144.20	N/A	N/A	N/A

HOLE NO: A-134
 HOLE LENGTH: 196.30

LATITUDE: 10723.12
 DEPARTURE: 7799.06
 ELEVATION: 1301.78

AZIMUTH: 0.00
 DIP: -90.00

DIP TESTS: DEPTH DIP AZIMUTH
 135.60 -86.00 69.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	65.70	N/A	N/A	N/A
65.70	66.40	1.20	1.40	17.14
66.40	67.90	7.56	9.70	99.77
67.90	69.40	5.42	4.85	61.37
69.40	72.70	N/A	N/A	N/A
72.70	74.20	11.80	10.35	143.32
74.20	75.70	10.70	8.51	135.09
75.70	77.20	17.60	10.76	247.20
77.20	78.00	10.58	9.00	146.06
78.00	84.50	N/A	N/A	N/A
84.50	86.00	7.42	10.61	89.83
86.00	87.50	2.90	5.15	42.51
87.50	96.60	N/A	N/A	N/A
96.60	98.10	2.18	5.00	32.23
98.10	99.60	4.35	7.70	68.57
99.60	101.30	3.55	7.35	52.46
101.30	105.30	N/A	N/A	N/A
105.30	106.80	2.93	4.50	48.34
106.80	107.70	4.40	6.62	57.60
107.70	148.90	N/A	N/A	N/A
148.90	150.60	1.20	1.35	17.14
150.60	151.70	N/A	N/A	N/A
151.70	153.10	1.85	2.23	27.43
153.10	153.80	N/A	N/A	N/A
153.80	154.80	6.00	10.52	86.74
154.80	157.50	N/A	N/A	N/A
157.50	159.00	8.80	5.66	95.66
159.00	160.50	7.76	8.17	100.80
160.50	162.00	4.95	8.07	73.71
162.00	163.20	3.95	6.84	59.31
163.20	163.70	.63	1.68	10.97
163.70	165.20	6.20	6.40	75.77
165.20	166.70	3.55	1.90	42.51
166.70	168.20	.70	.18	16.11
168.20	171.20	.15	.18	7.89
171.20	174.20	.43	.40	9.94
174.20	175.60	1.80	1.18	24.34
175.60	178.60	3.88	4.35	49.37
178.60	181.60	.75	.48	10.97
181.60	184.60	.43	.63	8.91
184.60	187.60	.33	.60	6.17
187.60	189.50	.45	.60	9.94
189.50	196.30	N/A	N/A	N/A

MOORE SHEET 10 4

HOLE NO: A-135 LATITUDE: 10679.61 AZIMUTH: 0.00
 HOLE LENGTH: 175.90 DEPARTURE: 7843.30 DIP: -90.00
 ELEVATION: 1297.71

DIP TESTS: DEPTH ~~DIP~~ AZIMUTH
 67.10 ~~-87.00~~ 30.00
 155.40 ~~77.30~~ 83.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	47.60	N/A	N/A	N/A
47.60	49.40	14.68	10.46	212.92
49.40	50.60	10.25	10.00	147.09
50.60	51.20	1.30	1.68	18.17
51.20	52.90	15.87	11.63	211.89
52.90	54.50	2.05	2.95	31.20
54.50	56.50	12.47	11.27	188.57
56.50	58.30	13.30	13.62	73.71
58.30	58.60	1.40	1.16	15.09
58.60	61.60	N/A	N/A	N/A
61.60	63.10	.88	1.45	14.06
63.10	75.20	N/A	N/A	N/A
75.20	76.40	2.88	3.10	41.49
76.40	77.20	.37	.63	5.14
77.20	132.80	N/A	N/A	N/A
132.80	135.10	2.00	3.13	30.17
135.10	136.00	1.35	.85	21.26
136.00	137.20	4.40	5.45	60.34
137.20	138.40	1.70	2.45	27.43
138.40	141.10	5.90	6.93	71.66
141.10	143.40	7.00	7.34	82.63
143.40	145.00	3.28	5.40	61.37
145.00	146.40	4.70	7.77	62.40
146.40	149.00	11.24	6.12	132.00
149.00	149.70	2.55	1.48	30.17
149.70	153.10	1.25	1.30	18.17
153.10	159.10	N/A	N/A	N/A
159.10	160.60	.05	.10	7.20
160.60	165.30	N/A	N/A	N/A
165.30	167.80	.38	.53	9.94
167.80	169.80	.10	.18	5.14
169.80	171.30	.05	.08	5.14
171.30	175.90	N/A	N/A	N/A

HOLE NO: A-136 LATITUDE: 10640.34 AZIMUTH: 0.00
 HOLE LENGTH: 156.10 DEPARTURE: 7890.18 DIP: -90.00
 ELEVATION: 1293.29

DIP TESTS: DEPTH DIP AZIMUTH
 79.25 -87.30 45.30 } Ave. fr. A-18
 124.97 -85.00 61.30 } A-112

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	114.60	N/A	N/A	N/A
114.60	116.20	1.55	2.00	22.29
116.20	116.70	9.88	9.28	124.12
116.70	117.70	3.58	2.93	55.54
117.70	120.10	5.60	7.84	76.80
120.10	121.60	5.60	7.67	77.83
121.60	122.20	.55	1.25	9.94
122.20	123.60	2.13	5.60	41.49
123.60	125.20	6.09	9.09	95.66
125.20	126.40	8.77	6.71	84.69
126.40	127.20	8.97	6.91	104.92
127.20	128.60	2.10	2.70	29.14
128.60	131.40	.80	.90	14.06
131.40	133.80	2.55	2.35	32.23
133.80	137.10	N/A	N/A	N/A
137.10	137.70	.45	1.35	9.94
137.70	139.00	.20	.43	7.89
139.00	154.50	N/A	N/A	N/A
154.50	156.10	.25	.55	7.89

MOORE
 SECTION 4

HOLE NO: A-137
 HOLE LENGTH: 136.20

LATITUDE: 10683.35
 DEPARTURE: 7932.19
 ELEVATION: 1300.17

AZIMUTH: 0.00
 DIP: -90.00

DIP TESTS: DEPTH DIP AZIMUTH
 79.20 -88.00 9.30
 134.10 -82.30 60.30

*ave. fr. A-112 &
 A-116*

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	95.50	N/A	N/A	N/A
95.50	97.60	2.30	3.86	30.17
97.60	98.10	.78	1.05	7.20
98.10	103.00	N/A	N/A	N/A
103.00	104.50	4.85	7.00	77.83
104.50	106.10	1.88	2.88	26.40
106.10	107.90	1.20	2.08	16.11
107.90	110.10	1.90	3.90	27.43
110.10	112.20	.65	.98	8.91
112.20	114.90	1.13	1.78	16.11
114.90	118.00	.78	1.03	13.03
118.00	120.40	1.43	3.48	25.37
120.40	121.30	1.43	3.52	29.14
121.30	136.20	N/A	N/A	N/A

MOORE SPECIFIC 4

HOLE NO: A-139
 HOLE LENGTH: 150.00

LATITUDE: 10724.00
 DEPARTURE: 7884.02
 ELEVATION: 1302.87

AZIMUTH: 0.00
 DIP: -90.00

DIP TESTS:	DEPTH	DIP	AZIMUTH
	52.43	-84.30	39.00
	113.39	-76.30	64.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	121.00	N/A	N/A	N/A
121.00	122.40	.03	.08	1.03
122.40	123.80	7.95	13.01	141.26
123.80	124.30	.40	.65	6.17
124.30	125.50	4.30	5.78	65.49
125.50	127.10	1.70	3.53	25.37
127.10	128.60	1.20	2.58	24.34
128.60	130.10	1.05	2.63	16.11
130.10	131.70	1.95	3.90	29.14
131.70	150.00	N/A	N/A	N/A

MOORE
SPECIAL 4

HOLE NO: A-140
 HOLE LENGTH: 170.10

LATITUDE: 11220.26
 DEPARTURE: 7602.23
 ELEVATION: 1317.29

AZIMUTH: 0.00
 DIP: -90.00

DIP TESTS:	DEPTH	DIP	AZIMUTH
	84.70	-82.00	124.00
	145.70	-74.00	124.00

INTERVAL ASSAYS

FROM	TO	PB %	ZN %	AG GM/TON
0.00	85.30	N/A	N/A	N/A
85.30	86.30	8.12	22.41	126.17
86.30	87.50	4.58	11.77	79.54
87.50	88.20	3.25	7.42	54.51
88.20	89.20	3.08	8.94	41.49
89.20	170.10	N/A	N/A	N/A

MOORE SPECIFIC 4

HOLE NO: A-141
 HOLE LENGTH: 93.30

LATITUDE: 10894.05
 DEPARTURE: 7712.48
 ELEVATION: 1312.33

AZIMUTH: 0.00
 DIP: -90.00

DIP TESTS: DEPTH DIP AZIMUTH
 60.96 -87.30 45.00
 91.44 -82.30 73.00

INTERVAL		ASSAYS		
FROM	TD	PB %	ZN %	AG GM/TON
0.00	43.30	N/A	N/A	N/A
43.30	44.80	1.25	.04	23.31
44.80	46.30	2.23	2.40	32.32
46.30	48.30	1.58	3.13	26.40
48.30	50.90	1.48	3.70	26.40
50.90	52.30	1.50	3.25	28.11
52.30	55.50	1.38	3.00	22.29
55.50	55.80	N/A	N/A	N/A
55.80	57.10	1.63	4.63	29.14
57.10	57.60	5.38	11.29	95.66
57.60	59.40	N/A	N/A	N/A
59.40	60.80	.88	3.25	15.09
60.80	68.60	N/A	N/A	N/A
68.60	69.70	11.44	17.29	171.43
69.70	72.00	3.60	5.98	53.49
72.00	74.70	2.00	4.10	35.31
74.70	76.80	1.00	1.70	14.06
76.80	77.80	.45	1.58	8.91
77.80	78.20	3.00	5.00	40.46
78.20	79.60	6.14	11.71	90.86
79.60	81.60	8.50	15.53	141.26
81.60	82.30	N/A	N/A	N/A
82.30	84.70	3.75	5.63	60.34
84.70	87.20	8.40	12.06	155.32
87.20	88.30	5.60	7.72	90.86
88.30	88.50	N/A	N/A	N/A
88.50	89.90	3.45	6.62	58.63
89.90	93.30	N/A	N/A	N/A

HOLE NO: A-142
 HOLE LENGTH: 267.90

LATITUDE: 10593.89
 DEPARTURE: 7676.71
 ELEVATION: 1288.10

AZIMUTH: 0.00
 DIP: -90.00

DIP TESTS:	DEPTH	DIP	AZIMUTH
	88.40	-87.00	55.00
	149.40	-84.24	55.00
	189.00	-83.48	68.00
	231.00	-80.00	43.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	50.50	N/A	N/A	N/A
50.50	52.00	3.63	3.25	40.46
52.00	53.50	5.51	2.35	70.63
53.50	55.00	1.28	.65	25.37
55.00	56.50	7.28	4.65	86.74
56.50	58.00	3.45	3.65	44.23
58.00	59.50	6.10	5.20	72.69
59.50	60.70	3.20	2.95	43.54
60.70	90.00	N/A	N/A	N/A
90.00	90.60	1.23	2.25	16.11
90.60	91.60	3.55	4.45	52.46
91.60	93.10	6.55	11.90	102.86
93.10	94.60	5.20	9.09	76.80
94.60	98.70	N/A	N/A	N/A
98.70	100.20	5.75	7.98	100.80
100.20	101.70	5.00	8.65	100.80
101.70	103.40	5.21	9.90	88.80
103.40	154.70	N/A	N/A	N/A
154.70	156.20	5.48	3.55	102.86
156.20	157.70	4.68	7.16	60.34
157.70	159.20	4.85	6.90	63.43
159.20	160.70	4.03	6.63	52.46
160.70	161.60	4.05	6.28	50.40
161.60	164.60	.33	3.45	9.94
164.60	165.20	5.54	4.70	72.69
165.20	166.10	3.83	5.05	43.54
166.10	197.80	N/A	N/A	N/A
197.80	199.10	.85	.98	8.91
199.10	200.70	1.63	1.83	16.11
200.70	242.80	N/A	N/A	N/A
242.80	243.50	3.38	2.90	44.23
243.50	244.30	.73	.53	8.23
244.30	245.10	5.80	4.05	62.40
245.10	245.70	2.80	2.70	30.17
245.70	246.30	3.53	3.18	31.20
246.30	249.00	4.30	3.15	42.51
249.00	250.20	3.80	3.15	45.26
250.20	252.40	2.83	2.25	38.40
252.40	253.60	2.58	1.75	38.40
253.60	267.90	N/A	N/A	N/A

MOORE SECURITO 4

HOLE NO: A-143
 HOLE LENGTH: 168.20

LATITUDE: 10764.16
 DEPARTURE: 7840.88
 ELEVATION: 1306.31

AZIMUTH: 0.00
 DIP: -90.00

DIP TESTS:	DEPTH	DIP	AZIMUTH
	76.20	-83.00	63.00
	137.10	-73.30	72.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	140.50	N/A	N/A	N/A
140.50	141.80	3.90	6.88	46.29
141.80	145.20	N/A	N/A	N/A
145.20	145.90	.68	.95	12.00
145.90	148.30	3.85	5.15	64.46
148.30	168.20	N/A	N/A	N/A

MOORE SPECIFIC 4

HOLE NO: A-147
 HOLE LENGTH: 184.40

LATITUDE: 10638.32
 DEPARTURE: 7719.39
 ELEVATION: 1288.75

AZIMUTH: 0.00
 DIP: -90.00

DIP TESTS: DEPTH DIP AZIMUTH
 107.00 -85.00 67.00
 151.00 -82.00 79.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	43.30	N/A	N/A	N/A
43.30	46.70	1.55	3.58	34.29
46.70	77.70	N/A	N/A	N/A
77.70	79.50	.40	.43	6.17
79.50	82.00	N/A	N/A	N/A
82.00	84.00	.68	1.38	10.97
84.00	85.40	.80	.95	9.94
85.40	89.00	N/A	N/A	N/A
89.00	90.40	.70	1.18	8.91
90.40	96.90	N/A	N/A	N/A
96.90	98.40	.50	1.00	10.97
98.40	99.90	.68	1.90	19.20
99.90	101.40	1.98	3.60	33.26
101.40	102.90	2.93	4.85	47.31
102.90	104.40	.38	1.05	14.06
104.40	105.90	.38	.75	9.94
105.90	107.00	.78	1.63	14.06
107.00	107.90	.25	1.13	3.09
107.90	136.20	N/A	N/A	N/A
136.20	137.80	.22	.53	3.09
137.80	146.90	N/A	N/A	N/A
146.90	148.40	.45	.80	8.91
148.40	150.00	.40	.35	6.17
150.00	151.50	.10	.28	3.09
151.50	153.00	.55	1.05	8.91
153.00	154.50	.26	.45	5.14
154.50	159.00	N/A	N/A	N/A
159.00	160.70	.07	.20	3.09
160.70	161.80	.03	.30	5.14
161.80	163.40	.05	.25	2.06
163.40	164.90	.08	.18	5.14
164.90	166.40	.05	.70	7.20
166.40	168.20	.15	.68	7.20
168.20	169.80	3.25	5.00	44.23
169.80	170.70	1.95	2.40	34.29
170.70	171.80	N/A	N/A	N/A
171.80	172.80	4.05	7.39	49.03
172.80	174.30	.90	1.65	18.17
174.30	175.90	1.43	2.73	32.23
175.90	184.40	N/A	N/A	N/A

HOLE NO: A-149
 HOLE LENGTH: 198.40

LATITUDE: 10598.14
 DEPARTURE: 7848.42
 ELEVATION: 1295.18

AZIMUTH: 0.00
 DIP: -90.00

DIP TESTS:	DEPTH	DIP	AZIMUTH
✓	67.06	-87.00	62.00
	112.78	-81.00	60.00
	160.02	-81.00	54.00
	190.50	-79.00	57.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	153.30	N/A	N/A	N/A
153.30	154.90	2.93	3.65	54.52
154.90	160.80	N/A	N/A	N/A
160.80	162.50	3.90	4.20	51.43
162.50	164.00	6.05	6.70	87.77
164.00	165.50	6.01	6.36	76.80
165.50	167.00	7.58	5.58	95.66
167.00	168.60	5.92	7.95	82.63
168.60	170.10	.35	.48	9.94
170.10	173.10	.09	.07	6.17
173.10	176.60	.22	.33	7.20
176.60	179.60	1.65	1.13	26.40
179.60	181.70	.55	.75	9.94
181.70	184.80	.30	.38	6.17
184.80	186.80	.48	.93	9.94
186.80	187.80	.10	.13	3.09
187.80	198.40	N/A	N/A	N/A

MOORE SPECIFIC 4

DIAMOND DRILL LOG MA

STER FILE

HOLE NO: A-151
 HOLE LENGTH: 145.40

LATITUDE: 11254.74
 DEPARTURE: 7474.78
 ELEVATION: 1323.75

AZIMUTH: 0.00
 DIP: -90.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	110.20	N/A	N/A	N/A
110.20	112.40	.50	.75	8.91
112.40	113.40	4.15	9.05	80.57
113.40	115.20	1.80	3.35	33.26
115.20	122.50	N/A	N/A	N/A
122.50	123.40	1.40	2.65	21.26
123.40	124.90	3.15	7.42	48.34
124.90	126.00	.34	.60	6.17
126.00	129.90	N/A	N/A	N/A
129.90	133.20	1.70	2.53	24.34
133.20	145.40	N/A	N/A	N/A

MOORE SPECIFIC 4

HOLE NO: A-152 LATITUDE: 10552.83 AZIMUTH: 0.00
 HOLE LENGTH: 209.20 DEPARTURE: 7805.69 DIP: -90.00
 ELEVATION: 1287.92

DIP TESTS: DEPTH DIP AZIMUTH
 70.10 -86.50 50.00
 154.84 -79.50 90.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	46.10	N/A	N/A	N/A
46.10	47.70	.96	1.48	19.20
47.70	50.70	.58	.88	20.23
50.70	106.70	.00	.00	.00
106.70	108.20	.02	.26	4.11
108.20	146.30	.00	.00	.00
146.30	147.80	1.80	2.72	30.17
147.80	149.30	2.15	4.09	35.31
149.30	150.10	1.63	2.50	26.40
150.10	179.20	.00	.00	.00
179.20	180.30	2.10	2.84	26.40
180.30	200.60	.00	.00	.00
200.60	202.10	1.83	1.56	25.37
202.10	203.10	.25	.24	9.94
203.10	204.10	.30	.35	10.97
204.10	206.10	4.10	4.95	60.34
206.10	209.20	N/A	N/A	N/A

MOORE SPECIFIC 4

HOLE NO: A-153
 HOLE LENGTH: 218.50

LATITUDE: 10680.11
 DEPARTURE: 7758.80
 ELEVATION: 1297.22

AZIMUTH: 0.00
 DIP: -90.00

DIP TESTS: DEPTH DIP AZIMUTH
 82.30 -78.00 82.00
 164.59 -87.00 32.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	58.30	N/A	N/A	N/A
58.30	60.00	1.18	1.40	15.09
60.00	157.60	N/A	N/A	N/A
157.60	158.70	.60	1.08	9.94
158.70	160.30	2.28	4.05	40.46
160.30	162.10	3.80	7.57	58.63
162.10	162.90	.48	.80	8.23
162.90	175.20	N/A	N/A	N/A
175.20	176.10	3.33	2.85	37.37
176.10	177.90	9.85	9.31	96.69
177.90	179.60	5.50	7.47	73.71
179.60	180.60	.00	.00	.00
180.60	182.00	6.59	5.30	70.63
182.00	183.50	1.70	1.63	16.11
183.50	185.00	2.38	1.45	22.29
185.00	186.50	13.79	4.65	138.17
186.50	188.00	5.00	7.06	73.71
188.00	188.80	3.38	6.26	45.26
188.80	190.30	.30	.75	8.91
190.30	191.80	1.03	1.25	14.06
191.80	192.50	.63	1.13	17.14
192.50	194.00	.15	.10	6.17
194.00	197.00	.38	.60	7.86
197.00	199.90	1.50	2.13	20.23
199.90	200.60	.88	.98	12.00
200.60	201.80	3.10	2.45	45.26
201.80	203.00	1.33	1.78	17.14
203.00	206.00	.63	.68	13.03
206.00	207.50	.38	.48	7.20
207.50	209.00	1.35	1.23	22.29
209.00	209.60	1.43	1.98	25.37
209.60	210.90	.00	.00	.00
210.90	212.40	1.00	.73	14.06
212.40	218.50	N/A	N/A	N/A

HOLE NO: A-155
 HOLE LENGTH: 94.50

LATITUDE: 10962.65
 DEPARTURE: 7697.62
 ELEVATION: 1311.05

AZIMUTH: 0.00
 DIP: -90.00

X-Section: Applied
 D & B of A-73
 as suggested by
 F. Chow

Not applied on DLF
 because difference is
 too small

[Signature]
 March, 1977

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	41.80	N/A	N/A	N/A
41.80	44.00	1.93	3.88	33.26
44.00	45.50	3.95	8.34	60.34
45.50	47.00	3.16	5.71	50.40
47.00	48.50	2.95	5.54	46.29
48.50	50.00	2.98	4.55	42.51
50.00	51.50	2.38	4.75	35.31
51.50	53.70	3.40	7.66	51.43
53.70	54.10	3.45	5.72	61.37
54.10	56.90	.00	.00	.00
56.90	58.80	3.40	6.12	54.51
58.80	60.70	4.48	7.74	66.51
60.70	62.20	2.10	2.80	28.11
62.20	65.20	1.78	2.50	25.37
65.20	68.20	.95	1.38	14.06
68.20	69.70	1.06	1.73	18.17
69.70	71.20	4.09	5.05	60.34
71.20	74.90	.00	.00	.00
74.90	76.40	.39	.59	7.89
76.40	77.20	3.60	1.67	37.37
77.20	78.70	6.08	10.92	92.92
78.70	80.20	6.50	10.68	97.72
80.20	81.70	10.75	17.14	181.37
81.70	83.80	.00	.00	.00
83.80	84.90	2.13	4.13	40.46
84.90	85.40	.00	.00	.00
85.40	87.20	2.94	6.19	48.34
87.20	94.50	N/A	N/A	N/A

HOLE NO: A-156
 HOLE LENGTH: 206.35

LATITUDE: 11104.53
 DEPARTURE: 7491.81
 ELEVATION: 1319.41

AZIMUTH: 0.00
 DIP: -90.00

DIP TESTS:	DEPTH	DIP	AZIMUTH
	61.00	-90.00	0.00
	206.35	-86.00	120.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	85.00	N/A	N/A	N/A
85.00	86.50	3.12	5.30	45.26
86.50	88.00	2.50	3.70	36.34
88.00	88.60	2.05	3.40	28.11
88.60	91.30	.00	.00	.00
91.30	92.40	1.38	2.25	18.17
92.40	94.70	.00	.00	.00
94.70	96.20	1.78	2.13	24.34
96.20	99.20	1.28	2.15	17.14
99.20	100.30	1.88	2.35	28.11
100.30	101.70	3.70	4.55	52.46
101.70	103.20	4.52	6.17	70.63
103.20	104.70	3.81	6.78	69.60
104.70	106.10	.00	.00	.00
106.10	107.40	2.18	4.15	36.34
107.40	108.90	1.23	2.78	18.17
108.90	110.40	1.75	2.95	29.14
110.40	111.90	4.07	4.50	55.54
111.90	113.40	4.45	5.30	61.37
113.40	114.90	3.80	5.10	62.40
114.90	116.40	5.10	7.21	77.83
116.40	118.90	3.59	6.05	51.43
118.90	120.00	.68	.65	7.89
120.00	121.00	.00	.00	.00
121.00	122.50	1.10	.76	13.03
122.50	124.10	1.95	2.54	27.43
124.10	125.60	2.49	6.05	41.49
125.60	127.10	2.75	6.78	50.40
127.10	128.60	1.93	4.17	32.23
128.60	130.10	2.78	6.65	47.31
130.10	130.60	2.08	5.84	36.34
130.60	132.60	.00	.00	.00
132.60	135.30	2.68	2.48	40.46
135.30	137.30	3.03	4.90	45.26
137.30	138.80	3.33	4.80	49.03
138.80	140.30	2.63	3.85	43.54
140.30	141.80	1.68	3.95	29.14
141.80	143.30	1.48	3.15	25.37
143.30	146.30	1.38	2.18	24.34
146.30	148.30	1.78	1.63	24.34
148.30	150.00	1.68	2.00	25.37
150.00	154.90	2.10	3.00	30.17
154.90	157.90	1.48	2.80	25.37
157.90	158.50	.60	1.53	8.23
158.50	167.60	.00	.00	.00
167.60	169.10	.43	1.28	8.91

HOLE NO: A-157
 HOLE LENGTH: 155.40

LATITUDE: 10506.97
 DEPARTURE: 7677.26
 ELEVATION: 1284.51

AZIMUTH: 0.00
 DIP: -90.00

DIP TESTS:	DEPTH	DIP	AZIMUTH
	61.00	-87.30	122.00
	121.90	-86.00	82.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	32.60	N/A	N/A	N/A
32.60	34.10	3.78	2.85	49.37
34.10	67.60	.00	.00	.00
67.60	70.70	1.00	.60	13.03
70.70	72.20	1.05	.95	20.23
72.20	73.60	2.78	1.10	35.31
73.60	75.10	2.18	1.25	30.17
75.10	76.60	4.15	4.30	52.46
76.60	77.80	.60	.93	8.23
77.80	104.60	.00	.00	.00
104.60	107.70	.58	.45	13.03
107.70	110.30	.00	.00	.00
110.30	111.90	.15	.18	8.23
111.90	116.50	.00	.00	.00
116.50	118.00	.15	.20	9.94
118.00	118.90	.60	.38	15.09
118.90	120.80	5.96	5.03	72.69
120.80	155.40	N/A	N/A	N/A

MOORE
 SPECIFIC 4

HOLE NO: A-158
 HOLE LENGTH: 135.60

LATITUDE: 10977.56
 DEPARTURE: 7627.69
 ELEVATION: 1312.59

AZIMUTH: 0.00
 DIP: -90.00

DIP TESTS: DEPTH DIP AZIMUTH
 57.00 -90.00 0.00
 114.00 -84.30 90.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	17.70	N/A	N/A	N/A
17.70	18.60	7.69	9.08	150.17
18.60	20.10	7.51	13.33	118.97
20.10	21.30	3.43	5.99	53.49
21.30	23.80	2.60	6.20	52.46
23.80	49.40	.00	.00	.00
49.40	51.40	1.80	4.50	32.23
51.40	53.50	2.58	5.69	44.23
53.50	65.20	.00	.00	.00
65.20	65.50	4.58	11.42	87.77
65.50	67.50	.00	.00	.00
67.50	68.50	2.50	6.24	46.29
68.50	69.00	.00	.00	.00
69.00	70.50	2.68	6.96	48.34
70.50	71.00	2.30	7.45	36.34
71.00	91.20	.00	.00	.00
91.20	92.70	2.53	4.70	37.37
92.70	94.20	2.20	4.45	36.34
94.20	96.50	.00	.00	.00
96.50	98.00	2.55	5.65	43.54
98.00	99.50	1.95	3.83	30.17
99.50	101.00	2.10	4.43	36.34
101.00	101.80	2.48	4.68	38.40
101.80	102.70	.00	.00	.00
102.70	103.20	1.93	3.90	25.37
103.20	104.00	.00	.00	.00
104.00	106.70	1.25	4.05	23.31
106.70	110.80	.00	.00	.00
110.80	112.70	4.68	5.54	78.86
112.70	114.60	7.25	11.76	129.26
114.60	115.80	.00	.00	.00
115.80	117.20	2.08	2.70	25.37
117.20	118.10	.00	.00	.00
118.10	119.90	3.20	4.70	43.54
119.90	121.00	.00	.00	.00
121.00	123.40	3.38	5.75	52.46
123.40	125.70	.00	.00	.00
125.70	127.80	6.10	11.23	105.94
127.80	129.30	1.38	3.88	18.17
129.30	131.20	2.40	4.75	32.23
131.20	135.60	N/A	N/A	N/A

HOLE NO: A-160
 HOLE LENGTH: 145.10

LATITUDE: 11021.19
 DEPARTURE: 7575.68
 ELEVATION: 1312.30

AZIMUTH: 0.00
 DIP: -90.00

DIP TESTS: DEPTH DIP AZIMUTH
 60.96 -89.00 147.45
 121.92 -85.30 139.00

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	49.20	N/A	N/A	N/A
49.20	51.20	1.43	3.18	25.37
51.20	52.70	1.00	2.70	23.31
52.70	53.60	1.53	2.65	28.46
53.60	54.90	1.85	5.62	34.29
54.90	56.10	1.13	2.90	17.14
56.10	65.90	.00	.00	.00
65.90	67.50	2.50	6.15	41.49
67.50	69.10	3.23	4.85	48.34
69.10	70.20	2.90	6.00	51.43
70.20	71.40	.00	.00	.00
71.40	73.00	2.70	7.88	51.43
73.00	74.60	4.76	6.32	72.69
74.60	75.70	1.88	3.40	28.46
75.70	79.20	.00	.00	.00
79.20	81.20	1.13	1.10	19.20
81.20	84.30	.00	.00	.00
84.30	87.80	1.10	1.10	17.14
87.80	88.60	.00	.00	.00
88.60	90.30	.80	1.03	15.09
90.30	95.60	.00	.00	.00
95.60	98.50	1.72	3.83	23.37
98.50	100.00	.60	1.50	7.20
100.00	101.50	1.80	4.18	29.14
101.50	102.10	2.50	6.51	35.31
102.10	108.00	.00	.00	.00
108.00	111.30	1.85	2.95	28.46
111.30	113.70	.55	1.43	15.09
113.70	116.80	.00	.00	.00
116.80	119.80	.55	.48	8.23
119.80	120.60	.00	.00	.00
120.60	122.10	1.83	3.75	21.26
122.10	123.60	3.10	6.22	53.49
123.60	125.20	3.38	4.80	53.49
125.20	126.90	3.30	5.83	53.49
126.90	129.50	.00	.00	.00
129.50	130.00	1.18	2.65	17.14
130.00	132.00	2.10	4.86	32.23
132.00	132.90	2.75	5.35	44.23
132.90	134.10	3.13	5.30	43.20
134.10	145.10	N/A	N/A	N/A

HOLE NO: A-161
 HOLE LENGTH: 122.20

LATITUDE: 10979.27
 DEPARTURE: 7628.07
 ELEVATION: 1312.49

AZIMUTH: 0.00
 DIP: ~~-50.00~~
 -51.00

DIP TESTS:	DEPTH	DIP	AZIMUTH
	12.20	-51.00	44.00
	24.40	-53.00	44.00
	42.70	-51.00	44.00
	93.60	-53.00	54.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	36.00	N/A	N/A	N/A
36.00	37.80	1.78	3.68	33.26
37.80	40.20	1.63	3.45	30.17
40.20	48.70	.00	.00	.00
48.70	49.70	1.83	4.60	32.23
49.70	51.30	2.95	5.35	45.26
51.30	55.50	.00	.00	.00
55.50	57.30	.95	2.03	17.14
57.30	61.60	.00	.00	.00
61.60	63.30	.90	1.48	14.74
63.30	65.50	.85	1.13	14.74
65.50	67.00	1.30	2.23	21.26
67.00	68.50	.83	1.73	17.14
68.50	70.00	1.28	2.80	25.37
70.00	71.50	1.78	4.55	31.20
71.50	74.50	2.23	3.20	33.26
74.50	76.80	2.10	5.70	40.46
76.80	77.30	.80	1.40	15.09
77.30	80.90	.00	.00	.00
80.90	81.40	1.00	.75	20.23
81.40	82.90	2.15	5.06	40.46
82.90	84.40	1.65	3.80	28.46
84.40	85.90	.73	1.28	9.94
85.90	89.00	.63	1.08	9.94
89.00	109.80	.00	.00	.00
109.80	111.50	2.20	3.10	31.20
111.50	114.70	.00	.00	.00
114.70	116.40	1.50	2.23	27.43
116.40	118.00	5.64	5.80	91.89
118.00	119.70	2.85	3.98	49.37
119.70	122.20	N/A	N/A	N/A

HOLE NO: A-162
 HOLE LENGTH: 130.10

LATITUDE: 10379.43
 DEPARTURE: 7722.60
 ELEVATION: 1274.31

AZIMUTH: 0.00
 DIP: -90.00

DIP TESTS: DEPTH DIP AZIMUTH
 95.10 -83.00 37.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	62.30	N/A	N/A	N/A
62.30	63.20	1.15	1.03	17.14
63.20	64.80	3.10	2.60	39.43
64.80	66.40	3.20	1.58	48.34
66.40	67.90	.13	.25	8.23
67.90	75.00	.00	.00	.00
75.00	76.50	.13	.18	9.94
76.50	78.00	.13	.13	5.14
78.00	79.70	2.50	1.03	42.51
79.70	81.80	.20	.23	7.89
81.80	83.30	.25	.85	8.91
83.30	84.80	6.60	7.66	89.83
84.80	130.10	N/A	N/A	N/A

MOORE SPECIFIC 4

HOLE NO: A-163
 HOLE LENGTH: 119.50

LATITUDE: 11092.38
 DEPARTURE: 7642.50
 ELEVATION: 1312.69

AZIMUTH: 0.00
 DIP: -90.00

DIP TESTS: DEPTH 82.90 DIP -84.12 AZIMUTH 102.00

INTERVAL		ASSAYS		
FROM	TO	PB	ZN	AG
		%	%	GM/TON
0.00	15.80	N/A	N/A	N/A
15.80	17.40	1.83	1.13	20.23
17.40	25.90	.00	.00	.00
25.90	26.90	1.58	2.35	22.29
26.90	28.40	4.03	3.16	42.51
28.40	29.90	4.80	5.45	50.40
29.90	31.10	2.48	4.10	33.26
31.10	32.60	2.63	2.55	30.17
32.60	34.60	2.78	2.95	35.31
34.60	35.50	1.88	5.00	36.34
35.50	38.50	2.00	4.58	31.20
38.50	41.50	1.98	4.05	26.40
41.50	43.00	3.88	6.43	48.34
43.00	45.40	1.20	2.38	16.11
45.40	50.40	.00	.00	.00
50.40	53.00	3.35	6.17	52.46
53.00	55.60	2.23	4.00	29.14
55.60	66.40	.00	.00	.00
66.40	67.90	3.38	7.26	59.31
67.90	69.40	2.08	4.85	34.29
69.40	70.70	1.65	3.38	23.31
70.70	71.80	.48	.63	6.17
71.80	73.70	7.48	13.40	121.03
73.70	75.30	.93	2.23	14.06
75.30	76.80	1.03	2.33	17.14
76.80	78.70	5.65	12.89	87.77
78.70	79.20	1.15	3.85	17.14
79.20	85.50	.00	.00	.00
85.50	86.20	3.48	7.31	53.49
86.20	91.70	.00	.00	.00
91.70	92.30	2.43	4.65	39.43
92.30	93.90	1.83	2.13	32.23
93.90	95.50	2.33	3.70	34.29
95.50	98.70	.78	1.10	13.03
98.70	100.20	3.38	5.93	52.46
100.20	103.60	.00	.00	.00
103.60	104.20	7.86	16.20	130.97
104.20	105.80	2.35	5.20	40.46
105.80	107.30	.98	3.18	14.06
107.30	108.50	.00	.00	.00
108.50	109.40	2.15	4.66	35.31
109.40	110.90	5.48	6.82	87.77
110.90	112.40	2.68	5.30	47.31
112.40	119.50	N/A	N/A	N/A

HOLE NO: A-164
 HOLE LENGTH: 110.30

LATITUDE: 11141.54
 DEPARTURE: 7684.46
 ELEVATION: (~~1289.22~~)

AZIMUTH: 0.00
 DIP: -90.00

1312.80

INTERVAL		ASSAYS		
FROM	TO	PB %	ZN %	AG GM/TON
0.00	83.40	N/A	N/A	N/A
83.40	84.90	.70	1.33	14.74
84.90	87.90	1.35	3.43	26.40
87.90	89.40	.93	2.50	13.03
89.40	110.30	N/A	N/A	N/A

Alexander Young Po
 Sept. 22, 1977

MOORE
 SPECIFIC 4

GRUM JOINT VENTURE

DRILL
LOG
File

SURFACE HOLES

ACGO
U.S. PAT. NO. 3572857

ACGO
PAT. PEND.

ACGO
PAT. PEND.