019571

LINE # 18 WEST

Staking 10-26
31
32
36
37
42
} missing

Line No. 185
Stn. No. 1
Date July 3
Time 832

Meter Readings

4983.83

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev Diff.	7	10	0	4	X	X	
		Corr.	2.0	3.0		1.0			060
54.6' to 175'	C	Elev. Diff.	15	15	0	10	20	20	
		Corr.	1.0	1.0		0.3	1.0	1.0	.043
175' to 558'	D	Elev Diff.							
		Corr.							

Total Corr. = 103 Mg.



ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note Values are in feet to center of compartment

Line No. 18W
Stn. No. 2
Date July 3
Time 838

Meter Readings

4985.38

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev Diff.	4	5	5	0			
		Corr.	1.0	1.0	1.0				.030
54.6' to 175'	C	Elev. Diff.	25	25	10	10	30	30	
		Corr.	2.0	2.0	0.3	0.3	3.0	3.0	.106
175' to 558'	D	Elev Diff.							
		Corr.							

Total Corr. = 136 Mg.



Note Values are in feet to center of compartment

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Line No. 18W
Stn. No. 3
Date July 3
Time 844

Meter Readings
4986.80

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	8	0	5	6			
		Corr.	2.0		1.0	1.0			.040
54.6' to 175'	C	Elev. Diff.	25	25	15	0	10	20	
		Corr.	2.0	2.0	1.0		0.3	1.0	.063
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = 103 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note. Values are in feet to center of compartment

Contract Company

Line No. 18W
Stn. No. 4
Date July 3
Time 848

Meter Readings

4988.58

Average Reading

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	7	3	2	6			
		Corr.	2.0	0.4	0.2	1.0			.036
54.6' to 175'	C	Elev. Diff.	20	20	0	0	25	25	
		Corr.	1.0	1.0			2.0	2.0	.060
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = 096 Mg.



Note. Values are in feet to center of compartment

ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Line No. 18W
Stn. No. 5
Date July 3
Time 8 53

Meter Readings

4990.08

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	5	5	0	5			
		Corr.	1.0	1.0		1.0			030
54.6' to 175'	C	Elev. Diff.	30	30	10	5	25	25	
		Corr.	3.0	3.0	0.3	0.1	2.0	2.0	.104
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = 134 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note Values are in feet to center of compartment

Line No. 18W
Stn. No. 6
Date July 3
Time 859

Meter Readings

4992.05

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev Diff.	5	8	0	0			
		Corr.	1.0	2.0					030
54.6' to 175'	C	Elev. Diff.	20	20	0	0	40	40	
		Corr.	1.0	1.0			4.0	4.0	.100
175' to 558'	D	Elev Diff							
		Corr.							

Total Corr. = 130 Mg.



Note. Values are in feet to center of compartment

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Line No. 18W
Stn. No. 7
Date July 3
Time 905

Meter Readings

4993.57

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	8	4	0	0			
		Corr.	2.0	1.0					.030
54.6' to 175'	C	Elev. Diff.	10	0	20	20	0	10	
		Corr.	0.3		1.0	1.0		0.3	.026
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = 056 Mg.



Note. Values are in feet to center of compartment

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Contract Company

Line No. 18W
Stn. No. 8
Date July 3
Time 908

Meter Readings

4994.54

Average Reading

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	8	4	0	0			
		Corr.	2.0	1.0					.030
54.6' to 175'	C	Elev. Diff.	10	0	20	20	0	10	
		Corr.	0.3		1.0	1.0		0.3	.026
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = 056 Mg.



Note. Values are in feet to center of compartment

ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Line No. 18W
Stn. No. 9
Date July 3
Time 9:12

Meter Readings

4995.33

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	8	5	0	0			
		Corr.	2.0	1.0					.030
54.6' to 175'	C	Elev. Diff.	15	15	0	0	10	10	
		Corr.	1.0	1.0			0.3	0.3	.026
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .056 Mg.



Note Values are in feet to center of compartment

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Line No. 18W
Stn. No. 27+00N
Date 7/28
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	5	15	10	5			
		Corr.	2	5	3	2			.12
54.6' to 175'	C	Elev. Diff.	15	25	20	15	10	15	
		Corr.	1	2	1	1	.3	1	.063
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .18 Mg.



Note: Values are in feet to center of compartment.

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date 7/28

Station # 18W 27+00N

Surveyor Computed by

Line No. 18W
Stn. No. 28
Date July 3
Time 1031

Meter Readings

4992.53

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	8	6	0	0			
		Corr.	2.0	1.0					.030
54.6' to 175'	C	Elev. Diff.	25	25	0	0	5	10	
		Corr.	2.0	2.0			0.1	0.3	.044
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = 074 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note Values are in feet to center of compartment

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	10	8	0	0			
		Corr.	3.0	2.0					.050
54.6' to 175'	C	Elev. Diff.	20	20	10	0	15	15	
		Corr.	1.0	1.0	0.3		1.0	1.0	.043
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .093 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Line No. 18W

Stn. No. 29

Date July 3

Time 1036

Meter Readings

4994.15

Average Reading

Prospect 69-124 Date

Station #

Surveyor Computed by

Note. Values are in feet to center of compartment

Line No. 18W
Stn. No. 30
Date July 3
Time 1040

Meter Readings

4995.72

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	5	5	0	0			
		Corr.	1.0	1.0					.020
54.6' to 175'	C	Elev. Diff.	20	20	0	0	0	0	
		Corr.	1.0	1.0					.020
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = 040 Mg.



Note. Values are in feet to center of compartment

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Line No. 18W
Stn. No. 33
Date July 3
Time 1057

Meter Readings
4992.77

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev Diff.	30	15	5	0			
		Corr.	10.0	5.0	1.0				.160
54.6' to 175'	C	Elev. Diff.	40	40	0	0	30	30	
		Corr.	4.0	4.0			3.0	3.0	.140
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = 300 Mg.



Note. Values are in feet to center of compartment

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Line No. 18W
Stn. No. 34
Date July 3
Time 1105

Meter Readings
4989.90

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev Diff.	20	20	0	0			
		Corr.	7.0	7.0					.140
54.6' to 175'	C	Elev. Diff.	25	50	50	25	0	0	
		Corr.	1.0	5.0	5.0	1.0			.120
175' to 558'	D	Elev. Diff.							
		Corr.							



Total Corr. = 260 Mg.

Note. Values are in feet to center of compartment

ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Line No. 18W
Stn. No. 35
Date July 3
Time 1110

Meter Readings

4988.85

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	10	5	0	0			
		Corr.	3.0	1.0					.040
54.6' to 175'	C	Elev. Diff.	12	14	8	8	0	0	
		Corr.	0.4	0.5	0.2	0.2			.013
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = 053 Mg.



Note. Values are in feet to center of compartment

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Line No. 18W
Stn. No. 38
Date July 3
Time 1123

Meter Readings
4987.90

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev Diff.	25	5	10	0	X	X	
		Corr.	9.0	1.0	3.0		X	X	.130
54.6' to 175'	C	Elev. Diff.	30	0	15	15	0	30	
		Corr.	3.0		1.0	1.0		3.0	.080
175' to 558'	D	Elev Diff.							
		Corr.							



Total Corr. = 210 Mg.

ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note. Values are in feet to center of compartment

Line No. 18W
Stn. No. 39
Date July 3
Time 1132

Meter Readings
4984.64

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev Diff.	30	10	10	0			
		Corr.	10.0	3.0	3.0				.160
54.6' to 175'	C	Elev. Diff.	50	50	0	0	10	10	
		Corr.	5.0	5.0			0.3	0.3	.106
175' to 558'	D	Elev Diff							
		Corr.							

Total Corr. = .266 Mg.



Note. Values are in feet to center of compartment

ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Line No. 18W
Stn. No. 40
Date July 3
Time 1138

Meter Readings
4984.04

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone	Compartment		1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev Diff.	0	5	5	5			
		Corr.		1.0	1.0	1.0			.030
54.6' to 175'	C	Elev Diff.	50	0	15	10	10	40	
		Corr.	5.0		1.0	0.3	0.3	4.0	.106
175' to 558'	D	Elev Diff.							
		Corr.							

Total Corr. = 136 Mg.



ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note. Values are in feet to center of compartment

Line No. 18W
Stn. No. 41
Date July 3
Time 1143

Meter Readings
4982.64

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	3	0	0	5			
		Corr.	0.4			1.0			.014
54.6' to 175'	C	Elev. Diff.	10	15	20	0	10	10	
		Corr.	0.3	1.0	1.0		0.3	0.3	.029
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = 043 Mg.



Note. Values are in feet to center of compartment

ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Contract Company

Line No. 18W
Stn. No. 43
Date July 3
Time 1153

Meter Readings
4981.71

Average Reading

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev Diff.	5	0	0	3	X	X	
		Corr.	1.0			0.4	X	X	.014
54.6' to 175'	C	Elev. Diff.	10	10	10	0	20	20	
		Corr.	0.3	0.3	0.3		1.0	1.0	.029
175' to 558'	D	Elev Diff.							
		Corr.							

Total Corr. = 043 Mg.



ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date _____

Station # _____

Surveyor _____ Computed by _____

Note. Values are in feet to center of compartment

Contract Company

Line No. 18W
Stn. No. 45
Date July 3
Time 1200

Meter Readings
4978.68

Average Reading

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	7	5	0	0			
		Corr.	2.0	1.0					.030
54.6' to 175'	C	Elev. Diff.	10	20	20	0	0	5	
		Corr.	0.3	1.0	1.0			0.1	024
175' to 558'	D	Elev. Diff.							
		Corr.							



Total Corr. = 054 Mg.

ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date _____

Station # _____

Surveyor _____ Computed by _____

Note. Values are in feet to center of compartment

LINE # 22 WEST

Line No. 22W
Stn. No. 6
Date July 5
Time 1745

Meter Readings
4988.12

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev Diff.	7	10	0	0			
		Corr.	2.0	3.0					.050
54.6' to 175'	C	Elev Diff.	25	25	0	0	35	35	
		Corr.	2.0	2.0			3.0	3.0	.100
175' to 558'	D	Elev Diff							
		Corr.							



Total Corr. = 150 Mg.

ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note Values are in feet to center of compartment

Line No. 22W
Stn. No. 7
Date July 5
Time 01.35

Meter Readings
4992.22

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev Diff.	10	10	00				
		Corr.	3.0	3.0					.060
54.6' to 175'	C	Elev Diff.	20	20	00		35	35	
		Corr.	1.0	1.0			3.0	3.0	.080
175' to 558'	D	Elev Diff							
		Corr.							

Total Corr. = 140 Mg.



Note Values are in feet to center of compartment

ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Line No. 22W
Stn. No. 8
Date July 5
Time 0130

Meter Readings
4994.04

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev Diff.	8	8	5	3			
		Corr.	2.0	2.0	1.0	0.7			054
54.6' to 175'	C	Elev Diff.	20	20	10	0	25	25	
		Corr.	1.0	1.0	0.3		2.0	2.0	.063
175' to 558'	D	Elev Diff.							
		Corr.							



Total Corr. = .117 Mg.

ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note Values are in feet to center of compartment

Line No. 22W
Stn. No. 9
Date July 5
Time 1230

Meter Readings
4995.77

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	7	7	0	0			
		Corr.	2.0	2.0					.040
54.6' to 175'	C	Elev. Diff.	15	15	0	0	30	30	
		Corr.	1.0	1.0			3.0	3.0	.080
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = 120 Mg.



Note Values are in feet to center of compartment

ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect _____ Date _____

Station # _____

Surveyor _____ Computed by _____

Line No. 22W
Stn. No. 10
Date July 5
Time 1226

Meter Readings
4996.94

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev Diff.	8	8	0	0			
		Corr.	2.0	2.0					040
54.6' to 175'	C	Elev Diff.	25	25	0	0	15	15	
		Corr.	2.0	2.0			1.0	1.0	060
175' to 558'	D	Elev Diff.							
		Corr.							

Total Corr. = 100 Mg.



Note Values are in feet to center of compartment

ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Line No. 22W
Stn. No. 11
Date July 5
Time 1222

Meter Readings
4998.06

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	5	5	0	0	X	X	
		Corr.	1.0	1.0					020
54.6' to 175'	C	Elev. Diff.	10	10	10	5	10	10	
		Corr.	0.3	0.3	0.3	0.1	0.3	0.3	.016
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = 036 Mg.



ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note. Values are in feet to center of compartment

Line No. 22W
Stn. No. 25
Date July 5
Time 1132

Meter Readings
4996.96

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	6	4	0	0			
		Corr.	1.0	0.5					.015
54.6' to 175'	C	Elev. Diff.	15	15	0	0	10	10	
		Corr.	1.0	1.0			0.3	0.3	026
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = 041 Mg.



Note Values are in feet to center of compartment

ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Line No. 22W
Stn. No. 26
Date July 5
Time 1128

Meter Readings
4994.37

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	8	10	3	3			
		Corr.	2.0	3.0	0.4	0.4			.058
54.6' to 175'	C	Elev. Diff.	15	15	0	0	10	10	
		Corr.	1.0	1.0			0.3	0.3	026
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = 084 Mg.



Note. Values are in feet to center of compartment

ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date
Station #
Surveyor Computed by

Line No. 22W
Stn. No. 27
Date July 5
Time ~ 1125

Meter Readings
4992.75

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	5	5	2	4			
		Corr.	1.0	1.0	0.2	1.0			.032
54.6' to 175'	C	Elev. Diff.	20	20	10	15	20	25	
		Corr.	1.0	1.0	0.3	1.0	1.0	2.0	.063
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = 095 Mg.



ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date _____

Station # _____

Surveyor _____ Computed by _____

Note. Values are in feet to center of compartment

Contract Company

Line No. 22W
Stn. No. 28
Date July 5
Time 1120

Meter Readings
4993.80

Average Reading

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	8	6	6	5	X	X	
		Corr.	2.0	1.0	1.0	1.0	X	X	.050
54.6' to 175'	C	Elev. Diff.	15	0	15	15	15	25	
		Corr.	1.0		1.0	1.0	1.0	2.0	.060
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = 110 Mg.



ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note Values are in feet to center of compartment

Line No. 225
Stn. No. 29
Date July 5
Time 915

Meter Readings
4994.96

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev Diff.	6	5	4	3			
		Corr.	1.0	1.0	1.0	0.5			.035
54.6' to 175'	C	Elev. Diff.	10	15	15	0	15	15	
		Corr.	0.3	1.0	1.0		1.0	1.0	.043
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .078 Mg.



Note. Values are in feet to center of compartment

ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Contract Company

Line No. 22W
Stn. No. 30
Date July 5
Time 923

Meter Readings
4996.53

Average Reading

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	10	10	3	0			
		Corr.	3.0	3.0	0.4				064
54.6' to 175'	C	Elev. Diff.	30	30	0	10	15	15	
		Corr.	3.0	3.0		0.3	1.0	1.0	.083
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = 147 Mg.



ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note Values are in feet to center of compartment

should be 22 W. (?)

Line No. 2W
Stn. No. 33
Date July 5
Time 940

Meter Readings
4994.87

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	8	5	0	0			
		Corr.	2.0	1.0					030
54.6' to 175'	C	Elev. Diff.	30	30	0	0	20	20	
		Corr.	3.0	3.0			1.0	1.0	080
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = 110 Mg.



Note Values are in feet to center of compartment

ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date _____

Station # _____

Surveyor _____ Computed by _____

Contract Company

Line No. 22W
Stn. No. 35
Date July 5
Time 949

Meter Readings
4991.45

Average Reading

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev Diff.	5	5	0	0			
		Corr.	1.0	1.0					020
54.6' to 175'	C	Elev Diff.	20	30	15	0	30	30	
		Corr.	1.0	3.0	1.0		3.0	3.0	110
175' to 558'	D	Elev Diff.							
		Corr.							



Total Corr. = 130 Mg.

Note. Values are in feet to center of compartment

ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Contract Company

Line No. 22W
Stn. No. 36
Date July 5
Time 954

Meter Readings

4988.77

Average Reading

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	8	12	10	0			
		Corr.	2.0	4.0	3.0				090
54.6' to 175'	C	Elev. Diff.	10	15	15	15	35	30	
		Corr.	0.3	1.0	1.0	1.0	3.0	3.0	.093
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = 183 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note. Values are in feet to center of compartment

Line No. 22W
Stn. No. 38
Date July 5
Time ~1008

Meter Readings
4986.70

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	5	5	0	0			
		Corr.	1.0	1.0					.020
54.6' to 175'	C	Elev. Diff.	10	15	5	5	15	20	
		Corr.	0.3	1.0	0.1	0.1	1.0	1.0	.035
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .055 Mg.



ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note. Values are in feet to center of compartment

Line No. 22W
Stn. No. 39
Date July 5
Time 1012

Meter Readings
4985.67

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	5	5	0	0			
		Corr.	1.0	1.0					.020
54.6' to 175'	C	Elev. Diff.	10	10	15	10	20	20	
		Corr.	0.3	0.3	1.0	0.3	1.0	1.0	.039
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .059 Mg.



ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date _____

Station # _____

Surveyor _____ Computed by _____

Note Values are in feet to center of compartment

Line No. 22W
Stn. No. 42
Date July 5
Time 1037

Meter Readings

4984.33

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	10	0	0	0			
		Corr.	3.0						030
54.6' to 175'	C	Elev. Diff.	0	0	0	10	10	10	
		Corr.				0.3	0.3	0.3	.009
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = 039 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note. Values are in feet to center of compartment

Line No. 22W
Stn. No. 43
Date July 5
Time 1033

Meter Readings
4983.69

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	5	5	0	5	X	X	
		Corr.	1.0	1.0		1.0	X	X	030
54.6' to 175'	C	Elev. Diff.	10	10	0	0	15	10	
		Corr.	0.3	0.3			1.0	03	.019
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = 049 Mg.



ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date _____

Station # _____

Surveyor _____ Computed by _____

Note. Values are in feet to center of compartment

Line No. 22W
Stn. No. 44
Date July 5
Time 1040

Meter Readings

4982.56

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	5	5	0	0			
		Corr.	1.0	1.0					020
54.6' to 175'	C	Elev. Diff.	10	10	0	0	15	15	
		Corr.	0.3	0.3			1.0	1.0	026
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .046 Mg.



Note. Values are in feet to center of compartment

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

KERR ADDISON MINES LIMITED

MEMO

VANCOUVER OFFICE

DATE _____

TO: _____

FROM: _____

SUBJECT: _____

Lune 30 W.

Line No. 30W
Stn. No. 44+00N
Date 7/28
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	2	5	15	15			
		Corr.	.1	1	5	5			.10
54.6' to 175'	C	Elev. Diff.	10	15	20	30	35	35	
		Corr.	.3	1	1	2	3	3	.10
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .20 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6' ±H FT.	T	ZONE C 6 Compartments 54.6' to 175' ±H FT.	T	ZONE D 6 Compartments 175' to 558' ±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note: Values are in feet to center of compartment.

Line No. 30W
Stn. No. 45+00N
Date 7/28
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	20	20	15	15			
		Corr.	7	7	5	5			.24
54.6' to 175'	C	Elev. Diff.	40	40	30	25	20	20	
		Corr.	4	4	2	2	1	1	.14
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .38 Mg.



Note: Values are in feet to center of compartment.

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

LINE #10 WEST

3-28 incl } missing
32
34

Line No. 10W
Stn. No. 1
Date June 29
Time 826

Meter Readings
4987.23

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev Diff.	7	0	7	0			
		Corr.	1.0		1.0				.020
54.6' to 175'	C	Elev Diff.	25	15	15	25	15	15	
		Corr.	2.0	1.0	1.0	2.0	1.0	1.0	.080
175' to 558'	D	Elev Diff.							
		Corr.							

Total Corr. = .100 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note Values are in feet to center of compartment

Line No. 10W
Stn. No. 1+00N
Date June 29
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	7	0	7	0			.02
		Corr.	1	0	1	0			
54.6' to 175'	C	Elev. Diff.	25	15	15	25	15	15	.08
		Corr.	2	1	1	2	1	1	
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .10 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note: Values are in feet to center of compartment.

Line No. 10W
Stn. No. 2
Date June 29
Time 834

Meter Readings

4988.60

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev Diff.	5	0	5	0			
		Corr.	1.0		1.0				.020
54.6' to 175'	C	Elev Diff.	15	10	5	15	10	5	
		Corr.	1.0	0.3	0.1	1.0	0.3	0.1	.028
175' to 558'	D	Elev Diff.							
		Corr.							

Total Corr. = 048 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note Values are in feet to center of compartment

Line No. 10W
Stn. No. 29
Date June 29
Time 1255

Meter Readings

4991.51

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	8	10	0	8			
		Corr.	2.0	3.0		2.0			.070
54.6' to 175'	C	Elev. Diff.	15	20	10	10	15	10	
		Corr.	1.0	1.0	0.3	0.3	1.0	0.3	.039
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .109 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note Values are in feet to center of compartment

Line No. 10W
Stn. No. 29+00N
Date June 29
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	8	10	0	8			
		Corr.	2	3	0	2			.07
54.6' to 175'	C	Elev. Diff.	15	20	10	10	15	10	
		Corr.	1	1	.3	.3	1	.3	.039
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .11 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-12H Date

Station #

Surveyor Computed by

Note: Values are in feet to center of compartment.

Line No. 10W
Stn. No. 30
Date June 29
Time 1:10

Meter Readings
4992.88

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev Diff.	7	0	15	10	X	X	
		Corr.	2.0		5.0	3.0	X	X	.100
54.6' to 175'	C	Elev. Diff.	12	12	18	15	0	10	
		Corr.	0.4	0.4	1.0	1.0		0.3	.031
175' to 558'	D	Elev Diff.							
		Corr.							

Total Corr. = .131 Mg.



ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note Values are in feet to center of compartment

Line No. 10W
Stn. No. 30+00N
Date June 29
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	7	0	15	10			.09
		Corr.	1	0	5	3			
54.6' to 175'	C	Elev. Diff.	12	12	18	15	0	10	.031
		Corr.	.4	.4	1	1	0	.3	
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .12 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-12H Date

Station #

Surveyor Computed by

Note: Values are in feet to center of compartment.

Contract Company

Line No. 10W
Stn. No. 31
Date June 29
Time 1'16

Meter Readings
4994.16

Average Reading

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	0	5	7	0			
		Corr.		1.0	1.0				.020
54.6' to 175'	C	Elev. Diff.	0	0	20	20	0	10	
		Corr.			1.0	1.0		0.3	.023
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .043 Mg.



ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note Values are in feet to center of compartment

Line No. 10W
Stn. No. 31+00N
Date June 29
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	0	5	7	0			
		Corr.	0	1	1	6			.02
54.6' to 175'	C	Elev. Diff.	0	0	20	0	20	10	
		Corr.	0	0	1	0	1	.3	.023
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .04 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6' ±H FT.	T	ZONE C 6 Compartments 54.6' to 175' ±H FT.	T	ZONE D 6 Compartments 175' to 558' ±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-12H Date

Station #

Surveyor Computed by

Note: Values are in feet to center of compartment.

Line No. 10W
Stn. No. 33
Date June 29
Time 128

Meter Readings
4993.39

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev Diff.	10	5	0	10	X	X	
		Corr.	3.0	1.0		3.0	X	X	.070
54.6' to 175'	C	Elev Diff.	12	0	0	0	10	15	
		Corr.	0.4				0.3	1.0	.017
175' to 558'	D	Elev Diff.							
		Corr.							

Total Corr. = .087 Mg.



Note Values are in feet to center of compartment

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date _____

Station # _____

Surveyor _____ Computed by _____

Line No. 10W
Stn. No. 33+00N
Date June 29
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	10	5	0	10			
		Corr.	3	1	0	3			.07
54.6' to 175'	C	Elev. Diff.	12	0	0	0	10	15	
		Corr.	.4	0	0	0	.3	1	.017
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .09 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station

Surveyor Computed by

Note: Values are in feet to center of compartment.

Line No. 10W
Stn. No. 35
Date June 29
Time 142

Meter Readings
4992.31

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev Diff.	8	6	5	0			
		Corr.	2.0	1.0	1.0				.040
54.6' to 175'	C	Elev. Diff.	10	10	20	15	0	5	
		Corr.	0.3	0.3	1.0	1.0		0.1	.027
175' to 558'	D	Elev Diff.							
		Corr.							

Total Corr. = .067 Mg.



ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note Values are in feet to center of compartment

Line No. 10W
Stn. No. 35+00N
Date June 29
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	8	6	5	0			
		Corr.	2	1	1	0			.04
54.6' to 175'	C	Elev. Diff.	10	10	20	15	0	5	
		Corr.	.3	.3	1	1	0	.1	.027
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .07 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note: Values are in feet to center of compartment.

Line No. 10W
Stn. No. 36
Date June 29
Time 149

Meter Readings
4991.23

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	5	0	0	10	X	X	
		Corr.	1.0			3.0			.040
54.6' to 175'	C	Elev. Diff.	12	0	40	35	0	10	
		Corr.	0.4		4.0	3.0		0.3	.077
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .117 Mg.



ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date _____

Station # _____

Surveyor _____ Computed by _____

Note Values are in feet to center of compartment

Line No. 10W
Stn. No. 36+00N
Date June 29
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	5	0	0	10			
		Corr.	1	0	0	3			.04
54.6' to 175'	C	Elev. Diff.	12	0	40	35	0	10	
		Corr.	.4	0	4	3	0	.3	.077
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .12 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 68-124 Date

Station #

Surveyor Computed by

Note: Values are in feet to center of compartment.

Line No. 10W
Stn. No. 37
Date June 29
Time 1247

Meter Readings
4989.03

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	15	10	0	0			
		Corr.	5.0	3.0					.080
54.6' to 175'	C	Elev. Diff.	50	50	0	0	0	25	
		Corr.	5.0	5.0				2.0	.120
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .200 Mg.



ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date _____

Station # _____

Surveyor _____ Computed by _____

Note Values are in feet to center of compartment

Line No. 10+E

Stn. No. 32+00N

Date June 29

Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	15	10	0	0			
		Corr.	5	3	0	0			.08
54.6' to 175'	C	Elev. Diff.	50	50	0	0	0	25	
		Corr.	5	5	0	0	0	2	.12
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .20 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note: Values are in feet to center of compartment.

Line No. 10W
Stn. No. 38
Date June 29
Time 258

Meter Readings
4985.98

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	20	20	0	0			
		Corr.	7.0	7.0					.140
54.6' to 175'	C	Elev. Diff.	50	0	0	30	0	50	
		Corr.	5.0			2.0		5.0	.120
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .260 Mg.



Note Values are in feet to center of compartment

ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date _____

Station # _____

Surveyor _____ Computed by _____

Line No. 10W
Stn. No. 38+00N
Date June 29
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	20	20	0	0			
		Corr.	7	7	0	0			.14
54.6' to 175'	C	Elev. Diff.	50	0	0	30	0	50	
		Corr.	5	6	0	2	0	5	.12
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .26 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note: Values are in feet to center of compartment.

Line No. 10W
Stn. No. 39
Date June 29
Time 3:10

Meter Readings
4983.49

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	25	15	10	0			
		Corr.	9.0	5.0	3.0				.170
54.6' to 175'	C	Elev. Diff.	50	50	10	15	0	15	
		Corr.	5.0	5.0	0.3	1.0		1.0	.123
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .123 Mg.



ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note Values are in feet to center of compartment

Line No. 10W
Stn. No. 39+00N
Date June 29
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	25	15	10	0			
		Corr.	9	5	3	0			.17
54.6' to 175'	C	Elev. Diff.	50	50	10	15	0	15	
		Corr.	5	5	.3	1	0	1	.123
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr: -.29 Mg.



Note: Values are in feet to center of compartment.

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Line No. 10W
Stn. No. 40
Date June 29
Time 3:17

Meter Readings
4982.49

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev Diff.	0	10	15	10			
		Corr.		3.0	5.0	3.0			.110
54.6' to 175'	C	Elev. Diff.	15	15	0	50	50	25	
		Corr.	1.0	1.0		5.0	5.0	2.0	.140
175' to 558'	D	Elev Diff.							
		Corr.							

Total Corr. = 250 Mg.



ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date _____

Station # _____

Surveyor _____ Computed by _____

Note Values are in feet to center of compartment

Line No. 10W
Stn. No. 40+00N
Date June 29
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	0	10	15	10			
		Corr.	0	3	4	3			.10
54.6' to 175'	C	Elev. Diff.	15	15	0	50	50	25	
		Corr.	1	1	0	5	5	2	.14
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .24 Mg.



Note: Values are in feet to center of compartment.

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Line No. 10W
Stn. No. 41+00N
Date June 29
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	5	10	0	5			
		Corr.	1	3	0	1			.05
54.6' to 175'	C	Elev. Diff.	15	30	10	10	0	15	
		Corr.	1	2	.8	.8	0	1	.046
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .10 Mg.



Note: Values are in feet to center of compartment.

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Contract Company

Line No. 10W
Stn. No. 41
Date June 29
Time 322

Meter Readings
4981.11

Average Reading

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	5	10	0	5			
		Corr.	1.0	3.0		1.0			.050
54.6' to 175'	C	Elev. Diff.	15	30	10	10	0	15	
		Corr.	1.0	2.0	0.3	0.3		1.0	.046
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .096 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note Values are in feet to center of compartment

KERR ADDISON MINES LIMITED

MEMO

VANCOUVER OFFICE

DATE _____

TO: _____

FROM: _____

SUBJECT: _____

Line 26W

Line No. 26W
Stn. No. 16N
Date
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone	Compartment		1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	+2	-3	-5	+0			
		Corr.	.2	.4	1	3			0.05
54.6' to 175'	C	Elev. Diff.	+0	-5	-6	+2	/	+0	
		Corr.	.3	.1	.1	0		.3	0.01
175' to 558'	D	Elev. Diff.	-20	-5	-25	-20	/	-25	
		Corr.	.3	2	.5	.3		.5	0.06



Total Corr. = 0.12 Mg.
X 1.3
= 0.16

#16N

ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect Swim Lakes Area Date
Station # Line 26
Surveyor Computed by

Note: Values are in feet to center of compartment

Line No. 26W
Stn. No. 18N
Date
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	-2	-5	-10	-			
		Corr.	2	1	3				0.04
54.6' to 175'	C	Elev. Diff.	-10	-15	-20	-16	-	-20	
		Corr.	3	1	1	1		1	0.04
175' to 558'	D	Elev. Diff.	-60	-45	-25	-30	-15	-	
		Corr.	3	2	5	1	2		0.07



Total Corr. = 0.15 Mg.

x 1.3

= 0.20

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect _____ Date _____

Station # _____

Surveyor _____ Computed by _____

Note: Values are in feet to center of compartment

Line No. 26W
Stn. No. 19N
Date
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	-5	-2	-3	-10			
		Corr.	1	2	4	3			0.05
54.6' to 175'	C	Elev. Diff.	-15	-20	-16	-20	—	-15	
		Corr.	1	1	1	1		1	0.05
175' to 558'	D	Elev. Diff.	-21	-45	-60	-45	—	-35	
		Corr.	4	2	3	2		1	0.12



Total Corr. = 0.22 Mg.
x 1.3
0.29

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect _____ Date _____

Station # _____

Surveyor _____ Computed by _____

Note: Values are in feet to center of compartment

Line No. 26W
Stn. No. 20N
Date
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	-6	-5	—	-10			
		Corr.	1	1		3			0.05
54.6' to 175'	C	Elev. Diff.	-15	-25	-30	-25	—	-25	
		Corr.	1	2	2	2		2	0.09
175' to 558'	D	Elev. Diff.	-65	-70	-35	-45	—	-60	
		Corr.	3	4	1	2		3	0.13



Total Corr. = 0.27 Mg.

×1.3

=0.35

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect _____ Date _____

Station # _____

Surveyor _____ Computed by _____

Note: Values are in feet to center of compartment

Line No. 26W
Stn. No. 21N
Date
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	+5	+3	+7	-			
		Corr.	1	4	1				0.02
54.6' to 175'	C	Elev. Diff.	+10	+15	+16	+20	-	-10	
		Corr.	3	1	1	1		3	0.04
175' to 558'	D	Elev. Diff.	-35	-65	-44	-	-35	-25	
		Corr.	1	3	2		1	5	0.08



Total Corr. = 0.14 Mg.

X 1.3

= 0.18

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect _____ Date _____

Station # _____

Surveyor _____ Computed by _____

Note: Values are in feet to center of compartment

Line No. 26W
Stn. No. 28+00N
Date 7/28
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	15	15	10	5			
		Corr.	5	5	3	1			.14
54.6' to 175'	C	Elev. Diff.	20	15	25	20	15	10	
		Corr.	1	1	2	1	1	.3	.063
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .20 Mg.



Note: Values are in feet to center of compartment.

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect _____ Date 7/28

Station # 26W 28+00N

Surveyor _____ Computed by J.B

Line No. 26W
Stn. No. 28N
Date
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	+5	-10	-3	✓			
		Corr.	1	3	4				0.04
54.6' to 175'	C	Elev. Diff.	-25	~~-15~~	+5	+10	—	+15	
		Corr.	2	1	1	3		1	0.04
175' to 558'	D	Elev. Diff.	-45	-50	-20	+15	—	+25	
		Corr.	2	2	3	2		5	0.05



Total Corr. = 0.13 Mg.

x 1.3

= 0.17

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect _____ Date _____

Station # _____

Surveyor _____ Computed by _____

Note: Values are in feet to center of compartment

Line No. 26W
Stn. No. 29N
Date
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone	Compartment		1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	-5	-4	-3	-1			
		Corr.	1	1	.5				0.03
54.6' to 175'	C	Elev. Diff.	-25	-20	-15	-10	-10	-15	
		Corr.	2	1	1		.3	1	0.05
175' to 558'	D	Elev. Diff.	-15	-70	-65	-35	-20	-10	
		Corr.	2	4	3	1	.3	.1	0.10



Total Corr. = 0.18 Mg.

X 1.3

= 0.23

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect _____ Date _____

Station # _____

Surveyor _____ Computed by _____

Note: Values are in feet to center of compartment

Line No. 26 W
Stn. No. 30 N
Date
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	+5	+10	–	+5			
		Corr.	1	3		1			0.05
54.6' to 175'	C	Elev. Diff.	+20	-30	-10	–	-10	-25	
		Corr.	1	2	3		3	2	0.06
175' to 558'	D	Elev. Diff.	-60	-45	+25	-30	-25	–	
		Corr.	3	2	5	1	5		0.07



Total Corr. = 0.18 Mg.

X1.3

= 0.23

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect _____ Date _____

Station # _____

Surveyor _____ Computed by _____

Note: Values are in feet to center of compartment

Line No. 26W
Stn. No. 31N
Date
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	-10	-8	-5	/	X	X	
		Corr.	3	2	1		X	X	0.06
54.6' to 175'	C	Elev. Diff.	-25	+15	+12	/	+15	-10	
		Corr.	2	1	.4		1	.3	0.05
175' to 558'	D	Elev. Diff.	-50	-30	-45	/	-15	-18	
		Corr.	2	1	2		.2	.3	0.06



Total Corr. = 0.17 Mg.

×1.3

= 0.22

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect _____ Date _____

Station # _____

Surveyor _____ Computed by _____

Note: Values are in feet to center of compartment

Line No. 34W
Stn. No. 16N
Date
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	-5	-2	+4	-			0.02
		Corr.	1	.1	1				
54.6' to 175'	C	Elev. Diff.	-15	-10	-8	-	-15	+10	0.02
		Corr.	1	.3	.2		1	.3	
175' to 558'	D	Elev. Diff.	-25	-30	+15	+20	-	+15	0.02
		Corr.	.5	1	.2	.3		.2	

Total Corr. = 0.06 Mg.

X 1.3

= 0.08



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect _____ Date _____

Station # _____

Surveyor _____ Computed by _____

Note: Values are in feet to center of compartment

Line No. 34W
Stn. No. 17N
Date
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone	Compartment		1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	-1	-3	+2	+3			
		Corr.	1	0.4	0.2	0.4			0.01
54.6' to 175'	C	Elev. Diff.	-20	-10	+10	+5	+4	—	
		Corr.	1	.3	.3	-1	-2		0.02
175' to 558'	D	Elev. Diff.	-20	-25	-15	-10	+7	+8	
		Corr.	-3	-5	-2	-1	0	-1	0.01



Total Corr. = 0.04 Mg.
×1.3
0.05

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect _____ Date _____

Station # _____

Surveyor _____ Computed by _____

Note: Values are in feet to center of compartment

Line No. 34W
Stn. No. 27N
Date
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone	Compartment		1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	+4	+5	-6	-3			
		Corr.	1	1	1	.4			0.03
54.6' to 175'	C	Elev. Diff.	-15	+7	+8	-10	—	-11	
		Corr.	1	-1	.2	.3		.3	0.02
175' to 558'	D	Elev. Diff.	-25	-30	-40	-25	+10	+9	
		Corr.	1	1	1	.5	-1	-1	0.04



Total Corr. = 0.09 Mg.
×1.3
0.12

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect _____ Date _____

Station _____

Surveyor _____ Computed by _____

Note: Values are in feet to center of compartment

Line No. 34W
Stn. No. 28N
Date
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone	Compartment		1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	+5	+4	+3	-2			
		Corr.	1	1	-4	.2			0.03
54.6' to 175'	C	Elev. Diff.	-16	-15	+10	+11	+8	+7	
		Corr.	-3	1	.3	.3	.2	.1	0.02
175' to 558'	D	Elev. Diff.	-25	-30	-40	+15	+10	+7	
		Corr.	-5	1	1	.2	-1	0	0.03



Total Corr. = 0.08 Mg.

x1.3

=0.10

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect _____ Date _____

Station # _____

Surveyor _____ Computed by _____

Note: Values are in feet to center of compartment

Line No. 34W
Stn. No. 29N
Date
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	-3	+5	+4	-6			
		Corr.	-5	1	1	1			0.04
54.6' to 175'	C	Elev. Diff.	+20	+14	-13	-8	-5	+10	
		Corr.	1	1	-4	-2	-1	-3	0.03
175' to 558'	D	Elev. Diff.	+30	-25	-35	+25	+10	+8	
		Corr.	1	-5	1	-5	-1	-1	0.03



Total Corr. = 0.10 Mg.

X 1.3

= 0.13

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect _____ Date _____

Station # _____

Surveyor _____ Computed by _____

Note: Values are in feet to center of compartment

KERR ADDISON MINES LIMITED

MEMO

VANCOUVER OFFICE

DATE _____

TO: _____

FROM: _____

SUBJECT: _____

June 1 E

1 E (?)

Line No. _____

Stn. No. 43 & 42 & 41

Date _____

Time _____

Meter Readings

_____

_____

_____

_____

_____

Average Reading

_____

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev.	20	10	20	10			
		Diff.	4	10	4	10			
			5	15	4	15			
		Corr.							
54.6' to 175'	C	Elev.	30	50	30	60	40	40	
		Diff.	10	25	15	30	25	25	
			20	20	15	5	30	20	
		Corr.							
175' to 558'	D	Elev.	100	100	60	50	50	40	
		Diff.	30	40	30	50	40	30	
			20	20	10	20	40	30	
		Corr.							



Total Corr. = _____ Mg.

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect _____ Date _____

Station # _____

Surveyor _____ Computed by _____

Note Values are in feet to center of compartment

Line No. 1E
Stn. No. 45 + 44
Date
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev	20	10	20	10			
		Diff.	20	10	20	10			
		Corr.							
54.6' to 175'	C	Elev	70	60	50	50	50	60	
		Diff.	50	30	40	60	50	50	
		Corr.							
175' to 558'	D	Elev	100	100	100	70	60	70	
		Diff.	100	100	100	70	50	40	
		Corr.							



Total Corr. = _____ Mg.

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect _____ Date _____

Station # _____

Surveyor _____ Computed by _____

Note Values are in feet to center of compartment

Line No. "0" E
Stn. No. 31N
Date
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	+2	+5	-3	—			0.02
		Corr.	-2	1	3				
54.6' to 175'	C	Elev. Diff.	-5	+10	-8	+7	/	+6	0.01
		Corr.	-1	3	2	-1		-1	
175' to 558'	D	Elev. Diff.	-25	+10	+15	-17	-13	+12	0.01
		Corr.	-5	1	12	-2	-1	-1	



Total Corr. = 0.04 Mg.

X 1.3

= 0.05

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect _____ Date _____

Station # _____

Surveyor _____ Computed by _____

Note: Values are in feet to center of compartment

Line No. "0" E

Stn. No. 32 N

Date

Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	-5	+8	+10	—			
		Corr.	1	2	3				0.06
54.6' to 175'	C	Elev. Diff.	+10	+7	+9	-13	-14	-5	
		Corr.	3	-1	2	-4	-5	-1	0.02
175' to 558'	D	Elev. Diff.	-20	-15	+13	+11	-6	-13	
		Corr.	-3	-2	0	-1	0	-1	0.01

Total Corr. = 0.09 Mg.



X 1.3

= 0.11

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect _____ Date _____

Station # _____

Surveyor _____ Computed by _____

Note: Values are in feet to center of compartment

Line No. "0 E
Stn. No. 39N
Date
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone	Compartment		1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	-3	-6	-7	+5			
		Corr.	3	1	1	1			0.03
54.6' to 175'	C	Elev. Diff.	+5	+3	-11	-20	-11	-10	
		Corr.	-1	0	1	1	1	3	0.03
175' to 558'	D	Elev. Diff.	-31	-40	-20	+15	+20	+10	
		Corr.	1	1	3	2	3	1	0.03



Total Corr. = 0.09 Mg.

X1.3

= 0.12

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect _____ Date _____

Station # _____

Surveyor _____ Computed by _____

Note: Values are in feet to center of compartment

Contract Company

Line No. 0 E
Stn. No. 40 N
Date
Time

Meter Readings

Average Reading

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	+3	+6	-5	-8	X	X	
		Corr.	·3	1	1	2	X	X	0.04
54.6' to 175'	C	Elev. Diff.	+6	+10	+15	-10	-7	-5	
		Corr.	·1	·3	1	·3	-1	-1	0.61
175' to 558'	D	Elev. Diff.	-35	-40	-50	-14	-8	-19	
		Corr.	1	1	2	·2	-1	-3	0.08



Total Corr. = 0.10 Mg.

×1.3

= 0.13

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect _____ Date _____

Station # _____

Surveyor _____ Computed by _____

Note: Values are in feet to center of compartment

Line No. 0" E
Stn. No. 41 N
Date
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone	Compartment		1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	-5	-7	+5	+6			
		Corr.	1	1	1	1			0.04
54.6' to 175'	C	Elev. Diff.	-8	-10	+15	+12	-8	-9	
		Corr.	.2	.3	1.0	.4	.2	.2	0.02
175' to 558'	D	Elev. Diff.	-41	-55	-65	+11	+20	+15	
		Corr.	2	2	3	1	3	2	0.08



Total Corr. = 0.14 Mg.

x 1.3

= 0.18

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect _____ Date _____

Station # _____

Surveyor _____ Computed by _____

Note: Values are in feet to center of compartment

KERR ADDISON MINES LIMITED

MEMO

VANCOUVER OFFICE

DATE _____

TO: _____

FROM: _____

SUBJECT: _____

Line 4E

Line No. 4E
Stn. No. 7+00N
Date
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	6	3	3	6			.028
		Corr.	1	.4	.4	1			
54.6' to 175'	C	Elev. Diff.	20	15	15	20	15	10	.053
		Corr.	1	1	1	1	1	.3	
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .08 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note: Values are in feet to center of compartment.

Line No. HE

Stn. No. 8+00 N

Date

Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	3	0	2	5			.016
		Corr.	.4	0	.2	1			
54.6' to 175'	C	Elev. Diff.	12	10	3	4	3	10	.01
		Corr.	.4	.3	0	0	0	.3	
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .02 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note: Values are in feet to center of compartment.

Line No. 7E
Stn. No. 9+00N
Date
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	6	3	8	0			.034
		Corr.	1	.4	2	0			
54.6' to 175'	C	Elev. Diff.	20	20	0	25	20	15	
		Corr.	1	1	0	2	1	1	.06
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .09 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note: Values are in feet to center of compartment.

Line No. 9 E
Stn. No. 10+00N
Date JULY 30
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	3	3	2	6			
		Corr.	.4	.4	.2	1			.02
54.6' to 175'	C	Elev. Diff.	25	20	10	6	5	3	
		Corr.	2	1	.3	.1	.1	0	.035
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .06 Mg.



Note: Values are in feet to center of compartment.

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-184 Date

Station #

Surveyor Computed by

KERR ADDISON MINES LIMITED

MEMO

VANCOUVER OFFICE

DATE _____

TO: _____

FROM: _____

SUBJECT: _____

Jane 12 E

Line No. 12E
Stn. No. 12+00N
Date 7/29
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	5	15	5	5			.08
		Corr.	1	5	1	1			
54.6' to 175'	C	Elev. Diff.	10	20	15	15	10	10	.039
		Corr.	.3	1	1	1	.3	.3	
175' to 558'	D	Elev. Diff.							
		Corr.							



Total Corr. = .12 Mg.

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date 7/29

Station # 12E 12+00N

Surveyor Computed by

Note: Values are in feet to center of compartment.

Line No. 12E 13+00N
Stn. No.
Date 7/29
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	2	10	5	3			
		Corr.	.2	3	1	.4			.046
54.6' to 175'	C	Elev. Diff.	10	20	25	20	10	10	
		Corr.	.3	1	2	1	.3	.3	.049
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .10 Mg.



Note: Values are in feet to center of compartment.

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date 7/29

Station # 12E 13+00N

Surveyor Computed by

Line No. 12E
Stn. No. 20+00N
Date 7/29
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	12	8	3	0			
		Corr.	3	2	.4	0			.054
54.6' to 175'	C	Elev. Diff.	25	20	5	5	3	0	
		Corr.	2	1	.1	.1	0	0	.032
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .09 Mg.



Note: Values are in feet to center of compartment.

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date 7/29

Station # 12E 20+00N

Surveyor Computed by

Line No. 12E
Stn. No. 21+00N
Date ~~8/28~~ 7/29
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	2	8	10	15			.102
		Corr.	.2	2	3	5			
54.6' to 175'	C	Elev. Diff.	10	15	15	20	20	15	.053
		Corr.	.3	5	1	1	1	1	
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .16 Mg.



Note: Values are in feet to center of compartment.

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6' ±H FT.	T	ZONE C 6 Compartments 54.6' to 175' ±H FT.	T	ZONE D 6 Compartments 175' to 558' ±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date 7/28

Station #12E 21+00N

Surveyor Computed by J.B.

BASE LINE

#1

from Station 8 to 22 incl.

Line No. BASE
Stn. No. 8
Date June 24
Time 826

Meter Readings
4986.51

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev Diff.	7	7	0	0			
		Corr.	1.0	1.0					.020
54.6' to 175'	C	Elev Diff.	15	5	5	10	5	20	
		Corr.	1.0	0.1	0.1	0.3	0.1	1.0	.026
175' to 558'	D	Elev Diff.							
		Corr.							

Total Corr. = .046 Mg.



ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date
Station #
Surveyor Computed by

Note Values are in feet to center of compartment

Line No. BASE
Stn. No. 9
Date June 24
Time 820

Meter Readings

4986.52

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev Diff.	10	10	0	0			
		Corr.	3.0	3.0					.060
54.6' to 175'	C	Elev. Diff.	20	5	15	15	10	25	
		Corr.	1.0	0.1	1.0	1.0	0.3	2.0	.054
175' to 558'	D	Elev Diff							
		Corr.							



Total Corr. = .114 Mg.

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note Values are in feet to center of compartment

Line No. BASE
Stn. No. 11
Date June 24
Time 1026

Meter Readings
4986.18

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev Diff.	5	8	0	0			
		Corr.	1.0	2.0					.030
54.6' to 175'	C	Elev Diff.	20	10	20	20	0	20	
		Corr.	1.0	03	1.0	1.0		1.0	.043
175' to 558'	D	Elev Diff.							
		Corr.							

Total Corr. = .073 Mg.



ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date
Station #
Surveyor Computed by

Note. Values are in feet to center of compartment

Line No. BASE
Stn. No. 12
Date June 24
Time 1036

Meter Readings
4986.02

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	8	8	0	0			
		Corr.	2.0	2.0					.040
54.6' to 175'	C	Elev. Diff.	20	10	15	25	0	20	
		Corr.	1.0	0.3	1.0	2.0		1.0	.053
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .093 Mg.



ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note. Values are in feet to center of compartment

Line No. BASE
Stn. No. 13
Date June 24
Time 1041

Meter Readings
4985.77

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone / Compartment			1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	10	10	0	0			
		Corr.	3.0	3.0					.060
54.6' to 175'	C	Elev. Diff.	20	20	30	30	0	25	
		Corr.	1.0	1.0	2.0	2.0		2.0	.080
175' to 558'	D	Elev. Diff.							
		Corr.							



Total Corr. = .140 Mg.

ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date
Station #
Surveyor Computed by

Note Values are in feet to center of compartment

Contract Company

Line No. BASE
Stn. No. 14
Date June 24
Time 110

Meter Readings
4985.10
4985.15
4985.16

Average Reading
4985.14

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	6	8	0	0			
		Corr.	1.0	2.0					.030
54.6' to 175'	C	Elev. Diff.	30	25	20	20	0	15	
		Corr.	2.0	2.0	1.0	1.0		1.0	.070
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .100 Mg.



ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date _____

Station # _____

Surveyor _____ Computed by _____

Note Values are in feet to center of compartment

Contract Company

Line No. BASE
Stn. No. 15
Date June 24
Time 1057

Meter Readings
4984.37

Average Reading

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	8	5	10	10			
		Corr.	2.0	1.0	3.0	3.0			.090
54.6' to 175'	C	Elev. Diff.	7	12	20	0	15	20	
		Corr.	0.1	0.4	1.0		1.0	1.0	.036
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .126 Mg.



ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note Values are in feet to center of compartment

Line No. BASE
Stn. No. 16
Date June 24
Time 1106

Meter Readings

4983.51

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	5	3	10	10			
		Corr.	1.0	0.4	3.0	3.0			.074
54.6' to 175'	C	Elev. Diff.	10	15	20	15	20	15	
		Corr.	0.3	1.0	1.0	1.0	1.0	1.0	.053
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .127 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note Values are in feet to center of compartment

Line No. BASE
Stn. No. 21
Date June 24
Time 1144

Meter Readings

4980.48

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	3	5	0	0			
		Corr.	0.4	1.0					.014
54.6' to 175'	C	Elev. Diff.	15	15	0	0	20	20	
		Corr.	1.0	1.0			1.0	1.0	.040
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = 054 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note. Values are in feet to center of compartment

Line No. BASE
Stn. No. 22
Date June 24
Time 1200

Meter Readings

4979.87

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	5	5	0	0			
		Corr.	1.0	1.0					.020
54.6' to 175'	C	Elev. Diff.	20	20	0	0	25	25	
		Corr.	1.0	1.0			2.0	2.0	.060
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = 080 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note. Values are in feet to center of compartment

Line No. BASE
Stn. No. 17
Date June 24
Time 1113

Meter Readings
4982.94

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	3	5	8	10			
		Corr.	0.4	1.0	2.0	3.0			.064
54.6' to 175'	C	Elev. Diff.	5	10	20	20	15	20	
		Corr.	0.1	0.3	1.0	1.0	1.0	1.0	.044
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = 108 Mg.



ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note Values are in feet to center of compartment

Line No. BASE
Stn. No. 11
Date June 24
Time 1026

Meter Readings
4986.18

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	5	8	0	0			
		Corr.	1.0	2.0					.030
54.6' to 175'	C	Elev. Diff.	20	10	20	20	0	20	
		Corr.	1.0	03	1.0	1.0		1.0	.043
175' to 558'	D	Elev. Diff							
		Corr.							



Total Corr. = .073 Mg.

ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note. Values are in feet to center of compartment

Contract Company

Line No. Base
Stn. No. 10
Date June 24
Time 900

Meter Readings

4986.20
4986.22
4986.35
4986.36
4986.42

Average Reading

4986.31

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev Diff.	5	0	5	0			
		Corr.	1.0		1.0				.020
54.6' to 175'	C	Elev. Diff.	25	15	10	25	10	15	
		Corr.	2.0	1.0	0.3	2.0	0.3	1.0	.066
175' to 558'	D	Elev Diff.							
		Corr.							



Total Corr. = .086 Mg.

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note Values are in feet to center of compartment

Line No. BASE
Stn. No. 18
Date June 24
Time 11.19

Meter Readings

4982.42

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	10	10	0	3			
		Corr.	3.0	3.0		0.4			.064
54.6' to 175'	C	Elev. Diff.	10	10	25	25	20	15	
		Corr.	0.3	0.3	2.0	2.0	1.0	1.0	.066
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = 130 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69 - 124 Date

Station #

Surveyor Computed by

Note Values are in feet to center of compartment

Line No. BASE
Stn. No. 19
Date June 24
Time 1124

Meter Readings
4981.88

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev Diff.	5	5	0	0			
		Corr.	1.0	1.0					.020
54.6' to 175'	C	Elev. Diff.	20	20	0	0	25	25	
		Corr.	1.0	1.0	-	-	2.0	2.0	.060
175' to 558'	D	Elev. Diff.							
		Corr.	-	-	-	-			

Total Corr. = 080 Mg.



ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note Values are in feet to center of compartment

Line No. BASE
Stn. No. 20
Date June 24
Time 1132

Meter Readings

4981.21

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev Diff.	5	5	5	4			
		Corr.	1.0	1.0	1.0	1.0			.040
54.6' to 175'	C	Elev Diff.	25	25	10	10	30	30	
		Corr.	2.0	2.0	0.3	0.3	3.0	3.0	.106
175' to 558'	D	Elev Diff.							
		Corr.							



Total Corr. = 146 Mg.

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6' ±H FT	T	ZONE C 6 Compartments 54.6' to 175' ±H FT	T	ZONE D 6 Compartments 175' to 558' ±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note. Values are in feet to center of compartment

KERR ADDISON MINES LIMITED

MEMO

VANCOUVER OFFICE

DATE _____

TO: _____

FROM: _____

SUBJECT: _____

Base Line 2 N

Line No. 12N

Stn. No. 12+00W

Date July 29

Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	10	3	2	2			
		Corr.	3	.4	.2	.2			.038
54.6' to 175'	C	Elev. Diff.	15	20	0	4	4	0	
		Corr.	1	1	0	0	0	0	.02
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .06 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date 7/29

Station #

Surveyor Computed by

Note: Values are in feet to center of compartment.

Line No. B 2N

Stn. No. 13 W

Date July 29

Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	8	8	3	5			
		Corr.	2	2	.4	1			.054
54.6' to 175'	C	Elev. Diff.	20	4	10	10	0	20	
		Corr.	1	0	.3	.3	0	1	.026
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr.: .08 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note: Values are in feet to center of compartment.

Line No. L 2N

Stn. No. 15+00W

Date JULY 29

Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	10	0	4	5			
		Corr.	3	0	1	1			.05
54.6' to 175'	C	Elev. Diff.	10	10	6	10	10	2	
		Corr.	.3	.3	.1	.3	.3	0	.013
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .06 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note: Values are in feet to center of compartment.

B2N 18+00W
18W 28+00N

Line No. _____
Stn. No. _____
Date 7/28
Time _____

Meter Readings

_____
_____
_____
_____
_____

Average Reading

_____

_____ Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	10	15	15	15			.18
		Corr.	3	5	5	5			
54.6' to 175'	C	Elev. Diff.	20	30	10	20	20	20	.063
		Corr.	1	2	.3	1	1	1	
175' to 558'	D	Elev. Diff.							
		Corr.							



Total Corr.: .24 Mg.

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6' ±H FT.	T	ZONE C 6 Compartments 54.6' to 175' ±H FT.	T	ZONE D 6 Compartments 175' to 558' ±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date _____

Station # B2N 18+00W

Surveyor 18W 28+00N Computed by _____

Note: Values are in feet to center of compartment.

Line No. B 2N
Stn. No. 19+00W
Date 7/28
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	10	10	10	15			.14
		Corr.	3	3	3	5			
54.6' to 175'	C	Elev. Diff.	25	20	20	20	35	30	.10
		Corr.	2	1	1	1	3	2	
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr.= .24 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-12H Date 7/28

Station # B 2N 19+00W

Surveyor Computed by

Note: Values are in feet to center of compartment.

Line No. L 2N
Stn. No. 20+00W
Date 7/28
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	30	20	15	25			.31
		Corr.	10	7	5	9			
54.6' to 175'	C	Elev. Diff.	40	30	20	15	25	35	.13
		Corr.	4	2	1	1	2	3	
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .44 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date 7/28

Station # L 2N 20+00W

Surveyor Computed by

Note: Values are in feet to center of compartment.

Line No. B2N

Stn. No. 21+00W

Date 7/28

Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	10	5	10	10			
		Corr.	3	1	3	3			.10
54.6' to 175'	C	Elev. Diff.	15	20	20	15	15	10	
		Corr.	1	1	1	1	1	.3	.053
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr.= .15 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date 7/28

Station # B2N 21+00W

Surveyor Computed by

Note: Values are in feet to center of compartment.

Line No. B2N
Stn. No. 23+00W
Date 7/28
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	20	20	10	5			
		Corr.	7	7	3	1			.18
54.6' to 175'	C	Elev. Diff.	30	35	20	15	15	15	
		Corr.	2	3	1	1	1	1	.09
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .27 Mg.



Note: Values are in feet to center of compartment.

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date 7/28

Station # B2N 23+00W

Surveyor Computed by

Line No. B2N

Stn. No. 24+00W

Date

Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	20	20	25	20			
		Corr.	8	8	9	8			.33
54.6' to 175'	C	Elev. Diff.	25	25	30	35	40	30	
		Corr.	2	2	2	3	4	2	.15
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .48 Mg.



Note: Values are in feet to center of compartment.

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date 7/28

Station # B2N 24+00W

Surveyor

Computed by J.B.

Line No. # 2N 25+00W
Stn. No.
Date 7/28
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	0	5	20	20			
		Corr.	0	1	7	7			.09
54.6' to 175'	C	Elev. Diff.	2	10	5	25	30	30	
		Corr.	0	.3	.1	2	2	2	.06 H
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .15 Mg.



Note: Values are in feet to center of compartment.

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect

Date 7/28

Station # 2N 25+00W

Surveyor

Computed by J.B.

Line No. B 2N

Stn. No. 26+00W

Date 7/28

Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	0	5	5	15			
		Corr.	0	1	1	5			.07
54.6' to 175'	C	Elev. Diff.	0	10	15	20	25	25	
		Corr.	0	.3	1	1	2	2	.063
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .13 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date 7/28

Station # 26+00W

Surveyor Computed by L.B.

Note: Values are in feet to center of compartment.

Line No. B 2N

Stn. No. 33+00 W

Date JULY 28

Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	10	0	4	4			
		Corr.	3	0	1	1			.05
54.6' to 175'	C	Elev. Diff.	10	5	30 ~~30~~	15			
		Corr.	.3	.1	2	1			.034
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .08 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note: Values are in feet to center of compartment.

Line No. B 2N

Stn. No. 35+00 W

Date JULY 28

Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	3	0	6	6			.02H
		Corr.	.H	0	1	1			
54.6' to 175'	C	Elev. Diff.	3	2	10	10	10	8	.012
		Corr.	0	0	.3	.3	.3	.3	
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .04 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note: Values are in feet to center of compartment.

Line No. R 2N

Stn. No. 36 + 00 W

Date JULY 28

Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	0	0	3	4			.014
		Corr.			.4	1			
54.6' to 175'	C	Elev. Diff.	0	0	8	4	6	6	.004
		Corr.			.2	0	.1	.1	
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .018 Mg.



Note: Values are in feet to center of compartment.

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69 - 124 Date JULY 28

Station # R 2N 36 W

Surveyor Computed by

KERR ADDISON MINES LIMITED

MEMO

VANCOUVER OFFICE

DATE _____

TO: _____

FROM: _____

SUBJECT: _____

Base Line 00

from 8W to 14W mid.

Line No. BL00

Stn. No. 8+00 W

Date July 2

Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	7	7	0	0			
		Corr.	1	1	0	0			.02
54.6' to 175'	C	Elev. Diff.	15	5	5	10	5	20	
		Corr.	1	.1	.1	.3	1	1	.035
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .06 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-12H Date

Station #

Surveyor Computed by

Note: Values are in feet to center of compartment.

Line No. B 00
Stn. No. 9+00W
Date July 2
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	10	10	0	0			.06
		Corr.	3	3	0	0			
54.6' to 175'	C	Elev. Diff.	20	5	15	15	10	25	.054
		Corr.	1	.1	1	1	.3	2	
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .11 Mg.



Note: Values are in feet to center of compartment.

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Line No. 800

Stn. No. 10+00 W

Date June 29

Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	5	0	5	0			
		Corr.	1	0	1	0			.02
54.6' to 175'	C	Elev. Diff.	25	15	10	25	10	15	
		Corr.	2	1	.3	2	.3	1	.066
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .09 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note: Values are in feet to center of compartment.

Line No. 800

Stn. No. 11+00W

Date

Time July 21

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	5	8	0	0			.03
		Corr.	1	2	0	0			
54.6' to 175'	C	Elev. Diff.	20	10	20	20	0	20	.043
		Corr.	1	.3	1	1	0	1	
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .07 Mg.



Note: Values are in feet to center of compartment.

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Line No. 800
Stn. No. 12+00W
Date July 2
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	8	8	0	0			
		Corr.	2	2	0	0			.04
54.6' to 175'	C	Elev. Diff.	20	10	15	25	0	20	
		Corr.	1	3	1	2	0	1	.053
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .09 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note: Values are in feet to center of compartment.

Line No. 800

Stn. No. 13+00N

Date July 2

Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	10	10	0	0			.06
		Corr.	3	3	0	0			
54.6' to 175'	C	Elev. Diff.	20	20	30	30	0	25	.08
		Corr.	1	1	2	2	0	2	
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .14 Mg.



Note: Values are in feet to center of compartment.

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Line No. B00
Stn. No. 14+00W
Date July 2
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	6	8	0	0			.03
		Corr.	1	2	0	0			
54.6' to 175'	C	Elev. Diff.	30	25	20	20	0	15	.07
		Corr.	2	2	1	1	0	1	
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .10 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-12H Date

Station #

Surveyor Computed by

Note: Values are in feet to center of compartment.

LINE # 2 WEST

Staking 40 + 41 missing

Line No. 24
Stn. No. 37
Date June 26
Time 332

Meter Readings
4987.48

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone	Compartment		1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev Diff.	3	3	5	15			
		Corr.	0.4	0.4	1.0	5.0			.068
54.6' to 175'	C	Elev. Diff.	25	25	0	0	25	25	
		Corr.	2.0	2.0	0	0	2.0	2.0	.08
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .14 Mg.



Note Values are in feet to center of compartment

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Contract Company

Line No. 2W
Stn. No. 38
Date June 26
Time 340

Meter Readings
4988.02

Average Reading

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	0	10	10	10			
		Corr.		3.0	3.0	3.0			.090
54.6' to 175'	C	Elev. Diff.	25	10	25	30	30	0	
		Corr.	2.0	0.3	2.0	2.0	2.0		.083
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .173 Mg.



ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note Values are in feet to center of compartment

Contract Company

Line No. 2W.
Stn. No. 39
Date June 26
Time 345

Meter Readings
4989.15

Average Reading

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev Diff.	25	0	0	0			
		Corr.	9.0						.090
54.6' to 175'	C	Elev Diff.	50	0	0	0	0	30	
		Corr.	5.0					2.0	.070
175' to 558'	D	Elev Diff.							
		Corr.							

Total Corr. = .160 Mg.



Note Values are in feet to center of compartment

ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Contract Company

Line No. 2W
Stn. No. 42
Date June 26
Time 301

Meter Readings

4987.22

Average Reading

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	15	10	15	0			
		Corr.	5.0	3.0	5.0				.130
54.6' to 175'	C	Elev. Diff.	25	10	15	15	0	20	
		Corr.	2.0	0.3	1.0	1.0		1.0	.053
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .183 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note Values are in feet to center of compartment

Line No. 2W
Stn. No. 43
Date June 26
Time 305

Meter Readings
4985.93

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev Diff.	25	0	15	0			
		Corr	9.0		5.0				.140
54.6' to 175'	C	Elev Diff.	50	10	20	25	0	40	
		Corr.	5.0	0.3	1.0	2.0		4.0	.123
175' to 558'	D	Elev Diff							
		Corr.							

Total Corr. = .263 Mg.



ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note Values are in feet to center of compartment

Contract Company

Line No. 2W
Stn. No. 45
Date June 27
Time 326

Meter Readings
4978.68

Average Reading

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	25	10	80	25			
		Corr.	9.0	3.0	27.0	9.0			.480
54.6' to 175'	C	Elev. Diff.	50	0	100	100	50	30	
		Corr.	5.0		14.0	14.0	5.0	2.0	.400
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .880 Mg.



ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date _____

Station # _____

Surveyor _____ Computed by _____

Note Values are in feet to center of compartment

LINE # 6 WEST

Station 33 - 45

#'s 36 & 37 missing

Line No. 6W
Stn. No. 33
Date June 28
Time 1.32

Meter Readings
4989.10

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	0	15	0	15			
		Corr.		5.0		5.0			.010
54.6' to 175'	C	Elev. Diff.	0	15	20	0	15	20	
		Corr.		1.0	1.0		1.0	1.0	.040
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .050 Mg.



Note Values are in feet to center of compartment

ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date _____

Station # _____

Surveyor _____ Computed by _____

Line No. GW

Stn. No. 33+00N

Date June 28

Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	0	15	0	15			.01
		Corr.	0	5	0	5			
54.6' to 175'	C	Elev. Diff.	0	15	20	0	15	20	.04
		Corr.	0	1	1	0	1	1	
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .05 Mg.



Note: Values are in feet to center of compartment.

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-12H Date

Station #

Surveyor Computed by

Contract Company

Line No. 6W
Stn. No. 34
Date June 28
Time 1.38

Meter Readings
4989.61

Average Reading

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev Diff.	10	15	15	20	X	X	
		Corr.	3.0	5.0	5.0	7.0	X	X	.020
54.6' to 175'	C	Elev Diff.	25	25	30	40	15	15	
		Corr.	2.0	2.0	2.0	4.0	1.0	1.0	.120
175' to 558'	D	Elev Diff.							
		Corr.							

Total Corr. = .140 Mg.



ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date
Station #
Surveyor Computed by

Note Values are in feet to center of compartment

Line No. 6W
Stn. No. 3H+00N
Date June 28
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	10	15	15	20			.02
		Corr.	3	5	5	7			
54.6' to 175'	C	Elev. Diff.	25	25	30	40	15	15	.012
		Corr.	2	2	2	4	1	1	
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .03 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-12H Date

Station #

Surveyor Computed by

Note: Values are in feet to center of compartment.

Contract Company

Line No. 6W
Stn. No. 35
Date June 28
Time 146

Meter Readings
4990.76

Average Reading

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev Diff.	0	15	10	20	X	X	
		Corr.		5.0	3.0	7.0			.150
54.6' to 175'	C	Elev Diff.	40	40	0	30	0	15	
		Corr.	4.0	4.0		2.0		1.0	.110
175' to 558'	D	Elev Diff.							
		Corr.							

Total Corr. = .260 Mg.



ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note Values are in feet to center of compartment

Line No. 6W
Stn. No. 35+00N
Date June 28
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	0	15	10	20			.015
		Corr.	0	5	3	7			
54.6' to 175'	C	Elev. Diff.	40	40	0	30	0	15	.011
		Corr.	4	4	0	2	0	1	
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .02 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note: Values are in feet to center of compartment.

Contract Company

Line No. 6W
Stn. No. 38
Date June 28
Time 2:08

Meter Readings
4989.81

Average Reading

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	10	10	8	5			
		Corr.	3.0	3.0	2.0	1.0			.090
54.6' to 175'	C	Elev. Diff.	15	20	0	10	10	15	
		Corr.	1.0	1.0		0.3	0.3	1.0	.036
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .126 Mg.



ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note Values are in feet to center of compartment

Line No. 6W
Stn. No. 38+00N
Date
Time June 28

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	10	10	8	5			.09
		Corr.	3	3	2	1			
54.6' to 175'	C	Elev. Diff.	15	20	0	10	10	15	.046
		Corr.	1	2	0	.3	.3	1	
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .14 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6' ±H FT.	T	ZONE C 6 Compartments 54.6' to 175' ±H FT.	T	ZONE D 6 Compartments 175' to 558' ±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-12H Date

Station #

Surveyor Computed by

Note: Values are in feet to center of compartment.

Line No. 6W
Stn. No. 39
Date June 28
Time 214

Meter Readings
4988.32

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	12	0	10	5			
		Corr.	3.0		3.0	1.0			.070
54.6' to 175'	C	Elev. Diff.	30	0	20	20	0	40	
		Corr.	2.0		1.0	1.0		4.0	.080
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .150 Mg.



Note Values are in feet to center of compartment

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Line No. 6W
Stn. No. 39+00N
Date June 28
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	12	0	10	5			.07
		Corr.	3	0	3	1			
54.6' to 175'	C	Elev. Diff.	30	0	20	20	0	HO	.08
		Corr.	2	0	1	1	0	4	
175' to 558'	D	Elev. Diff.							
		Corr.							



Total Corr. = -.15 Mg.

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-12H Date

Station #

Surveyor Computed by

Note: Values are in feet to center of compartment.

Line No. 6W
Stn. No. 40
Date June 28
Time 221

Meter Readings
4985.77

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	30	0	0	20			
		Corr.	10.0			7.0			.170
54.6' to 175'	C	Elev. Diff.	50	10	40	35	0	40	
		Corr.	5.0	0.3	4.0	3.0		4.0	.163
175' to 558'	D	Elev. Diff.							
		Corr.							



Total Corr. = +.333 Mg.

Note Values are in feet to center of compartment

ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date _____

Station # _____

Surveyor _____ Computed by _____

Line No. 6W
Stn. No. 40+00N
Date June 28
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

ROCK DENSITY = 2.00

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	30	0	0	20			.17
		Corr.	10	0	0	7			
54.6' to 175'	C	Elev. Diff.	50	10	40	35	0	40	.163
		Corr.	5	.3	4	3	0	4	
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .33 Mg.



Note: Values are in feet to center of compartment.

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Line No. 6W
Stn. No. 41
Date June 28
Time

Meter Readings
4984.88

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev Diff.	10	25	0	15	X	X	
		Corr.	3.0	9.0		5.0	X	X	.017
54.6' to 175'	C	Elev. Diff.	20	25	30	0	30	30	
		Corr.	1.0	2.0	2.0		2.0	2.0	.090
175' to 558'	D	Elev Diff							
		Corr.							

Total Corr. = .117 Mg.



ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date
Station #
Surveyor Computed by

Note Values are in feet to center of compartment

Line No. 6W
Stn. No. 41+00N
Date June 30
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	10	25	0	15			
		Corr.	3	9	0	5			.17
54.6' to 175'	C	Elev. Diff.	20	25	30	0	30	30	
		Corr.	1	2	2	0	2	2	.09
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .26 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-12H Date

Station #

Surveyor Computed by

Note: Values are in feet to center of compartment.

Contract Company

Line No. 6W
Stn. No. 42
Date June 28
Time 858

Meter Readings
4983.24

Average Reading

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev Diff.	15	8	25	30			
		Corr.	5.0	2.0	9.0	0.4			.164
54.6' to 175'	C	Elev. Diff.	20	0	50	0	40	50	
		Corr.	1.0		5.0		4.0	5.0	.150
175' to 558'	D	Elev. Diff							
		Corr.							

Total Corr. = 314 Mg.



ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note Values are in feet to center of compartment

Line No. 6L

Stn. No. 42+00N

Date June 30

Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone	Compartment		1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	15	8	25	30			.26
		Corr.	5	2	9	10			
54.6' to 175'	C	Elev. Diff.	20	0	50	0	40	50	.15
		Corr.	1	0	5	0	4	5	
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .41 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note: Values are in feet to center of compartment.

Line No. 6W
Stn. No. 43
Date June 28
Time 907

Meter Readings
4982.22

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	25	20	10	10			
		Corr.	9.0	7.0	3.0	3.0			.220
54.6' to 175'	C	Elev. Diff.	30	10	30	0	30	30	
		Corr.	2.0	0.3	2.0		2.0	2.0	.083
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .303 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note Values are in feet to center of compartment

Line No. 6W

Stn. No. 43700N

Date June 30

Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	25	20	10	10			.21
		Corr.	9	7	3	3			
54.6' to 175'	C	Elev. Diff.	30	10	30	0	30	30	.083
		Corr.	2	.3	2	0	2	2	
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .29 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6' ±H FT.	T	ZONE C 6 Compartments 54.6' to 175' ±H FT.	T	ZONE D 6 Compartments 175' to 558' ±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note: Values are in feet to center of compartment.

Line No. 6W
Stn. No. 44
Date June 28
Time 923

Meter Readings

4978.68

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	30	20	0	15			
		Corr.	10.0	7.0		5.0			.220
54.6' to 175'	C	Elev. Diff.	50	15	10	25	20	50	
		Corr.	5.0	1.0	0.3	1.0	1.0	5.0	.133
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .353 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note Values are in feet to center of compartment

Line No. 6W

Stn. No. 44+00N

Date June 30

Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	30	20	0	15			
		Corr.	10	7	0	5			.22
54.6' to 175'	C	Elev. Diff.	50	15	10	25	20	50	
		Corr.	5	1	.3	2	1	5	.143
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr: .36 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note: Values are in feet to center of compartment.

Line No. 6W
Stn. No. 45
Date June 28
Time 937

Meter Readings

4977.68

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	5	0	20	30	X	X	
		Corr.	1.0		7.0	10.0			.180
54.6' to 175'	C	Elev. Diff.	40	0	30	0	30	60	
		Corr.	4.0		2.0		2.0	7.0	.150
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .330 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note Values are in feet to center of compartment

Line No. 6W
Stn. No. 45+00N
Date June 30
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	5	0	20	30			.18
		Corr.	1	0	7	10			
54.6' to 175'	C	Elev. Diff.	40	0	30	0	30	60	.15
		Corr.	4	0	2	0	2	7	
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .23 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6' ±H FT.	T	ZONE C 6 Compartments 54.6' to 175' ±H FT.	T	ZONE D 6 Compartments 175' to 558' ±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note: Values are in feet to center of compartment.

LINE 14 WEST

Line No. 14W
Stn. No. 1
Date July 2
Time 0103

Meter Readings
4986.17

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev Diff.	10	10	0	0			
		Corr.	3.0	3.0					.060
54.6' to 175'	C	Elev. Diff.	30	20	20	30	0	30	
		Corr.	2.0	1.0	1.0	2.0		2.0	.080
175' to 558'	D	Elev Diff.							
		Corr.							

Total Corr = .140 Mg.



ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note. Values are in feet to center of compartment

Line No. 14W
Stn. No. 1+00N
Date July 2
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	10	10	0	0			.06
		Corr.	3	3	0	0			
54.6' to 175'	C	Elev. Diff.	30	20	20	30	0	30	.08
		Corr.	2	1	1	2	0	2	
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .14 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note: Values are in feet to center of compartment.

Line No. 14W
Stn. No. 2
Date July 2
Time 1258

Meter Readings
4987.95

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	8	10	0	0	X	X	
		Corr.	2.0	3.0					.050
54.6' to 175'	C	Elev. Diff.	40	15	30	30	0	30	
		Corr.	4.0	1.0	2.0	2.0		2.0	.110
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .160 Mg.



Note Values are in feet to center of compartment

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Line No. 14W
Stn. No. 2+00N
Date July 2
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	8	10	0	0			.05
		Corr.	2	3	0	0			
54.6' to 175'	C	Elev. Diff.	40	15	30	30	0	30	
		Corr.	4	1	2	2	0	2	.11
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .16 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note: Values are in feet to center of compartment.

Contract Company

Line No. 14W
Stn. No. 3
Date July 2
Time 1251

Meter Readings
4989.44

Average Reading

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev Diff.	10	10	0	0			
		Corr.	3.0	3.0					.060
54.6' to 175'	C	Elev. Diff.	40	40	20	30	10	30	
		Corr.	4.0	4.0	1.0	2.0	0.3	2.0	.143
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .203 Mg.



ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date _____

Station # _____

Surveyor _____ Computed by _____

Note Values are in feet to center of compartment

Line No. 14W
Stn. No. 3+00N
Date July 2
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	10	10	0	0			
		Corr.	3	3	0	0			.06
54.6' to 175'	C	Elev. Diff.	40	40	20	30	10	30	
		Corr.	4	4	1	2	.3	2	.133
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .19 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note: Values are in feet to center of compartment.

Line No. 14W
Stn. No. 4
Date July 2
Time 1243

Meter Readings
4990.95

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev Diff.	8	10	0	0			
		Corr.	2.0	3.0					.050
54.6' to 175'	C	Elev. Diff.	25	20	25	25	0	20	
		Corr.	2.0	1.0	2.0	2.0		1.0	.080
175' to 558'	D	Elev. Diff							
		Corr.							

Total Corr. = .130 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station

Surveyor Computed by

Note. Values are in feet to center of compartment

Line No. 14W
Stn. No. 4+00N
Date July 2
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	8	10	0	0			
		Corr.	2	3	0	0			.05
54.6' to 175'	C	Elev. Diff.	25	20	25	25	0	20	
		Corr.	2	1	2	2	0	1	.08
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .13 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note: Values are in feet to center of compartment.

Line No. 14W
Stn. No. 5
Date July 2
Time 1234

Meter Readings
4992.37

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev Diff.	6	8	5	0	X	X	
		Corr.	1.0	2.0	1.0		X	X	.040
54.6' to 175'	C	Elev. Diff.	15	10	20	30	0	15	
		Corr.	1.0	0.3	1.0	2.0		1.0	.053
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .093 Mg.



ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note Values are in feet to center of compartment

Line No. 1HW
Stn. No. 5+00N
Date July 2
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	6	8	5	0			
		Corr.	1	2	1	0			.04
54.6' to 175'	C	Elev. Diff.	15	10	20	30	0	15	
		Corr.	1	.3	1	2	0	1	.053
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .09 Mg.



Note: Values are in feet to center of compartment.

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-12H Date

Station #

Surveyor Computed by

Line No. 14 W
Stn. No. 28+00N
Date July 29
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	10	3	4	2			.046
		Corr.	3	.4	1	.2			
54.6' to 175'	C	Elev. Diff.	20	15	6	3	15	20	.041
		Corr.	1	1	.1	0	1	1	
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .09 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note: Values are in feet to center of compartment.

Line No. 14W
Stn. No. 34
Date July 2
Time 8:10

Meter Readings
4992.54

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	8	10	0	0			
		Corr.	2.0	3.0					.050
54.6' to 175'	C	Elev. Diff.	20	20	30	30	0	15	
		Corr.	1.0	1.0	2.0	2.0		1.0	.070
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .120 Mg.



Note Values are in feet to center of compartment

ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Line No. 14W

Stn. No. 34+00N

Date July 2

Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	8	10	0	0			.05
		Corr.	2	3	0	0			
54.6' to 175'	C	Elev. Diff.	20	20	30	30	0	15	.07
		Corr.	1	1	2	2	0	1	
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .12 Mg.



Note: Values are in feet to center of compartment.

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Line No. 14W
Stn. No. 35
Date July 2
Time 8:17

Meter Readings
4990.03

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev Diff.	15	10	0	5			
		Corr.	5.0	3.0		1.0			.090
54.6' to 175'	C	Elev. Diff.	40	15	10	15	15	40	
		Corr.	4.0	1.0	03	1.0	1.0	4.0	.113
175' to 558'	D	Elev Diff							
		Corr.							

Total Corr. = .203 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note Values are in feet to center of compartment

Line No. 14W
Stn. No. 35+00N
Date
Time July 2

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	15	10	0	5			
		Corr.	5	3	0	1			.09
54.6' to 175'	C	Elev. Diff.	40	15	10	15	15	40	
		Corr.	4	1	.3	1	1	4	.113
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .20 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6' ±H FT.	T	ZONE C 6 Compartments 54.6' to 175' ±H FT.	T	ZONE D 6 Compartments 175' to 558' ±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note: Values are in feet to center of compartment.

Line No. 14W
Stn. No. 36
Date July 2
Time 823

Meter Readings

4988.84

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	12	8	0	0			
		Corr.	3.0	2.0					.050
54.6' to 175'	C	Elev. Diff.	30	15	15	20	0	30	
		Corr.	2.0	1.0	1.0	1.0		2.0	.070
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .120 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note Values are in feet to center of compartment

Line No. 14W
Stn. No. 36+00N
Date July 2
Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	12	8	0	0			.06
		Corr.	4	2	0	0			
54.6' to 175'	C	Elev. Diff.	30	15	15	20	0	30	.07
		Corr.	2	1	1	1	0	2	
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .13 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note: Values are in feet to center of compartment.

Line No. 14W
Stn. No. 37
Date July 2
Time 0828

Meter Readings
4987.74

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	0	0	0	10			
		Corr.				3.0			.030
54.6' to 175'	C	Elev. Diff.	15	15	0	0	0	0	
		Corr.	1.0	1.0					.020
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .050 Mg.



Note Values are in feet to center of compartment

ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Line No. 14W

Stn. No. 32+00N

Date July 2

Time

Meter Readings

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone	Compartment		1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	0	0	0	10			.03
		Corr.	0	0	0	3			
54.6' to 175'	C	Elev. Diff.	15	15	0	0	0	0	.02
		Corr.	1	1	0	0	0	0	
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .05 Mg.



Note: Values are in feet to center of compartment.

ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT.	T	±H FT.	T	±H FT.	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Line No. 14W
Stn. No. 40
Date July 2
Time 8 43

Meter Readings
4986.53

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	4	8	0	0			
		Corr.	1.0	2.0					.030
54.6' to 175'	C	Elev. Diff.	10	10	25	35	0	0	
		Corr.	0.3	0.3	2.0	3.0			.056
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .086 Mg.



ROCK DENSITY = 2.00

INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note Values are in feet to center of compartment

Line No. 14W
Stn. No. 41
Date July 2
Time 848

Meter Readings
4985.33

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev Diff.	5	12	0	5	X	X	
		Corr.	1.0	4.0		1.0	X	X	.060
54.6' to 175'	C	Elev Diff.	25	0	30	30	10	20	
		Corr.	2.0		2.0	2.0	03	1.0	.073
175' to 558'	D	Elev Diff.							
		Corr.							

Total Corr. = .133 Mg.



Note. Values are in feet to center of compartment

ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date
Station #
Surveyor Computed by

Line No. 14W
Stn. No. 42
Date July 2
Time 8 53

Meter Readings
4983.47

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev Diff.	15	20	5	5			
		Corr.	5.0	7.0	1.0	1.0			.140
54.6' to 175'	C	Elev Diff.	35	0	20	20	20	30	
		Corr.	3.0		1.0	1.0	1.0	2.0	.080
175' to 558'	D	Elev Diff.							
		Corr.							



Total Corr. = .220 Mg.

ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date _____

Station # _____

Surveyor _____ Computed by _____

Note Values are in feet to center of compartment

Line No. 14W
Stn. No. 44
Date July 2
Time 904

Meter Readings
4980.65

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev Diff.	3	5	0	0			
		Corr.	0.4	1.0					.014
54.6' to 175'	C	Elev. Diff.	15	0	0	15	0	15	
		Corr.	1.0			1.0		1.0	.030
175' to 558'	D	Elev Diff							
		Corr.							

Total Corr. = .044 Mg.



Note. Values are in feet to center of compartment

ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Contract Company

Line No. 14W
Stn. No. 45
Date July 2
Time 8:08

Meter Readings
4979.73

Average Reading

INNER TERRAIN CORRECTION ONLY

Zone			Compartment 1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	4	5	0	0			
		Corr.	1.0	1.0					.020
54.6' to 175'	C	Elev. Diff.	20	10	20	10	5	15	
		Corr.	1.0	0.3	1.0	0.3	0.1	1.0	.037
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = 057 Mg.



Note. Values are in feet to center of compartment

ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Line No. 14W
Stn. No. 46
Date July 2
Time 9:14

Meter Readings
4978.05

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	10	10	0	5			
		Corr.	3.0	3.0		1.0			.070
54.6' to 175'	C	Elev. Diff.	20	10	20	20	0	20	
		Corr.	1.0	0.3	1.0	1.0		1.0	.043
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = 113 Mg.



ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note. Values are in feet to center of compartment

Line No. 14W
Stn. No. 43
Date July 2
Time 858

Meter Readings
4981.83

Average Reading

Contract Company

INNER TERRAIN CORRECTION ONLY

Zone		Compartment	1	2	3	4	5	6	Corr. X 0.01 Mg.
6.56' to 54.6'	B	Elev. Diff.	8	6	2	0			
		Corr.	2.0	1.0	0.2				.032
54.6' to 175'	C	Elev. Diff.	40	0	20	15	10	25	
		Corr.	4.0		1.0	1.0	0.3	2.0	.083
175' to 558'	D	Elev. Diff.							
		Corr.							

Total Corr. = .115 Mg.



ROCK DENSITY = 2.00
INNER TERRAIN CORRECTION TABLES

ZONE B 4 Compartments 6.56' to 54.6'		ZONE C 6 Compartments 54.6' to 175'		ZONE D 6 Compartments 175' to 558'	
±H FT	T	±H FT	T	±H FT	T
0 - 1.1	0	0 - 4.3	0	0 - 7.7	0
1.1 - 1.9	0.1	4.3 - 7.5	0.1	7.7 - 13.4	0.1
1.9 - 2.5	0.2	7.5 - 9.7	0.2	13.4 - 17.3	0.2
2.5 - 2.9	0.3	9.7 - 11.5	0.3	17.3 - 20.5	0.3
2.9 - 3.4	0.4	11.5 - 13.1	0.4	20.5 - 23.2	0.4
3.4 - 3.7	0.5	13.1 - 14.5	0.5	23.2 - 25.7	0.5
3.7 - 7	1	14.5 - 24	1	25.7 - 43	1
7 - 9	2	24 - 32	2	43 - 56	2
9 - 12	3	32 - 39	3	56 - 66	3
12 - 14	4	39 - 45	4	66 - 76	4
14 - 16	5	45 - 51	5	76 - 84	5
16 - 19	6	51 - 57	6	84 - 92	6
19 - 21	7	57 - 63	7	92 - 100	7
21 - 24	8	63 - 68	8	100 - 107	8
24 - 27	9	68 - 74	9	107 - 114	9
27 - 30	10	74 - 80	10	114 - 120	10
		80 - 86	11	120 - 127	11
		86 - 91	12	127 - 133	12
		91 - 97	13	133 - 140	13
		97 - 104	14	140 - 146	14
		104 - 110	15	146 - 152	15

Prospect 69-124 Date

Station #

Surveyor Computed by

Note Values are in feet to center of compartment