

Vanguardia Rotary Drill

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

019678

Member  
Canadian Testing  
Association

## KAMLOOPS RESEARCH &amp; ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOG-S B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.330 - 355 Burrard StreetVancouver, B.C. V6C 2G8Certificate No. K-4068Date June 8, 1981I hereby certify that the following are the results of assays made by us upon the herein described Percussion  
Drill samples

Serial No.	Marked	Pb	Zn	Pb/Zn					
		percent	percent	%					
1	2114 B1VR-16	4.60	7.20	11.80					
2	2115	4.50	6.80	11.30					
3	2141 B1VR-18	3.40	4.70	8.10					
4	2148	1.03	2.30	3.33					
5	2149	.55	1.26	1.81					
6	2154 B1VR-19	.55	.96	1.51					
7	2158	2.50	2.40	4.90					
8	2160	.51	.35	.86					
9	2161	1.77	1.06	2.83					
10	2162	.46	.50	.96					
11	2165 B1VR-20	.82	1.32	2.14					
12	2169	.15	.29	.44					
13	2170	2.90	3.90	6.80					
14	2172	3.10	5.20	8.30					
15	2173	2.10	3.90	6.00					
16	2175	.51	1.00	1.51					
17	2177	.15	.49	.64					
18	2183 B1VR-21	2.10	2.10	4.20					
19	2184	3.10	3.40	6.50					
20	2185	3.30	3.20	6.50					

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.
  
Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4068 2

Date June 8, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Percussion Drill samples

Kral No.	Marked	Pb	Zn	Pb/Zn					
		percent	percent	%					
21	2186	5.60	4.60	10.20					
22	2188	5.00	5.40	10.40					
23	2189	3.70	3.60	7.30					
24	2192	1.22	1.68	2.90					
25	2193	.94	1.54	2.48					
26	2194	.77	1.06	1.83					
27	2195	1.52	3.00	4.52					
28	2196	1.20	3.30	4.50					
29	2201	.25	.03	.28					
30	2202	.11	.06	.17					
31	2203	.17	.04	.21					
32	2206	.79	.45	1.24					
33	2210	.07	.20	.27					
34	2212	1.11	1.26	2.37					
35	2225	.78	.85	1.63					
36	2226	2.20	2.30	4.50					
37	2227	1.43	1.71	3.14					
38	2228	1.59	1.70	3.29					
39	2229	3.20	5.80	9.00					
40	2230	3.60	7.30	10.90					

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
 \_\_\_\_\_  
 Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4068 3

Date June 8, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Percussion Drill samples

Kral No.	Marked	Pb	Zn	Pb/Zn					
		percent	percent	%					
41	2231	3.50	6.70	10.20					
42	2232	3.90	6.50	10.40					
43	2234	5.50	5.60	11.10					
44	2236	.87	1.21	2.08					
45	2252	.97	.03	1.00					
46	2256	.40	.41	.81					
47	2258	.32	.45	.77					
48	2259	.26	.29	.55					
49	2260	.25	.26	.51					
50	2261	.26	.14	.40					
51	2262	.53	.89	1.42					
52	2263	1.09	2.29	3.38					
53	2264	.02	.20	.22					
54	2266	.93	1.72	2.65					
55	2267	4.00	6.80	10.80					
56	2268	4.30	9.13	13.43					
57	2270	1.47	2.90	4.37					
58	2271	1.08	1.64	2.72					
59	2272	1.23	2.30	3.53					
60	2273	1.10	2.02	3.12					

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

\_\_\_\_\_  
Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

## CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4068 4

Date June 8, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Percussion Drill samples

Kral No.	Marked	Pb	Zn	Pb/Zn					
		percent	percent	%					
61	2275	3.00	4.90	7.90					
62	2277	.36	.59	.95					
63	2279	.44	.82	1.26					
64	2281 BVR-29	.55	.66	1.21					
65	2282	.34	.63	.97					
66	2283	.29	.50	.79					
67	2285	.57	.84	1.41					
68	2287 BVR-30	.07	.26	.33					
69	2288	.11	.31	.42					
70	2290	.27	.96	1.23					
71	2291	.04	.43	.47					
72	2292	.08	.40	.48					
73	2294	.16	.47	.63					
74	2296	.11	.34	.45					
75	2298	.96	1.69	2.65					
76	2300 BVR-31	.23	.03	.26					
77	2301	1.06	1.67	2.73					
78	2302 BVR-23	.78	.54	1.32					
79	2303	.39	.28	.67					
80	2306	2.60	2.90	5.50					

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
 \_\_\_\_\_  
 Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
VIS 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4068 5

Date June 8, 1981

**I hereby certify** that the following are the results of assays made by us upon the herein described Percussion  
Drill samples

Kral No.	Marked	Pb	Zn	Pb/Zn					
		percent	percent	%					
81	2307 B1VR-23	1.03	1.00	2.03					
82	2310	.25	.53	.78					
83	2311	.07	.63	.70					
84	2312	.07	.92	.99					
85	2322	2.20	3.20	5.40					
86	2323 B1VR-22	.56	.65	1.21					
87	2324	.75	.86	1.61					
88	2325	.74	1.16	1.90					
89	2326	.28	.68	.96					
90	2327	.45	.77	1.22					
91	2328	4.20	5.50	9.70					
92	2329 B1VR-24	4.20	5.10	9.30					
93	2330	3.40	4.10	7.50					
94	2334	2.80	2.80	5.60					
95	2335	.68	1.32	2.00					
96	2337	.81	1.08	1.89					
97	2338	.09	.57	.66					
98	2339	.12	.59	.71					
99	2342 B1VR-25	.19	.07	.26					
100	2343	3.00	5.30	8.30					

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4068 6

Date June 8, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Percussion  
Drill samples

Kral No.	Marked	Pb	Zn	Pb/Zn					
		percent	percent	%					
101	2344	3.40	.54	3.94					
102	2346	6.90	6.80	13.70					
103	2349	.69	.72	1.41					
104	2352	1.32	1.41	2.73					
105	2353	.46	1.06	1.52					
106	2356	7.20	1.84	9.64					
107	2357	5.90	2.40	8.30					
108	2358	5.70	5.00	10.70					
109	2359	6.00	6.50	12.50					
110	2360	3.90	4.20	8.10					
111	2361	.84	1.85	2.69					
112	2362	3.40	4.50	7.90					
113	2364	.96	1.50	2.46					
114	2365	2.10	2.30	4.40					
115	2367	.45	.54	.99					
116	2368	1.18	1.29	2.47					
117	2371	.11	.33	.44					
118	2373	.06	.41	.47					
119	2375	.02	.36	.38					
120	2376	.09	.20	.29					

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.


Certificate No. K-4068 7

Date June 8, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Percussion Drill samples

Kral No.	Marked	Pb	Zn	Pb/Zn					
		percent	percent	%					
121	2378 B1VR-26	.74	.93	1.57					
122	2380 B1VR-27	3.00	2.60	5.60					
123	2382	2.40	2.60	5.00					
124	2384	2.90	4.00	6.90					
125	2386	.20	.38	.58					
126	2387	.54	1.01	1.55					
127	2388	.48	.80	1.28					
128	2389	.25	.29	.54					
129	2390	.08	.28	.36					
130	2394	5.90	6.10	12.00					
131	2395	1.47	2.04	3.51					
132	2396	1.00	2.06	3.06					
133	2397	.88	1.38	2.26					
134	2400	.21	.37	.58					
135	3822 B1VR-05	4.00	5.10	9.10					
136	3826	4.20	3.40	7.60					
137	3840	.22	.21	.43					
138	3842	.21	.15	.36					
139	3897 B1VR-08	1.44	1.35	2.79					
140	3971 B1VR-12	5.70	9.00	14.70					

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

  
 \_\_\_\_\_  
 Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.  
330 - 355 Burrard Street  
Vancouver, B.C. V6C 2G8

Certificate No. K-4037

Date May 28, 1981

*I hereby certify* that the following are the results of assays made by us upon the herein described Vangorda rotary samples

Kral No.	Marked	Pb	Zn	Pb & Zn					
		percent	percent	%					
1	2138 81-VR-18	1.79	3.13	4.92					
2	2146	.97	1.95	2.92					
3	2147	2.42	3.10	5.52					
4	2155 81-VR-19	.70	.69	1.39					
5	2157	.52	.67	1.19					
6	2159	1.17	1.08	2.25					
7	2166 81-VR-20	1.40	1.65	3.05					
8	2167	.51	.73	1.24					
9	2168	.23	.35	.58					
10	2171	1.58	1.97	3.55					
11	2174	.15	.58	.73					
12	2190 81-VR-21	2.22	2.69	4.91					
13	2197 81-VR-22	1.83	1.96	3.79					
14	2198 81-VR-23	1.82	1.86	3.68					
15	2199	2.06	2.01	4.07					
16	2200	2.62	2.96	5.58					
17	2204 81-VR-31	.74	.18	.92					
18	2205	.56	.43	.99					
19	2207	1.87	1.54	3.41					
20	2208	1.79	1.54	3.33					

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4037 2

Date May 28, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda rotary samples

Kral No.	Marked	Pb	Zn	Pb & Zn					
		percent	percent	%					
21	2209 81-VR-31	.72	.83	1.55					
22	2211	1.34	1.87	3.21					
23	2233 81-VR-33	8.29	6.77	15.06					
24	2235	2.10	2.23	4.33					
25	2237	.81	1.22	2.03					
26	2238	.63	1.36	1.99					
27	2239	.60	1.42	2.02					
28	2240	.65	1.79	2.44					
29	2241 81-VR-34	2.73	2.69	5.42					
30	2242	2.80	3.12	5.92					
31	2243	2.64	3.09	5.73					
32	2246	3.72	5.32	9.04					
33	2247	.30	.74	1.04					
34	2248	.42	.58	1.00					
35	2249	.23	.45	.68					
36	2250	.27	.59	.86					
37	2251 81-VR-27	.16	.31	.47					
38	2253 81-VR-28	.41	.04	.45					
39	2254	.22	.24	.46					
40	2255	.36	.37	.73					

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4037 3

Date May 28, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda Rotary samples

Kral No.	Marked	Pb	Zn	Pb & Zn					
		percent	percent	%					
41	2257 81-VR-28	.67	.41	1.08					
42	2265	.03	.16	.19					
43	2269 81-VR-29	4.04	7.83	11.87					
44	2274	1.60	2.75	4.35					
45	2276	2.51	3.33	5.84					
46	2278	.39	.64	1.03					
47	2280	.47	.72	1.19					
48	2284	.52	.86	1.38					
49	2286	.55	.85	1.40					
50	2289 81-VR-30	.09	.43	.52					
51	2293	.17	.47	.64					
52	2295	.05	.25	.30					
53	2297	.26	.63	.89					
54	2299	1.28	1.78	3.06					
55	2304 81-VR-23	3.38	2.71	6.09					
56	2305	5.53	3.99	9.52					
57	2308	1.96	2.11	4.07					
58	2309	2.00	2.24	4.24					
59	2318 81-VR-22	.05	.38	.43					
60	2320	1.42	3.63	5.05					

NOTE:  
Rejects retained three weeks;  
Pulps retained three months  
unless otherwise arranged.

\_\_\_\_\_  
Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4037 4

Date May 28, 1981

**I hereby certify** that the following are the results of assays made by us upon the herein described

Vangorda  
Rotary          samples

Kral No.	Marked	Pb	Zn	Pb & Zn					
		percent	percent	%					
61	2321 81-VR-22	3.08	5.24	8.32					
62	2331 81-VR-24	2.17	3.73	5.90					
63	2332	1.82	2.93	4.75					
64	2333	3.63	3.25	6.88					
65	2336	.38	1.28	1.66					
66	2340	.85	1.40	2.25					
67	2345 81-VR-25	5.53	5.06	10.59					
68	2347	3.40	3.48	6.88					
69	2348	1.34	1.85	3.19					
70	2351 *	2.77	4.10	6.87					
71	2354	.28	.69	.97					
72	2355	.86	1.09	1.95					
73	2363 81-VR-26	1.05	1.05	2.10					
74	2366	.74	.88	1.62					
75	2369	.24	.33	.57					
76	2370	.59	.59	1.18					
77	2372	.17	.38	.55					
78	2374	.09	1.11	1.20					
79	2377	1.97	2.71	4.68					
80	2379 81-VR-27	2.46	2.78	5.24					

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4037 5

Date May 28, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Vangorda Rotary samples

Kral No.	Marked	Pb	Zn	Pb & Zn					
		percent	percent	%					
81	2381	.75	1.06	1.81					
82	2383	3.35	3.96	7.31					
83	2385	1.32	2.45	3.77					
84	2391	.07	.22	.29					
85	2392	.15	.66	.81					
86	2393	3.61	7.82	11.43					
87	2398	.19	.51	.70					
88	2399	.18	.48	.66					
89	3710	1.54	1.56	3.10					
90	3713	.63	1.05	1.68					
91	3731	.04	.07	.11					
92	3732	.03	.06	.09					
93	3747	.18	.23	.41					
94	3756	2.85	2.76	5.61					
95	3761	.07	.26	.33					
96	3832	.58	1.73	2.31					
97	3833	.18	.49	.67					
98	3873	2.81	3.34	6.15					
99	3876	.52	.38	0.90					
100	3877	1.31	1.16	2.47					

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4037 6

Date May 28, 1981

Vangorda  
Rotary          samples

I hereby certify that the following are the results of assays made by us upon the herein described

Kral No.	Marked		Pb	Zn	Pb & Zn					
			percent	percent	%					
101	3878	81-VR-07	4.99	7.97	12.96					
102	3887		.43	.49	.92					
103	3889		.09	.24	.33					
104	3891		.10	.16	.26					
105	3894		.11	.27	.38					
106	3903	81-VR-08	.17	.24	.41					
107	3904		.08	.22	.30					
108	3926	81-VR-09	1.38	1.90	3.28					
109	3937		.52	.66	1.18					
110	3939		.07	.37	.44					
111	3955	81-VR-10	3.13	4.43	7.56					
112	3957		2.81	3.05	5.86					
113	3958		.72	1.16	1.88					
114	3961		.60	.85	1.45					
115	3962		.31	.66	.97					
116	3967	81-VR-12	5.88	8.05	13.93					
117	3969		12.27	17.50	29.77					
118	6003	81-VR-34	.20	1.70	1.90					
119	6004		.23	1.27	1.50					
120	6005		1.88	4.94	6.82					

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-4037 7

Date May 28, 1981

Vangorda

I hereby certify that the following are the results of assays made by us upon the herein described Rotary samples

Kral No.	Marked	Pb	Zn	Pb&Zn						
		percent	percent	%						
121	6006 81-VR-34	3.37	5.38	8.75						
122	6007 ✓	.53	1.19	1.72						

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

330 - 355 Burrard Street

Vancouver, B.C. V6C 2G8


Certificate No. K-3964

Date May 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Ag	Pb	Zn	Cu	Pb+Zn			
		grams per tonne	percent	percent	percent				
1	1961 81-VX-01	38	2.60	3.40	.17	6.00	4A4		
2	1962	76	5.10	11.00	.12	16.1	4C0		
3	1963 F4D	42	3.20	3.20	.21	6.4	4C8		
4	1964 VANGORDA	36	1.91	2.80	.11	4.71	4C8		
5	1965	47	3.20	2.90	.19	6.10	4C8		
6	1966	49	3.60	3.20	.18	6.80	4G48		
7	1967	53	3.80	3.50	.22	7.30	4G48		
8	1968	28	1.41	.91	.14	2.32	4K38		
9	1969 81-X-02	4	.23	.19	.09				
10	1970 DY	58	4.20	7.10	.11				
11	1971	49	4.30	7.00	.07				
12	1972	30	3.30	2.02	.14				
13	1973	29	3.20	2.30	.06				
14	1974	32	.15	.04	.08				
15	1975	13	.41	.43	.13				
16	1976	9	.28	.51	.13				
17	1977	7	.35	1.23	.05				
18	1978	6	.23	1.10	.05				
19	1979	8	.24	.39	.03				
20	1980	19	.98	.41	.20				

NOTE:  
Rejects retained three weeks  
Pulps retained three months  
unless otherwise arranged

  
Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

330 - 355 Burrard Street

Vancouver, B.C. V6C 2G8

Certificate No. K-3953

Date May 15, 1981

I hereby certify that the following are the results of assays made by us upon the herein described VANGORDA samples

Kral No.	Marked	Pb	Zn	Pb&Zn					
		percent	percent	%					
1	2112	.44	1.11	1.55					
2	2113	1.96	4.92	6.88					
3	2116	3.20 <sup>xx</sup>	3.80	7.00					
4	2117	1.45	1.14	2.59					
5	2118	1.29	1.21	2.50					
6	2119	1.38	1.40	2.78					
7	2139	2.90	5.30	8.20					
8	2140	3.60 <sup>x</sup>	5.70	9.30					
9	2142	3.15	4.71	7.86					
10	2143	3.00	4.40	7.40					
11	2144	1.80	2.90	4.70					
12	2145	2.01	2.60	4.61					
13	2150	.71 <sup>xxxx</sup>	1.25	1.96					
14	2153	1.82	2.86	4.68					
15	2156	.80	.85	1.65					
16	2163	1.56	2.80	4.36					
17	2164	1.36	2.75	4.11					
18	2176	.21	.59	.80					
19	2178	.12	.56	.68					
20	3705	6.80	4.40	11.20					

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-3953 2

Date May 15, 1981

I hereby certify that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Pb	Zn	Pb&Zn					
		percent	percent	%					
21	3706	3.10	3.70	6.80					
22	3711	1.12	.90	2.02					
23	3716	1.10	1.46	1.56					
24	3717	1.66	1.96	3.62					
25	3741	.17 <sub>x</sub>	.72	.89					
26	3744	1.87	2.00	3.87					
27	3745	3.79	3.52	7.31					
28	3746	4.20 <sub>x</sub>	4.60	8.80					
29	3748	.21	.30	.51					
30	3749	.33	.58	.91					
31	3750	1.28	1.69	2.97					
32	3751	1.24	2.90	4.14					
33	3752	.60	1.29	1.89					
34	3753	.40	.97	1.37					
35	3754	.99	1.92	2.91					
36	3755	3.40	4.90	8.30					
37	3757	1.67 <sub>x</sub>	1.68	3.35					
38	3758	1.14	1.58	2.72					
39	3759	.37 <sub>x</sub>	.76	1.13					
40	3762	.12 <sub>x</sub>	.39	.51					

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-3953 3

Date May 15, 1981

I hereby certify that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Pb	Zn	Pb & Zn					
		percent	percent	%					
41	3763	81-VR-02 ✓	.10	.40	.50				
42	3764		.13	.37	.50				
43	3765		.06	.22	.28				
44	3821	81-VR-05 ✓	3.31	6.03	9.34				
45	3823		1.73 <sup>x</sup>	1.90	3.63				
46	3824		1.13	.88	2.01				
47	3827		2.64 <sup>x</sup>	2.95	5.59				
48	3828		.53	.62	1.15				
49	3829		.35	.58	.93				
50	3830		.50	1.04	1.54				
51	3831		.93	1.74	2.67				
52	3834		.17 <sup>x</sup>	.29	.46				
53	3835		.47	.64	1.11				
54	3836		.10	.35	.45				
55	3837		.12	.41	.53				
56	3838		1.35	.35	1.70				
57	3839		1.34 <sup>x</sup>	.25	1.59				
58	3841		.11	.12	.23				
59	3868	81-VR-07 ✓	1.46	1.39	2.85				
60	3869		2.90	3.20	6.10				

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-3953 4

Date May 19, 1981

I hereby certify that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Pb	Zn	Pb & Zn					
		percent	percent	%					
61	3870	5.30	4.90	10.20					
62	3871	4.10	4.90	9.00					
63	3872	2.99	3.59	6.58					
64	3874	2.10 <sup>x</sup>	2.70	4.80					
65	3875	.68	.75	1.43					
66	3879 <b>81-VR-07</b>	6.32 <sup>xxx</sup>	9.02	15.34					
67	3880	3.00	3.90	6.90					
68	3881	1.71	1.93	3.64					
69	3882	.37	.62	.99					
70	3883	1.42	1.89	3.31					
71	3884	1.40	1.38	2.78					
72	3885	.53	.77	1.30					
73	3886	.31	.46	.77					
74	3888	.24 <sup>x</sup>	.48	.72					
75	3890	.09 <sup>xx</sup>	.18	.27					
76	3893	.08 <sup>xx</sup>	.18	.26					
77	3895	.10 <sup>x</sup>	.20	.30					
78	3906 <b>81-VR-08</b>	.38	.28	.66					
79	3907	2.80	2.80	5.60					
80	3908	1.73	4.49	6.22					

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-3953 5

Date May 19, 1981

I hereby certify that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Pb	Zn	Pb & Zn					
		percent	percent	%					
81	3909	81-VR-08 ✓ 2.50 <sup>xx</sup> .10 .14 .33	2.70	5.20					
82	3912		2.70	5.20					
83	3913		2.70	5.20					
84	3914		2.70	5.20					
85	3917	81-VR-09 ✓ 2.48 4.30 5.20 4.10 6.31 6.10	4.97	7.45					
86	3918		4.97	7.45					
87	3919		4.97	7.45					
88	3920		4.97	7.45					
89	3921		4.97	7.45					
90	3922		4.97	7.45					
91	3923		3.70	6.80					
92	3924		1.45	2.84					
93	3925		.86	1.50					
94	3927		1.08	1.72					
95	3928		.91	1.47					
96	3929		.62	1.03					
97	3930		.63	1.17					
98	3931		.44	.66					
99	3932		.34	.47					
100	3933		.30	.46					

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-3953 6

Date May 19, 1981

I hereby certify that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Pb	Zn	Pb & Zn					
		percent	percent	%					
101	3934	.66	1.04	1.70					
102	3935	1.03	2.60	3.63					
103	3936	.17 <sup>x</sup>	.89	1.06					
104	3938	.15 <sup>x</sup>	.33	.48					
105	3940	.07 <sup>x</sup>	.24	.31					
106	3941	.03	.19	.22					
107	3942	.02	.06	.08					
108	3943	.02	.06	.08					
109	3953	1.68	2.97	4.65					
110	3954	1.27 <sup>x</sup>	2.23	3.50					
111	3956	6.16 <sup>xx</sup>	6.68	12.84					
112	3959	.60 <sup>x</sup>	1.01	1.61					
113	3960	.97 <sup>xx</sup>	1.52	2.49					
114	3963	.27 <sup>x</sup>	.42	.69					
115	3964	.73	.42	1.15					
116	3965	3.90	4.80	8.70					
117	3966	2.30 <sup>x</sup>	3.40	5.70					
118	3968	6.10 <sup>x</sup>	7.70	13.80					
119	3970	7.70 <sup>x</sup>	10.60	18.30					
120	3972	6.64 <sup>x</sup>	8.26	14.90					

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-3953 7

Date May 19, 1981

I hereby certify that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Pb	Zn	Pb & Zn					
		percent	percent	%					
121	3973 81-VR-12	7.93	8.49	16.42					
122	3974	5.70	6.49	12.19					
123	3975	2.03	2.79	4.82					
124	3976	1.12	1.56	2.68					
125	3977	.64	1.03	1.67					
<del>126</del>	3879 <del>3079</del> 81-VR-13	<del>6.33</del>	<del>8.82</del>	<del>15.15</del>	Already	reported	K-3953	pk	P.S.

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

\_\_\_\_\_  
Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

330 - 355 Burrard Street

Vancouver, B.C. V6C 2G8

Certificate No. K-3917

Date May 7, 1981

**I hereby certify** that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Pb	Zn	Pb±Zn					
		percent	percent	%					
1	3702 81-VR-01/	.13	.32	.45					
2	3703	1.66	1.77	3.43					
3	3704	5.87	5.88	11.75					
4	3707 <sup>**</sup>	.70 <sup>**</sup>	1.17	1.87					
5	3708	.35	.49	.84					
6	3709	1.39	1.93	3.32					
7	3712 <sup>**</sup>	1.34 <sup>**</sup>	1.48	2.82					
8	3714 <sup>x</sup>	.47 <sup>x</sup>	.55	1.02					
9	3715	.37	.45	.82					
10	3718 <sup>**</sup>	.57 <sup>**</sup>	.60	1.17					
11	3719	.44	.45	.89					
12	3720	1.36	1.92	3.28					
13	3721	.94	1.40	2.34					
14	3722	.09	.23	.32					
15	3723	.13	.25	.38					
16	3724	.10	.24	.34					
17	3725	.08	.25	.33					
18	3726	.04	.17	.21					
19	3727	.06	.11	.17					
20	3728	.50	.67	1.17					

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-3917 2

Date May 7, 1981

I hereby certify that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Pb	Zn	Pb & Zn						
		percent	percent	%						
21	3729 81-VR-01 ✓	.22	.31	.53						
22	3730	.11	.20	.31						
23	3733 81-VR-02 ✓	.02	.04	.06						
24	3734	.25	.08	.33						
25	3736	.43	.05	.48						
26	3760	.14	.39	.53						
27	3766 81-VR-03 ✓	.07	.04	.11						
28	3767	.32	.14	.46						
29	3768	.32	.13	.45						
30	3769	1.42	.20	1.62						
31	3770	7.08	.29	7.37						
32	3771	10.41	1.14	11.55						
33	3772	3.92	.70	4.62						
34	3773	.92	.32	1.24						
35	3774	.40	.21	.61						
36	3775	.43	.15	.58						
37	3776	2.85	1.86	4.71						
38	3777	4.90	5.80	10.70						
39	3778	5.50	7.00	12.50						
40	3779	5.60	6.70	12.30						

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-3917 3

Date May 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Pb	Zn	Pb & Zn					
		percent	percent	%					
41	3780	4.25	4.72	8.97					
42	3781	4.33	5.34	9.67					
43	3782	2.65	2.56	5.21					
44	3783	1.47	1.29	2.76					
45	3784	1.51	1.63	3.14					
46	3785	3.87	4.30	8.17					
47	3786	1.36	2.38	4.24					
48	3787	1.04	1.50	2.54					
49	3788	1.82	1.91	3.73					
50	3789	.93	.81	1.74					
51	3790	.51	1.36	1.87					
52	3791	.42	.68	1.10					
53	3792	.68	.63	1.31					
54	3793	.65	.45	1.10					
55	3794	.42	.28	.70					
56	3795	.24	.26	.50					
57	3796	6.69	2.70	9.39					
58	3797	5.90	6.00	11.90					
59	3798	5.60	3.70	9.30					
60	3799	8.00	3.90	11.90					

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-3917 4

Date May 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Pb	Zn	Pb+Zn					
		percent	percent	%					
61	3800	6.50	3.50	10.00					
62	3801	6.60	3.40	10.00					
63	3802	6.28	3.23	9.51					
64	3803	5.30	3.00	8.30					
65	3804	7.35	2.76	10.11					
66	3805	7.53	2.63	10.16					
67	3806	7.00	2.83	9.83					
68	3807	5.76	2.82	8.58					
69	3808	5.96	2.29	8.25					
70	3809	5.92	2.10	8.02					
71	3810	6.11	2.05	8.16					
72	3811	5.80	1.94	7.74					
73	3812	5.60	1.75	7.35					
74	3813	5.36	1.46	6.82					
75	3814	5.57	1.55	7.12					
76	3815	6.20	1.42	7.62					
77	3816	6.09	1.45	7.54					
78	3817	6.55	1.55	8.10					
79	3818	6.57	1.60	8.17					
80	3819	6.09	1.52	7.61					

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-3917 5

Date May 11, 1981

I hereby certify that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Pb	Zn	Pb & Zn						
		percent	percent	%						
81	3820 81-VR-04 ✓	5.78	1.41	7.19						
82	3825 81-VR-05 ✓	5.04	4.48	9.52						
83	3843 81-VR-06 ✓	.09	.05	.14						
84	3844	.10	.07	.17						
85	3845	.69	.16	.85						
86	3846	.76	.19	.95						
87	3847	.24	.19	.43						
88	3848	.10	.15	.25						
89	3849	1.28	1.28	2.56						
90	3850	1.62	1.27	2.89						
91	3851	1.50	1.11	2.61						
92	3852	1.09	1.64	2.73						
93	3853	.65	.65	1.30						
94	3854	1.46	1.37	2.83						
95	3855	.70	1.11	1.81						
96	3856	.41	.37	.78						
97	3857	.13	.29	.42						
98	3858	.12	.19	.31						
99	3859	.16	.23	.39						
100	3860	.22	.47	.69						

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-3917 6

Date May 11, 1981

**I hereby certify** that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Pb	Zn	Pb&Zn					
		percent	percent	%					
101	3861 81-VR-06 ✓	.14	.34	.48					
102	3862	.08	.26	.34					
103	3863	.22	.41	.63					
104	3864 81-VR-07 ✓	.05	.10	.15					
105	3866	.04	.08	.12					
106	3896 81-VR-08 ✓	1.43 <sup>x</sup>	1.27	2.70					
107	3898	1.17 <sup>x</sup>	1.10	2.27					
108	3899	.54	.96	1.50					
109	3900	1.22	.35	1.57					
110	3901	.42	.27	.69					
111	3902	.17 <sup>x</sup>	.37	.54					
112	3905	.14 <sup>x</sup>	.22	.36					
113	3910	1.69 <sup>x</sup>	3.98	5.67					
114	3911	.16 <sup>x</sup>	.37	.53					
115	3916 81-VR-09 ✓	.63	.43	1.06					
116	3944 81-VR-10 ✓	2.21	3.40	5.61					
117	3945	1.64	1.38	3.02					
118	3946	.73	.70	1.43					
119	3947	.35	.63	.98					
120	3948	.71	1.11	1.82					

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-3917 7

Date May 11, 1981

**I hereby certify** that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Pb	Zn	Pb+Zn					
		percent	percent	%					
121	3949 81-VR-10 ✓	1.18	1.60	2.78					
122	3950	2.80	3.00	5.80					
123	3951 81-VR-11 ✓	2.46	2.60	5.06					
124	3952	4.40	5.20	9.60					
125	3978 81-VR-13 ✓	4.40	9.90	14.30					
126	3979	.34	.98	1.32	OK				
127	3980	.23	.67	.90					
128	3981	.15	.62	.77					
129	3982	.19	1.10	1.29					
130	3983	.09	.34	.43					
131	3984	.06	.35	.41					
132	3985	.04	.21	.25					
133	3986	.11	.33	.44					
134	3987	.21	.47	.68					
135	3988	.02	.23	.25					
136	3989	.04	.20	.24					
137	3990	.02	.14	.16					
138	3991 81-VR-14 ✓	.06	.21	.27					
139	3992	.11	.25	.36					
140	3993	.06	.15	.21					

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-3917 8

Date May 11, 1981

**I hereby certify** that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Pb	Zn	Pb & Zn					
		percent	percent	%					
141	3994 81-VR-14 ✓	.01	.07	.08					
142	3995	.03	.08	.11					
143	3996	.01	.07	.08					
144	3997	.01	.05	.06					
145	3998	.01	.06	.07					
146	3999	TR	.04	.04					

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

\_\_\_\_\_  
Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.

V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

330 - 355 Burrard Street

Vancouver, B.C. V6C 2G8

Certificate No. K-3944

Date May 4, 1981

I hereby certify that the following are the results of assays made by us upon the herein described VANGORDA samples

Kral No.	Marked	Pb	Zn	Pb Zn					
		percent	percent	%					
1	2213	2.08	2.39	4.47					
2	2214	6.12	8.91	15.03					
3	2215	2.62	3.26	5.88					
4	2216	1.15	1.79	2.94					
5	2217	.66	1.06	1.72					
6	2218	.38	.79	1.17					
7	2219	.61	2.03	2.64					
8	2220	.43	1.21	1.64					
9	2221	.31	.53	.84					
10	2222	.23	.42	.65					
11	2223	.21	.61	.82					
12	2224	.06	.22	.28					
13	6008	2.41	5.08	7.49					
14	6009	4.00	8.41	12.41					
15	6010	3.35	6.79	10.14					
16	6011	1.24	2.26	3.50					
17	6012	2.13	2.63	4.76					
18	6013	1.10	1.99	3.09					
19	6014	3.66	4.04	7.70					
20	6015	2.67	3.56	6.23					

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-3944 2

Date May 4, 1981

I hereby certify that the following are the results of assays made by us upon the herein described \_\_\_\_\_ samples

Kral No.	Marked	Pb	Zn	Pb & Zn					
		percent	percent	%					
21	6016	.51	.81	1.32					
22	6017	.86	1.15	2.01					
23	6018	.49	.84	1.33					
24	6019	.44	.61	1.05					
25	6020	1.55	2.06	3.61					

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.

330 - 355 Burrard Street

Vancouver, B.C. V6C 2G8

Certificate No. K-3891

Date April 22, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Van Gorda samples

Kral No.	Marked	Pb percent	Zn percent	Pb & Zn %					
1	2101	4.80	5.10	9.90					
2	2102	2.40	3.30	5.70					
3	2103	.49	.93	1.42					
4	2104	.39	.81	1.20					
5	2105	.13	.58	.71					
6	2106	.81	.76	1.57					
7	2107	.28	.50	.78					
8	2108	.05	.24	.29					
9	2109	.03	.09	.12					
10	2110	.02	.07	.09					
11	2111	.05	.08	.13					
12	2120	1.80	1.74	3.54					
13	2121	.60	.74	1.34					
14	2122	.39	.72	1.11					
15	2123	.62	.74	1.36					
16	2124	.91	.91	1.82					
17	2125	1.74	2.30	4.04					
18	2126	.40	.77	1.17					
19	2127	1.54	1.94	3.48					
20	2128	.17	.56	.73					

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.

Certificate No. K-3891 2

Date April 22, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Van Gorda samples

Kral No.	Marked	Pb	Zn	Pb & Zn					
		percent	percent	%					
21	2129	.22	.45	.67					
22	2130	.13	.36	.49					
23	2131	.07	.28	.35					
24	2132	.07	.20	.27					
25	2133	.05	.17	.22					
26	4000	5.20	6.90	12.10					

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

**B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS**

TO Cyprus Anvil Mining Corporation Ltd.  
330 - 355 Burrard Street  
Vancouver, B.C. V6C 2G8

Certificate No. K-3631

Date February 2, 1981

**I hereby certify** that the following are the results of assays made by us upon the herein described Van Gorda samples

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu	Pb+Zn			
		Ounces Per Ton	grams per tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1	5962 - V		17	.43	.15	.02	.58			
2	5963		72	4.6	9.0	.48	13.6			
3	5964		117	9.7	11.8	.48	21.5			
4	5965		108	9.1	7.7	.16	16.8			
5	5966		29	2.4	3.5	.19	5.9			
6	5969		11	.31	1.24	.36	1.55			
7	5970		12	.10	.30	.38	.40			
8	5971		79	4.8	8.5	.05	13.3			
9	5972		25	.31	.46	.32	.77			
10	5973		58	5.1	6.8	.13	11.9			
11	5974		19	.59	.61	.28	1.20			

**NOTE:**  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Member  
Canadian Testing  
Association

# KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

2095 WEST TRANS CANADA HIGHWAY — KAMLOOPS B.C.  
V1S 1A7

PHONE: (604) 372-2784 — TELEX: 048-8320

## CERTIFICATE OF ASSAY

B.C. LICENSED ASSAYERS  
GEOCHEMICAL ANALYSTS  
METALLURGISTS

TO Cyprus Anvil Mining Corporation Ltd.  
330 - 355 Burrard Street  
Vancouver, B.C. V6C 2G8

Certificate No. K-3620

Date February 2, 1981

I hereby certify that the following are the results of assays made by us upon the herein described Van Gorda samples

Kral No	Marked	GOLD	SILVER	Pb	Zn	Cu	Pb+Zn			
		Ounces Per Ton	grams per tonne	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1	5967 - V		9	.23	.83	.29	1.06			
2	5968		8	.19	.64	.31	.83			
3	5975		16	.20	.21	.47	.41			
4	5976		17	.10	.23	.27	.33			
5	5977		29	.33	.53	.46	.86			
6	5978		32	1.22	.96	.36	2.18			
7	5979		24	.55	1.17	.30	1.72			
8	5980		24	.17	.15	.55	.32			

NOTE:  
Rejects retained three weeks.  
Pulps retained three months  
unless otherwise arranged.

Registered Assayer, Province of British Columbia