

019685

24MAY85 VANGORCA

CCOMPUTE COMPOSITES (DH018)

PAGE: 1

026

DDH: 79V028R UTM-N: 903487.0 UTM-E: 593892.7 UTM-ELEV: 1145.2 TOTAL DEPTH: 132.9 SECTION: 02 W  
 RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 D DHD CALC: 1 SS CALC: 0

---DEPTHS---				-----ASSAYS-----																		
FROM	TO	SAMPLE NO.	INT. NO.	REC.	ROCK LUNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PO %	PY %	TOT FE	BAO %	HG %	MN %	AS %	BA %	S.G. W.G.	
19.4	19.9	1302	.5	.0	****	3.97	.19	6.36	6.14	99.50		.64	1	36	37	.07						.05
19.9	22.3	1303	2.4	.0	****	2.90	.06	.37	.56	4.50		.18	3	6	9	.15						.09
22.3	23.1	1304	.8	.0	****	2.99	.16	6.46	5.50	52.00		.21	2	12	15	.88						.06
23.1	24.7	1305	1.6	.0	****	2.88	.07	.50	.82	9.00		.14	3	6	10	1.40						.12
24.7	26.8	1306	2.1	.0	****	3.97	.23	4.77	6.75	44.00		.32	2	35	38	1.16						.09
WEIGHTED AVERAGE																						
19.4	26.8		7.4			3.28	.13	2.70	3.28	28.23		.24	3	17	20	.78						.09

\*\*\*\*\*  
 \* 79VC28R \*  
 \*\*\*\*\*

24MAY85 VANGORCA

COMPUTE COMPCITES (DH018)

PAGE: 2

2W

DDH: 79V313 UTM-N: 903505.1 UTM-E: 593911.5 UTM-ELEV: 1148.1 TOTAL DEPTH: 108.5 SECTION: 02 W  
RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 DHD CALC: 1 SS CALC: 0

---DEPTHS---				SAMPLE INT. REC. ROCK	S.G.	CU	PB	ZN	AG(AA)	AG(FA)	AU(FA)	---ASSAYS---							S.G.	
FROM	TO	NO.	UNIT									PULP	%	%	%	G/MT	G/MT	G/PT		PO
37.5	39.0	1117	1.5	.5	4A0	2.66	.06	1.15	.63	13.50		.41	1	6	7	.28				.17
39.0	40.5	1118	1.5	.6	4A0	3.00	.06	3.55	4.97	51.50		.17	1	10	12	.11				.10
40.5	41.4	1118	.9	.6	4A0	3.00	.06	3.55	4.97	51.50		.17	1	10	12	.11				.10
41.4	42.7	1119	1.3	1.2	4EG	4.50	.23	5.12	8.11	102.50		.62		24	25	11.02				.03
WEIGHTED AVERAGE																				
37.5	42.7		5.2		4AEG	3.27	.10	3.25	4.50	53.28		.35	1	12	14	2.88				.10

24MAY85 VANGORCA

COMPUTE COMPCITES (OH018)

PAGE: 3

*2W*

DDH: 79V030R UTM-N: 903521.9 UTM-E: 593932.9 UTM-ELEV: 1151.2 TOTAL DEPTH: 133.5 SECTION: 02 W  
 RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 G DHC CALC: 1 SS CALC: 0

---DEPTHS---				-----ASSAYS-----																		
FRM	TO	SAMPLE NO.	INT. NO.	REC. UNIT	ROCK UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PO %	PY %	TOT FE	BAO %	HG %	MN %	AS %	BA %	S.G. W.G.	
53.3	54.9	1121	1.6	1.2	4A0	2.71	.04	3.49	4.33	38.50		.58	1	2	4	.13						.04
54.9	56.4	1122	1.5	.6	4A0	2.70	.05	2.88	3.93	30.00		.51	1	3	4	.18						.03
56.4	57.9	1123	1.5	1.5	4A0	2.70	.02	2.24	3.12	27.00		.58	1	4	6	.20						.05
57.9	58.8	1124	.9	.9	4A0	2.72	.03	2.11	3.75	27.50		.38	1	6	8	.19						.05
58.8	59.6	1125	.8	.8	4E0	3.76	.24	3.88	5.57	56.00		.45	1	21	22	1.55						.06
65.7	67.4	1126	1.7	1.5	4E6	3.78	.17	3.86	4.61	53.50		.65	2	27	30	6.28						.43
67.4	68.0	1127	.6	.6	5D1	2.91	.07	1.41	1.15	14.00		.34	2	4	6	9.82						.09
68.0	69.5	1128	1.5	1.5	4E6	4.44	.15	6.85	6.75	83.50	1.13	10	15	26	8.96							1.10
69.5	71.0	1129	1.5	1.4	4E6	4.37	.13	6.07	7.16	79.50		.79	6	13	20	15.70						.91
71.0	72.2	1130	1.2	1.2	4E6	4.34	.14	5.38	5.90	73.00		.69	8	15	23	14.80						1.11
WEIGHTED AVERAGE																						
53.3	59.6		6.3		4A	2.84	.06	2.89	4.02	34.38		.51	1	6	7	.34						.04
65.7	72.2		6.5		4E	4.09	.14	5.11	5.61	66.37		.77	6	17	23	10.97						.78

\*\*\*\*\*  
 \* 79VC30R \*  
 \*\*\*\*\*

24MAY85 VANGORCA

COMPUTE COMPOSITES (DHO18)

PAGE: 1

00

DDH: 79V001R UTM-N: 903409.4 UTM-E: 593880.7 UTM-ELEV: 1135.2 TOTAL DEPTH: 141.1 SECTION: 00  
 RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 0

---DEPTHS---		SAMPLE	INT.	REC.	ROCK	-----ASSAYS-----																
FROM	TO	NO.			UNIT	S.G.	CU	PB	ZN	AG(AA)	AG(FA)	AU(FA)	PO	PY	TOT	BAO	HG	MN	AS	BA	S.G.	
						PULP	%	%	%	G/MT	G/MT	G/MT	%	%	FE	%	%	%	%	%	%	W.G.
7.6	11.6	1476	4.0	1.4	4G0	4.02	.05	6.04	.57	264.50			1.74	7	3	10	28.46	.01				.01
11.6	13.1	1477	1.5	1.1	4G4	4.34	.57	6.70	13.11	111.50			1.77	15	16	18.06	.01					.02
13.1	14.6	1478	1.5	1.5	4G4	4.47	.20	5.14	11.60	105.50			1.27	13	13	26.88	.01					.02
14.6	16.2	1479	1.6	1.5	4E4	5.04	.50	9.54	19.20	154.00			1.81	22	22	4.51	.01					.03
16.2	17.5	1480	1.3	.9	4E4	4.29	.04	.67	.81	96.00			.45	1	21	22	6.10	.02				.04
17.5	20.4	1481	2.9	1.8	4A0	2.79	.53	9.40	19.03	16.00			2.30	11	12	.39						.06
20.4	22.3	1482	1.9	1.5	4A0	3.79	.23	6.41	12.08	101.50			1.30	15	16	7.63						.05
22.3	23.8	1483	1.5	1.5	4A0	2.99	.18	4.12	2.95	45.50			1.13	1	14	15	.11					.07
23.8	25.3	1484	1.5	1.5	4A0	2.98	.06	3.60	4.12	47.00			.65	1	7	8	.15					.08
25.3	26.8	1485	1.5	.5	4A0	2.90	.06	3.14	3.24	65.00			.79	1	9	10	.45					.10
26.8	28.3	1486	1.5	1.2	4G4	4.46	.30	6.01	8.62	116.50			.72	25	26	11.14						.07
WEIGHTED AVERAGE																						
7.6	28.3		20.7		4AEG	3.77	.24	5.93	8.58	116.18			1.40	2	13	15	11.10	.01				.04

\*\*\*\*\*  
 \* 79V001R \*  
 \*\*\*\*\*

24MAY85 VANGORCA

COMPUTE COMPCITES (DH018)

PAGE: 2

DDH: 79V315 UTM-N: 903420.6 UTM-E: 593904.8 UTM-ELEV: 1137.5 TOTAL DEPTH: 111.4 SECTION: 00  
 RFE: S2 RFE DIP: 0 PLUNGE ANGLES: C C DMC CALC: 1 SS CALC: 0

00

---DEPTHS---		SAMPLE NO.	INT.	REC.	ROCK UNIT	---ASSAYS---													
FROM	TO					S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PO %	PY %	TOT FE	BAO %	HG %	MN %	AS %
26.3	28.1	1458	1.8	1.8	4A0/4	3.01	.06	5.70	9.25	88.50			1.27	1	8	9	.12		.06
28.1	29.9	1459	1.8	1.7	4A0	3.18	.12	3.20	5.13	51.50			.93	1	14	16	.30		.06
29.9	31.4	1460	1.5	1.5	4A0	2.82	.08	1.83	2.26	23.50			.55	1	7	8	.65		.05
31.4	32.9	1461	1.5	1.5	4A0	2.65	.04	1.48	.72	14.00			.45	1	5	6	1.62		.06
32.9	34.4	1462	1.5	1.5	4G0	4.63	.20	5.50	7.29	116.50			.93	29	29	12.33		.04	
34.4	35.9	1463	1.5	.0	****	4.58	.20	5.79	8.11	102.50			2.02	31	32	9.97		.04	
55.1	56.1	1464	1.0	.6	4C0	3.28	.06	1.10	2.15	16.00			.24	4	12	17	10.70		.24
56.1	57.3	1465	1.2	1.2	4E3	4.23	.21	3.62	3.17	46.00			.79	3	29	33	2.23		.46
57.3	58.4	1466	1.1	1.1	4C0	3.19	.10	1.55	2.36	21.50			.17	7	13	21	6.78		.37
64.3	65.8	1469	1.5	1.4	4E8	4.38	.18	5.28	3.15	53.50			.45	6	26	32	5.97		.34
65.8	67.5	1470	1.7	1.7	4E8	4.56	.28	2.46	2.51	35.00			1.10	7	32	40	3.83		.36
67.5	69.4	1471	1.9	1.9	4K0	4.04	.22	1.49	.90	20.50			.69	2	30	33	.34		.27
69.4	70.7	1472	1.3	1.3	4E8	4.51	.14	5.31	5.60	69.50			.79	5	29	34	10.06		.51
70.7	72.2	1473	1.5	1.5	4E8	4.59	.16	5.64	5.85	62.00			.51	2	28	30	13.94		.35
72.2	73.5	1474	1.3	1.2	4E8	4.60	.28	2.43	1.23	73.00			.28	2	42	44	.17		.46
73.5	75.3	1475	1.8	1.8	4C0	4.03	.27	3.18	4.77	49.50			.58	7	31	39	1.87		.83
WEIGHTED AVERAGE																			
26.3	35.9		9.6		4AG	3.45	.11	3.95	5.56	66.32			1.02	1	15	16	3.91		.05
55.1	58.4		3.3		4CE	3.59	.12	2.16	2.59	28.74			.41	5	19	24	5.64		.36
64.3	75.3		11.0		4EK	4.36	.22	3.56	3.37	49.64			.64	4	31	36	4.88		.44

\*\*\*\*\*  
 \* 79V315 \*  
 \*\*\*\*\*

24MAY85 VANGORCA

COMPUTE COMPOSITES (DM018)

PAGE: 3

DDH: 79V026R UTM-N: 903434.9 UTM-E: 593926.0 UTM-ELEV: 1139.4 TOTAL DEPTH: 147.5 SECTION: 00  
 RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 0

---DEPTHS---		SAMPLE NO.	INT. REC.	ROCK UNIT	S.G. PULP	-----ASSAYS-----													
FRGM	TO					CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PO %	PY %	TOT FE	BAO %	HG %	MN %	AS %	BA %
32.1	33.5	1358	1.4	1.4 4A4	3.08	.04	3.19	8.19	52.50		.65	3 10	13	.14			.13		
33.5	34.9	1359	1.4	1.4 4A4	3.34	.09	4.98	9.82	93.00		1.27	2 13	16	.11			.02		
34.9	36.6	1360	1.7	1.6 4A0	2.72	.08	.77	1.54	13.00		.48	4 10	14	.13			.06		
41.1	42.7	1364	1.6	1.5 4A0	2.66	.05	2.91	1.02	22.50		.86	7 2	9	.24			.07		
42.7	44.3	1365	1.6	1.6 4A0	2.60	.05	2.17	2.14	23.50		.72	7 3	10	.26			.09		
44.3	45.7	1366	1.4	1.4 4A0	2.70	.03	4.13	4.69	43.50		.82	3 2	5	.19			.04		
45.7	47.2	1367	1.5	1.5 4A0	2.73	.02	3.47	4.48	41.00		1.06	3 3	6	.14			.04		
47.2	48.8	1368	1.6	1.5 4A0	2.72	.02	3.39	4.19	40.00		.75	6 2	8	.17			.08		
48.8	50.3	1369	1.5	1.5 4A0	2.84	.04	3.64	4.39	45.50		.89	5 7	13	.22			.04		
50.3	51.4	1370	1.1	1.1 4G4	4.63	.27	5.48	8.45	84.00		2.13	1 25	26	16.68			.02		
51.4	52.6	1371	1.2	1.2 4G4	4.59	.26	5.61	9.05	89.00		.89	1 25	26	14.90			.03		
61.2	62.8	1373	1.6	1.6 4G4	4.50	.14	4.24	4.98	61.50		.78	4 25	29	14.86			.30		
62.8	64.3	1374	1.5	1.5 4G4	4.44	.15	5.05	5.94	66.50		1.57	3 25	29	9.44			.32		
64.3	65.6	1375	1.3	1.2 4H1	4.06	.22	5.21	5.67	49.00		.82	21 9	30	11.87			.59		
65.6	66.2	1376	.6	.6 4G4	3.83	.13	3.71	5.53	58.50		.46	8 9	17	20.64			.58		
66.2	67.8	1377	1.6	1.5 4K0	3.70	.20	1.00	.79	22.00		1.32	1 27	28	3.69			.23		
67.8	69.4	1378	1.6	1.6 4K0	3.92	.09	.61	.27	15.00		1.74	1 31	33	.88			.19		
69.4	70.9	1379	1.5	1.5 4G4	4.38	.14	3.61	6.18	55.50		.78	3 17	21	22.61			.26		
70.9	72.4	1380	1.5	1.5 4G4	4.54	.08	6.82	5.14	84.00		1.10	6 16	22	23.32			.61		
WEIGHTED AVERAGE																			
32.1	36.6		4.5	4A	3.02	.07	2.83	6.18	50.17		.77	3 11	14	.12			.06		
41.1	52.6		11.5	4AG	3.08	.08	3.71	4.50	45.86		.97	4 8	12	3.31			.05		
61.2	72.4		11.2	4GK	4.19	.14	3.71	4.12	50.48		1.13	5 21	27	12.67			.36		

\*\*\*\*\*  
 \* 79VC26R \*  
 \*\*\*\*\*

24MAY85 VANGORDA

COMPUTE COMPOSITES (OH018)

PAGE: 4

DDH: 79V316 UTM-N: 903455.8 UTM-E: 593960.6 UTM-ELEV: 1143.2 TOTAL DEPTH: 151.8 SECTION: 00  
RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 G DHD CALC: 1 SS CALC: 0

---DEPTHS---		SAMPLE NO.	INT.	REC.	ROCK UNIT	S.G. PULP	-----ASSAYS-----												
FROM	TO						CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PO %	PY %	TOT FE	BAO %	HG %	MN %	AS %
32.9	34.1	3039	1.2	1.2	4A4	2.69	.03	2.17	5.30	44.00			.39	2	1	4	.09		.10
34.1	35.1	304C	1.0	.9	4A4	2.73	.03	2.76	6.38	52.00			.35	1	2	3	.09		.08
35.1	36.6	3041	1.5	1.5	4A0	2.84	.08	.74	1.08	16.00			.46	1	9	10	.14		.09
36.6	38.1	3042	1.5	1.5	4A0	2.75	.09	.25	.19	11.50			.31	1	9	10	.17		.09
63.7	65.5	3050	1.8	1.8	4A0	2.72	.02	2.17	5.59	33.50			.42	4	2	7	.29		.21
65.5	66.3	3101	.8	.8	500	3.21	.04	4.39	5.79	65.50			.15	5	9	14	4.14		.25
66.3	67.4	3102	1.1	1.1	4G4]	4.27	.04	4.79	8.39	88.00			.34	2	14	16	19.79		.17
67.4	68.9	31C3	1.5	1.5	4G4	4.06	.03	6.63	7.39	94.00			.46	3	12	15	19.32		.58
68.9	70.6	31C4	1.7	1.7	4G4	4.35	.04	8.29	7.73	118.00			.46	7	15	22	13.44		1.09
70.6	71.8	31C5	1.2	1.2	40H	4.15	.06	12.95	5.94	149.50			.40	24	15	39	.44		3.03
71.8	73.0	31C6	1.2	1.2	40H	4.00	.05	13.11	3.98	143.00			1.04	17	19	36	1.61		2.41
73.0	73.8	31C7	.8	.8	4G4	4.02	.05	4.04	8.35	78.50			.26	7	7	15	19.38		.59
73.8	74.8	31C8	1.0	1.0	4M14	4.29	.06	19.12	8.14	216.50			.22	20	14	34	.82		2.04
74.8	75.7	31C9	.9	.9	5D3	3.29	.07	2.12	2.06	22.50			.15	9	4	14	7.55		.62
75.7	77.4	3110	1.7	1.7	4H1	4.07	.14	8.23	6.74	96.50			.22	24	14	38	1.86		1.31
77.4	79.6	3111	2.2	2.1	4H1	4.09	.24	4.27	3.39	52.00			.22	30	14	45	.30		1.35
79.6	81.1	3112	1.5	1.5	4G4	4.13	.04	5.26	6.30	86.50			.41	4	18	22	11.00		.41
81.1	82.6	3113	1.5	1.5	4G4	3.92	.02	2.35	4.24	44.50			.22	1	10	12	22.92		.19
82.6	83.7	3114	1.1	1.1	4G4	4.08	.06	3.80	5.34	57.50			.93	2	17	19	14.91		.23
83.7	84.6	3115	.9	.9	4E8	4.39	.31	1.38	2.01	24.50			1.19	7	36	43	1.67		.56
84.6	86.3	3116	1.7	1.6	4G4/5	4.02	.10	4.59	6.05	65.00			1.22	4	17	21	11.81		.31
86.3	87.8	3117	1.5	1.5	4G4/5	3.47	.04	2.74	4.60	42.00			.33	5	6	11	15.78		.32
87.8	89.3	3118	1.5	1.5	4G4	4.30	.06	5.44	7.73	68.50			.70	11	14	26	15.76		1.43
89.3	90.6	3119	1.3	1.3	4E4/4	4.28	.03	3.50	7.35	64.00			.37	4	7	11	30.51		.71
90.6	92.0	312C	1.4	1.4	4C8	3.68	.28	1.37	2.35	24.00			2.04	9	27	36	.79		1.19
WEIGHTED AVERAGE																			
32.9	38.1		5.2		4A	2.75	.06	1.31	2.81	28.08			.37	1	6	7	.12		.09
63.7	92.0		28.3		4GM	3.94	.08	5.61	5.68	76.14			.56	10	14	24	10.02		.90

\*\*\*\*\*  
\* 79V316 \*  
\*\*\*\*\*

24MAY85 VANGORCA

COMPUTE COMPOSITES (DHO18)

PAGE: 5

DDH: 79V027R UTM-N: 903473.2 UTM-E: 593984.3 UTM-ELEV: 1146.8 TOTAL DEPTH: 151.5 SECTION: 00  
 RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 C DHD CALC: 1 SS CALC: 0

---DEPTHS--		SAMPLE NO.	INT.	REC.	ROCK UNIT	-----ASSAYS-----													
FROM	TO					S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PO %	PY %	TCT FE	BAO %	HG %	MN %	AS %
62.4	64.0	3609	1.6	.0		2.89	.09	2.27	4.60	33.00		.61	1	5	7	.10		.06	
64.0	65.5	3610	1.5	.0		2.76	.02	3.91	5.70	50.00		.82	1	3	4	.14		.05	
65.5	67.1	3611	1.6	.0		2.84	.02	3.81	4.03	56.00		.82	1	5	6	.44		.07	
67.1	68.5	3612	1.4	.0		3.34	.09	4.55	2.34	73.50		.51	6	6	13	5.20		.30	
68.5	70.0	3613	1.5	.0		4.44	.02	7.35	8.71	119.00		.62	5	8	14	25.13		.23	
70.0	70.2	3614	.2	.0		3.04	.05	1.53	1.52	23.00		.10	1	5	7	6.78		.27	
70.2	70.8	3615	.6	.0		4.06	.05	8.44	9.03	138.50		.51	3	6	9	9.16	.01	.27	
70.8	71.9	3616	1.1	.0		2.86	.05	1.48	2.06	22.50		.41	6	2	8	.52		.11	
79.6	81.3	3619	1.7	.0		2.85	.05	1.76	3.10	25.00		.41	2	2	5	.40		.04	
81.3	82.6	3620	1.3	.0		3.46	.03	2.34	3.20	40.00		1.03		22	22	.65		.08	
82.6	84.1	3621	1.5	.0		3.24	.01	1.13	3.28	22.50		.72	1	14	15	.35		.07	
84.1	85.3	3622	1.2	.0		2.97	.03	1.69	4.06	27.50		.86		12	12	.39		.07	
85.3	86.7	3623	1.4	.0		3.29	.03	1.94	4.51	26.50		.79	1	17	18	.37		.12	
86.7	87.5	3624	.8	.0		4.31	.04	4.10	6.84	66.50		.82	1	21	22	20.79		.15	
87.5	89.3	3625	1.8	.0		3.92	.26	3.50	2.78	50.00		1.68	6	22	28	7.88		.46	
WEIGHTED AVERAGE																			
62.4	71.9		9.5			3.24	.04	4.20	4.91	64.34		.62	3	5	9	5.62		.14	
79.6	89.3		9.7			3.38	.07	2.27	3.71	35.21		.92	2	15	17	3.48		.15	

\*\*\*\*\*  
 \* 79V027R \*  
 \*\*\*\*\*

24MAY85 VANGORCA

COMPUTE COMPOSITES (DH018)

PAGE: 7

DDH: 79V143R UTM-N: 903489.1 UTM-E: 594005.8 UTM-ELEV: 1152.7 TOTAL DEPTH: 129.8 SECTION: 00  
 RFE: S2 RFE DIR: 0 PLUNGE ANGLES: C C DHD CALC: 1 SS CALC: 0

---DEPTHS---		SAMPLE NO.	INT.	REC.	ROCK UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	---ASSAYS---				HG %	MN %	AS %	BA %	S.G. W.G.
FROM	TO												PO %	PY %	TOT FE	BAO %					
56.0	57.6	3051	1.6	1.6	4A0	2.71	.04	2.19	3.32	35.50		.50	2	2	5	.18					.16
57.6	59.1	3052	1.5	1.5	4A0	2.64	.04	2.39	3.19	33.50		.40	2	4	6	.38					.19
59.1	60.7	3053	1.6	1.5	4A0	2.65	.05	1.63	1.52	26.50		.37	3	3	6	.18					.14
84.4	86.0	3056	1.6	1.5	4E/A	3.41	.08	2.93	4.36	52.50		.65	4	17	21	1.23					.16
86.0	87.5	3057	1.5	1.5	4A0	2.88	.05	1.15	2.57	21.50		.31	3	10	13	.12					.21
87.5	88.7	9000C	1.2	.5		2.80															
88.7	90.2	3058	1.5	1.5	4A0	3.06	.08	3.63	6.68	63.50		.52	2	11	14	.13					.18
90.2	91.7	3059	1.5	1.5	4A0	2.97	.03	2.99	6.91	61.00		.56	2	5	8	.16					.19
WEIGHTED AVERAGE																					
56.0	60.7		4.7		4A	2.66	.04	2.06	2.66	31.79		.42	2	3	6	.24					.16
84.4	91.7		7.3		4A	3.03	.05	2.23	4.27	41.50		.42	2	9	12	.35					.18

\*\*\*\*\*  
 \* 79V143R \*  
 \*\*\*\*\*

24MAY85 VANGORCA

COMPUTE COMPOSITES (DHD18)

PAGE: 1

02E

DDH: 79V311 UTM-N: 903332.8 UTM-E: 593900.4 UTM-ELEV: 1126.0 TOTAL DEPTH: 139.0 SECTION:  
RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 C DHD CALC: 1 SS CALC: 0

---DEPTHS--		SAMPLE NO.	INT.	REC.	ROCK UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	---ASSAYS---				HG %	MN %	AS %	BA %	S.G. W.G.
FROM	TO												PO %	PY %	TOT FE	BAO %					
49.3	51.1	1158	1.8	1.1	4E86	3.79	.25	4.77	7.46	58.00		.79	7	20	27	12.03					.65
51.1	52.7	1159	1.6	1.4	4E8	3.83	.31	1.82	2.51	28.50		.72	12	17	30	.87					.62
52.7	54.3	1160	1.6	1.5	4E8	3.71	.39	1.91	2.20	27.50		.14	9	25	34	.59					.77
WEIGHTED AVERAGE																					
49.3	54.3		5.0			3.77	.31	2.91	4.19	38.80		.55	9	21	30	4.79					.67

24MAY85 VANGORCA

COMPUTE COMPOSITES (DM018)

PAGE: 2

DDH: 79V300 UTM-N: 903344.4 UTM-E: 593913.9 UTM-ELEV: 1126.3 TOTAL DEPTH: 158.5 SECTION:  
 RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 G DHD CALC: 1 SS CALC: 0

2E

---DEPTHS--		SAMPLE NO.	INT.	REC.	ROCK UNIT	-----ASSAYS-----												
FROM	TO					S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PO %	PY %	TCT FE	BAO %	HG %	MN %
21.0	22.6	1C29C1	1.6	1.5	4A0	3.00	1.21	3.28	6.36	47.50		.71	3	3	.15			.02
22.6	24.1	1C29C2	1.5	1.5	4A0	2.94	1.62	2.94	5.41	46.00		.51	2	3	.16			.01
24.1	25.6	1C29C3	1.5	1.5	4A0	2.93	.39	3.85	4.95	49.00		1.04	7	8	.08			.05
25.6	27.1	1C29C4	1.5	1.5	4A0	2.70	.37	3.83	4.79	50.00		.90	5	6	.07			.03
27.1	28.7	1C29C5	1.6	1.3	4A0	3.02	.09	4.48	5.57	56.00		.91	4	5	.06			.01
28.7	29.9	1C29C6	1.2	1.2	4A0	2.78	.05	3.26	6.14	42.50		.51	2	3	.11			.02
29.9	31.4	1C29C7	1.5	1.5	4E/4E	4.99	.25	5.25	8.35	81.00		2.13	27	28	10.31			.01
31.4	33.2	1C29C8	1.8	1.5	4E6	4.95	.30	4.06	5.00	86.00		1.60	35	36	9.37			.01
33.2	34.7	1C29C9	1.5	1.4	3G/4A	3.83	.15	3.04	6.57	61.50		1.02	10	11	17.43			.02
34.7	36.7	1C2910	2.0	1.8	4A0	2.90	.04	3.13	6.21	42.50		.73	3	3	.57			.01
36.7	38.7	1C2911	2.0	.8	4E6	4.82	.48	6.79	9.22	124.00		2.59	29	29	11.14			.01
49.7	51.2	1C2912	1.5	1.5	4E6	4.71	.17	4.00	7.25	55.50		2.10	1	34	35	5.29		.17
51.2	52.9	1C2913	1.7	1.1	4E6	4.53	.34	2.91	3.90	46.00		1.35	8	32	41	1.06		.58
52.9	53.7	900C1	.8	.0		2.80												
WEIGHTED AVERAGE																		
21.0	38.7		17.7			3.58	.44	4.05	6.29	64.16		1.19	12	13	4.68			.01
49.7	53.7		4.0			4.25	.20	2.73	4.37	40.36		1.36	4	26	30	2.43		.38

24MAY85 VANGORDA

COMPUTE COMPCITES (DH018)

PAGE: 3

DDH: 79V321 UTM-N: 903359.7 UTM-E: 593932.3 UTM-ELEV: 1127.9 TOTAL DEPTH: 139.3 SECTION:  
 RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 C DHD CALC: 1 SS CALC: 0

ZE

---DEPTHS--				SAMPLE INT. REC. ROCK		-----ASSAYS-----															
FROM	TO	NO.		UNIT	S.G.	CU	PB	ZN	AG(AA)	AG(FA)	AU(FA)	PD	PY	TOT	BAO	HG	MN	AS	BA	S.G.	
					PULP	%	%	%	G/MT	G/MT	G/MT	%	%	FE	%	%	%	%	%	W.G.	
20.2	22.3	3249	2.1	1.6	4A0	3.31	.72	2.92	4.17	43.50		1.33	14	14	.04		.02				
22.3	24.1	3250	1.8	1.5	4A0	2.94	.34	1.58	2.31	24.00		.74	9	9	.07		.01				
24.1	25.9	3251	1.8	1.5	4A0	2.72	.07	3.85	4.96	42.00		.93	3	4	.08		.02				
25.9	27.7	3252	1.8	1.8	4A0	2.90	.04	4.00	3.07	36.00		1.56	6	7	.10		.01				
27.7	29.6	3253	1.9	1.8	4A0	2.76	.05	4.46	3.94	50.50		1.07	3	4	.14		.02				
29.6	31.4	3254	1.8	.9	4A0	2.75	.02	3.14	4.64	39.00		.93	1	2	3	.18		.01			
31.4	32.8	3255	1.4	1.2	4A0	2.81	.04	4.24	3.82	47.00		.56	4	4	.25		.01				
32.8	34.3	3256	1.5	1.5	4G0	4.77	.15	5.45	9.20	86.50		1.00	30	30	10.88		.01				
34.3	35.4	3257	1.1	1.1	4G0	4.67	.18	6.56	10.09	79.00		2.22	23	23	12.48		.01				
35.4	37.2	3258	1.8	1.6	4E6	4.80	.11	6.30	9.75	95.50		1.63	37	37	5.96		.01				
37.2	38.7	3259	1.5	1.4	4E6	4.71	.21	7.01	9.79	98.00		2.33	27	28	11.36		.01				
52.1	54.5	3260	2.4	2.4	4E6	4.60	.20	6.97	7.36	92.50		.74	3	34	37	5.00		.32			
54.5	56.1	500C2	1.6	.0		2.80															
72.6	74.1	3263	1.5	1.4	4GL	3.24	.12	1.54	2.05	24.50		.45	7	7	15	3.80		.24			
74.1	75.6	3264	1.5	1.5	4KF	4.36	.16	3.17	2.08	34.00		1.54	4	35	40	2.26		.25			
75.6	77.1	3265	1.5	1.5	4KLG	4.24	.16	3.00	2.90	44.50		1.47	5	33	38	6.13		.46			
77.1	78.6	3266	1.5	1.5	4GK	3.89	.16	1.95	2.07	32.50		2.02	3	34	38	5.57		.16			
78.6	80.2	3267	1.6	1.5	4K0	4.00	.21	3.72	2.00	27.50		2.23	4	33	38	1.00		.32			
80.2	81.7	3268	1.5	1.5	4KG	4.25	.21	4.91	4.43	54.00		2.30	2	32	35	10.21		.32			
81.7	83.2	3269	1.5	1.5	4GF	4.21	.13	1.97	1.80	34.50		.93	6	32	39	2.10		.65			
83.2	84.7	3270	1.5	1.5	4GF	4.32	.23	3.83	4.72	63.50		2.09	3	24	27	10.64		.34			
84.7	86.3	3271	1.6	1.5	4GK	4.22	.23	3.04	3.95	40.50		.99	7	30	37	5.35		.64			
86.3	87.8	3272	1.5	1.5	4GK	4.22	.17	3.93	5.19	46.00		.69	4	21	26	8.70		.42			
WEIGHTED AVERAGE																					
20.2	38.7		18.5			3.48	.18	4.34	5.71	56.34		1.26	14	14	3.20		.01				
52.1	56.1		4.0			3.88	.12	4.18	4.41	55.50		.44	1	20	22	3.00		.32			
72.6	87.8		15.2			4.09	.17	3.10	3.11	40.06		1.47	5	28	33	5.54		.38			

\*\*\*\*\*  
 \* 79V321 \*  
 \*\*\*\*\*

24MAY85 VANGORCA

COMPUTE COMPCITES (DH018)

PAGE: 4

DDH: 79V119R UTM-N: 903376.7 UTM-E: 593947.0 UTM-ELEV: 1128.9 TOTAL DEPTH: 122.5 SECTION:  
 RFE: S2 RFE DIP: 0 PLUNGE ANGLES: 0 C DMD CALC: 1 SS CALC: 0

ZE

---DEPTHS---		SAMPLE NO.	INT.	REC.	ROCK LINT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	---ASSAYS---				HG %	MN %	AS %	BA %	S.G. W.G.	
FROM	TO												PO %	PY %	TOT FE	BAO %						
22.3	23.8	23.81C04C2	1.5	1.5	4A0	2.73	.07	3.41	4.43	32.00			3	4	.14						.05	
23.8	25.3	25.31C04C3	1.5	.8	4A0	2.67	.06	3.67	4.81	33.00		.C4	3	4	.11						.06	
25.3	26.8	26.81C04C4	1.5	1.5	4A0	2.64	.04	3.32	4.71	30.50		.C2	2	3	.11						.04	
26.8	28.3	28.31C04C5	1.5	.8	4A0	2.68	.05	3.50	4.84	36.00		.C3	2	2	.20						.05	
28.3	29.9	29.91C04C6	1.6	.9	4A0	2.70	.05	2.97	3.80	33.00			3	4	.19						.04	
29.9	32.6	32.61C04C7	2.7	.0		2.80																
32.6	34.1	34.11C04C8	1.5	1.3	4E3	4.69	.22	6.06	8.64	174.50		.C1	1	33	34	.32					.09	
34.1	36.0	36.01C04C9	1.9	1.1	4E3	4.13	.04	10.22	4.87	128.00		.C1	5	18	23	5.03					.70	
36.0	37.6	37.61C04C9	.6	.0		2.80																
37.6	53.8	53.81C0416	1.0	.2	4L32	4.68	.22	5.99	8.04	190.00		.02	35	35	.11						.03	
53.8	55.4	55.41C0417	1.6	1.5	400	3.96	.07	6.85	6.27	87.50			6	12	19	11.64					.37	
55.4	56.7	56.71C0418	1.3	1.3	4G4	4.59	.06	7.48	8.86	108.50		.C1	1	9	11	31.14					.22	
56.7	58.2	58.21C0419	1.5	1.5	4G4	4.57	.04	6.55	8.53	94.00		.01	1	6	7	36.44	.01				.16	
58.2	59.8	59.81C0420	1.6	1.6	4G4	4.53	.04	6.87	7.96	105.00		.C1	1	6	7	36.19					.18	
59.8	61.0	61.01C0421	1.2	1.2	4E0	4.58	.20	3.17	4.49	41.00		.G1	2	32	35	8.16					.26	
61.0	62.3	62.31C0422	1.3	1.3	4E0	4.46	.21	5.41	5.87	68.00		.C2	3	31	34	4.43					.36	
62.3	63.8	63.81C0423	1.5	1.5	4L671	2.93	.06	.48	.94	5.60		.C1	4	7	12	6.56					.18	
63.8	64.8	64.81C0424	1.0	1.0	4K3	4.00	.09	.48	.19	10.00		.C1	1	31	33	.14					.23	
64.8	66.1	66.11C0425	1.3	1.3	4E38/	4.05	.21	3.33	2.18	38.00		.C2	1	26	28	3.77					.22	
66.1	67.7	67.71C0426	1.6	1.5	4E3	4.52	.32	4.26	4.21	58.50		.C3	7	32	39	7.26					.50	
67.7	69.2	69.21C0427	1.5	1.5	4E3	4.67	.18	5.33	4.40	61.00		.C2	3	35	38	6.20					.39	
69.2	70.7	70.71C0428	1.5	1.5	4E3	4.54	.24	4.12	3.98	51.00			5	32	37	8.03					.41	
70.7	72.0	72.01C0429	1.3	1.3	4E83	4.42	.29	2.69	3.00	34.00		.C2	7	40	48	3.16					.54	
72.0	72.9	72.91C0430	.9	.9	4L7/4	3.64	.38	2.27	2.20	23.00		.C2	9	26	35	.09					.47	
72.9	74.1	74.11C0431	1.2	1.2	4L7/4	3.57	.24	3.15	1.57	31.00		.C2	7	33	41	.51					.34	
74.1	75.3	75.31C0432	1.2	1.2	4K3	4.08	.08	.90	.90	11.00		.C1	3	34	37	2.45					.27	
75.3	76.5	76.51C0433	1.2	1.2	4E1	4.22	.17	3.51	3.52	34.50		.C2	6	27	33	7.27					.52	
76.5			.9	.9	4E1	3.85	.22	3.06	2.83	40.00		.C2	3	24	28	6.96					.40	
WEIGHTED AVERAGE																						
22.3	53.8	37.6	15.3	23.6		3.21	.06	3.92	4.21	61.76		.C1	1	9	10	.73					.15	
						4.20	.16	4.07	4.21	52.95		.G1	4	24	28	10.92					.33	

*All same as on assay certificate*

24MAY85 VANGORCA

COMPUTE COMPOSITES (DM018)

PAGE: 2

DDH: 79V015R UTM-N: 903397.4 UTM-E: 593968.5 UTM-ELEV: 1131.2 TOTAL DEPTH: 124.1 SECTION:  
 RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 0

2E

---DEPTHS--		SAMPLE NO.	INT.	REC.	ROCK UNIT	S.G. PULP	-----ASSAYS-----												
FROM	TO						CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PO %	PY %	TOT FE %	BAO %	HG %	MN %	AS %
50.6	51.8	3554	1.2	1.2	4G8	4.13	.09	5.89	7.80	96.00			.89	2	13	16	22.93		.34
51.8	52.6	3555	.8	.8	4L34	2.96	.03	.50	.60	4.00			.21	4	5	9	6.73		.22
52.6	54.7	3556	2.1	1.6	4E66	4.53	.14	3.75	5.73	59.50			.89	2	19	21	23.31		.22
54.7	56.3	3557	1.6	1.5	4E68	4.48	.13	7.10	7.90	92.50			1.03	9	15	25	4.66		.20
56.3	57.9	3558	1.6	1.6	4G8	4.25	.18	5.45	7.23	82.00			2.26	4	9	14	23.89		.29
57.9	59.4	3559	1.5	1.5	4E86	4.22	.30	.95	1.04	20.50			1.47	6	26	32	1.75		.75
59.4	60.4	3560	1.0	1.0	4E86	4.23	.17	1.34	2.10	21.00			1.03	7	24	32	1.98		.70
60.4	61.4	3561	1.0	.9	4G8	4.45	.07	4.97	7.23	83.00			.82	4	11	16	26.74		.60
61.4	61.8	3562	.4	.4	4L8	4.39	.05	7.78	8.73	111.00			.69	8	10	18	21.58		1.19
61.8	63.6	3563	1.8	1.8	4E8J6	4.21	.09	3.93	6.07	64.00			.55	4	16	21	19.82		.52
63.6	65.4	3564	1.8	1.8	4L38	4.19	.15	5.97	5.06	74.50			.62	8	13	22	13.59		1.16
65.4	66.5	3565	1.1	1.1	4E8	4.53	.18	3.16	2.54	41.50			.41	14	15	30	10.55		1.37
66.5	67.2	3566	.7	.7	4L4	3.34	.05	1.49	2.41	16.00			.27	3	6	9	15.49		.31
67.2	69.3	3567	2.1	.5	4G8	4.42	.05	5.10	7.65	91.00			.48	3	12	15	27.90		.41
69.3	70.6	90005	1.3	.0		2.80													
70.6	72.1	3568	1.5	1.5	4G8	4.45	.05	5.62	6.45	82.00			.45	3	13	17	26.46		.48
72.1	74.1	3569	2.0	1.9	4E8	4.40	.20	5.37	1.47	94.00			.99	8	24	32	.39		.90
WEIGHTED AVERAGE																			
50.6	74.1		23.5			4.18	.12	4.19	4.83	64.25			.81	5	14	20	14.85		.57

24MAY85 VANGORCA

COMPUTE COMPCITES (DHO18)

PAGE: 3

DDH: 79V115R UTM-N: 903427.9 UTM-E: 593997.5 UTM-ELEV: 1140.6 TOTAL DEPTH: 143.9 SECTION:  
RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 0

ZE

---DEPTHS---		SAMPLE	INT.	REC.	ROCK	S.G.	CU	PB	ZN	AG(AA)	AG(FA)	AU(FA)	ASSAYS				HG	MN	AS	BA	S.G.
FROM	TO	NO.			UNIT	PULP	%	%	%	G/MT	G/MT	G/MT	PO	PY	TOT	BAO	%	%	%	%	W.G.
25.5	27.0	454	1.5	1.5	4A0	2.70	.07	3.88	7.03	56.00		.C2	1	2	4	.06					.09
27.0	28.5	455	1.5	1.5	4A0	2.72	.06	2.76	4.02	35.50		.C1	1	3	5	.11					.10
28.5	29.7	456	1.2	.7	4A0	2.63	.07	1.93	3.73	34.50		.C1	1	3	5	.03					.08
41.0	42.4	553	1.4	1.4	4A974	2.67	.05	1.63	3.38	24.00			4	3	8	.63					.17
42.4	43.9	554	1.5	1.5	4G78	4.24	.05	4.96	7.05	87.00			2	10	13	27.33					.26
43.9	45.4	555	1.5	1.5	4G78	4.25	.08	6.85	7.62	102.00			9	8	18	20.02					1.07
45.4	46.9	556	1.5	1.5	4G774	4.24	.07	8.19	6.73	102.00		.C1	5	11	17	19.02					.65
46.9	48.5	557	1.6	1.5	4G874	4.37	.04	6.79	7.65	95.00		.C1	6	12	19	19.97					.70
48.5	50.0	558	1.5	1.5	4G874	4.20	.20	9.65	7.36	112.00		.C1	23	5	28	4.71					1.70
50.0	51.2	559	1.2	1.2	4G874	4.41	.10	8.82	6.51	98.50			14	16	30	11.51					1.36
51.2	52.7	560	1.5	1.5	4E684	4.47	.04	6.05	4.72	89.00		.C1	4	18	22	14.14					.56
52.7	54.3	561	1.6	1.5	4E684	4.37	.17	5.26	5.70	72.00		.C1	9	17	26	13.04					.70
54.3	55.8	562	1.5	1.5	4E0	4.74	.03	1.98	6.07	33.50			1	30	31	6.54					.22
55.8	57.3	563	1.5	1.5	4G4	4.35	.05	5.57	9.06	101.50		.C1	1	15	17	21.09					.15
57.3	58.8	564	1.5	1.5	4F6	4.33	.10	8.49	10.60	106.50		.C2	2	17	20	11.98					.28
58.8	60.4	565	1.6	1.5	4G48	4.57	.08	3.64	7.41	59.00			1	14	15	27.02					.22
60.4	61.9	566	1.5	1.5	4G48	4.46	.09	3.28	7.63	62.00			3	11	14	30.51					.34
61.9	63.41C0447	1.5	1.5	4E48/	4.46	.16	7.99	6.77	100.50		.C2	4	27	32	10.82						.41
63.4	64.91C0448	1.5	1.5	4E84	4.48	.30	3.45	3.79	49.00		.C1	8	38	47	4.37						.49
64.9	66.41C0449	1.5	1.5	4E84	4.48	.30	5.05	4.13	67.00		.C3	8	27	35	3.78						.52
66.4	67.71C0450	1.3	1.3	4E84	4.39	.25	4.59	4.89	60.00		.C1	5	28	33	5.24						.44
67.7	68.81C05C1	1.1	1.1	4A79	3.06	.05	1.69	4.18	28.50			6	9	15	.38						.18
68.8	69.71C05C2	.9	.9	4C74A	3.31	.02	1.46	3.23	26.50			1	17	19	.40						.16
69.7	71.21C05C3	1.5	1.4	4E0	4.39	.07	1.97	4.38	57.50		.C1	1	34	35	.48						.11
71.2	73.11C05C4	1.9	1.3	4E0	4.46	.08	2.55	5.82	64.00		.C2	1	33	34	3.03						.10
73.1	74.31C05C5	1.2	1.2	4F6	4.41	.07	6.85	9.59	107.50			2	13	15	23.95						.21
74.3	75.31C05C6	1.0	1.0	4F6	4.07	.06	4.33	6.63	70.00			3	10	14	25.97						.37
75.3	76.81C05C7	1.5	1.5	4D98	3.73	.18	5.71	3.64	85.00		.C1	21	7	28	3.54						2.01
76.8	78.01C05C8	1.2	1.2	4D98	3.52	.28	2.65	4.13	44.00			16	9	25	1.22						1.20
WEIGHTED AVERAGE																					
25.5	29.7		4.2			2.68	.06	2.92	5.01	42.53		.C1	1	3	4	.06					.09
41.0	78.0		37.0			4.20	.11	5.03	6.16	74.37		.C1	6	17	24	12.10					.56

All same as assay certificate

24MAY85 VANGORCA

COMPUTE COMPOSITES (DHD18)

PAGE: 4

DDH: 79V318 UTM-N: 903445.4 UTM-E: 594020.4 UTM-ELEV: 1144.4 TOTAL DEPTH: 142.0 SECTION:  
 RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 0

25

---DEPTHS--		SAMPLE NO.	INT.	REC.	ROCK UNIT	-----ASSAYS-----												
FROM	TO					S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PO %	PY %	TOT FE	BAO %	HG %	MN %
40.7	41.1	3632	.4	.0		2.64	.01	1.74	3.73	18.50		.31	1	1	2	.08		.05
41.3	43.3	3633	2.0	.0		3.16	.07	4.43	5.30	78.00		.41	2	14	16	1.46		.23
43.3	44.7	50006	1.4	.0		2.80												
66.8	68.4	3638	1.6	.0		3.65	.06	4.34	6.38	55.50		.93	4	14	18	9.06		.12
68.4	69.3	3639	.9	.0		3.69	.06	5.30	9.62	79.00		.96	1	15	16	5.77		.14
69.3	70.7	3640	1.4	.0		3.54	.17	2.19	1.71	27.00		1.20	6	15	22	.20		.34
70.7	72.2	3641	1.5	.0		3.72	.20	1.94	.96	30.00		1.92	5	21	26	.08		.16
WEIGHTED AVERAGE																		
40.7	44.7		4.0			2.97	.03	2.51	3.18	43.00		.24	1	7	8	.77		.20
66.8	72.2		5.4			3.64	.12	3.27	4.20	44.94		1.28	4	16	21	3.72		.19

24MAY85 VANGORCA

COMPUTE COMPOSITES (OH018)

PAGE: 5

DDH: 79V133R UTM-N: 903465.6 UTM-E: 594041.4 UTM-ELEV: 1150.0 TOTAL DEPTH: 136.6 SECTION:  
RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 C OMC CALC: 1 SS CALC: 0

ZE

---DEPTHS--		SAMPLE	INT.	REC.	ROCK	S.G.	CU	PB	ZN	AG(AA)	AG(FA)	AU(FA)	PO	PY	TOT	BAO	HG	MN	AS	BA	S.G.
FROM	TO	NO.			UNIT	PULP	%	%	%	G/MT	G/MT	G/MT	%	%	FE	%	%	%	%	%	W.G.
70.8	72.2	631	1.4	1.2	4A0/4	2.84	.06	1.73	3.77	34.50		.36	8	1	10	.52					.21
72.2	73.8	632	1.6	.5	4A0/4	2.74	.06	2.10	5.34	39.50		.49	6	1	8	.21					.22
73.8	75.3	633	1.5	1.5	4A0	2.45	.02	.24	.31	4.00		.07	3		3	.53					.16
75.3	76.8	634	1.5	1.5	4A0	3.17	.08	4.33	6.64	74.00		.94	4	8	13	.09					.24
76.8	78.3	635	1.5	1.5	4A0	3.00	.04	4.92	9.40	81.00		1.14	2	7	9	.07					.14
78.3	79.9	636	1.6	1.5	4A0	2.59	.03	1.66	2.86	29.50		.57	3	1	4	.13					.17
WEIGHTED AVERAGE																					
70.8	79.9	9.1				2.79	.04	2.49	4.71	43.64		.59	4	3	8	.25					.18

\*\*\*\*\*  
\* 79V133R \*  
\*\*\*\*\*

24MAY85 VANGORDA

COMPUTE COMPOSITES (DH018)

PAGE: 6

04E

DDH: 79V308 UTM-N: 903292.4 UTM-E: 593939.2 UTM-ELEV: 1143.6 TOTAL DEPTH: 138.6 SECTION:  
RFE: 52 RFE DIR: 0 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 0

---DEPTHS--				-----ASSAYS-----																
FROM	TO	SAMPLE NO.	INT. REC. UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PO %	PY %	TOT FE	BAO %	HG %	MN %	AS %	BA %	S.G. W.G.	
69.2	70.7	70.71C0992	1.5 1.5 4G0	4.00	.19	4.61	6.68	64.50		1.78	2	16	18	24.11	.01	.24				
	72.2	72.21C0993	1.5 1.5 4EJ	4.02	.37	2.39	2.76	27.00		.48	17	17	35	3.56		.88				
	73.8	73.81C0994	1.6 1.5 4E8	4.27	.26	2.18	2.44	27.00		.82	16	22	39	1.54		.71				
WEIGHTED AVERAGE																				
69.2	73.8		4.6	4.10	.27	3.04	3.92	39.22		1.02	12	18	31	9.55		.61				

\*\*\*\*\*  
\* 79V308 \*  
\*\*\*\*\*

24MAY85 VANGORCA

COMPUTE CCMPOSITES (DHQ18)

PAGE: 7

DDH: 79V306 UTM-N: 903112.1 UTM-E: 593963.0 UTM-ELEV: 1138.3 TOTAL DEPTH: 173.0 SECTION:  
 RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 C DHD CALC: 1 SS CALC: 0

4E

---DEPTHS---		SAMPLE INT. NO.	REC.	ROCK UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	---ASSAYS---				HG %	MN %	AS %	BA %	S.G. W.G.
FROM	TO											PO	PY	TOT	BAO					
60.4	61.91C0940	1.5	1.4	4G48	4.49	.06	9.01	9.66	118.00		.68	5	7	13	25.14				.31	
61.9	63.41C0941	1.5	1.5	4G48	4.64	.07	8.15	7.68	113.50		.68	2	8	10	35.28				.30	
63.4	65.11C0942	1.7	1.5	4E6	4.64	.16	8.78	8.55	101.50		1.44	2	20	23	13.28				.39	
70.7	72.21C0943	1.5	1.5	4D8	3.70	.31	2.30	2.63	25.50		.44	9	19	28	2.87				.70	
72.2	73.81C0944	1.6	1.5	4H8	3.70	.39	2.74	3.05	37.50		.16	25	4	30	8.70				.73	
73.8	75.31C0945	1.5	1.5	5D/4G	4.38	.18	9.99	8.70	113.50		2.18	10	13	23	7.68				.31	
75.3	76.8100946	1.5	1.5	5D/4G	4.03	.08	5.21	5.20	57.50		1.03	14	5	20	17.94				.17	
94.7	96.61C0948	1.9	1.5	4L3	2.83	.03	.48	.88	5.50		.03	4	1	6	4.00				.08	
96.6	98.61C0949	2.0	2.0	4L3	4.36	.25	5.56	3.94	60.50		1.22	6	26	33	7.89				.62	
98.6	100.31C0950	1.7	1.5	4G8	3.02	.07	.91	1.15	32.00		.51	3	2	6	4.70				.14	
100.3	101.21C0951	.9	.9	4G8	4.70	.14	5.12	5.56	61.50		1.37	7	24	31	13.50				.82	
101.2	102.71C0952	1.5	1.5	4G0	4.74	.17	6.39	6.12	91.50		1.89	2	28	30	12.54				.21	
102.7	104.41C0953	1.7	1.7	4G0	4.19	.24	4.08	5.87	74.00		1.68	2	19	22	15.31				.34	
104.4	105.91C0954	1.5	1.5	4G8	4.16	.24	3.88	5.02	66.50		1.54	5	20	25	10.54				.33	
105.9	107.51C0955	1.6	1.6	4G8	4.00	.17	3.42	4.72	47.00		.71	7	19	26	8.51				.23	
107.5	109.11C0956	1.6	1.6	4E8	4.09	.21	2.34	2.84	42.00		.81	9	22	31	5.88				.18	
109.1	110.61C0957	1.5	1.5	4E8	4.42	.29	1.98	2.96	35.00		.96	12	25	37	5.84				.21	
110.6	112.21C0958	1.6	1.5	4E8	4.35	.28	3.31	4.22	52.50		2.65	7	21	29	10.65				.28	
112.2	114.01C0959	1.8	1.8	4E8	4.33	.16	2.82	3.13	43.50		.35	23	13	36	5.27				.44	
WEIGHTED AVERAGE																				
60.4	65.1	4.7			4.59	.09	8.65	8.62	110.59		.95	3	12	16	24.08				.33	
70.7	76.8	6.1			3.94	.24	5.02	4.86	58.15		.93	15	10	25	9.28				.48	
94.7	114.0	19.3			4.05	.18	3.26	3.73	49.80		1.10	7	18	25	8.42				.30	

24MAY85 VANGORCA

COMPUTE COMPOSITES (DMD18)

PAGE: 9

DDH: 79V304 UTM-N: 903330.2 UTM-E: 593987.9 UTM-ELEV: 1136.1 TOTAL DEPTH: 160.5 SECTION:  
RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 C DHO CALC: 1 SS CALC: 0

4E

---DEPTHS--		SAMPLE NO.	INT.	REC.	ROCK UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	ASSAYS				HG %	MN %	AS %	BA %	S.G. W.G.	
FRCH	TO												PO	PY	TGT	BAO						FE
23.5	26.51	C0894	3.0	1.5	4A0	2.82	.35	2.41	2.92	29.50		.90	6	6	.14						.01	
26.5	29.31	C0895	2.8	2.1	4A0	2.55	.07	.68	.57	7.50		.27	3	3	.20						.01	
29.3	30.81	C0896	1.5	1.2	4A0	2.82	.07	2.98	4.23	39.50		.45	3	4	.15						.01	
30.8	32.31	C0897	1.5	1.5	4A4	3.21	.16	5.05	7.86	73.50		.99	11	12	.14						.01	
32.3	33.81	C0898	1.5	1.5	4A4	2.91	.07	3.46	5.42	48.50		.71	4	4	.14						.01	
33.8	35.41	C0899	1.6	1.5	4A4	2.83	.06	1.85	2.57	25.00		.57	1	4	.29						.01	
35.4	36.91	C0900	1.5	1.5	4A4	2.81	.06	1.78	1.83	24.50		1.07	1	5	.6	.27					.01	
36.9	38.41	C0901	1.5	1.5	4A4	2.87	.04	2.60	5.82	40.50		.78	1	4	.6	.19					.01	
38.4	39.31	C0902	.9	.9	4E4	4.19	.23	8.58	12.12	107.00		1.47	1	21	23	3.58	.01				.02	
39.3	41.61	C0903	2.3	2.3	4L0	2.98	.06	2.13	3.92	26.00		.34	5	4	10	.87					.07	
41.6	42.71	C0904	1.1	1.1	4E0	4.42	.17	3.56	3.37	58.00		2.01	3	30	34	.37					.30	
42.7	44.21	C0905	1.5	1.5	4L0	3.10	.03	.95	1.87	15.50		.16	5	3	9	7.01					.19	
44.2	45.71	C0906	1.5	1.5	4L0	3.41	.03	1.57	3.24	19.00		.03	7	5	13	6.23					.34	
53.0	54.51	C0908	1.5	1.5	4G4	4.50	.05	8.14	9.86	123.00		1.12	1	11	13	23.34					.18	
54.5	56.01	C0909	1.5	1.5	4G4	4.14	.17	4.25	6.86	65.50		1.15	3	14	18	17.24					.26	
56.0	57.01	C0910	1.0	1.0	4G/4A	4.01	.13	4.77	6.41	66.00		.63	7	13	20	12.83					.51	
61.8	63.41	C0911	1.6	1.6	4K0	4.16	.16	3.26	2.55	36.00		1.45	2	28	31	3.66					.23	
63.4	64.91	C0912	1.5	1.5	4K0	4.16	.05	.52	2.54	11.50		2.07	1	31	32	.09					.24	
64.9	66.41	C0913	1.5	1.5	4K0	4.68	.06	.34	.30	18.00		3.57	39	40	.09						.09	
66.4	67.61	C0914	1.2	1.2	4K0	4.60	.05	.47	.10	14.00		1.99	1	38	39	.04					.10	
67.6	69.41	C0915	1.8	1.8	4E8	4.78	.36	5.09	4.16	57.00		1.56	7	30	38	.77					.47	
69.4	71.01	C0916	1.6	1.6	4K0	4.13	.21	2.74	1.35	25.00		1.81	2	28	31	.75					.30	
71.0	72.51	C0917	1.5	1.5	4K0	4.01	.03	2.96	1.24	18.50		1.37	1	25	26	4.04					.20	
72.5	74.61	C0918	2.1	2.1	4K0	4.19	.07	1.63	.80	23.00		1.41	2	32	34	.29					.25	
74.6	76.21	C0919	1.6	1.6	4G4	4.10	.53	4.07	3.87	48.50		4.18	7	22	30	1.74					.57	
76.2	77.71	C0920	1.5	1.5	4G4	4.63	.21	4.94	5.95	68.50		1.41	5	18	23	17.61					.59	
77.7	79.11	C0921	1.4	1.3	4G4	4.51	.07	5.78	8.50	83.50		2.05	3	11	15	22.56					.54	
79.1	81.01	C0922	1.9	1.9	4K0	3.90	.30	3.25	.33	41.00		.96	5	25	30	.15					.64	
81.0	82.31	C0923	1.3	1.3	4JE	4.10	.09	1.96	1.02	15.00		1.25	26	18	44	.14					3.08	
82.3	83.81	C0924	1.5	1.5	4JE	3.95	.09	1.39	.50	12.00		1.16	25	9	34	.28					2.42	
83.8	85.11	C0925	1.3	1.2	4JE	4.31	.11	2.30	1.27	23.00		.71	21	12	34	.10					2.45	
85.1	86.91	C0926	1.8	1.8	4C0	3.92	.25	2.45	2.95	35.00		1.11	3	22	26	5.79					.46	
WEIGHTED AVERAGE																						
23.5	45.7		22.2			3.03	.11	2.53	3.76	34.27		.67	2	7	9	1.27					.06	
53.0	57.0		4.0			4.24	.11	5.83	7.87	87.18		1.00	3	13	17	18.42					.29	
61.8	86.9		25.1			4.24	.17	2.73	2.32	33.57		1.76	7	25	32	3.49					.73	

\*\*\*\*\*  
\* 79V304 \*  
\*\*\*\*\*

24MAY85 VANGORCA

COMPUTE COMPOSITES (DHO18)

PAGE: 10

DDH: 79V033R UTM-N: 903349.C UTM-E: 594007.6 UTM-ELEV: 1134.5 TOTAL DEPTH: 155.0 SECTION:  
 RFE: S2 RFE DIR: PLUNGE ANGLES: 0 C DHD CALC: 1 SS CALC: 0

4E

--DEPTHS--		SAMPLE NO.	INT.	REC.	ROCK UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	--ASSAYS--				S.G. W.G.
FROM	TO												PO	PY	TOT FE	BAO %	
22.3	23.81C1003	1.5	1.5	4A0	2.72	.04	2.00	2.26	23.50		.41	1	4	5	.30		.01
23.8	25.31C1004	1.5	1.5	4A0	2.76	.03	3.53	5.49	54.00		.89	1	4	5	.21		.01
25.3	26.81C1005	1.5	.8	4A0	2.91	.02	2.32	3.74	30.00		.55	1	11	13	.45		.01
26.8	28.51C1006	1.7	.9	4A0	2.92	.04	3.85	4.47	56.50		.51	1	7	8	.71		.01
28.5	29.01C1007	.5	.5	4E0	3.88	.03	10.86	8.87	157.00		.41	1	15	17	7.32		.03
29.0	30.11C1008	1.1	.4	4G4	4.46	.03	4.39	8.25	72.00		.27	1	8	9	37.04		.13
30.1	31.71C1009	1.6	1.5	4E6	4.69	.19	6.33	7.63	81.50		1.41	1	31	32	7.45		.03
31.7	33.21C1010	1.5	1.5	4E6	4.57	.09	4.69	6.02	67.00		1.10		24	25	23.71		.01
33.2	34.41C1011	1.2	1.2	4G/5D	4.06	.15	3.17	5.82	47.00		1.23	1	11	13	29.78		.06
34.4	35.51C1012	1.1	1.0	4E1	4.04	.48	4.74	4.60	87.50		3.43	1	21	23	12.96		.18
35.5	37.11C1013	1.6	1.1	4EF	4.50	.13	5.76	6.54	77.50		1.58	3	28	32	11.06		.13
37.1	38.51C1014	1.4	1.4	4E6	4.15	.11	3.26	3.64	43.00		.86	5	21	27	14.33		.62
38.5	40.21C1015	1.7	1.7	4E8	4.16	.27	2.95	.72	35.50		1.51	9	28	38	.17		.86
40.2	42.31C1016	2.1	2.0	4E8	4.22	.39	.57	.76	16.50		1.71	8	32	41	.98		.65
42.3	43.51C1017	1.2	1.2	4G4	4.13	.08	6.21	7.90	87.00		.79	7	12	19	19.01		.79
43.5	45.01C1018	1.5	1.5	4G/5D	3.91	.01	3.72	7.29	58.00		.21	2	9	12	30.33		.21
45.0	46.61C1019	1.6	1.6	4G0	3.98	.01	3.55	8.05	59.50		.17	1	9	11	36.94		.12
46.6	48.21C1020	1.6	1.5	4J/5D	4.17	.02	6.37	6.94	88.50		.27	6	6	13	27.95		.60
48.2	49.71C1021	1.5	1.5	4G8/K	3.83	.16	3.59	4.27	49.50		.55	11	12	24	16.02		.87
49.7	51.21C1022	1.5	1.5	4KJ	3.87	.09	5.15	4.43	70.00		.58	10	12	22	17.44		.89
51.2	52.71C1023	1.5	1.5	4KG	3.59	.06	3.06	5.18	47.50		.72	5	13	19	20.92		.19
52.7	54.31C1024	1.6	1.5	4GK/5	3.96	.05	2.65	5.09	38.50		.72	1	16	18	22.80		.11
54.3	55.81C1025	1.5	1.5	4G8	4.28	.07	2.47	5.66	41.00		.68	1	15	16	30.84		.16
55.8	57.31C1026	1.5	1.5	4G8	4.45	.15	3.56	5.39	71.50		1.89	2	19	22	23.85		.31
57.3	58.81C1027	1.5	1.5	4E6	4.34	.20	3.47	6.75	60.00		1.17	2	20	22	17.89		.25
58.8	60.01C1028	1.2	1.2	4G8	4.22	.04	4.27	6.75	62.50		.62	2	5	8	32.89		.38
60.0	61.31C1029	1.3	1.2	4KG	3.81	.07	4.92	4.72	64.00		1.17	2	13	16	14.53		.35
61.3	63.21C1030	1.9	1.9	4G8/L	3.83	.13	3.03	4.83	35.50		1.03	5	11	16	16.67		.84
82.3	84.11C1042	1.8	1.8	4C8	3.37	.18	1.62	3.01	21.00		1.03	11	11	22	.12		1.56
84.1	86.01C1043	1.9	1.8	4C8	3.47	.16	1.97	4.03	26.00		.96	11	11	22	.10		1.66
86.0	87.51C1044	1.5	1.5	4C8/4	3.06	.04	4.92	6.90	18.00		.55	4	9	14	.70		.36
89.6	91.41C1046	1.8	1.8	4LC/4	3.40	.21	1.11	2.10	18.50		.79	2	17	20	.45		.17
91.4	93.31C1047	1.9	1.8	4LC/4	3.06	.06	3.40	5.06	38.50		1.03	4	5	9	.47		.12
93.3	95.11C1048	1.8	1.8	4L/4K	3.22	.23	3.69	.70	28.00		.99	4	12	17	.78		.27
WEIGHTED AVERAGE																	
22.3	63.2	40.9			3.93	.11	3.83	5.21	56.29		.95	4	15	19	16.47		.33
82.3	87.5	5.2			3.31	.13	2.69	4.50	21.96		.86	9	10	20	.28		1.25
89.6	95.1	5.5			3.22	.16	2.74	2.66	28.51		.93	3	11	15	.56		.18

24MAY85 VANGORCA

COMPUTE COMPOSITES (DH018)

PAGE: 11

DDH: 79V305 UTM-N: 903366.6 UTM-E: 594036.7 UTM-ELEV: 1134.2 TOTAL DEPTH: 124.4 SECTION:  
 RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 G DMD CALC: 1 SS CALC: 0

4E

---DEPTHS---				-----ASSAYS-----																
FROM	TO	SAMPLE NO.	INT. REC.	ROCK UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PO %	PY %	TOT FE	BAO %	HG %	MN %	AS %	BA %	S.G. W.G.
18.4	20.0	C1C0851	1.6	1.5	4JK8	4.41	.17	4.84	3.15	60.00	.80	27		27	7.94					3.31
20.0	21.2	C1C0852	1.2	1.2	4JK8	3.92	.11	6.01	4.65	72.00	.51	5	14	19	7.38					2.94
21.2	23.0	C1C0853	1.8	1.7	4LK	3.18	.05	1.74	1.96	26.50	.08	6	1	7	17.90					.49
23.0	24.2	C1C0854	1.2	1.2	4JK8	3.88	.15	4.19	5.03	60.00	.10	19		19	11.87					1.05
24.2	25.1	C1C0855	.9	.9	4GK	4.45	.05	3.59	6.42	59.50	.42	1	17	19	22.92					.19
25.1	25.6	900C7	.5	.0		2.80														
25.6	27.4	C1C0856	1.8	1.8	4JK8	4.22	.17	3.97	4.23	53.50	1.15	6	23	30	3.98					.47
27.4	28.7	C1C0857	1.3	1.2	4GK	4.54	.06	5.89	7.59	85.00	.35	2	13	15	23.08					.11
28.7	29.8	C1C0858	1.1	1.1	4GK	4.05	.06	4.56	6.12	77.00	.31	5	9	15	19.70					.51
29.8	31.4	C1C0859	1.6	1.6	4LJ	3.02	.02	2.65	2.53	21.50	.10	7	2	10	4.25					.20
40.4	42.0	C1C0860	1.6	1.6	4A0	2.65	.02	1.70	3.09	24.00	.22	3	1	4	.71					.02
42.0	43.8	C1C0861	1.8	1.8	4A/4J	3.27	.05	4.26	6.61	59.50	.15	9	2	11	3.21					.18
43.8	44.7	C1C0862	.9	.9	4A7	3.55	.12	4.67	7.37	72.00	.86	13	2	15	5.62					.13
44.7	46.0	C1C0863	1.3	1.2	4F/4G	4.74	.04	9.04	11.29	160.00	.77	3	16	19	12.57					.37
46.0	46.9	C1C0864	.9	.9	509	3.34	.01	2.09	3.69	33.00	.07	3	4	8	15.59					.32
46.9	47.9	C1C0865	1.0	1.0	4G4	4.10	.02	3.18	7.01	52.00	.14	4	7	11	31.86					.50
47.9	48.8	C1C0866	.9	.8	4JE	4.25	.15	5.79	4.47	81.50	.76	13	16	30	8.24					1.60
48.8	50.3	C1C0867	1.5	1.5	4G4	4.41	.05	4.12	6.81	73.50	.52	3	10	13	31.30					.77
50.3	51.8	C1C0868	1.5	1.5	4G4	4.23	.02	2.84	6.26	40.00	.31	1	6	7	36.07					.27
51.8	53.3	C1C0869	1.5	1.5	4G4	4.00	.03	1.92	5.30	34.50	.39		7	8	32.69					.01
53.3	54.9	C1C0870	1.6	1.5	4G4	4.33	.03	3.68	7.13	60.00	.36	2	10	12	33.96					.34
54.9	56.4	C1C0871	1.5	1.5	4G4	4.41	.03	3.77	7.49	70.00	.27	1	12	13	33.47					.28
56.4	57.9	C1C0872	1.5	1.5	4G4	4.32	.04	4.71	8.86	88.50	.31	1	12	14	27.50					.36
57.9	59.4	C1C0873	1.5	1.5	4G4	4.24	.03	4.59	9.61	81.50	.36	1	11	13	25.67					.16
59.4	61.0	C1C0874	1.6	1.5	4G4	4.42	.02	3.18	8.16	59.00	.39	1	8	10	34.30					.28
61.0	62.5	C1C0875	1.5	1.5	4G4	4.33	.07	6.94	11.29	89.00	.93	2	11	14	20.04					.71
62.5	63.5	C1C0876	1.0	1.0	4G4	4.16	.08	9.07	11.66	84.50	1.36	5	9	14	14.39					.86
63.5	64.9	C1C0877	1.4	1.4	409	3.77	.33	4.18	2.76	52.00	2.81	5	10	16	2.88					.46
64.9	66.4	C1C0878	1.5	1.5	409	3.61	.34	4.05	2.24	46.50	3.61	13	13	27	.13					.28
66.4	68.0	C1C0879	1.6	1.5	409	3.61	.40	1.22	.86	17.00	2.40									
68.0	69.5	C1C0880	1.5	1.5	409	3.27	.34	.83	.64	13.00	1.78									
69.5	71.0	C1C0881	1.5	1.5	409	3.50	.38	1.09	1.21	13.00	1.37									

WEIGHTED AVERAGE

18.4	31.4	13.0			3.87	.09	3.87	4.17	52.42		.42	9	8	17	11.86					1.04
40.4	71.0	30.6			3.92	.12	3.81	5.99	57.92		.92	4	9	13	19.98					.38

24MAY85 VANGORCA

COMPUTE CCMPCITES (DM018)

PAGE: 12

DDH: 79V310 UTM-N: 903406.7 UTM-E: 554085.7 UTM-ELEV: 1137.0 TOTAL DEPTH: 148.6 SECTION:  
 RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 0 DMC CALC: 1 SS CALC: 0

4E

---DEPTHS--				-----ASSAYS-----																	
FROM	TO	SAMPLE NO.	INT. REC. NO.	ROCK UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PO %	PY %	TOT FE	BAO %	HG %	MN %	AS %	BA %	S.G. W.G.	
36.8	38.1	38.11C1053	1.3	1.3 4A0	2.76	.05	2.82	3.14	45.00		.58	5		6	1.85						.04
38.1	39.6	39.61C1054	1.5	1.5 4A0	3.09	.05	2.24	4.76	34.00		1.30	3	10	14	.28						.18
39.6	41.1	41.11C1055	1.5	1.5 4A0	2.96	.06	1.34	2.74	21.00		.86	4	11	15	.34						.18
41.1	42.7	42.71C1056	1.6	1.3 4A0	3.47	.11	4.27	4.35	53.50		1.20	4	13	18	.14						.28
53.0	54.6	54.61C1063	1.6	1.3 4C7	3.64	.20	1.49	1.40	26.50		1.85	9	15	23	.06						.29
54.6	56.1	56.11C1064	1.5	1.3 4A0	3.12	.10	3.56	5.32	63.00		1.30	3	10	13	.06						.09
56.1	57.6	57.61C1065	1.5	1.3 4A0	2.88	.06	2.66	3.22	41.50		1.23	4		4	.10						.03
57.6	59.1	59.11C1066	1.5	1.3 4A0	2.70	.08	1.26	.87	20.00		1.30	8		8	.13						.09
WEIGHTED AVERAGE																					
36.8	42.7		5.9		3.08	.06	2.68	3.77	38.40		1.00	4	9	13	.60						.17
53.0	59.1		6.1		3.09	.11	2.23	2.68	37.56		1.42	6	6	12	.08						.12

24MAY85 VANGORCA

CCMPUTE COMPOSITES (DM018)

PAGE: 13

06E

DDH: 79V096R UTM-N: 903242.8 UTM-E: 593985.1 UTM-ELEV: 1148.0 TOTAL DEPTH: 161.0 SECTION:  
RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 0

---DEPTHS---		SAMPLE	INT.	REC.	ROCK	-----ASSAYS-----																
FROM	TO	NO.			UNIT	S.G.	CU	PB	ZN	AG(AA)	AG(FA)	AU(FA)	PO	PY	TOT	BAO	HG	MN	AS	BA	S.G.	
						PULP	%	%	%	G/MT	G/MT	G/MT	%	%	FE	%	%	%	%	%	%	W.G.
76.0	76.8	10269	.8	.9	4D8	3.71	.34	2.32	2.27	33.50		.07	9	14	24	5.18						.87
76.8	78.5	10270	1.7	1.6	4E8	4.37	.66	3.01	2.54	35.50		.14	8	25	33	5.72						.56
78.5	79.4	10271	.9	.9	4E0	4.44	.53	1.64	1.79	32.50		.07	5	27	33	2.35						.37
79.4	80.5	10272	1.1	1.1	4F0	4.70	.26	1.13	1.87	17.00		.38	7	28	36	1.32						.48
80.5	80.8	10273	.3	.3	5D6	2.91	.12	.41	1.26	6.00		.48	8	6	14	2.89						.25
80.8	81.3	10274	.5	.4	4F4	4.57	.06	6.11	8.31	83.00		2.06	3	22	25	10.13						.33
85.5	86.1	10280	.6	.6	4EG	3.66	.27	3.89	4.34	66.50		.29	8	14	22	6.08						.52
86.1	86.9	10281	.8	.8	5A/4L	2.73	.10	.49	1.39	9.00		.41	5	3	8	2.78						.17
86.9	88.4	10282	1.5	1.5	4EG	4.16	.22	2.66	2.37	38.50		1.47	8	21	29	5.98						.58
88.4	89.6	10283	1.2	1.2	4EG	3.73	.24	2.32	2.48	32.00		.14	5	21	26	3.62						.32
WEIGHTED AVERAGE																						
76.0	81.3		5.3			4.28	.41	2.42	2.70	33.66		.36	7	23	30	4.40						.51
85.5	89.6		4.1			3.68	.20	2.31	2.49	34.93		.78	7	16	23	4.67						.41

\*\*\*\*\*  
\* 79V096R \*  
\*\*\*\*\*

24MAY85 VANGORDA

COMPUTE COMPOSITES (DH018)

PAGE: 14

DDH: 79V020R UTM-N: 903261.2 UTM-E: 594003.0 UTM-ELEV: 1148.3 TOTAL DEPTH: 144.1 SECTION:  
 RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 C DHD CALC: 1 SS CALC: 0

6E

---DEPTHS---				---ASSAYS---																	
FROM	TO	SAMPLE NO.	INT. REC.	ROCK UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PO %	PY %	TOT FE	BAO %	HG %	MN %	AS %	BA %	S.G. W.G.	
57.0	57.6	32C1	.6	.5 4F6	4.52	.06	10.39	8.61	162.50		1.50	2	14	16	17.01		.15				
61.4	61.8	32C2	.4	.5 4F6	4.38	.04	10.64	8.47	148.50		1.39	6	22	28	2.32		.80				
61.8	62.2	32C3	.4	.5 4L3	3.00	.01	1.38	1.73	31.00		.19	4	1	6	2.47		.82				
62.2	62.7	32C4	.5	.5 4G4	4.43	.04	9.69	8.65	120.00		1.47	2	13	16	16.87		.36				
62.7	66.3	900C8	3.6	.0	2.80																
66.3	67.1	32C5	.8	.5 4G4K	4.24	.06	9.73	9.59	118.50		1.16	2	11	14	22.84		.41				
67.1	68.6	32C6	1.5	.5 4L3		.02															
68.6	69.2	32C7	.6	.5 4F6	4.40	.11	13.08	13.01	180.00		1.85	2	15	18	8.19		.33				
WEIGHTED AVERAGE																					
57.0	69.2		12.2		3.47	.02	4.56	4.21	62.62		.62	1	6	7	6.34		.43				

24MAY85 VANGORDA

COMPUTE COMPOSITES (DHO18)

PAGE: 15

DDH: 79V095R UTM-N: 903279.7 UTM-E: 594030.4 UTM-ELEV: 1149.4 TOTAL DEPTH: 164.9 SECTION:   
 RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 C DHD CALC: 1 SS CALC: 0

6E

---DEPTHS--				-----ASSAYS-----																	
FROM	TO	SAMPLE NO.	INT. REC.	ROCK UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PO %	PY %	TOT FE %	BAO %	HG %	MN %	AS %	BA %	S.G. W.G.	
48.1	49.81	C0133	1.7	1.7	4G4	4.11	.02	4.90	7.24	68.00	.17	3	9	12	29.11		.24				
49.8	51.11	C0134	1.3	1.2	5D3	3.02	.01	.83	1.66	10.50		5	7	12	12.95		.30				
51.1	52.31	C0135	1.2	1.2	4GL	3.87	.02	3.23	6.07	39.00	.07	3	10	14	29.28		.37				
52.3	53.01	C0136	.7	.7	4G4	4.25	.02	8.62	8.52	110.00	.34	6	16	22	17.84		1.00				
53.0	54.21	C0137	1.2	1.2	4F4	4.39	.04	13.75	12.40	160.50	.48	12	23	35	2.81		1.65				
54.2	55.51	C0138	1.3	1.3	4G4	4.37	.03	2.75	6.25	35.50	.10	4	12	16	38.90		.78				
55.5	56.31	C0139	.8	.8	4F4	4.77	.03	22.30	8.87	244.00	1.65	15	25	40	2.20		1.90				
56.3	57.81	C0140	1.5	1.5	4G4	4.42	.03	6.88	8.83	96.50	.68	11	18	29	21.19		1.48				
57.8	59.41	C0141	1.6	1.6	4G4	4.44	.06	6.88	7.23	94.50	.82	8	19	27	22.77		1.02				
59.4	60.71	C0142	1.3	1.3	4F4	3.84	.13	3.95	5.93	51.00	.34	12	23	35	12.28		.34				
60.7	62.61	C0143	1.9	1.9	4G4/4	4.54	.15	3.01	3.09	38.50	1.37	4	30	34	9.53		.42				
62.6	65.01	C0144	2.4	2.4	4E0	4.45	.07	.73	.13	7.50				38	.76		.04				
65.0	66.31	C0145	1.3	1.3	4EG4	4.78	.12	6.09	6.63	56.50	1.37	1	25	26	16.97		.12				
66.3	68.31	C0146	2.0	2.0	4E0	4.51	.23	3.03	2.79	19.50	1.03		35	36	3.43		.05				
68.3	69.81	C0147	1.5	1.5	4E1	4.21	.05	1.13	1.32	10.50	.68	1	29	30	7.20		.16				
69.8	71.31	C0148	1.5	1.5	4E1	4.06	.03	2.05	.65	14.50	1.03	1	29	30	1.40		.19				
71.3	73.41	C0149	2.1	2.1	4E1	4.42	.11	4.40	2.58	51.50	1.03	3	30	34	7.96		.41				
73.4	75.01	C0150	1.6	1.6	4EG	4.61	.29	4.68	5.82	74.00	1.10	2	24	26	19.87		.27				
75.0	76.51	C0151	1.5	1.5	4EG	4.66	.19	3.67	4.95	65.50	1.20	2	29	32	11.84		.27				
76.5	78.01	C0152	1.5	1.5	4EG	4.61	.15	7.90	8.09	103.00	1.65	7	29	37	5.66		.75				
78.0	79.61	C0153	1.6	1.5	4EG	4.49	.15	5.94	9.54	86.00		2	14	17	28.83		.19				
79.6	81.11	C0154	1.5	1.5	4EG	4.34	.13	4.50	6.66	62.00	.07	3	17	20	27.21		.32				
WEIGHTED AVERAGE																					
48.1	81.1		33.0			4.34	.10	4.85	5.24	60.61	.82	4	23	28	14.46		.48				

GE

24MAY85 VANGORCA

COMPUTE COMPOSITES (DHO18)

PAGE: 16

DDH: 79V047R UTM-N: 903301.9 UTM-E: 594053.4 UTM-ELEV: 1149.8 TOTAL DEPTH: 176.8 SECTION:  
 RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 0

---DEPTHS--		-----ASSAYS-----																				
FROM	TO	SAMPLE NO.	INT.	REC.	ROCK UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PO %	PY %	TOT FE	BAO %	HG %	MN %	AS %	BA %	S.G. W.G.	
33.7	35.1	35.11C3199	1.4	1.3	4A0	2.69	.08	1.36	2.65	20.50		.69	1	6	7	.30						.03
35.1	36.6	36.61C3200	1.5	1.5	4A0	2.86	.04	3.30	3.52	42.00		.96	1	8	10	.15						.02
36.6	38.1	38.11C3301	1.5	1.5	4A0	2.88	.05	3.24	3.82	47.00		.31	1	6	7	.20						.03
38.1	39.6	39.61C3302	1.5	1.5	4A0	3.02	.06	4.62	5.40	64.00		.75	1	9	10	.45						.03
39.6	40.5	40.5103303	.9	.9	4A0	3.22	.07	4.38	6.14	68.00		.58	2	10	12	2.30						.10
40.5	42.1	42.1103304	1.6	1.5	4G0	4.25	.13	5.04	6.77	82.50		.96	2	18	21	12.53						.19
42.1	43.6	43.61C3305	1.5	1.5	4EFK	4.38	.16	3.98	4.04	52.00		1.47	4	23	28	5.01						.40
43.6	45.1	45.11C3306	1.5	1.5	468/E	4.56	.12	3.16	5.21	51.50		.99	5	17	22	14.74						.57
45.1	45.7	45.71C3307	.6	.6	4G8	4.42	.05	9.93	8.18	126.00		.58	10	11	21	8.37						1.52
45.7	48.2	48.21C3308	2.5	2.4	4L37	3.03	.05	.98	1.04	16.50		.27	4	4	9	4.99						.20
48.2	49.0	49.01C3309	.8	.8	4G8	4.85	.09	5.16	6.61	90.00		.72	1	15	17	24.09						.10
49.0	50.0	50.01C3310	1.0	1.0	4L0	3.45	.03	3.30	3.93	55.00		.34	4	7	11	9.67						.26
50.0	52.0	52.01C3311	2.0	2.0	4E0	4.52	.04	2.96	3.78	50.50		.86	1	25	27	7.00						.11
52.0	53.2	53.21C3312	1.2	1.2	4G8	4.75	.04	3.66	7.22	59.50		.24	1	15	16	26.98						.17
53.2	54.4	54.4103313	1.2	1.2	4G8	4.51	.02	2.88	6.44	53.50		.24	4	8	13	30.52						.80
54.4	55.9	55.91C3314	1.5	1.5	4E/SD	3.94	.07	5.06	7.34	72.00		.58	3	14	17	11.08						.22
55.9	57.5	57.51C3315	1.6	1.5	4E0	4.98	.04	1.43	2.80	31.50		.45		31	32	4.39						.07
57.5	58.8	58.81C3316	1.3	1.3	4G8	4.83	.02	2.22	4.17	42.50		.21	1	17	19	23.16						.11
58.8	60.4	60.41C3317	1.6	1.5	4G8	4.50	.06	5.72	7.42	86.00		.27	2	13	15	24.02						.55
60.4	75.3	75.31C3318	1.7	1.7	4G8	4.20	.06	4.22	6.93	67.00		.34	1	10	12	24.87						.41
75.3	77.1	77.11C3327	1.8	1.8	4C0	3.89	.34	11.54	.57	95.00		1.47	2	17	19	.09						.10
77.1	78.0	78.01C3328	.9	.9	4C0	3.89	.19	23.23	1.88	214.00		4.49	1	12	14	.02						.12
78.0		79.91C3329	1.9	1.8	4C0	3.63	.58	2.88	.80	24.50		2.06	2	19	22	.06						.13
WEIGHTED AVERAGE																						
33.7	62.1		28.4			3.95	.06	3.52	4.86	54.97		.59	2	14	16	11.17						.25
75.3	79.9		4.6			3.78	.40	10.25	.92	89.16		2.30	2	17	19	.06						.11

\*\*\*\*\*  
 \* 79VC47R \*  
 \*\*\*\*\*

24MAY85 VANGORCA

COMPUTE COMPOSITES (DHO18)

PAGE: 17

CE

DDH: 79V094R UTM-N: 903319.8 UTM-E: 594076.8 UTM-ELEV: 1150.0 TOTAL DEPTH: 166.5 SECTION:  
 RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 C DHD CALC: 1 SS CALC: 0

---DEPTHS---		SAMPLE NO:	INT.	REC.	ROCK UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	ASSAYS				HG %	MN %	AS %	BA %	S.G. W.G.	
FROM	TO												PO	PY	TOT	BAO						
25.1	26.3	26.31C0169	1.2	1.1	4GH	4.08	.08	6.84	6.03	93.50		.55	14	24	39	10.94		2.10				
26.3	26.5	26.5 500G9	.2	.0		2.80																
26.5	28.0	28.01C0170	1.5	1.5	4GH	4.47	.09	5.94	6.12	80.50		.41	6	20	27	15.87		.96				
28.0	29.0	29.01C0171	1.0	1.0	4G4	4.66	.07	8.54	8.56	105.00		.27	2	18	21	20.37		.35				
29.0	30.4	30.41C0172	1.4	1.4	4E0	4.81	.02	1.27	4.82	22.00		.21	1	34	35	.19		.17				
30.4	30.9	30.91C0173	.5	.5	4G4	4.52	.03	4.68	7.58	71.00		.27	3	20	23	21.21		.42				
30.9	31.7	31.71C0174	.8	.8	4L7	3.31	.11	2.38	3.29	38.50			7	12	19	12.96		.31				
31.7	32.2	32.21C0175	.5	.5	4H1	4.04	.07	8.45	15.50	131.00		.34	16	20	36	7.27		.60				
32.2	32.9	32.91C0176	.7	.7	5D6	3.03	.03	.51	.57	5.50			5	8	14	10.81		.60				
32.9	34.2	34.21C0177	1.3	1.3	4H1	3.86	.11	9.55	6.97	130.50		.34	21	25	46	1.75		1.68				
34.2	36.1	36.11C0178	1.9	1.9	4A0	2.79	.03	1.66	3.26	25.50			3	6	9	.36		.16				
45.0	45.9	45.91C0179	.9	.9	4AG	3.07	.07	3.10	4.55	57.00		.21	3	9	13	9.33		.21				
45.9	47.2	47.21C0180	1.3	1.3	4A0	2.98	.02	1.07	2.22	17.00			1	14	15	.91		.09				
47.2	48.8	48.81C0181	1.6	1.5	4G4	2.58	.02	1.20	3.46	16.50			1	2	3	1.52		.07				
48.8	50.0	50.01C0182	1.2	1.2	4A0	2.79	.03	2.07	4.92	32.50		.21	1	8	9	.87		.09				
50.0	50.7	50.71C0183	.7	.7	4GE	4.47	.16	5.35	9.19	95.00		.34	2	22	25	12.05		.27				
50.7	51.2	51.2 90010	.5	.0		2.80																
51.2	52.7	52.71C0184	1.5	1.5	4GJ	4.52	.05	8.15	5.84	111.50		.55	14	24	38	17.53		1.90				
52.7	54.3	54.31C0185	1.6	1.5	4G4	4.31	.04	5.26	8.55	89.00		.41	4	12	16	28.77		.57				
54.3	56.0	56.01C0186	1.7	.0	****	4.33	.03	2.40	5.76	39.00			2	11	14	32.07		.37				
56.0	57.3	57.31C0187	1.3	1.3	4D0	3.65	.11	4.61	7.45	55.00		.21	6	19	25	4.33		.73				
57.3	67.4	67.41C0188	1.5	1.5	4D0	3.55	.16	2.19	3.17	25.00			6	19	26	4.65		.77				
67.4	68.9	68.91C0196	1.5	1.5	4C9	3.44	.29	2.33	1.71	29.50		2.57	11	10	22	.34		.53				
68.9	70.4	70.41C0197	1.5	1.5	4C9	3.35	.30	2.88	1.29	34.00		.10	7	13	21	.51		.21				
70.4	71.9	71.91C0198	1.5	1.5	4C9	3.53	.33	4.08	1.89	52.00		1.89	9	14	24	.36		.60				
WEIGHTED AVERAGE																						
25.1	36.1		11.0			3.90	.06	4.71	5.59	65.68		.34	7	19	26	8.42		.76				
45.0	58.8		13.8			3.60	.06	3.35	5.18	50.01		.31	4	13	18	11.66		.54				
67.4	71.9		4.5			3.44	.30	3.09	1.63	38.50		1.52	9	13	22	.40		.44				

24MAY85 YANGORCA

COMPUTE COMPOSITES (DH018)

PAGE: 18

DDH: 79V035R UTM-N: 903343.6 UTM-E: 594097.5 UTM-ELEV: 1147.3 TOTAL DEPTH: 172.8 SECTION:  
RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 G DHO CALC: 1 SS CALC: 0

LE

---DEPTHS---		SAMPLE NO.	INT. REC.	ROCK UNIT	-----ASSAYS-----													
FROM	TO				S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PO %	PY %	TOT FE	BAO %	HG %	MN %	AS %
40.9	42.1	11C3428	1.2	1.2	4A/4G	3.21	.11	2.46	3.87	42.50		.48	1	10	11	2.48		.05
42.1	43.5	103429	1.4	1.4	4A0	2.75	.01	1.04	2.37	19.00		.48	1	10	11	.61		.05
43.5	45.1	11C343C	1.6	1.6	4E8	4.32	.21	3.23	2.58	52.50		1.65	5	26	32	1.70		.42
WEIGHTED AVERAGE																		
40.9	45.1		4.2			3.47	.11	2.28	2.87	38.47		.92	3	16	19	1.55		.19

\*\*\*\*\*  
\* 79VC35R \*  
\*\*\*\*\*

24MAY85 VANGORGA

COMPUTE COMPOSITES (OH018)

PAGE: 19

6E

DDH: 79V126R UTM-N: 903366.1 UTM-E: 594125.7 UTM-ELEV: 1142.3 TOTAL DEPTH: 166.4 SECTION:  
RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 0

---DEPTHS--				-----ASSAYS-----																	
FRM	TO	SAMPLE NO.	INT. REC.	ROCK UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PO %	PY %	TOT FE	BAO %	HG %	MN %	AS %	BA %	S.G. W.G.	
30.9	32.0	1C0213	1.1	1.1 4E1	3.58	.15	1.38	1.04	27.50		1.27	4	20	24	.08		.21				
32.0	33.5	1C0214	1.5	1.5 4A0	3.37	.10	4.20	5.47	60.00		.21	3	16	20	.04		.21				
33.5	35.1	1C0215	1.6	1.3 4A0	3.29	.08	3.87	7.37	65.00		.69	3	15	18	.04		.19				
35.1	36.6	1C0216	1.5	1.5 4A0	3.42	.12	4.73	8.69	80.50		.69	1	16	18	.36		.11				
36.6	38.1	1C0217	1.5	1.5 4A0	3.13	.24	3.73	6.09	69.50		.62	1	13	14	.03		.09				
WEIGHTED AVERAGE																					
30.9	38.1		7.2		3.34	.13	3.70	6.01	62.39		.66	2	16	18	.11		.15				

24MAY85 VANGORDA

COMPUTE COMPOSITES (DH018)

PAGE: 20

08E

DDH: 79V320 UTM-N: 903201.1 UTM-E: 594021.6 UTM-ELEV: 1151.5 TOTAL DEPTH: 148.4 SECTION:  
RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 C DHD CALC: 1 SS CALC: 0

---DEPTHS--		SAMPLE	INT.	REC.	ROCK	-----ASSAYS-----															
FROM	TO	NO.			UNIT	S.G.	CU	PB	ZN	AG(AA)	AG(FA)	AU(FA)	PO	PY	TOT	BAO	HG	MN	AS	BA	S.G.
						PULP	X	X	X	G/MT	G/MT	G/MT	X	X	FE	X	X	X	X	X	W.G.
68.6	70.1	3063	1.5	.5	4EKL	3.68	.09	.12	.55	5.50			.34	3	34	37	1.77				.16
70.1	71.6	3064	1.5	.5	4G8	4.02	.14	3.25	3.18	48.00			.62	8	28	37	11.46				.56
71.6	73.7	3065	2.1	.5	4GL	4.61	.20	3.05	3.59	42.00			.77	7	31	38	15.75				.47
WEIGHTED AVERAGE																					
68.6	73.7		5.1			4.16	.15	2.24	2.57	33.02			.59	6	31	37	10.37				.40

\*\*\*\*\*  
\* 79V320 \*  
\*\*\*\*\*

24MAY85 VANGORCA

COMPUTE COMPOSITES (DHD18)

PAGE: 21

DDH: 79V053R UTM-N: 903218.0 UTM-E: 594046.4 UTM-ELEV: 1152.0 TOTAL DEPTH: 178.0 SECTION:  
RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 C DHD CALC: 1 SS CALC: 0

8E

---DEPTHS--					-----ASSAYS-----																
FROM	TO	SAMPLE NO.	INT. REC.	ROCK UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PO %	PY %	TOT FE %	BAO %	HG %	MN %	AS %	BA %	S.G. W.G.	
92.3	93.6	3592	1.3	.0	4.48	.04	4.52	8.24	75.00		.82	14	15	29.99	.01	.11					
93.6	95.1	3593	1.5	.0	4.12	.07	4.05	7.89	69.50		.82	1	12	13	29.28	.01	.15				
95.1	96.6	3594	1.5	.0	4.33	.04	4.78	8.20	81.50		.82	11	12	29.67	.01	.14					
96.6	98.6	3595	2.0	.0	4.31	.15	6.00	8.65	104.00		1.44	1	13	14	26.12	.01	.17				
98.6	101.5	90011	2.9	.0	2.80																
101.5	103.0	3596	1.5	.0	4.07	.18	6.22	9.39	106.50		1.03	3	17	21	8.31		.26				
103.0	103.8	3597	.8	.0	4.05	.18	6.73	8.72	117.00		1.34	4	16	21	9.23		.25				
WEIGHTED AVERAGE																					
92.3	103.8		11.5		3.87	.08	3.98	6.36	68.29		.78	1	10	12	17.34	.01	.17				

\*\*\*\*\*  
\* 79V053R \*  
\*\*\*\*\*

24MAY85 VANGORCA

COMPUTE COMPOSITES (DHO18)

PAGE: 22

GDH: 79V302 UTM-N: 903236.3 UTM-E: 594067.6 UTM-ELEV: 1151.9 TOTAL DEPTH: 189.0 SECTION:  
RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 0

8E

---DEPTHS--		SAMPLE INT.	REC.	ROCK UNIT	S.G. PULP	---ASSAYS---														
FROM	TO					NO.	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PO %	PY %	TOT. FE %	BAO %	HG %	MN %	AS %	BA %
41.9	43.4	41C0765	1.5	1.5	4HE/4	4.29	.18	8.70	7.66	122.50			1.60	12	14	26	6.38			1.56
43.4	44.7	41C0766	1.3	1.2	4G/4E	4.58	.23	4.79	5.41	62.00			.79	7	19	26	14.90			.71
44.7	46.3	41C0767	1.6	1.5	4G/4E	4.67	.20	3.42	5.68	57.50			1.59	3	26	29	12.19			.25
46.3	47.9	41C0768	1.6	1.5	4E/L	4.30	.37	2.72	3.42	48.00			1.17	5	23	29	9.75			.34
47.9	49.3	41C0769	1.4	1.4	4E/4G	4.28	.09	2.74	5.17	53.50			.75	1	20	22	15.36			.05
49.3	50.7	41C0770	1.4	1.4	4E8	4.40	.18	3.99	6.26	62.50			.71	5	20	25	18.12			.26
50.7	52.6	41C0771	1.9	1.9	4E6	4.65	.16	5.04	6.24	67.00			1.98	3	21	25	16.94			.28
52.6	53.6	41C0772	1.0	1.0	4E4	4.51	.15	3.05	1.90	31.00			1.96	2	29	32	10.92			.26
53.6	55.2	41C0773	1.6	1.5	4G8	4.49	.18	4.59	4.16	38.50			1.72	2	26	29	9.63			.11
55.2	56.7	41C0774	1.5	1.5	4K0	3.98	.11	1.80	.67	16.50			.94	1	28	29	.85			.29
56.7	58.2	41C0775	1.5	1.5	4K0	4.16	.22	2.20	1.06	18.50			1.51	1	30	31	.79			.24
58.2	59.7	41C0776	1.5	1.5	4K0	3.88	.12	2.52	1.00	22.00			1.29	1	25	26	1.03			.18
59.7	61.1	41C0777	1.4	1.4	4K0	3.74	.18	1.43	1.02	14.50			.83	4	21	26	.15			.66
61.1	61.6	41C0778	.5	.5	4J0	3.84	.27	1.65	3.56	15.00			.87	9	22	31	.45			.63
61.6	62.8	41C0779	1.2	1.2	4K0	3.82	.24	2.58	3.12	32.50			3.33	2	19	22	7.29			.30
62.8	64.4	41C0780	1.6	1.6	4EK	4.55	.16	5.24	4.29	68.00			.85	9	23	32	4.92			1.21
64.4	65.6	41C0781	1.2	1.2	4G8/4	4.36	.14	5.35	6.22	64.50			1.91	7	18	26	15.46			1.87
65.6	67.0	41C0782	1.4	1.4	4EK8	4.60	.17	8.17	9.79	87.50			1.95	7	19	27	9.38			1.57
67.0	68.5	41C0783	1.5	1.5	4C0	4.27	.22	3.02	1.88	35.50			1.26	7	22	29	3.13			1.21
68.5	69.8	41C0784	1.3	1.3	4C0/4	4.30	.06	4.40	5.16	58.50			1.53	5	17	22	10.58			.95
69.8	71.3	41C0785	1.5	1.5	4C0	4.04	.25	1.03	.89	30.00			1.23							
WEIGHTED AVERAGE																				
41.9	71.3		29.4			4.29	.18	3.81	4.06	49.34			1.41	4	22	27	8.62			.63

24MAY85 VANGORCA

COMPUTE COMPOSITES (DH018)

PAGE: 24

8E

DDH: 79V045R UTM-N: 903256.8 UTM-E: 594094.3 UTM-ELEV: 1153.3 TOTAL DEPTH: 215.5 SECTION:  
 RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 C DHD CALC: 1 SS CALC: 0

---DEPTHS---		SAMPLE NO.	INT.	REC.	ROCK UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/PT	---ASSAYS---				S.G. W.G.				
FROM	TO												PO	PY	TOT FE	BAO %		HG %	MN %	AS %	BA %
31.7	33.2	3214	1.5	1.5	4G4	4.63	.07	5.79	8.80	88.50		.75	2	12	14	30.68		.21			
33.2	34.7	3215	1.5	1.5	4G3L	4.42	.09	3.70	6.89	60.50		.68	1	18	19	22.49		.08			
34.7	36.3	3216	1.6	1.5	4G4	4.34	.02	3.59	8.24	56.00		.25	3	8	11	35.21		.38			
36.3	37.8	3217	1.5	1.5	4G4	4.44	.01	3.65	8.88	56.00		.25	1	9	10	36.54		.17			
37.8	39.3	3218	1.5	1.5	4G4	4.60	.01	3.91	8.34	59.00		.07	4	7	12	35.07		.59			
39.3	40.8	3219	1.5	1.5	4G4	4.33	.01	2.91	7.40	46.00		.11	5	5	11	34.40		.81			
40.8	42.4	3220	1.6	1.5	4G/50	4.25	.05	3.87	7.65	59.00		.53	1	12	14	28.78		.15			
42.4	43.9	3221	1.5	1.5	4G4	4.53	.01	4.61	7.43	89.00		.18	1	10	12	33.11		.22			
43.9	45.4	3222	1.5	1.5	4G8	4.44	.07	5.65	8.96	67.00		.36	5	11	16	24.66		.67			
45.4	46.9	3223	1.5	1.5	4G8	4.06	.05	5.32	7.18	86.50		.36	3	8	11	28.62		.51			
46.9	48.5	3224	1.6	1.5	4GE/5	3.95	.13	2.76	3.74	39.50		.75	6	16	22	15.24		.59			
48.5	50.0	3225	1.5	1.5	4E0	4.21	.22	.55	.80	18.00		2.10	20	22	42	.42		1.84			
50.0	51.5	3226	1.5	1.5	404	4.28	.26	.59	.62	18.00		2.56	20	22	42	.13		2.18			
51.5	53.0	3227	1.5	1.5	4E0	4.26	.25	2.75	3.35	40.50		1.07	22	19	41	.73		2.30			
53.0	54.6	3228	1.6	1.5	4E1	4.38	.30	2.34	1.47	45.00		1.78	9	32	42	.31		.85			
68.3	69.8	3238	1.5	1.5	4C8	3.71	.30	13.16	.17	78.50		.57	4	17	22	.10		.60			
69.8	71.3	3239	1.5	1.5	4C8	3.51	.30	1.53	.13	11.00		.89	2	21	23	.09		.12			
71.3	72.8	3240	1.5	1.5	4C0	3.19	.20	.56	1.19	13.00		.46	6	13	19	.07		.61			
72.8	74.4	3241	1.6	1.5	404	3.56	.12	3.62	7.91	47.50		.46	19	11	30	.07		2.18			
74.4	75.9	3242	1.5	1.5	400	3.08	.27	.57	1.40	11.50		.63	10	6	17	.21		.76			
75.9	77.4	3243	1.5	1.5	400	3.48	.36	1.93	3.85	28.50		.56	17	14	32	.13		1.05			
77.4	78.9	3244	1.5	1.5	400	3.53	.29	1.89	3.80	26.00		.93	16	10	26	.14		1.25			
78.9	80.5	3245	1.6	1.5	400	3.28	.24	1.06	2.12	16.50		.48	11	9	20	.15		.75			
80.5	82.0	3246	1.5	1.5	400	3.24	.32	2.22	2.13	35.50		.89	9	10	20	.11		.70			
82.0	83.5	3247	1.5	1.5	400	3.51	.24	3.20	5.57	43.00		.70	18	2	21	.08		1.55			
83.5	85.0	3248	1.5	1.5	400	3.40	.21	3.78	4.94	44.50		1.00	9	10	20	.05		.72			
166.4	167.9	3189	1.5	1.5	4C0	3.46	.21	1.78	1.93	28.50		1.12	7	16	23	.11		.37			
167.9	169.5	3190	1.6	1.5	4C0	3.30	.18	1.87	2.94	25.50		.39	9	10	19	.16		.48			
169.5	171.0	3191	1.5	1.5	4AC	3.40	.08	3.33	6.17	42.00		.50	8	11	19	.44		.32			
171.0	172.5	3192	1.5	1.5	405	3.06	.17	2.26	3.27	33.50		.50	5	11	17	.29		.26			
172.5	174.0	3193	1.5	1.5	405	3.44	.14	3.64	3.85	60.50		1.12	5	16	22	.28		.26			
WEIGHTED AVERAGE																					
31.7	54.6		22.9			4.33	.10	3.46	5.97	55.13		.78	7	14	21	21.68		.76			
68.3	85.0		16.7			3.40	.25	3.03	3.04	32.31		.68	11	11	23	.10		.94			
166.4	174.0		7.6			3.33	.15	2.56	3.62	37.83		.72	7	13	20	.25		.33			

24MAY85 VANGORCA

COMPUTE COMPOSITES (DHO18)

PAGE: 25

8E

DDH: 79V303 UTM-N: 903275.8 UTM-E: 594116.7 UTM-ELEV: 1153.8 TOTAL DEPTH: 129.5 SECTION:  
 RFE: S2 RFE DIP: 0 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 0

---DEPTHS--		SAMPLE NO.	INT.	REC.	ROCK UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	---ASSAYS				HG %	MN %	AS %	BA %	S.G. W.G.
FROM	TO												PO	PY	TOT	BAO					
28.8	29.9	676	1.1	1.1	4A7	3.03	.09	2.10	3.27	30.50		.21	12	13	7.37					.07	
29.9	31.0	677	1.1	1.1	4AG	3.33	.07	3.73	5.38	68.50		.37	3	9	13	11.61				.05	
31.0	32.1	678	1.1	1.1	4FD	3.84	.06	7.62	12.60	101.00		.12	2	16	19	2.67				.12	
32.1	32.8	679	.7	.0	****	2.96	.01	1.09	.92	12.00		.15	1	9	11	3.63				.16	
32.1	32.8	679	.7	.7	4C0	2.96	.01	1.09	.92	12.00		.15	1	9	11	3.63				.16	
32.8	34.1	680	1.3	.9	4GA	3.62	.12	5.93	7.79	75.50		.21	1	11	12	12.22				.11	
34.1	35.4	681	1.3	1.1	4A4	2.72	.04	1.34	2.10	15.00		.24	2	5	7	1.66				.06	
35.4	36.8	682	1.4	1.4	4DG	3.49	.30	3.63	6.53	70.00		.61	1	9	11	10.50				.21	
36.8	37.8	683	1.0	1.0	4AL	3.85	.03	2.33	4.67	39.50		.75	1	25	27	.59				.17	
37.8	39.0	684	1.2	1.2	4A0	2.92	.04	.92	1.65	15.00		.51	2	13	15	.30				.01	
39.0	40.2	685	1.2	1.2	4A0	3.06	.03	1.52	2.53	26.00		.73	2	14	17	.49				.08	
40.2	41.7	686	1.5	1.5	4DE	2.85	.08	.87	1.79	14.00		.41	3	10	14	.69				.12	
41.7	42.9	687	1.2	1.2	4A4	3.00	.03	1.93	3.27	34.50		1.01	1	13	14	.54				.08	
42.9	44.3	688	1.4	1.4	4A4	3.20	.04	1.29	2.58	21.50		.80	1	16	18	.48				.08	
44.3	45.5	689	1.2	1.2	4GE/5	4.05	.06	2.75	4.25	45.00		.68	5	19	25	12.73				.61	
45.5	46.7	690	1.2	1.2	4GJ	4.34	.06	8.60	9.01	110.50		.87	12	10	23	14.59				2.32	
46.7	48.4	691	1.7	1.7	4GJ	3.99	.06	8.82	12.79	94.50		.78	7	10	17	3.69				1.17	
48.4	49.4	692	1.0	1.0	4C0	3.29	.20	.65	2.61	14.50		.87	12	6	18	1.21				.90	
49.4	50.4	693	1.0	.9	5A1	3.40	.09	.52	.71	6.50		.73	5	6	2.70					.16	
50.4	51.7	694	1.3	1.3	4B0	3.45	.20	4.25	2.18	58.50		2.80	8	5	13	.88				.45	
51.7	53.1	695	1.4	1.4	4C2	3.46	.42	1.45	1.25	21.00		2.56	16	8	25	.18				.45	
53.1	55.3	696	2.2	2.1	4EH	3.92	.12	.64	.77	13.00		2.67									
WEIGHTED AVERAGE																					
28.8	55.3		26.5			3.43	.10	2.95	4.18	41.76		.93	5	10	16	4.39				.37	

24MAY85 VANGORDA

COMPUTE COMPOSITES (DHO18)

PAGE: 26

8E

DDH: 79V018R UTM-N: 903297.4 UTM-E: 594144.0 UTM-ELEV: 1154.9 TOTAL DEPTH: 200.3 SECTION:  
 RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 C DHD CALC: 1 SS CALC: 0

---DEPTHS---					-----ASSAYS-----																	
FRCH	TO	SAMPLE NO.	INT.	REC.	ROCK UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PD %	PY %	TOT FE	BAO %	HG %	MN %	AS %	BA %	S.G. W.G.	
31.1	32.1	3657	1.0	.0		2.85	.05	2.86	3.68	43.50		.24	3	4	8	2.65		.06				
32.1	32.6	3658	.5	.0		3.28	.04	2.14	5.30	35.50		.65	1	15	17	.26		.14				
32.6	33.3	3659	.7	.0		4.65	.13	6.57	7.32	97.50		1.17	1	29	31	3.38		.10				
33.3	34.1	3660	.8	.0		4.08	.16	7.96	5.36	102.50		1.44	7	19	26	.10		.69				
WEIGHTED AVERAGE																						
31.1	34.1		3.0			3.66	.09	4.96	5.24	70.50		.84	3	16	19	1.74		.25				

24MAY85 VANGORCA

## COMPUTE COMPOSITES (DH018)

PAGE: 27

8E

DDH: 79V317 UTM-N: 903316.5 UTM-E: 594170.4 UTM-ELEV: 1154.4 TOTAL DEPTH: 112.2 SECTION:  
 RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 C OMD CALC: 1 SS CALC: 0

---DEPTHS--		SAMPLE NO.	INT.	REC.	ROCK UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	---ASSAYS---				HG %	MN %	AS %	BA %	S.G. W.G.
FROM	TO												PO %	PY %	TOT FE	BAO %					
26.5	27.9	3001	1.4	1.4	4A4	3.16	.04	4.13	8.86	72.50		.93	3	9	12	.11					.24
27.9	29.9	3002	2.0	2.0	4A4	3.39	.13	.83	1.32	19.50		1.13	2	19	22	.10					.18
29.9	31.4	3003	1.5	.0	****	3.19	.05	3.69	5.61	54.00		1.17	2	13	15	.07					.15
31.4	32.9	3004	1.5	1.5	4A4	3.11	.07	2.98	6.65	53.00		1.27	1	12	14	.05					.11
32.9	34.4	3005	1.5	1.5	4A4	3.06	.10	2.50	5.31	41.00		.99	1	9	11	.06					.12
34.4	36.0	3006	1.6	1.5	4A4	2.96	.12	1.86	2.66	34.50		1.20	7	4	12	.08					.16
39.0	40.5	3009	1.5	1.5	4A0	3.34	.18	2.19	2.90	48.00		1.37	1	19	20	.04					.09
40.5	42.1	3010	1.6	1.5	4A0	3.51	.21	1.08	1.73	32.50		1.85	1	22	24	.06					.10
42.1	43.6	3011	1.5	1.5	4A0	3.54	.19	1.61	1.50	37.50		1.82	1	22	24	.07					.11
43.6	44.9	3012	1.3	1.3	4A0/5	3.26	.17	1.03	.33	26.00		1.37									
44.9	46.6	3013	1.7	1.7	4C3	3.97	.26	.71	.18	17.00		1.99									
46.6	48.2	3014	1.6	1.5	4C3	4.18	.22	.35	.04	16.00		1.85									
48.2	49.0	3015	.8	.8	4C3	3.90	.29	1.08	.02	39.00		2.06									
WEIGHTED AVERAGE																					
26.5	36.0		9.5			3.15	.08	2.54	4.80	43.96		1.11	3	12	15	.07					.16
39.0	49.0		10.0			3.67	.21	1.13	1.01	29.97		1.75	1	21	23	.05					.10

\*\*\*\*\*  
 \* 79V317 \*  
 \*\*\*\*\*

24MAY85 VANGORDA

COMPUTE COMPOSITES (DH018)

PAGE: 28

10E

DDH: 79V117R UTM-N: 903151.1 UTM-E: 594067.6 UTM-ELEV: 1154.6 TOTAL DEPTH: 133.1 SECTION:  
RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 0

---DEPTHS---				-----ASSAYS-----																	
FRM	TO	SAMPLE NO.	INT. REC.	ROCK UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PO %	PY %	TOT FE %	BAO %	HG %	MN %	AS %	BA %	S.G. W.G.	
39.7	41.8	1330	2.1	2.1 4E8	4.17	.36	2.70	2.68	37.00		.79	11	22	34	2.21		.71				
41.8	44.6	1331	2.8	.7 4E8	3.71	.13	2.75	3.33	31.00		.34	24	7	32	.67		1.46				
44.6	45.4	1332	.8	.8 4L7	3.01	.18	1.09	1.28	18.00		.27	14	3	18	2.07		.59				
45.4	47.4	1333	2.0	2.0 4E8	4.34	.36	1.81	2.32	23.50		.41	10	26	37	3.61		.44				
WEIGHTED AVERAGE																					
39.7	47.4		7.7		3.92	.25	2.31	2.67	29.33		.47	16	16	32	1.99		.90				

24MAY85 VANGORDA

COMPUTE COMPOSITES (DHO18)

PAGE: 29

10E

DDH: 79V046R UTM-N: 903173.3 UTM-E: 594090.3 UTM-ELEV: 1157.3 TOTAL DEPTH: 178.9 SECTION:  
RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 0

---DEPTHS---				---ASSAYS---																	
FROM	TO	SAMPLE NO.	INT. REC.	ROCK UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PO %	PY %	TOT FE	BAO %	HG %	MN %	AS %	BA %	S.G. W.G.	
95.9	96.3	1351	.4	.4 4F6	4.50	.09	6.63	7.69	110.00		1.47	1	17	19	14.93		.19				
96.3	98.6	1352	2.3	2.3 4L37	2.79	.06	.60	.89	9.00		.07	4	2	7	1.51		.11				
98.6	99.5	1353	.9	.9 4L37/	3.05	.04	4.03	5.65	51.00		.27	7	1	9	2.70		.14				
99.5	99.9	1354	.4	.4 4LD	2.90	.04	2.30	5.00	31.50		.21	7	2	10	1.58		.27				
99.9	102.4	1355	2.5	1.5 4E0	4.30	.16	6.02	11.14	124.00		1.65	8	15	23	1.16		.43				
WEIGHTED AVERAGE																					
95.9	102.4		6.5		3.51	.09	3.63	6.16	66.64		.80	6	8	14	2.37		.25				

24MAY85 VANGORDA

COMPUTE COMPOSITES (DH018)

PAGE: 3C

10E

DDH: 79V114R UTM-N: 903188.2 UTM-E: 594107.4 UTM-ELEV: 1157.5 TOTAL DEPTH: 192.9 SECTION:  
 RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 0

---DEPTHS---				-----ASSAYS-----																	
FROM	TO	SAMPLE NO.	INT. REC.	ROCK UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PO %	PY %	TOT FE	BAO %	HG %	MN %	AS %	BA %	S.G. W.G.	
32.9	33.5	10291	.6	.6 4G0	4.49	.06	4.61	7.99	64.50		.C7	7	8	37.94						.07	
33.5	36.9	10292	3.4	.6 4G0	2.79	.09	4.79	3.34	35.00		.C7	2	6	8	25.94					.05	
70.9	71.8	10293	.9	.9 4G4	4.18	.02	5.78	7.67	67.00		.62	2	12	15	21.19					.19	
71.8	73.4	10294	1.6	1.5 4L0	2.87	.02	.34	.65	5.00			3	5	9	4.70					.21	
73.4	74.7	10295	1.3	1.3 4G4	3.68	.21	2.88	4.75	45.50			6	20	26	8.85					.34	
74.7	76.0	10296	1.3	1.3 4G4	4.29	.22	4.67	5.86	47.00		.55	6	25	32	12.86					.60	
76.0	77.4	10297	1.4	1.4 4D0	3.00	.06	1.99	3.89	28.00			3	11	15	1.44					.12	
92.4	93.6	10298	1.2	1.2 4G4	4.61	.11	5.66	8.10	98.00		.62	1	20	21	19.73					.16	
93.6	94.9	10299	1.3	1.2 4G4	4.45	.16	5.75	8.09	80.50		.55	1	21	22	18.67					.20	
94.9	96.4	90012	1.5	.0	2.80																
WEIGHTED AVERAGE																					
32.9	36.9		4.0		3.04	.08	4.76	4.03	39.42		.07	1	6	8	27.74					.05	
70.9	77.4		6.5		3.52	.10	2.82	4.18	35.03		.57	4	15	19	8.74					.29	
92.4	96.4		4.0		3.87	.08	3.56	5.05	55.56		.36	1	12	14	11.98					.18	

24MAY85 VANGORCA

COMPUTE COMPOSITES (DH018)

PAGE: 31

DDH: 79V050R UTM-N: 903211.2 UTM-E: 594132.8 UTM-ELEV: 1157.5 TOTAL DEPTH: 191.0 SECTION:  
 RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 C DMD CALC: 1 SS CALC: 0

10E

---DEPTHS---		SAMPLE NO.	INT.	REC.	ROCK UNIT	-----ASSAYS-----												
FROM	TO					S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PO %	PY %	TCT FE	BAO %	HG %	MN %
34.1	34.7	14C1	.6	.6	4G4	4.26	.10	4.09	5.84	43.00		.89	8	12	21	21.65		.64
34.7	36.3	14C2	1.6	1.5	4E8	4.39	.13	4.61	4.16	37.00		1.14	13	22	36	1.41		.35
36.3	37.9	14C3	1.6	1.6	4E8	4.62	.07	5.42	5.34	55.50		.96	11	21	33	4.21		.33
37.9	40.1	14C4	2.2	1.5	4E1	3.81	.05	5.86	8.80	54.00		.39	8	11	19	15.56		.61
40.1	41.8	14C5	1.7	1.7	4G4	4.38	.07	7.85	7.31	114.50		.50	2	12	14	25.38		.44
41.8	43.3	14C6	1.5	1.5	4G4	4.26	.08	6.54	6.77	83.00		.71	2	12	15	23.50		.38
43.3	44.8	14C7	1.5	1.5	4G4	4.15	.10	6.42	7.52	103.00		.68	1	10	11	32.84		.22
44.8	46.3	14C8	1.5	1.5	4G4	4.25	.05	6.02	8.49	88.00		.50	1	8	9	29.59		.18
46.3	47.9	14C9	1.6	1.5	4G4	4.18	.05	6.63	8.92	90.00		.53	1	11	13	23.30		.18
47.9	48.7	1410	.8	.8	4L3	2.89	.02	1.13	2.00	12.50		.14	3	2	5	9.04		.21
48.7	50.0	1411	1.3	1.2	4G4	4.26	.08	5.79	8.56	56.50		.14	1	14	15	21.10		.15
50.0	51.5	1412	1.5	1.5	4G4	4.35	.07	6.15	9.47	58.00		.82	1	10	12	25.95		.10
51.5	53.0	1413	1.5	1.5	4G4	4.33	.03	6.96	10.24	73.00		.14	1	11	13	23.55		.13
53.0	54.0	1414	1.0	.9	4G4	4.47	.02	5.02	8.44	44.00		.17	2	17	20	21.72		.15
54.0	55.2	1415	1.2	1.2	4GE	4.25	.15	3.84	6.05	40.50		.17	2	20	23	19.62		.29
55.2	56.4	1416	1.2	1.2	4GE	4.24	.25	3.60	3.05	42.50		.65	6	24	31	8.30		.53
56.4	57.0	1417	.6	.6	4A4	2.86	.27	2.14	3.91	40.00		.21	6	6	13	2.49		.23
67.8	68.9	1419	1.1	1.1	4GE	4.68	.06	5.00	6.65	41.50		.17	2	24	27	11.93		.22
68.9	70.7	1420	1.8	1.8	4E4	3.73	.04	5.94	7.59	55.00		.14	3	18	22	4.19		.22
70.7	72.2	1421	1.5	1.5	4LA	2.93	.06	2.01	3.48	18.50		.14	2	6	9	4.79		.12
72.2	73.9	90013	1.7	.0		2.80												
73.9	75.3	1422	1.4	1.4	4G4	4.27	.06	6.08	9.52	94.50		.62	2	14	16	22.14		.24
75.3	76.7	1423	1.4	1.4	4GE	4.46	.10	5.82	7.73	56.00		.27	2	19	22	21.05		.40
76.7	78.3	1424	1.6	1.6	4E8	4.50	.23	3.28	4.44	34.50		1.61	8	29	38	5.55		.75
78.3	79.9	1425	1.6	1.5	4E8	4.57	.28	2.02	2.80	34.00		1.54	7	31	38	.46		1.04
79.9	81.4	1426	1.5	1.5	4E8	4.33	.33	3.27	3.46	50.00		.51	11	23	34	3.38		.46
81.4	82.9	1427	1.5	1.5	4E8	3.93	.26	2.95	3.33	34.00		.86	7	24	31	1.56		.60
82.9	84.0	1428	1.1	1.0	4E8	4.03	.24	3.05	4.26	45.00		.93	4	26	31	3.11		.66
WEIGHTED AVERAGE																		
34.1	57.0		22.9			4.18	.08	5.55	7.11	65.05		.53	4	13	18	18.82		.30
67.8	84.0		16.2			3.98	.14	3.52	4.74	41.24		.61	4	19	24	6.71		.47

24MAY85 VANGORCA

COMPUTE COMPOSITES (DHO18)

PAGE: 32

DDH: 79V110R UTM-N: 903231.1 UTM-E: 594154.6 UTM-ELEV: 1157.8 TOTAL DEPTH: 166.6 SECTION:  
 RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 C DHD CALC: 1 SS CALC: 0

10E

---DEPTHS---				-----ASSAYS-----																
FROM	TO	SAMPLE NO.	INT. REC. UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PO %	PY %	TOT FE %	BAO %	HG %	MN %	AS %	BA %	S.G. W.G.	
46.0	47.5	10351	1.5 1.2 4J4	3.97	.12	7.75	8.13	61.00		.01	12	12	25	.19		2.12				
47.5	49.1	10352	1.6 1.5 4J4	3.84	.11	6.51	9.77	57.00		.02	11	11	23	1.11		1.93				
49.1	50.8	10353	1.7 1.7 4J4	3.74	.10	6.94	10.58	60.00		.02	6	13	19	1.52		1.19				
50.8	52.1	10354	1.3 1.2 4C0	3.45	.10	.90	3.04	18.00			5	15	20	.47		.88				
140.8	142.1	10371	1.3 1.3 4C0	3.41	.24	1.13	1.14	22.00		.68										
142.1	143.6	10372	1.5 1.5 4EB	3.94	.06	3.03	7.13	49.00		.75										
143.6	145.1	10373	1.5 1.5 4EA	3.60	.09	2.39	3.98	31.00		.41										
WEIGHTED AVERAGE																				
46.0	52.1		6.1	3.76	.10	5.73	8.15	50.50		.01	9	13	22	.86		1.54				
140.8	145.1		4.3	3.66	.12	2.23	4.22	34.55		.61										

24MAY85 VANGORDA

COMPUTE COMPOSITES (DH018)

PAGE: 33

DCH: 79V060R UTM-N: 903254.4 UTM-E: 594180.6 UTM-ELEV: 1158.4 TOTAL DEPTH: 150.0 SECTION:  
RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 0

10E

---DEPTHS--		SAMPLE NO.	INT.	REC.	ROCK UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	---ASSAYS---				HG %	MN %	AS %	BA %	S.G. W.G.
FROM	TO												PO %	PY %	TOT FE	BAO %					
38.6	40.1	1434	1.5	.9	4A0	2.74	.06	1.76	3.20	21.00		.41	3	4	7	.10					.12
40.1	41.6	1435	1.5	1.5	4A0	2.62	.02	1.19	2.68	21.50		.41	3	3	6	.56					.11
46.8	48.3	1439	1.5	1.5	4A4	2.97	.04	2.95	5.38	49.00		.96	2	11	13	.10					.12
48.3	49.8	1440	1.5	1.5	4A4	2.98	.09	3.66	6.57	49.00		.99	1	10	11	.11					.08
49.8	51.4	1441	1.6	1.6	4A4	2.96	.05	2.56	2.67	28.00		.72	2	6	9	.14					.17
WEIGHTED AVERAGE																					
38.6	41.6			3.0		2.68	.04	1.47	2.94	21.25		.41	3	3	7	.33					.11
46.8	51.4			4.6		2.96	.05	3.04	4.82	41.69		.88	2	9	11	.11					.12

24MAY85 VANGORDA

COMPUTE COMPOSITES (OH018)

PAGE: 34

12E

DDH: 79V057R UTM-N: 903126.6 UTM-E: 594130.2 UTM-ELEV: 1156.3 TOTAL DEPTH: 159.7 SECTION:  
RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 G DHD CALC: 0 SS CALC: 0

---DEPTHS--				-----ASSAYS-----																	
FROM	TO	SAMPLE NO.	INT. REC.	ROCK UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PO %	PY %	TOT FE	BAO %	HG %	MN %	AS %	BA %	S.G. W.G.	
41.8	43.3	101243	1.5	.0 ****	2.70	.08	.58	.90	7.50		.04	6	1	8	2.04		.13				
43.3	45.1	11244	1.8	.0 ****	4.25	.23	4.19	3.80	47.00		.82	14	26	41	7.27		.74				
WEIGHTED AVERAGE																					
41.8	45.1		3.3		3.54	.16	2.54	2.48	29.04		.46	11	15	26	4.89		.46				

\*\*\*\*\*  
\* 79V057R \*  
\*\*\*\*\*

24MAY85 VANGORDA

COMPUTE COMPOSITES (DH018)

PAGE: 35

DDM: 79V312 UTM-N: 903146.4 UTM-E: 594153.2 UTM-ELEV: 1160.6 TOTAL DEPTH: 166.4 SECTION:  
RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 0 DHD CALC: 0 SS CALC: 0

12E

---DEPTHS--		SAMPLE NO.	INT. REC.	ROCK UNIT	-----ASSAYS-----													
FROM	TO				S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PO %	PY %	TOT FE	BAO %	HG %	MN %	AS %
39.9	41.4	41C1191	1.5	.0 ****	3.73	.11	2.20	2.74	37.50		.75	3	23	26	3.44		.21	
41.4	43.0	41C1192	1.6	.0 ****	3.40	.04	3.01	6.80	44.00		.68	6	12	18	2.17		.22	
43.0	44.2	41C1193	1.2	.0 ****	2.99	.09	1.64	3.29	25.00		.68	4	10	14	.22		.07	
WEIGHTED AVERAGE																		
39.9	44.2		4.3		3.40	.07	2.34	4.40	36.43		.70	4	15	20	2.06		.17	

\*\*\*\*\*  
\* 79V312 \*  
\*\*\*\*\*

24MAY85 VANGORCA

COMPUTE COMPOSITES (DHO18)

PAGE: 36

12E

DDH: 79V049R UTM-N: 903166.5 UTM-E: 594175.3 UTM-ELEV: 1162.6 TOTAL DEPTH: 166.7 SECTION:  
 RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 0 DHD CALC: C SS CALC: 0

---DEPTHS--		SAMPLE NO.	INT.	REC.	ROCK UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	-----ASSAYS-----									
FROM	TO												PO %	PY %	TOT FE	BAO %	HG %	MN %	AS %	BA %	S.G. W.G.	
42.7	44.2	1166	1.5	.0	****	3.29	.07	1.44	.87	32.50		.34	6	17	23	.67					.41	
44.2	45.7	1167	1.5	.0	****	3.97	.22	.98	.41	29.50		.99	6	23	29	6.01						.51
45.7	47.1	1168	1.4	.0	****	3.92	.17	3.85	6.89	56.50		.62	5	15	20	10.11						.34
129.8	131.7	1179	1.9	.0	****	3.11	.08	1.10	.91	18.00		.69										
131.7	133.5	1180	1.8	.0	****	3.11	.03	2.78	5.21	41.00		.55										
133.5	135.3	1181	1.8	.0	****	3.07	.08	1.20	1.37	19.00		.48										
WEIGHTED AVERAGE																						
42.7	47.1		4.4			3.72	.15	2.05	2.62	39.11		.65	6	18	24	5.49						.42
129.8	135.3		5.5			3.09	.06	1.68	2.46	25.85		.57										

24MAY85 VANGORCA

COMPUTE COMPOSITES (DH018)

PAGE: 37

DDH: 79V309 UTM-N: 903185.9 UTM-E: 594197.0 UTM-ELEV: 1163.4 TOTAL DEPTH: 145.4 SECTION:  
 RFE: 52 RFE DIR: 0 PLUNGE ANGLES: 0 C DHD CALC: C SS CALC: 0

12E

---DEPTHS---				-----ASSAYS-----																	
FROM	TO	SAMPLE NO.	INT. REC.	ROCK UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PO %	PY %	TOT FE	BAO %	HG %	MN %	AS %	BA %	S.G. W.G.	
33.8	35.4	35.41C0737	1.6	.0 ****	3.75	.11	5.06	5.03	40.50		.39	4	25	30	1.96					.99	
35.4	36.9	36.91C0738	1.5	.0 ****	4.25	.19	.76	.65	19.50		.78	8	32	41	.06					.10	
36.9	38.1	38.11C0739	1.2	.0 ****	4.27	.23	.91	.78	26.50		.89	8	30	38	.31					.66	
38.1	39.0	39.01C0740	.9	.0 ****	4.11	.05	2.74	3.58	44.00		.28	3	12	15	19.56					.47	
39.0	40.2	40.21C0741	1.2	.0 ****	4.24	.11	4.16	9.15	58.50		.18	2	25	28	4.88					.21	
40.2	41.6	41.61C0742	1.4	.0 ****	4.40	.17	3.76	3.70	51.00		.28	3	27	31	7.12					.45	
41.6	43.2	43.21C0743	1.6	.0 ****	3.11	.09	1.17	1.72	19.50		.14	5	10	15	5.29					.34	
43.2	44.4	44.41C0744	1.2	.0 ****	3.39	.07	5.75	13.27	51.00		.25	3	12	15	2.17					.12	
44.4	47.6	47.61C0745	3.2	.0 ****	3.48	.11	5.71	8.81	54.00		.21	3	16	19	.34					.10	
52.7	54.3	54.31C0746	1.6	.0 ****	4.27	.06	4.28	8.05	55.50		.25	1	11	13	24.00					.14	
54.3	56.6	56.6 90014	2.3	.0	2.80																
56.6	58.2	58.21C0747	1.6	.0 ****	3.00	.06	.95	1.35	13.00		.39	3	6	10	2.38					.09	
58.2	59.7	59.71C0748	1.5	.0 ****	4.50	.12	6.04	7.20	84.00		2.14	3	19	22	17.10					.46	
59.7	61.3	61.31C0749	1.6	.0 ****	4.36	.15	5.60	6.32	63.00		2.35	12	22	34	1.18					1.25	
61.3	63.4	63.41C0750	2.1	.0 ****	4.35	.15	3.42	3.47	43.00		1.82	7	26	33	7.58					.72	
63.4	64.2	64.21C1151	.8	.0 ****	3.73	.37	4.47	4.41	62.00		.45	25		25	.45					.44	
WEIGHTED AVERAGE																					
33.8	47.6		13.8		3.81	.12	3.63	5.52	41.46		.35	4	21	25	3.56					.35	
52.7	64.2		11.5		3.81	.10	3.23	4.06	41.41		1.05	6	12	19	7.48					.53	

24MAY85 VANGORCA

COMPUTE COMPOSITES (DM018)

PAGE: 38

DDH: 79V063R UTM-N: 903207.5 UTM-E: 594220.4 UTM-ELEV: 1163.9 TOTAL DEPTH: 133.2 SECTION:  
RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 G DHD CALC: C SS CALC: 0

12E

---DEPTHS--				-----ASSAYS-----																
FRGM	TO	SAMPLE NO.	INT. REC. UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PD %	PY %	TOT FE %	BAO %	HG %	MN %	AS %	BA %	S.G. W.G.	
28.7	30.2	30.21C1072	1.5 1.3 4E0	4.84	.07	7.09	4.68	88.00		.62	37	38	.10			.01				
30.2	31.7	31.71C1073	1.5 1.3 4E0	3.91	.07	2.90	3.96	33.00		.51	1	30	32	.43		.04				
31.7	33.5	33.51C1074	1.8 .9 4G4	4.11	.03	4.28	8.72	41.50		.14	2	9	12	26.54		.24				
33.5	35.7	35.71C1075	2.2 .6 4JL	3.94	.20	3.14	3.95	45.50		.72	1	21	23	2.95		.15				
35.7	37.2	37.21C1076	1.5 1.3 4J/4C	4.01	.17	5.21	4.96	63.50		1.58	9	18	27	.05		1.31				
37.2	38.7	38.71C1077	1.5 1.3 4C7	3.33	.31	.81	.98	16.50		.79	26	1	26	.28		1.13				
38.7	40.2	40.21C1078	1.5 1.3 4C7	3.58	.29	3.70	3.92	55.50		.75	25	1	27	1.97		1.91				
40.2	41.8	41.81C1079	1.6 1.5 4C7	3.70	.16	5.25	4.89	45.00		.72	11	9	21	5.29		.92				
WEIGHTED AVERAGE																				
28.7	41.8		13.1	3.93	.16	4.01	4.57	48.20		.71	9	16	25	5.11		.67				

13JUN85 VANGORDA

COMPUTE COMPCITES (DM018)

PAGE: 3

DDH: P54V040 UTM-N: 903C80.0 UTM-E: 594169.7 UTM-ELEV: 1151.2 TOTAL DEPTH: 148.4 SECTION: 14 E  
RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 0 DHD CALC: 0 SS CALC: 0

---DEPTHS---				-----ASSAYS-----																	
FROM	TO	SAMPLE NO.	INT. REC. UNIT	ROCK UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PO %	PY %	TOT FE %	BAO %	HG %	MN %	AS %	BA %	S.G. W.G.	
16.4	16.7	90016	.3	.3	FUDGE																
16.7	18.2	85030	1.5	1.2			9.61	7.67													
18.2	19.5	85031	1.3	1.2			9.94	11.40													
19.5	20.4	90015	.9	.9	FUDGE																
WEIGHTED AVERAGE																					
16.4	20.4		4.0				6.83	6.58													

\*\*\*\*\*  
\* P54V040 \*  
\*\*\*\*\*

13JUN85 VANGORCA

COMPUTE COMPOSITES (OM018)

PAGE: 14

DDM: P54V052 UTM-N: 903120.9 UTM-E: 594215.0 UTM-ELEV: 1162.4 TOTAL DEPTH: 167.5 SECTION: 14 E  
RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 0 DHD CALC: C SS CALC: 0

---DEPTHS--					-----ASSAYS-----																	
FRM	TO	SAMPLE NO.	INT.	REC.	ROCK UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PO %	PY %	TCT FE	BAO %	HG %	MN %	AS %	BA %	S.G. W.G.	
32.0	33.5	80194	1.5	1.2					6.42	6.53												
33.5	35.0	80195	1.5	1.5					4.83	8.25												
35.0	36.5	80196	1.5	1.5					4.04	10.15												
36.5	38.1	80197	1.6	1.4					2.71	6.74												
WEIGHTED AVERAGE																						
32.0	38.1		6.1						4.47	7.89												

\*\*\*\*\*  
\* P54V052 \*  
\*\*\*\*\*

13JUN85 VANGORDA

COMPUTE COMPOSITES (DH018)

PAGE: 9

DDH: P55V097 UTM-N: 903141.0 UTM-E: 594238.1 UTM-ELEV: 1166.8 TOTAL DEPTH: 68.8 SECTION: 14 E  
RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 C DHD CALC: C SS CALC: 0

---DEPTHS---				-----ASSAYS-----																	
FROM	TO	SAMPLE NO.	INT. REC.	ROCK UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PO X	PY X	TOT FE	BAO X	HG X	MN X	AS X	BA X	S.G. W.G.	
28.6	30.1	80866	1.5	1.2			3.61	5.60													
30.1	31.6	80867	1.5	1.2			7.87	5.28													
31.6	33.2	80868	1.6	1.5			5.36	5.70													
33.2	34.7	80869	1.5	1.5			3.06	4.65													
34.7	36.2	80870	1.5	1.5			1.26	2.22													
36.2	37.7	80871	1.5	1.5			1.10	3.49													
37.7	39.3	80872	1.6	1.5			7.66	4.23													

WEIGHTED AVERAGE

28.6 39.3 10.7 4.31 4.46

\*\*\*\*\*  
\* P55V097 \*  
\*\*\*\*\*

13JUN85 VANGORDA

COMPUTE COMPOSITES (DHO18)

PAGE: 6

DDH: P55V098 UTM-N: 903100.8 UTM-E: 594192.8 UTM-ELEV: 1157.1 TOTAL DEPTH: 58.8 SECTION: 14 E  
RFE: 52 RFE DIR: 0 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 0

---DEPTHS--				-----ASSAYS-----																	
FROM	TO	SAMPLE NO.	INT. REC.	ROCK UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PO %	PY %	TQT FE	BAO %	HG %	MN %	AS %	BA %	S.G. W.G.	
36.5	36.8	90017	.3	.3	FUDGE																
36.8	38.4	80888	1.6	.9	FUDGE			1.50	2.50												
38.4	39.9	80889	1.5	1.4				3.83	9.20												
39.9	40.5	80890	.6	.5				3.06	7.40												
44.6	46.0	80891	1.4	1.3				3.06	7.08												
46.0	47.5	80892	1.5	1.5				2.22	3.28												
47.5	49.0	80893	1.5	1.5				2.62	1.90												
WEIGHTED AVERAGE																					
36.5	40.5		4.0					2.49	5.56												
44.6	49.0		4.4					2.62	4.01												

\*\*\*\*\*  
\* P55V098 \*  
\*\*\*\*\*

13JUN85 VANGORDA

COMPUTE COMPOSITES (DH018)

PAGE: 8

DDH: P54V044 UTM-N: 903075.3 UTM-E: 594255.6 UTM-ELEV: 1156.7 TOTAL DEPTH: 489.0 SECTION: 16 E  
RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 0 DHD CALC: 0 SS CALC: 0

---DEPTHS--			-----ASSAYS-----																			
FROM	TO	SAMPLE NO.	INT.	REC.	ROCK UNIT	S.G. PULP.	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PO %	PY %	TOT FE	BAO %	HG %	MN %	AS %	BA %	S.G. W.G.	
17.9	19.5	85095	1.6	1.5				2.58	7.57													
19.5	21.0	85096	1.5	1.5				1.71	1.18													
21.0	22.5	85097	1.5	1.5				3.16	1.57													
WEIGHTED AVERAGE																						
17.9	22.5		4.6					2.48	3.52													

\*\*\*\*\*  
\* P54V044 \*  
\*\*\*\*\*

13JUN85 VANGORDA

COMPUTE COMPOSITES (DHO18)

PAGE: 16

DDH: 81VR-07 UTM-N: 903C53.3 UTM-E: 594232.8 UTM-ELEV: 1151.1 TOTAL DEPTH: 56.4 SECTION: 16E  
 RFE: RFE DIR: 0 PLUNGE ANGLES: 0 0 DHD CALC: 0 SS CALC: 0

---DEPTHS---				SAMPLE INT.	REC.	ROCK UNIT	-----ASSAYS-----													
FROM	TO	NO.	S.G.				CU	PB	ZN	AG(AA)	AG(FA)	AU(FA)	PO	PY	TOT	BAO	HG	MN	AS	BA
				PULP	%	%	%	G/MT	G/MT	G/MT	%	%	FE	%	%	%	%	W.G.		
15.2	16.8	3869	1.6	.0	4EL	3.25	.08	2.90	3.20					38.00	.34	3	6	10	13.80	
16.8	18.3	3870	1.5	.0	4E4	4.02	.17	5.30	4.90					72.00	.82	3	17	21	12.50	
18.3	19.8	3871	1.5	.0	4GE	3.66	.17	4.10	4.90					67.00	.82	2	12	14	14.60	
19.8	21.3	3872	1.5	.0	4CL	3.44	.15	2.99	3.59					44.00	.69	3	9	12	11.00	
21.3	22.9	3873	1.6	.0	4CL	3.69	.24	2.81	3.34					43.00	.75	2	14	17	13.90	
22.9	24.4	3874	1.5	.0	4CD	4.12	.17	2.10	2.70					34.00	.96	3	23	27	8.70	
24.4	25.9	3875	1.5	.0	4CO	3.75	.31	.68	.75					24.00	.82	2	28	31	1.80	
25.9	27.4	3876	1.5	.0	4EC	3.82	.30	.52	.38					26.00	1.09	4	33	37	.10	
27.4	29.0	3877	1.6	.0	4EC	4.22	.18	1.31	1.16					28.00	1.23	12	25	37	.70	
29.0	30.5	3878	1.5	.0	4DE	4.48	.10	4.99	7.97					84.00	.96	4	16	20	22.00	
30.5	32.0	3879	1.5	.0	4ED	4.59	.10	6.32	9.02					104.00	1.65	1	12	13	27.00	
32.0	33.5	3880	1.5	.0	4ED	3.97	.12	3.00	3.90					55.00	1.17	9	16	26	7.90	
WEIGHTED AVERAGE																				
15.2	33.5		18.3			3.91	.17	3.07	3.79					51.33	.93	4	18	22	11.13	

\*\*\*\*\*  
 \* 81VR-07 \*  
 \*\*\*\*\*

13JUN85 VANGORCA

COMPUTE COMPOSITES (OH018)

PAGE: 17

DDH: 81VR-09 UTM-N: 903C94.1 UTM-E: 594278.5 UTM-ELEV: 1161.3 TOTAL DEPTH: 56.4 SECTION: 16E  
 RFE: RFE DIR: 0 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 0

---DEPTHS--				---ASSAYS---																	
FRM	TO	SAMPLE NO.	INT. REC.	ROCK UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PO %	PY %	TOT FE	BAO %	HG %	MN %	AS %	BA %	S.G. W.G.	
16.8	18.3	3918	1.5	.0 5B/4E	3.56	.08	4.30	3.90	60.00	.14	10	6	17	9.90							
18.3	19.8	3919	1.5	.0 4E1	4.15	.04	5.20	6.40	80.00	.48	5	9	14	22.70							
19.8	21.3	3920	1.5	.0 4E4	4.23	.04	4.10	7.00	71.00	.34	5	8	14	27.60							
21.3	22.9	3921	1.6	.0 4E0	3.97	.11	6.31	6.88	87.00	.34	16	5	21	16.20							
22.9	24.4	3922	1.5	.0 4E0	3.75	.15	6.10	5.80	82.00	.41	19	4	23	7.90							
24.4	25.9	3923	1.5	.0 4E0	3.46	.13	3.10	3.70	44.00	.89	15	5	21	8.60							
WEIGHTED AVERAGE																					
16.8	25.9		9.1		3.85	.09	4.86	5.62	70.84	.43	12	6	18	15.49							

24MAY85 VANGORCA

COMPUTE COMPOSITES (DHO18)

PAGE: 40

18E

GDH: 79V072R UTM-N: 903C27.8 UTM-E: 594293.4 UTM-ELEV: 1147.1 TOTAL DEPTH: 130.8 SECTION:  
 RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 0 DHD CALC: 0 SS CALC: 0

---DEPTHS--				REC.	ROCK UNIT	---ASSAYS---														
FROM	TO	SAMPLE NO.	INT.			S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PO %	PY %	TOT FE	BAO %	HG %	MN %	AS %	BA %
11.9	13.1	2940	1.2	.0	****	3.93	.27	2.45	3.58	3.30	1.12	10	23	33	4.88	.02	1.23			
13.1	14.2	2941	1.1	.0	****	3.86	.12	4.14	5.67	4.30	.95	4	16	21	13.36	.06	.60			
14.2	15.4	2942	1.2	.0	****	4.03	.06	4.85	6.14	6.70	.52	3	8	11	28.00	.08	.36			
15.4	16.7	2943	1.3	.0	****	4.14	.05	4.60	6.84	8.50	.53	4	8	12	30.90	.08	.61			
16.7	18.3	2944	1.6	.0	****	4.81	.23	2.03	2.59	3.40	1.64	7	22	29	6.98	.02	.58			
85.0	86.6	2971	1.6	.0	****	3.37	.08	2.14	5.65	3.50	.57	1	12	13	.63	.03	.08			
86.6	88.1	2972	1.5	.0	****	3.24	.09	2.97	4.22	4.50	.22	2	9	11	.58	.01	.10			
88.1	89.6	2973	1.5	.0	****	4.21	.14	1.93	2.32	2.80	.25	3	24	27	.29	.01	.22			
WEIGHTED AVERAGE																				
11.9	18.3		6.4			4.19	.15	3.52	4.83	5.19	.98	6	16	22	16.48	.05	.67			
85.0	89.6		4.6			3.60	.10	2.34	4.09	3.59	.35	2	15	17	.50	.01	.13			

low by factor of 10

probably high by factor of 10

13JUN85 VANGORDA

COMPUTE COMPOSITES (DHO18)

PAGE: 15

DDH: P53V011 UTM-N: 902986.3 UTM-E: 594244.9 UTM-ELEV: 1142.8 TOTAL DEPTH: 445.0 SECTION: 18 E  
RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 0 DHD CALC: 0 SS CALC: 0

---DEPTHS---				-----ASSAYS-----																	
FROM	TO	SAMPLE NO.	INT. REC.	ROCK UNIT	S.G. PULP	CU X	PB X	ZN X	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PO %	PY %	TOT FE	BAO %	HG %	MN %	AS %	BA %	S.G. W.G.	
22.8	24.0	84519	1.2	.6		.23	1.10	.98		42.50											
24.0	25.6	84520	1.6	.7 FUDGE			1.50	2.50													
25.6	26.6	84521	1.0	.7 FUDGE			1.50	2.50													
26.6	27.7	84522	1.1	.3 FUDGE			1.50	2.50													
30.7	32.3	84523	1.6	1.0		.13	1.93	7.86		74.00											
32.3	33.8	84524	1.5	1.4		.20	4.39	8.35		64.40											
33.8	35.0	84525	1.2	1.2		.23	3.62	5.70		37.70											
35.0	36.5	84526	1.5	1.5		.20	.77	1.67		20.60											
WEIGHTED AVERAGE																					
22.8	27.7		4.9			.23	1.40	2.12		42.50											
30.7	36.5		5.8			.18	2.61	5.93		50.19											

\*\*\*\*\*  
\* P53V011 \*  
\*\*\*\*\*

13JUN85 VANGORDA

COMPUTE COMPOSITES (DM018)

PAGE: 5

DDH: P53V012 UTM-N: 902985.6 UTM-E: 594244.3 UTM-ELEV: 1142.8 TOTAL DEPTH: 162.0 SECTION: 18 E  
RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 O DHD CALC: 0 SS CALC: 0

---DEPTHS--				-----ASSAYS-----																	
FROM	TO	SAMPLE NO.	INT. REC.	ROCK UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PO %	PY %	TOT FE	BAO %	HG %	MN %	AS %	BA %	S.G. W.G.	
20.3	21.8	84544	1.5	1.1			4.06	9.14													
21.8	22.6	90018	.8	.6	FUDGE																
22.6	23.1	84545	.5	.5			1.98	6.68													
23.1	24.6	84546	1.5	1.2			2.86	6.28													
24.6	25.4	84547	.8	.7			2.20	2.84													
25.4	27.9	90021	2.5	2.5	FUDGE																
27.9	29.2	84548	1.3	.9			3.95	10.50													
29.2	30.4	84549	1.2	1.2			2.86	6.77													
30.4	32.0	84550	1.6	1.5			2.20	3.04													
WEIGHTED AVERAGE																					
20.3	32.0		11.7				2.15	4.73													

\*\*\*\*\*  
\* P53V012 \*  
\*\*\*\*\*

13JUN85 VANGOROA

COMPUTE COMPOSITES (DH018)

PAGE: 11

DDH: PS4V072 UTM-N: 903C29.8 UTM-E: 594296.5 UTM-ELEV: 1148.0 TOTAL DEPTH: 399.0 SECTION: 18 E  
RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 0 DHD CALC: 0 SS CALC: 0

---DEPTHS--				-----ASSAYS-----																	
FROM	TO	SAMPLE NO.	INT. REC.	ROCK UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PO %	PY %	TOT FE	BAO %	HG %	MN %	AS %	BA %	S.G. W.G.	
13.7	15.2	80466	1.5	1.5			3.12	5.33													
15.2	16.7	80467	1.5	1.5			2.79	6.41													
16.7	18.2	80468	1.5	1.5			3.43	2.82													
WEIGHTED AVERAGE																					
13.7	18.2		4.5				3.11	4.85													

\*\*\*\*\*  
\* PS4V072 \*  
\*\*\*\*\*

13JUN85 VANGORDA

COMPUTE COMPOSITES (DMO18)

PAGE: 2

DDM: P55V109 UTM-N: 903051.1 UTM-E: 594319.6 UTM-ELEV: 1153.0 TOTAL DEPTH: 337.0 SECTION: 18 E  
 RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 C DHD CALC: 0 SS CALC: 0

---DEPTHS---				-----ASSAYS-----																	
FRGM	TO	SAMPLE NO.	INT. REC.	ROCK UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PO %	PY %	TOT FE	BAO %	HG %	MN %	AS %	BA %	S.G. W.G.	
7.0	7.6	80969	.6	.3 FUDGE				1.50	2.50												
	7.6	9.1	80970	1.5	1.3			2.48	8.26												
	9.1	10.6	80971	1.5	1.5			.78	4.13												
	10.6	12.1	80972	1.5	1.5			3.28	7.51												
	12.1	13.7	80973	1.6	1.5			.69	.64												
	13.7	15.2	80974	1.5	1.5			.55	3.06												
	15.2	16.7	80975	1.5	1.5			5.18	8.15												
	16.7	18.2	80976	1.5	1.5			6.32	12.48												
	18.2	19.8	80977	1.6	1.2			7.68	12.59												
	19.8	21.3	80978	1.5	1.5			3.72	5.92												
WEIGHTED AVERAGE																					
7.0	21.3		14.3					3.33	6.77												

\*\*\*\*\*  
 \* P55V109 \*  
 \*\*\*\*\*

13JUN85 VANGORCA

COMPUTE COMPOSITES (DHD18)

PAGE: 18

DDH: 81VR-12 UTM-N: 903C08.4 UTM-E: 594270.2 UTM-ELEV: 1144.8 TOTAL DEPTH: 30.5 SECTION: 18E  
 RFE: RFE DIR: 0 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 0

---DEPTHS--		SAMPLE NO.	INT.	REC.	ROCK UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	---ASSAYS---				S.G. W.G.			
FROM	TO												PO	PY	TOT FE	BAO		HG	MN	AS
10.7	12.2	3965	1.5	.0	4E8	4.31	.16	3.90	4.80	68.00	.82	5	21	26	10.70					
12.2	13.7	3966	1.5	.0	4ECL	3.60	.11	2.30	3.40	41.00	.41	5	12	18	6.90					
13.7	15.2	3967	1.5	.0	4ECG	4.33	.11	5.88	8.05	87.00	.75	3	12	16	21.90					
15.2	16.8	3968	1.6	.0	4GE	4.48	.11	6.10	7.70	94.00	1.30	1	12	14	28.30					
16.8	18.3	3969	1.5	.0	4GC	4.50	.22	12.27	17.50	198.00	2.47	1	17	19	2.00					
18.3	19.8	3970	1.5	.0	4EG	4.50	.17	7.70	10.60	128.00	1.78	2	15	18	23.80					
19.8	21.3	3971	1.5	.0	4DC	4.59	.13	5.70	9.00	92.00	1.23	2	14	17	27.60					
21.3	22.9	3972	1.6	.0	4DE	4.59	.12	6.64	8.26	86.00	1.44	6	18	25	11.00					
22.9	24.4	3973	1.5	.0	4EG	4.61	.12	7.93	8.49	87.00	1.44	7	18	26	11.20					
24.4	25.9	3974	1.5	.0	4E4	4.48	.15	5.70	6.49	84.00	1.71	4	23	28	8.80					
25.9	27.4	3975	1.5	.0	4LE	3.34	.12	2.03	2.79	33.00	.62	4	11	16	2.40					

WEIGHTED AVERAGE

10.7 27.4 16.7 4.30 .13 6.01 7.91 90.71 1.27 4 16 20 14.12

24MAY85 VANGORCA

COMPUTE COMPOSITES (DM018)

PAGE: 39

20E

DDH: 79V055R UTM-N: 902891.9 UTM-E: 594508.1 UTM-ELEV: 1160.4 TOTAL DEPTH: 160.9 SECTION:  
 RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 0 DHD CALC: C SS CALC: 0

---DEPTHS---		SAMPLE NO.	INT.	REC.	ROCK UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	ASSAYS										S.G. W.G.		
FROM	TO												PO %	PY %	TOT FE	BAO %	HG %	MN %	AS %	BA %					
8.5	12.2	12.2100567	3.7	.0	****	3.49	.60	.99	2.51	2.10		.87	1	22	23	.34	.03	.08							
12.2	16.6	16.6100568	4.4	.0	****	3.49	.53	1.57	1.87	2.70		.60	5	16	21	1.29	.03	.62							
16.6		18.0100569	1.4	.0	****	3.57	.18	5.06	6.19	6.20		.44	11	11	23	4.33	.05	.96							
68.1	69.7	69.7100537	1.6	.0	****	3.13	.12	2.59	4.45	4.20		.02	2	11	14	3.34	.02	.26							
69.7	71.2	71.2100538	1.5	.0	****	2.99	.10	2.38	3.35	4.10			2	7	10	1.10	.02	.21							
71.2	72.8	72.8100539	1.6	.0	****	3.39	.06	2.30	4.89	3.60		.08	1	14	16	.35	.04	.22							
72.8	74.3	74.3100540	1.5	.0	****	3.15	.05	2.72	4.92	2.70			1	11	12	1.08	.02	.14							
74.3	75.8	75.8100541	1.5	.0	****	2.81	.09	1.31	1.05	1.70				7	8	1.39	.01	.08							
75.8	76.5	76.5100542	.7	.0	****	2.71	.02	2.08	2.39	1.30				5	5	.81	.01	.10							
76.5	78.0	78.0100543	1.5	.0	****	2.97	.04	2.88	6.04	2.70			1	7	9	.86	.01	.14							
78.0	79.6	79.6100544	1.6	.0	****	3.53	.12	2.18	3.60	3.80		.03	2	16	18	1.58	.02	.22							
79.6	81.1	81.1100545	1.5	.0	****	2.65	.12	.78	1.70	1.60		.27	6	5	11	1.12	.03	.33							
81.1		81.8100546	.7	.0	****	3.06	.09	1.30	3.52	1.70		.09	12	2	14	1.73	.03	.73							
WEIGHTED AVERAGE																									
8.5	18.0		9.5			3.50	.50	1.85	2.75	2.98		.68	4	18	22	1.36	.03	.45							
68.1	81.8		13.7			3.06	.08	2.10	3.68	2.90		.09	2	9	12	1.35	.02	.22							

*low by a factor of 10*

*high by factor of 10*

13JUN85 VANGORDA

## COMPUTE COMPOSITES (DHO18)

PAGE: 13

DDH: P53V005 UTM-N: 902942.4 UTM-E: 594292.2 UTM-ELEV: 1147.6 TOTAL DEPTH: 372.0 SECTION: 20 E  
 RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 0 DHD CALC: 0 SS CALC: 0

--DEPTHS--		SAMPLE INT. REC.	ROCK UNIT	S.G. PULP	-----ASSAYS-----													
FROM	TO				NO.	CU X	PB X	ZN X	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PO X	PY X	TOT FE	BAD X	HG X	MN X	AS X
7.9	8.5	84217	.6	.3	.25	1.96	3.79		44.60									
8.5	9.6	84218	1.1	1.1	.50	1.36	1.30		37.70									
9.6	10.0	84219	.4	.3	.38	4.40	7.08		96.00									
10.0	11.2	84220	1.2	1.2	.18	4.83	7.48		90.50									
11.2	12.1	84221	.9	.9	.18	4.28	6.98		76.80									
12.1	12.8	84222	.7	.3	.15	.36	1.19		11.00									
12.8	13.7	84223	.9	.9	.73	.47	1.10		30.20									
13.7	14.6	84224	.9	.9	.35	1.22	.90		32.90									
14.6	15.5	84225	.9	.9	.38	.69	.70		24.70									
15.5	16.7	84226	1.2	1.0	.18	3.63	7.57		60.30									
16.7	18.2	84227	1.5	1.1	.18	4.18	9.26		65.10									
18.2	19.5	84228	1.3	.3	.20	5.28	10.68		91.20									
19.5	20.4	84229	.9	.9	.28	5.61	11.75		98.00									
43.2	44.5	84235	1.3	1.2	.28	1.68	7.97		65.80									
44.5	46.0	84236	1.5	1.5	.30	3.19	9.06		95.30									
46.0	47.5	84237	1.5	1.5	.30	3.74	7.18		69.90									
47.5	47.9	84238	.4	.3	.28	5.00	10.78		105.60									
47.9	49.3	84239	1.4	1.2	.30	3.96	8.28		78.80									
49.3	50.9	84240	1.6	1.5	.28	3.52	6.48		74.00									
50.9	51.9	84241	1.0	1.0	.28	7.58	5.88		82.30									

## WEIGHTED AVERAGE

7.9	20.4	12.5			.29	3.12	5.79		59.82									
43.2	51.9	8.7			.29	3.83	7.68		78.91									

\*\*\*\*\*  
 \* P53V005 \*  
 \*\*\*\*\*

13JUN85 VANGORCA

COMPUTE COMPOSITES (DM018)

PAGE: 7

DDH: P53V008 UTM-N: 902897.7 UTM-E: 594251.4 UTM-ELEV: 1146.4 TOTAL DEPTH: 360.0 SECTION: 20 E  
RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 0 DHD CALC: C SS CALC: 0

---DEPTHS---		SAMPLE NO.	INT.	REC.	ROCK LNIT	-----ASSAYS-----											
FROM	TO					S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PO PY % %	TOT FE	BAO %	HG %	MN %
31.8	32.6	90019	.8	.8	FUDGE												
32.6	33.8	84378	1.2	1.0		.15	3.64	4.33		61.00							
33.8	34.4	84379	.6	.6		.20	3.70	4.13		46.60							
34.4	35.8	84380	1.4	1.3		.13	2.54	5.21		40.40							
WEIGHTED AVERAGE																	
31.8	35.8		4.0			.12	2.53	3.74		39.43							

\*\*\*\*\*  
\* P53V008 \*  
\*\*\*\*\*

19JUN85 VANGORCA

COMPUTE COMPOSITES (DHO18)

PAGE: 1

DDM: 81VR-15 UTM-N: 90305.0 UTM-E: 594359.0 UTM-ELEV: 1152.4 TOTAL DEPTH: 25.9 SECTION: 20E  
RFE: RFE DIR: 0 PLUNGE ANGLES: 0 0 OHD CALC: 1 SS CALC: 0

---DEPTHS---					-----ASSAYS-----																	
FROM	TO	SAMPLE NO.	INT.	REC.	ROCK UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PO %	PY %	TOT FE	BAO %	HG %	MN %	AS %	BA %	S.G. W.G.	
9.1	10.7	2101	1.6	.0	****	3.97	.22	4.80	5.10	51.00	.48	12	17	29	1.20							
10.7	12.2	2102	1.5	.0	****	3.73	.19	2.40	3.30	34.00	.41	9	16	25	1.70							
12.2	13.7	2103	1.5	.0	****	3.42	.20	.49	.93	12.00	.48	9	14	23	.20							
WEIGHTED AVERAGE																						
9.1	13.7		4.6			3.71	.20	2.61	3.15	32.73	.45	10	15	25	1.03							

\*\*\*\*\*  
\* 81VR-15 \*  
\*\*\*\*\*

19JUN85 VANGORDA

COMPUTE COMPOSITES (DH018)

PAGE: 2

DDH: 81VR-16 UTM-N: 902982.6 UTM-E: 594337.8 UTM-ELEV: 1150.2 TOTAL DEPTH: 22.8 SECTION: 20E  
 RFE: RFE DIR: 0 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 0

---DEPTHS--		SAMPLE	INT.	REC.	ROCK	S.G.	CU	PB	ZN	AG(AA)	AG(FA)	AU(FA)	PO	PY	TOT	BAO	HG	MN	AS	BA	S.G.	
FROM	TO	NO.			UNIT	PULP	%	%	%	G/MT	G/MT	G/MT	%	%	FE	%	%	%	%	%	W.G.	
10.7	12.2	2112	1.5	.0	4LD	2.94	.03	.44	1.11		8.00	.07	4	4	8	.90						
12.2	13.7	2113	1.5	.0	4GL	3.42	.04	1.96	4.92		31.00	.14	3	6	9	13.20						
13.7	15.2	2114	1.5	.0	4DL	4.07	.08	4.60	7.20		60.00	.41	1	11	12	19.60						
15.2	16.8	2115	1.6	.0	4CL	4.38	.13	4.50	6.80		58.00	.48	1	15	16	18.90						
16.8	18.3	2116	1.5	.0	4EC	4.35	.24	3.20	3.80		40.00	.82	26	27	12.70							
WEIGHTED AVERAGE																						
10.7	18.3		7.6			3.83	.10	2.96	4.79		39.64	.38	2	12	15	13.13						

13JUN85 VANGORCA

COMPUTE COMPOSITES (DHD18)

PAGE: 1

DDH: P53V009 UTM-N: 902501.2 UTM-E: 594337.3 UTM-ELEV: 1151.5 TOTAL DEPTH: 401.0 SECTION: 22 E  
 RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 0 DHD CALC: 0 SS CALC: 0

---DEPTHS--		SAMPLE NO.	INT.	REC.	ROCK UNIT	S.G. PULP	CU %	PB %	ZN %	-----ASSAYS-----										S.G. W.G.			
FROM	TO									AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PO %	PY %	TOT FE	BAO %	HG %	MN %	AS %		BA %		
21.0	21.6	84471	.6	.3	FUDGE			1.50	2.50														
21.6	22.2	84472	.6	.6		.08	3.29	6.19		75.40													
22.2	23.7	84473	1.5	1.5		.15	3.96	6.19		76.10													
23.7	24.6	84474	.9	.6	FUDGE			1.50	2.50														
24.6	25.9	84475	1.3	.7	FUDGE			1.50	2.50														
25.9	26.8	84476	.9	.6		.33	1.32	2.06		32.90													
26.8	28.3	84477	1.5	1.2		.28	1.57	2.36		52.80													
28.3	28.6	84478	.3	.2		.25	.77	1.67		26.00													
28.6	29.5	84479	.9	.5		.15	4.66	9.44		73.40													
29.5	30.6	84480	1.1	.7		.18	2.70	5.80		51.40													
30.6	31.6	84481	1.0	.9		.18	4.73	12.68		85.00													
41.4	42.6	84484	1.2	1.0		.18	2.98	7.27		52.80													
42.6	43.8	84485	1.2	1.0		.10	3.52	8.75		83.60													
43.8	44.8	84486	1.0	.8		.28	6.82	4.03		85.00													
44.8	46.0	84487	1.2	.9		.28	1.66	2.16		30.80													
46.0	47.2	84488	1.2	.9		.23	1.90	2.26		41.80													
WEIGHTED AVERAGE																							
21.0	31.6		10.6			.20	2.62	5.04		62.00													
41.0	47.2		6.2			.21	3.25	4.92		57.89													

\*\*\*\*\*  
 \* P53V009 \*  
 \*\*\*\*\*

13JUN85 VANGORDA

COMPUTE COMPOSITES (DHO18)

PAGE: 20

DDH: 81VR-18 UTM-N: 902976.4 UTM-E: 594426.3 UTM-ELEV: 1156.9 TOTAL DEPTH: 30.5 SECTION: 22E  
 RFE: RFE DIR: 0 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 0

---DEPTHS---		SAMPLE	INT.	REC.	ROCK	S.G.	CU	PB	ZN	AG(AA)	AG(FA)	AU(FA)	PO	PY	TOT	BAO	HG	MN	AS	BA	S.G.	
FROM	TO	NO.			UNIT	PULP	%	%	%	G/MT	G/MT	G/MT	%	%	FE	%	%	%	%	%	W.G.	
10.7	12.2	2138	1.5	.0	4EC	3.65	.15	1.79	3.13		32.00	.27	5	17	23	6.80						
12.2	13.7	2139	1.5	.0	4E/5D	3.95	.08	2.90	5.30		43.00	.34	1	13	15	20.40						
13.7	15.2	2140	1.5	.0	4EC	4.15	.07	3.60	5.70		58.00	.27	1	16	18	15.50						
15.2	16.8	2141	1.6	.0	4CL	3.73	.06	3.40	4.70		50.00	.62	4	12	16	17.00						
16.8	18.3	2142	1.5	.0	4CO	3.62	.10	3.15	4.71		42.00	.68	4	12	16	12.50						
18.3	19.8	2143	1.5	.0	4EC	3.98	.18	3.00	4.40		40.00	1.17	2	21	23	12.90						
19.8	21.3	2144	1.5	.0	4CE	3.88	.23	1.80	2.90		30.00	.75	5	21	27	9.60						
21.3	22.9	2145	1.6	.0	4CED	3.70	.19	2.01	2.60		29.00	1.17	7	18	25	4.40						
22.9	24.4	2146	1.5	.0	4LD	3.14	.09	.97	1.95		16.00	.21	5	8	14	2.50						
24.4	25.9	2147	1.5	.0	4LD	3.42	.13	2.42	3.10		34.00	.34	4	11	15	7.10						
WEIGHTED AVERAGE																						
10.7	25.9		15.2			3.72	.12	2.50	3.84		37.42	.58	4	15	19	10.86						

\*\*\*\*\*  
 \* 81VR-18 \*  
 \*\*\*\*\*

19JUN85 VANGORDA

COMPUTE COMPOSITES (DH018)

PAGE: 3

DDM: 81VR-19 UTM-N: 902868.7 UTM-E: 594316.1 UTM-ELEV: 1148.6 TOTAL DEPTH: 30.5 SECTION: 22E  
RFE: RFE DIR: 0 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 0

---DEPTHS---				-----ASSAYS-----																	
FROM	TO	SAMPLE NO.	INT. REC.	ROCK UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PO %	PY %	TOT FE	BAO %	HG %	MN %	AS %	BA %	S.G. W.G.	
16.8	18.3	2154	1.5	.0 5A/4C			.55	.96													
18.3	19.8	2155	1.5	.0 4E/5A			.70	.69													
19.8	21.3	2156	1.5	.0 4E/5B			.80	.85													
21.3	22.9	2157	1.6	.0 4C/5B			.52	.67													
WEIGHTED AVERAGE																					
6.1	10.7		4.6																		
16.8	22.9		6.1				.64	.79													

\*\*\*\*\*  
\* 81VR-19 \*  
\*\*\*\*\*

19JUN85 VANGORDA

COMPUTE COMPOSITES (DHD18)

PAGE: 1

DDH: 81VR-20 UTM-N: 902412.7 UTM-E: 594359.6 UTM-ELEV: 1151.8 TOTAL DEPTH: 30.5 SECTION: 22E  
 RFE: RFE DIR: 0 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 0

---DEPTHS---				INT. REC.	ROCK UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	---ASSAYS---				S.G. W.G.			
FROM	TO	NO.	PO %										PY %	TOT %	BAO %	HG %		MN %	AS %	BA %
6.1	7.6	2163	1.5	.0 4C/5B	2.92	.03	1.56	2.80		22.00	.21	1	5	7	.50					
7.6	9.1	2164	1.5	.0 4L/5A	3.57	.05	1.36	2.75		22.00	.27	4	7	11	.60					
9.1	10.7	2165	1.6	.0 4/5B	2.99	.04	.82	1.32		16.00	.21	4	7	11	1.20					
16.8	18.3	2170	1.5	.0 4E/5B	3.65	.12	2.90	3.90		43.00	.55	5	14	19	4.70					
18.3	19.8	2171	1.5	.0 4CE	3.92	.17	1.58	1.97		29.00	.17	6	19	26	6.90					
19.8	21.3	2172	1.5	.0 4ELC	3.31	.09	3.10	5.20		48.00	.34	3	9	13	.60					
21.3	22.9	2173	1.6	.0 4EL	3.17	.07	2.10	3.90		33.00	.27	2	7	10	.30					
WEIGHTED AVERAGE																				
6.1	10.7		4.6		3.15	.04	1.23	2.26		19.91	.22	3	6	10	.77					
16.8	22.9		6.1		3.50	.11	2.41	3.74		38.16	.33	4	12	17	3.07					

\*\*\*\*\*  
 \* 81VR-20 \*  
 \*\*\*\*\*

13JUN85 VANGORDA

COMPUTE COMPOSITES (OH018)

PAGE: 22

DDH: 81VR-22 UTM-N: 902935.7 UTM-E: 594382.9 UTM-ELEV: 1152.8 TOTAL DEPTH: 30.5 SECTION: 22E  
 RFE: RFE DIR: 0 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 0

---DEPTHS---		SAMPLE NO.	INT.	REC.	ROCK UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	---ASSAYS---				HG %	MN %	AS %	BA %	S.G. W.G.
FROM	TO												PO	PY	TOT	BAO					
18.3	19.8	2320	1.5	.0	4EL	3.41	.04	1.42	3.63	31.00	.14	4	4	9	11.60						
19.8	21.3	2321	1.5	.0	4EC	3.91	.14	3.08	5.24	54.00	.89	3	12	16	17.50						
21.3	22.9	2322	1.6	.0	4CE	3.77	.30	2.20	3.20	39.00	.82	4	17	22	9.40						
WEIGHTED AVERAGE																					
18.3	22.9		4.6			3.69	.16	2.23	4.00	41.28	.62	4	11	16	12.75						

\*\*\*\*\*  
 \* 81VR-22 \*  
 \*\*\*\*\*

19JUN85 VANGORCA

COMPUTE COMPOSITES (DM018)

PAGE: 4

DDH: 81VR-23 UTM-N: 902955.5 UTM-E: 594403.9 UTM-ELEV: 1154.7 TOTAL DEPTH: 30.5 SECTION: 22E  
 RFE: RFE DIR: 0 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 0

---DEPTHS---		SAMPLE	INT.	REC.	ROCK	-----ASSAYS-----																
FRCH	TO	NO.			UNIT	S.G.	CU	PB	ZN	AG(AA)	AG(FA)	AU(FA)	PO	PY	TOT	BAO	HG	MN	AS	BA	S.G.	
						PULP	%	%	%	G/MT	G/MT	G/MT	%	%	FE	%	%	%	%	%	W.G.	
7.6	9.1	2198	1.5	.0	4LEC	3.07	.24	1.82	1.86		26.00	.21	5	6	2.90							
9.1	10.7	2199	1.6	.0	4EL	3.52	.25	2.06	2.01		32.00	.68	2	15	17	5.20						
10.7	12.2	2200	1.5	.0	4EC	4.20	.19	2.62	2.96		40.00	.82	8	23	31	3.20						
16.8	18.3	2304	1.5	.0	4ED	3.95	.21	3.38	2.71		48.00	.75	15	21	36	.20						
18.3	19.8	2305	1.5	.0	4EC	4.29	.25	5.53	3.99		60.00	1.58	15	19	34	.40						
19.8	21.3	2306	1.5	.0	4E4	4.33	.25	2.60	2.90		51.00	1.17	12	22	34	6.70						
21.3	22.4	2307	1.1	.0	4CD	4.31	.28	1.03	1.00		27.00	.55	11	29	41	.50						
WEIGHTED AVERAGE																						
7.6	12.2		4.6			3.59	.22	2.16	2.27		32.65	.57	3	14	18	3.79						
16.8	22.4		5.6			4.21	.24	3.28	2.76		47.89	1.04	13	22	36	2.05						

\*\*\*\*\*  
 \* 81VR-23 \*  
 \*\*\*\*\*

13JUN85 VANGORDA

COMPUTE COMPCITES (DH018)

PAGE: 12

DDH: P54V080 UTM-N: 902934.0 UTM-E: 594464.4 UTM-ELEV: 1158.7 TOTAL DEPTH: 351.0 SECTION: 24 E  
RFE: S2 RFE OIR: 0 PLUNGE ANGLES: 0 0 DHD CALC: 0 SS CALC: 0

---DEPTHS---				-----ASSAYS-----																
FRGM	TO	SAMPLE NO.	INT. REC.	ROCK UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PO %	PY %	TOT FE %	BAO %	HG %	MN %	AS %	BA %	S.G. W.G.
75.8	77.4	80636	1.6	1.5			1.00	4.17												
77.4	78.9	80637	1.5	1.5			1.78	2.03												
78.9	80.4	80638	1.5	1.4			1.78	3.03												
80.4	81.9	80639	1.5	1.3			2.78	7.41												
81.9	83.5	80640	1.6	1.5			2.33	6.29												
83.5	85.0	80641	1.5	1.5			3.22	5.51												
85.0	86.5	80642	1.5	1.0			2.11	4.22												

WEIGHTED AVERAGE

75.8 86.5 10.7 2.13 4.67

13JUN85 VANGORDA

COMPUTE COMPOSITES (DHO18)

PAGE: 10

DDH: P54V054 UTM-N: 902772.8 UTM-E: 594293.3 UTM-ELEV: 1153.2 TOTAL DEPTH: 360.0 SECTION: 24 E  
RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 DHD CALC: 0 SS CALC: 0

---DEPTHS--				-----ASSAYS-----																
FROM	TO	SAMPLE NO.	INT. REC. UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PO %	PY %	TOT FE %	BAO %	HG %	MN %	AS %	BA %	S.G. W.G.	
13.7	15.2	80220	1.5 1.2				3.99 3.82													
15.2	16.4	80221	1.2 1.1				1.66 1.61													
16.4	17.9	80222	1.5 1.5				2.28 2.52													
30.7	31.3	80227	.6 .6																	
31.3	32.9	80228	1.6 1.5				4.11 3.22													
32.9	34.7	80229	1.8 1.6				3.90 5.93													
WEIGHTED AVERAGE																				
13.7	17.9		4.2				2.71 2.72													
30.7	34.7		4.0				3.39 3.95													

\*\*\*\*\*  
\* P54V054 \*  
\*\*\*\*\*

13JUN85 VANGORCA

COMPUTE COMPOSITES (DHD18)

PAGE: 27

DDH: 81VR-33 UTM-N: 902931.7 UTM-E: 594465.6 UTM-ELEV: 1157.9 TOTAL DEPTH: 30.5 SECTION: 24E  
 RFE: RFE DIR: 0 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 0

---DEPTHS---					-----ASSAYS-----																
FRCH	TO	SAMPLE NO.	INT.	REC. UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PO %	PY %	TOT FE	BAO %	HG %	MN %	AS %	BA %	S.G. W.G.	
7.6	9.1	2226	1.5	.0 4CD	3.70	.38	2.20	2.30		36.00	.21	6	16	22	5.40						
9.1	10.7	2227	1.6	.0 4CD	3.80	.26	1.43	1.71		27.00	.21	13	11	25	4.70						
10.7	12.2	2228	1.5	.0 4CD	3.73	.31	1.59	1.70		31.00	.34	2	23	25	2.00						
12.2	13.7	2229	1.5	.0 4D4	4.20	.32	3.20	5.80		50.00	.27	2	12	14	18.10						
13.7	15.2	2230	1.5	.0 40C	4.20	.19	3.60	7.30		56.00	.27		11	12	19.30						
15.2	16.8	2231	1.6	.0 4D4	4.35	.06	3.50	6.70		61.00	.27	1	11	13	21.80						
16.8	18.3	2232	1.5	.0 4DL	4.24	.15	3.90	6.50		54.00	.27	3	12	16	16.80						
18.3	19.8	2233	1.5	.0 4DL	4.18	.10	8.29	6.77		92.00	.82	13	9	22	14.70						
19.8	21.3	2234	1.5	.0 4DL	4.00	.13	5.50	5.60		83.00	.89	17	11	28	5.20						
21.3	22.9	2235	1.6	.0 4CD	4.02	.21	2.10	2.23		34.00	.41	8	21	29	4.10						
WEIGHTED AVERAGE																					
7.6	22.9		15.3		4.04	.21	3.50	4.63		52.16	.39	7	14	21	11.19						

\*\*\*\*\*  
 \* 81VR-33 \*  
 \*\*\*\*\*

13JUN85 VANGORDA

COMPUTE COMPOSITES (DH018)

PAGE: 28

DDM: 81VR-34 UTM-N: 902912.5 UTM-E: 594442.4 UTM-ELEV: 1156.9 TOTAL DEPTH: 30.5 SECTION: 24E  
 RFE: RFE DIR: 0 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 0

---DEPTHS---		SAMPLE	INT.	REC.	ROCK	S.G.	CU	PB	ZN	AG(AA)	AG(FA)	AU(FA)	PO	PY	TOT	BAO	HG	MN	AS	BA	S.G.	
FRM	TO	NO.			UNIT	PULP	%	%	%	G/MT	G/MT	G/MT	%	%	FE	%	%	%	%	%	W.G.	
4.6	6.1	2241	1.5	.0	4EL	3.64	1.07	2.73	2.69	38.00	.41	8	18	27	1.30							
6.1	7.6	2242	1.5	.0	4EL	3.75	.35	2.80	3.12	36.00	.41	12	18	30	2.10							
7.6	9.1	2243	1.5	.0	4EL	3.68	.37	2.64	3.09	29.00	.27	10	15	25	3.90							
24.4	25.9	60C4	1.5	.0	4L/5B	3.04	.08	.23	1.27	8.00	.07	9	2	11	.60							
25.9	27.4	60C5	1.5	.0	4EL	3.41	.15	1.88	4.94	23.00	.07	6	4	10	14.30							
27.4	29.0	60C6	1.6	.0	4CDE	3.66	.12	3.37	5.38	38.00	.27	3	13	16	13.80							
WEIGHTED AVERAGE																						
4.6	9.1		4.5			3.69	.59	2.72	2.96	34.33	.36	10	17	28	2.43							
24.4	29.0		4.6			3.37	.11	1.86	3.89	23.32	.13	6	7	13	9.65							

13JUN85 VANGORDA

COMPUTE COMPOSITES (DHO18)

PAGE: 24

DDH: 81VR-24 UTM-N: 902832.6 UTM-E: 594350.2 UTM-ELEV: 1148.6 TOTAL DEPTH: 30.5 SECTION: 24E  
 RFE: RFE DIR: 0 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 0

---DEPTHS---				SAMPLE INT.	REC.	ROCK UNIT	S.G. PULP	CU %	PB %	ZN %	-----ASSAYS-----												
FROM	TO	NO.	AG(AA) G/MT								AG(FA) G/MT	AU(FA) G/MT	PO %	PY %	TOT FE	BAO %	HG %	MN %	AS %	BA %	S.G. W.G.		
10.7	12.2	2328	1.5	.0	4EL	3.53	.15	4.20	5.50		70.00	.82	1	10	11	16.20							
12.2	13.7	2329	1.5	.0	4LE	3.95	.24	4.20	5.10		72.00	1.03	1	19	21	15.30							
13.7	15.2	2330	1.5	.0	4LE	3.64	.20	3.40	4.10		51.00	.96	3	15	18	9.30							
15.2	16.8	2331	1.6	.0	4EAL	3.42	.13	2.17	3.73		34.00	.48	3	13	16	7.50							
16.8	18.3	2332	1.5	.0	4E/SA	3.29	.14	1.82	2.93		27.00	.41	5	11	16	5.90							
18.3	19.8	2333	1.5	.0	4EL	4.08	.15	3.63	3.25		49.00	.68	6	18	25	14.30							
19.8	21.3	2334	1.5	.0	4EL	3.95	.23	2.80	2.80		37.00	.75	8	18	26	11.70							
WEIGHTED AVERAGE																							
10.7	21.3		10.6			3.69	.17	3.16	3.91		48.43	.73	4	15	19	11.41							

13JUN85 VANGORDA

COMPUTE COMPOSITES (DHD18)

PAGE: 25

DDM: 81VR-25 UTM-N: 902854.0 UTM-E: 594373.6 UTM-ELEV: 1151.2 TOTAL DEPTH: 30.5 SECTION: 24E  
 RFE: RFE DIR: 0 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 0

---DEPTHS--				INT.	REC.	ROCK UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	ASSAYS				S.G. W.G.			
FROM	TO	NO.	PO											PY	TOT	BAO	HG		MN	AS	BA
10.7	12.2	2343	1.5	.0	4E	3.47	.32	3.00	5.30		27.00	.96	1	16	17	.60					
12.2	13.7	2344	1.5	.0	4EL	3.82	.41	3.40	.54		28.00	1.51	16	17	.60						
13.7	15.2	2345	1.5	.0	4EG	4.63	.41	5.53	5.06		84.00	.68	24	24	18.20						
15.2	16.8	2346	1.6	.0	4GE	4.72	.34	6.90	6.80		113.00	1.65	24	24	17.90						
16.8	18.3	2347	1.5	.0	4E4L	4.76	.40	3.40	3.48		85.00	.96	33	33	4.90						
WEIGHTED AVERAGE																					
10.7	18.3		7.6			4.28	.37	4.47	4.26		68.00	1.15	22	23	8.56						

\*\*\*\*\*  
 \* 81VR-25 \*  
 \*\*\*\*\*

13JUN85 VANGORDA

COMPUTE COMPOSITES (DH018)

PAGE: 26

DDH: 81VR-26 UTM-N: 902872.0 UTM-E: 594396.5 UTM-ELEV: 1154.2 TOTAL DEPTH: 45.7 SECTION: 24E  
RFE: RFE DIR: 0 PLUNGE ANGLES: 0 C DHD CALC: 1 SS CALC: 0

---DEPTHS---				-----ASSAYS-----																	
FROM	TO	SAMPLE NO.	INT. REC.	ROCK UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PD %	PY %	TOT FE	BAO %	HG %	MN %	AS %	BA %	S.G. W.G.	
10.7	12.2	2356	1.5	.0 4G	4.02	.77	7.20	1.84		118.00	.82	1	16	17	15.10						
12.2	13.7	2357	1.5	.0 4EL	3.62	.58	5.90	2.40		75.00	.89	19	20	2.50							
13.7	15.2	2358	1.5	.0 4E	4.37	.41	5.70	5.00		80.00	1.10	5	21	26	4.90						
15.2	16.8	2359	1.6	.0 4E4	4.39	.15	6.00	6.50		81.00	.82	8	16	25	16.20						
16.8	18.3	2360	1.5	.0 4LE	3.48	.07	3.90	4.20		56.00	.41	2	9	12	15.20						
18.3	19.8	2361	1.5	.0 4LED	3.12	.10	.84	1.85		14.00	.21	7	4	12	3.00						
19.8	21.3	2362	1.5	.0 ?	4.10	.22	3.40	4.50		44.00	.62	6	18	25	10.60						
WEIGHTED AVERAGE																					
10.7	21.3		10.6		3.87	.32	4.71	3.78		66.99	.69	4	15	19	9.70						

\*\*\*\*\*  
\* 81VR-26 \*  
\*\*\*\*\*

24MAY85 VANGORDA

COMPUTE COMPOSITES (DH018)

PAGE: 41

26E

DDH: 79V084R UTM-N: 902849.9 UTM-E: 594461.6 UTM-ELEV: 1156.7 TOTAL DEPTH: 159.1 SECTION:  
 RFE: S2 RFE DIR: 0 PLUNGE ANGLES: 0 C DHD CALC: 0 SS CALC: 0

---DEPTHS---				---ASSAYS---																	
FROM	TO	SAMPLE NO.	INT. REC.	ROCK UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PO %	PY %	TOT FE %	BAO %	HG %	MN %	AS %	BA %	S.G. W.G.	
16.1	16.91	C0578	.8	.0 ****	4.02	.18	4.60	7.11	8.90		.89	3	8	11	24.76	.10	.26				
16.9	18.41	C0579	1.5	.0 ****	4.53	.30	5.33	6.44	7.10		1.29	6	24	30	9.18	.07	.65				
18.4	19.81	C0580	1.4	.0 ****	4.46	.26	9.16	8.78	9.50		1.59	10	17	28	4.90	.08	1.32				
19.8	21.01	C0581	1.2	.0 ****	4.51	.26	5.72	5.31	7.40		2.79	5	23	29	11.06	.05	.69				
21.0	22.31	C0582	1.3	.0 ****	4.57	.24	5.55	5.73	5.60		2.70	12	22	34	2.45	.05	1.20				
22.3	23.41	C0583	1.1	.0 ****	4.51	.24	6.00	2.98	9.00		2.08	7	28	36	.28	.04	.69				
70.5	71.41	C0594	.9	.0 ****	2.84	.08	1.61	3.37	3.70		.45	3	9	12	.48	.03	.24				
71.4	73.11	C0595	1.7	.0 ****	3.96	.12	3.37	4.18	5.50		.21	5	17	22	11.32	.05	.51				
73.1	74.31	C0596	1.2	.0 ****	3.14	.06	2.12	3.40	3.20		.44	3	9	13	1.19	.04	.30				
74.3	75.31	C0597	1.0	.0 ****	2.98	.07	2.08	5.83	2.70		.16	1	6	7	.47	.03	.14				
75.3	76.21	C0598	.9	.0 ****	3.67	.09	3.22	3.09	3.80		.69	3	15	19	7.45	.03	.42				
WEIGHTED AVERAGE																					
16.1	23.4		7.3		4.46	.25	6.18	6.12	7.82		2.04	7	21	29	7.83	.06	.84				
70.5	76.2		5.7		3.39	.08	2.57	4.00	3.97		.36	3	11	15	4.96	.03	.34				

*low by factor of 10*

*probably high by factor of 10*

19JUN85 VANGORCA

COMPUTE COMPCITES (DH018)

PAGE: 5

DDH: 81VR-29 UTM-N: 902804.2 UTM-E: 594500.1 UTM-ELEV: 1155.7 TOTAL DEPTH: 45.7 SECTION: 28E  
 RFE: RFE DIR: 0 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 0

---DEPTHS---					-----ASSAYS-----																
FRM	TO	SAMPLE NO.	INT.	REC. UNIT	S.G. PULP	CU %	PB %	ZN %	AG(AA) G/MT	AG(FA) G/MT	AU(FA) G/MT	PO %	PY %	TOT FE	BAO %	HG %	MN %	AS %	SA %	S.G. W.G.	
15.2	16.8	2267	1.6	.0 4GL	3.32	.09	4.00	6.80		50.00	.62	7	8	15.00							
16.8	18.3	2268	1.5	.0 4DL	3.75	.09	4.30	9.13		65.00	.55	10	11	18.70							
18.3	19.8	2269	1.5	.0 4DL	4.17	.08	4.04	7.83		57.00	.48	2	11	13 16.20							
19.8	21.3	2270	1.5	.0 4LDA	3.13	.05	1.47	2.90		21.00	.21	2	4	6 6.20							
25.9	27.4	2274	1.5	.0 5B/4C			1.60	2.75													
27.4	29.0	2275	1.6	.0 4COL			3.00	4.90													
29.0	30.5	2276	1.5	.0 4CLE			2.51	3.33													
WEIGHTED AVERAGE																					
15.2	21.3		6.1		3.58	.07	3.46	6.66		48.27	.46	1	8	10 14.04							
25.9	30.5		4.6				2.38	3.68													