

(553)
Anvil Mining Corporation Ltd.

105 K 6 019701

AREA Faro North Page 1

DATE July 21/28

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
14151	NBL 148W		fine	W. slope	Good	5	0	30			
2	148W 1N		fine	"	"	5	0	60			
3	2N		fine	"	"	20	0	70			
4	3N		fine, st. stony	"	"	5	0	70			
5	4N		hash	NW"	"	20	0	60			
6	5N		fine sandy, v. stony	N	"	20	17	70			
7	6N		fine, stony	Level	Clay	15	0	60			
8	7N		fine, v. stony	W.	Good	10	0	70			
9	8N		fine, v. stony	"	"	10	0	70			
14160	9N		fine	"	F. ", org	5	0	30			
1	10N		fine slash	"	"	17	0	40			
2	11N		fine	"	"	5	0	40			
3	12N		fine sandy, stony	"	"	10	0	70			
4	13N		fine, slash	"	"	10	0	65			
5	14N		fine, stony	NW	" , clay	5	0	70			
6	15N		fine sandy, v. stony	"	" , grit	20	20	70			
7	152W 106N		fine	Level	Clay	10	0	60			
8	105N		fine, st. stony	"	Good	15	0	60			
9	104N		fine, v. stony	S. slope	Clay	10	10	60			
14170	103N		fine	"	Clay	5	22	80			

Anvil Mining Corporation Ltd.

AREA Faro North Page 2

DATE July 21 / 28

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
14171	152W 102N		fine, sl. stony	South Slope	Clay	20	0	85			
2	101		fine, stony	"	"	2	0	30			
3	100		hash	"	"	0	0	80			
4	99		fine	"	"	0	0	90			
5	98		fine, slash	North	" good	0	0	30			
6	97		fine	"	"	20	0	70			
7	96		fine	"	"	10	0	40			
8	95		fine	"	Clay	5	0	40			
9	94		fine, stony	"	"	0	0	17			
14180	93		fine, slash	"	" good	10	0	17			
1	92		fine	"	"	5	0	20			
2	91		fine, stony	Level	Hard, Ash	5	0	40			
3	90		fine	"	F-good, Ash	20	0	70			
4	89		fine, stony	N. slope	Clay	0	0	60			
5	88		fine, slash	Level	"	10	0	50			
6	87		fine, slash	"	Ashy	2	0	30			
7	86		fine, slash	N. slope	Ash	0	0	45			
8	85		fine, sl. stony	"	Good	5	0	80			
9	84		fine	"	Hard	10	0	70			
14190	83		stony	"	Dark	0	0	40			

Anvil Mining Corporation Ltd.

AREA Faro North Page 3

DATE July 21 / 28

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
14191	152, 82N		fine, slash	Level	Good	10	0	7			
2	81N		fine, slash	" , W slope	" , gritty	0	0	30			
3	80		fine slorg	"	"	0	0	20			
4	79		fine slash, slorg	"	Clay	5	0	60			
5	78		fine, slorg	"	"	20	0	35			
6	77		wash	SW slope	Ashy	5	0	5			
7	76		fine	"	Good clay	10	0	20			
8	75		slash, slorg	West Slope	Ash	5	0	17			
9	74		wash	"	"	5	0	12			
14100	73		fine, slorg	"	Clay	20	0	45			
1	72		fine, sl. stony	"	Good	2	0	100			
2	71		fine slash	South	Clay	10	0	30			
3			Tag Missed								
4	70		slorg	West Slope	Horg	5	0	40			
5	69		fine	"	Good	5	0	40			
6	68		fine	"	"	10	0	20			
7	67		fine	"	"	10	0	35			
8	66		fine	"	"	5	0	40			
9	65		wash	"	Ash	0	0	20			
14210	64		slorg	"	" , horg	55	30	75			

Anvil Mining Corporation Ltd.

AREA Faro North Page 4

DATE July 21/27

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.				
						Cu	Pb	Zn		
14211	152 63N		fine, hash	West Slope	Ash	2	0	30		
2	62		fine	SW	F. good	10	0	25		
3	61		slorg, slash	"	" "	10	0	17		
4	60		fine, slash	"	"	5	0	40		
5	59		slash, slorg	"	Ash	10	0	20		
6	58		slash, slorg	South	Horg	10	0	20		
7	57		slash, slorg	"	Ash, Good	5	0	7		
8	56		fine, slash	"	"	5	0	20		
9	55		fine	"	Good	10	0	75		
14220	54		slorg	"	Fairly Good	10	0	25		
1	53		fine, slorg	"	Clay	20	0	50		
2	52		fine, slorg	"	Horg	12	5	35		
3	51		slorg	"	Good, clay	10	0	5		
4	50		slorg	"	Horg	5	0	12		
5	49		fine	"	Clay	15	0	60		
6	48		fine, slorg	"	Good	10	0	40		
7	47		slorg	"	Horg	15	0	35		
8	46		fine, slorg	"	Clay	5	0	50		
9	45		slorg	"	"	2	0	30		
14230	44		fine	"	"	22	5	70		

Anvil Mining Corporation Ltd.

AREA Faro North Page 5

DATE July 21/27

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.				
						Cu	Pb	Zn		
14231	152W 43N		fine, stony	Level-ss.	Clay	10	0	35		
2	42N		fine, stony	S. slope	"	10	0	25		
3	41		stony	"	"	10	0	30		
4	40		stony	"	Heavy	10	0	50		
5	39		fine, stony	"	Good	10	0	70		
6	38		fine	"	Clay	5	10	90		
7	37		No Sample	Level	v. wet	—	—	—		
8	36		No Sample	"	water	—	—	—		
9	35		fine sandy,	South	Clay	20	0	70		
14240	34		slush	"	"	12	0	60		
1	33		fine	"	"	10	0	40		
2	32		fine	"	Good	10	0	40		
3	31		fine, v. stony	"	"	20	0	70		
4	30		fine sandy, sl. stony	"	"	20	5	65		
5	29		fine	North	"	12	0	30		
6	28		fine, very stony	"	"	10	10	70		
7	27		fine	"	"	10	0	40		
8	26		fine sandy	"	"	10	10	65		
9	25		fine, sl. stony	"	"	15	0	40		
14250	24		fine	"	"	15	5	30		

Anvil Mining Corporation Ltd.

AREA Faro North Page 6

DATE July 21/27, Aug 2

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
14651	160W 20N		fine, stony	East Slope	Gravel	2	0	60			
2	21		fine	South	Ash	2	0	20			
3	22		hash	"	"	2	0	0			
4	23		fine slash	"	Horng	2	0	40			
5	24		hash	"	Good clay	0	0	0			
6	25		hash	"	" "	5	0	0			
7	26		hash	"	"	5	0	0			
8	27		hash	"	Ash	2	0	0			
9	28		fine	"	"	0	0	15			
14660	29		Coarse sand, stony	"	Good clay	5	0	60			
1	30		fine	"	Ash	0	0	15			
2	31		fine	"	Horng	0	0	40			
3	32		horng slash	"	Ash	0	0	20			
4	33		fine, stony	"	"	15	2	35			
5	34		fine	"	Clay	15	2	45			
6	35		fine, sl. stony	"	Ash	35	3	65			
7	36		fine	"	"	20	3	35			
8	37		fine, stony	"	Horng	30	2	65			
9	38		fine slash	"	Ash	2	0	30			
14670	39		fine, wam	"	"	0	10	40			

Anvil Mining Corporation Ltd.

AREA Faro North Page 7

DATE July 21/27, Aug 3

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
14671	160 40N		fine, slorg, slash	South Slope	Ash	15	0	65			
2	41		hash	"	Horg	0	0	10			
3	42		hash	"	Ash	15	0	25			
4	43		fine, slash	"	"	15	0	20			
5	44		slash	"	Clay	5	0	35			
6	45		hash	Slope	Ash	0	0	12			
7	46		fine, slorg	"	"	30	10	45			
8	47		slash, slorg	"	Clay	2	0	0			
9	48		fine	"	Horg	10	12	40			
14680	49		hash	"	Clay	0	0	30			
1	50		ash	"	"	2	0	0			
2	51		fine slash	"	Ash	5	0	20			
3	52		slorg	"	Clay	7	0	40			
4	53		slash, slorg	"	Horg	0	0	0			
5	54		slorg	"	Ash	10	0	30			
6	55		fine, slorg	"	Ash	25	5	70			
7	56		hash	"	"	0	0	0			
8	57		fine	"	"	10	0	30			
9	58		slorg	"	Clay	10	0	37			
14690	59		ash	"	"	2	0	15			

Anvil Mining Corporation Ltd.

AREA

Faro North Page 8

DATE

July 21/26, 27, Aug 2

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
14691	160W 60N		Slorg	Slope	Ash	2	2	25			
2	61N		Slorg	North	Clay	30	0	15			
3	62N		Slorg	Slope	"	2	0	7			
4	63N		Slorg	"	Ash	15	0	30			
5	64		fine, slash	"	Clay	2	0	15			
6	65		Slorg	"	Horg	5	0	35			
7	66		fine	"	Sand	2	0	15			
8	67		fine	"	Ash	15	0	50			
9	68		Slorg	"	"	0	0	20			
14700	69		hash	"	"	2	0	25			
1	70		Slorg	"	"	5	0	7			
2	71		fine slash, slorg	"	Clay	0	0	5			
3	72		fine slash	"	"	0	0	5			
4	73		hash	"	"	0	0	0			
5	74		hash	"	"	10	0	12			
6	75		fine, slorg	"	Ash	5	0	0			
7	76		ash	"	"	0	0	5			
8	77		fine slorg	"	Clay	0	0	20			
9	78		hash	"	Horg	10	0	35			
14710	79		hash	"	Horg	0	0	0			

Anvil Mining Corporation Ltd.

AREA

Faro North Page 9

DATE

July 21 / 27, Aug 2

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
14711	160W 80N	3BL	fine, slorg	Slope	Ash	7	0	30			
2	81		fine sandy, stony	"	Horg	10	0	45			
3	82		hash	"	Ash	0	0	0			
4	83		fine, slash	"	"	5	0	25			
5	84		fine, slash	"	"	20	0	20			
6	85		fine, slash	"	Clay	0	0	20			
7	168W 80N		fine, slorg	"	Ash	0	2	35			
8	79		fine	"	Clay	10	5	65			
9	78		fine, slorg	"	Horg	0	0	5			
14720	77		fine, sl. stony	"	Clay	20	0	80			
1	76		slorg	"	"	10	0	35			
2	75		fine, stony	"	Ash	25	10	30			
3	74		slorg	"	Clay	2	0	25			
4	73		fine	"	Ash	30	0	65			
5	72		hash	"	Clay	5	0	20			
6	71		fine, slorg	"	Mud	50	0	65			
7	70		fine slash	"	Ash	0	0	40			
8	69		fine slorg	"	Ash	0	0	35			
9	68		slorg	"	Clay	10	0	40			
14730	67		slorg	"	Ash	5	0	30			

Anvil Mining Corporation Ltd.

AREA

Faro North Page 10

DATE

July 21 / 27

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
14731	168W 66N		fine	Slope	Clay	15	0	60			
2	65		hash	"	Ash	0	0	5			
3	64		hash	"	"	0	0	5			
4	63		slorg, slash	"	Horg	10	0	15			
5	62		fine, slorg	"	Clay	5	0	20			
6	61		fine, slorg	"	Horg	60	0	240			
7	60		fine	"	Ash	30	15	210			
8	59		hash	"	Clay	2	0	17			
9	58		slorg	"	Horg	10	0	12			
14740	57		slorg	"	Mud	20	0	50			
1	56		fine, slorg	"	Ash	15	0	30			
2	55		slash	"	"	7	0	15			
3	54		fine, slorg	"	"	30	10	75			
4	53		fine, slash	"	Clay	35	2	30			
5	52		fine, slorg	"	Ash	10	10	45			
6	51		fine	"	Clay	15	0	90			
7	50		slorg	"	Ash	0	0	15			
8	49		fine, slorg	"	Mud	25	2	35			
9	48		fine	"	Ash	0	0	40			
14750	47		slorg	"	"	5	0	20			

Anvil Mining Corporation Ltd.

AREA Faro North Page 11

DATE July 21/27

SAMPLE NUMBER	SAMPLE LOCATION	N.T.S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P.P.M.					
						Cu	Pb	Zn			
20001	136400W	NBL	fine	S. slope	Fair Ash	10	0	30			
2	136W 21N		fine	" slight	Red clay	20	0	45			
3	22N		fine	" "	Hash	0	0	20			
4	23N		fine	Level	Red Clay	5	0	40			
5	24N		fine	" valley	Black earth	0	0	7			
6	25N		Hash fine	S. slope	Red clay	10	0	30			
7	26N		fine, slash	"	Hash	20	5	30			
8	27N		fine, slash	"	Horg	10	0	20			
9	28N		fine	"	Gravel	5	0	30			
20010	29N		fine	Level	Red clay	0	0	20			
1	30N		fine	"	"	10	0	0			
2	31N		fine	N slope	Org Clay	5	0	17			
3	32N		fine	Level	Horg	0	17	40			
4	33N		fine, stony	S. slope	gravel	5	0	40			
5	34N		fine	SW	gravel	0	0	25			
6	35N		fine, stony	"	"	5	0	60			
7	36N		stony	W	"	15	0	40			
8	37N		fine, stony	S	" Red	10	2	45			
9	38N		clay	Level	Org Clay	5	0	40			
20020	39N		fine, v. stony	"	Gravel	10	0	65			

Anvil Mining Corporation Ltd.

AREA Faro North Page 12

DATE July 21

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
20021	136w 40N		hash	Level	Hash	0	0	0			
2	41N		fine	"	Org	15	2	40			
3	42N		ash	"	Hash	0	0	5			
4	43N		fine, slash	"	Horg	0	0	17			
5	44N		fine	S. slope	Black earth	5	0	40			
6	45N		Horg	"	" "	15	2	30			
7	46N		Slorg, slash	"	Hash	0	30	0			
8	47N		fine (slorg) loam	"	Horg	5	0	40			
9	48N		slorg	SW	Hash	5	0	10			
20030	49N		fine (slorg) slash loam	"	Horg	0	0	0			
1	50N		fine	"	Black clay	5	2	30			
2	51N		slorg	"	" "	10	10	90			
3	52N		fine	"	Fair org	5	0	15			
4	53N		hash	"	"	5	0	5			
5	54N		fine	"	"	0	0	17			
6	55N		hash	"	Hash	0	0	5			
7	56N		fine	"	Gravel clay	0	0	40			
8	57N		fine	"	Fair	5	0	70			
9	58N		fine	"	Org	10	0	60			
20040	59N		fine slash	"	Horg	5	0	10			

Anvil Mining Corporation Ltd.

AREA Faro North Page 13

DATE July 21/27, 28

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
20041	136W 60N		fine	W slope	Org	0	0	30			
2	61N		fine sandy	"	"	0	0	5			
3	62N		storg	SW.	"	15	0	45			
4	63N		fine, slash	S.	" flash	0	0	0			
5	64N		hash	"	"	5	0	7			
6	65N		fine, storg	"	"	0	0	5			
7	66N		fine	"	Hash	5	0	60			
8	67N		slash	SW.	"	20	0	15			
9	68N		fine	S.	Clay	0	0	30			
20050	69N		hash	"	Hash	0	0	7			
1	70N		fine, storg, slash	"	Org	0	0	0			
2	71N		hash	SW	Org	0	0	30			
3	72N		fine	"	Org	0	0	7			
4	73N		fine	W.	Good.	20	0	35			
5	74N		fine	"	Org	0	0	40			
6	75N		fine	"	Fair	0	10	30			
7	76N		fine	Level	Red Org	0	0	40			
8	77N		fine	"	Org, Ash	10	7	20			
9	78N		fine slash	W. Slope	"	0	0	30			
20060	79N		hash	"	flash	10	0	15			

Anvil Mining Corporation Ltd.

AREA Faro North Page 14

DATE July 21/27, 28

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
20061	136W 80N	(3311L 136W)	horg	W-slope	Black Earth	0	0	0			
2	81N		fine	"	Fair Org	0	0	7			
3	82N		fine, slorg	"	Horg	0	0	20			
4	83N		gravel	Level	Gravel	0	0	40			
5	84N		fine sandy (ash?)	"	Ash	0	0	5			
6	85N		slorg	W-slope	Bl. Earth	5	0	15			
7	86N		hash	NW	Hash	5	0	12			
8	87N		fine	"	Fair	0	0	25			
9	88N		fine	N.W.	Gravel	10	0	65			
20070	89N		fine	"	Org	5	0	15			
1	90N		fine, stony	Level	Gravel	75	30	50			
2	91N		fine	NW-slope	Red gravel	10	35	70			
3	92N		hash	"	Org Ash	0	0	0			
4	93N		fine, sl. stony	"	Gravel	15	10	65			
5	94N		fine	Level	Org	0	0	20			
6	95N		ash	NW.	Hash	0	0	0			
7	96N		fine	N. slope	Good	5	0	30			
8	97N		fine	"	Fair	0	0	30			
9	98N		slorg	"	Black earth	0	0	40			
20080	99N		slorg	"	Org	0	0	5			

Anvil Mining Corporation Ltd.

AREA Fato North Page 15

DATE July 21 / 27, 28

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
20081	136W 100N		hash	N slope	Hash	0	0	0			
2	101N		fine, sl. stony	Level	Org, gravel	10	0	65			
3	102N		fine	"	Horg.	5	0	40			
4	103N		fine	"	Org	10	0	90			
5	104N		fine	"	"	20	0	30			
6	105N		fine	SW. slope	Org	0	0	40			
7	106N		fine, slash	W.	Black earth	0	0	30			
8	107N		fine	Level	Org	0	0	40			
9	108N		ash	SW	Hash	10	0	10			
20090	109N		ash	W slope	"	10	0	12			
1	110N		fine	"	Org	0	0	5			
2	140W 35N	Northern extremity of line 140	fine	S. slope	gravel	15	0	90			
3	34N		fine, sl. Org, stony	Level	" , swampy	20	0	60			
4	33N		fine	N. slope	Gravel	0	0	90			
5	32N		fine	"	"	0	0	40			
6	31N		fine	Level	"	5	0	40			
7	30N		fine	"	"	5	0	30			
8	29N		fine	S slope	Black earth	20	0	40			
9	28N		fine	"	Red clay	10	0	35			
20100	27N		fine, slash	"	" "	0	0	30			

Anvil Mining Corporation Ltd.

AREA Faro North Page 16

DATE July 21/27, 28

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
20101	140W 26N		fine	S. slope	Red clay	0	0	30			
2	25N		fine, sl. stony	"	Fair "	0	0	40			
3	24N		fine, slorg	Level	Hard	0	0	5			
4	23N		fine	"	Fair clay	10	0	60			
5	22N		fine, v. stony	"	Gravel	20	5	55			
6	21N		hash	"	Hash	0	0	0			
7	20N		hash	"	Ash	10	0	10			
8	136W 19N		fine, stony	S-slope, sl.	Gravel	20	0	70			
4	18N		fine	"	Org Clay	5	0	60			
20110	17N		fine	"	Red "	20	0	70			
1	16N		fine	"	Gravel	25	0	95			
2	15N		fine, slash	"	"	0	0	12			
3	14N		hash	"	Hash	0	0	0			
4	13N		fine, stony	"	Red Gravel	5	0	60			
5	12N		fine	"	" Clay	5	0	17			
6	11N		fine	"	Fair "	0	0	90			
7	10N		fine, stony	"	Good "	20	2	35			
8	9N		fine	"	" Clay	0	0	0			
9	8N		fine stony	"	Gravel	10	0	50			
20120	7N		fine, sl. stony	"	Good "	5	17	65			

Anvil Mining Corporation Ltd.

AREA Faro North Page 17

DATE July 21/31

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
20121	136w 6N		wash	S. slope	H.O. Ash	5	0	17			
2	5N		fine	"	Fair Clay	10	30	60			
3	4N		fine sandy, stony	"	Gravel	20	3	55			
4	3N		stony	"	Black Earth	5	0	40			
5	2N		fine	"	Good Clay	0	0	0			
6	1N		fine	"	Fair	20	15	60			
7	136w 6N		stony	"	Black Earth	0	0	35			
8	104w 20N		fine	Level	Fair Clay	10	0	80			
9	21N		wash	"	" "	0	0	5			
20130	22N		fine, slash	"	" "	2	2	35			
1	23N		Slash	"	H.O. Ash	2	0	17			
2	24N		fine sandy, st. stony	"	Gravel	20	0	60			
3	25N		fine	"	Good Clay	20	10	20			
4	26N		fine, stony	"	Black Earth	5	0	7			
5	27N		fine sandy, stony	St. S. Slope	Gravel	20	30	60			
6	28N		fine	Level	Org	15	0	70			
7	29N		fine, slash	Level	Fair Ash	35	20	70			
8	30N		fine, stony	"	Gravel	35	30	70			
9	31N		fine, stony	"	H.O. gravel	20	10	90			
20140	32N		fine	St. S. Slope	Fair Clay	0	0	35			

July 21
28
↓

Anvil Mining Corporation Ltd.

AREA Faro North Page 18

DATE July 23/27, 31

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
20141	104W 33N		fine	S. slope	Gravel	20	10	60			
2	34N		fine	"	Org. gravel	20	0	60			
3	35N		fine	" sl.	"	20	0	60			
4	36N		fine, stony	"	"	20	0	60			
5	37N		fine	Level	Org.	15	0	60			
6	38N		fine	S.E.	Hard	0	0	30			
7	39N		fine, slash	"	Hash	20	0	20			
8	40N		fine, sl. stony	"	Gravel	0	0	40			
9	41N		fine, stony	"	Fine Clay	10	5	12			
20150	42N		fine	E	Good "	15	25	60			
July 24 1	72W 81N		fine, stony	Level	Clay	2	0	40			
2	82N		hash	"	"	0	0	0			
3	83N		fine	"	"	10	0	60			
4	84N		fine	"	"	0	0	70			
5	85N		fine	"	"	5	0	50			
6	86N		fine	"	"	2	0	30			
7	87N		fine	"	"	2	0	60			
8	88N		fine sandy, stony	"	"	5	0	70			
9	89N		fine	"	"	0	0	40			
20160	90N		fine	"	"	5	0	60			

Anvil Mining Corporation Ltd.

AREA Faro North Page 19

DATE July 24 / 27, 28

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
20161	72w 91N		fine	Level	Clay	2	0	40			
2	92N		fine	"	"	0	0	40			
3	93N		fine	"	"	2	0	40			
4	94N		hash	"	"	0	0	0			
5	95N		fine	"	"	10	0	20			
6	80N		fine	"	"	0	0	25			
7	79N		hash	"	"	2	0	0			
8	78N		slash	"	"	2	0	35			
9	77N		fine	"	"	0	0	17			
20170	76N		fine, slash	"	"	0	0	30			
1	75N		fine	"	"	10	0	70			
2	74N		fine	"	"	0	0	40			
3	73N		fine	"	"	10	0	30			
4	72N		fine	"	"	2	0	40			
5	71N		hash	"	"	0	0	20			
6	70N		fine	"	"	5	0	30			
7	69N		fine	"	"	0	0	40			
8	68N		fine	"	"	5	0	35			
9	67N		fine, slorg	"	"	0	0	20			
20180	66N		fine	SSlope	"	0	0	60			

Anvil Mining Corporation Ltd.

AREA Faro North Page 20

DATE July 24/27/28

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
20181	72W 65N		fine, slorg	S. slope	Clay	10	0	70			
2	64N		slorg	"	"	0	0	25			
3	63N		fine, slorg	"	"	10	0	17			
4	62N		hash	"	"	0	0	17			
5	61N		fine, slorg	"	"	2	0	50			
6	60N		fine	"	"	10	0	70			
7	59N		slash, slorg	"	" , Ash	10	0	40			
8	58N		fine	"	"	10	0	60			
9	57N		Clay, sl. slorg	"	"	10	0	90			
20190	56N		slorg	"	"	0	0	30			
1	55N		slorg	"	"	2	0	60			
2	54N		slorg	"	"	5	0	50			
3	53N		slorg	"	"	2	0	50			
4	52N		slash	"	Ash	0	0	7			
5	51N		fine, slash, slorg	"	Clay	0	0	50			
6	50N		slorg	"	"	2	0	7			
7	49N		fine	"	"	2	0	40			
8	48N		hash, slorg	"	" , Ash	0	0	0			
9	47N		slorg	"	"	0	0	40			
20200	46N		slorg	"	Heavy Ash	2	0	35			

Anvil Mining Corporation Ltd.

AREA

Faro North Page 21

DATE

July 21/27, Aug 2

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
20201	168w 46N		fine, slash	Slope	Ash	20	0	40			
2	45N		fine	"	Clay	20	0	60			
3	44N		fine slash	"	Ash	5	0	20			
4	43N		fine	"	Clay	10	0	60			
5	42N		fine	"	Ash	20	0	25			
6	41N		fine	"	Clay	2	0	15			
7	40N		hash	"	Ash	5	0	15			
8	39N		fine, slorg	"	Clay	20	0	25			
9	38N		fine loam	"	"	5	0	50			
20210	37N		hash, slorg	"	"	0	0	15			
1	36N	← ?	hash	"	Ash	0	0	0			
2	36N	← "	hash	"	Horng	0	0	20			
3	35		fine	"	"	20	0	50			
4	34		fine sandy	"	Ash	10	0	50			
5	33		fine	"	Clay	10	0	60			
6	32		fine	"	"	25	3	50			
7	31		fine slorg	"	Ash	10	3	60			
8	30		fine	"	"	10	0	40			
9			hash	"	"	2	0	0			
20220			fine slorg	"	"	0	0	7			

Anvil Mining Corporation Ltd.

AREA Faro North Page 22

DATE July 21, 23/27, 28, 29, 31

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
20221	168W 27		slorg	Slope	Ash	15	3	35			
2			fine, slash	"	"	20	0	40			
3	25		fine	"	"	15	0	75			
4	24		fine	"	"	20	0	85			
5	23		hash	"	"	10	0	10			
6	22		hash	"	"	10	0	15			
7	21		hash	"	"	7	0	15			
23	20251	172W 20N	fine, slash	S. Slope	Ash	35	5	70			
2	21		fine loam	"	Clay	35	0	70			
3	22		fine loam	"	Gravel	40	0	55			
4	23		No Sample	Creek	—	—	—	—			
5	24		fine, slash	S. Slope	Horg	10	0	20			
6	25		fine, slash, v. stony	"	Ash	40	2	55			
7	26		hash	"	Ash	30	0	70			
8	27		ash	"	"	2	0	7			
9	28		fine loam	"	Clay	35	0	50			
20260	29		fine, v. stony	"	" good	15	0	60			

Anvil Mining Corporation Ltd.

AREA Faro North Page 23

DATE July 23 / 29 / 31

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
20261	L172, 30N		fine	S. slope	Ash	20	0	30			
2	31		fine	"	Horg	30	0	70			
3	32		fine	"	Ash	35	0	75			
4	33		fine, storg	"	Horg	5	0	40			
5	34		fine	"	Clay	25	0	60			
6	35		fine, slash	"	Horg	20	0	25			
7	176 20N		fine, slash	"	Ash	0	0	25			
8	21N		fine, storg	"	Horg	20	5	40			
9	22		storg	"	"	10	5	40			
20270	23		fine, stony	"	Ash	20	0	45			
1	24		fine, storg	"	"	30	0	40			
2	25		fine, v. stony	"	Horg	30	0	30			
3	26		fine, storg	"	"	25	0	45			
4	27		fine storg	"	Clay	25	0	50			
5	28		fine, slash, storg	"	Ash	20	0	20			
6	29		fine, slash, storg	"	Horg	25	0	17			
7	30		fine storg	"	"	15	10	75			
8	31N		fine	"	Ash	20	0	15			
9	32		squad- stony	"	"	25	5	70			
20280	33		fine sandy	"	"	25	0	40			

Anvil Mining Corporation Ltd.

AREA Faro North Page 24

DATE July 23/29

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
20281	176W, 34N		fine, slash	South slope	Ash	15	0	35			
2	35		ash	"	"	2	0	10			
3	36		fine sandy	"	"	35	5	50			
4	37		hash	"	"	4	0	15			
5	38		horg	"	"	10	0	20			
6	39		storg	"	Horg	15	0	20			
7	40		fine	"	Ash	30	5	35			
8	41		fine, stony	"	"	10	0	30			
4	42		fine, slash	"	Horg	20	0	35			
20290	43		fine, storg	"	Clay	10	0	35			
1	44		storg	"	"	20	0	40			
2	45		horg	"	"	15	0	20			
3	46		fine	"	Ash	20	0	35			
4	47		fine	"	Horg	25	0	35			
5	48		fine	"	Ash	6	0	35			
6	49		fine, stony	"	Horg	35	2	45			
7	50		fine, storg	"	Ash	25	0	40			
8	51		storg	"	"	30	3	45			
9	52		slash, storg	"	Horg	10	0	35			
20300	53		fine	"	Ash	40	8	40			

Anvil Mining Corporation Ltd.

AREA Faro North Page 25

DATE - July 23? / 28

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
20301	144W 67N		hash	Level	Ash, P.F.	0	3	20			
2	68		fine slash	"	F. good	20	1	25			
3	69		fine slash	"	"	10	0	15			
4	70		fine, slorg	W. Slope	"	2	10	35			
5	71		fine	"	"	25	2	60			
6	72		fine, sl. slorg	"	"	15	5	40			
7	73		fine	"	"	20	0	80			
8	74		slorg	"	Clay, rock	15	8	65			
9	75		fine, slorg	"	Good	15	5	25			
20310	76		fine, slorg	"	"	0	0	15			
1	77		fine, slorg	"	"	15	2	40			
2	78		fine	North	"	20	5	40			
3	79		fine	"	"	5	0	20			
4	80		fine	N.W.	"	15	5	40			
5	81		Slash	W	F. good, Ash	5	0	40			
6	82		slorg	"	Black	20	5	35			
7	83		fine slash, slorg	"	Ash	5	3	40			
8	84		fine, slash	"	Clay	25	10	40			
9	85		fine, hash	N.W.	Ash	10	0	15			
20320	86		Slash, slorg	"	"	10	0	10			

Anvil Mining Corporation Ltd.

AREA Faro North Page 26

DATE July 23? / 28

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
20321	144W 87N		Fine	NW slope	Good	20	5	60			
2	88		Fine	"	"	10	2	70			
3	89		Fine, slash	"	Clay	15	2	15			
4	90		Fine slash	"	" , Ashy	5	0	35			
5	91		Fine sandy	"	Good	20	8	80			
6	92		hash	"	Clay	0	0	5			
7	93		Fine	"	"	10	5	40			
8	94		Fine	"	"	15	10	90			
9	95		Fine (stony)	"	Good	20	5	50			
20330	96		Fine	"	Black, Ash	20	1	35			
1	97		ash	"	"	0	0	5			
2	98		Fine	"	Good	15	10	70			
3	99		Fine slash	"	Clay	20	7	30			
4	100		Fine	"	"	10	3	35			
5	101		Fine slash	"	Ash	2	0	15			
6	102		Fine	"	Clay	10	0	25			
7	103		Fine	"	"	20	5	40			
8	104		Fine slash	"	Good	30	12	65			
9	105		Fine	"	"	15	5	25			
20340	106		Fine stony	"	"	0	5	60			

Anvil Mining Corporation Ltd.

AREA Faro North Page 27

DATE July 23rd / 27, 28

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.				
						Cu	Pb	Zn		
20341	144W 107N		fine, sl. stony	N.W. slope	Clay	20	12	65		
2	108		fine stony	"	Good	25	2	70		
3	109		fine	"	Clay	25	8	40		
4	110		fine sandy, sl. stony	"	"	10	0	70		
<hr/>										
20351	152W 23N		fine	North slope	Good	25	10	55		
2	22N		fine	"	"	15	0	55		
3	21N		fine stony	Level	"	40	10	75		
4	20		fine	"	"	25	10	60		
5	144W 21N		fine	"	"	15	0	40		
6	22		fine	"	Clay	20	7	20		
7	23		fine	N. slope	Good	10	2	35		
8	24		fine	"	Clay	5	0	40		
9	25		fine	South	Good	15	3	50		
20360	26		stony	North	Heavy	15	2	15		

Anvil Mining Corporation Ltd.

AREA

Faro North Page 28

DATE

July 23rd / 28

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
20361	144W 27N		fine	North Slope	Good.	10	0	50			
2	28		fine	South	"	25	3	45			
3	29		fine	"	" , clay	15	0	65			
4	30		fine sandy, sl. stony	"	"	25	0	45			
5	31		fine	Level	"	30	0	75			
6	32		fine	North	"	20	2	35			
7	33		fine	"	"	20	10	40			
8	34		fine, sl. stony	"	"	10	0	50			
9	35		fine, stony	"	Clay	0	0	10			
20370	36		fine stony	"	"	15	0	35			
1	37		stony	South	Heavy	10	0	35			
2	38		stony	"	"	0	2	10			
3	39		fine sandy, stony	"	Good	20	7	50			
4	40		stony	"	Heavy	15	7	40			
5	41		fine sandy, stony	"	Good	25	25	40			
6	42		fine, stony	"	Heavy	10	2	45			
7	43		stony	"	F good	15	0	30			
8	44		fine slash, stony	"	Good	5	10	30			
9	45		fine, stony	W. Slope	Heavy	10	0	5			
20380	46		fine	"	Good, clay	20	8	50			

Anvil Mining Corporation Ltd.

AREA Faro North Page 29

DATE July 23rd / 28

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
20381	144W 47N		slorg	West slope	Horg	20	0	50			
2	48		fine, slorg	"	F-good	15	7	60			
3	49		fine, slorg	"	" "	25	7	60			
4	50		slorg	S.W	Horg	25	7	75			
5	51		fine slorg	South	"	5	12	70			
6	52		slorg	"	Clay	10	5	40			
7	53		fine slorg	"	Ashy	5	0	10			
8	54		fine, slash	"	Clay	0	1	30			
9	55		fine	"	Good	30	5	45			
20390	56		fine, slorg, slash	"	Ashy-clay	15	0	40			
1	57		fine	"	Good	15	3	50			
2	58		fine, slash, slorg	"	Clay	5	0	40			
3	59		fine, slorg	"	"	20	3	60			
4	60		fine, slorg	"	Horg	5	10	40			
5	61		horg	"	Black	20	0	10			
6	62		fine sandy, sl. stony	"	Clay	10	10	65			
7	63		fine	"	"	25	10	45			
8	64		fine, slash	"	Good	20	1	40			
9	65		fine	"	" , clay	20	1	45			
20400	66		fine	"	"	25	3	40			

Anvil Mining Corporation Ltd.

AREA Faro North.

Page 30

DATE July 23 / 24

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
20401	NBL128W57N		slorg	South slope	Clay	2	0	60			
2	50N		hash	"	" Ash	0	0	0			
3	49N		fine	"	"	0	0	30			
4	48N		fine	"	"	5	0	120			
5	47N		slorg	"	"	0	0	30			
6	46N		slash	"	"	0	0	0			
7	45N		hash	"	" Ash	0	0	0			
8	44N		fine	"	"	10	0	40			
9	43N		fine, slash	"	"	0	0	40			
20410	42N		fine, stony	"	"	10	0	40			
7	41N		ash	"	" Ash	0	0	0			
2	40N		slorg, slash	"	" "	0	0	20			
3	39N		fine, sl. stony	"	"	0	0	25			
4	38N		fine	"	"	0	0	30			
5	37N		slash	"	"	5	0	40			
6	36N		fine	"	"	10	10	60			
7	35N		fine	"	"	10	0	30			
8	34N		fine	"	"	0	0	40			
9	33N		fine	"	"	0	0	5			
20420	32N		fine, sl. stony	"	"	10	0	30			

Anvil Mining Corporation Ltd.

AREA Faro North Page 31

DATE June 21, 23 / 24 / 31

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
20421	128W 31N		fine	South Slope	Clay	0	0	30			
2	30N		fine	"	"	0	0	120			
3	24N		fine	"	"	0	0	30			
4	28N		fine, slash	"	"	0	0	30			
5	27N		fine	"	"	5	0	40			
6	26N		fine, stony	"	"	0	0	70			
7	25N		fine slash	"	"	5	0	0			
8	24N		fine stony	"	"	5	0	40			
9	23N		fine, stony	"	"	0	0	0			
20430	22N		fine, sl. stony	"	"	5	0	30			
1	21N		fine, sl. stony	"	"	0	0	30			
2	20N		fine	"	"	0	0	17			
3	88W 60N		fine, stony	Level	"	15	0	30			
4	61N		fine, loam	"	"	5	0	40			
5	62N		fine	"	"	5	0	40			
6	63N		fine	"	"	30	0	40			
7	64N		fine, stony	"	"	20	0	25			
8	65N		fine	"	"	25	8	70			
9	66N		hash	"	"	5	0	5			
20440	67N		fine	"	"	20	0	35			

Anvil Mining Corporation Ltd.

AREA Faro North Page 32

DATE 1 July 31

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
20441	88W 68N		Fine, slash	Level	Clay, Ash	5	0	0			
2	69N		hash	S slope	" "	0	0	5			
3	70N		fine, slash	"	"	2	0	0			
4	71N		fine	"	"	20	0	35			
5	72N		fine, slash	"	"	20	0	35			
6	73N		fine	"	"	20	0	35			
7	74N		fine	"	-	15	0	35			
8	75N		fine (very stony)	"	-	0	0	40			
9	76N		fine	"	Clay	10	3	30			
20450	77N		fine	"	"	5	0	50			
1	120W 20N		fine, clay	"	"	5	0	70			
2	21N		fine, slash	"	"	10	0	35			
3	22N		fine	"	"	10	0	80			
4	23N		fine	"	"	5	0	40			
5	24N		slash	"	"	5	0	20			
6	25N		fine, slash	"	"	0	0	12			
7	26N		fine, sl. stony	"	"	5	0	40			
8	27N		stony fine, sl. stony	"	"	20	0	65			
9	28N		fine, sl. stony	"	"	0	0	65			
20460	29N		fine, stony slash	"	"	0	0	0			

Anvil Mining Corporation Ltd.

AREA Faro North Page 33

DATE July 24

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
20461	120w 30N		fine, slash	South Slope	Clay	0	0	20			
2	31N		fine	"	"	10	0	30			
3	32N		fine, slash	"	"	10	0	60			
4	33N		fine	"	"	0	0	60			
5	34N		hash	"	"	0	0	0			
6	35N		fine, slash	Level	"	10	0	80			
7	36N		fine	"	"	5	0	35			
8	37N		fine, clay	"	"	5	0	40			
9	38N		stony	S. Sl.	"	0	0	70			
20470	39N		fine, hash	"	Clay	5	0	12			
1	40N		fine sandy, sl. stony	"	"	20	0	80			
2	41N		hash	"	" Ash	0	0	5			
3	42N		hash	"	" "	10	0	5			
4	43N		fine sandy	"	"	15	0	40			
5	44N		clay	"	"	0	0	50			
6	45N		fine	"	"	5	0	70			
7	46N		fine sandy, stony	"	"	20	17	65			
8	47N		fine	"	"	20	0	85			
9	48N		fine, sl. stony	"	"	5	0	160			
20480	49N		fine	"	"	5	0	90			

Anvil Mining Corporation Ltd.

AREA Faro North Page 34

DATE July 21, 23, /24

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
20481	120W 50N		fine	South. Slope	Clay	10	0	80	✓		
2	51N		fine	"	"	5	0	70			
3	52N		stony	"	"	0	0	20			
4	53N		fine	"	"	10	0	90	✓		
5	54N		fine, slash	"	"	0	0	0	✓		
6	55N		stony	"	"	5	30	95	✓		
7	56N		fine	"	"	0	0	30	✓		
8	57N		fine	"	"	10	37	70	✓		
9	58N		fine	"	"	5	0	70	✓		
20490	59N		fine	"	"	0	0	40			
1	60N		fine, sl. stony	"	"	0	0	40			
2	61N		fine	"	"	0	0	65			
3	62N		stony, slash	"	"	0	0	20			
4	63N		fine	"	"	0	35	140			
5	64N		fine	"	"	0	17	40			
6	65N		fine	"	"	0	0	35			
7	66N		fine	"	"	0	0	30			
8	67N		fine, stony	"	"	0	0	70			
9	68N		fine stony	"	"	0	0	60			
20500	69N		fine	"	"	0	0	40			

Anvil Mining Corporation Ltd.

AREA Faro North Page 35

DATE July 21/24

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
20501	128W 106N		fine, v. stony	Level	Clay	0	0	5			
2	107N		slash	"	"	5	0	7			
3	108N		fine	"	"	0	0	20			
4	109N		fine, slorg	"	"	0	0	12			
5	110N		fine, slash	"	"	5	0	5			
6	96N		fine, slash	"	"	30	5	70			
7	95N		fine, slash	N. slope	"	0	0	0			
8	94N		fine	"	"	0	0	40			
9	93N		fine	"	"	0	0	20			
20510	92N		fine, v. stony	"	"	0	0	30			
1	91N		fine	"	"	5	0	40			
2	90N		fine	"	"	0	0	40			
3	89N		slorg	"	"	0	0	30			
4	88N		fine	"	"	15	0	45			
5	87N		fine, slash	"	"	0	0	20			
6	86N		v. stony	"	"	5	0	60			
7	85N		slorg	"	"	0	0	40			
8	84N		fine	"	"	0	0	20			
9	83N		fine, slash	"	"	0	0	12			
20520	82N		fine	"	"	0	0	30			

Anvil Mining Corporation Ltd.

AREA Faro North Page 36

DATE July 21/24

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
20521	128W 81N	NBL	fine, slog	N. slope	Clay	20	0	65			
2	80N		fine, slash	"	"	0	0	17			
3	79N		slash, fine	"	"	15	0	35			
4	78N		fine	Level	"	5	0	30			
5	77N		fine	"	"	5	0	20			
6	76N		hash	"	" , Ash	0	0	0			
7	75N		fine	"	"	0	0	30			
8	74N		fine	"	"	0	0	90			
9	73N		fine	"	"	10	30	35			
20530	72N		fine, sl. stony	"	"	0	0	60			
1	71N		fine	South Slope	"	0	0	20			
2	70N		fine, stony	Level	"	0	0	17			
3	69N		hash	"	"	0	0	0			
4	68N		slash	N. slope	"	0	0	0			
5	67N		fine	"	"	5	0	35			
6	66N		slog	"	"	15	0	35			
7	65N		fine	Level	"	10	0	70			
8	64N		fine, sl. stony	"	"	0	0	40			
9	63N		fine	"	"	0	0	20			
20540	62N		fine	S. slope	"	0	5	60			

Anvil Mining Corporation Ltd.

AREA Faro North Page 37

DATE July 21

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
20541	128 W 61N	UBL	fine	South Slope	Clay	10	10	55			
2	60N		slush, slorg	"	"	0	0	40			
3	59N		fine, slorg	"	"	0	0	30			
4	58N		No Sample	"	-	-	-	-			
5	57N		fine, slush	"	"	0	0	5			
6	56N		hash	"	Clay, Ash	0	0	0			
7	55N		slorg	"	" , Horg	0	0	0			
8	54N		slorg	"	" "	5	0	60			
9	53N		slorg	"	"	0	0	20			
20550	52N		slorg	"	"	0	0	60			
1	120W 70N		fine	"	"	5	0	25			
2	71N		fine	"	"	5	0	30			
3	72N		fine	"	"	0	0	50			
4	73N		fine stony	"	"	0	0	70			
5	74N		fine	"	"	10	0	75			
6	75N		No Sample	Level	-	-	-	-			
7	76N		fine	"	Clay	0	0	35			
8	77N		fine, sl. stony	N. slope	"	5	0	65			
9	78N		fine	"	"	20	0	90			
20560	74N		fine	"	"	0	0	30			

Anvil Mining Corporation Ltd.

AREA Faro North Page 38

DATE July 21/24

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
20561	120W 80N		fine	North Slope	Clay	0	0	40			
2	81N		fine stony	"	"	0	0	70			
3	82N		fine, slash	"	"	5	0	65			
4	83N		fine	"	"	10	0	65			
5	84N		fine, st. stony	"	"	5	0	50			
6	85N		fine	"	"	0	0	60			
7	86N		fine	"	"	5	0	17			
8	87N		slash	W	"	0	0	40			
9	88N		fine stony, (gritly)	"	"	0	0	40			
20570	89N		fine, stony	N	"	5	0	60			
1	90N		fine, hash	"	"	0	0	40			
2	91N		fine	Level	"	5	0	40			
3	92N		fine	"	"	0	0	35			
4	93N		hash	"	"	0	0	20			
5	94N		fine	"	"	0	0	30			
6	95N		fine	"	"	5	30	85			
7	96N		fine	"	"	0	10	85			
8	97N		fine	"	"	0	0	40			
9	98N		fine	"	"	0	0	50			
20580	99N		fine	"	"	0	0	35			

Anvil Mining Corporation Ltd.

AREA Faro North Page 39

DATE July 21/24

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
20581	120W 100N	NBL	fine, clay	Level	Clay	5	32	50			
2	101N		fine, slash	"	" , Ash	0	0	5			
3	102N		fine	"	"	5	0	40			
4	103N		fine	"	"	0	0	40			
5	104N		fine sandy, v-stony	"	"	0	0	40			
6	105N		fine	"	"	0	0	60			
7	106N		fine, sl stony	"	"	0	0	40			
8	107N		fine	"	"	0	0	40			
9	108N		fine, storg	"	"	0	0	60			
20590	109N		fine	"	"	0	0	20			
1	110N		stony	"	"	0	0	80			
2	128W 97N	NBL	fine	"	"	0	0	50			
3	98N	Redone	slash	"	"	20	0	10			
4	99N		fine	"	"	0	0	35			
5	100N		fine	"	"	5	0	30			
6	101N		fine	"	"	0	0	40			
7	102N		fine	"	"	0	0	20			
8	103N		fine, sl stony	"	"	0	0	60			
9	104N		fine, sl stony	"	"	0	0	60			
20600	105N		fine, storg	"	"	10	0	40			

Anvil Mining Corporation Ltd.

AREA Faro North Page 40

DATE July 23/29, 31

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
20601	88W 78N	NBL	fine	South Slope	Clay	35	5	30			
2	79N		fine	"	"	20	0	40			
3	80N		fine, slash	"	"	0	0	15			
4	81N		fine	"	"	2	0	30			
5	82N		slash	SE	"	25	0	10			
6	83N		fine	"	"	10	0	25			
7	84N		fine	"	"	20	0	45			
8	85N		fine	NE	"	15	0	40			
9	86N		fine	N	"	20	5	40			
20610	87N		fine, slash	Level	"	5	13	15			
1	88N		fine	"	" , long	25	0	20			
2	89N		slorg, fine	"	" "	15	0	35			
3	90N		fine	"	"	5	0	10			
4	91N		fine, slorg	"	"	5	0	40			
5	92N		fine	"	"	5	10	20			
6	93N		fine, slash	"	"	2	0	10			
7	94N		fine, slash	"	"	5	3	15			
8	95N		hash	"	"	0	0	0			
9	96N		fine, slash	"	"	15	0	10			
20620	97N		fine, slorg	"	" long	10	0	50			

Anvil Mining Corporation Ltd.

AREA Faro North Page 42

DATE July 23/29

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
20641	80W 79N	NBL	hash	South Slope	Clay	25	0	10			
2	78N		fine	"	"	20	3	80			
3	77N		fine	"	"	15	3	35			
4	76N		fine, slash, stony	"	"	5	0	15			
5	75N		fine, slash	"	—	15	0	30			
6	74N		slash	"	Clay, Ash	5	3	15			
7	73N		fine	"	"	30	0	25			
8	72N		fine	"	"	10	0	20			
9	71N		fine	"	"	10	3	30			
20650	70N		fine, stony	"	Horg.	20	0	35			
1	164 29N		fine, sl. stony	"	Clay	20	5	65			
2	28N		fine clay, sl. stony	Level	"	5	0	70			
3	27N		fine	S. slope	"	0	0	30			
4	26N		fine	"	"	20	0	45			
5	25N		ash	Level	Ash	2	0	5			
6	24N		ash	Ash Level	Ash	2	2	10			
7	23N		fine sandy	S. slope	"	25	0	30			
8	22N		fine, sl. stony	"	Clay	5	0	70			
9	21N		fine	Level	"	25	7	45			
20660	20N		ash	"	Ash	0	0	12			

↑
23
21
↓

Anvil Mining Corporation Ltd.

AREA

Faro North Page 43

DATE

July 21 / Aug 1

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
20661	88W 20N	UBL	fine	South slope	Clay	0	0	70			
2	21N		hash	"	" Ash	0	0	0			
3	22N		fine, slightly stoney	"	"	0	0	80			
4	23N		fine, stoney	"	"	0	0	40			
5	24N		fine	"	"	5	0	70			
6	25N		hash	"	" Ash	5	0	0			
7	26N		fine	"	"	0	0	80			
8	27N		fine, slash	"	"	25	35	90			
9	28N		fine clay	"	"	15	0	35			
20670	29N		fine, slash	"	"	0	0	60			
1	30N		fine, stoney	"	"	0	0	70			
2	31N		fine	"	"	2	0	60			
3	32N		fine	"	"	0	0	30			
4	33N		ash	"	"	0	0	0			
5	34N		fine, stoney	"	"	2	0	50			
6	35N		hash	"	" Ash	0	0	0			
7	36N		fine	"	" "	2	0	70			
8	37N		ash	"	" "	0	0	5			
9	38N		fine	"	"	0	0	60			
20680	39N		hash	"	"	2	0	0			

Anvil Mining Corporation Ltd.

AREA Faro North Page 44

DATE July 21/24, 31 Aug 1, 2

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
20681	88W 40N	NBL	fine, storg	South Slope	Clay	0	0	40			
2	41N		fine, stony	"	"	40	40	180			
3	42N		fine slash, storg	"	"	0	0	35			
4	43N		fine	"	"	20	0	50			
5	44N		stoney	"	"	0	5	60			
6	45N		storg	"	" , horg	5	0	5			
7	46N		stoney storg	"	" , horg	2	0	60			
8	47N		stoney storg	"	" "	0	0	35			
9	48N		ash	"	" , Ash	0	0	0			
20690	49N		fine	"	"	2	0	90			
1	50N		fine storg	"	" Rocky	0	0	50			
2	51N		storg	"	Horg	2	0	20			
3	52N		fine	"	Clay	50	12	85			
4	53N		slash	"	"	30	5	65			
5	54N		fine	"	"	20	3	85			
6	55N		fine	"	-	20	35	60			
7	56N		fine	"	Clay	0	0	7			
8	57N		fine	"	-	0	0	40			
9	58N		hash	Level	Clay	30	5	70			
20700	59N		fine	"	"	2	0	35			

Anvil Mining Corporation Ltd.

AREA

Faro North Page 45

DATE

July 21 / 24

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
20701	156W 69N		hash	Level	Ash	0	0	7			
2	70N		hash	"	"	5	2	10			
3	71N		horg	"	Horg	5	2	20			
4	72N		fine	"	Clay	20	1	70			
5	73N		hash	"	Ash	0	1	25			
6	74N		fine	"	Clay	20	7	90			
7	75N		hash	"	"	0	1	10			
8	76N		hash	"	Ash	2	1	12			
9	77N		fine, slash	"	"	10	0	25			
20710	164W 70N		hash	"	"	5	0	5			
1	69N		fine, storg	"	Horg	10	0	40			
2	68N		fine sandy, sl. stony	"	Org	15	2	45			
3	67N		hash	"	Ash	0	0	7			
4	66N		fine	"	Horg	25	2	50			
5	65N		fine	"	"	10	1	35			
6	64N		fine	"	Clay	10	0	30			
7	63N		fine, sl. stony	"	" , rocky	10	0	140			
8	62N		hash	"	Ash, horg	0	0	5			
9	61N		storg	"	Horg	5	0	40			
20720	60N		horg	"	"	10	5	60			

Anvil Mining Corporation Ltd.

AREA Faro North. Page 46

DATE July 21 / 24

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
20721	164 59N		fine, storg	Level	Ash	0	0	30			
2	58N		fine	"	Clay	20	3	65			
3	57N		hash	"	Ash	10	0	15			
4	56N		hash	"	"	0	0	5			
5	55N		hash	"	"	0	1	12			
6	54N		horg	"	Horg	20	1	7			
7	53N		fine	"	Ash	5	0	40			
8	52N		fine, storg	"	Horg	10	20	60			
9	51N		fine	"	Clay	10	17	45			
20730	50N		fine	N slope	" horg	15	12	75			
1	49N		storg	Level	"	10	0	35			
2	48N		fine	"	Clay, "	10	5	30			
3	47N		fine	"	"	5	2	25			
4	46N		fine	"	"	10	27	70			
5	45N		fine, slash	"	" , Rocky	35	0	50			
6	44N		fine, stony	"	"	10	0	20			
7	43N		fine sandy	"	"	0	0	35			
8	42N		fine loam	"	"	10	2	35			
9	41N		fine clay	"	"	0	0	40			
20740	40N		fine	"	v	5	0	40			

Anvil Mining Corporation Ltd.

AREA Faro North

Page 47

DATE July 21 / 24

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
20741	164 39N		fine	Level	Clay	20	2	55			
2	38N		fine	N. slope	"	15	2	65			
3	37N		fine, sl. stony	"	"	45	4	60			
4	36N		fine	"	"	0	0	60			
5	35N		fine	"	"	60	0	65			
6	34N		fine	"	"	25	2	45			
7	33N		fine	"	"	30	1	80			
8	32N		fine	"	"	5	0	30			
9	31N		fine, sl. sh	"	"	5	0	40			
20750	30N		fine clay	"	"	0	0	50			
1	156W 0N	NBL	fine	Level	Ash	10	0	75			
2	1N		fine sandy	"	"	10	0	80			
3	2N		fine	"	Clay	5	0	65			
4	3N		fine	"	Ash	20	0	30			
5	4N		hash	"	"	0	0	12			
6	5N		fine	"	"	0	0	30			
7	6N		fine	"	"	10	0	30			
8	7N		hash	"	"	0	0	0			
9	8N		hash	"	"	0	0	0			
20760	9N		hash	"	"	0	0	5			

Anvil Mining Corporation Ltd.

AREA

Faro North Page 48

DATE

July 21 / 24, 25

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
20761	156W 10N	NBL	wash	S. slope	Ash	0	0	0			
2	11N		ash	Level	"	0	0	7			
3	12N		fine	"	"	10	0	60			
4	13N		slorg	"	Horq	0	0	50			
5	14N		fine	"	Ash	5	0	60			
6	15N		fine	"	Horq	0	0	60			
7	16N		slorg	"	"	5	0	20			
8	17N		fine	"	" , Clay	5	0	40			
9	18N		slorg	"	"	0	0	40			
20770	19N		fine	"	" , Ash	5	0	50			
1	40N		slash, slorg	N. slope	" , Ash	5	0	7			
2	41N		fine	"	" "	0	0	25			
3	42N		fine	"	Clay	15	0	70			
4	43N		slorg	"	Horq	0	0	12			
5	44N		slash	"	Ash	0	0	30			
6	45N		wash	"	"	0	0	30			
7	46N		wash	"	"	0	0	5			
8	47N		fine	"	Clay	0	0	75			
9	48N		ash	S.	Ash	0	0	5			
20780	49N		wash	Level	"	5	0	5			

Anvil Mining Corporation Ltd.

AREA Faro North Page 49

DATE July 21 / 24, 25

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
20781	156W 50N	NBL	fine	Level	Horg	5	0	12			
2	51N		hash	"	Ash	10	0	8			
3	52N	← ?	hash	"	"	2	2	5			
4	52	←	ash	"	"	5	0	10			
5	53		hash	"	"	5	0	17			
6	54		fine	N slope	Clay	20	2	15			
7	55		fine	"	"	30	2	65			
8	56		storg	"	Horg	10	0	35			
9	57		hash	Level	Ash	0	0	7			
20790	58		fine slash, storg	N slope	Horg	5	0	12			
1	"		fine	"	"	0	0	5			
2	60		hash	"	Ash	10	0	15			
3	61		fine, slash	Level	Clay	15	2	30			
4	62		hash	"	Ash	5	5	15			
5	63		ash	"	"	0	0	5			
6	64		hash	"	"	0	1	10			
7	65		ash	"	"	5	0	0			
8	66		fine	"	Clay	25	7	65			
9	67		fine	"	"	5	0	45			
20800	68		hash	"	Ash	0	0	7			

Anvil Mining Corporation Ltd.

AREA Faro North Page 50

DATE July 23

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
21001	104W 43N		slash, slorg	East Slope	Org.	0	0	30			
2	44		slash, slorg	"	Hash	0	0	5			
3	45		fine	"	Gravel	10	10	70			
4	46		fine	SE	"	30	20	75			
5	47		fine	"	Org	5	15	85			
6	48		fine, sl. stony	East	Gravel	15	30	80			
7	49		fine clay	SE	Org Clay	35	10	90			
8	50		fine	"	Sandy "	15	30	70			
9	51		fine sandy	"	Org	30	35	70			
21010	52		hash	"	Hash	2	0	30			
1	53		fine	South	Hash	0	0	30			
2	54		hash	Level	Hash	0	1	12			
3	55		slash	South	"	0	0	20			
4	56		fine, slorg	"	Org	20	0	50			
5	57		fine, slorg	"	Org	0	0	40			
6	58		fine	"	Org, gravel	10	0	70			
7	59		slorg, slash	"	Hash	0	0	40			
8	60		hash	"	"	5	0	0			
9	61		hash	"	"	5	5	35			
21020	62		slorg	"	Black earth	5	0	40			

Anvil Mining Corporation Ltd.

AREA Faro North Page 51

DATE July 23 / 31, 1

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
21021	104W 63N		hash	Level	Red Clay	0	0	5			
2	64		fine, slash	South Slope	Hash	10	0	7			
3	65		fine, slash	Level	Org	0	0	7			
4	66		fine, slash	South Slope	"	5	0	40			
5	67		fine, stony	"	Red Ash	0	0	30			
6	68		fine, v. stony	"	Red Clay	5	10	60			
7	69		hash	SE	Hash	0	0	0			
8	70		hash	"	Red Ash	2	0	5			
9	71		fine	"	Org	5	0	35			
21030	72		fine, slash, stony	"	Very Horg	2	0	0			
1	73		hash	"	Fair Clay	0	0	0			
2	74		hash	"	Hash	5	0	0			
3	75		fine	"	Horg	0	0	40			
4	76		hash	"	Fair Org	0	0	0			
5	77		fine, slash	"	Red Org	20	0	12			
6	78		fine ^{v. stony} slash	Level	Gravel	2	10	60			
7	79		fine	SE	Org	2	0	17			
8	80		fine	"	Gravel	20	0	55			
9	81		fine, stony	"	Horg	5	0	30			
21040	82		fine	"	Org. gravel	20	0	40			

Anvil Mining Corporation Ltd.

AREA Faro North Page 52

DATE July 23 / 31, Aug 1

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
21041	104W 83N		fine	SE. slope	Organic Gr.	10	0	40			
2	84		fine, slash	"	Red Clay	0	0	20			
3	85		hash	"	"	0	0	0			
4	86		hash	East Slope	Org. Ash	0	0	12			
5	87		fine, v. stony	Level	Gravel	0	17	40			
6	88		fine, sl. stony	"	"	10	0	30			
7	89		fine	"	Org. Clay	10	0	50			
8	90		hash	"	Gravel	15	0	17			
9	91		hash	"	Ash Clay	10	0	0			
21050	92		fine, stony	"	Org Clay	2	0	10			
1	93		fine, sl. stony	"	Gravel	0	0	40			
- 2	94		fine	"	"	2	0	70			
3	95		fine	"	"	10	0	40			
4	96		hash	North Slope, sl.	Hash	0	0	17			
5	97		v. stony	" "	Gravel	5	25	40			
6	98		fine, stony	" "	Gravel	5	0	60			
7	99		fine, stony	"	"	30	0	50			
8	100N		fine, stony	"	"	20	0	40			
9	112W 110N		Slash	West Slope	Horg	0	0	0			
21050	109		Slash, stony	N.W.	Horg Ash	10	2	15			

Anvil Mining Corporation Ltd.

AREA Faro North Page 53

DATE July 23 / 31, Aug 1

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
21061	112W 108N		fine	North Slope	Gravel	20	0	30			
2	107		fine	"	Horg	2	0	70			
3	106		fine, sl. stony	"	Gravel	15	0	50			
4	105		fine, stony	"	"	15	15	50			
5	104		fine sandy, sl. stony	"	"	0	30	70			
6	103		fine, stony	"	"	10	0	40			
7	102		fine, sl. stony	Level	Fair Clay	15	0	35			
8	101		fine	"	Red "	5	0	50			
9	100		fine	"	Good "	10	0	35			
21070	99		fine, slash	"	Org	5	0	20			
1	98		fine	"	Fair Clay	10	0	35			
2	97		fine	"	Good "	0	0	30			
3	96		fine, v. stony	"	Gravel	10	0	35			
4	95		fine, hash	"	"	5	0	5			
5	94		horg	"	Bl. Earth	5	0	0			
6	93		fine, slash	"	Hash	5	0	0			
7	92		fine	"	Horg	0	0	12			
8	91		fine, v. stony	"	Swamp	10	30	40			
9	90		fine	N. slope, slight	Org	5	0	35			
21080	89		fine	"	Fair Clay	5	15	50			

Anvil Mining Corporation Ltd.

AREA Faro North Page 54

DATE July 23/31, Aug 1

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
21081	112W 88N		hash	N. slope	Hash	2	0	0			
2	87N		hash	"	Fair Clay	5	0	17			
3	86N		fine	"	Org	10	0	45			
4	85		hash	"	Fair Ash	0	0	12			
5	84		fine	Level	Good Clay	40	0	50			
6	83		fine, slash	"	Hash	5	0	7			
7	82		fine, slash	"	"	10	0	17			
8	81		fine, sl. stony	"	Gravel	5	0	90			
9	80		fine, sl. stony	"	Fair Clay	15	0	70			
21090	79		fine	SE slope	Gravel	20	10	30			
1	78		fine	"	Morg	5	5	40			
2	77		fine	"	Gravel, Org	10	0	30			
3	76		fine	"	Org	20	0	40			
4	75		fine	"	MOrg	10	0	40			
5	74		fine	"	"	10	0	35			
6	73		fine	"	Org	5	10	70			
7	72		fine	"	Fair Ash	5	5	40			
8	71		fine	"	Gravel, clay	10	30	90			
9	70		fine, slash	"	Fair "	0	0	30			
21100	69		fine	"	Org	10	0	40			

Anvil Mining Corporation Ltd.

AREA Faro North

Page 55

DATE July 23/31, Aug 1

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
21101	112W 68N		fine	S.E. slope	Org.	10	0	60			
2	67		fine	"	"	20	0	60			
3	66		fine	"	Hash	0	5	40			
4	65		fine	"	Gravel	10	0	5			
5	64		fine	"	Horg	0	0	25			
6	63		fine	"	Org	20	0	50			
7	62		hash	"	Hash	2	0	5			
8	61		slash, slorg	"	Bl. Earth	5	0	0			
9	60		fine	"	Red org clay	0	0	17			
21110	59		fine, slorg	"	Org. Clay	10	17	40			
1	58		Slorg, slash	"	Fair Ash	10	0	40			
2	57		horg	"	Bl earth	5	0	30			
3	56		slorg	"	Org	10	10	90			
4	55		slash, slorg	"	"	5	0	40			
5	54		fine, slorg	"	Fair clay	2	17	85			
6	53		slash, slorg	"	Hash	2	0	7			
7	52		slash, slorg	"	"	0	0	20			
8	51		slash, slorg	"	Fair Ash	0	0	40			
9	50		slash, slorg	"	Org "	5	0	17			
21120	49		hash	Level	Hash	2	0	7			

Anvil Mining Corporation Ltd.

AREA Faro North Page 56

DATE July 23 / 31, Aug 1

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
21121	112W 48N		fine	Level	Gravel	5	0	20			
2	47		fine	SE slope	Fair Clay	10	20	50			
3	46		slorg	Level	Bl. earth	5	0	5			
4	45		slorg	SE slope	Sl. earth	2	17	40			
5	44		slash, slorg	Level	Hash	2	0	25			
6	43		hash	SE	"	2	0	5			
7	42		hash	Level	Ash	5	0	0			
8	41		fine	SE	Gravel	0	0	35			
9	40		fine	"	Fair	5	33	40			
21130	39		fine, slash	"	"	5	0	30			
1	38		ash	"	Ash	2	0	15			
2	37		slash, slorg	"	" Fair	10	0	20			
3	36		slash	"	" "	5	0	0			
4	35		fine	"	Org	5	0	60			
5	34		fine	"	Gravel	10	25	50			
6	33		fine	"	"	15	0	40			
7	32		fine	Level	"	0	25	45			
8	31		fine	SE	"	15	10	45			
9	30		ash	Level	Very Hash	2	0	20			
21140	29		hash	"	Hash	2	0	0			

Anvil Mining Corporation Ltd.

AREA Faro North Page 57

DATE July 23, 24 / 27, Aug 1

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
21141	112 W 28N		fine	South Slope	Gravel	20	0	90			
2	27		hash	"	Hash	10	0	17			
3	26		fine	"	Horg	20	5	50			
4	25		hash	"	Hash	0	0	7			
5	24		fine	"	Horg	2	0	7			
6	23		fine, slash	"	Red Clay	20	0	50			
7	22		fine	"	" "	15	0	35			
8	21		fine, sl. stony	"	Gravel	15	0	50			
9	20		fine	"	"	2	0	60			
21150			Tag not used								
July 24 1	12W 45N		slorg	South Slope	Clay + Ash	0	0	17			
2	44		fine, slorg	"	" "	5	0	40			
3	43		slorg	"	"	0	0	40			
4	42		slorg	"	"	2	0	60			
5	41		slorg	"	"	10	0	50			
6	40		hash	"	Ash	0	0	0			
7	39		fine slorg	"	Clay	20	0	40			
8	38		fine	"	Clay	20	0	70			
9	37		fine, slorg	"	Clay	5	0	70			
21160	36		slorg	"	" Horg	0	0	35			

Anvil Mining Corporation Ltd.

AREA Faro North

Page 59

DATE July 23 / 29

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
21201	176W 20N	REPEAT	fine	South Slope	Good	5	0	20			
2	19		fine	"	Clay	5	0	20			
3	18		fine sandy	"	Good	40	0	60			
4	17		fine	"	Clay	10	0	35			
5	16		fine stony	"	Good	5	0	0			
6	15		fine sandy	"	"	20	0	40			
7	14		fine loam	"	"	5	10	40			
8	13		fine	"	"	10	0	30			
9	12		fine sandy, st. stony	"	"	25	0	60			
21210	11		fine	"	"	5	0	30			
1	10		fine sandy, loam	"	"	10	0	30			
2	9		fine sandy	"	"	30	0	75			
3	8		fine, loam	"	"	5	0	20			
4	7		fine, stony	"	CLAY	0	0	30			
5	6		fine, clay	"	"	2	0	40			
6	5		fine, st. stony	"	"	40	0	50			
7	4		fine sandy	N. SLOPE	GOOD	35	0	70			
8	3		fine	S. SLOPE	CLAY	10	0	40			
9	2		fine	"	"	20	0	35			
21220	1		fine	"	"	10	0	20			

Anvil Mining Corporation Ltd.

AREA NORTH FARO PAGE 60

DATE JULY 23 / 29

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
21221	176+00N		fine, stony	S. SLOPE	GOOD	5	0	30			
2	172+00N		fine	LEVEL	GOOD CLAY	20	0	50			
3	1N		fine, slash	S. SLOPE	CLAY	5	0	30			
4	2		fine	- "	GOOD	40	0	60			
5	3		fine, clay	N. SLOPE	GOOD CLAY	5	0	30			
6	4		fine	S. SLOPE	GOOD	25	0	50			
7	5		fine, st. stony	"	GOOD CLAY	15	0	17			
8	6		fine stony	"	"	30	0	60			
9	7		fine, slash	"	"	5	0	55			
21230	8		fine, stony	N. SLOPE	CLAY.	30	0	40			
1	9		fine	"	G. CLAY	20	0	30			
2	10		fine	"	CLAY	0	0	30			
3	11		fine	S. SLOPE	"	10	0	30			
4	12		fine	"	GOOD	10	0	20			
5	13		fine, loam	"	"	20	0	30			
6	14		fine sandy, st. stony	N. SLOPE	"	30	0	40			
7	15		fine	S. SLOPE	"	0	5	60			
8	16		fine	"	"	5	0	7			
9	17		fine	"	"	10	0	20			
21240	18		fine	"	G. CLAY.	15	0	40			

Anvil Mining Corporation Ltd.

AREA NORTH FARD PAGE 61

DATE JULY 23 / 28

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.				
						Cu	Pb	Zn		
21241	L172 19N		Fine	S. SLOPE	G. CLAY	0	0	0		
2	20	REPEAT	Fine sandy, st. stony	W. "	G. GRAVEL GOOD	10	0	45		
3	168 W 20N		Fine	S. SLOPE	GOOD	20	5	40		
4	19N		Fine	"	CLAY	20	0	40		
5	18N		Fine	"	G. CLAY	5	0	12		
6	17N		Fine	"	"	20	3	35		
7	16N		Fine	"	GOOD	45	0	70		
8	15N		Fine, stony	"	"	25	0	40		
9	14		Fine, stony	"	CLAY	20	0	60		
21250	13		Fine	"	GOOD	20	0	50		
1	12		Fine	"	"	10	0	40		
2	11		Fine	"	G. CLAY	15	8	40		
3	10		Fine	SW SLOPE	"	15	3	35		
4	9		Fine	"	"	40	30	85		
5	8		Fine	"	GOOD	25	3	35		
6	7		Fine	"	CLAY	20	8	40		
7	6		Fine	"	GOOD	20	3	40		
8	5		Fine	S. SLOPE	G. CLAY	35	0	40		
9	4		Fine, stony	"	GOOD	40	3	35		
21260	3		Fine, stony	"	"	0	0	35		

Anvil Mining Corporation Ltd.

AREA NORTH FARGO PAGE 62

DATE JULY 23 1928

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
21261	168/2N		fine	SW. SLOPE	ROCKY	10	0	17			
2	1		fine	"	GOOD	0	0	20			
3	168+00W		fine	N. SLOPE	"	5	0	35			
4	BL 164+00W	0N	fine	LEVEL	"	20	0	50			
5	1N		fine	N. SLOPE	"	25	0	60			
6	2		fine, stony	W. "	BED ROCK GOOD	25	5	40			
7	3		fine	S "	G: CLAY	20	5	55			
8	4		fine, stony, slash	W "	F->G ASH	30	0	50			
9	5		fine, st stony	"	GOOD.	15	3	40			
21270	6		fine	"	"	5	0	20			
1	7		fine	"	"	20	0	60			
2	8		fine	"	"	35	8	45			
3	9		fine	"	"	35	8	45			
4	10		fine	"	"	25	5	75			
5	11		fine	"	CLAY	25	12	40			
6	12		fine, stony	"	"	30	12	50			
7	13		fine	"	G: CLAY	30	3	55			
8	14		fine	"	"	20	0	30			
9	15		fine	"	"	25	10	65			
21280	16		fine	"	GOOD.	25	3	45			

Anvil Mining Corporation Ltd.

AREA NORTH FARD PAGE 63

DATE JULY 23/24

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
21281	169 17N		fine, stony	W. SLOPE	GOOD	25	3	30			
2	18		fine, st. stony	"	"	25	3	40			
3	19		fine	SW. SLOPE	"	20	0	40			
4	20	REPEAT	fine, st. stony	W. SLOPE	G: CLAY	20	5	35			
5	160/20N ^W	REPEAT.	fine	"	CLAY	35	0	40			
6	19		fine	"	"	30	10	50			
7	18		fine	"	"	30	10	40			
8	17		fine	"	G: CLAY	30	8	40			
9	16		fine loam	"	GOOD	20	0	50			
21290	15		fine, st. stony	"	G: CLAY	25	8	50			
1	14		fine	"	"	25	8	75			
2	13		fine, slash	"	"	35	3	30			
3	12		fine, stony	"	"GRITTY" FG	25	8	45			
4	11		fine	"	GOOD	25	3	35			
5	10		fine	"	"	25	5	35			
6	9		fine	"	"	20	3	30			
7	8		fine, stony	"	"	15	3	50			
8	7		fine	"	"	15	5	50			
9	6		fine, stony	"	F→G ^{ROCKY}	30	0	75			
21300	5		NO SAMPLE	"		—	—	—			

Anvil Mining Corporation Ltd.

AREA NORTH FARO PAGE 64

DATE July 23/29, Aug 1

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.				
						Cu	Pb	Zn		
21301	L80W/69N		fine, hash	S. SLOPE	ASH H.O.	20	0	50		
2	68N		fine, slorg	"	CLAY	25	0	60		
3	67		fine	"	"	25	3	30		
4	66		fine	"	—	60	12	80		
5	65		fine, slash	"	—	25	0	20		
6	64		slash, slorg	"	H.O. SWAMP	10	2	12		
7	63		slorg	"	CLAY + ASH	15	3	15		
8	62		slorg	"	CLAY	5	0	35		
9	61		hash	"	ASH	5	0	15		
21310	60		fine loam	"	CLAY	20	0	20		
1	59		hash	"	ASH.	0	0	0		
2	58		slorg	LEVEL	CLAY	20	0	35		
3	57		fine	"	"	25	3	60		
4	56		fine	"	"	35	12	70		
5	55		fine	S. SLOPE	—	0	0	17		
6	54		fine	"	CLAY	20	3	50		
7	53		fine	"	"	30	5	75		
8	52		hash	"	"	10	0	15		
9	51		hash	"	ASH.	0	0	17		
21320	50		hash	"	CLAY	0	0	15		

Anvil Mining Corporation Ltd.

AREA NORTH FARO PAGE 65

DATE JULY 23/29, Aug 1

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
21321	L80W/49		fine	S. SLOPE	CLAY	20	3	30			
2	48		fine	"	"	35	2	30			
3	47		hash	"	ASH	10	2	20			
4	46		ash	"	CLAY	5	0	15			
5	45		fine, loam	"	"	20	0	90			
6	44		ash	"	"	5	0	30			
7	43		fine	"	"	20	3	50			
8	42		fine	"	CLAY	10	5	35			
9	41		Fine, loam	"	"	0	17	70			
21330	40		fine	"	"	20	10	50			
1	39		fine	"	"	20	10	60			
2	38		fine, sl. stony	"	"	15	35	90			
3	37		slash, slorg	"	"	40	30	40			
4	36		fine, slorg, slash	"	"	0	0	40			
5	35		slorg	"	"	85	80	70			
6	34		fine, slash	"	"	10	0	40			
7	33		fine, slash	"	ASH H.O.	25	3	30			
8	32		fine, slash	"	CLAY	5	2	15			
9	31		fine	"	"	30	15	60			
21340	30		fine, slorg	"	"	25	0	50			

Anvil Mining Corporation Ltd.

AREA NORTH FARO PAGE 66

DATE JULY 23/29, Aug!

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
21341	80W/29		fine, wash	S. SLOPE	CLAY	25	17	90			
2	28		fine sandy	"	"	20	20	75			
3	27		fine, loam.	"	"	20	0	60			
4	26		fine, slash	"	"	20	0	35			
5	25		fine	"	—	10	3	40			
6	24		fine	"	CLAY	35	20	45			
7	23		fine	"	"	0	0	30			
8	22		fine	"	—	10	10	60			
9	21		slash	"	CLAY	0	0	50			
21350	20		fine	"	"	0	0	60			
1	L64/95		fine, st stony	LEVEL	CLAY	0	0	50			
2	94		fine	"	"	0	0	70			
3	93		fine	"	ASH	0	0	20			
4	92		fine	"	CLAY	0	0	20			
5	91		fine, slash	"	H. O.	0	0	5			
6	90		ash	"	CLAY & ASH	0	0	0			
7	89		fine	"	CLAY & HO.	2	0	25			
8	88		fine	"	CLAY & ASH	2	0	25			
9	87		fine	"	CLAY	0	0	30			
21360	86		fine	"	"	0	0	17			

Anvil Mining Corporation Ltd.

AREA NORTH FARO PAGE 67

DATE July 24 / Aug 1, 2

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
21361	L64W/85		fine	LEVEL	CLAY	2	0	40			
2	84		fine sandy, stony	"	ROCKY CLAY	0	0	50			
3	83		hash	"	CLAY + ASH	0	0	25			
4	82		fine, stony	"	ROCKY CLAY	2	0	30			
5	81		fine (stony?)	"	CLAY	0	0	20			
6	80		fine	S. SLOPE	"	0	0	40			
7	79		fine	"	"	0	0	35			
8	78		fine	"	"	0	0	60			
9	77		fine, stony	E. SLOPE	"	0	0	30			
21370	76		fine	S "	"	0	0	60			
21371	75		fine clay	"	"	0	0	40			
2	74		fine	LEVEL	"	0	10	40			
3	73		fine slash, stony	"	"	2	0	35			
4	72		fine	"	CLAY + HO.	0	0	20			
5	71		fine	"	ROCKY CLAY	0	0	35			
6	70		NO SAMPLE	"	GRAVEL	-	-	-			
7	69		NO SAMPLE	"	SWAMP	-	-	-			
8	68		NO SAMPLE	"	"	-	-	-			
9	67		fine	"	CLAY + HO.	0	0	60			
21380	66		stony	"	H.O.	0	0	17			

Anvil Mining Corporation Ltd.

AREA NORTH FARO PAGE 68

DATE July 24 / Aug 1, 2

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
21381	L 64/65		fine	LEVEL	CLAY	10	0	90			
2	64		fine	"	"	0	0	60			
3	63		fine, clay, storg	"	"	0	0	25			
4	62		fine, storg	"	H.O. CLAY	0	0	60			
5	61		fine	"	CLAY ASH	0	0	30			
6	60		fine, ash	"	ASH	0	0	0			
7	59		fine, storg	"	CLAY	0	0	50			
8	58		fine	"	"	0	0	50			
9	57		fine, storg, slash	"	ASHY CLAY	2	0	0			
21390	56		fine	"	CLAY	0	0	40			
1	55		fine	"	"	0	0	60			
2	54		fine	S. SLOPE	"	0	0	70			
3	53		fine	LEVEL	"	0	0	60			
4	52		fine, storg	"	"	0	0	30			
5	51		fine	"	"	0	0	40			
6	50		storg	"	H.O.	0	0	17			
7	49		fine (storg)	"	"	0	0	20			
8	48		storg	"	H.O. CLAY	0	0	60			
9	47		fine, slash	"	ASHY CLAY	0	0	40			
21400	46		fine, storg	"	H.O. ASH	0	0	12			

Anvil Mining Corporation Ltd.

AREA North Faro Page 69

DATE July 24 / Aug 1

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
21401	L56 72N		fine, slash	Level	Ash	5	0	30			
2	71		fine, clay	S. slope	Clay	50	2	45			
3	70		fine	Level	Ash	10	0	50			
4	69		fine	-	"	15	7	50			
5	68		fine	Level	"	50	5	55			
6	67		fine, slash	S. slope	Clay	30	3	50			
7	66		fine	Level	Ash	5	7	50			
8	65		fine	S. slope	"	10	12	75			
9	64		fine	"	Horg	0	5	90			
21410	63		fine	"	Ash	20	0	45			
1	62		fine	Level	"	25	7	60			
2	61		fine	"	Horg	10	5	40			
3	60		fine	"	"	5	2	75			
4	59		fine	"	Ash	60	5	80			
5	58		fine	"	"	20	2	60			
6	57		fine, stony	"	Horg	40	2	60			
7	56		fine	"	Clay	30	2	65			
8	55		fine	S. slope	Horg	40	2	90			
9	54		fine	Level	Clay	50	2	85			
21420	53		fine	"	Horg	10	5	65			

Anvil Mining Corporation Ltd.

AREA North Page 70

DATE July 24 / Aug 1

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
21421	L5652N		fine	Level	Moss, Ash	15	5	50			
2	51		fine	"	"	50	10	90			
3	50		fine slorg	"	"	5	5	80			
4	49		fine loam	"	Horg	2	0	30			
5	48		fine loam	"	Ash	2	0	25			
6	47		fine loam	"	Clay	2	3	20			
7	46		fine loam	"	Ash	20	4	35			
8	45		fine loam	"	"	40	5	60			
9	44		fine loam	"	"	5	0	30			
21430	43		fine loam	" valley	Horg	15	0	40			
1	42		fine, loam	"	Clay	25	3	45			
2	41		fine	"	Ash	10	2	65			
3	40		fine sandy	"	"	0	0	15			
4	39		fine sandy	"	Clay	25	3	75			
5	38		fine, slorg	"	Ash	10	7	40			
6	37		fine slorg	"	"	20	3	50			
7	36		fine, slorg	"	Clay	10	4	40			
8	35		fine loam	"	Ash	20	5	70			
9	34		fine	"	"	15	2	20			
21440	33		hash	"	"	15	2	5			

Anvil Mining Corporation Ltd.

AREA North Faro Page 71

DATE July 24, 23/29, 31, Aug 1

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
21441	56W 32N		fine	Level	Clay	10	5	90			
2	31		fine, sl. stony	"	"	15	7	75			
3	30		fine, sl. stony	"	Ash	30	10	80			
4	29		ash	"	Clay	2	2	5			
5	28		hash	"	Hsh	5	0	35			
6	27		fine	"	Horg	5	2	30			
7	26		ash	"	Ash	2	2	10			
8	25		hash	"	"	5	0	30			
9	24		fine	"	"	5	0	40			
21450	23		fine	"	"	20	3	90			
1	L176 54N		fine	S. slope	"	25	5	50			
2	55		stony	"	"	20	0	40			
3	56		fine	"	"	50	0	35			
4	57		fine stony, stony	"	"	40	8	90			
5	58		fine, stony	"	"	15	0	30			
6	59		fine stony	"	"	25	3	40			
7	60		stony	"	"	50	0	20			
8	61		fine, slash, stony	"	"	25	5	40			
9	62		stony	"	"	25	0	40			
21460	63		fine stony	"	"	5	0	40			

July 23

Anvil Mining Corporation Ltd.

AREA North Faro Page 72

DATE July 23, 24/29, 31, 1

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.				
						Cu	Pb	Zn		
21461	176W 64N		fine, storg	South Slope	Horg	25	10	100		
2	65		fine storg	"	Ash	30	0	40		
3	66		hash, storg	"	Horg	5	0	30		
4	67		fine	"	"	30	0	30		
5	68		fine	"	Ash	30	5	50		
6	69		fine, storg	"	Horg	10	10	60		
7	70		fine	"	"	10	0	20		
8	71		fine	"	Clay	25	8	45		
9	72		fine	"	"	25	0	40		
21470	73		fine	Level	Horg	20	0	40		
1	74		fine storg	"	Ash	25	3	40		
2	75		fine, storg	"	Horg	25	3	45		
3	76		fine, storg	South Slope	Ash	15	3	45		
4	77		fine	"	Clay	10	0	40		
5	78		fine	"	Ash	35	10	70		
6	79		fine, storg	"	"	15	0	50		
7	80		fine, storg	Level	Clay	30	10	55		
24	L56 95N		hash	South Slope	Ash	0	0	25		
9	94		hash	"	Clay	15	10	25		
21480	93		fine sandy, storg	"	Ash	20	6	70		

Anvil Mining Corporation Ltd.

AREA North Faro Page 73

DATE July 24 / Aug 1

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
21481	56W 92H		slorg, slash	South Slope	Horg	5	0	25			
2	91		fine slorg	"	"	30	7	60			
3	90		fine, slorg	Level	Ash	5	0	35			
4	89		fine	"	Clay	10	0	65			
5	88		fine	"	Ash	15	0	35			
6	87		fine	"	"	30	10	60			
7	86		fine	"	"	40	8	60			
8	85		fine	"	"	40	3	70			
9	84		fine loam	"	"	20	5	65			
21490	83		fine	"	Horg	30	10	60			
1	83		fine	"	Clay	40	5	95			
2	81		hash	"	Ash	30	3	17			
3	80		slash	South slope	Clay	20	0	35			
4	79		fine, slorg	Level	Ash	10	4	20			
5	78		fine, slash	"	Sand	15	0	20			
6	77		fine	"	Horg	20	0	40			
7	76		fine, slorg	"	"	25	2	65			
8	75		fine	"	Ash	40	0	50			
9	74		fine	S. Slope	Clay	10	2	40			
21500	73		fine, slash	Level	Ash	15	5	45			

Anvil Mining Corporation Ltd.

AREA Page 74 Faro North

DATE July 24/Aug 2

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
21501	96W 100N		fine stony	NE slope	Good Clay	0	0	40			
2	99		fine, stony, slush	"	ORG. RED CLAY	2	0	5			
3	98		hush	"	FAIR: HA.	5	0	0			
4	97		fine, stony	"	H.O.	0	0	40			
5	96		fine, v. stony	"	GRAVEL	10	0	40			
6	95		ash	LEVEL	SWAMP FAIR CLAY	5	0	17			
7	94		fine slush, stony	S. SLOPE	GRAVEL	0	0	30			
8	93		fine	E. SLOPE	ORG.	0	0	70			
9	92		fine	"	G. CLAY	0	0	0			
21510	91		fine, stony	"	H.O.	0	0	20			
1	90		fine	"	GRAVEL	0	0	60			
2	89		fine	"	RED CLAY	0	0	40			
3	88		fine	"	GRAVEL	40	0	60			
4	87		fine, stony	"	FAIR.	30	0	70			
5	86		fine	SE SLOPE	GRAVEL	0	0	40			
6	85		fine	LEVEL	ORG.	0	0	0			
7	84		fine	"	RED CLAY	0	0	40			
8	83		fine	S. SLOPE	"	5	0	40			
9	82		fine	"	F. CLAY	90	0	100			
21520	81		fine, stony	"	ORG.	60	5	70			

Anvil Mining Corporation Ltd.

AREA NORTH FARO PAGE 75

DATE July 24 / Aug 2

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
21521	96W/80N		fine, slash	LEVEL	ORG.	10	0	20			
2	79		fine, slash	"	HO. GRAVEL	10	0	40			
3	78		fine	S. SLOPE	"	10	0	40			
4	77		fine, stony	E. SLOPE	H.O.	0	0	25			
5	76		fine, loam	SE. SLOPE	H.O.	15	0	70			
6	75		fine, slash	"	F: H.A.	0	0	12			
7	74		fine, v-stony	LEVEL	GRAVEL	10	0	0			
8	73		hash	"	H.A.	0	0	12			
9	72		fine, stony, slash	"	F: H.A.	2	0	12			
21530	71		ash	"	RED CLAY	0	0	0			
1	70		hash	S. SLOPE	H.A.	15	0	0			
2	69		hash	"	F: H.A.	0	0	5			
3	68		fine, slash, stony	"	H.O.	2	0	17			
4	67		ash	LEVEL	H.A.	2	0	0			
5	66		fine, slash	S. SLOPE	F: CLAY	0	0	17			
6	65		fine	"	"	0	0	20			
7	64		ash	"	H.A.	2	0	0			
8	63		fine	"	RED CLAY	0	0	40			
9	62		hash	LEVEL	ORG.	5	0	0			
21540	61		fine stony, sandy	S. SLOPE	GRAVEL.	2	0	30			

Anvil Mining Corporation Ltd.

AREA PAGE 76 NORTH FARO

DATE JULY 29. / Aug 2

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
21541	96W/60N		fine	S. SLOPE	F: CLAY	2	0	30			
2	59		slash	"	GRAVEL	0	15	60			
3	58		fine slash	"	ORG.	0	0	20			
4	57		fine clay, stony	LEVEL	"	0	0	50			
5	56		fine, stony	"	"	0	0	40			
6	55		ash	W. SLOPE	H. A.	0	0	0			
7	54		fine	LEVEL	ORG.	10	0	40			
8	53		hash	W. SLOPE	H. A.	0	0	17			
9	52		ash	"	"	0	0	60			
21550	51		fine	LEVEL	GRAVEL	2	0	35			
1	50		fine sandy	"	RED CLAY	10	0	30			
2	49		fine, stony	S. SLOPE	F: ASH.	2	0	25			
3	48		hash	"	H. A.	0	0	0			
4	47		fine	"	GRAVEL	0	0	60			
5	46		fine	"	ORG.	20	0	40			
6	45		fine	"	G. CLAY.	10	30	70			
7	44		fine	"	GRAVEL	5	10	60			
8	43		hash	LEVEL	H. A.	0	0	0			
9	42		hash	S. SLOPE	F: ASH.	0	0	0			
21560	41		fine slash	W. SLOPE	H. O.	0	0	12			

Anvil Mining Corporation Ltd.

AREA PAGE 77 NORTH FARGO

DATE JULY 24 / Aug 2

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
21561	96 W/400V		fine	N. SLOPE	RED CLAY	10	30	70			
2	39		hash	"	H. A.	2	0	0			
3	38		fine slash	LEVEL	F: CLAY	2	0	0			
4	37		slash	"	H. A.	10	0	30			
5	36		slash, stony	"	RED CLAY	25	0	40			
6	35		fine	"	"	0	5	40			
7	34		fine	"	F: ASH.	2	0	30			
8	33		ash	"	H. A.	0	0	0			
9	32		fine, stony	"	GRAVEL	0	0	50			
21570	31		hash	S. SLOPE	H. A.	0	0	5			
1	30		hash	"	H. A.	0	0	5			
2	29		slash	"	F: CLAY	10	0	40			
3	28		hash	"	F: CLAY.	2	0	0			
4	27		fine, st. stony	"	RED CLAY.	2	0	70			
5	26		fine slash	"	H. A.	5	0	12			
6	25		hash	"	F: ASH.	0	0	0			
7	24		fine slash	"	F: CLAY.	10	0	20			
8	23		fine	"	RED CLAY	10	0	60			
9	22		fine slash	"	H. A.	0	0	0			
21580	21		fine hash	"	F: ASH.	0	0	0			

Anvil Mining Corporation Ltd.

AREA PAGE 78 NORTH FARO

DATE July 24 / Aug 1, 2

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
21581	96W/20N		fine	S. SLOPE	RED CLAY	10	0	60			
21601	L64W/45N		fine, stony	LEVEL	ASH H.O.	0	0	0			
2	44		fine	"	CLAY	0	0	60			
3	43		fine, stony	"	H.O. CLAY	0	0	40			
4	42		fine, stony	"	CLAY ASH	0	0	5			
5	41		fine	"	CLAY	2	0	50			
6	40		fine	"	"	0	0	30			
7	39		fine sandy, stony	"	"	0	20	60			
8	38		fine sandy, stony	S. SLOPE	CLAY	0	0	60			
9	37		fine (bam, st stony)	"	"	0	0	60			
21610	36		fine	"	"	0	0	50			
1	35		fine	"	"	0	0	17			
2	34		fine, stony	"	CLAY H.O.	2	10	60			
3	33		fine, stony	"	CLAY	0	0	20			
4	32		fine	"	"	0	0	40			
5	31		fine	"	"	2	0	50			
6	30		fine	LEVEL	H.O.	0	0	30			
7	29		fine, sandy, stony	"	CLAY H.O.	0	0	20			
8	28		fine	"	CLAY	5	0	40			
9	27		fine, stony	"	CLAY	0	0	60			

