

FARO *Geology*
GSC 10K-6

105 15 6

019706

Total Minor element content of samples of the
ash layer taken from Line 80 west on Faro No. 1

Station	Sample Code	ppm zinc	ppm copper	ppm lead	ppm nickel
21-N	FA-2	70.	32.	5.	5.
20-N	FB-2	70.	28.	5.	5.
19-N	FC-2	60.	4.	5.	5.
18-N (approx.)	FD-2	70.	28.	5.	5.
17-N (approx.)	FE-2	170.	28.	140.	10.
15-N	FF-2	180.	24.	50.	20.
14-N	FG-2	580.	48.	100.	55.
13-N	FH-2	170.	32.	65.	25.
12-N	FI-2	220.	28.	60.	35.
11-N	FJ-2	70.	32.	5.	10.
10-N	FK-2	70.	28.	5.	5.
9-N	FL-2	40.	28.	5.	5.
8-N	FM-2	120.	28.	55.	5.
7-N	FN-2	220.	52.	120.	50.
6-N	FO-2	170.	68.	45.	70.

Note Stations 18-N and 17-N were taken in an area which had been disturbed by road stripping and were not located on the line. No sample was taken at 16-N for the same reason. All samples were collected from soil pits located near trees which were also sampled. Sometimes it was only possible to locate suitable trees several tens of feet from the Station.

Total Minor element content of samples
of soil "B" horizon taken from Line 80 west on Faro No. 1

Station	Sample Code	ppm Ash zinc	ppm Ash copper	ppm Ash lead	ppm Ash nickel
21-N	FA-3	110.70	36.32	15.5	10.5
20-N	FB-3	120.70	36.28	5.5	30.5
19-N	FC-3	170.60	16.4	35.5	25.5
18-N (approx.)	FD-3	230.70	24.28	90.5	50.5
17-N (approx.)	FE-3	340.170	20.28	140.140	55.10
15-N	FF-3	260.180	20.24	140.50	60.20
14-N	FG-3	460.580	28.48	230.100	40.55
13-N	FH-3	260.170	20.32	140.65	50.25
12-N	FI-3	220.220	28.28	50.60	40.35
11-N	FJ-3	170.70	24.32	40.5	15.10
10-N	FK-3	270.70	32.28	70.5	80.5
9-N	FL-3	140.40	8.28	20.5	25.5
8-N	FM-3	240.120	32.28	55.55	75.5
7-N	FN-3	240.220	40.52	100.120	110.50
6-N	FO-3	180.170	36.68	45.45	110.70

Note See notes on previous page.

Total Minor element content of samples of
ash layer taken from Line 36 west on Faro No. 2

Station	Sample Code	ppm zinc	ppm copper	ppm lead	ppm nickel
19-N	GA-2	130.	52.	45.	40.
17-N	GB-2	160.	36.	40.	15.
15-N	GC-2	120.	48.	35.	30.
13-N	GD-2	130.	48.	40.	40.
11-N	GE-2	170.	48.	50.	35.
9-N	GF-2	180.	44.	120.	35.
8-N	GG-2	180.	44.	240.	35.
7-N	GH-2	260.	52.	240.	40.
5-N	GI-2	280.	52.	280.	30.
3-N	GJ-2	340.	48.	270.	35.
2-N	GK-2	440.	64.	460.	45.
1-N	GL-2	260.	52.	70.	10.
1-S	GM-2	60.	16.	5.	5.
3-S	GN-2	70.	12.	5.	5.
5-S	GO-2	40.	24.	15.	5.

Note Uneven sample distance based on results of Company Geochemistry.




All soil samples were collected from sample pits located from trees which were also sampled. Sometimes suitable trees were taken several tens of feet from the Station.

Total Minor element content of samples of
soil "B" horizon taken from Line 36 west on Faro No. 2

Station	Sample Code	ppm Ash zinc	ppm Ash copper	ppm Ash lead	ppm Ash nickel
19-N	GA-3	130.130	32.52	35.45	40.40
17-N	GB-3	130.160	36.36	30.40	35.15
15-N	GC-3	170.120	32.48	25.35	40.30
13-N	GD-3	180.130	56.48	50.40	60.40
11-N	GE-3	170.170	44.48	90.50	35.35
9-N	GF-3	180.180	44.44	140.120	35.35
8-N	GG-3	240.180	72.44	700.240	45.35
7-N	GH-3	460.260	48.52	200.240	40.40
5-N	GI-3	270.280	48.52	220.280	45.30
3-N	GJ-3	290.340	40.48	180.270	40.35
2-N	GK-3	600.440	68.64	220.460	40.45
1-N	GL-3	3400.260	120.52	45.70	30.10
1-S	GM-3	170.60	20.16	30.5	40.5
3-S	GN-3	150.70	20.12	20.5	40.5
5-S	GO-3	180.40	24.24	80.15	35.5

Note See notes on previous page.

Comparison of GSC and Anvil results on Lines 36 + 80 Faro



M. Knapp. - L. Olsen