


MEMORANDUM

To: C.H. Macdonald  
From: M.O. Hampton  
Date: January 9, 1968  
Subject: ASSAY COMPARISON U.G. VS SURFACE DRILLING

Drill Section No. 9 (Drawing WB-30). Averaged by length of intersection in each hole.

	<u>U.G.</u>	<u>Surface</u>
Total Length	750 Feet	658 Feet
Pb	4.12%	4.25%
Zn	6.61%	6.65%
Ag	1.62 oz/T	1.67 oz/T

Averaging includes only the holes drilled on section, that is 5 surface and 2 underground.

  
M.O. Hampton  
Chief of Exploration

MOH/ew

ADDITIONAL COMPARISON.

105 K 6

DRILL HOLES	AVG.	% Pb	% Zn	% Ag
66-25 - 66-24	124	3.23	585	1.52
66-44 - 66-32	215	5.23	674	2.13
65-11	215	5.48	659	1.95
66-20 - 66-13	123	5.43	740	1.62
66-20 66-12	94'	5.09	766	1.75
66-34 - 66-12	50'	4.88	758	1.62
66-34 66-29	18'	5.28	796	2.22
	849	4.95	686	1.72

788  
 - 12  
 776  
 - 120  
 896

HOLE NO	FOOTAGE	% Pb.	% Zn	Ag oz.	
UG-9	43	3.49	7.29	1.52	
	10	2.6	4.4	1.09	
UG-10	70	5.6	10.50	1.52	
	10	3.9	10.0	1.50	
UG-11	35	5.24	8.44	1.68	
UG-12	35	5.18	7.17	1.68	
	10	6.5	2.7	2.02	
UG-13	10	5.20	6.50	1.74	
UG-14	90	4.35	6.91	1.42	
	10	5.7	7.1	1.90	
UG-15	68	3.84	8.98	1.29	
UG-16	65	4.93	7.46	1.39	
	10	3.4	1.8	1.95	
UG-17	90	4.53	8.52	1.41	
UG-18	80	3.71	7.72	1.33	
	10	5.5	8.4	1.59	
UG-19	85	5.72	9.00	1.35	
UG-20	35	3.47	6.55	1.99	
	10	3.58	5.9	2.40	
UG-21	120	4.48	6.73	1.30	
UG-22	18	3.08	5.70	1.54	
	10	3.7	5.7	1.60	
UG-23	17	2.82	5.67	1.58	
UG-24	35	3.52	7.17	1.70	
	896 / 80	4.57	7.92	1.32	
	976	4.57	7.78	1.48	