

GEOLOGIC RESERVES 4% cutoff

	<u>TONNES</u>	<u>Pb%</u>	<u>Zn%</u>	<u>Ag g/tonne</u>	<u>Au g/tonne</u>	
2W-14E	4,950,000	3.3	4.3	48.0	0.74	* 1
4E-28E	2,130,000	3.6	3.8	50.0	0.78	* 2
<u>2W-28E</u>	<u>7,080,000</u>	<u>3.4</u>	<u>4.3</u>	<u>48.6</u>	<u>0.75</u>	

VARIABLE RESERVES 4% cutoff.

	<u>TONNES</u>	<u>Pb%</u>	<u>Zn%</u>	<u>Ag g/tonne</u>	<u>Au g/tonne</u>	
2W-14E	4,294,000 4,520,000	3.3 3.47	4.3 4.53	47 49.5	0.73	* 3
14E-18E ONLY	895,000	3.79 3.6	3.68 3.5	51.6 49	0.78 ⁸²	* 4
<u>2W to 18E ONLY</u>	<u>5,189,000</u> 5,415,000	<u>3.4</u> 3.58	<u>4.2</u> 4.42	<u>47.3</u> 49.8	<u>0.74</u> 0.78	

Tonnage & grade estimated by Mintec Mine Model. Tonnage & grade has been reduced by 5%.

- Tonnage & grade estimated by Sectional Method. No reduction applied.

- Tonnage & grade estimated by : : Mintec Mine Model. 5% reduction applied to tonnage & grade.

14. Tonnage & grade estimated by Sectional Method. 5% reduction applied to grade only.

RST Nov, 19, 1982.

R.S. Tolbert