



**CURRAGH
INC.**

020250

*Grain
materially
samples*
117 Industrial Road
Whitehorse, Yukon
Y1A 2T8
Tel: (403) 668-8021
Fax: (403) 668-6518

TELEFAX TRANSMISSION

TO: Godfrey McDonald

FROM: Gregg A. Jilson, Vice-President, Exploration
WHITEHORSE OFFICE

DATE: _____ **TIME:** _____

ORIGINAL TO FOLLOW: YES NO

SUBJECT: Grain sample intervals
The Intervals I recommend are:

91G20 61.2m → 68.6m 7.47% Pb+Zn

91G34 71.2m → 79.4m 10.24% Pb+Zn

91G35 58.3m → 66.0m 11.06% Pb+Zn

91G37 44.5m → 58.6m 7.73% Pb+Zn*

(* could stop at 57.3 for slightly higher grade)

91G38 51.0 - 62.1m 8.80% Pb+Zn

These are all massive pyritic (± barite) sulphides
bulk of mill feed will be quartzite with less
total sulphide but I thought you wanted high py.

If all pages are not received, please contact 668-8034

**THIS TRANSMISSION CONSISTS OF 6 PAGE(S)
(including cover page)**

Gregg

CURRAGH INC. – GRUM DEPOSIT
1991 DRILL PROGRAM

hole	from	to	sample	recovery	rock	Pb+Zn	Pb	Zn	Ag
91G20	0	30.4	0	100	-1	-1.00	-1.00	-1.00	-1.0
91G20	30.4	31.2	64849	100	3	18.94	8.64	10.30	167.6
91G20	31.2	32.6	64850	86	5	5.39	2.79	2.60	40.4
91G20	32.6	59.7	0	100	-1	-1.00	-1.00	-1.00	-1.0
91G20	59.7	61.2	64851	100	52	3.98	1.93	2.05	25.0
91G20	61.2	62.4	64852	100	7	10.47	5.56	4.91	91.6
91G20	62.4	64	64853	100	5	9.05	4.77	4.28	64.9
91G20	64	65.3	64854	100	5	11.56	6.82	4.74	73.4
91G20	65.3	67.2	64855	100	5	1.49	0.64	0.85	13.4
91G20	67.2	68.6	64856	100	7	7.43	3.16	4.27	59.2
91G20	68.6	97.1	0	100	-1	-1.00	-1.00	-1.00	-1.0
91G20	97.1	98.7	64857	100	5	17.01	7.09	9.92	141.3
91G20	98.7	100.3	64858	100	5	10.97	4.10	6.87	78.0
91G20	100.3	101.9	64859	100	5	16.60	6.20	10.40	104.9
91G20	101.9	102.5	64860	100	30	1.25	0.57	0.68	9.2
91G20	102.5	103.3	64861	100	5	11.46	4.71	6.75	74.5
91G20	103.3	104.9	64862	100	30	0.71	0.26	0.45	5.2
91G20	104.9	105.5	64863	100	5	7.16	3.15	4.01	52.5

Average:

91G20	61.2	68.6	(=7.4 m.)			7.47	3.89	3.58	56.4
-------	------	------	-----------	--	--	------	------	------	------

CURRAGH INC. – GRUM DEPOSIT
1991 DRILL PROGRAM

hole	from	to	sample	recovery	rock	Pb+Zn	Pb	Zn	Ag
91G34	0.0	41.8	0	100	-1	-1.00	-1.00	-1.00	-1.0
91G34	41.8	43.2	64488	43	5	10.88	5.51	5.37	72.2
91G34	43.2	44.8	64489	44	2	11.96	5.10	6.86	65.5
91G34	44.8	45.7	64490	100	2	5.83	2.55	3.28	33.1
91G34	45.7	47.7	64491	75	2	4.07	1.27	2.80	21.3
91G34	47.7	49.1	64492	100	2	2.52	1.11	1.41	15.1
91G34	49.1	50.3	64493	92	2	2.53	1.17	1.36	15.3
91G34	50.3	52.1	64494	72	2	3.04	1.04	2.00	16.6
91G34	52.1	53.9	64495	78	2	5.15	1.79	3.36	26.4
91G34	53.9	54.9	64496	90	52	7.76	2.52	5.24	36.9
91G34	54.9	55.4	64497	80	44	3.63	0.49	3.14	6.6
91G34	55.4	56.7	64498	92	52	2.20	0.89	1.31	12.6
91G34	56.7	58.2	64499	100	52	1.54	0.48	1.06	7.3
91G34	58.2	60.1	64500	100	52	1.36	0.33	1.03	5.5
91G34	60.1	61.2	64501	100	52	0.29	0.01	0.28	1.1
91G34	61.2	62.7	64502	100	52	0.33	0.07	0.26	1.2
91G34	62.7	64.2	64503	73	52	0.93	0.01	0.92	1.4
91G34	64.2	65.8	64504	94	52	0.77	0.32	0.45	5.3
91G34	65.8	67.6	64505	100	52	0.63	0.33	0.30	4.9
91G34	67.6	68.0	64506	100	52	0.36	0.08	0.28	1.9
91G34	68.0	68.6	64507	100	2	1.76	0.57	1.19	9.9
91G34	68.6	70.3	64508	100	2	2.16	0.38	1.78	8.5
91G34	70.3	71.2	64509	100	60	0.87	0.19	0.68	4.3
91G34	71.2	71.6	64510	100	2	17.66	4.76	12.90	77.8
91G34	71.6	73.1	64511	100	5	19.53	5.93	13.60	95.7
91G34	73.1	74.7	64512	100	5	9.21	3.55	5.66	50.1
91G34	74.7	75.9	64513	100	5	7.99	3.19	4.80	33.0
91G34	75.9	77.5	64514	100	5	8.85	3.20	5.65	42.4
91G34	77.5	78.3	64515	100	3	21.60	6.60	15.00	114.2
91G34	78.3	79.4	64516	100	5	7.97	2.62	5.35	69.6
91G34	79.4	81.1	64517	94	20	0.31	0.07	0.24	1.5
91G34	81.1	82.2	64518	100	20	0.36	0.09	0.27	1.7
91G34	82.2	82.5	64519	100	7	6.56	2.24	4.32	44.3
91G34	82.5	93.9	0	100	-1	-1.00	-1.00	-1.00	-1.0

Average:

71.2	79.4	(= 9.9 m.)		10.24	3.40	6.84	53.8
------	------	------------	--	-------	------	------	------

CURRAGH INC. – GRUM DEPOSIT
1991 DRILL PROGRAM

hole	from	to	sample	recovery	rock	Pb+Zn	Pb	Zn	Ag
91G35	0.0	58.3	0	100	-1	-1.00	-1.00	-1.00	-1.0
91G35	58.3	59.4	64366	100	5	11.08	4.12	6.96	73.3
91G35	59.4	60.6	64367	83	5	7.12	1.76	5.36	21.4
91G35	60.6	62.1	64368	100	5	7.34	2.49	4.85	32.7
91G35	62.1	63.6	64369	100	3	16.27	5.67	10.60	88.4
91G35	63.6	64.9	64370	85	5	11.19	4.09	7.10	69.9
91G35	64.9	66.0	64371	100	5	13.17	6.11	7.06	91.1
91G35	66.0	92.7	0	100	-1	-1.00	-1.00	-1.00	-1.0
91G35	92.7	93.6	64372	100	8	15.67	6.30	9.37	92.7
91G35	93.6	95.1	0	100	-1	-1.00	-1.00	-1.00	-1.0
Average:									
	58.3	66.0	(= 7.7 m.)			11.06	4.02	7.05	62.2

CURRAGH INC. – GRUM DEPOSIT
1991 DRILL PROGRAM

hole	from	to	sample	recovery	rock	Pb+Zn	Pb	Zn	Ag
91G37	0.0	44.5	0	100	-1	-1.00	-1.00	-1.00	-1.0
91G37	44.5	45.9	64239	100	7	14.65	5.12	9.53	118.4
91G37	45.9	46.4	64240	100	7	4.95	2.12	2.83	59.5
91G37	46.4	47.2	64241	100	7	12.27	4.25	8.02	84.6
91G37	47.2	47.7	64242	100	5	9.61	3.44	6.17	86.6
91G37	47.7	48.8	64243	100	5	9.64	3.67	5.97	90.9
91G37	48.8	49.5	64244	100	7	11.72	4.24	7.48	26.1
91G37	49.5	50.5	64245	100	5	3.75	1.32	2.43	24.8
91G37	50.5	52.3	64246	100	7	5.09	1.61	3.48	24.2
91G37	52.3	54.3	64247	100	5	3.75	1.48	2.27	23.9
91G37	54.3	56.2	64248	100	5	8.60	3.66	4.94	4.1
91G37	56.2	57.3	64249	100	7	9.50	3.45	6.05	79.7
91G37	57.3	58.6	64250	100	5	4.16	2.47	1.69	30.9
91G37	58.6	59.1	64251	100	44	0.85	0.32	0.53	7.4
91G37	59.1	60.7	64252	100	5	4.59	2.05	2.54	34.5
91G37	60.7	62.0	64253	100	5	3.46	1.85	1.61	31.2
91G37	62.0	62.7	64254	100	5	7.88	3.29	4.59	41.7
91G37	62.7	64.3	64255	100	5	7.28	3.01	4.27	50.1
91G37	64.3	65.8	64256	100	5	5.81	2.72	3.09	38.3
91G37	65.8	67.3	64257	100	5	4.62	1.62	3.00	34.6
91G37	67.3	67.7	64258	100	7	15.23	5.35	9.88	85.7
91G37	67.7	68.1	64259	100	44	0.83	0.34	0.49	6.7
91G37	68.1	69.2	64260	100	7	8.00	2.64	5.36	33.1
91G37	69.2	70.0	64261	100	54	0.11	0.04	0.07	1.9
91G37	70.0	77.5	0	100	-1	-1.00	-1.00	-1.00	-1.0
91G37	77.5	78.5	64262	100	52	0.86	0.15	0.71	2.5
91G37	78.5	80.0	64263	100	3	4.73	2.14	2.59	20.9
91G37	80.0	81.4	64264	100	3	5.24	2.35	2.89	31.1
91G37	81.4	82.6	64265	100	40	0.10	0.08	0.02	17.3
91G37	82.6	83.0	64266	100	3	3.32	1.83	1.49	19.4
91G37	83.0	84.1	0	100	-1	-1.00	-1.00	-1.00	-1.0
Average:									
91G37	44.5	58.6	(= 14.1 m.)			7.73	2.94	4.79	48.0
	58.6	69.2	(= 10.6 m.)			5.69	2.33	3.36	36.9
	44.5	69.2	(= 24.7 m.)			6.86	2.68	4.18	43.2

CURRAGH INC. – GRUM DEPOSIT
1991 DRILL PROGRAM

hole	from	to	sample	recovery	rock	Pb+Zn	Pb	Zn	Ag
91G38	0.0	42.1	0	100	-1	-1.00	-1.00	-1.00	-1.0
91G38	42.1	43.4	64404	23	2	8.61	8.17	0.44	75.0
91G38	43.4	44.7	64405	92	2	0.59	0.37	0.22	12.5
91G38	44.7	46.0	64406	100	2	11.75	3.93	7.82	73.0
91G38	46.0	47.1	64407	100	2	8.69	2.73	5.96	47.1
91G38	47.1	48.6	64408	87	2	12.72	4.30	8.42	66.9
91G38	48.6	49.5	64409	100	2	15.88	5.28	10.60	74.4
91G38	49.5	51.0	64410	87	60	11.13	3.83	7.30	52.8
91G38	51.0	51.5	64411	100	5	21.24	7.14	14.10	112.7
91G38	51.5	53.2	64412	94	5	5.21	2.13	3.08	23.3
91G38	53.2	54.0	64413	88	5	12.69	3.59	9.10	66.6
91G38	54.0	55.0	64414	60	5	9.33	2.68	6.65	46.5
91G38	55.0	56.3	64415	100	5	5.52	1.82	3.70	37.7
91G38	56.3	57.9	64416	100	7	8.49	2.49	6.00	49.8
91G38	57.9	59.0	64417	82	5	8.26	2.67	5.59	50.9
91G38	59.0	60.0	64418	100	5	6.43	1.85	4.58	49.4
91G38	60.0	61.6	64419	94	7	11.05	3.63	7.42	53.2
91G38	61.6	62.1	64420	100	5	9.46	3.06	6.40	24.2
91G38	62.1	62.8	64421	100	7	7.92	2.03	5.89	37.3
91G38	62.8	64.4	64422	94	7	6.04	1.78	4.26	29.6
91G38	64.4	65.3	64423	100	7	8.97	2.56	6.41	41.4
91G38	65.3	65.9	64424	100	52	1.12	0.34	0.78	6.7
91G38	65.9	74.5	0	100	-1	-1.00	-1.00	-1.00	-1.0
91G38	74.5	75.2	64425	100	3	30.30	10.20	20.10	174.5
91G38	75.2	77.1	64426	89	52	2.46	1.02	1.44	16.5
91G38	77.1	77.5	64427	100	8	26.91	8.61	18.30	165.4
91G38	77.5	78.4	64428	100	7	10.35	2.90	7.45	62.2
91G38	78.4	79.6	64429	92	3	33.50	10.10	23.40	179.6
91G38	79.6	80.9	64430	92	3	27.75	9.15	18.60	154.5
91G38	80.9	82.8	64431	100	3	5.37	3.95	1.42	57.8
91G38	82.8	84.3	64432	93	3	19.37	10.30	9.07	134.3
91G38	84.3	84.8	64433	100	3	2.13	1.50	0.63	23.4
91G38	84.8	85.9	64434	100	3	18.18	8.39	9.79	125.2
91G38	85.9	89.9	0	100	-1	-1.00	-1.00	-1.00	-1.0

Average:

91G38	51.0	62.1	(= 11.1 m.)			8.80	2.81	5.98	47.5
-------	------	------	-------------	--	--	------	------	------	------