



Curragh
Resources Inc.

020251

95 Wellington St. West
Suite 1900, Box 12
Toronto, Ontario
M5J 2N7

Tel: (416) 363-7111
Telex: 06-22014
Fax: (416) 363-1732

DATE: May 29, 1991

LOCAL TIME: _____

PLEASE DELIVER THE FOLLOWING PAGES TO:

George Tolson

TRANSMITTING FROM: (416) 363-8993

RICOH FAX 70E

THIS TRANSMITTAL IS FROM: GEOFFREY McJannetNUMBER OF PAGES:(INCLUDING COVER PAGE): 8

IF YOU EXPERIENCE ANY PROBLEMS IN RECEIVING, PLEASE TELEPHONE THE
OFFICE NUMBER (416-363-7111) AND ASK FOR TERESA MUZLERA.

SPECIAL INSTRUCTIONS OR COMMENTS

<p>The most recent summary on laboratory test results on the Brun diamond-drill core samples Lakefield has started preparing polished sections for textural mineralogy. The samples to be investigated are 37064, 37070 and 37076.</p> <p>They will prep. and start the laboratory test work on the next series of Brun samples as soon as they are received at Lakefield.</p>
--

Table No. : Flotation Results

Test No.	Sample No.	Product	Weight %	Assays, %		% Distribution	
				Pb	Zn	Pb	Zn
1	37063	Pb 4th Cl Conc	2.38	48.5	14.2	31.3	6.8
		Pb 1st Cl Conc	8.55	25.7	16.8	59.5	28.7
		Pb Ro Conc	-	-	-	-	-
		Pb Ro Tail	-	-	-	-	-
		Zn Cl Conc	5.90	2.92	44.2	4.7	52.3
		Zn Ro Conc	22.33	3.06	14.0	18.8	62.7
		Zn Ro Tail	68.37	1.11	0.42	20.8	5.8
		Zn Ro Feed	90.71	1.59	3.76	39.1	68.5
		Head (calc.)	100.00	3.69	4.99	100.0	100.0
2	37064	Pb 4th Cl Conc	3.85	56.0	7.6	71.3	6.8
		Pb 1st Cl Conc	8.80	34.5	10.5	75.4	16.1
		Pb Ro Conc	18.14	14.8	10.2	78.7	37.9
		Pb Ro Tail	83.86	0.77	3.21	21.3	62.1
		Zn Cl Conc	9.25	3.04	32.7	9.3	69.8
		Zn Ro Conc	30.57	1.42	10.4	14.3	73.3
		Zn Ro Tail	61.62	0.47	0.49	9.6	7.0
		Zn Ro Feed	92.19	0.78	3.77	23.9	80.3
		Head (calc.)	100.00	3.02	4.33	100.0	100.0
3	37065	Pb 4th Cl Conc	4.10	41.8	7.36	40.7	5.9
		Pb 1st Cl Conc	14.02	20.5	9.55	68.2	26.3
		Pb Ro Conc	34.00	9.60	8.98	77.5	60.0
		Pb Ro Tail	66.00	1.44	3.09	22.5	40.0
		Zn Cl Conc	2.20	4.01	39.6	2.1	17.1
		Zn Ro Conc	26.89	1.89	7.18	12.1	37.9
		Zn Ro Tail	55.35	1.31	2.63	17.2	28.6
		Zn Ro Feed	82.24	1.50	4.12	29.3	66.5
		Head (calc.)	100.00	4.22	5.09	100.0	100.0
30	37067	Pb 4th Cl Conc	4.58	59.9	11.3	62.3	5.4
		Pb 1st Cl Conc	7.36	40.7	16.4	66.0	12.7
		Pb Ro Conc	21.44	15.2	17.9	74.0	40.4
		Pb Ro Tail	78.56	1.46	7.22	26.0	59.6
		Zn Cl Conc	11.51	2.35	44.5	6.1	63.9
		Zn Ro Conc	21.82	2.29	27.1	11.1	60.8
		Zn Ro Tail	69.14	1.21	2.92	19.0	21.2
		Zn Ro Feed	90.46	1.46	8.82	30.1	82.0
		Head (calc.)	100.00	4.40	9.51	100.0	100.0
4	37068	Pb 4th Cl Conc	3.59	59.7	9.22	48.7	4.1
		Pb 1st Cl Conc	14.04	28.2	15.4	90.0	26.5
		Pb Ro Conc	20.42	10.9	15.6	92.4	39.0
		Pb Ro Tail	79.58	0.42	6.25	7.6	61.0
		Zn Cl Conc	5.09	1.20	51.1	1.5	33.7
		Zn Ro Conc	27.51	0.96	19.1	6.0	64.4
		Zn Ro Tail	67.37	0.26	0.98	3.4	6.8
		Zn Ro Feed	84.97	0.49	6.84	9.4	71.2
		Head (calc.)	100.00	4.40	8.16	100.0	100.0

addition

Table No. : Flotation Results

Test No.	Sample No.	Product	Weight %	Assays, %		% Distribution	
				Pb	Zn	Pb	Zn
5	37069	Pb 4th Cl Conc	2.49	57.0	17.1	48.0	5.9
		Pb 1st Cl Conc	5.97	41.0	22.8	79.2	19.0
		Pb Ro Conc	12.21	22.5	22.6	89.1	38.4
		Pb Ro Tail	87.79	0.38	5.03	10.9	61.6
		Zn Cl Conc	7.30	1.63	52.8	3.8	53.7
		Zn Ro Conc	16.64	1.68	29.7	9.1	69.0
		Zn Ro Tail	76.32	0.93	0.78	8.2	8.1
		Zn Ro Feed	92.98	0.57	5.95	17.2	77.1
		Head (calc.)	100.00	3.09	7.17	100.0	100.0
7	37070	Pb 4th Cl Conc	9.00	68.3	12.3	65.1	6.0
		Pb 1st Cl Conc	15.73	45.5	21.1	78.0	17.9
		Pb Ro Conc	41.52	19.4	27.9	87.8	62.5
		Pb Ro Tail	58.48	1.91	11.9	12.2	37.5
		Zn Cl Conc	27.62	2.57	42.7	7.7	63.8
		Zn Ro Conc	46.51	2.23	28.7	11.3	72.0
		Zn Ro Tail	92.36	1.39	0.61	4.9	1.1
		Zn Ro Feed	78.87	1.88	17.2	16.2	73.1
		Head (calc.)	100.00	9.17	18.5	100.0	100.0
8	37071	Pb 4th Cl Conc	6.61	69.0	9.41	54.7	3.7
		Pb 1st Cl Conc	7.89	59.7	12.9	66.5	7.1
		Pb Ro Conc	31.49	19.5	23.4	86.8	51.5
		Pb Ro Tail	68.51	1.37	10.1	13.2	48.5
		Zn Cl Conc	18.19	2.71	48.5	7.0	63.0
		Zn Ro Conc	41.19	2.73	27.4	15.9	79.0
		Zn Ro Tail	46.27	1.06	1.42	6.9	4.6
		Zn Ro Feed	87.46	1.95	13.7	22.8	83.6
		Head (calc.)	100.00	7.08	14.3	100.0	100.0
9	37072	Pb 4th Cl Conc	1.64	72.3	5.75	37.5	1.4
		Pb 1st Cl Conc	5.31	48.6	12.2	72.8	8.4
		Pb Ro Conc	17.11	18.0	20.1	86.9	44.7
		Pb Ro Tail	82.89	0.58	5.14	13.1	56.3
		Zn Cl Conc	10.87	1.77	48.1	5.4	67.9
		Zn Ro Conc	28.30	1.74	22.4	13.9	82.2
		Zn Ro Tail	64.77	0.47	0.50	6.6	4.2
		Zn Ro Feed	93.07	0.86	7.14	22.5	86.4
		Head (calc.)	100.00	3.54	7.70	100.0	100.0
10	37073	Pb 4th Cl Conc	9.72	72.9	8.52	59.8	3.4
		Pb 1st Cl Conc	11.27	69.5	9.87	64.9	4.5
		Pb Ro Conc	25.84	40.0	24.1	85.7	25.2
		Pb Ro Tail	74.16	2.32	24.8	14.3	74.8
		Zn Cl Conc	35.65	3.99	53.8	11.8	77.9
		Zn Ro Conc	65.62	4.59	34.3	25.0	91.3
		Zn Ro Tail	20.12	1.08	0.95	1.8	0.8
		Zn Ro Feed	85.74	3.77	26.5	28.8	92.1
		Head (calc.)	100.00	12.1	24.6	100.0	100.0

Table No. : Flotation Results

Test No.	Sample No.	Product	Weight %	Assays, %		% Distribution	
				Pb	Zn	Pb	Zn
11	37074	Pb 4th Cl Conc	1.67	75.9	1.68	57.0	0.9
		Pb 3rd Cl Conc	1.86	72.5	2.06	60.5	1.2
		Pb 1st Cl Conc	3.55	47.6	4.38	76.2	4.9
		Pb Ro Conc	12.02	15.3	7.41	62.5	28.2
		Pb Ro Tail	67.98	0.44	2.58	17.5	71.8
		Zn Cl Conc	4.99	1.33	51.5	9.0	81.3
		Zn Ro Conc	24.28	0.77	11.2	8.4	86.0
		Zn Ro Tail	71.11	0.42	0.27	19.4	6.1
		Zn Ro Feed	95.39	0.51	3.05	21.6	92.1
	Head (calc.)	100.00	2.23	3.16	100.0	100.0	
12	37076	Pb 4th Cl Conc	0.31	60.0	1.11	15.5	0.1
		Pb 1st Cl Conc	0.86	43.6	3.17	31.5	0.9
		Pb Ro Conc	-	-	-	-	-
		Pb Ro Tail	-	-	-	-	-
		Zn Cl Conc	2.00	6.74	54.9	11.2	35.6
		Zn Ro Conc	4.79	5.68	27.1	22.8	42.2
		Zn Ro Tail	94.05	0.53	1.82	41.7	55.6
		Zn Ro Feed	98.85	0.78	3.05	64.4	97.9
			Head (calc.)	100.00	1.20	3.06	100.0
13	37077	Pb 4th Cl Conc	4.36	74.4	3.80	76.6	1.7
		Pb 1st Cl Conc	6.02	59.6	7.31	64.7	4.6
		Pb Ro Conc	10.54	35.3	10.7	67.7	11.7
		Pb Ro Tail	89.46	0.58	9.55	12.3	68.3
		Zn Cl Conc	10.67	1.05	59.5	2.6	65.6
		Zn Ro Conc	18.08	1.51	39.8	8.4	74.4
		Zn Ro Tail	75.11	0.44	2.52	7.6	19.6
		Zn Ro Feed	93.18	0.65	9.76	14.2	94.0
			Head (calc.)	100.00	4.24	9.67	100.0
14	37078	Pb 4th Cl Conc	3.81	76.7	3.24	51.0	1.2
		Pb 3rd Cl Conc	4.91	72.4	4.44	65.5	2.2
		Pb 1st Cl Conc	7.52	59.1	6.89	81.9	5.2
		Pb Ro Conc	17.16	28.1	10.1	88.7	17.2
		Pb Ro Tail	82.84	0.74	10.1	11.3	82.8
		Zn Cl Conc	11.00	1.36	59.2	2.8	64.6
		Zn Ro Conc	18.51	2.35	38.0	8.0	71.8
		Zn Ro Tail	72.40	0.55	2.91	7.3	20.9
		Zn Ro Feed	90.91	0.92	10.3	15.3	92.7
	Head (calc.)	100.00	5.43	10.1	100.0	100.0	
15	37079	Pb 4th Cl Conc	6.75	85.2	5.65	81.4	3.9
		Pb 1st Cl Conc	9.32	50.4	8.08	86.8	7.6
		Pb Ro Conc	19.54	24.9	9.91	90.0	19.6
		Pb Ro Tail	80.46	0.67	9.85	10.0	80.4
		Zn Cl Conc	10.20	1.35	54.6	2.5	56.5
		Zn Ro Conc	21.92	1.51	29.1	6.1	64.7
		Zn Ro Tail	68.90	0.49	3.72	6.1	25.2
		Zn Ro Feed	88.81	0.74	10.0	12.2	89.9
			Head (calc.)	100.00	5.40	9.86	100.0

Table No. : Flotation Results

Test No.	Sample No.	Product	Weight %	Assays, %		% Distribution	
				Pb	Zn	Pb	Zn
16	37080	Pb 4th Cl Conc	10.40	69.3	7.66	79.6	6.0
		Pb 1st Cl Conc	14.16	57.8	9.91	90.4	10.6
		Pb Ro Conc	28.89	29.5	13.3	94.2	29.1
		Pb Ro Tail	71.11	0.73	13.2	5.8	70.9
		Zn Cl Conc	15.98	1.17	61.1	2.1	73.8
		Zn Ro Conc	28.11	1.77	38.7	5.5	82.2
		Zn Ro Tail	55.67	0.43	1.01	2.6	4.2
		Zn Ro Feed	83.78	0.88	13.7	8.2	86.4
		Head (calc.)	100.00	9.05	13.2	100.0	100.0
17	37081	Pb 4th Cl Conc	8.60	65.0	7.69	73.7	5.2
		Pb 1st Cl Conc	14.61	44.8	12.2	86.4	13.9
		Pb Ro Conc	25.13	27.0	12.5	89.5	24.5
		Pb Ro Tail	74.67	1.06	12.9	10.5	75.5
		Zn Cl Conc	13.96	2.37	61.0	4.4	66.5
		Zn Ro Conc	25.70	2.18	36.6	7.4	73.5
		Zn Ro Tail	57.79	0.68	2.26	5.2	10.2
		Zn Ro Feed	83.50	1.14	12.8	12.6	83.7
		Head (calc.)	100.00	7.58	12.8	100.0	100.0
18	37082	Pb 4th Cl Conc	5.43	68.8	10.9	55.0	3.8
		Pb 3rd Cl Conc	7.08	60.9	14.1	65.2	6.1
		Pb 1st Cl Conc	10.06	50.4	18.3	76.8	11.2
		Pb Ro Conc	20.74	26.2	22.2	82.5	28.1
		Pb Ro Tail	79.26	1.48	14.9	17.5	71.9
		Zn Cl Conc	22.36	3.19	57.5	10.8	78.3
		Zn Ro Conc	29.40	3.08	45.1	13.7	80.8
		Zn Ro Tail	58.37	0.78	1.13	6.9	4.0
		Zn Ro Feed	87.78	1.55	15.9	20.6	84.8
Head (calc.)	100.00	6.60	16.4	100.0	100.0		
19	37083	Pb 4th Cl Conc	6.29	68.1	5.49	76.6	3.4
		Pb 1st Cl Conc	11.02	45.3	9.85	89.3	10.6
		Pb Ro Conc	23.30	22.1	10.0	92.0	22.9
		Pb Ro Tail	76.70	0.58	10.2	8.0	77.1
		Zn Cl Conc	11.11	1.32	61.2	2.6	68.7
		Zn Ro Conc	17.52	1.31	41.8	4.1	71.9
		Zn Ro Tail	69.52	0.46	2.12	5.7	14.4
		Zn Ro Feed	87.04	0.83	10.1	9.8	86.3
		Head (calc.)	100.00	5.59	10.2	100.0	100.0
20	37084	Pb 4th Cl Conc	7.56	68.0	6.48	80.0	3.6
		Pb 1st Cl Conc	11.46	49.2	11.07	97.8	9.4
		Pb Ro Conc	23.23	25.1	13.0	90.7	22.3
		Pb Ro Tail	76.77	0.78	13.7	9.3	77.7
		Zn Cl Conc	17.07	1.71	61.9	4.5	78.3
		Zn Ro Conc	23.83	1.59	45.7	5.9	80.8
		Zn Ro Tail	62.71	0.54	1.52	5.3	7.1
		Zn Ro Feed	86.54	0.83	13.7	11.2	87.6
		Head (calc.)	100.00	6.43	13.5	100.0	100.0

Table No. : Flotation Results

Test No.	Sample No.	Product	Weight %	Assays, %		% Distribution	
				Pb	Zn	Pb	Zn
21	37085	Pb 4th Cl Conc	6.00	68.7	8.78	55.0	3.1
		Pb 3rd Cl Conc	7.24	68.0	10.1	63.7	4.2
		Pb 1st Cl Conc	10.37	56.8	13.1	78.5	7.9
		Pb Ro Conc	23.13	28.4	19.0	87.4	25.4
		Pb Ro Tail	76.87	1.23	16.7	12.6	74.6
		Zn Cl Conc	23.78	2.14	57.9	6.8	79.8
		Zn Ro Conc	39.41	2.31	37.0	12.1	84.4
		Zn Ro Tail	47.34	0.72	1.29	4.5	3.5
		Zn Ro Feed	86.75	1.44	17.5	16.7	87.9
		Head (calc.)	100.00	7.50	17.3	100.0	100.0
22	37086	Pb 4th Cl Conc	3.55	67.4	4.86	51.6	1.5
		Pb 3rd Cl Conc	5.51	59.8	6.50	71.2	3.2
		Pb 1st Cl Conc	9.80	39.1	10.1	82.8	8.8
		Pb Ro Conc	21.38	18.8	10.7	88.8	20.4
		Pb Ro Tail	78.62	0.78	11.3	13.2	79.6
		Zn Cl Conc	13.01	1.12	58.8	3.1	68.3
		Zn Ro Conc	22.73	1.42	36.6	7.0	74.2
		Zn Ro Tail	65.84	0.65	2.55	9.2	15.0
		Zn Ro Feed	88.57	0.85	11.3	18.2	89.2
		Head (calc.)	100.00	4.83	11.2	100.0	100.0
23	37087	Pb 4th Cl Conc	5.18	67.1	5.48	69.0	2.1
		Pb 1st Cl Conc	8.34	50.7	8.08	84.0	5.0
		Pb Ro Conc	18.71	23.6	10.6	87.6	14.8
		Pb Ro Tail	81.29	0.77	14.0	12.4	85.2
		Zn Cl Conc	17.90	1.35	56.0	4.8	75.1
		Zn Ro Conc	31.30	1.58	34.7	9.7	81.3
		Zn Ro Tail	59.49	0.51	2.88	6.0	12.8
		Zn Ro Feed	90.79	0.87	13.8	15.7	84.1
		Head (calc.)	100.00	5.04	13.4	100.0	100.0
		24	37088	Pb 4th Cl Conc	7.62	71.1	5.64
Pb 1st Cl Conc	11.81			54.2	9.65	88.4	8.0
Pb Ro Conc	25.40			26.3	14.5	92.4	26.0
Pb Ro Tail	74.60			0.73	14.1	7.6	74.0
Zn Cl Conc	22.18			1.23	53.9	3.8	84.0
Zn Ro Conc	30.63			1.52	40.7	6.4	87.7
Zn Ro Tail	55.42			0.46	0.37	3.5	1.4
Zn Ro Feed	86.05			0.84	14.7	10.0	89.1
Head (calc.)	100.00			7.24	14.2	100.0	100.0
25	37089			Pb 4th Cl Conc	6.16	68.0	5.72
		Pb 1st Cl Conc	10.42	48.5	9.75	84.2	8.0
		Pb Ro Conc	20.36	26.8	12.7	89.2	20.2
		Pb Ro Tail	79.64	0.83	12.8	10.8	79.8
		Zn Cl Conc	20.07	1.56	53.0	5.1	83.3
		Zn Ro Conc	32.45	1.87	34.0	9.9	86.3
		Zn Ro Tail	55.31	0.46	0.69	4.2	3.0
		Zn Ro Feed	87.76	0.98	13.0	14.1	89.2
		Head (calc.)	100.00	6.12	12.8	100.0	100.0

Table No. : Flotation Results

Test No.	Sample No.	Product	Weight %	Assays, %		% Distribution	
				Pb	Zn	Pb	Zn
26	37090	Pb 4th Cl Conc	6.85	69.4	5.24	69.8	2.8
		Pb 1st Cl Conc	9.50	58.7	7.99	82.0	5.9
		Pb Ro Conc	19.55	31.8	15.3	91.4	23.2
		Pb Ro Tail	80.45	0.73	12.3	8.6	76.8
		Zn Cl Conc	20.65	1.92	52.9	5.8	85.0
		Zn Ro Conc	33.20	2.05	34.3	10.0	88.5
		Zn Ro Tail	55.44	0.49	0.59	4.0	2.5
		Zn Ro Feed	88.64	1.07	13.2	14.0	91.0
		Head (calc.)	100.00	6.81	12.9	100.0	100.0
27	37091	Pb 4th Cl Conc	11.28	56.7	9.48	83.6	10.0
		Pb 1st Cl Conc	14.91	45.6	10.1	88.7	14.1
		Pb Ro Conc	32.90	21.6	11.3	92.7	34.7
		Pb Ro Tail	67.10	0.84	10.4	7.3	65.3
		Zn Cl Conc	14.61	1.39	54.5	2.7	74.6
		Zn Ro Conc	23.89	1.74	34.9	5.4	78.1
		Zn Ro Tail	58.35	0.68	0.79	4.3	4.3
		Zn Ro Feed	82.24	0.90	10.7	9.7	82.4
		Head (calc.)	100.00	7.65	10.7	100.0	100.0
28	37092	Pb 4th Cl Conc	5.80	84.4	7.75	75.7	4.9
		Pb 1st Cl Conc	7.99	52.2	9.37	84.6	8.2
		Pb Ro Conc	21.17	21.0	13.0	90.1	30.2
		Pb Ro Tail	78.83	0.62	8.07	9.9	69.8
		Zn Cl Conc	14.89	1.20	50.4	3.6	81.3
		Zn Ro Conc	28.20	1.50	27.8	8.6	85.6
		Zn Ro Tail	62.29	0.40	0.52	5.1	3.6
		Zn Ro Feed	90.49	0.74	8.97	13.6	89.1
		Head (calc.)	100.00	4.93	9.11	100.0	100.0
29	37093	Pb 4th Cl Conc	4.18	50.3	7.54	64.2	5.7
		Pb 1st Cl Conc	7.06	33.5	9.96	72.3	12.7
		Pb Ro Conc	22.80	11.5	10.7	80.1	44.1
		Pb Ro Tail	77.20	0.84	4.00	19.9	55.9
		Zn Cl Conc	5.53	1.54	53.6	2.6	53.7
		Zn Ro Conc	13.58	1.84	27.1	7.6	66.4
		Zn Ro Tail	77.03	0.78	1.16	17.9	18.2
		Zn Ro Feed	80.58	0.92	5.04	25.5	82.6
		Head (calc.)	100.00	3.28	5.52	100.0	100.0
6	37094	Pb 4th Cl Conc	10.30	53.9	10.0	86.1	10.5
		Pb 1st Cl Conc	13.78	42.5	10.6	90.8	14.9
		Pb Ro Conc	23.48	25.7	12.7	93.6	30.4
		Pb Ro Tail	76.52	0.54	8.90	6.4	69.6
		Zn Cl Conc	13.77	0.93	53.4	2.0	75.2
		Zn Ro Conc	26.59	1.12	29.0	4.6	79.0
		Zn Ro Tail	57.34	0.39	0.39	3.4	2.2
		Zn Ro Feed	83.93	0.61	9.46	8.0	81.2
		Head (calc.)	100.00	6.45	9.78	100.0	100.0


Table No. : Flotation Results

Test No.	Sample No.	Product	Weight %	Assays, %		% Distribution	
				Pb	Zn	Pb	Zn
31	37095	Pb 4th Cl Conc	12.56	58.4	13.0	82.0	10.3
		Pb 1st Cl Conc	14.89	52.5	13.6	86.2	12.7
		Pb Ro Conc	27.31	29.9	18.5	91.3	31.9
		Pb Ro Tail	72.69	1.07	14.8	8.7	88.1
		Zn Cl Conc	22.88	1.80	52.3	4.6	75.7
		Zn Ro Conc	34.55	2.21	37.1	8.6	81.0
		Zn Ro Tail	48.51	0.63	0.91	3.4	2.8
		Zn Ro Feed	89.06	1.29	15.9	12.0	83.8
		Head (calc.)	100.00	8.95	15.8	100.0	100.0
32	37096	Pb 4th Cl Conc	6.64	85.6	6.40	79.1	4.6
		Pb 1st Cl Conc	9.63	50.7	8.23	88.7	8.6
		Pb Ro Conc	17.81	28.5	12.3	92.3	23.8
		Pb Ro Tail	82.19	0.52	8.54	7.7	76.2
		Zn Cl Conc	13.46	0.72	51.9	1.8	75.8
		Zn Ro Conc	23.26	1.14	32.0	4.8	80.7
		Zn Ro Tail	65.63	0.45	1.15	5.4	8.2
		Zn Ro Feed	89.09	0.63	9.20	10.2	88.9
		Head (calc.)	100.00	5.51	9.21	100.0	100.0
33	37097	Pb 4th Cl Conc	7.89	86.1	6.93	79.2	4.6
		Pb 1st Cl Conc	9.63	57.6	8.68	85.9	7.1
		Pb Ro Conc	18.34	39.5	14.8	93.4	22.7
		Pb Ro Tail	81.66	0.53	11.3	6.6	77.3
		Zn Cl Conc	19.62	1.34	51.8	4.0	84.8
		Zn Ro Conc	30.07	1.64	34.9	7.5	87.6
		Zn Ro Tail	55.49	0.39	0.50	3.5	2.4
		Zn Ro Feed	88.58	0.81	12.2	10.8	90.1
		Head (calc.)	100.00	6.56	12.0	100.0	100.0

Grum Deposit
G89-34 Assays

Hole-ID	From (ft)	To (ft)	Int. (ft)	Sample	Rocktype	SG	%Pb	%Zn	Pb+Zn	Ag g/mt	Au g/mt
89G-34	0.0	166.7	166.7	-1	WASTE	-1	-1	-1		-1.0	-1.0
63 89G-34	166.7	169.6	2.9	37063	4E14	3.6	3.64	4.34	7.98	123.0	0.9
64 89G-34	169.6	174.9	5.3	37064	4D3	3.3	2.91	4.06	6.97	80.2	0.6
65 89G-34	174.9	176.8	1.9	37065	4E4	4.0	4.81	6.17	10.98	93.6	1.0
66 89G-34	176.8	181.1	4.3	37066	4E4	3.1	4.62	4.54	9.16	63.7	1.4
67 89G-34	181.1	185.0	3.9	37067	4E4	4.5	5.04	10.60	15.64	84.7	0.6
68 89G-34	185.0	187.3	2.3	37068	4E4	4.8	5.05	9.18	14.23	90.2	0.5
69 89G-34	187.3	191.6	4.3	37069	4G4	4.7	3.48	7.14	10.62	46.5	0.7
70 89G-34	191.6	196.5	4.9	37070	4E4	4.1	9.79	19.80	29.59	133.0	1.5
71 89G-34	196.5	198.2	1.7	37071	4D334	4.1	8.07	15.90	23.97	135.0	1.5
72 89G-34	198.2	201.1	2.9	37072	4A4	3.5	4.51	8.36	12.87	74.1	1.0
73 89G-34	201.1	203.7	2.6	37073	4E44	4.1	12.40	24.30	36.70	198.0	1.3
74 89G-34	203.7	207.3	3.6	37074	4A4	3.4	2.47	3.78	6.25	35.3	1.1
75 89G-34	207.3	211.6	4.3	37075	4A0	3.5	0.96	2.01	2.97	21.3	0.7
76 89G-34	211.6	216.9	5.3	37076	4E4	3.9	2.37	5.02	7.39	39.2	3.3
77 89G-34	216.9	221.5	4.6	37077	4E4	4.9	5.62	11.80	17.42	84.5	2.7
78 89G-34	221.5	226.4	4.9	37078	4E4	4.9	6.78	10.40	17.18	97.4	1.2
79 89G-34	226.4	230.6	4.2	37079	4E4	4.9	7.16	9.65	16.81	104.0	1.2
80 89G-34	230.6	234.6	4.0	37080	4E4	4.9	8.54	14.00	22.54	108.0	1.1
81 89G-34	234.6	239.2	4.6	37081	4E4	4.6	8.70	14.20	22.90	121.0	1.3
82 89G-34	239.2	240.2	1.0	37082	10Q9	3.9	7.69	20.10	27.79	135.0	3.0
83 89G-34	240.2	244.1	3.9	37083	4E4	4.8	6.78	11.70	18.48	107.0	1.4
84 89G-34	244.1	248.4	4.3	37084	4E4	4.6	6.38	13.50	19.88	95.1	1.5
85 89G-34	248.4	250.7	2.3	37085	4D4	4.0	8.77	18.60	27.37	149.0	1.5
86 89G-34	250.7	254.9	4.2	37086	4E4	4.8	4.70	11.40	16.10	79.9	1.5
87 89G-34	254.9	260.2	5.3	37087	4E4	4.6	5.53	13.80	19.33	78.5	1.7
88 89G-34	260.2	264.1	3.9	37088	4D4	4.2	8.95	17.20	26.15	128.0	1.8
89 89G-34	264.1	269.0	4.9	37089	4D4	3.9	6.94	13.20	20.14	111.0	1.8
90 89G-34	269.0	274.9	5.9	37090	4A4	3.5	6.71	13.00	19.71	118.0	1.5
91 89G-34	274.9	278.5	3.6	37091	4D43	4.2	8.21	12.10	20.31	155.0	1.0
92 89G-34	278.5	282.2	3.7	37092	4D43	3.7	5.79	10.30	16.09	105.0	1.5
93 89G-34	282.2	284.4	2.2	37093	4E4	4.4	3.48	5.94	9.42	88.9	1.4
94 89G-34	284.4	288.7	4.3	37094	4A4	3.7	6.81	10.00	16.81	107.0	1.9
95 89G-34	288.7	292.7	4.0	37095	4A43	3.8	9.51	16.80	26.31	146.0	1.8
96 89G-34	292.7	296.6	3.9	37096	4A43	3.4	6.60	9.18	15.78	101.0	1.6
97 89G-34	296.6	300.5	3.9	37097	4A43	3.3	6.55	11.90	18.45	93.1	1.4

Similar hole - similar geology



LEGEND	REVISIONS	Guruguh Resources Inc.	Figure
● EXISTING DRILL HOLE + 1991 DIAMOND DRILLHOLE	91/01/16	GRUM DEPOSIT	Date 01/02/00 AUTOCAD DRAWN BY: NH