

**ANVIL MINING CORPORATION LIMITED**

P. O. BOX 2470

103 POLARIS BLOCK

WHITEHORSE, YUKON TERRITORY

CANADA

020269

1057K6

DRILL HOLE ASSAYS

D.D.H. NUMBERS

66-15	66-32	66-25
65-4	66-24	66-21
66-28	66-40	66-E-9
66-36	66-19	67-1
66-38	66-12	67-2
66-20	66-37	67-3
65-11	65-1	67-4
		67-5
		67-6
		67-7

Sample No	Sampled Interval	Width Feet	Ag Oz/Ton	Pb %	Zn %	Cu %	Pb+Zn %	Ag Ft x Oz.	Pb Ft x %	Zn Ft x %	Cu Ft x %	Pb+Zn Ft x %
932	258 - 263	5.0'	0.68	2.9	0.3	0.01	3.2					
933	- 268	5.0'	2.52	12.3	3.2	0.01	15.5					
934	- 273	5.0'	1.84	4.0	8.2	0.18	12.2					
935	- 278	5.0'	0.72	1.6	4.5	0.15	6.1					
936	- 283	5.0'	0.84	3.2	10.3	0.01	13.5					
937	- 288	5.0'	2.04	6.0	9.5	0.07	15.5					
938	- 293	5.0'	1.36	3.4	6.5	0.15	9.9					
939	- 298	5.0'	2.16	4.6	7.2	0.22	11.8					
940	- 303	5.0'	1.68	4.8	7.1	0.19	11.9					
941	- 308	5.0'	1.28	5.5	5.9	0.24	11.4					
942	- 313	5.0'	1.20	4.2	6.2	0.19	10.4					
943	- 318	5.0'	1.40	4.5	6.3	0.16	10.8					
944	- 323	5.0'	1.96	5.8	7.7	0.22	13.5					
945	- 328	5.0'	1.60	4.5	7.3	0.16	11.8					
946	- 333	5.0'	2.04	4.8	7.6	0.30	12.4					
947	- 338	5.0'	1.56	5.0	6.5	0.12	11.5					
948	- 343	5.0'	1.44	3.7	7.5	0.19	11.2					
949	- 348	5.0'	1.12	4.7	6.6	0.18	11.3					
950	- 353	5.0'	1.16	5.8	6.9	0.16	12.7					
951	- 358	5.0'	1.08	6.1	7.3	0.15	13.4					
952	- 363	5.0'	1.36	7.4	7.6	0.07	15.0					
953	363 - 365	2.0'	1.12	4.7	6.0	0.31	10.7					
954	365 - 370	5.0'	1.40	4.6	6.2	0.18	10.8					
955	- 375	5.0'	1.24	5.7	5.2	0.22	10.9					
956	- 380	5.0'	1.40	5.3	5.6	0.30	10.9					
957	- 385	5.0'	1.24	4.4	6.6	0.07	11.0					
958	- 390	5.0'	0.44	2.8	5.6	0.01	8.4					
959	- 395	5.0'	1.04	5.0	7.4	Tr	12.4					
960	- 400	5.0'	1.08	4.3	8.3	0.02	12.6					
961	- 405	5.0'	1.00	5.0	4.6	0.07	9.6					

Sample No	Sampled Interval	Width Feet	Ag Oz/Ton	Pb %	Zn %	Cu %	Pb+Zn %	Ag Ft x Oz	Pb Ft x %	Zn Ft x %	Cu Ft x %	Pb+Zn Ft x %
962	405 - 410	50	0.40	2.9	4.5	0.01						
963	- 415	50	0.40	3.2	3.7	0.15						
964	- 420	50	0.40	2.9	4.3	0.01						
965	- 425	50	0.36	3.3	4.1	0.18						
966	- 430	50	0.72	5.0	3.6	Tr						
967	- 435	50	2.16	10.5	14.8	0.07						
968	- 440	50	2.32	9.7	14.5	0.19						
969	- 445	50	2.76	10.9	15.1	0.01						
970	- 450	50	2.16	8.2	13.5	0.12						
971	- 455	50	1.56	3.6	6.7	0.18						

Sample No	Sampled Interval	Width Feet	Aq Oz / Ton	Pb. %	Zn %	Cu %	Pb+Zn %	Aq Ft x Oz.	Pb. Ft x %	Zn Ft x %	Cu Ft x %	Pb+Zn Ft x %
71	97 - 103	6.0	2.24	9.4	1.1	Tr						
46	103 - 109	6.0	1.56	9.4	3.4	0.15						
72	109 - 112	3.0	Tr	Tr	Tr	Tr						
73	130 - 134	4.0	0.80	0.4	1.4	Tr						
74	134 - 139	5.0	Tr	Tr	Tr	Tr						
59	139 - 143	4.0	0.12	Tr	Tr	Tr						
60	- 148	5.0	0.08	Tr	Tr	Tr						
61	- 152.5	4.5	Tr	Tr	0.2	Tr						
62	- 156.5	4.0	Tr	Tr	Tr	Tr						
63	- 160.5	4.0	Tr	Tr	Tr	Tr						
64	- 164.5	4.0	0.18	Tr	Tr	Tr						
65	- 170.0	5.5	0.06	Tr	Tr	Tr						
66	- 175.0	5.0	0.06	Tr	Tr	Tr						
67	- 180.0	5.0	0.28	Tr	2.0	Tr						
68	- 184.5	4.5	0.36	Tr	Tr	Tr						
69	- 189.5	5.0	0.16	Tr	Tr	Tr						
70	- 194.5	5.0	Tr	Tr	Tr	Tr						
75	290 - 292	2.0	0.62	0.5	0.1	Tr						
48	292 - 295	3.0	1.44	3.7	7.8	0.10						
49	- 300	5.0	2.00	1.6	7.8	0.07						
50	- 305	5.0	2.08	1.1	8.0	0.07						
51	- 310	5.0	1.48	2.2	7.1	0.01						
52	- 315	5.0	0.76	2.2	6.5	0.10						
53	- 320	5.0	0.84	2.3	7.1	0.21						
54	- 325	5.0	0.32	2.1	2.2	0.01						
55	- 330	5.0	0.08	0.2	0.2	0.01						
56	- 335	5.0	0.24	0.1	0.6	0.01						
57	- 340	5.0	0.96	7.7	9.4	0.01						
58	- 345	5.0	0.19	10.3	16.7	1.24						
152	345 - 350	5.0	0.56	3.3	7.5	0.07						

Sample No.	Sampled Interval	Width Feet.	Ag Oz / Ton.	Pb %	Zn %	Cu %	Pb+Zn %	Ag Ft x Oz.	Pb Ft x %	Zn Ft x %	Cu Ft x %	Pb+Zn Ft x %
153	350-355	5.0	0.76	4.0	11.1	Tr	15.1	3.8	20.0			
154	-360	5.0	0.64	4.6	9.3	Tr	13.9	3.2	23.0			
155	-365	5.0	0.72	4.7	7.8	Tr	12.5	3.6				
156	-370	5.0	0.76	4.5	11.5	0.01	16.0	3.8				
157	-375	5.0	0.16	1.7	4.2	0.01	5.9	0.8				
158	-380	5.0	Tr	0.2	0.6	Tr	0.8	0.0				
159	-385	5.0	0.40	2.0	2.8	Tr	4.8	2.0				
160	-390	5.0	1.36	7.3	13.2	0.07	20.5	6.8				
161	-395	5.0	0.96	6.5	10.5	0.07	17.0	4.8				
162	-400	5.0	0.60	3.0	5.6	0.24	8.6	3.0				
163	-405	5.0	0.60	4.5	6.2	0.21	10.7	3.0				
164	-410	5.0	0.44	4.5	6.6	0.21	11.1	2.2				
165	-415	5.0	0.32	3.3	6.1	0.07	9.4	1.6				
166	-420	5.0	0.52	3.4	4.9	0.27	8.3	2.6				
167	-425	5.0	0.24	4.1	5.8	0.07	9.9	1.2				
168	-430	5.0	0.68	5.8	10.5	0.15	16.3	3.4				
169	-435	5.0	0.52	5.8	9.5	0.07	16.3	2.6				
170	-440	5.0	0.80	5.7	7.2	0.18	12.9	4.0				
171	-445	5.0	0.12	2.3	2.6	0.15	4.9	0.6				
172	-450	5.0	Tr	1.4	2.2	Tr	3.6	0.0				
173	-455	5.0	Tr	1.4	2.4	Tr	3.8	0.0				
174	-460	5.0	0.28	4.1	6.7	Tr	10.8	1.4				
175	-465	5.0	0.12	3.6	8.0	Tr	11.6	0.6				
176	-470	5.0	0.14	2.0	4.6	0.15	6.6	0.7				
177	-475	5.0	0.42	3.3	3.2	0.15	6.5	2.1				
178	-480	5.0	0.26	4.3	10.4	0.01	14.7	1.3				
179	-485	5.0	0.36	2.2	4.7	0.01	6.9	1.8				
180	-490	5.0	0.44	1.8	4.7	Tr	6.5	2.2				

Sample No.	Sampled Interval	Width Feet	Ag Oz/Ton	Pb %	Zn %	Cu %	Pb+Zn %	Ag Ft x Oz	Pb Ft x %	Zn Ft x %	Cu Ft x %	Pb+Zn Ft x %
3960	143-148	5.0	1.08	4.0	8.7	0.27	12.7	5.4	20.0	43.5	1.35	63.5
3961	-153	5.0	0.08	1.9	5.4	0.24	7.3	0.4	9.5	27.0	1.2	36.5
3962	-158	5.0	0.32	3.8	8.8	0.33	12.6	1.6	19.0	44.0	1.65	63.0
3963	-163	5.0	0.48	3.0	7.8	0.28	10.8	2.4	15.0	39.0	1.4	54.0
3964	-168	5.0	2.68	2.0	Tr	0.01	2.0	13.4	10.0	0.0	0.05	10.0
3965	-173	5.0	0.74	0.6	Tr	0.15	0.6	3.7	3.0	0.0	0.75	3.0
3966	-178	5.0	0.26	0.2	Tr	0.03	0.2	1.3	1.0	0.0	0.15	1.0
3967	-183	5.0	0.78	1.2	2.4	0.24	3.6	3.9	6.0	12.0	1.2	18.0
3968	-188	5.0	0.68	4.1	11.4	0.30	15.5	3.4	20.5	57.0	1.5	77.5
3969	-193	5.0	0.56	4.0	8.0	0.18	12.0	2.8	20.0	40.0	0.9	60.0
3970	-198	5.0	0.04	Tr	1.5	0.30	1.5	0.2	0.0	7.5	1.5	7.5
3971	-203	5.0	0.14	Tr	Tr	Tr	Tr	0.7	0.0	0.0	0.0	0.0
3972	-208	5.0	Tr	Tr	Tr	Tr	Tr	0.0	0.0	0.0	0.0	0.0

Sample No	Sampled Interval	Width Feet	Ag Oz/Ton	Pb %	Zn %	Cu %	Pb+Zn %	Ag Ft x Oz	Pb Ft x %	Zn Ft x %	Cu Ft x %	Pb+Zn Ft x %
3201	142-147	5.0'	0.02	Tr	Tr	Tr	Tr	0.1	0.0	0.0	0.0	0.0
3202	-152	5.0'	Tr	Tr	Tr	Tr	Tr	0.0	0.0	0.0	0.0	0.0
3203	-157	5.0'	0.72	1.3	2.9	0.21	4.2	3.6	6.5	14.5	1.1	21.0
3299	-162	5.0'	0.30	0.5	1.8	0.10	2.3	1.5	2.5	9.0	0.5	11.5
3204	-167	5.0'	Tr	Tr	Tr	Tr	Tr	0.0	0.0	0.0	0.0	0.0

Sample No.	Sampled Interval	Width Feet.	Ag Oz/Ton	Pb %	Zn %	Cu %	Pb+Zn %	Ag Ft x Oz.	Pb Ft x %	Zn Ft x %	Cu Ft x %	Pb+Zn Ft x %
3256	85 - 90	5.0	0.04	Tr	Tr	Tr	Tr	0.2	0.0	0.0	0.0	0.0
3257	- 95	5.0	0.16	Tr	Tr	Tr	Tr	0.8	0.0	0.0	0.0	0.0
3258	- 100	5.0	5.76	4.0	Tr	0.12	4.0	28.8	20.0	0.0	0.6	20.0
3259	- 105	5.0	0.66	0.1	Tr	Tr	0.1	3.3	0.5	0.0	0.0	0.5
3260	- 110	5.0	Tr	Tr	Tr	Tr	Tr	0.0	0.0	0.0	0.0	0.0
3261	- 115	5.0	6.84	6.4	Tr	0.15	6.4	34.2	32.0	0.0	0.75	32.0
3262	168 - 173	5.0	Tr	0.1	Tr	Tr	0.1	0.0	0.5	0.0	0.0	0.5
3263	- 178	5.0	0.04	0.3	1.7	Tr	2.0	0.2	1.5	8.5	0.0	10.0
3264	- 183	5.0	1.24	4.2	15.5	0.33	19.7	6.2	21.0	77.5	1.65	98.5
3265	- 188	5.0	1.08	2.9	6.8	Tr	9.7	5.4	14.5	34.0	0.0	48.5
3266	- 193	5.0	0.84	3.8	12.7	0.15	16.5	4.2	19.0	63.5	0.75	82.5
3267	- 198	5.0	0.60	3.6	8.4	0.16	12.0	3.0	18.0	42.0	0.8	60.0
3268	- 203	5.0	0.80	2.8	5.6	0.15	8.4	4.0	14.0	28.0	0.75	42.0
3269	- 208	5.0	0.50	1.5	10.9	0.15	12.4	2.5	7.5	54.5	0.75	62.0
3270	- 213	5.0	0.16	Tr	Tr	Tr	Tr	0.8	0.0	0.0	0.0	0.0
3271	- 218	5.0	Tr	Tr	Tr	Tr	Tr	0.0	0.0	0.0	0.0	0.0
3272	250 - 255	5.0	0.04	0.1	Tr	Tr	0.1	0.2	0.5	0.0	0.0	0.5
3273	- 260	5.0	0.06	Tr	0.1	Tr	0.1	0.3	0.0	0.5	0.0	0.5
3274	- 265	5.0	0.40	0.1	1.7	0.27	1.8	2.0	0.5	8.5	1.35	9.0
3275	- 270	5.0	Tr	0.1	Tr	Tr	0.1	0.0	0.5	0.0	0.0	0.5
3276	- 275	5.0	Tr	Tr	Tr	Tr	Tr	0.0	0.0	0.0	0.0	0.0
3277	- 280	5.0	0.24	0.4	1.8	0.24	2.2	1.2	2.0	9.0	1.2	11.0
3278	- 285	5.0	0.28	0.3	1.7	0.30	2.0	1.4	1.5	8.5	1.5	10.0
3279	- 290	5.0	0.08	Tr	Tr	Tr	Tr	0.4	0.0	0.0	0.0	0.0
3280	- 295	5.0	0.02	Tr	Tr	Tr	Tr	0.1	0.0	0.0	0.0	0.0

Sample No.	Sampled Interval	Width Feet	Ag Oz/Ton	Pb %	Zn %	Cu %	Pb+Zn %	Ag Ft x Oz	Pb Ft x %	Zn Ft x %	Cu Ft x %	Pb+Zn Ft x %
973	253-258	5.0	0.08	0.1	Tr	Tr	0.1	0.40	0.5	0.0	0.0	0.5
974	-263	5.0	0.60	1.7	2.8	0.15	4.5	3.00	8.5	14.0	0.75	22.5
975	-268	5.0	3.68	4.7	5.6	0.30	10.3	18.40	23.5	28.0	7.50	51.5
976	-273	5.0	1.52	5.7	9.8	0.27	15.5	7.60	28.5	49.0	1.35	77.5
977	-278	5.0	2.44	6.2	8.5	0.12	14.7	12.20	31.0	42.5	0.60	73.5
978	-283	5.0	3.12	7.9	10.8	0.01	18.7	15.60	39.5	54.0	0.05	93.5
979	-288	5.0	4.10	7.7	5.7	0.15	13.4	20.50	38.5	26.5	0.75	67.5
980	-293	5.0	2.84	7.2	8.3	0.07	15.5	14.20	36.0	41.5	0.35	77.5
981	-298	5.0	1.72	6.7	10.5	0.07	17.2	8.60	33.5	52.5	0.35	86.0
982	-303	5.0	2.40	8.4	12.0	0.01	18.4	12.00	42.0	60.0	0.05	92.0
983	-308	5.0	2.40	8.4	10.5	0.22	18.9	12.00	42.0	52.5	1.10	94.5
984	-313	5.0	2.92	8.5	9.5	0.45	18.0	14.60	42.5	47.5	2.25	90.0
985	-318	5.0	2.20	7.0	9.3	0.22	16.3	11.00	35.0	46.5	1.10	81.5
986	-323	5.0	1.24	4.8	6.6	0.07	11.4	6.20	24.0	33.0	0.35	57.0
987	-328	5.0	2.00	3.0	5.9	0.22	8.9	10.00	15.0	29.5	1.10	44.5
988	-333	5.0	0.88	1.5	3.0	Tr	4.5	4.40	7.5	15.0	0.0	22.5
989	-338	5.0	0.94	2.0	4.4	Tr	6.4	4.70	10.0	22.0	0.0	32.0
990	-343	5.0	0.76	1.5	3.0	0.01	4.5	3.80	7.5	15.0	0.05	22.5
991	350-355	5.0	0.20	Tr	0.1	0.01	0.1	1.00	0.0	0.5	0.05	0.5

Sample No.	Sampled Interval	Width Feet	Ag Oz/Ton	Pb %	Zn %	Cu %	Pb+Zn %	Ag Ft x Oz	Pb Ft x %	Zn Ft x %	Cu Ft x %	Pb+Zn Ft x %
400	260 - 265	5.0	0.10	Tr	Tr		Tr	0.50	0.0	0.0		0.0
401	- 270	5.0	0.14	Tr	0.1		0.1	0.70	0.0	0.5		0.5
402	- 275	5.0	0.08	Tr	0.2		0.2	0.40	0.0	1.0		1.0
403	- 280	5.0	0.14	0.1	Tr		0.1	0.70	0.5	0.0		0.5
404	- 285	5.0	0.56	0.6	0.4		1.0	2.80	3.0	2.0		5.0
405	- 290	5.0	4.64	9.4	9.6	0.39	19.0	23.20	47.0	48.0	1.95	95.0
406	- 295	5.0	1.68	3.9	5.4	0.22	9.3	8.40	19.5	27.0	1.10	46.5
407	- 300	5.0	1.72	5.1	5.3	0.25	10.4	8.60	25.5	26.5	1.25	52.0
408	- 305	5.0	1.72	4.0	5.1	0.18	9.1	8.60	20.0	25.5	0.90	45.5
409	- 310	5.0	1.44	5.3	5.9	0.15	11.2	7.20	26.5	29.5	0.75	56.0
410	- 315	5.0	1.72	4.1	5.8	0.22	9.9	8.60	20.5	29.0	1.10	49.5
411	- 320	5.0	1.04	5.8	5.2	0.15	11.0	5.20	29.0	26.0	0.75	55.0
412	- 325	5.0	1.36	3.8	6.4	0.15	10.2	6.80	19.0	32.0	0.75	51.0
420	325 - 330	5.0	0.80	1.1	Tr	Tr	1.1	4.00	5.5	0.0	0.0	5.5
421	335 - 340	5.0	Tr	12.6	Tr	Tr	12.6	0.0	63.0	0.0	0.0	63.0
422	- 345	5.0	2.08	6.8	5.6	0.16	12.4	10.40	34.0	28.0	0.80	62.0
423	- 350	5.0	1.76	6.4	6.4	0.07	12.8	8.80	32.0	32.0	0.35	64.0
424	- 355	5.0	2.04	7.4	7.0	0.07	14.4	10.20	37.0	35.0	0.35	72.0
425	- 360	5.0	1.80	4.8	6.7	0.15	11.5	9.00	24.0	33.5	0.75	57.5
426	- 365	5.0	0.70	3.2	3.3	0.30	6.5	3.50	16.0	16.5	1.50	32.5
427	- 370	5.0	2.04	5.2	7.1	0.22	12.3	10.20	26.0	35.5	1.10	61.5
428	- 375	5.0	2.92	4.7	5.2	0.15	9.9	14.60	23.5	26.0	0.75	49.5
429	- 380	5.0	2.56	6.6	7.3	0.18	13.9	12.80	33.0	36.5	0.90	69.5
452	380 - 385	5.0	1.62	5.5	6.0	0.16	11.5	8.10	27.5	30.0	0.80	57.5
453	- 390	5.0	1.66	6.9	7.1	Tr	14.0	8.30	34.5	35.5	0.00	70.0
454	- 395	5.0	1.80	8.8	10.9	0.07	19.7	9.00	44.0	54.5	0.35	98.5
455	- 400	5.0	2.88	10.6	11.7	0.07	22.3	14.40	53.0	58.5	0.35	111.5
456	- 405	5.0	2.46	6.4	9.0	0.24	15.4	12.30	32.0	45.0	1.20	77.0
457	- 410	5.0	0.40	4.6	2.5	0.15	7.1	2.00	23.0	12.5	0.75	35.5
458	- 415	5.0	1.00	4.1	4.7	0.26	8.8	5.00	20.5	23.5	1.30	44.0

Sample No.	Sampled Interval	Width Feet.	Ag Oz/Ton	Pb %	Zn %	Cu %	Pb+Zn %	Ag Ft x Oz.	Pb Ft x %	Zn Ft x %	Cu Ft x %	Pb+Zn Ft x %
459	415. - 420.	5.0	2.60	11.3	9.0	0.15	20.3	13.00	56.5	45.0	0.75	101.5
460	- 425	5.0	1.30	8.6	6.7	0.22	15.3	6.50	43.0	33.5	1.10	76.5
461	- 430	5.0	1.00	8.7	10.6	0.40	19.3	5.00	43.5	53.0	2.00	96.5
462	- 435	5.0	0.80	8.2	11.0	0.35	19.2	4.00	41.0	55.0	1.75	96.0
463	- 440	5.0	0.40	4.9	8.8	0.08	13.7	2.00	24.5	44.0	0.40	68.5
464	- 445	5.0	0.40	5.8	6.8	0.05	12.6	2.00	29.0	34.0	0.25	63.0
465	- 450	5.0	0.20	5.6	7.4	0.04	13.0	1.00	28.0	37.0	0.20	65.0
466	- 455	5.0	0.40	5.3	11.1	0.12	16.4	2.00	26.5	55.5	0.60	82.0
467	- 460	5.0	0.30	4.1	9.1	0.07	13.2	1.50	20.5	45.5	0.35	66.0
489	460 - 465	5.0	0.96	5.2	8.9		14.1	4.80	26.0	44.5		70.5
490	- 470	5.0	1.90	6.0	8.6		14.6	9.50	30.0	43.0		73.0
491	- 475	5.0	1.80	2.9	4.6		7.5	9.00	14.5	23.0		37.5
492	- 480	5.0	4.20	5.9	10.8		16.7	21.00	29.5	54.0		83.5
493	- 485	5.0	0.76	1.0	1.5		2.5	3.80	5.0	7.5		12.5
494	- 490	5.0	2.80	3.8	9.9		13.7	14.00	19.5	49.5		68.5
495	- 495	5.0	0.14	0.2	0.5		0.7	0.70	1.0	2.5		3.5
496	- 500	5.0	3.20	2.93	9.49		12.4	16.00	14.5	47.5		62.0
497	- 505	5.0	0.42	0.30	0.69		1.0	2.10	1.5	3.5		5.0
498	- 510	5.0	0.18	0.35	0.79		1.1	0.90	1.8	3.9		5.5
499	- 515	5.0	0.20	0.25	0.42		0.6	1.00	1.3	2.1		3.0
500	- 520	5.0	0.26	0.30	0.42		0.7	1.30	1.5	2.1		3.5

Sample No	Sampled Interval	Width Feet	Ag Oz/Ton	Pb %	Zn %	Cu %	Au Oz/Ton	Pb+Zn %	Ag Ft x Oz	Pb Ft x %	Zn Ft x %	Cu Ft x %	Pb+Zn Ft x %
3417	205-210	5.0	0.14	0.2	0.1	Tr		0.3	0.7	10	0.5	0.0	1.5
3418	-215	5.0	0.56	0.2	Tr	0.24		0.2	2.8	1.0	0.0	1.2	1.0
3419	-220	5.0'	0.48	Tr	Tr	0.01		0.0	2.4	0.0	0.0	0.1	0.0
3420	-225	5.0	1.12	2.0	10.2	0.10		12.2	5.6	10.0	51.0	0.5	61.0
3421	-230	5.0'	1.56	4.5	7.4	0.12		11.9	7.8	22.5	37.0	0.6	59.5
3422	-235	5.0'	2.28	3.4	6.4	0.21		9.8	11.4	17.0	32.0	1.0	49.0
3423	-240	5.0'	2.32	2.6	7.8	0.01		10.4	11.6	13.0	39.0	0.1	52.0
3424	-245	5.0'	3.04	2.9	6.8	0.45		9.7	15.2	14.5	34.0	2.3	48.5
3425	-250	5.0'	2.76	2.7	2.9	0.22		5.6	13.8	13.5	14.5	1.1	28.0
3426	-255	5.0'	0.30	0.1	0.1	Tr		0.2	1.5	0.5	0.5	0.0	1.0
3427	-260	5.0'	1.18	1.2	0.1	0.01		1.3	5.9	6.0	0.5	0.1	6.5
3428	-265	5.0'	Tr	0.1	Tr	Tr		0.1	0.0	0.5	0.0	0.0	0.5
3429	-270	5.0'	0.02	Tr	Tr	Tr		Tr	0.1	0.0	0.0	0.0	0.0
3430	305-310	5.0'	0.04	0.1	Tr	Tr		0.1	0.2	0.5	0.0	0.0	0.5
3431	-315	5.0'	0.06	Tr	Tr	Tr		Tr	0.3	0.0	0.0	0.0	0.0
3432	-320	5.0'	4.04	3.7	5.4	0.15		9.1	20.2	18.5	27.0	0.8	45.5
3433	-325	5.0'	3.84	6.6	4.9	0.28		11.5	19.2	33.0	24.5	1.4	57.5
3434	-330	5.0'	2.00	2.3	4.6	0.16		6.9	10.0	11.5	23.0	0.8	34.5
3435	-335	5.0'	1.72	2.3	6.5	0.01		8.8	8.6	11.5	32.5	0.1	44.0
3436	-340	5.0'	3.20	4.8	6.9	0.21		11.7	16.0	24.0	34.5	1.1	58.5
3437	-345	5.0'	1.12	3.3	5.7	Tr		9.0	5.6	16.5	28.5	0.0	45.0
3438	-350	5.0'	1.64	3.4	8.6	0.01		12.0	8.2	17.0	43.0	0.1	60.0
3439	-355	5.0'	1.48	3.9	6.8	0.15		10.7	7.4	19.5	34.0	0.8	53.5
3440	-360	5.0	2.28	6.3	9.6	Tr		15.9	11.4	31.5	48.0	0.0	79.5
3441	-365	5.0'	1.08	2.9	7.4	Tr		10.3	5.4	14.5	37.0	0.0	51.5
3442	-370	5.0'	1.16	3.5	6.8	0.01		10.3	5.8	17.5	34.0	0.0	51.5
3443	-375	5.0'	1.76	3.5	8.8	Tr		12.3	8.8	17.5	44.0	0.0	61.5
3444	-380	5.0'	2.56	5.3	11.9	0.01		17.2	12.8	26.5	59.5	0.0	86.0
3445	-385	5.0	8.06	3.0	2.7	0.18	0.62	5.7	40.3	15.0	13.5	0.9	28.5
3446	-390	5.0'	7.10	2.4	Tr	0.15	0.36	2.4	35.5	12.0	0.0	0.7	12.0

Sample No.	Sampled Interval	Width Feet	Ag. Oz/Ton	Pb %	Zn %	Cu %	Au Oz/Ton	Pb+Zn %	Ag Ft. x Oz.	Pb Ft. x %	Zn Ft. x %	Cu Ft. x %	Pb+Zn Ft. x %
3447	390 - 395	5.0	4.52	3.3	Tr	0.12	0.22	3.3	22.6	16.5	0.0	0.6	16.5
3448	- 400	5.0	1.20	3.0	Tr	Tr		3.0	6.0	15.0	0.0	0.0	15.0
3449	- 405	5.0	2.68	3.7	5.3	0.07		9.0	13.4	18.5	26.5	0.4	45.0
3450	- 410	5.0	2.16	3.4	5.3	0.19		8.7	10.8	17.0	26.5	0.9	43.5
3451	- 415	5.0	2.12	4.2	7.4	Tr		11.6	10.6	21.0	37.0	0.0	58.0
3452	- 420	5.0	1.32	3.7	7.8	0.01		11.5	6.6	18.5	39.0	0.1	57.5
3453	- 425	5.0	1.32	6.3	6.9	0.18		13.2	6.6	31.5	34.5	0.9	66.0
3454	- 430	5.0	1.12	1.4	3.3	0.19		4.7	5.6	7.0	16.5	0.9	23.5
3455	- 435	5.0	0.92	2.7	2.5	0.22		5.2	4.6	13.5	12.5	1.1	26.0
3456	- 440	5.0	1.52	6.5	8.0	0.18		14.5	7.6	32.5	40.0	0.9	72.5
3457	- 445	5.0	0.96	4.2	8.3	0.25		12.5	4.8	21.0	41.5	1.2	62.5
3458	- 450	5.0	0.52	2.4	7.6	0.38		10.0	2.6	12.0	38.0	1.9	50.0
3459	- 455	5.0	0.16	0.1	Tr	0.31		0.1	0.8	0.5	0.0	1.5	0.5
3460	- 460	5.0	Tr	0.1	Tr	0.24		0.1	0.0	0.5	0.0	1.2	0.5
3461	- 465	5.0	0.44	1.7	9.3	0.01		11.0	2.2	8.5	46.5	0.1	55.0
3462	- 470	5.0	0.72	3.7	10.8	0.16		14.5	3.6	18.5	54.0	0.8	72.5
3463	- 475	5.0	0.84	3.8	12.8	0.15		16.4	4.2	19.0	64.0	0.7	82.0
3464	- 480	5.0	0.24	2.1	6.4	0.18		8.5	1.2	10.5	32.0	0.9	42.5
3465	- 485	5.0	0.52	2.4	3.7	0.22		6.1	2.6	12.0	18.5	1.1	30.5
3466	- 490	5.0	Tr	0.1	Tr	Tr		0.1	0.0	0.5	0.0	0.0	0.5
3467	- 495	5.0	Tr	0.1	Tr	Tr		0.1	0.0	0.5	0.0	0.0	0.5
3468	- 500	5.0	0.24	0.6	1.6	Tr		2.2	1.2	3.0	8.0	0.0	11.0
3469	- 505	5.0	Tr	Tr	Tr	Tr		0.0	0.0	0.0	0.0	0.0	0.0

Sample No	Sampled Interval	Width Feet	Ag Oz/Ton	Pb %	Zn %	Cu %	Pb+Zn %	Ag Ft x Oz	Pb Ft x %	Zn Ft x %	Cu Ft x %	Pb+Zn Ft x %
4937	105-110	5.0	0.64	0.7	3.7	0.01	4.4	3.2	3.5	18.5	0.05	22.0
4938	-115	5.0	1.28	2.9	8.6	Tr	11.5	6.4	14.5	43.0	0.0	57.5
4939	-120	5.0	1.34	2.8	7.6	Tr	10.4	6.7	14.0	38.0	0.0	52.0
4940	-125	5.0	1.40	2.7	7.9	Tr	10.6	7.0	13.5	39.5	0.0	53.0
4941	-130	5.0	1.72	2.8	8.1	Tr	10.9	8.6	14.0	40.5	0.0	54.5
4942	-135	5.0	1.80	3.4	7.8	0.10	11.2	9.0	17.0	39.0	0.5	56.0
4943	-140	5.0	1.28	1.6	6.7	0.10	8.3	6.4	8.0	33.5	0.5	41.5
4944	-145	5.0	0.58	0.4	4.8	0.21	5.2	2.9	2.0	24.0	1.05	26.0
4945	-150	5.0	2.04	2.6	7.3	0.01	9.9	10.2	13.0	36.5	0.05	49.5
4946	-155	5.0	Tr	Tr	Tr	Tr	Tr	0.0	0.0	0.0	0.0	0.0
4947	170-175	5.0	4.36	6.8	5.7	0.18	12.5	21.3	34.0	28.5	0.9	62.5
4948	-180	5.0	3.54	5.6	5.5	0.72	11.1	18.7	28.0	27.5	3.6	55.5
4949	190-195	5.0	0.04	0.1	Tr	Tr	0.1	0.2	0.5	0.0	0.0	0.5
4950	-200	5.0	Tr	0.1	Tr	Tr	0.1	0.0	0.5	0.0	0.0	0.5
4951	-205	5.0	2.96	2.0	Tr	Tr	2.0	14.8	10.0	0.0	0.0	10.0
4952	-210	5.0	3.56	3.7	6.5	0.34	10.2	17.8	18.5	32.5	1.7	51.0
4953	-215	5.0	2.84	3.8	9.8	0.15	13.6	14.2	19.0	49.0	0.75	68.0
4954	-220	5.0	5.88	5.3	7.5	0.06	12.8	29.4	26.5	37.5	0.3	64.0
4955	-225	5.0	4.04	4.5	9.5	0.18	14.0	20.2	22.5	47.5	0.9	70.0
4956	-230	5.0	2.28	3.8	8.0	0.15	11.8	11.4	19.0	40.0	0.75	59.0
4957	-235	5.0	2.48	4.7	8.0	0.01	12.7	12.4	23.5	40.0	0.05	63.5
4958	-240	5.0	3.24	3.4	5.3	0.01	8.7	16.2	17.0	26.5	0.05	43.5
4959	-245	5.0	1.88	5.1	6.3	0.04	11.4	9.4	25.5	31.5	0.2	57.0
4960	-250	5.0	2.16	4.9	6.7	0.01	11.6	10.8	24.5	33.5	0.05	58.0
4961	-255	5.0	5.14	6.7	6.7	0.24	13.4	25.7	33.5	33.5	1.2	67.0
4962	-260	5.0	4.08	5.1	4.3	0.15	9.4	20.4	25.5	21.5	0.75	47.0
4963	-265	5.0	1.16	2.4	7.8	Tr	10.2	5.8	12.0	39.0	0.0	51.0
4964	-270	5.0	1.68	3.5	5.6	Tr	9.1	8.4	17.5	28.0	0.0	45.5
4965	-275	5.0	0.44	0.7	5.5	0.04	6.2	2.2	3.5	27.5	0.2	31.0
4966	-280	5.0	0.36	0.7	3.7	0.04	4.4	1.8	3.5	18.5	0.2	22.0

Sample No	Sampled Interval	Width Feet	Ag Oz/Ton	Pb %	Zn %	Cu %			Pb+Zn %	Ag Ft x Oz	Pb Ft x %	Zn Ft x %	Cu Ft x %			Pb+Zn Ft x %			
4967	280-285	5.0	0.68	3.2	11.6	0.15			14.8	3.4	16.0	58.0	0.75			74.0			
4968	-290	5.0	1.00	3.9	7.4	0.03			11.3	5.0	19.5	37.0	0.15			56.5			
4969	-295	5.0	0.96	3.4	7.7	Tr			11.1	4.8	17.0	38.5	0.0			55.5			
4970	-300	5.0	1.10	4.6	10.4	0.04			15.0	5.5	23.0	52.0	0.2			75.0			
4971	-305	5.0	0.60	3.5	5.9	0.01			9.4	3.0	17.5	29.5	0.05			47.0			
4972	-310	5.0	0.10	Tr	Tr	0.03			0.0	0.5	0.0	0.0	0.15			0.0			
4973	-315	5.0	0.08	Tr	Tr	0.15			0.0	0.4	0.0	0.0	0.75			0.0			
4974	-320	5.0	Tr	Tr	Tr	0.12			0.0	0.0	0.0	0.0	0.6			0.0			
4975	-325	5.0	0.28	0.7	3.3	0.15			4.0	1.4	3.5	16.5	0.75			20.0			
4976	-330	5.0	0.76	2.3	8.8	0.16			11.1	3.8	11.5	44.0	0.8			55.5			
4977	-335	5.0	0.54	3.3	5.5	0.22			8.8	2.7	16.5	27.5	0.11			44.0			
4978	-340	5.0	0.58	1.2	4.1	0.13			5.3	2.9	6.0	20.5	0.65			26.5			
4979	-345	5.0	0.64	2.7	6.0	0.01			8.7	3.2	13.5	30.0	0.05			43.5			
4980	-350	5.0	0.82	3.0	6.3	Tr			9.3	4.1	15.0	31.5	0.0			46.5			
4981	-355	5.0	0.66	4.0	9.4	0.04			13.4	3.9	20.0	47.0	0.2			67.0			
4982	-360	5.0	0.66	4.0	8.8	0.07			12.8	3.3	20.0	44.0	0.35			64.0			
4983	-365	5.0	0.56	2.1	5.6	0.07			7.7	2.8	10.5	28.0	0.35			38.5			
4984	-370	5.0	0.76	1.6	5.0	0.03			6.6	3.8	8.0	25.0	0.15			33.0			
4985	-373	3.0	0.48	1.8	5.7	0.07			7.5	2.4	9.0	28.5	0.35			37.5			

Sample No	Sampled Interval	Width Feet	Ag Oz / Ton	Pb %	Zn %	Cu %			Pb+Zn %	Ag Ft x Oz.	Pb Ft x %	Zn Ft x %	Cu Ft x %			Pb+Zn Ft x %
3996	219 - 224	5.0	4.2	0.1	Tr	Tr			0.1	21.0	0.5	0.0	0.0			0.5
3997	- 229	5.0	Tr	0.2	Tr	Tr			0.2	0.0	1.0	0.0	0.0			1.0
3998	- 234	5.0	2.04	4.1	8.2	0.15			12.3	10.2	20.5	41.0	0.75			61.5
3999	- 239	5.0	0.44	1.1	2.0	Tr			3.1	2.2	5.5	10.0	0.0			15.5
4000	- 234	5.0	Tr	0.1	Tr	Tr			0.1	0.0	0.5	0.0	0.0			0.5

Sample No.	Sampled Interval	Width Feet	Ag Oz/Ton	Pb %	Zn %	Cu %	Pb+Zn %	Ag Ft x Oz.	Pb Ft x %	Zn Ft x %	Cu Ft x %	Pb+Zn Ft x %
3901	70 - 75	5.0	Tr	Tr	Tr	Tr	Tr	0.0	0.0	0.0	0.0	0.0
3902	80	5.0	Tr	Tr	Tr	Tr	Tr	0.0	0.0	0.0	0.0	0.0
3903	85	5.0	0.24	Tr	0.6	0.07	0.6	1.20	0.0	3.0	0.35	3.0
3904	90	5.0	0.20	Tr	0.5	0.07	0.5	1.00	0.0	2.5	0.35	2.5
3905	95	5.0	0.26	Tr	0.7	0.07	0.7	1.30	0.0	3.5	0.35	3.5
3906	100	5.0	0.52	1.1	2.7	0.01	3.8	2.60	5.5	13.5	0.05	19.0
3907	105	5.0	0.48	1.1	3.5	0.01	4.6	2.40	5.5	17.5	0.05	23.0
3908	110	5.0	2.00	4.8	6.6	0.07	11.4	1.00	24.0	33.0	0.35	57.0
3909	115	5.0	1.44	4.8	9.7	0.01	14.5	7.20	24.0	48.5	0.05	72.5
3910	120	5.0	2.48	5.9	12.2	0.07	18.1	12.40	29.5	61.0	0.35	90.5
3911	125	5.0	0.90	0.6	4.0	0.07	4.6	4.50	3.0	20.0	0.35	23.0
3912	130	5.0	1.36	3.5	12.2	0.07	15.7	6.80	17.5	61.0	0.35	78.5
3913	135	5.0	0.98	2.6	2.9	0.01	5.5	4.90	13.0	14.5	0.05	27.5
3914	140	5.0	0.46	0.5	3.9	0.01	4.4	2.30	2.5	19.5	0.05	22.0
3915	145	5.0	3.32	5.6	12.5	0.22	18.1	16.60	28.0	62.5	1.10	90.5
3916	150	5.0	1.12	5.3	9.0	0.18	14.3	5.60	26.5	45.0	0.90	71.5
3917	155	5.0	2.02	4.0	8.6	0.18	12.6	10.10	20.0	43.0	0.90	63.0
3918	160	5.0	2.74	5.8	9.5	0.30	15.3	13.70	29.0	47.5	1.50	76.5
3919	165	5.0	2.26	4.1	7.9	0.27	12.0	11.30	20.5	39.5	1.35	60.0
3920	172	7.0	2.46	3.7	5.6	0.27	9.3	17.22	25.9	39.2	1.89	65.1
3921	172 - 177	5.0	0.22	Tr	0.1	Tr	0.1	1.10	0.0	0.5	0.00	0.5
3922	182	5.0	0.30	Tr	1.4	Tr	1.4	1.50	0.0	7.0	0.00	7.0
3923	187	5.0	0.02	Tr	Tr	Tr	Tr	0.10	0.0	0.0	0.00	0.0
3924	192	5.0	0.08	Tr	Tr	Tr	Tr	0.40	0.0	0.0	0.00	0.0

Sample No.	Sampled Interval	Width Feet.	Ag Oz/Ton	Pb %	Zn %	Cu %	Pb+Zn %	Ag Ft x Oz	Pb Ft x %	Zn Ft x %	Cu Ft x %	Pb+Zn Ft x %
901	281- 288	7.0'	1.84	3.9	6.7	0.30						
902	- 292	4.0'	2.00	4.9	8.1	0.30						
903	- 297	5.0'	2.00	5.2	8.7	0.37						
904	- 302	5.0'	1.64	5.4	7.6	0.07						
905	- 307	5.0'	1.36	7.4	12.1	0.01						
906	- 312	5.0'	1.60	7.1	10.6	0.18						
907	- 317	5.0'	1.68	6.8	9.5	0.01						
908	- 322	5.0'	2.16	8.0	11.4	0.07						
909	- 327	5.0'	2.88	8.2	11.1	0.36						
910	- 332	5.0'	2.84	7.9	10.7	0.66						
911	- 337	5.0'	2.00	5.4	6.7	0.22						
912	- 339	2.0'	1.16	3.8	6.1	0.01						
913	- 342	3.0'	0.68	2.7	5.5	0.07						
914	- 347	5.0'	1.24	4.8	7.3	0.12						
915	- 352	5.0'	1.12	3.8	6.1	0.01						
916	- 357	5.0'	1.12	2.7	6.1	0.15						
917	- 362	5.0'	2.16	4.5	6.8	0.18						
918	- 367	5.0'	0.84	1.8	4.1	0.01						
919	- 372	5.0'	1.00	1.7	3.5	0.01						
920	- 377	5.0'	1.36	1.9	3.3	0.01						
921	- 382.	5.0'	0.92	1.6	3.3	0.01						

Sample No.	Sampled Interval	Width Feet.	Ag Oz/Ton	Pb %	Zn %	Cu %	Pb+Zn %	Ag Ft. x Oz.	Pb Ft. x %	Zn Ft. x %	Cu Ft. x %	Pb+Zn Ft. x %
3282	264 - 269	5.0'	0.36	1.1	1.4	Tr	2.5	1.80	5.5	7.0	0.0	12.5
3283	- 274	5.0'	1.42	3.1	6.2	Tr	9.3	7.10	15.5	31.0	0.0	46.5
3284	- 279	5.0'		5.3	9.8	0.01	15.1		26.5	49.0	0.05	75.5
3285	- 284	5.0'		1.6	3.0	Tr	4.6		8.0	15.0	0.0	23.0
3286	- 289	5.0'	0.60	1.3	2.6	Tr	3.9	3.00	6.5	13.0	0.0	19.5

Sample No	Sampled Interval	Width Feet	Ag Oz/Ton	Pb %	Zn %	Cu %	Pb+Zn %	Ag Ft x Oz.	Pb Ft x %	Zn Ft x %	Cu Ft x %	Pb+Zn Ft x %
13	203.5' - 209.5'	6.0'	0.42	1.8	0.5	Tr	2.3	2.52	10.8	3.0	0.0	13.8
14	209.5' - 214.8'	5.3'	0.20	0.2	1.8	Tr	2.0	1.06	1.1	9.5	0.0	10.6
15	214.8' - 220.2'	5.4'	0.38	0.4	3.5	Tr	3.9	2.05	2.2	18.9	0.0	20.5
16	220.2' - 223.1'	2.9'	0.66	0.6	4.5	0.01	5.1	1.91	1.7	13.1	0.29	14.8
17	- 227.2'	4.1'	0.92	2.3	5.1	0.27	7.4	3.77	9.4	20.9	1.11	30.3
18	- 229.7'	2.5'	2.16	6.1	11.0	0.27	17.1	5.40	15.3	27.5	0.67	42.8
19	- 232.7'	3.0'	Tr	3.5	6.5	0.27	10.0	0.00	10.5	19.5	0.81	30.0
20	- 234.9'	2.2'	0.58	4.0	6.8	0.37	10.8	1.28	8.8	15.0	0.81	23.8
21	- 238.0'	3.1'	2.72	7.1	11.5	0.25	18.6	8.43	22.0	35.7	0.78	57.7
22	- 241.1'	3.1'	0.86	4.5	7.8	0.34	12.3	2.67	14.0	24.2	1.05	38.1
23	- 243.4'	2.3'	2.48	6.2	10.6	0.29	16.8	5.70	14.3	24.4	0.67	38.6
24	- 246.5'	3.1'	3.00	7.1	11.4	0.30	18.5	9.30	22.0	35.3	0.93	57.4
25	- 250.5'	4.0'	2.28	5.7	8.7	0.30	14.4	9.12	22.8	34.8	1.20	57.6
26	- 251.3'	0.8'	1.68	5.1	3.7	Tr	8.8	1.34	4.1	3.0	0.00	7.0
27	- 255.0'	3.7'	1.84	6.7	11.1	0.18	17.8	6.81	24.8	41.1	0.67	65.9
28	- 258.5'	3.5'	1.40	4.9	9.8	0.22	14.7	4.90	17.2	34.3	0.77	51.5
29	- 261.0'	2.5'	2.68	7.5	11.2	0.18	18.7	6.70	18.7	28.0	0.45	46.7
30	- 264.0'	3.0'	2.68	7.8	12.4	0.22	20.2	8.04	23.4	37.2	0.66	60.6
31	- 268.0'	4.0'	2.44	6.5	12.3	0.15	16.8	9.76	26.0	49.2	0.60	67.2
32	- 273.0'	5.0'	2.72	7.1	9.8	0.15	16.9	13.60	35.5	49.0	0.75	84.5
33	- 281.0'	8.0'	3.08	8.7	9.7	0.07	18.4	24.64	69.6	77.6	0.56	147.2
34	- 284.0'	3.0'	3.36	8.8	9.0	0.01	17.8	10.08	26.4	27.0	0.03	53.4
40	284.0' - 291.0'	7.0'	0.40	1.1	3.0	0.01	4.1	2.80	7.7	21.0	0.07	28.7
76	291.0' - 300.0'	9.0'	0.12	Tr	0.1	Tr	0.1	1.08	0.0	0.9	0.00	0.9

Sample No.	Sampled Interval	Width Feet	Ag Oz / Ton	Pb %	Zn %	Cu %	Pb+Zn %	Ag Ft x Oz.	Pb Ft x %	Zn Ft x %	Cu Ft x %	Pb+Zn Ft x %
3001	115 - 120	5.0	0.16	Tr	Tr	Tr	Tr	0.80	0.0	0.0	0.00	0.0
3002	125	5.0	0.08	Tr	Tr	Tr	Tr	0.40	0.0	0.0	0.00	0.0
3003	130	5.0	0.36	1.7	4.0	0.12	5.7	1.80	8.5	20.0	0.60	28.5
3004	135	5.0	1.16	3.4	3.3	0.24	6.7	5.80	17.0	16.5	1.20	33.5
3005	140	5.0	0.42	1.3	2.5	0.16	3.8	2.10	6.5	12.5	0.80	19.0
3006	145	5.0	0.64	1.2	2.1	0.24	3.3	3.20	6.0	10.5	1.20	16.5
3007	150	5.0	0.82	2.1	2.0	0.12	4.1	4.10	10.5	10.0	0.60	20.5
3008	155	5.0	0.18	0.2	Tr	Tr	0.2	0.90	1.0	0.0	0.00	1.0
3009	160	5.0	0.80	2.8	3.1	0.09	5.9	4.00	14.0	15.5	0.45	29.5
3010	165	5.0	1.20	5.5	7.0	0.04	12.5	6.00	27.5	35.0	0.20	62.5
3011	170	5.0	2.92	7.1	8.8	0.16	15.9	14.60	35.5	44.0	0.80	79.5
3012	175	5.0	0.88	2.3	3.6	Tr	5.9	4.40	11.5	18.0	0.00	29.5
3022	190 - 195	5.0	2.56	4.4	5.2	Tr	9.6	12.80	22.0	26.0	0.00	48.0
3023	200	5.0	2.88	4.2	5.9	0.18	10.1	14.40	21.0	29.5	0.90	50.5
3024	205	5.0	2.77	6.3	7.9	0.19	14.2	13.85	31.5	39.5	0.95	71.0
3025	210	5.0	1.88	5.1	6.1	0.04	11.2	9.40	25.5	30.5	0.20	56.0
3026	215	5.0	2.16	4.1	5.7	0.64	9.8	10.80	20.5	28.5	3.20	49.0
3027	220	5.0	3.00	4.8	7.1	0.36	11.9	15.00	24.0	35.5	1.80	59.5
3028	225	5.0	3.92	5.9	6.9	0.30	12.8	19.60	29.5	34.5	1.50	64.0
3029	230	5.0	3.04	6.7	9.8	0.31	16.5	15.20	33.5	49.0	1.55	82.5
3030	235	5.0	1.02	2.2	3.4	0.31	5.6	5.10	11.0	17.0	1.55	28.0
3031	240	5.0	0.18	Tr	Tr	Tr	Tr	0.90	0.0	0.0	0.00	0.0
3032	245	5.0	0.12	Tr	Tr	0.01	Tr	0.60	0.0	0.0	0.05	0.0
3033	250	5.0	0.30	Tr	Tr	0.01	Tr	1.50	0.0	0.0	0.05	0.0
3034	255	5.0	0.20	Tr	Tr	0.01	Tr	1.00	0.0	0.0	0.05	0.0
3035	260	5.0	0.52	0.1	0.1	0.07	0.2	2.60	0.5	0.5	0.35	1.0
3036	265	5.0	4.32	4.1	7.1	0.22	11.2	21.60	20.5	35.5	1.10	56.0
3037	270	5.0	0.16	Tr	Tr	0.21	Tr	0.80	0.0	0.0	1.05	0.0
3038	275	5.0	0.18	Tr	0.1	Tr	0.1	0.90	0.0	0.5	0.00	0.5
3039	280	5.0	0.08	Tr	Tr	0.07	Tr	0.40	0.0	0.0	0.35	0.0

Sample No.	Sampled Interval	Width Feet	Ag Oz/Ton	Pb %	Zn %	Cu %	Pb+Zn %	Ag Ft x Oz.	Pb Ft x %	Zn Ft x %	Cu Ft x %	Pb+Zn Ft x %
3040	280 - 285	5.0	0.32	0.4	Tr	0.19	0.4	1.60	2.0	0.0	0.95	2.0
3041	290	5.0	0.22	Tr	Tr	0.04	Tr	1.10	0.0	0.0	0.20	0.0
3042	295	5.0	0.26	0.2	Tr	0.15	0.2	1.30	1.0	0.0	0.75	1.0
3043	300	5.0	0.12	Tr	Tr	0.03	Tr	0.60	0.0	0.0	0.15	0.0
3044	305	5.0	0.20	Tr	Tr	0.04	Tr	1.00	0.0	0.0	0.20	0.0
3045	310	5.0	0.40	0.6	Tr	0.07	0.6	2.00	3.0	0.0	0.35	3.0
3046	315	5.0	0.20	Tr	Tr	0.07	Tr	1.00	0.0	0.0	0.35	0.0
3047	320	5.0	0.12	Tr	Tr	0.01	Tr	0.60	0.0	0.0	0.05	0.0
3048	325	5.0	0.16	Tr	Tr	Tr	Tr	0.80	0.0	0.0	0.00	0.0
3049	330	5.0	0.12	Tr	Tr	0.01	Tr	0.60	0.0	0.0	0.05	0.0
3050	335	5.0	0.20	Tr	Tr	Tr	Tr	1.00	0.0	0.0	0.00	0.0
3051	340	5.0	1.96	3.0	8.4	0.09	11.4	9.80	15.0	42.0	0.45	57.0
3052	345	5.0	2.48	6.4	6.8	0.21	13.2	12.40	32.0	34.0	1.05	66.0
3053	350	5.0	2.44	7.0	8.1	0.01	15.1	12.20	35.0	40.5	0.05	75.5
3054	355	5.0	0.20	Tr	1.3	Tr	1.3	1.00	2.0	6.5	0.00	6.5
3055	385 - 390	5.0	4.04	4.5	9.5	0.18	14.0	20.20	22.5	47.5	0.90	70.0
3056	396	6.0	2.28	7.4	8.0	Tr	15.4	13.68	44.4	48.0	0.00	77.0

Sample No.	Sampled Interval	Width Feet	Ag Oz/Ton	Pb %	Zn %	Cu %	Pb + Zn %	Ag Ft. x Oz.	Pb Ft. x %	Zn Ft. x %	Cu Ft. x %	Pb + Zn Ft. x %
3925	80 - 85	5.0	0.12	Tr	Tr	Tr	Tr	0.60	0.0	0.0	0.0	0.0
3926	- 90	5.0	0.18	Tr	Tr	0.01	Tr	0.90	0.0	0.0	0.05	0.0
3927	- 101	11.0	0.46	Tr	Tr	0.01	Tr	5.06	0.0	0.0	0.05	0.0
3928	- 106	5.0	0.04	Tr	Tr	Tr	Tr	0.20	0.0	0.0	0.0	0.0
3929	- 111	5.0	0.70	1.3	2.9	0.19	4.2	3.50	6.5	14.5	0.95	21.0
3930	- 116	5.0	0.18	0.2	Tr	0.01	0.2	0.90	1.0	0.0	0.05	1.0
3931	- 121	5.0	0.12	Tr	1.0	0.01	1.0	0.60	0.0	5.0	0.05	5.0
3932	- 126	5.0	1.36	3.2	9.0	0.15	12.2	6.80	16.0	45.0	0.75	61.0
3933	- 131	5.0	1.80	3.4	5.8	0.19	9.2	9.00	17.0	29.0	0.95	46.0
3934	- 136	5.0	0.72	1.2	Tr	0.07	1.2	3.60	6.0	0.0	0.35	6.0
3935	- 141	5.0	0.06	Tr	Tr	Tr	Tr	0.30	0.0	0.0	0.0	0.0
3936	144 - 149	5.0	0.20	Tr	Tr	Tr	Tr	1.00	0.0	0.0	0.0	0.0
3937	- 154	5.0	0.06	Tr	Tr	Tr	Tr	0.30	0.0	0.0	0.0	0.0
3938	- 159	5.0	0.38	0.7	2.7	0.07	3.4	1.90	3.5	13.5	0.35	17.0
3939	- 164	5.0	0.82	1.8	11.9	0.07	13.7	4.10	9.0	59.5	0.35	68.5
3940	171 - 176	5.0	0.64	Tr	16.6	0.07	16.6	3.20	0.0	83.0	0.35	83.0
3941	- 181	5.0	0.68	1.4	11.8	0.01	13.2	3.40	7.0	59.0	0.05	66.0

Sample No.	Sampled Interval	Width Feet	Ag	Pb	Zn	Cu	Pb+Zn %	Ag	Pb	Zn	Cu	Pb+Zn Ft x %
			Oz/Ton	%	%	%		Ft x Oz	Ft x %	Ft x %	Ft x %	
3794	230 - 234	4.0'	0.34	Tr	0.4	0.28	0.4	1.36	0.0	1.6	1.12	1.6
3795	- 240	6.0	1.52	4.4	11.1	0.01	15.5	9.12	17.6	66.6	0.06	93.0
3796	285 - 290	5.0	1.08	0.6	Tr	0.28	0.6	5.4	3.0	0.0	1.40	3.0
3797	- 295	5.0	Tr	Tr	Tr	0.24	Tr	0.0	0.0	0.0	1.20	0.0
3798	- 300	5.0	1.44	0.5	0.8	1.03	1.3	7.2	2.5	4.0	5.15	6.5
3799	300 - 310	10.0	3.04	4.3	2.3	0.33	6.6	30.4	43.0	23.0	3.30	66.0
3800	310 - 315	5.0	1.72	1.7	2.2	0.18	3.9	8.6	8.5	11.0	0.90	19.5
3801	- 320	5.0	1.32	2.3	2.7	0.18	5.0	6.6	11.5	13.5	0.90	25.0
3802	- 325	5.0	1.64	3.3	2.3	0.28	5.6	8.2	16.5	11.5	1.40	28.0
3803	- 330	5.0	0.72	1.0	1.1	0.22	2.1	3.6	5.0	5.5	1.10	10.5
3804	- 335	5.0	0.84	Tr	0.1	0.22	0.1	4.2	0.0	0.5	1.10	0.5
3805	- 340	5.0	1.16	3.0	2.9	0.21	5.9	5.8	15.0	14.5	1.05	29.5
3806	- 345	5.0	1.00	1.2	0.8	0.27	2.0	5.0	6.0	4.0	1.35	10.0
3807	- 350	5.0	1.28	2.6	4.2	0.15	6.8	6.4	13.0	21.0	0.75	34.0
3808	- 355	5.0	1.40	2.4	5.7	0.21	8.1	7.0	12.0	28.5	1.05	40.5
3809	- 360	5.0	1.24	1.7	0.6	0.01	2.3	6.2	8.5	3.0	0.05	11.5
3810	- 365	5.0	0.60	1.1	0.4	0.12	1.5	3.0	5.5	2.0	0.60	7.5
3811	- 370	5.0	0.68	0.3	0.6	0.16	0.9	3.4	1.5	3.0	0.80	4.5
3812	- 375	5.0	0.56	0.2	2.3	0.07	2.5	2.8	1.0	11.5	0.35	12.5
3813	- 380	5.0	1.56	4.1	8.0	0.01	12.1	7.8	20.5	40.0	0.05	60.5
3814	- 385	5.0	0.96	1.7	2.6	0.22	4.3	4.8	8.5	13.0	1.10	21.5
3815	- 390	5.0	1.36	2.0	3.3	0.19	5.3	6.8	10.0	16.5	0.95	26.5
3816	- 395	5.0	0.56	0.3	1.3	0.34	1.6	2.8	1.5	6.5	1.70	8.0
3817	- 400	5.0	0.64	0.1	1.3	0.46	1.4	3.2	0.5	6.5	2.30	7.0
3818	- 405	5.0	0.76	1.8	2.6	0.43	4.4	3.8	9.0	13.0	2.15	22.0
3819	- 410	5.0	1.08	3.0	4.3	0.21	7.3	5.4	15.0	21.5	1.05	36.5
3820	- 415	5.0	0.60	1.2	2.2	0.37	3.4	3.0	6.0	11.0	1.85	17.0
3821	- 420	5.0	0.96	2.5	4.2	0.22	6.7	4.8	12.5	21.0	1.10	33.5
3822	- 425	5.0	0.64	0.6	5.6	0.13	6.2	3.2	3.0	28.0	0.65	31.0
3823	- 430	5.0	0.64	0.3	1.8	0.36	2.1	3.2	1.5	9.0	1.80	10.5
3824	- 435	5.0	0.52	1.6	4.0	0.16	5.6	2.6	8.0	20.0	0.80	28.0
3825	- 440	5.0	0.88	2.9	8.5	Tr	11.4	4.4	14.5	42.5	0.0	57.0
3826	- 446.5	6.5	0.76	3.1	9.9	0.13	13.0	4.94	20.2	64.4	0.85	84.5
3827	- 450	3.5	0.38	Tr	1.5	0.01	1.5	1.33	0.0	5.25	0.04	5.25

Sample No	Sampled Interval	Width Feet	Ag Oz/Ton	Pb %	Zn %	Cu %	Pb+Zn %	Ag Ft x Oz	Pb Ft x %	Zn Ft x %	Cu Ft x %	Pb+Zn Ft x %
3828			1.32	1.0	5.3	0.13						
2402	429-434	5.0	0.14	0.1	0.5	TF	0.6	0.70	0.5	2.5	0.00	3.0
2403	-439	5.0	0.16	0.2	1.3	0.01	1.5	0.80	1.0	6.5	0.05	7.5
2404	-444	5.0	0.32	1.8	3.8	0.01	3.6	1.60	9.0	19.0	0.05	28.0
2405	-449	5.0	0.60	3.0	11.0	0.16	14.0	3.00	15.0	55.0	0.80	70.0

67-2

Sample No	Sampled Interval	Width Feet	Ag Oz / Ton	Pb %	Zn %	Cu %	Pb+Zn %	Ag Ft x Oz	Pb Ft x %	Zn Ft x %	Cu Ft x %	Pb+Zn Ft x %
2406	439-444	5.0	0.80	1.6	Tr	Tr	1.6	4.00	8.0	0.0	0.00	8.0
2407	-449	5.0	1.32	4.3	7.2	0.12	11.5	6.60	21.5	36.0	0.60	57.5
2408	-454	5.0	1.24	3.1	9.4	0.18	12.5	6.20	15.5	47.0	0.90	62.5
2409	-459	5.0	2.00	4.2	6.8	0.01	11.0	10.00	21.0	34.0	0.05	55.0
2410	-464	5.0	3.40	6.0	7.1	0.16	13.1	17.00	30.0	35.5	0.80	65.5
2411	-469	5.0	1.60	2.6	5.3	0.01	7.9	8.00	13.0	26.5	0.05	39.5
2412	-474	5.0	0.46	0.4	0.6	0.13	1.0	2.30	2.0	3.0	0.65	5.0
2413	-479	5.0	0.84	0.7	1.2	0.01	1.9	4.20	3.5	6.0	0.05	9.5
2414	-484	5.0	0.56	0.6	1.8	0.01		2.80	3.0		0.05	
2415	-489	5.0	Tr	Tr	0.1	Tr	0.1	0.00	0.0	0.5	0.00	0.5
2416	-494	5.0	Tr	Tr	Tr	Tr	0.0	0.00	0.0	0.0	0.00	0.0
2417	-499	5.0	Tr	0.2	0.4	Tr	0.6	0.00	1.0	2.0	0.00	3.0
2418	-504	5.0	0.22	0.1	1.5	Tr	1.6	1.10	0.5	7.5	0.00	8.0
2419	-509	5.0	0.22	Tr	1.2	Tr	1.2	1.10	0.0	6.0	0.00	6.0
2420	-514	5.0	1.00	1.9	2.7	0.04	4.6	5.00	9.5	13.5	0.20	23.0
2421	-519	5.0	2.28	5.1	6.4	0.16	11.5	11.40	25.5	32.0	0.80	57.5
2422	-524	5.0	2.00	4.6	7.5	0.18	12.1	10.00	23.0	37.5	0.90	60.5
2423	-529	5.0	1.84	5.1	8.3	0.27	13.4	9.20	25.5	41.5	1.35	67.0
2424	-534	5.0	1.44	3.9	8.7	0.24	12.6	7.20	19.5	43.5	1.20	63.0
2425	-539	5.0	1.12	2.6	1.7	0.16	4.3	5.60	13.0	8.5	0.80	21.5
2426	-544	5.0	0.48	0.1	1.1	0.31	1.2	2.40	0.5	5.5	1.52	6.0
2427	-549	5.0	0.72	1.7	2.0	0.22	3.7	3.60	8.5	10.0	1.10	18.5
2428	-554	5.0	1.60	6.0	9.1	0.04	15.1	8.00	30.0	45.5	0.20	75.5
2429	-559	5.0	1.00	5.8	10.0	0.28	15.8	5.00	29.0	50.0	1.40	79.0
2430	-564	5.0	1.08	4.8	9.7	0.16	14.5	5.40	24.0	48.5	0.80	72.5
2431	-569	5.0	Tr	0.2	1.2	0.13	1.4	0.00	1.0	6.0	0.65	7.0
2432	-574	5.0	1.88	1.1	1.2	0.01	2.3	9.40	5.5	6.0	0.05	11.5
2433	-579	5.0	0.48	0.6	4.0	0.01	4.6	2.40	3.0	20.0	0.05	23.0
2434	-584	5.0	0.84	5.0	10.2	0.31	15.2	4.20	25.0	51.0	1.55	76.0
2435	-589	5.0	0.92	4.2	7.9	0.16	12.1	4.60	21.0	39.5	0.80	60.5

Sample No.	Sampled Interval	Width Feet	Ag Oz/Ton	Pb %	Zn %	Cu %	Pb+Zn %	Ag Ft x Oz	Pb Ft x %	Zn Ft x %	Cu Ft x %	Pb+Zn Ft x %
2436	589 - 594	5.0	0.56	2.3	4.6	0.30	6.9	2.80	11.5	23.0	1.50	34.5
2437	- 599	5.0	0.80	2.8	6.7	0.16	9.5	4.00	14.0	33.5	0.80	47.5
2438	- 604	5.0	1.12	3.6	7.6	0.15	11.2	5.60	18.0	38.0	0.75	56.0
2439	- 609	5.0	0.76	1.6	5.0	0.04	6.6	3.80	8.0	25.0	0.20	33.0
2440	- 614	5.0	0.92	1.8	3.8	0.12	5.6	4.60	9.0	19.0	0.60	28.0
2441	- 619	5.0	0.56	2.0	5.4	0.01	7.4	2.80	10.0	27.0	0.05	37.0
2442	- 624	5.0	0.56	1.5	2.8	0.03	4.3	2.80	7.5	14.0	0.15	21.5
2443	- 629	5.0	0.54	0.6	2.1	0.13	2.7	2.70	3.0	10.5	0.65	13.5
2444	- 634	5.0	0.70	0.6	1.4	0.12	2.0	3.50	3.0	7.0	0.60	10.0

Sample No	Sampled Interval	Width Feet	Ag Oz/Ton	Pb %	Zn %	Cu %	Pb+Zn %	Ag Ft x Oz	Pb Ft x %	Zn Ft x %	Cu Ft x %	Pb+Zn Ft x %
2475	564-569	5.0	0.92	4.9	8.1	0.21	13.0	4.60	24.5	40.5	1.05	65.0
2476	-574	5.0	0.04	0.1	1.7	0.33	1.8	0.20	0.5	8.5	1.65	9.0
2477	-579	5.0	0.36	1.8	2.2	0.27	4.0	1.80	9.0	11.0	1.35	20.0
2478	-584	5.0	0.04	Tr	1.5	0.10	1.5	0.20	0.0	7.5	0.50	7.5
2479	-589	5.0	Tr	Tr	1.9	0.27	1.9	0.00	0.0	9.5	1.35	9.5
2480	-594	5.0	0.16	2.3	5.1	0.12	7.4	0.80	11.5	25.5	0.60	37.0
2481	-599	5.0	0.36	3.7	8.4	0.13	12.1	1.80	18.5	42.0	0.65	60.5
2482	-604	5.0	Tr	0.2	2.5	0.07	2.7	0.00	1.0	12.5	0.35	13.5
2483	-609	5.0	0.56	3.8	9.7	0.13	13.5	2.80	19.0	48.5	0.65	67.5
2484	-614	5.0	0.40	5.6	12.6	0.01	18.2	2.00	28.0	63.0	0.05	91.0
2485	-619	5.0	0.36	6.5	13.8	0.01	20.3	1.80	32.5	69.0	0.05	101.5
2486	-624	5.0	0.44	5.4	11.8	0.01	17.2	2.20	27.0	59.0	0.05	86.0
2487	-629	5.0	0.60	5.9	14.3	0.03	20.2	3.00	29.5	71.5	0.15	101.0
2488	-634	5.0	0.72	6.5	16.3	0.07	22.8	3.60	32.5	81.5	0.35	114.0
2489	-639	5.0	1.00	4.9	8.3	0.01	13.2	5.00	24.5	41.5	0.05	66.0
2490	-644	5.0	0.76	2.7	5.9	0.73	8.6	3.80	13.5	29.5	3.65	43.0
2491	-649	5.0	1.40	6.0	3.0	0.13	9.0	7.00	30.0	15.0	0.65	45.0
2492	-654	5.0	0.56	2.1	Tr	0.15	2.1	2.80	10.5	0.0	0.75	10.5

Sample No.	Sampled Interval	Width Feet.	Ag Oz/Ton	Pb %	Zn %	Cu %	Pb+Zn %	Ag Ft x Oz.	Pb Ft x %	Zn Ft x %	Cu Ft x %	Pb+Zn Ft x %
2445	414-419	50	0.04	0.1	Tr	Tr	0.1	0.20	0.5	0.0	0.00	0.5
2446	-424	50	0.76	1.7	36	0.28	7.3	3.80	8.5	28.0	1.40	36.5
2447	-429	50	0.08	0.1	5.1	Tr	5.2	0.40	0.5	25.5	0.00	26.0
2448	-434	50	0.60	2.7	6.9	0.07	9.6	3.00	13.5	34.5	0.35	48.0
2449	-439	50	Tr	0.3	1.3	0.15	1.6	0.00	1.5	6.5	0.75	8.0
2450	-444	50	0.60	1.3	3.6	0.12	4.9	3.00	6.5	18.0	0.60	24.5
2451	-449	50	Tr	Tr	Tr	0.01	Tr	0.00	0.0	0.0	0.05	0.0
2452	-454	50	0.26	Tr	16	0.01	1.6	1.30	0.0	8.0	0.05	8.0
2453	-459	50	0.44	0.4	2.5	0.01	2.9	2.20	2.0	12.5	0.05	14.5
2454	-464	50	0.88	1.4	5.9	Tr	7.3	4.40	7.0	29.5	0.00	26.5
2455	-469	50	0.72	1.4	4.8	0.01	6.2	3.60	7.0	24.0	0.05	31.0
2456	-474	50	0.26	0.4	0.7	0.03	1.1	1.30	2.0	3.5	0.15	5.5
2457	-479	50	0.36	0.5	0.7	0.15	1.2	1.80	2.5	3.5	0.75	6.0
2458	-484	50	0.76	1.5	2.3	0.28	3.8	3.80	7.5	11.5	1.40	19.0
2459	-489	50	0.56	1.0	1.9	0.21	2.9	2.80	5.0	9.5	1.05	14.5
2460	-494	50	0.60	2.0	1.9	0.27	3.9	3.00	10.0	9.5	1.35	19.5
2461	-499	50	1.28	4.1	4.5	0.30	8.6	6.40	20.5	22.5	1.50	43.0
2462	-504	50	0.60	2.0	2.1	0.13	4.1	3.00	10.0	10.5	0.65	20.5
2463	-509	50	0.60	2.8	2.5	0.28	5.3	3.00	14.0	12.5	1.40	26.5
2464	-514	50	0.64	1.7	1.7	0.16	3.4	3.20	8.5	8.5	0.80	17.0
2465	-519	50	0.60	1.0	1.0	0.28	2.0	3.00	5.0	5.0	1.40	10.0
2466	-524	50	0.64	2.1	2.2	0.06	4.3	3.20	10.5	11.0	0.30	21.5
2467	-529	50	0.92	2.6	3.6	0.22	6.2	4.60	13.0	18.0	1.10	31.0
2468	-534	50	0.96	2.6	4.9	0.21	7.5	4.80	13.0	24.5	1.05	37.5
2469	-539	50	1.48	6.2	4.8	0.13	11.0	7.40	31.0	24.0	0.65	55.0
2470	-544	50	0.20	1.0	1.1	0.01	2.1	1.00	5.0	5.5	0.05	10.5
2471	-549	50	0.76	3.6	5.8	0.12	9.4	3.80	18.0	29.0	0.60	47.0
2472	-554	50	0.28	1.8	3.9	0.27	5.7	1.40	9.0	19.5	1.35	28.5
2473	-559	50	0.56	1.2	2.3	0.57	3.5	2.80	6.0	11.5	2.85	17.5
2474	-564	50	1.12	4.6	11.0	0.27	15.6	5.60	23.0	55.0	1.35	78.0

Sample No.	Sampled Interval	Width Feet	Ag Oz/Ton	Pb %	Zn %	Cu %	Pb+Zn %	Ag Ft x Oz	Pb Ft x %	Zn Ft x %	Cu Ft x %	Pb+Zn Ft x %
3830	305-310	50	Tr	Tr	Tr	0.01	Tr	0.00	0.0	0.0	0.05	0.0
3831	-315	50	1.18	2.2	4.7	0.12	6.9	5.90	11.0	23.5	0.60	34.5
3832	-320	50	1.24	3.6	8.7	0.19	12.3	6.20	18.0	43.5	0.95	61.5
3833	-325	50	0.22	Tr	1.3	0.01	1.3	1.10	0.0	6.5	0.05	6.5
3834	360-365	50	0.28	1.0	2.9	0.04	3.9	1.40	5.0	14.5	0.20	19.5
3835	-370	50	2.40	6.9	12.1	0.19	19.0	12.00	34.5	60.5	0.95	95.0
3836	-375	50	2.04	6.6	14.6	0.04	21.2	10.20	33.0	73.0	0.20	106.0
3837	-380	50	0.88	Tr	5.8	Tr	5.8	4.40	0.0	29.0	0.00	29.0
3838	-385	50	0.48	0.2	1.2	0.15	1.4	2.40	1.0	6.0	0.75	7.0
3839	-390	50	0.24	0.3	1.0	0.04	1.3	1.20	1.5	5.0	0.20	6.5
3840	-395	50	0.56	1.7	4.3	0.22	6.0	2.80	8.5	21.5	1.10	30.0
3841	-400	50	0.60	1.4	3.6	0.42	5.0	3.00	7.0	18.0	2.10	25.0
3842	-405	50	0.32	2.0	4.3	0.27	6.3	1.60	10.0	21.5	1.35	31.5
3843	-410	50	0.84	2.1	4.8	0.25	6.9	4.20	10.5	24.0	1.25	34.5
3844	-415	50	1.16	4.8	10.2	0.24	15.0	5.80	24.0	51.0	1.20	75.0
3845	-420	50	1.08	4.2	8.8	0.13	13.0	5.40	21.0	44.0	0.65	65.0
3846	-425	50	1.00	5.3	10.0	0.16	15.3		26.5	50.0	0.80	76.5
3847	-430	50	0.68	3.7	6.6	0.16	10.3		18.5	33.0	0.80	51.5
3848	-435	50	0.28	0.2	2.2	0.07	2.4	1.40	1.0	11.0	0.35	12.0
3849	-440	50	0.28	2.0	5.4	0.03	7.4	1.40	10.0	27.0	0.15	37.0
3850	-445	50	0.28	2.6	5.8	0.22	8.4	1.40	13.0	29.0	1.10	42.0
3851	-450	50	0.48	2.7	5.9	0.27	8.6		13.5	29.5	1.35	43.0
3852	-455	50	0.28	2.8	8.5	0.01	11.3	1.40	14.0	42.5	0.05	56.5
3853	-460	50	0.68	1.6	5.0	0.01	6.6	3.40	8.0	25.0	0.05	33.0
3854	-465	50	0.32	0.7	2.5	0.16	3.2	1.60	3.5	12.5	0.80	16.0
3855	-470	50	0.88	2.2	5.0	0.13	7.2		11.0	25.0	0.65	36.0
3856	-475	50	1.32	2.4	5.0	0.33	7.4	6.60	12.0	25.0	1.65	37.0
3857	-480	50	0.86	1.6	3.3	0.07	4.9	4.30	8.0	16.5	0.35	24.5
3858	-485	50	0.80	1.5	4.2	0.03	5.7	4.00	7.5	21.0	0.15	28.5
3859	-490	50	0.76	0.6	1.7	0.03	2.3	3.80	3.0	8.5	0.15	11.5
3860	-495	50	Tr	Tr	Tr	Tr	Tr	0.0	0.0	0.0	0.0	0.0

Sample No	Sampled Interval	Width Feet	Ag Oz/Ton	Pb %	Zn %	Cu %	Pb+Zn %	Ag Ft x Oz	Pb Ft x %	Zn Ft x %	Cu Ft x %	Pb+Zn Ft x %
3861	480-485	50	Tr	Tr	Tr	Tr	Tr	0.00	0.0	0.0	0.0	0.0
3862	-490	50	0.22	Tr	Tr	0.27	Tr	1.10	0.0	0.0	1.35	0.0
3863	-495	50	0.20	Tr	Tr	0.16	Tr	1.00	0.0	0.0	0.80	0.0
3864	-500	50	0.06	Tr	16	0.24	16	0.30	0.0	8.0	1.20	8.0
3865	-505	50	0.02	Tr	0.4	0.13	0.4	0.10	0.0	2.0	0.65	2.0
3866	-510	50	0.20	Tr	1.3	0.16	1.3	1.00	0.0	6.5	0.80	6.5
3867	-515	50	0.04	0.1	1.5	0.06	1.6	0.20	0.5	7.5	0.30	8.0
3868	-520	50	Tr	0.1	1.2	0.13	1.3	0.00	0.5	6.0	0.65	6.5
3869	-525	50	Tr	Tr	Tr	Tr	Tr	0.00	0.0	0.0	0.00	0.0
3870	583-588	50	Tr	Tr	Tr	0.01	Tr		0.0	0.0	0.05	0.0
3871	-593	50	1.40	4.2	8.7	0.03	12.9	7.00	21.0	43.5	0.15	64.5
3872	-598	50	1.08	2.0	2.9	0.12	4.9	5.40	10.0	14.5	0.60	24.5
3873	-603	50	1.32	1.2	3.2	0.13	4.4	6.60	6.0	16.0	0.65	22.0
3874	-608	50	1.52	0.7	4.7	0.15	5.4	7.60	3.5	23.5	0.75	27.0
3875	-613	50	2.44	2.2	4.0	0.16	6.2	12.20	11.0	20.0	0.80	31.0
3876	-618	50	1.56	2.4	1.2	0.15	3.6	7.80	12.0	6.0	0.75	18.0
3877	-623	50	1.16	3.9	4.7	0.16	8.6	5.80	19.5	23.5	0.80	43.0
3878	-628	50	0.84	1.5	3.9	0.01	5.4	4.20	7.5	19.5	0.05	27.0
3879	-633	50	1.00	2.6	4.9	0.06	7.5	5.00	13.0	24.5	0.30	37.5
3880	-638	50	0.12	0.3	1.5	Tr	1.8	0.60	1.5	7.5	0.00	9.0
3881	-643	50	Tr	Tr	Tr	Tr	Tr	0.0	0.0	0.0	0.0	0.0
3882	-648	50	Tr	Tr	Tr	Tr	Tr	0.0	0.0	0.0	0.0	0.0
3883	-653	50	Tr	Tr	Tr	Tr	Tr	0.0	0.0	0.0	0.0	0.0
3884	-658	50	0.12	Tr	0.2	Tr	0.2	0.60	0.0	1.0	0.0	1.0
3885	-663	50	Tr	Tr	Tr	Tr	Tr	0.0	0.0	0.0	0.0	0.0
3886	-668	50	0.52	1.5	2.5	0.12	4.0	2.6	0.75	1.25	0.60	20.0
3887	-673	50	0.80	2.6	7.1	0.06	9.7	4.0	13.0	35.5	0.30	48.5
3888	-678	50	2.80	4.4	8.2	0.06	12.6	14.00	22.0	41.0	0.30	63.0
3889	-683	50	1.32	3.8	7.5	0.07	11.3	6.60	19.0	37.5	0.35	56.5
3890	-688	50	1.36	3.6	4.9	0.33	8.5	6.80	18.0	24.5	1.65	42.5

Sample No	Sampled Interval	Width Feet	Ag Oz/Ton	Pb %	Zn %	Cu %	Pb+Zn %	Ag Ft x Oz	Pb Ft x %	Zn Ft x %	Cu Ft x %	Pb+Zn Ft x %
3891	688-693	5.0	2.08	2.9	2.6	0.21	5.5	10.40	14.5	13.0	11.05	27.5
3892	-698	5.0	1.36	4.6	3.2	0.15	7.8	6.80	23.0	16.0	0.75	39.0
3893	-703	5.0	0.76	2.4	1.5	0.16	3.9	3.80	12.0	7.5	0.80	19.5
3894	-708	5.0	0.08	0.1	0.5	Tr	0.6	0.40	0.5	2.5	0.0	3.0
3895	-713	5.0	0.20	0.2	0.5	Tr	0.7	1.00	1.0	2.5	0.0	3.5
3896	-718	5.0	1.16	1.5	6.0	Tr	7.5	5.80	7.5	30.0	0.0	37.5
3897	-723	5.0	1.04	1.2	3.7	0.09	4.9	5.20	6.0	18.5	0.45	24.5
3898	-728	5.0	1.00	1.4	2.9	0.24	4.3	5.00	7.0	14.5	1.20	21.5
3899	-733	5.0	1.08	4.4	7.0	0.03	11.4	5.40	22.0	35.0	0.15	57.0
3900	-738	5.0	0.48	2.0	3.2	0.27	5.2	2.40	10.0	16.0	1.35	26.0
2001	-743	5.0	0.28	0.4	2.9	0.13	3.3	1.40	2.0	14.5	0.65	16.5
2002	-748	5.0	0.32	Tr	2.5	0.24	2.5	1.60	0.0	12.5	1.20	12.5
2003	-753	5.0	0.56	4.7	11.7	0.15	16.4	2.80	23.5	58.5	0.75	82.0
2004	-758	5.0	0.44	2.6	7.6	0.24	10.2	2.20	13.0	38.0	1.20	51.0
2005	-763	5.0	0.56	4.0	10.7	0.12	14.7	2.80	20.0	53.5	0.60	73.5
2006	-768	5.0	0.46	1.1	2.8	0.09	3.9	2.30	5.5	14.0	0.45	19.5
2007	-773	5.0	0.44	1.2	2.5	0.03	3.7	2.20	6.0	12.5	0.15	18.5
2008	-778	5.0	0.30	1.3	4.2	0.01	5.5	1.50	6.5	21.0	0.05	27.5
2009	-783	5.0	2.18	6.2	5.8	0.30	12.0	10.90	31.0	29.0	1.50	60.0
2010	-788	5.0	0.98	1.7	2.3	0.24	4.0	4.90	8.5	11.5	1.20	20.0

Sample No	Sampled Interval	Width Feet	Ag Oz/Ton	Pb %	Zn %	Cu %		Pb+Zn %	Ag Ft x Oz	Pb Ft x %	Zn Ft x %	Cu Ft x %		Pb+Zn Ft x %
2011	361- 366	5.0	Tr	Tr	Tr	Tr		Tr	0.00	0.0	0.0	0.0		0.0
2012	- 371	5.0	0.76	1.6	3.6	0.15		5.2	3.80	8.0	18.0	0.75		26.0
2013	- 376	5.0	1.58	3.0	4.4	0.15		7.4	7.90	15.0	22.0	0.75		37.0
2014	- 381	5.0	2.04	3.6	1.5	0.01		5.1	10.20	18.0	7.5	0.05		25.5