

ZONE 2 / NORTH FORK WATER SAMPLE SUMMARY

020447

DATE	ZONE 2 POND			ZONE 2 SEEPAGE			X2		
	IMM EX	EXT	pH	IMM EX	EXT	pH	IMM EX	EXT	pH
	Zn	Zn		Zn	Zn		Zn	Zn	
OCT 31/83								1.18	7.0
NOV. 1							1.04	1.20	
2	5.51	5.52		8.75	9.36	7.2			
3	4.88	5.03	7.5	8.58	9.30	7.3			
4	4.29	4.52	7.7	8.28	8.52	7.5	1.13	1.07	7.1
5	4.77	4.86	7.6	9.11	8.98	7.6	1.10	1.14	6.9
6	4.61	5.99	7.7	9.25	9.74	7.7	1.10	1.49	7.4
7	6.53	6.83	8.0	9.76	9.67	7.9	1.11	1.15	7.1
8	4.94	5.19	7.6	9.28	9.34	7.7	1.12	1.14	7.4
9	5.80	5.67	7.6	9.27	9.38	7.7	1.03	1.10	7.2
10	6.28	7.05	7.6	9.16	9.56	7.7	1.06	1.06	7.2
11	6.76	6.89	7.2	9.12	9.21	7.5	1.09	1.10	6.9
12	5.65	5.84	7.6	9.08	9.28	7.6	1.04	1.23	6.7
13	6.90	7.29	7.3	8.81	9.28	7.0	0.88	0.88	7.0
14	6.79	6.83	7.8	8.74	8.79	7.7	0.75	0.81	7.0
15	5.15	5.18	7.8	8.11	8.26	7.6	0.70	0.81	7.2
16	4.59	5.62	7.5	7.20	8.26	7.6	0.80	0.81	7.2
17	4.10	3.56	7.8	7.26	6.09	7.7	0.58	0.82	7.1
18	2.89	3.08	7.5	5.60	5.64	7.5	0.65	0.65	7.2
19	2.51	2.59	7.4	5.16	5.35	7.5	0.99	1.08	7.1
20	3.41	3.57	7.6	4.94	5.26	7.6	0.82	0.88	7.2
21	3.32	3.47	7.4	5.26	5.30	7.6	0.92	0.96	6.9
22	1.70	1.71	8.1	4.14	5.12	7.6	1.06	0.98	6.9
23	2.51	2.76	7.7	4.71	4.94	7.5	1.19	1.27	6.9
24	3.15	3.26	7.5	4.63	4.96	7.4	1.29	1.37	6.9
25	4.23	3.96	7.4	5.08	4.85	7.5	1.30	1.37	6.9
26	1.01	1.05	8.5	5.07	5.14	7.4	1.20	1.21	6.8
27	1.54	1.54	8.2	5.18	5.38	7.5	1.00	1.00	6.7
28	4.94	5.17	7.3	5.12	5.42	7.6	0.92	0.95	6.9
29	0.69	0.79	9.0	5.72	5.79	7.6	0.80	0.85	6.9
30	1.00	1.03	8.6	5.73	5.76	7.2	0.75	0.82	7.2
DEC. 1/83	0.75	0.76	8.9	5.05	5.06	7.3	0.72	0.74	7.4
2	0.20	0.29	9.2	4.86	5.40	7.3	0.62	0.73	7.4
3	0.08	0.16	9.2	5.15	5.26	7.3	0.64	0.68	7.3
4	0.07	0.46	8.8	5.13	5.23	7.3	0.54	0.59	7.3
5	0.30	0.33	8.9	5.08	5.09	7.7	0.48	0.52	7.6

ZONE 2/NORTH FORK WATER SAMPLE SUMMARY

DATE	ZONE 2 POND			ZONE 2 SEEPAGE			X2		
	Imm. EX. Zn	EXT. Zn	pH	Imm. EX. Zn	EXT. Zn	pH	Imm. EX. Zn	EXT. Zn	pH
DEC. 6/83	0.18	0.27	9.0	4.61	6.34	7.6	0.38	0.47	7.6
7	0.24	0.29	9.0	5.55	6.27	7.4	0.37	0.42	7.4
8	0.29	0.47	8.5	6.34	6.32	7.6	0.37	0.39	7.5
9	0.26	0.45	8.6	5.92	6.32	7.6	0.33	0.35	7.7
10	0.08	0.12	9.0	6.00	6.47	7.2	0.33	0.34	7.1
11	0.04	0.09	9.1	6.06	6.46	7.4	0.31	0.32	7.0
12	0.05	0.10	9.1	6.24	6.89	7.4	0.30	0.35	7.1
13	0.06	0.07	8.7	6.42	6.52	7.4	0.30	0.31	7.5
14	0.17	0.17	7.7	4.46	7.09	7.7	0.31	0.31	8.3
15	0.29	0.34	8.5	4.33	6.92	7.8	0.31	0.31	8.1
16	0.09	0.10	8.7	4.08	6.89	7.4	0.30	0.36	7.7
19	0.09	0.09	8.8	6.40	6.67	7.4	0.18	0.33	7.0
20	0.06	0.20	8.2	5.57	6.89	7.2	0.26	0.33	6.7
21	0.05	0.11	8.1	6.22	6.54	8.0	0.39	0.39	7.7
22	0.02	0.12	8.7	4.92	5.95	7.8	0.25	0.28	7.3
28	6.66	8.95	7.2	5.12	6.81	7.2	0.17	0.41	6.6
29	6.93	8.36	7.0	5.37	7.28	7.0	0.43	0.50	7.0
30	7.87	7.92	7.2	7.29	7.35	7.0	0.15	0.22	6.9
JAN. 3/84	2.03	2.58	8.2	6.47	8.48	7.2	0.31	0.44	6.6
4	2.88	2.33	8.2	8.51	7.03	7.5	0.21	0.33	6.8
5	2.09	2.65	7.9	7.05	8.63	7.3	0.28	0.40	6.8
6	2.46	2.90	8.2	6.68	8.19	7.4	0.28	0.23	6.7
9	3.10	2.34	7.8	8.50	6.46	7.5	0.25	0.34	6.7
10	2.65	2.48	7.5	8.21	7.77	7.0	0.30	0.30	7.1
11	2.66	2.50	7.5	8.04	8.00	7.0	0.29	0.24	7.1
12	2.64	2.97	7.5	7.46	7.58	6.9	0.24	0.28	7.0
13	2.96	2.94	7.7	7.73	7.38	6.9	0.24	0.24	7.1
16	2.65	2.41	8.2	7.26	6.67	7.5	0.26	0.20	7.1
17	3.41	4.57	8.1	7.22	8.63	7.6	0.25	0.17	7.3
18	4.22	3.44	8.3	8.75	7.79	7.5	0.20	0.18	7.0
19	3.65	3.96	8.0	7.82	8.12	7.6	0.21	0.18	7.1
20	5.66	5.55	8.0	8.29	7.86	7.5	0.20	0.23	7.3
23	3.76	3.65	7.6	7.99	7.59	7.3	0.34	0.20	6.9

