

020530

HIGHT FREQ

LINE	STATION	CHIEF	HELPER	NULL	RESULT
62					
	0.5	+3	-12		+1
	1.5	+8	-8		0
	2.5	+2	-4		-2
	3.5	+1	-1		0
	4.5	0	-1		-1
	5.5	-2	+2		0
	6.5	-1	+4		+3
	7.5	+1	+1		0
	8.5	-1	-1		-2
	9.5	-1	-2		-3
	10.5	-3	+1		-2
	11.5	-5	+4		-1
	12.5	-6	+5		-1
	13.5	-3	+3		0
	14.5	0	-2		-2
	15.5	+7	-7		0
100	18.5	+7	-10		-3
	16.5	+5	-6		-1
	14.5	-1	0		-1
	12.5	-3	+3		0
	10.5	0	0		0

## LOW FREQ

PIST	HELPER	NULL	RESULTS	REMARK
+12	-12		0	
+8	-8		0	OK-FE
+3	-3		0	
+1	0		1	
0	0		0	
-3	0		-3	
-1	+2		-1	
-1	+1		0	
-1	-1		-2	
-1	0		-1	
-3	+1		-2	
-5	+4		-1	
-6	+5		-1	
-2	+3		+1	
+1	0		+1	
+7	-7		0	
+9	-12		-3	
+5	-6		-1	
-1	0	N	-1	
-3	+3		0	
0	0		0	

## HIGH FREQ.

LINE	STATION	CHIEF	HELPER	NULL	RESULT
100E					
	8.5S	-2	+2		0
	6.5	-4	0		-4
	5.5	-1	-2		-3
	8.5	+8	-10		-2
	1.5	+10	-14		-2
	0.5N	+14	-16		-2
	2.5	+13	-17		-4
	4.5	+10	-10		0
	6.5	-8	+8		0
104E					
	1.5N	-7	+3		-4
	0.5S	-9	+7		-2
	2.5	-13	+12		-1
	4.5	-5	+4		-1
	6.5	+6	-10		-4
	8.5	+5	-10		-1
	10.5	+11	-11		0
	12.5	+15	-17		-2
		+12	-15		-3

## LOW FREQ.

CHIEF	HELPER	MULL	RESULT	REMARK
-2	+2		0	
+6	+1		-5	CK → E
+2	-1		-3	
+8	-10		-2	
+14	-17		-3	
+14	-15		-1	
+14	-16		-2	
+10	-12	N	-2	
-8	+8		0	
-1	+3		+2	
-8	+8		0	
-14	+13		-1	
-6	+4		-2	CK → E
+7	-10		-3	
+6	-6		0	
+12	-11		+1	
+14	-17		-3	
+13	-15		-2	

①

July 15, 1966

HIGHER FREQ.

LINE	STATION	CHIEF	HELPER	NULL	RESULTS
120 W					
(South)	38.5	+18	-15		-1
	37.5	+20	-18		f2
	36.5	+18	-21		-3
	35.5	+19	-22	N	-3
	34.5	+16	-19		-3
	33.5	+12	-16		-4
	32.5	+6	-11		-5
	31.5	+4	-7	N	-3
	30.5	-4	-8	N	-12
	29.5	-5	-8	NN	-13
	28.5	-2	-8	N	-19
	27.5	0	-10	N	-10
	26.5	-2	-15	N	-17
	25.5	-2	-11	N	-13
	24.5	-4	-4		-8
	23.5	+2	-6		-4
	22.5	-2	-9		-11
	21.5	-4	-9		-13
	20.5	+4	-7		-3
	19.5	+4	-7		-3
	18.5	+2	-6	N	-4
	17.5	-2	-4	N	-6
	16.5	-4	-10	N	-14
	15.5	-4	-11	N	-15

LOW FREQ.

CHIEF	HELPER	WIND	RESULT	REMARK
+ 15	- 14		+ 1	
+ 18	- 18		0	
+ 18	- 20		- 2	
+ 19	- 20		- 1	
+ 16	- 16		0	
+ 14	- 14		0	
+ 10	- 10		0	
+ 3	- 4	N	- 1	
0	- 3	N	- 3	
+ 2	- 3	NN	- 1	
0	- 2	N	- 2	
+ 5	- 6	N	- 1	
+ 5	- 7	N	- 2	
- 0	- 8	N	- 8	
0	- 4		- 4	
+ 2	- 4		- 2	
- 2	- 7		- 9	
- 2	- 6		- 8	
+ 6	- 6		0	
+ 4	- 5		- 1	
+ 2	- 3		- 1	
+ 2	- 4	N	- 2	
+ 1	- 3	N	- 2	
+ 1	- 3	N	- 2	

②

## HIGH FREQ.

LINE	STATION	CHIEF	HELPER	NULL	RESULT
	14.5	-5	-10	N	-15
	13.5	-6	-10	N	-16
	12.5	-20	-10	N	-30
	11.5	-15	-10	N	-25
	10.5	-10	-8	N	-18
	9.5	-12	-10	N	-22
	8.5	-10	-12	N	-22
	7.5	-7	-10	N	-17
	6.5	0	-9		-9
	5.5	+6	-9		-3
	4.5	0	-8		-8
	3.5	+2	-9		-7
	2.5	+1	-5	N	-4
	1.5	-4	-3	N	-7
	0.5 S	+6	+1	N	+7
120 W					
(North)	0.5 N	-10	0		-10
	1.5 N	-5	0		-5
	2.5 N	-10	+2	N	-8
	3.5 N	-5	+5	N	0
	4.5 N	-10	+6	N	-4
	5.5 N	-12	+1	N	-11
	6.5 N	-15	+5	N	-10

LOW FREQ.

CHIEF	HELPER	NULL	RESULT	REMARK
0	- 5	N	- 5	
0	- 7	N	- 7	
- 10	- 10	N	- 20	
- 5	- 9	N	- 4	
- 0	- 8	N	- 8	
- 5	- 5	NNN	- 10	
- 0	- 6	N	- 6	
0	- 4	N	- 4	
+ 5	- 4		+ 1	
+ 7	- 5		+ 2	
+ 5	- 3		+ 2	
+ 5	- 5		0	
+ 8	- 3	N	+ 5	
- 4	- 1	N	- 5	
+ 2	+ 3	N	+ 5	
- 5	+ 3		- 2	
- 5	+ 3		- 2	
- 6	+ 5	N	- 1	
- 4	+ 6	N	+ 2	
- 10	+ 7	N	- 3	
- 12	+ 7	N	- 5	
- 12	+ 8	N	- 4	

## HIGH FREQ.

LINÉ	STATION	CHIEF	HELPER	NULL	RESULT
120W (con.)					
(North)	7.5 N	-12	- 0	NN	-12
	8.05	-10	0	NN	-10
	9.05	-15	- 3	NN	-18
	10.05	-10	- 4	NN	-14
	11.05	-10	-3	NN	-13
	12.05	-10	-4	NN	-14
	13.05	-15	0	NN	-15
	14.05	-15	-3	NN	-18
	15.05	-15	-4	NN	-19
	16.05	-15	-7	NN	-22
	17.05	-15	-8	NN	-23
	18.05	-13	-7	NN	-20
	19.05	-15	-18	.	-33
	20.05	-15	-10	N	-25
	21.05	-5	-10	NN	-15
	22.05	-10	-12	NN	-22
	23.05	-5	-10	NN	-15
	24.05	-10	-7	NN	-17
	25.05	-5	-10	NN	-15
	26.05	0	-9	NN	-9
	27.05	-2	-8	NN	-10
	28.05	-0	-8	NN	-8
	29.05	0	-9	N	-9

LOW FREQ.

CHIEFS	WELPER	NULL	RESULT	REMARKS
- 7	+ 5	WW	- 2	
- 5	+ 5	NN	0	
- 10	+ 3	NW	- 7	
- 5	+ 8	NN	- 2	
- 5	+ 4	NW	- 1	
- 5	+ 4	NW	- 1	
- 5	+ 5	NN	0	
- 10	+ 4	NW	- 6	
- 5	0	NN	- 5	
- 5	0	NN	- 5	
- 5	0		- 3	
- 5	+ 2	NN	- 3	
- 5	- 3	W	- 2	
- 4	0	N	- 4	
- 0	- 5	NN	- 5	
0	- 5	NN	- 5	Flies
0	- 3	NN	- 3	Flies
- 5	- 3	NW	- 2	Flies
0	- 4	NN	- 4	make Flies
+ 2	- 3	NN	- 1	
- 0	- 4	NN	- 4	
+ 2	- 5	NN	- 3	
0	- 7	N	- 7	

## HIGH FREQ

LINE	STATION	CHIEF	HELPER	NULL	RESULT
20W (con.)	30.5 N	0	-6	N	-6
(North)	31.5	+5	-6	N	-1
	32.5	+2	-6	N	-4
	33.5	0	-4		-4
Base Line	119.5	+7	-6	N	+1
	118.5	+6	-8	N	-2
	117.5	+6	-7	N	-1
	116.5	0	-7		-7
	115.5	+6	-7	N	-1
	114.5	+6	-8	N	-2
	113.5	+6	-8	N	-2
	112.5	+6	-10	N	-4
	111.5	+6	-12	N	-6
	110.5	+4	-11	N	-7
	109.5	0	-14	N	-14
	108.5	+5	-10	N	-5
	107.5	+2	-14	W	-12
	106.5	+6	-14	N	-8
	105.5	+4	-12	N	-8
	104.5	+7	-15	N	-8
	103.5	+8	-16	N	-8
	102.5	+6	-14	N	-8

## LOW FREQ.

CHIEF	HELPER	NULL	RESULT	REMARKS
+ 4	-4	N	0	
+ 6	-5	N	+ 1	
+ 7	-5	N	+ 2	
+ 2	-3		- 1	
+7	-7	N	0	
+8	-7	N	+ 1	
+7	-7	N	0	
+3	-6		- 3	
+8	-6	N	+ 2	
+8	-6	N	+ 2	
+6	-6	N	0	
+8	-7	N	+ 1	
+9	-8	N	+ 1	
+5	-7	N	- 2	
+6	-8	N	- 2	
+6	-6	N	0	
+7	-9	N	- 2	
+8	-8	N	0	
+10	-9	N	+ 1	
+10	-10	N	0	
+10	-12	N	- 2	
+ 8	- 9	N	- 1	

	101.5	+4	-15	N	-11
	100.5	+5	-16	N	-12
	99.5	+4	-14	N	-10
	98.5	0	-13	N	-13
	97.5	+5	-15	N	-10
	96.5	+4	-12	N	-8
	95.5	+5	-13	N	-8
	94.5	+4	-14	N	-10
	93.5	+5	-16	N	-11
	92.5	+5	-16	N	-11
	91.5	0	-12	N	-12
	90.5	+5	-17	N	-13
	89.5	+8	-17	N	-9
	88.5	0	-16	N	-16
	87.5	+5	-16	N	-11
	86.5	+4	-18	N	-14
	85.5	0	-15	N	-15
	84.5	+4	-16	N	-12
	83.5	+4	-16	N	-12
	82.5	+5	-15	N	-10
	81.5	+5	-13	N	-8
	80.5	+4	-14	N	-10







59.5	0	-3	N	-3
58.5	+1	-4	N	-3
57.5	+2	-3	N	-1.
56.5	+6	-6	N	0
55.5	+4	-8	N	-4
54.5	0	-8	N	-8
53.5	0	-7	N	-7
52.5	0	-7	N	-7
51.5	0	-6	N	-6
50.5	0	-6	N	-6
49.5	0	-8	N	-8
48.5	+3	-8	N	-5
47.5	0	-6	N	-6
46.5	0	-5	N	-5
45.5	0	-7	N	-7
44.5	+2	-6	N	-4
43.5	+2	-8	N	-6
42.5	+2	-9	N	-7
41.5	+4	-10	N	-6
40.5	+4	-10	N	-6

-2	+2	N	-1
+5	-4	N	+1
+5	-5	N	0
+6	-6	N	0
+4	-6	N	-2
+5	-5	N	0
0	-4	N	-4
+3	-4	N	-1
+4	-5	N	-1
+5	-4	N	+1
+4	-5	N	-1
+5	-4	N	-1
0	-3	N	-3
+3	-4	N	-1
+4	-4	N	0
+4	-4	N	0
+5	-5	N	0
+5	-6	N	-1
+5	-7	N	-2
+5	-5	N	0





②

112 W

(South con)

19.05	0	-5	N	-5
18.05	-4	-8	N	-10
17.05	-1	-6	N	-7
16.05	+3	-7	N	-4
15.05	0	-7	N	-7
14.05	+2	-7	N	-5
13.05	+3	-5		-2
12.05	+3	-3		0
11.05	0	-3		-3
10.05	0	-3		-3
9.05	+4	-5		-1
8.05	+4	-5	N	-1
7.05	+5	-6	N	-1
6.05	+4	-5		-1
5.05	+4	-5		-1
4.05	+3	-3		0
3.05	+4	-2		+2
2.05	-4	0	N	-4
1.05	-6	+1	N	-5
.05	-5	-1	N	-6



①

June 18, 1966

112 W	.5 N	+10	-22		-12
(North)	1.5 N	+4	-22		-18
	2.5 N	+8	-25	N	-17
	3.5 N	+5	-27	N	-22
	4.5 N	+10	-25	N	-15
	5.5 N	+14	-24	N	-10
	6.5 N	+8	-22	N	-14
	7.5 N	+8	-23	N	-15
	8.5 N	+4	-22	N	-18
	9.5 N	+4	-23	N	-19
	10.5 N	0	-21	N	-21
	11.5	0	-24	N	-24
	12.5	+4	-26	N	-22
	13.5	+2	-23	N	-21
	14.5	0	-25	N	-25
	15.5	+4	-23	N	-19
	16.5	+12	-21	N	-9
	17.5	+6	-15	N	-9
	18.5	+10	-22	N	-12
	19.5	+12	-18	N	-6
	20.5	+6	-20	N	-14



②

179 W	21.5 N	+5	-77	N	-12
(North con)	22.5	+7	-17	N	-10
	23.5	+10	-13	N	-3
	24.5	+5	-10	N	-5
	25.5	+5	-14	N	-9
	26.5	+4	-14	N	-10
	27.5	+7	-13	N	-8
	28.5	+3	-10	N	-7
	29.5	0	-5	N	-5
	30.5	-4	0	N	-4
	31.5	-8	+4	N	-4
	32.5	-4	+4	N	0
	33.5	0	0		0
104 W					
(North)	33.5	+13	-10	N	+3
	32.5	+10	-10	N	0
	31.5	+9	-14	N	-5
	30.5	+7	-13	N	-6
	29.5	+9	-13	N	-4
	28.5	+7	-13	N	-6
	27.5	+7	-13	N	-6
	26.5	+8	-13	N	-5



104 W					
(North cor)	25.5	+7	-15	N	-8
	24.5	+12	-14	N	-2
	23.5	+13	-15	N	-2
	22.5	+10	-13	N	-3
	21.5	+9	-12	W	-3
	20.5	+9	-11	N	-2
	19.5	+10	-14	N	-4
	18.5	+11	-15	N	-4
	17.5	+10	-17	N	-7
	16.5	+8	-18	N	-10
	15.5	+10	-20	N	-10
	14.5	0	-22	N	-22
	13.5	-2	-21	N	-23
	12.5	0	-20	N	-20
	11.5	0	-23	N	-23
	10.5	-5	-20	N	-25
	9.5	-4	-21	N	-25
	8.5	+3	-23	N	-20
	7.5	-2	-27	N	-29
	6.5	+5	-25	N	-20
	5.5	+5	-25	N	-20
	4.5	-4	-28	N	-32
	3.5	+5	-23	N	-18



104W	2.05	+11	-22	N	-11
(Northcom)	1.05	+12	-23	N	-11
	.05	+8	-20	N	-12
104W	0.55	+6	-23	N	-17
(South)	1.055	+10	-19	N	-9
	2.055	+10	-18	N	-8
	3.055	+5	-18	N	-13
	4.055	+13	-18	N	-5
	5.05	+10	-10	N	0
	6.05	+8	-8	N	0
	7.05	+6	-10	N	-4
	8.05	+10	-10		0
	9.05	+10	-11		-1
	10.05	+10	-12	N	-2
	11.05	+13	-12	N	+1
	12.05	+7	-12	N	-5
	13.05	+8	-14	N	-6
	14.05	+5	-15	N	-10
	15.05	+2	-16	N	-14
	16.05	+3	-17	N	-14
	17.05	+3	-17	N	-14
	18.05	+3	-15	N	-12
	19.05	+3	-19	N	-15

+16	-17	N	-1
+18	-18	N	0
+16	-16	N	0
+14	-20	N	-6
+14	-17	N	-3
+14	-15	N	-1
+10	-16	N	-6
+15	-16	N	-1
+10	-9	N	+1
+10	-10	N	0
+10	-10	N	0
+13	-8		-5
+10	-10		0
+10	-10	N	0
+12	-12	N	0
+10	-10	N	0
+10	-11	N	-1
+10	-11	N	-1
+7	-14	N	-4
+6	-13	N	-7
+9	-13	N	-4
+10	-10	N	0
+5	-10	N	-5

104 W

(Southcon)	20.5	+15	-24	N <sup>+</sup>	-9
	21.5	+17	-23	N <sup>+</sup>	-6
	22.5	+16	-18	N	-2
	23.5	+13	-14	N	-1
	24.5	+10	-10	N	0
	25.5	+14	-11	N	+3
	26.5	+14	-11	N	+3
	27.5	+13	-11	N	+2
	28.5	+18	-10	N	+1
	29.5	-5	-8	N	-6
	30.5	-10	+10	N	0
	31.5	-11	+8	N	-3
	32.5	-9	+6	N	-3
	33.5	-10	+7	N	-3
	34.5	-16	+10	N	-8
	35.5	-10	+5	N	-5
	36.5	-4	-1	N	-5
	37.5	-1	-2	N	-4
	38.5	-1	-2	N	-3



96 W					
(South)	33.5	+5	-5		0
	32.5	+3	-3		0
	31.5	-1	-3	N	-4
	30.5	0	-3		-3
	29.5	+1	-4		-3
	28.5	0	-3		-3
	27.5	-2	-3		-5
	26.5	-3	0		-3
	25.5	-4	+2		-2
	24.5	-7	+5		-2
	23.5	-7	+6		-1
	22.5	-5	+3		-2
	21.5	+3	-3		0
	20.5	+7	-8		-1
	19.5	+9	-11		-2
	18.5	+9	-14	N	-5
	17.5	0	-11		-11
	16.5	-2	-9	N	-12
	15.5	-5	-15		-20
	14.5	-4	-20	N	-24
	13.5	-5	-20	N	-25
	12.5	-3	-23		-26
	11.5	+2	-22	N	-20



96W

(South com.)	10.5	+4	-22	N	-18
	9.5	+6	-18	N	-12
	8.5	+5	-19	N	-14
	7.5	+5	-14	N	-9
	6.5	+5	-12	N	-7
	5.5	+4	-8	N	-4
	4.5	+4	-11	N	-7
	3.5	+7	-11	N	-4
	2.5	+9	-11		-2
	1.5	+10	-12		-4
	.5	+12	-14		-2
		+10	-18	N	-8
	.5 N	+10	-15	N	-5
	1.5	+8	-18	N	-10
	2.5	+8	-19	N	-11
	3.5	+10	-23	N	-13

96 W

(North)

	.5	+7	-23	N	-16
	1.5	+5	-22	N	-17
	2.5	+2	-21	N	-19
	3.5	0	-23	N	-23
	4.5	+1	-22	N	-21
	5.5	0	-19	N	-19







96W

(North con.)	29.5	+13	-15		-2
	30.5	+16	-15		+1
	31.5	+15	-15		0
	32.5	+14	-13		+1
	33.5	+12	-14		-2

88W	33.5	-4	-3	N	-7
(North)	32.5	-4	0	N	-4
	31.5	-5	0	N	-5
	30.5	-4	+1	N	-3
	29.5	-4	0		-4
	28.5	-3	0		-3
	27.5	-3	0		-3
	26.5	-2	0		-2
	25.5	-1	-2		-3
	24.5	+1	-3		-2
	23.5	+7	-7		0
	22.5	+6	-9		-3
	21.5	+5	-11	N	-6
	20.5	+1	-9	N	-8
	19.5	+3	-9	N	-6
	18.5	+4	-5		-1
	17.5	-4	-3	N	-7

+14	-15			-1
+18	-15			+3
+15	-15			0
+14	-13			+1
+13	-13			0
0	0	N		0
-4	0	N		-4
-4	+1	N		-3
-4	+2	N		-2
-4	+1			-3
-2	0			-2
-2	0			-2
-2	0			-2
-1	-1			-2
+3	-4			-1
+7	-7			0
+6	-7			+1
+5	-9	N		-4
+3	-7	N		-4
+6	-8	N		-2
+4	-4			0
0	+1	N		+1

Lake end  
at 1900's

21  
N

	16.5	-5	+1	N	-4
	15.5	-5	+2	N	-3
	14.5	-7	+3	N	-4
	13.5	-8	+3	N	-5
	12.5	-4	+3	N	-1
	11.5	-4	-1	N	-5
	10.5	0	-2	N	-2
	9.5	0	-6	N	-6
	8.5	0	-10	N	-10
	7.5	0	-10	N	-10
	6.5	0	-12	N	-12
	5.5	-4	-11	N	-15
	4.5	-8	-12	N	-20
	3.5	-10	-13	N	-23
	2.5	-5	-12	NN	-17
	1.5	-5	-12	NN	-17
	0.5 N	-10	-10	NN	-20
88W	0.5 S	-10	-10	NN	-20
(South)	1.5	-10	-9	N	-19
	2.5	-10	-8	N	-19
	3.5	-5	-7	N	-12
	4.5	-6	-5	N	-11

-4	+2	N	-2	
-4	+3	N	-1	
-5	+4	N	-1	
-7	-5	N	-2	
-3	+2	N	-1	
-2	-1	N	-3	
+0	-1	N	0	
0	-4	N	-4	
+6	-7	N	-1	
+3	-7	N	-4	
+4	-6	N	-2	
+3	-6	N	-3	
-3	-6	N	-9	
-5	-7	N	-12	
0	-5	NN	-5	
0	-5	NN	-5	
-4	-4	Nh	-8	
-2	-2	NN	-4	
-4	-2	N	-6	
-5	-1	N	-6	
0	-3	N	-3	Clamhine
-3	0	N	-3	

	5.5	-5	-6	N	-11
	6.5	-5	-5	N	-10
	7.5	-5	-6	N	-11
	8.5	-5	-7	N	-12
	9.5	-5	-8	N	-13
	10.5	-5	-9	N	-14
	11.5	-5	-10	N	-15
	12.5	-4	-9	N	-13
	13.5	0	-8	N	-9
	14.5	+2	-7	N	-5
	15.5	-2	-6	N	-8
	16.5	-10	-10	N	-20
	17.5	-9	-9	N	-18
	18.5	-10	-9	N	-14
	19.5	-10	-10	N	-20
	20.5	-9	-11	N	-20
	21.5	0	-12	N	-12
	22.5	-3	-13	N	-16
	23.5	+2	-12	N	-10
	24.5	+5	-12	N	-7
	25.5	+7	-13	N	-6
	26.5	+7	-14	N	-7

-	3	-	1	N	-	4
-	3		0	N	-	3
-	5	-	3	N	-	8
-	0	-	3	N	-	3
	0	-	5	N	-	5
	0	-	5	N	-	5
	0	-	6	N	-	6
	0	-	5	N	-	5
	0	-	6	N	-	6
	0	-	6	N	-	6
+	2	-	4	N	-	2
*	0	-	3	N	-	3
-	6	-	6	N	-	12
-	3	-	6	N	-	9
-	6	-	9	N	-	15
-	5	-	10	N	-	15
	0	-	10	N	-	10
	0	-	9	N	-	9
	0	-	8	N	-	8
+	6	-	10	N	-	4
+	7	-	10	N	-	3
+	8	-	11	N	-	3
+	12	-	12	N		0

88 W	27.5	+8	-10	N	-2
South win	26.5	+10	-12	N	-2
	29.5	+9	-11	N	-2
	30.5	+7	-10	N	-3
	31.5	+8	-9	N	-1
	32.5	+6	-7	N	-1
	33.5	+5	-8	N	-3
	34.5	+5	-8	W	-3
	35.5	+5	-8	N	-3
	36.5	+5	-7	N	-2
	37.5	+6	-6	N	0
	38.5	+3	-6	N	-3

80 W	38.5	+7	-8	N	-1
'South'	37.5	+8	-8	N	0
	36.5	+5	-6	N	-1
	35.5	+5	-5		0
	34.5	+6	-6		0
	33.5	+8	-6	N	+2
	32.5	+5	-5		0
	31.5	+5	-5		0
	30.5	+4	-5	N	-1
	29.5	+3	-5	N	-2

Claim Line

+ 8	- 10	N	- 2	of 2650's
+ 12	- 11	N	+ 1	
+ 10	- 10	N	0	
+ 8	- 9	N	- 1	
+ 9	- 8	N	+ 1	
+ 7	- 7	N	0	
+ 5	- 6	N	- 1	
+ 6	- 6	N	0	
+ 7	- 7	N	0	
+ 6	- 7	N	- 1	
+ 7	- 6	N	+ 1	
+ 7	- 4	N	+ 3	
+ 8	- 7	N	+ 1	
+ 9	- 6	N	+ 3	
+ 6	- 5	N	+ 1	
+ 7	- 5		+ 2	
+ 7	- 5		+ 2	
+ 7	- 5	N	+ 2	
+ 6	- 6		0	
+ 7	- 5		+ 2	
+ 5	- 4	N	+ 1	
+ 4	- 4		0	

Lake E200'  
of 3500's

802

(Section)	28.5	+3	-4		-1
	27.5	+4	-5	N	-1
	26.5	+1	-5	N	-4
	25.5	+7	-7	N	0
	24.5	+6	-6	N	0
	23.5	+3	-9	N	-6
	22.5	0	-7	W	-7
	21.5	-4	-7		-11
	20.5	-3	-8		-11
	19.5	-3	-11	N	-14
	18.5	+4	-10	N	-6
	17.5	+4	-11	N	-7
	16.5	+3	-11	N	-8
	15.5	+1	-12	N	-11
	14.5	0	-14	N	-14
	13.5	0	-14	N	-14
	12.5	-4	-15	N	-19
	11.5	-6	-14	N	-20
	10.5	-4	-18	N	-22
	9.5	+5	-18	N	-23
	8.5	+4	-17	N	-13
	7.5	+6	-18	N	-12
	6.5	+9	-17	N	-8

+4	-3			+1	
+3	-3	N		0	
+3	-3	N		0	
+7	-6	N		+1	Clam Line at 26.25' S
+3	-4	N		-1	
+4	-8	N		-4	
+2	-5	N		-3	
0	-5			-5	
0	-6			-6	
+2	-8	N		-6	
+3	-9	N		-6	
+6	-10	N		-4	
+6	-9	N		-3	
+6	-9	N		-3	
+4	-9	N		-5	
+8	-11	N		-3	
+7	-12	N		-5	
-2	-11	N		-13	
+5	-14	N		-9	
+7	-13	N		-6	
+5	-15	N		-10	
+10	-15	N		-5	
+13	-15	N		-2	

80W	5.5	+10	-17	N	-2
(Southern)	5.5	+9	-17	N	-8
	3.5	+13	-17	N	-5
	2.5	+15	-19	N	-4
	1.5	+8	-18	N	-10
	0.5	+9	-20	N	-11
80W	0.5	+7	-21	N	-14
(North)	1.5	+15	-24	N	-9
	2.5	+13	-23	N	-10
	3.5	+8	-18	NN	-10
	4.5	+12	-19	NN	-7
	5.5	+12	-15	NN	-3
	6.5	+10	-14	N	-4
	7.5	+8	-12	N	-4
	8.5	+6	-11	N	-5
	9.5	+7	-9	N	-2
	10.5	+7	-6	N	+1
	11.5	+6	-10	N	-4
	12.5	+7	-9	N	-2
	13.5	..			
	14.5	LAKE			
	15.5				
	16.5				



80W					
(North con)	17.5			asin	
	18.5		LAKE	H <sub>2</sub> V <sub>2</sub> RE O	
	19.5				
	20.5	+5	-11	WN	-6
	21.5	0	-9	N	-9
	22.5	0	-7	N	-7
	23.5	+5	-8	N	-3
	24.5	+7	-9	N	-2
	25.5	+7	-11	N	-4
	26.5	+8	-12	N	-4
	27.5	+6	-12	N	-6
	28.5	+7	-13	N	-5
	29.5	+7	-15	N	-8
	30.5	+15	-15	N	0
	31.5	+10	-15	N	-5
	32.5	+11	-15	N	-4
	33.5	+13	-15	N	-4
June 22, 1966					
722W	31.5	+0	-4	N	-4
(SOUTH)	30.5	-3	-1	N	-4
	29.5	-2	0	N	-3
	28.5	-3	0		-3
	27.5	-1	0		-1

Half of 1900 W

+6	-6	NW	0
+3	-5	N	-2
+7	-5	N	+2
+5	-5	N	0
+7	-7	N	0
+10	-9	N	+1
+10	-10	N	0
+7	-11	N	-4
+10	-13	N	-3
+12	-13	N	-1
+13	-14	N	-1
+11	-13	N	-2
+11	-10	N	-2
+13	-14	N	-1
0	-2	N	-2
-2	0		-2
-2	+1		-1
+0	+1		+1
-3	0		-3

②

72W	26.5	0	-3	N	-3
(Southon)	25.5	0	-5	N	-5
	24.5	0	-4	N	-4
	23.5	-3	-8	N	-11
	22.5	-4	-10	N	-14
	21.5	-4	-9	N	-13
	20.5	-4	-11	N	-15
	19.5	0	-13	N	-13
	18.5	-3	-13	N	-16
	17.5	-4	-13	N	-17
	16.5	-2	-11	N	-13
	15.5	-2	-11	N	-13
	14.5	-2	-14	N	-16
	13.5	+2	-16	N	-14
	12.5	+2	-17	N	-15
	11.5	+2	-17	N	-15
	10.5	+4	-16	N	-12
	9.5	+5	-16	N	-11
	8.5	+7	-14	N	-7
	7.5	+10	-16	N	-6
	6.5	+9	-15	N	-6
	5.5	+11	-15	N	-4
	4.5	+11	-15	N	-4

0	-3	N	-3
0	-3	N	-3
+1	-3	N	-2
0	-5	N	-5
0	-5	N	-5
-1	-6	N	-7
-0	-7	N	-7
+3	-8	N	-5
+3	-9	N	-6
+2	-9	N	-7
+2	-9	N	-7
+1	-9	N	-8
+2	-9	N	-7
+2	-11	N	-9
+7	-13	N	-6
+4	-12	N	-8
+6	-12	N	-6
+8	-12	N	-4
+8	-12	N	-4
+10	-13	N	-3
+10	-12	N	-2
+12	-13	N	-1
+13	-13	N	0

Claim Post

at 2600's

72<sup>20</sup>

Post 1, 20,

Post 12, 17, 18

19

③

72 W	3.05	+13	-16	W	-3
(Southern)	2.05	+13	-21	W	-8
	1.05	+13	-21	W	-8
	.05	+10	-21	W	-11
72 W	.5	+8	-21	N	-13
N <sub>W</sub> 72 W	1.05	+6	-18	N	-12
	2.05	+6	-18	N	-12
	3.05	+5	-20	N	-15
	4.05	+7	-17	N	-10
	5.05	+8	-15	NN	-7
	6.05	+9	-14	N	-5
	7.05	+12	-12	N	-2
	8.05	+9	-12	N	-3
	9.05	+11	-12		-1
	10.05	+6	-10		-4
	11.05	+10	-16	N	-6
	12.05	+12	-10	N	+2
	13.05	+7	-11	N	-4
	14.05	+7	-11	N	-4
	15.05	+7	-6	N	+1
	16.05	+3	-6	N	-3
	17.05	+3	-6	N	-3

+12	-14	N	-2	Claim land 350'S 72 W
+12	-14	N	-2	
+15	-18	N	-3	
+15	-18	N	-3	
+10	-16	N	-6	
+8	-13	N	-5	
+10	-14	N	-4	
+10	-14	N	-4	
+8	-13	N	-5	
+10	-12	N	-2	
+8	-12	N	-4	
+13	-13	N	0	
+11	-10	N	+1	
+10	-10		0	
+5	-9	"	-4	
+10	-12	N	-2	
+12	-10	N	+2	
+8	-12	N	-4	
+9	-9	N	0	
+8	-6	N	+1	lake edge
+5	-5		0	5' W of 15' N 72' W
+4	-5		-1	

④

72 W	18.5	+3	-6	N	-3
(North-east)	19.5	+3	-5	N	-2
	20.5	+3	-7	N	-4
	21.5	+3	-8	N	-5
	22.5	+5	-8	W	-3
	23.5	+5	-10	W	-5
	24.5	+3	-9	N	-6
	25.5	0	-10	W	-10
	26.5	+5	-11	W	-6
	27.5	+5	-12	N	-7
	28.5	+4	-14	N	-10
	29.5	0	-14	N	-14
	30.5	0	-17	N	-17
	31.5	0	-18	N	-18
	32.5	0	-19	W	-19
	33.5	+5	-21	N	-16
64 W	33.5	-3	-10	N	-13
(North)	32.5	0	-10	N	-10
	31.5	0	-11	N	-11
	30.5	0	-13	N	-13
	29.5	0	-11	N	-11
	28.5	-4	-11	N	-15

+3	-5	N	-2	
+2	-3	N	-1	
+4	-6	N	-2	
+4	-7	N	-3	
+6	-8	N	-2	
+6	-8	N	-2	
+5	-7	N	-2	
+2	-6	N	-4	Weak Line Signal
+6	-8	N	-2	
+7	-10	N	-3	
+7	-10	N	-3	
+7	-9	N	-2	
+8	-10	N	-2	
+7	-11	N	-4	
+10	-12	N	-2	
+10	-13	N	-3	
+5	-6	N	-1	
+2	-8	N	-4	
+3	-7	N	-4	
+4	-8	N	-4	
+4	-7	N	-3	
+4	-5	N	-1	

⑤

	27.5	-6	-10	NN	-16
	26.5	-3	-11	NR	-14
	25.5	0	-9	N	-9
	24.5	+5	-11	N	-6
	23.5	+7	-11	N	-4
		LAKE			
	21.5	+3	-9	N	-6
		LAKE			
	18.5	-2	0	N	-2
	17.5	-7	+2	N	-5
	16.5	-5	+2	N	-3
	15.5	-4	0	N	-4
	14.5	-7	+1	N	-6
	13.5	-6	+1	N	-5
	12.5	-5	+1	N	-4
	11.5	-3	+2	N	-2
	10.5	-3	0	N	-3
	9.5	-3	-1	N	-4
	8.5	0	-2	N	-2
	7.5	+2	-4	N	-2
	6.5	+1	-2	N	-1
	5.5	+3	+3	N	0

-1	-3	NW	-4	
-0	-4	NW	-4	
+5	-6	N	-1	LAKE
+7	-10	N	-3	at 2335 N
+9	-10	N	-1	68W
				and at
+6	-7	N	-1	3000' N
				64W
-3	0	N	-3	
-6	+3	N	-3	
-3	+2	N	-1	
-3	+1	N	-2	
-6	+2	N	-4	
-3	+1	N	-2	
-2	+1	N	-1	
-2	+2	N	0	
-3	0		-3	
-1	-1	N	-2	
+1	-1	N	0	
+3	-3	N	0	
+1	-2	N	-1	
0	0	N	0	

⑥

64 W					
(Northern)	4.05	-7	-2	N	-9
	3.05	-7	0	N	-7
	2.05	-9	+2	N	-7
	1.05	-8	+3	N	-5
	05 N	-10	+4	N	-6
64 W					
(South)	0.55	-10	+4	N	-6
	1.55	-8	+5	N	-3
	2.55	-6	+4	N	-2
	3.55	-5	+4	N	-1
	4.55	-5	+2	N	-3
	5.55	-1	+1	N	0
	6.55	-3	-2	N	-5
	7.05	+2	-2	N	0
	8.05	0	-2	N	-2
	9.05	-2	-4	N	-6
	10.05	+2	-3	N	-1
	11.05	0	-5	N	-5
	12.05	-4	-8	N	-12
	13.05	0	-9	N	-9
	14.05	-4	-8	N	-12
	15.05	-8	-6	N	-12
	16.05	-10	-10	N	-20



⑦

64 W					
(Suntham)	17.5	-9	-11	N	-20
	18.5	-10	-13	N	-23
	19.5	-10	-14	N	-24
	20.5	+0	-15	N	-15
	21.5	-0	-18	N	-18
	22.5	+5	-21	N	-16
	23.5	+6	-19	N	-13
	24.5	+6	-17	-	-11
	25.5	+6	-20	N	-14
	26.5	+10	-22	N	-12
	27.5	+10	-20	N	-10
	28.5	+10	-16	N	-6
	29.5	+12	-16	N	-4
	30.5	+12	-15		-3
	31.5	+13	-15		-2
	32.5	+13	-15		-2
	33.5	+14	-14	N	0
	34.5	+10	-15	N	-5
	35.5	+8	-11	N	-3
	36.5	+9	-11	N	-2
	37.5	+5	-6	N	-1
	38.5	+3	-6	N	-3

	0	-7	N	-7	
	0	-10	N	-10	
	0	-10	N	-10	
	+6	-10	N	-4	
	+8	-13	N	-5	
	+10	-15	N	-5	
	+10	-15	N	-5	
	+11	-16	-	-5	
	+14	-17	W	-3	
	+14	-17	N	-3	
	+14	-15	N	-2	Clam hbr
	+10	-13	N	-3	2750' S
					64W
	+12	-14	W	-2	
	+13	-14		-1	
	+13	-14		-1	
	+13	-14		-1	
	+14	-13	W	+1	
	+12	-12	-	0	
	+9	-10	N	-1	
	+6	-7	N	-1	HARE
	+8	-4	W	+4	400' SW
	+4	-5	N	-1	of 3800'S

①

June 23,  
1966

5670					
(South)	32.05	-9	+5	N	-4
	31.05	-14	+10	N	-4
	30.05	-20	+9	N	-11
	29.05	-20	+10	N	-10
	28.05	-23	+9	N	-14
	27.05	-22	+8	N	-14
	26.05	-21	+4	N	-17
	25.05	-18	+1	N	-17
	24.05	-15	0	N	-15
	23.05	-17	-3	N	-20
	22.05	-13	-11	N	-24
	21.05	-9	-8	N	-17
	20.05	-3	-11	N	-14
	19.05	-5	-9	N	-14
	18.05	-2	-16	N	-18
	17.05	0	-16	N	-16
	16.05	+5	-16	N	-11
	15.05	+6	-15	N	-9
	14.05	+5	-11	N	-6
	13.05	+6	-11	N	-5
	12.05	+6	-12	N	-5
	11.05	+7	-14	N	-7
	10.05	+9	-13	N	-4

-7	+7	N	0
-12	+10	N	-2
-15	+10	N	-5
-16	+12	N	-4
-19	+12	N	-7
-17	+11	N	-6
-18	+5	N	-13
-18	+4	N	-14
-7	0	N	-7
-10	-2	N	-12
-5	-7	N	-12
0	-6	N	-6
+4	-9	N	-5
+2	-9	N	-7
+6	-11	N	-5
+10	-12	N	-2
+10	-12	N	-2
+8	-11	N	-3
+6	-9	N	-3
+7	-9	N	-2
+8	-10	N	-2
+8	-12	N	-4
+9	-11	N	-2

②

	9.5	+9	-13	N	-4
	8.5	+13	-14	N	-1
	7.5	+12	-15	N	-3
	6.5	+14	-15	N	-1
	5.5	+15	-16	N	-1
	4.5	+15	-16	N	-1
	3.5	+15	-16	N	-1
	2.5	+16	-15	N	+1
	1.5	+15	-14	N	+1
	0.5 S	+15	-18	N	-3
562)	0.5 N	+14	-18	N	-4
(North)	1.5	+14	-20	N	-6
	2.5	+10	-21	N	-11
	3.5	+8	-20	N	-12
	4.5	+9	-20	N	-11
	5.5	+7	-21	N	-14
	6.5	+10	-20	N	-10
	7.5	+10	-21	N	-11
	8.5	+7	-20	N	-13
	9.5	+14	-21	N	-7
	10.5	+13	-20	N	-7
	11.5	+15	-22	N	-7



③

56W	12.05 N	+19	-26	N	-7
(Northern)	13.05	+16	-18	N	-2
	14.05	+16	-19	N	-3
	15.05	+13	-14	N	-1
	16.05	+10	-12	N	-2
	17.05	+9	-12	N	-3
	18.05	+10	-12	N	-2
	19.05	+7	-11	N	-4
	20.05	+6	-8	N	-2
	21.05	+5	-8	N	-3
	22.05	+3	-8	N	-5
	23.05	+3	-9	N	-6
	24.05	0	-11	N	-11
	25.05	-2	+8	N	-11
	26.05	-5	-12	N	-17
	27.05	-2	-11	N	-13
	28.05	0	-18	N	-18
	29.05	+8	-18	N	-10
	30.05	+8	-17	N	-9
	31.05	+6	-12	N	-6
	32.05	+5	-11	N	-6
	33.05	+4	-11	N	-7



7820	33.5	+16	-12	N	+4
(North)	32.5	+6	-12	N	+6
	31.5	+4	-7	N	-3
32	30.5	+5	-7	N	-2
31	29.5	+4	-14	N	-10
	28.5	+7	-15	N	-8
2	27.5	+6	-15	N	-9
2	26.5	0	-12	N	-12
	25.5	-5	-11	N	-16
	24.5	0	-11	N	-11
	23.5	+3	-12	N	-9
	22.5	+6	-11	N	-5
	21.5	+8	-11	N	-3
	20.5	+4	-12	N	-8
21	19.5	+7	-10	N	-3
	18.5	+6	-11	N	-5
1	17.5	+6	-12	N	-6
	16.5	+7	-13	N	-6
	15.5	+5	-13	N	-9
	14.5	+5	-16	N	-11
	13.5	+6	-20	N	-14
	12.5	+2	-24	N	-22
	11.5	+2	-24	N	-22

+16	-12	N	+4
+7	-9	N	-2
+5	-5	N	0
+5	-5	N	0
+5	-9	N	-4
+7	-11	N	-4
+7	-10	N	-3
+7	-7	N	0
+2	-6	N	-4
+5	-6	N	-1
+6	-7	N	-1
+9	-8	N	+1
+9	-9	N	0
+4	-8	N	-4
+7	-9	N	-2
+8	-9	N	-1
+7	-9	N	-2
+8	-9	N	-1
+9	-9	N	0
+8	-10	N	-2
+7	-14	N	-7
+13	-17	N	-4
+13	-16	N	-3

48W	10.5	+3	-25	N	-22
(Northward)	9.5	+10	-25	N	-15
	8.5	+10	-24	N	-14
	7.5	+17	-25	N	-8
	6.5	+14	-23	N	-9
	5.5	+15	-23	N	-8
	4.5	+10	-19	N	-9
	3.5	+10	-17	N	-7
	2.5	+14	-15	N	-1
	1.5	+10	-13	N	-3
	.5 N	+8	-12	N	-3

48N 05 +9 -15 N -6

(South)

14/7/66	27.5	-8	+4	N	-4
	26.5	-13	+2	N	-11
	25.5	-12	+8	N	-4
	24.5	-13	+7	N	-6
	23.5	-13	+6	N	-7
	22.5	-13	+3	N	-10
	21.5	-9	-2	N	-11
	20.5	-5	0	N	-5
	19.5	-10	-4	N	-14

+15	-17	N	-2
+15	-19	N	-4
+16	-18	N	-2
+18	-19	N	-1
+16	-19	N	-3
+16	-17	N	-1
+14	-16	N	-2
+10	-13	N	-3
+16	-16	N	-1
+10	-10	N	0
+9	-9	N	0
+8	-10	N	-2
-8	+5	N	-3
-10	+3	N	-7
-11	+6	N	-5
-13	+7	N	-6
-13	+7	N	-6
-12	+4	N	-8
-8	0	N	-8
-5	+1	N	-4
-5	0	N	-5

295 ridge  
of 1. to  
closed line  
@ 24.5  
// to 13.0

	18.5	-8	-4	N	-12
	17.5	-8	-6	N	-14
	16.5	-5	-7	N	-12
	15.5	-3	-9	N	-12
	14.5	-5	-10	N	-15
	13.5	+1	-9	N	-5
	12.5	+4	-10	N	-6
	11.5	+7	-12	N	-5
	10.5	+5	-12	N	-7
	9.5	+9	-13	N	-4
	8.5	+14	-20	N	-6
	7.5	+15	-20	N	-5
	6.5	+15	-20	N	-5
	5.5	+16	-17	N	-1
	4.5	+11	-20	N	-9
	3.5	+15	-22	N	-7
	2.5	+10	-18	N	-8
	1.5	+4	-14	N	-10
	0.5				
40 W	0.5	+10	-21	N	
NORTH	1.5	+10	-19	N	
	2.5	+8	-16	N	

- 3	- 1	N	- 4
- 1	+ 1	N	0
- 1	0	N	- 1
0	- 5	N	- 5
0	- 5	N	- 5
+ 5	- 8	N	- 3
+ 5	- 9	N	- 4
+ 8	- 11	N	- 3
+ 10	- 10	N	0
+ 11	- 13	N	- 2
+ 12	- 18	N	- 6
+ 15	- 20	N	- 5
+ 15	- 19	N	- 4
+ 15	- 16	N	- 1
+ 15	- 18	N	- 3
+ 16	- 17	N	- 1
+ 13	- 16	N	- 3
+ 10	- 10	N	0
		N	
		N	
+ 11	- 17	N	- 6
+ 11	- 14	N	- 3
+ 11	- 13	N	- 2

40 W)	3.5	+7	-20	N	-13
(NORTH)	4.5	+6	-18	N	-12
	5.5	+9	-20	N	-11
	6.5	+9	-16	N	-7
	7.5	+10	-16	N	-6
	8.5	+9	-20	N	-11
	9.5	+14	-28	N	-14
	10.5	+10	-27	N	-17
	11.5	+7	-25	N	-18
	12.5	+5	-28	N	-23
	13.5	+1	-31	N	-30
	14.5	+5	-30	N	-25
	15.5	+4	-25	N	-21
	16.5	+6	-25	N	-19
	17.5	+4	-20	N	-16
	18.5	+3	-14	N	-11
	19.5	+4	-18	N	-12
	20.5	+9	-14	N	-5
	21.5	+11	-15	N	-4
	22.5	+10	-14	N	-4
	23.5	+6	-15	N	-9
	24.5	+1	-15	N	-14
	25.5	+4	-10	N	-14



40 W	26.5	-2	-8	N	-11
(NORTH)	27.5	0	-11	N	-11
	28.5	+2	-15	N	-13
	29.5	+5	-17	N	-12
	30.5	+9	-16	N	-7
	31.5	+6	-18	N	-12
	32.5	+6	-10	C	-4
	33.5	+2	-11	P	-9

32 W

(NORTH)	33.5	+6	-14	N	-12
	32.5	+5	-14	N	-9
	31.5	+7	-13	N	-6
	30.5	+7	-17	N	-10
	29.5	+3	-9	N	-6
	28.5	+5	-14	N	-9
	27.5	+5	-15	N	-10
	26.5	+4	-16	N	-8
	25.5	+10	-21	N	-11
	24.5	+11	-17	N	-6
	23.5	+9	-20	N	-11
	22.5	+8	-19	N	-11
	21.5	+6	-16	N	-10

0	-6	N	-6
+3	-9	N	-6
+4	-10	N	-6
+7	-15	N	-8
+10	-11	N	-1
+9	-15	N	-6
+6	-10	C	-4
+3	-11	C	-8

+6	-9	N	-3
+6	-12	N	-6
+7	-9	N	-2
+7	-13	N	-6
+5	-5	N	0
+7	-10	N	-3
+9	-10	N	-1
+10	-14	N	-4
+11	-17	N	-6
+11	-16	N	-5
+10	-15	N	-5
+9	-16	N	-7
+6	-9	N	-3

32 W

(NORTH)	20.5	+3	-14	N	-11
	19.5	+5	-15	N	-10
	18.5	+2	-15	N	-13
	17.5	+2	-20	N	-18
	16.5	+3	-20	N	-17
	15.5	0	-21	N	-21
	14.5	+1	-25	NN	-24
	13.5	+4	-25	NN	-21
	12.5	+3	-24	N	-25
	11.5	+5	-24	N	-23
	10.5	+5	-23	N	-19
	9.5	+4	-22	N	-14
	8.5	+5	-24	N	-21
	7.5	+10	-21	N	-11
	6.5	+12	-21	N	-9
	5.5	+12	-20	N	-8
	4.5	+5	-15	N	-10
	3.5	+7	-17	N	-10
	2.5	+5	-10	N	-5
	1.5	+5	-10	N	-5
	0.5	+5	-11	N	-6



MON.

25/7/66

10 W

(SOUTH)	38.5	+13	-17		-4
	37.5	+11	-17		-6
	36.5	+8	-15		-3
	35.5	+5	-12		-7
	34.5	+5	-13		-8
	33.5	+7	-16		-9
	32.5	+9	-18		-9
	31.5	+8	-12		-4
	30.5	+10	-17		-7
	29.5	+13	-16		-3
	28.5	+13	-15		-2
	27.5	+12	-18		-6
	26.5	+14	-16		-4
	25.5	+14	-20		-6
	24.5	+16	-20		-4
	23.5	+14	-20		-6
	22.5	+11	-19	N	-8
	21.5	+11	-15	N	-4
	20.5	+13	-20	N	-7
	19.5	+9	-17		-8
	18.5	+6	-14		-8
	17.5	+7	-13		-6
	16.5	+5	-16		-11



	15.5	+5	-13		-9
	14.5	-1	-11		-12
	13.5	-3	-9		-12
	12.5	-9	-6		-15
	11.5	-5	-3		-8
	10.5	-8	-4		-12
	9.5	-2	-5		-7
	8.5	+3	-10		-7
	7.5	+1	-7		-6
	6.5	-1	-6		-7
	5.5	-2	-4		-6
	4.5	-1	-5		-6
	3.5	-1	-10	N	-11
	2.5	-5	-5	N	-10
	1.5	-6	-3		-9
	0.5	-9	-1		-9
OW	0.5	-9	-2		-11
(NORTH)	1.5	+1	-2		-1
	2.5	+4	-5		-1
	3.5	+4	-10		-6
	4.5	+2	-7	N	-5
	5.5	+2	-11	N	-9



6.5	+2	-12	N	-10
7.5	+3	-20	N	-17
8.5	0	-12		-12
9.5	-4	-20		-24
10.5	+2	-25		-23
11.5	+4	-26	N	-23
12.5	+7	-25	N/N	-18
13.5	+7	-23	N	-16
14.5	0	-15	N	-15
15.5	+2	-13		-11
16.5	+3	-12		-9
17.5	+3	-14		-15
18.5	+6	-21		-15
19.5	+7	-14		-11
20.5	+6	-18		-12
21.5	+6	-20		-14
22.5	+7	-26		-19
23.5	+4	-11		-7
24.5	+9	-13		-4
25.5	+9	-10		-2
26.5	+9	-10		-1
27.5	+6	-8		-2
28.5	+6	-8		-2

+3	-10	N	-7
+7	-15	N	-8
+6	-12		-6
+6	-14		-8
+9	-14		-5
+10	-16	N	-6
+10	-18	N	-8
+9	-14	N	-5
+4	-8	N	-4
+7	-5		+2
+5	-7		-2
+7	-13		-6
+8	-16		-8
+10	-13		-3
+11	-13		-2
+11	-15		-4
+11	-24		-13
+6	-7		-1
+9	-10		-1
+9	-8		+1
+8	-8		0
+7	-5		+2
+6	-7		-1

0 W				
(NORTH)	29.5	+5	-9	-4
	30.5	+2	-8	-6
	31.5	+1	-10	-9
	32.5	+4	-10	-6
	33.5	+6	-13	-7

8 W				
(NORTH)	0.5	-5	-15	-2.5
	1.5	+1	-15	-14
	2.5	+3	-15	-12
	3.5	+5	-15	-10
	4.5	+7	-15	-8
	5.5	+8	-16	-8
	6.5	+7	-15	-5
	7.5	+6	-11	-5
	8.5	+5	-15	-10
	9.5	+2	-20	-14
	10.5	+3	-14	-11
	11.5	-3	-15	-12
	12.5	+2	-15	-13
	13.5	+4	-16	-12
	14.5	+5	-25	-20
	15.5	+5	-23	-18

+5	-2	-2
+2	-5	-3
+1	-9	-4
+6	-5	+1
+10	-9	+1

0	-6	-6
+4	-5	-1
+10	-10	0
+8	-12	-4
+7	-11	-4
+8	-14	-6
+9	-9	-1
+7	-9	-2
+9	-8	+1
+6	-12	-6
+8	-7	+1
+5	-7	-2
+8	-10	-2
+10	-8	+2
+11	-19	-8
+12	-13	-1

N  
N

8W				
(NORTH)	16.5	0	-21	-21
	17.5	-3	-20	-23
	18.5	0	-23	NIN -23
	19.5	+1	-21	-20
	20.5	+2	-17	-15
	21.5	+4	-13	-9
	22.5	+4	-17	-9
	23.5	+8	-14	-8
	24.5	+8	-16	-8
	25.5	+2	-13	-11
	26.5	+2	-3	-1
	27.5	+7	-10	-3
	28.5	+13	-16	-3
	29.5	+19	-23	-4
	30.5	+19	-26	-7
	31.5	+13	-14	-5
	32.5	+8	-12	-4
	33.5	+3	-8	-5

SEE BOOK #3 FOR FOLLOWING

LINES: 8W SOUTH

16W NORTH

24W (NORTH)



WEID 27/7/66

16 W

(SOUTH)	38.5	+5	-14		-11
	37.5	+9	-14		-5
	36.5	+9	-10		-1
	35.5	+8	-10		-2
	34.5	+9	-10		-1
	33.5	+5	-11		-6
	32.5	+5	-7		-2
	31.5	+7	-9		-2
	30.5	+7	-15		-8
	29.5	+6	-10		-4
	28.5	+4	-4		-4
	27.5	+4	-13		-9
	26.5	+4	-9		-5
	25.5	+3	-5		-2
	24.5	+2	-5		-3
	23.5	+2	-4		-2
	22.5	+2	-6		-4
	21.5	0	-5		-5
	20.5	0	0		0
	19.5	0	-9		-9
	18.5	+1	-5		-4
	17.5	0	-5	N	-5
	16.5	-10	-12	NN	-22

<del>+</del> 11	-13	-2
<del>+</del> 9	-13	-4
<del>+</del> 8	-6	+2
<del>+</del> 8	-10	-2
<del>+</del> 9	-8	+1
<del>+</del> 3	-10	-7
<del>+</del> 5	-7	-2
<del>+</del> 7	-8	-1
<del>+</del> 8	-14	-6
<del>+</del> 6	-9	-3
<del>+</del> 4	-8	-1
<del>+</del> 5	-9	-4
<del>+</del> 5	-6	-1
<del>+</del> 3	-4	-1
<del>+</del> 2	-5	-3
<del>+</del> 2	-4	-2
<del>+</del> 3	-5	-3
<del>+</del> 2	-3	-1
0	0	0
<del>+</del> 1	-6	-5
<del>+</del> 1	-4	-3
<del>-</del> 1	-2	-5
<del>-</del> 3	-4	-7

16 W

(SOUTH)	15.5	-7	+5		-2
	14.5	-15	+5		-10
	13.5	-19	+2		-17
	12.5	-19	-9	N	-10
	11.5	-14	-12	"	-26
	10.5	-5	-12	"	-17
	9.5	-3	-9	"	-12
	8.5	-8	-15	"	-23
	7.5	-1	-25	"	-26
	6.5	+5	-20	"	-15
	5.5	+2	-12	"	-10
	4.5	+1	-15	"	-14
	3.5	+4	-15	"	-11
	2.5	+5	-9	"	-4
	1.5	+5	-5	"	0
	0.5	+5	-10	"	-5

24 W

(SOUTH)	0.5	+2	-10	"	-8
	1.5	0	-15	"	-15
	2.5	-1	-20	"	-21
	3.5	-4	-24	"	-24
	4.5	0	-23	"	-23



24 W

(SOUTH)	5.5	0	-24	N	-24
	6.5	-5	-13	P	-19
	7.5	-1	-12		-13
	8.5	-2	-10		-12
	9.5	-18	-8		-26
	10.5	-14	-6		-20
	11.5	-8	-2		-10
	12.5	-6	-2		-12
	13.5	-7	+3		-4
	14.5	-10	+6		-4
	15.5	-5	+2		-3
	16.5	-5	+1		-4
	17.5	-2	0		-2
	18.5	-2	0		-2
	19.5	0	-5		-5
	20.5	0	-5		-5
	21.5	0	-3		-3
	22.5	0	-5		-5
	23.5	+1	-5		-11
	24.5	+2	-4		-2
	25.5	+3	-7		-4
	26.5	+4	-13		-9
	27.5	+5	-11		-6



24 W

(SOUTH)

28.5	+6	-11	-5
29.5	+4	-9	-5
30.5	+5	-9	-4
31.5	+10	-10	0
32.5	+5	-11	-6
33.5	+5	-6	-1
34.5	+5	-10	-5
35.5	+5	-8	-3
36.5	+6	-10	-4
37.5	+7	-10	-3
38.5	+7	-13	-6

32 W

(SOUTH)

26.5	0	-4	-4
25.5	0	-5	-5
24.5	-1	-4	-5
23.5	-3	-4	-12
22.5	-1	-7	-8
21.5	-2	-1	-3
20.5	-2	-6	-8
19.5	0	-4	-4
18.5	0	-3	-3
17.5	0	-3	-3

+6	-10	-2
+5	-8	-3
+6	-9	-3
+6	-9	-3
+6	-7	-1
+6	-6	0
+6	-9	-3
+5	-7	-2
+6	-9	-3
+7	-10	-3
+8	-12	-4

25W 25S  
 Post 2  
 GUN  
 #23, 24  
 End of lab

0	-5	-5
0	-4	-4
-1	-4	-5
-2	-2	-4
-1	-5	-6
-1	0	-1
0	-5	-5
0	-3	-3
+1	-1	0
-1	-2	-3

32 W

(SOUTH)	16.5	-5	0	-5
	15.5	-5	0	-5
	14.5	-5	-1	-6
	13.5	-5	+1	-4
	12.5	-6	-1	-7
	11.5	-3	-3	-6
	10.5	-1	-7	-8
	9.5	+2	-12	-10
	8.5	+2	-14	-12
	7.5	+3	-12	-9
	6.5	+4	-14	-10
	5.5	+5	-12	-7
	4.5	+6	-14	-8
	3.5	+8	-22	-14
	2.5	+8	-14	-6
	1.5	+8	-16	-8
	0.5	+6	-11	-5

40 W

(SOUTH)	0.5	+8	-16	-8
	1.5	+10	-16	-6
	2.5	+16	-27	-11
	3.5	+3	-14	-11

-4	+1	-3
-5	+1	-4
-4	0	-4
-5	+1	-4
-4	-1	-5
-2	-2	-4
+1	-5	-4
+4	-8	-8
+7	-12	-5
+8	-9	-1
+7	-9	-2
+7	-10	-3
+6	-13	-7
+8	-16	-8
+9	-12	-3
+8	-15	-7
+6	-9	-3
+9	-14	-5
+11	-14	-3
+10	-13	-3
+8	-11	-3

Major level  
 @ 39

E-W strike

40 W

(5005H)	4.5	+5	-16	-11
	5.5	+2	-13	-11
	6.5	+5	-15	-10
	7.5	+7	-14	-7
	8.5	+7	-15	-8
	9.5	+9	-16	-11
	10.5	+8	-14	-6
	11.5	+5	-10	-5
	12.5	+4	-9	-5
	13.5	+2	-7	-5
	14.5	+1	-7	-6
	15.5	-5	-3	-8
	16.5	-8	+3	-5
	17.5	-7	0	-7
	18.5	-6	+1	-5
	19.5	-7	+2	-5
	20.5	-12	0	-12
	21.5	-12	-1	-13
	22.5	-12	+2	-10
	23.5	-10	+2	-8
	24.5	-9	+6	-3

+8 -13 -5

+5 -10 -5

+9 -13 -4

+9 -12 -3

+8 -11 -3

+9 -15 -6

+9 -12 -3

+6 -10 -4

+4 -8 -4

+1 -6 -5

0 -3 -3

-5 -1 -6

-6 +4 -2

-5 +1 -4

-4 +2 -2

-5 +3 -2

-9 +2 -7

-10 +1 -1

-10 +3 -7

-8 +3 -5

-7 +7 0

TMUA 28/7/66

129 W

(5001H)

	37.5	-3	0	N	-3
	36.5	-1	-1	"	-2
	35.5	-1	-4	"	-5
	34.5	+1	-4	"	-3
	33.5	+2	-5	"	-3
	32.5	+1	-6	"	-5
	31.5	+1	-5	"	-4
	30.5	+1	-3	"	-2
	29.5	-1	0	"	-1
	28.5	-3	+1	"	-2
	27.5	-6	-1	"	-7
	26.5	-5	-4	"	-9
	25.5	-10	-4	"	-14
	24.5	-15	-6	"	-21
→	23.5	-12	+6	"	-6
	22.5	-7	+10	"	+3
	21.5	+5	+5	"	+10
	20.5	-2	-4	"	-6
	19.5	-8	-15	"	-23
	18.5	+2	-21	"	-19
	17.5	+9	-14	"	-5
	16.5	+10	-15	"	-5

-3	+6	N	-3
-1	-2	"	-3
-1	-2	"	-3
+3	-1	"	-2
+1	-3	"	-2
+2	-6	"	-4
+2	-5	"	-3
+2	-2	"	0
+1	+1	"	0
-3	+1	"	-2
-2	-1	"	-2
-2	-2	"	-4
-3	0	"	-3
-10	-3	"	-13
-3	+2	"	-11
-2	+9		+7
+3	+7		+10
+3	-3		-6
-5	-17		-22
+3	-16		-13
+9	-11		-2
+10	-10		0

124 W

(SOUTH)	15.5	+8	-15	NN	-7
	14.5	+7	-15		-9
	13.5	+7	-15		-8
	12.5	+3	-17		-14
	11.5	+10	-18		-8
	10.5	+4	-19		-15
	9.5	+5	-25		-20
	8.5	+9	-26	N	-17
	7.5	+7	-23	"	-16
	6.5	+10	-22	"	-12
	5.5	+5	-16	"	-11
	4.5	+6	-20	"	-14
	3.5	+3	-15	"	-12
	2.5	+1	-15	"	-14
	1.5	+10	-10	"	-10
	0.5	+2	-7	"	-5
	23	-9	+15		+11
	22	+10	+7		+17
	21	-2	-2		0
	20	-8	-12		-20

+10	-10	N	0
+10	-10		0
+12	-13		-1
+10	-15		-5
+10	-17		-7
+12	-16		-4
+14	-18		-4
+14	-20	N	-6
+13	-15	"	-2
+13	-16	"	-3
+10	-10	"	0
+8	-12	"	-4
+7	-7	"	0
+5	-6	"	-1
+2	-2	"	0
+5	-5	"	0

-11	+14	+3
+5	+8	+13
+1	+5	+4
-6	-11	-17

128 W					
(NORTH)	0.5	+2	-10	N	-8
	1.5	+4	-12	"	-8
	2.5	+9	-17	"	-8
	3.5	+13	-16	"	-3
	4.5	+13	-18	"	-5
	5.5	+15	-17	"	-2
	6.5	+14	-18	"	-4
	7.5	+12	-19	"	-7
	8.5	+17	-19	"	-2
	9.5	+17	-25	"	-4
	10.5	+17	-26	"	-9
	11.5	+10	-26	"	-16
	12.5	+9	-26	"	-17
	13.5	+6	-30	"	-24
	14.5	+3	-27	"	-24
	15.5	-1	-24	"	-25
	16.5	-3	-24	"	-27
	17.5	-5	-24	"	-29
	18.5	-5	-26	"	-31
	19.5	0	-26	"	-26
	20.5	0	-30	"	-30
	21.5	+3 <sup>✓</sup>	-24	"	-19
	22.5	+1	-20	"	-19



128 W					
(NORTH)	23.5	+3	-16	NN	-13
	24.5	+4	-24	"	-18
	25.5	0	-15	"	-15
	26.5	+2	-20	"	-18
	27.5	0	-12	"	-12
	28.5	+3	-13	"	-10
	29.5	+5	-14	"	-9
	30.5	+2	-15	"	-13
	31.5	+9	-12	"	-3
	32.5	+2	-17	"	-15
	33.5	+5	-11	"	-11

136 W	0.5	-8	-13		-21
(SOUTH)	1.5	-14	-15		-29
	2.5	-7	-20		-27
	3.5	0	-25	N	-25
	4.5	-3	-20	"	-23
	5.5	+1	-20	"	-19
	6.5	+9	-20	"	-11
	7.5	+12	-25	"	-13
	8.5	+12	-27	"	-15
	9.5	+11	-30	"	-19



136 W					
(SOUTH)	10.5	+6	-26	N	-20
	11.5	+2	-13	"	-11
	12.5	+6	-15	"	-9
	13.5	+1	-20	"	-19
	14.5	+8	-20	"	-12
	15.5	+9	-15	"	-6
	16.5	+6	-20	"	-14
	17.5	+5	-24	"	-19
	18.5	-3	-26	"	-29
	19.5	-8	-12	C	-20
	20.5	0	+3		+3
	21.0	+4	+9		+13
	21.5	+7	+3		+10
	22.0	+7	-5		+2
	22.5	+6	-14		-8
	23.5	-20	-18	N	-24
	24.5	-15	+10	"	-5
	25.5	-9	+7	"	-2
	26.5	-2	-2	"	-4
	27.5	-4	0	"	-4
	28.5	-1	-1	"	-2
	29.5	+1	-1	"	0
	30.5	+3	-4	"	-1



136W

(SOUTH)	31.5	0	-6	N	-6
	32.5	+4	-5	"	-1
	33.5	+5	-5	"	0
	34.5	+4	-7	"	-3
	35.5	+2	0	"	+2
	36.5	+3	0	"	-3
	37.5	-7	+5	"	-2
	38.5	-5	0	"	-5

0	-5	11	-5
+5	-5	"	0
+5	-3	"	+2
11	-6	"	-5
+2	0	"	+2
+3	+2	"	-1
-6	+6	"	0
-5	+2	"	-3