

020771

PC-MINE VERSION 1.10  
 SERIAL NO : 20320  
 19/ 2/1987

Curragh Resources  
 Grum 8606 Geological Model

SOFTWARE BY GENCOM SERVICES INC  
 MODULE 3.11  
 PAGE 1

IN-SITU ORE RESERVE EVALUATION

DESCRIPTION : GRUM RESERVES BENEATH PIT FOR SECT 86W

TOTAL FOR ALL BENCHES

TOP ELEVATION : 1336.00 [m ]  
 BOTTOM ELEVATION : 1088.50 [m ]

SURFACE GRID RECORD : 21 BP86, includes Stage 3  
 RESERVE INSIDE POLYGON RECORD : 2 SECTION 86 W VOLUME LIMITS

INCREMENTAL RESULTS

CUT-OFF GRADES		ROCK-TYPE CODE	VOLUME [bcm x1000]	DENSITY [tn/bcm]	TONNAGE [ TONS x1000]	AVERAGE GRADES				
FROM [ EGF ]	TO [ EGF ]					[ EGF ]	[ %Pb ]	[ %Zn ]	[ Ag g/t ]	[ Au g/t ]
10.000	12.000	2	2.26	3.087	6.97	10.615	2.995	7.619	63.712	.428
10.000	12.000	4	1.08	3.295	3.56	10.422	2.264	8.159	43.500	.150
8.000	10.000	2	25.09	3.079	77.25	8.492	2.420	6.072	51.233	.255
8.000	10.000	4	2.16	3.295	7.12	9.861	2.311	7.551	43.492	.156
6.000	8.000	2	108.91	3.099	337.49	6.815	1.812	5.002	38.815	.122
4.000	6.000	1	3.78	3.062	11.58	4.035	1.037	2.999	18.286	.000
4.000	6.000	2	42.12	3.104	130.72	5.596	1.712	3.884	33.616	.111
.010	4.000	1	17.82	3.055	54.45	3.534	1.009	2.525	18.854	.033
.000	.010	2	.90	2.850	2.57	.000	.000	.000	.000	.000
.000	.010	3	.12	2.850	.34	.000	.000	.000	.000	.000
.000	.010	4	1.08	2.850	3.08	.000	.000	.000	.000	.000
.000	.010	9	.54	2.850	1.54	.000	.000	.000	.000	.000
.000	9999.000	10	2282.38	2.700	6162.42	.000	.000	.000	.000	.000
.000	9999.000	****	17.48	2.100	36.72	.000	.000	.000	.000	.000
TOTAL			2505.72	2.728	6835.79	.601	.166	.435	3.452	.012

IN-SITU ORE RESERVE EVALUATION

DESCRIPTION : GRUM RESERVES BENEATH PIT FOR SECT 86W

TOTAL FOR ALL BENCHES

TDP ELEVATION : 1336.00 [m ]  
 BOTTOM ELEVATION : 1088.50 [m ]

SURFACE GRID RECORD : 21 BPR6, includes Stage 3  
 RESERVE INSIDE POLYGON RECORD : 2 SECTION 86 W VOLUME LIMITS

CUMULATIVE RESULTS

CUT-OFF GRADES		ROCK-TYPE CODE	VOLUME [bcm x1000]	DENSITY [tn/bcm]	TONNAGE		AVERAGE GRADES				
FROM [ EGF ]	TO [ EGF ]				[ TONS x1000 ]	[ EGF ]	[ %Pb ]	[ %Zn ]	[Ag g/t]	[Au g/t]	
10.000	12.000	2	2.26	3.087	6.97	10.615	2.995	7.619	63.712	.428	
10.000	12.000	3	2.26	3.087	6.97	10.615	2.995	7.619	63.712	.428	
10.000	12.000	4	3.34	3.155	10.52	10.550	2.748	7.802	56.877	.334	
10.000	12.000	5	3.34	3.155	10.52	10.550	2.748	7.802	56.877	.334	
10.000	12.000	6	3.34	3.155	10.52	10.550	2.748	7.802	56.877	.334	
10.000	12.000	7	3.34	3.155	10.52	10.550	2.748	7.802	56.877	.334	
10.000	12.000	8	3.34	3.155	10.52	10.550	2.748	7.802	56.877	.334	
10.000	12.000	9	3.34	3.155	10.52	10.550	2.748	7.802	56.877	.334	
8.000	10.000	1	3.34	3.155	10.52	10.550	2.748	7.802	56.877	.334	
8.000	10.000	2	28.43	3.088	87.78	8.739	2.459	6.280	51.909	.264	
8.000	10.000	3	28.43	3.088	87.78	8.739	2.459	6.280	51.909	.264	
8.000	10.000	4	30.59	3.102	94.90	8.823	2.448	6.375	51.278	.256	
9.000	10.000	5	30.59	3.102	94.90	8.823	2.448	6.375	51.278	.256	
8.000	10.000	6	30.59	3.102	94.90	8.823	2.448	6.375	51.278	.256	
8.000	10.000	7	30.59	3.102	94.90	8.823	2.448	6.375	51.278	.256	
8.000	10.000	8	30.59	3.102	94.90	8.823	2.448	6.375	51.278	.256	
8.000	10.000	9	30.59	3.102	94.90	8.823	2.448	6.375	51.278	.256	
6.000	8.000	1	30.59	3.102	94.90	8.823	2.448	6.375	51.278	.256	
6.000	8.000	2	139.50	3.100	432.39	7.256	1.952	5.304	41.550	.152	
6.000	8.000	3	139.50	3.100	432.39	7.256	1.952	5.304	41.550	.152	
6.000	8.000	4	139.50	3.100	432.39	7.256	1.952	5.304	41.550	.152	
6.000	8.000	5	139.50	3.100	432.39	7.256	1.952	5.304	41.550	.152	
6.000	8.000	6	139.50	3.100	432.39	7.256	1.952	5.304	41.550	.152	
6.000	8.000	7	139.50	3.100	432.39	7.256	1.952	5.304	41.550	.152	
6.000	8.000	8	139.50	3.100	432.39	7.256	1.952	5.304	41.550	.152	
6.000	8.000	9	139.50	3.100	432.39	7.256	1.952	5.304	41.550	.152	
4.000	6.000	1	143.26	3.099	443.97	7.172	1.928	5.244	40.944	.148	
4.000	6.000	2	185.40	3.100	574.69	6.813	1.879	4.934	39.277	.139	
4.000	6.000	3	185.40	3.100	574.69	6.813	1.879	4.934	39.277	.139	

4.000	6.000	4	185.40	3.100	574.69	6.813	1.879	4.934	39.277	.139
4.000	6.000	5	185.40	3.100	574.69	6.813	1.879	4.934	39.277	.139
4.000	6.000	6	185.40	3.100	574.69	6.813	1.879	4.934	39.277	.139
4.000	6.000	7	185.40	3.100	574.69	6.813	1.879	4.934	39.277	.139
4.000	6.000	8	185.40	3.100	574.69	6.813	1.879	4.934	39.277	.139
4.000	6.000	9	185.40	3.100	574.69	6.813	1.879	4.934	39.277	.139
.010	4.000	1	203.22	3.096	629.13	6.529	1.804	4.726	37.510	.130
.010	4.000	2	203.22	3.096	629.13	6.529	1.804	4.726	37.510	.130
.010	4.000	3	203.22	3.096	629.13	6.529	1.804	4.726	37.510	.130
.010	4.000	4	203.22	3.096	629.13	6.529	1.804	4.726	37.510	.130
.010	4.000	5	203.22	3.096	629.13	6.529	1.804	4.726	37.510	.130
.010	4.000	6	203.22	3.096	629.13	6.529	1.804	4.726	37.510	.130
.010	4.000	7	203.22	3.096	629.13	6.529	1.804	4.726	37.510	.130
.010	4.000	8	203.22	3.096	629.13	6.529	1.804	4.726	37.510	.130
.010	4.000	9	203.22	3.096	629.13	6.529	1.804	4.726	37.510	.130
.000	.010	1	203.22	3.096	629.13	6.529	1.804	4.726	37.510	.130
.000	.010	2	204.12	3.095	631.70	6.503	1.796	4.707	37.357	.130
.000	.010	3	204.24	3.095	632.04	6.499	1.795	4.704	37.337	.130
.000	.010	4	205.32	3.093	635.12	6.468	1.787	4.681	37.156	.129
.000	.010	5	205.32	3.093	635.12	6.468	1.787	4.681	37.156	.129
.000	.010	6	205.32	3.093	635.12	6.468	1.787	4.681	37.156	.129
.000	.010	7	205.32	3.093	635.12	6.468	1.787	4.681	37.156	.129
.000	.010	8	205.32	3.093	635.12	6.468	1.787	4.681	37.156	.129
.000	.010	9	205.86	3.093	636.66	6.452	1.782	4.670	37.066	.129
.000	9999.000	10	2488.24	2.732	6799.07	.604	.167	.437	3.471	.012
.000	9999.000	****	2505.72	2.728	6835.79	.601	.166	.435	3.452	.012

---

TOTAL			2505.72	2.728	6835.79	.601	.166	.435	3.452	.012
-------	--	--	---------	-------	---------	------	------	------	-------	------

---

PC-MINE VERSION 1.10  
 SERIAL NO : 20320  
 19/ 2/1987

Curragh Resources  
 Brum 8606 Geological Model

SOFTWARE BY GENCOM SERVICES INC  
 MODULE 3.11  
 PAGE 1

IN-SITU ORE RESERVE EVALUATION

DESCRIPTION : BRUM RESERVES BENEATH PIT FOR SECT 84W

TOTAL FOR ALL BENCHES

TOP ELEVATION : 1336.00 [m ]  
 BOTTOM ELEVATION : 1088.50 [m ]

SURFACE GRID RECORD : 21 BP86, includes Stage 3  
 RESERVE INSIDE POLYGON RECORD : 3 SECTION 84 W VOLUME LIMITS

INCREMENTAL RESULTS

CUT-OFF GRADES		ROCK-TYPE	VOLUME	DENSITY	TONNAGE		AVERAGE GRADES				
FROM	TO	CODE	[bcm x1000]	[tn/bcm]	[ TONS x1000]	[ EGF ]	[ %Pb ]	[ %Zn ]	[Ag g/t]	[Au g/t]	
[ EGF ]	[ EGF ]										
10.000	12.000	2	2.87	3.079	8.83	10.296	3.803	6.493	61.606	.961	
10.000	12.000	4	9.72	3.233	31.43	10.929	3.871	7.058	69.396	.402	
8.000	10.000	2	12.38	3.007	37.24	9.120	3.242	5.877	53.598	.513	
8.000	10.000	4	.54	3.268	1.76	9.955	3.460	6.495	61.000	.378	
6.000	8.000	2	9.22	2.984	27.50	7.194	2.367	4.827	42.634	.340	
6.000	8.000	4	6.28	3.072	19.28	6.903	2.598	4.305	45.833	.774	
4.000	6.000	2	2.16	2.798	6.04	4.770	1.455	3.315	29.982	.246	
4.000	6.000	5	1.08	3.911	4.22	5.611	1.183	4.428	22.492	.588	
.000	.010	2	.54	2.850	1.54	.000	.000	.000	.000	.000	
.000	9999.000	10	2240.71	2.700	6049.92	.000	.000	.000	.000	.000	
.000	9999.000	****	5.15	2.100	10.81	.000	.000	.000	.000	.000	
TOTAL			2290.64	2.706	6198.58	.190	.066	.123	1.155	.011	

IN-SITU ORE RESERVE EVALUATION

DESCRIPTION : GRUM RESERVES BENEATH PIT FOR SECT 84W

TOTAL FOR ALL BENCHES

TOP ELEVATION : 1336.00 [m ]  
 BOTTOM ELEVATION : 1088.50 [m ]

SURFACE GRID RECORD : 21 BP86, includes Stage 3  
 RESERVE INSIDE POLYGDW RECORD : 3 SECTION 84 W VOLUME LIMITS

CUMULATIVE RESULTS

CUT-OFF GRADES		ROCK-TYPE CODE	VOLUME [bcm x1000]	DENSITY [tn/bcm]	TONNAGE [ TONS x1000]	AVERAGE GRADES				
FROM [ EGF ]	TO [ EGF ]					[ EGF ]	[ %Pb ]	[ %Zn ]	[Ag g/t]	[Au g/t]
10.000	12.000	2	2.87	3.079	8.83	10.296	3.803	6.493	61.606	.961
10.000	12.000	3	2.87	3.079	8.83	10.296	3.803	6.493	61.606	.961
10.000	12.000	4	12.59	3.198	40.26	10.791	3.856	6.934	67.687	.525
10.000	12.000	5	12.59	3.198	40.26	10.791	3.856	6.934	67.687	.525
10.000	12.000	6	12.59	3.198	40.26	10.791	3.856	6.934	67.687	.525
10.000	12.000	7	12.59	3.198	40.26	10.791	3.856	6.934	67.687	.525
10.000	12.000	8	12.59	3.198	40.26	10.791	3.856	6.934	67.687	.525
10.000	12.000	9	12.59	3.198	40.26	10.791	3.856	6.934	67.687	.525
8.000	10.000	1	12.59	3.198	40.26	10.791	3.856	6.934	67.687	.525
8.000	10.000	2	24.97	3.103	77.50	9.988	3.561	6.426	60.917	.519
8.000	10.000	3	24.97	3.103	77.50	9.988	3.561	6.426	60.917	.519
8.000	10.000	4	25.51	3.107	79.26	9.987	3.559	6.428	60.918	.516
8.000	10.000	5	25.51	3.107	79.26	9.987	3.559	6.428	60.918	.516
8.000	10.000	6	25.51	3.107	79.26	9.987	3.559	6.428	60.918	.516
8.000	10.000	7	25.51	3.107	79.26	9.987	3.559	6.428	60.918	.516
8.000	10.000	8	25.51	3.107	79.26	9.987	3.559	6.428	60.918	.516
8.000	10.000	9	25.51	3.107	79.26	9.987	3.559	6.428	60.918	.516
6.000	8.000	1	25.51	3.107	79.26	9.987	3.559	6.428	60.918	.516
6.000	8.000	2	34.73	3.074	106.76	9.268	3.252	6.016	56.209	.471
6.000	8.000	3	34.73	3.074	106.76	9.268	3.252	6.016	56.209	.471
6.000	8.000	4	41.00	3.074	126.04	8.906	3.152	5.754	54.622	.517
6.000	8.000	5	41.00	3.074	126.04	8.906	3.152	5.754	54.622	.517
6.000	8.000	6	41.00	3.074	126.04	8.906	3.152	5.754	54.622	.517
6.000	8.000	7	41.00	3.074	126.04	8.906	3.152	5.754	54.622	.517
6.000	8.000	8	41.00	3.074	126.04	8.906	3.152	5.754	54.622	.517
6.000	8.000	9	41.00	3.074	126.04	8.906	3.152	5.754	54.622	.517
4.000	6.000	1	41.00	3.074	126.04	8.906	3.152	5.754	54.622	.517
4.000	6.000	2	43.16	3.060	132.09	8.717	3.074	5.642	53.494	.505
4.000	6.000	3	43.16	3.060	132.09	8.717	3.074	5.642	53.494	.505

4.000	6.000	4	44.16	3.060	132.07	8.717	3.074	5.642	53.474	.505
4.000	6.000	5	44.24	3.081	136.31	8.620	3.016	5.605	52.533	.507
4.000	6.000	6	44.24	3.081	136.31	8.620	3.016	5.605	52.533	.507
4.000	6.000	7	44.24	3.081	136.31	8.620	3.016	5.605	52.533	.507
4.000	6.000	8	44.24	3.081	136.31	8.620	3.016	5.605	52.533	.507
4.000	6.000	9	44.24	3.081	136.31	8.620	3.016	5.605	52.533	.507
.010	4.000	1	44.24	3.081	136.31	8.620	3.016	5.605	52.533	.507
.010	4.000	2	44.24	3.081	136.31	8.620	3.016	5.605	52.533	.507
.010	4.000	3	44.24	3.081	136.31	8.620	3.016	5.605	52.533	.507
.010	4.000	4	44.24	3.081	136.31	8.620	3.016	5.605	52.533	.507
.010	4.000	5	44.24	3.081	136.31	8.620	3.016	5.605	52.533	.507
.010	4.000	6	44.24	3.081	136.31	8.620	3.016	5.605	52.533	.507
.010	4.000	7	44.24	3.081	136.31	8.620	3.016	5.605	52.533	.507
.010	4.000	8	44.24	3.081	136.31	8.620	3.016	5.605	52.533	.507
.010	4.000	9	44.24	3.081	136.31	8.620	3.016	5.605	52.533	.507
.000	.010	1	44.24	3.081	136.31	8.620	3.016	5.605	52.533	.507
.000	.010	2	44.78	3.078	137.85	8.524	2.982	5.542	51.947	.502
.000	.010	3	44.78	3.078	137.85	8.524	2.982	5.542	51.947	.502
.000	.010	4	44.78	3.078	137.85	8.524	2.982	5.542	51.947	.502
.000	.010	5	44.78	3.078	137.85	8.524	2.982	5.542	51.947	.502
.000	.010	6	44.78	3.078	137.85	8.524	2.982	5.542	51.947	.502
.000	.010	7	44.78	3.078	137.85	8.524	2.982	5.542	51.947	.502
.000	.010	8	44.78	3.078	137.85	8.524	2.982	5.542	51.947	.502
.000	.010	9	44.78	3.078	137.85	8.524	2.982	5.542	51.947	.502
.000	9999.000	10	2285.50	2.707	6187.77	.190	.066	.123	1.157	.011
.000	9999.000	****	2290.64	2.706	6198.58	.190	.066	.123	1.155	.011

---

TOTAL			2290.64	2.706	6198.58	.190	.066	.123	1.155	.011
-------	--	--	---------	-------	---------	------	------	------	-------	------

---

PC-MINE VERSION 1.10  
 SERIAL NO : 20320  
 19/ 2/1987

Curragh Resources  
 Grum 8606 Geological Model

SOFTWARE BY GENCOM SERVICES INC  
 MODULE 3.11  
 PAGE 1

IN-SITU ORE RESERVE EVALUATION

DESCRIPTION : GRUM RESERVES BENEATH PIT FOR SECT 82W

TOTAL FOR ALL BENCHES

TOP ELEVATION : 1336.00 [m ]  
 BOTTOM ELEVATION : 1088.50 [m ]

SURFACE GRID RECORD : 21 BP86, includes Stage 3  
 RESERVE INSIDE POLYGON RECORD : 4 SECTION 82 W VOLUME LIMITS

INCREMENTAL RESULTS

CUT-OFF GRADES		ROCK-TYPE CODE	VOLUME [bcm x1000]	DENSITY [tn/bcm]	TONNAGE		AVERAGE GRADES				
FROM [ EGF ]	TO [ EGF ]				[ TONS x1000]	[ EGF ]	[ %Pb ]	[ %Zn ]	[Ag g/t]	[Au g/t]	
12.000	14.000	4	.47	3.163	1.48	12.044	4.554	7.490	87.000	.629	
10.000	12.000	4	3.47	3.162	10.97	11.343	4.250	7.093	78.022	.629	
8.000	10.000	2	1.62	3.045	4.93	8.680	2.880	5.800	48.005	.329	
6.000	8.000	2	18.37	3.030	55.67	7.071	2.349	4.723	41.998	.444	
4.000	6.000	1	3.78	2.811	10.62	4.477	1.121	3.356	22.008	.129	
.010	4.000	1	2.70	2.876	7.77	3.055	.934	2.121	18.198	.203	
.000	9999.000	10	1845.98	2.700	4984.16	.000	.000	.000	.000	.000	
TOTAL			1876.39	2.705	5075.59	.128	.043	.085	.775	.007	

IN-SITU ORE RESERVE EVALUATION

DESCRIPTION : GRUM RESERVES BENEATH PIT FOR SECT 82W

TOTAL FOR ALL BENCHES

TOP ELEVATION : 1336.00 [m ]  
 BOTTOM ELEVATION : 1088.50 [m ]

SURFACE GRID RECORD : 21 BP86, includes Stage 3  
 RESERVE INSIDE POLYGON RECORD : 4 SECTION B2 W VOLUME LIMITS

CUMULATIVE RESULTS

CUT-OFF GRADES		ROCK-TYPE CODE	VOLUME [bcm x1000]	DENSITY [tn/bcm]	TONNAGE		AVERAGE GRADES				
FROM [ EGF ]	TO [ EGF ]				[ EGF ]	[ %Pb ]	[ %Zn ]	[Ag g/t]	[Au g/t]		
12.000	14.000	4	.47	3.163	1.48	12.044	4.554	7.490	87.000	.629	
12.000	14.000	5	.47	3.163	1.48	12.044	4.554	7.490	87.000	.629	
12.000	14.000	6	.47	3.163	1.48	12.044	4.554	7.490	87.000	.629	
12.000	14.000	7	.47	3.163	1.48	12.044	4.554	7.490	87.000	.629	
12.000	14.000	8	.47	3.163	1.48	12.044	4.554	7.490	87.000	.629	
12.000	14.000	9	.47	3.163	1.48	12.044	4.554	7.490	87.000	.629	
10.000	12.000	1	.47	3.163	1.48	12.044	4.554	7.490	87.000	.629	
10.000	12.000	2	.47	3.163	1.48	12.044	4.554	7.490	87.000	.629	
10.000	12.000	3	.47	3.163	1.48	12.044	4.554	7.490	87.000	.629	
10.000	12.000	4	3.94	3.162	12.45	11.427	4.286	7.140	79.090	.629	
10.000	12.000	5	3.94	3.162	12.45	11.427	4.286	7.140	79.090	.629	
10.000	12.000	6	3.94	3.162	12.45	11.427	4.286	7.140	79.090	.629	
10.000	12.000	7	3.94	3.162	12.45	11.427	4.286	7.140	79.090	.629	
10.000	12.000	8	3.94	3.162	12.45	11.427	4.286	7.140	79.090	.629	
10.000	12.000	9	3.94	3.162	12.45	11.427	4.286	7.140	79.090	.629	
8.000	10.000	1	3.94	3.162	12.45	11.427	4.286	7.140	79.090	.629	
8.000	10.000	2	5.56	3.128	17.38	10.647	3.887	6.760	70.267	.544	
8.000	10.000	3	5.56	3.128	17.38	10.647	3.887	6.760	70.267	.544	
8.000	10.000	4	5.56	3.128	17.38	10.647	3.887	6.760	70.267	.544	
8.000	10.000	5	5.56	3.128	17.38	10.647	3.887	6.760	70.267	.544	
8.000	10.000	6	5.56	3.128	17.38	10.647	3.887	6.760	70.267	.544	
8.000	10.000	7	5.56	3.128	17.38	10.647	3.887	6.760	70.267	.544	
8.000	10.000	8	5.56	3.128	17.38	10.647	3.887	6.760	70.267	.544	
8.000	10.000	9	5.56	3.128	17.38	10.647	3.887	6.760	70.267	.544	
6.000	8.000	1	5.56	3.128	17.38	10.647	3.887	6.760	70.267	.544	
6.000	8.000	2	23.93	3.053	73.04	7.922	2.715	5.207	48.724	.468	
6.000	8.000	3	23.93	3.053	73.04	7.922	2.715	5.207	48.724	.468	
6.000	8.000	4	23.93	3.053	73.04	7.922	2.715	5.207	48.724	.468	
6.000	8.000	5	23.93	3.053	73.04	7.922	2.715	5.207	48.724	.468	



PC-MINE VERSION 1.10  
 SERIAL NO : 20320  
 19/ 2/1987

Curragh Resources  
 Grum 8606 Geological Model

SOFTWARE BY GENCOM SERVICES INC  
 MODULE 3.11  
 PAGE 1

IN-SITU ORE RESERVE EVALUATION

DESCRIPTION : GRUM RESERVES BENEATH PIT FOR SECT B0W

TOTAL FOR ALL BENCHES

TOP ELEVATION : 1336.00 [m ]

BOTTOM ELEVATION : 1088.50 [m ]

SURFACE GRID RECORD : 21 BP86, includes Stage 3

RESERVE INSIDE POLYGON RECORD : 5 SECTION 80 W VOLUME LIMITS

INCREMENTAL RESULTS

CUT-OFF GRADES		ROCK-TYPE TO CODE	VOLUME [bcm x1000]	DENSITY [tn/bcm]	TONNAGE		AVERAGE GRADES				
FROM [ EGF ]	TO [ EGF ]				[ TONS x1000]	[ EGF ]	[ %Pb ]	[ %Zn ]	[Ag g/t]	[Au g/t]	
6.000	8.000	1	11.88	3.439	40.85	6.345	2.845	3.500	41.781	1.422	
6.000	8.000	4	2.09	3.742	7.81	7.940	3.919	4.022	55.518	.738	
4.000	6.000	1	24.30	3.396	82.53	5.454	2.446	3.008	37.318	1.345	
4.000	6.000	6	9.25	4.263	39.44	5.244	2.905	2.340	52.000	1.694	
.010	4.000	1	.54	3.263	1.76	3.944	1.722	2.222	28.000	1.081	
.000	9999.000	10	1853.04	2.700	5003.21	.000	.000	.000	.000	.000	
TOTAL			1901.10	2.722	5175.60	.190	.090	.100	1.414	.047	

IN-SITU ORE RESERVE EVALUATION

DESCRIPTION : GRUM RESERVES BENEATH PIT FOR SECT 80W

TOTAL FOR ALL BENCHES

TOP ELEVATION : 1336.00 [m ]

BOTTOM ELEVATION : 1088.50 [m ]

SURFACE GRID RECORD : 21 BP86, includes Stage 3

RESERVE INSIDE POLYGON RECORD : 5 SECTION 80 W VOLUME LIMITS

CUMULATIVE RESULTS

CUT-OFF GRADES		ROCK-TYPE CODE	VOLUME [bcm x1000]	DENSITY [tn/bcm]	TONNAGE [ TONS x1000]	AVERAGE GRADES				
FROM [ EGF ]	TO [ EGF ]					[ EGF ]	[ %Pb ]	[ %Zn ]	[Ag g/t]	[Au g/t]

6.000	8.000	1	11.88	3.439	40.85	6.345	2.845	3.500	41.781	1.422
6.000	8.000	2	11.88	3.439	40.85	6.345	2.845	3.500	41.781	1.422
6.000	8.000	3	11.88	3.439	40.85	6.345	2.845	3.500	41.781	1.422
6.000	8.000	4	13.97	3.484	48.67	6.601	3.018	3.583	43.986	1.312
6.000	8.000	5	13.97	3.484	48.67	6.601	3.018	3.583	43.986	1.312
6.000	8.000	6	13.97	3.484	48.67	6.601	3.018	3.583	43.986	1.312
6.000	8.000	7	13.97	3.484	48.67	6.601	3.018	3.583	43.986	1.312
6.000	8.000	8	13.97	3.484	48.67	6.601	3.018	3.583	43.986	1.312
6.000	8.000	9	13.97	3.484	48.67	6.601	3.018	3.583	43.986	1.312
4.000	6.000	1	38.27	3.428	131.19	5.880	2.658	3.222	39.792	1.333
4.000	6.000	2	38.27	3.428	131.19	5.880	2.658	3.222	39.792	1.333
4.000	6.000	3	38.27	3.428	131.19	5.880	2.658	3.222	39.792	1.333
4.000	6.000	4	38.27	3.428	131.19	5.880	2.658	3.222	39.792	1.333
4.000	6.000	5	38.27	3.428	131.19	5.880	2.658	3.222	39.792	1.333
4.000	6.000	6	47.52	3.591	170.63	5.733	2.715	3.018	42.614	1.416
4.000	6.000	7	47.52	3.591	170.63	5.733	2.715	3.018	42.614	1.416
4.000	6.000	8	47.52	3.591	170.63	5.733	2.715	3.018	42.614	1.416
4.000	6.000	9	47.52	3.591	170.63	5.733	2.715	3.018	42.614	1.416
.010	4.000	1	48.06	3.587	172.40	5.715	2.705	3.010	42.464	1.413
.010	4.000	2	48.06	3.587	172.40	5.715	2.705	3.010	42.464	1.413
.010	4.000	3	48.06	3.587	172.40	5.715	2.705	3.010	42.464	1.413
.010	4.000	4	48.06	3.587	172.40	5.715	2.705	3.010	42.464	1.413
.010	4.000	5	48.06	3.587	172.40	5.715	2.705	3.010	42.464	1.413
.010	4.000	6	48.06	3.587	172.40	5.715	2.705	3.010	42.464	1.413
.010	4.000	7	48.06	3.587	172.40	5.715	2.705	3.010	42.464	1.413
.010	4.000	8	48.06	3.587	172.40	5.715	2.705	3.010	42.464	1.413
.010	4.000	9	48.06	3.587	172.40	5.715	2.705	3.010	42.464	1.413
.000	.010	1	48.06	3.587	172.40	5.715	2.705	3.010	42.464	1.413
.000	.010	2	48.06	3.587	172.40	5.715	2.705	3.010	42.464	1.413

.000	.010	3	48.06	3.587	172.40	5.715	2.705	3.010	42.464	1.413
.000	.010	4	48.06	3.587	172.40	5.715	2.705	3.010	42.464	1.413
.000	.010	5	48.06	3.587	172.40	5.715	2.705	3.010	42.464	1.413
.000	.010	6	48.06	3.587	172.40	5.715	2.705	3.010	42.464	1.413
.000	.010	7	48.06	3.587	172.40	5.715	2.705	3.010	42.464	1.413
.000	.010	8	48.06	3.587	172.40	5.715	2.705	3.010	42.464	1.413
.000	.010	9	48.06	3.587	172.40	5.715	2.705	3.010	42.464	1.413
.000	9999.000	10	1901.10	2.722	5175.60	.190	.090	.100	1.414	.047
.000	9999.000	****	1901.10	2.722	5175.60	.190	.090	.100	1.414	.047

---

TOTAL			1901.10	2.722	5175.60	.190	.090	.100	1.414	.047
-------	--	--	---------	-------	---------	------	------	------	-------	------

---

PC-MINE VERSION 1.10  
 SERIAL NO : 20320  
 19/ 2/1987

Curragh Resources  
 Grum 8606 Geological Model

SOFTWARE BY GENCOM SERVICES INC  
 MODULE 3.11  
 PAGE 1

IN-SITU ORE RESERVE EVALUATION

DESCRIPTION : GRUM RESERVES BENEATH PIT FOR SECT 78W

TOTAL FOR ALL BENCHES

TOP ELEVATION : 1336.00 [m ]  
 BOTTOM ELEVATION : 1088.50 [m ]

SURFACE GRID RECORD : 21 BP86, includes Stage 3  
 RESERVE INSIDE POLYGON RECORD : 6 SECTION 78 W VOLUME LIMITS

INCREMENTAL RESULTS

CUT-OFF GRADES		ROCK-TYPE TO CODE	VOLUME [bcm x1000]	DENSITY [tn/bcm]	TONNAGE [ TONS x1000]	AVERAGE GRADES				
FROM [ EGF ]	TO [ EGF ]					[ EGF ]	[ %Pb ]	[ %Zn ]	[Ag g/t]	[Au g/t]
.000	9999.000	10	1898.18	2.700	5125.10	.000	.000	.000	.000	.000
TOTAL			1898.18	2.700	5125.10	.000	.000	.000	.000	.000

PC-MINE VERSION 1.10  
 SERIAL NO : 20320  
 19/ 2/1987

Curragh Resources  
 Grum 8606 Geological Model

SOFTWARE BY GENCOM SERVICES INC  
 MODULE 3.11  
 PAGE 2

IN-SITU ORE RESERVE EVALUATION

DESCRIPTION : GRUM RESERVES BENEATH PIT FOR SECT 78W

TOTAL FOR ALL BENCHES

TOP ELEVATION : 1336.00 [m ]  
 BOTTOM ELEVATION : 1088.50 [m ]

SURFACE GRID RECORD : 21 BP86, includes Stage 3  
 RESERVE INSIDE POLYGON RECORD : 6 SECTION 78 W VOLUME LIMITS

CUMULATIVE RESULTS

CUT-OFF GRADES		ROCK-TYPE TO CODE	VOLUME [bcm x1000]	DENSITY [tn/bcm]	TONNAGE [ TONS x1000]	A V E R A G E G R A D E S				
FROM [ EGF ]	TO [ EGF ]					[ EGF ]	[ %Pb ]	[ %Zn ]	[Ag g/t]	[Au g/t]
.000	9999.000	10	1898.18	2.700	5125.10	.000	.000	.000	.000	.000
.000	9999.000	****	1898.18	2.700	5125.10	.000	.000	.000	.000	.000
TOTAL			1898.18	2.700	5125.10	.000	.000	.000	.000	.000

PC-MINE VERSION 1.10  
 SERIAL NO : 20320  
 19/ 2/1987

Curragh Resources  
 Grum 8606 Geological Model

SOFTWARE BY GENCOM SERVICES INC  
 MODULE 3.11  
 PAGE 1

-----  
 IN-SITU ORE RESERVE EVALUATION  
 -----

DESCRIPTION : GRUM RESERVES BENEATH PIT FOR SECT 76W

TOTAL FOR ALL BENCHES

TOP ELEVATION : 1336.00 [m ]  
 BOTTOM ELEVATION : 1088.50 [m ]

SURFACE GRID RECORD : 21 BP86, includes Stage 3  
 RESERVE INSIDE POLYGON RECORD : 7 SECTION 76 W VOLUME LIMITS

INCREMENTAL RESULTS  
 -----

CUT-OFF GRADES		ROCK-TYPE TO CODE	VOLUME [bcm x1000]	DENSITY [tn/bcm]	TONNAGE [ TONS x1000]	AVERAGE GRADES				
FROM [ EGF ]	TO [ EGF ]					[ EGF ]	[ %Pb ]	[ %Zn ]	[Ag g/t]	[Au g/t]
4.000	6.000	5	.65	3.860	2.50	4.205	2.334	1.871	47.000	1.220
.000	9999.000	10	1838.88	2.700	4964.98	.000	.000	.000	.000	.000
TOTAL			1839.53	2.700	4967.46	.002	.001	.001	.024	.001

IN-SITU ORE RESERVE EVALUATION

DESCRIPTION : GRUM RESERVES BENEATH PIT FOR SECT 76W

TOTAL FOR ALL BENCHES

TOP ELEVATION : 1336.00 [m ]  
 BOTTOM ELEVATION : 1088.50 [m ]

SURFACE GRID RECORD : 21 BP86, includes Stage 3  
 RESERVE INSIDE POLYGON RECORD : 7 SECTION 76 W VOLUME LIMITS

CUMULATIVE RESULTS

CUT-OFF GRADES		ROCK-TYPE CODE	VOLUME [bcm x1000]	DENSITY [tn/bcm]	TONNAGE [ TONS x1000]	AVERAGE GRADES				
FROM [ EGF ]	TO [ EGF ]					[ EGF ]	[ %Pb ]	[ %Zn ]	[Ag g/t]	[Au g/t]
4.000	6.000	5	.65	3.860	2.50	4.205	2.334	1.871	47.000	1.220
4.000	6.000	6	.65	3.860	2.50	4.205	2.334	1.871	47.000	1.220
4.000	6.000	7	.65	3.860	2.50	4.205	2.334	1.871	47.000	1.220
4.000	6.000	8	.65	3.860	2.50	4.205	2.334	1.871	47.000	1.220
4.000	6.000	9	.65	3.860	2.50	4.205	2.334	1.871	47.000	1.220
.010	4.000	1	.65	3.860	2.50	4.205	2.334	1.871	47.000	1.220
.010	4.000	2	.65	3.860	2.50	4.205	2.334	1.871	47.000	1.220
.010	4.000	3	.65	3.860	2.50	4.205	2.334	1.871	47.000	1.220
.010	4.000	4	.65	3.860	2.50	4.205	2.334	1.871	47.000	1.220
.010	4.000	5	.65	3.860	2.50	4.205	2.334	1.871	47.000	1.220
.010	4.000	6	.65	3.860	2.50	4.205	2.334	1.871	47.000	1.220
.010	4.000	7	.65	3.860	2.50	4.205	2.334	1.871	47.000	1.220
.010	4.000	8	.65	3.860	2.50	4.205	2.334	1.871	47.000	1.220
.010	4.000	9	.65	3.860	2.50	4.205	2.334	1.871	47.000	1.220
.000	.010	1	.65	3.860	2.50	4.205	2.334	1.871	47.000	1.220
.000	.010	2	.65	3.860	2.50	4.205	2.334	1.871	47.000	1.220
.000	.010	3	.65	3.860	2.50	4.205	2.334	1.871	47.000	1.220
.000	.010	4	.65	3.860	2.50	4.205	2.334	1.871	47.000	1.220
.000	.010	5	.65	3.860	2.50	4.205	2.334	1.871	47.000	1.220
.000	.010	6	.65	3.860	2.50	4.205	2.334	1.871	47.000	1.220
.000	.010	7	.65	3.860	2.50	4.205	2.334	1.871	47.000	1.220
.000	.010	8	.65	3.860	2.50	4.205	2.334	1.871	47.000	1.220
.000	.010	9	.65	3.860	2.50	4.205	2.334	1.871	47.000	1.220
.000	9999.000	10	1839.53	2.700	4967.48	.002	.001	.001	.024	.001
.000	9999.000	***	1839.53	2.700	4967.48	.002	.001	.001	.024	.001

TOTAL 1839.53 2.700 4967.48 .002 .001 .001 .024 .001

PC-MINE VERSION 1.10  
 SERIAL NO : 20320  
 19/ 2/1987

Curragh Resources  
 Grum 8606 Geological Model

SOFTWARE BY GEMCOM SERVICES INC  
 MODULE 3.11  
 PAGE 1

IN-SITU ORE RESERVE EVALUATION

DESCRIPTION : GRUM RESERVES BENEATH PIT FOR SECT 74W

TOTAL FOR ALL BENCHES

TOP ELEVATION : 1336.00 [m ]  
 BOTTOM ELEVATION : 1088.50 [m ]

SURFACE GRID RECORD : 21 BP86, includes Stage 3  
 RESERVE INSIDE POLYGON RECORD : 8 SECTION 74 W VOLUME LIMITS

INCREMENTAL RESULTS

CUT-OFF GRADES		ROCK-TYPE TO CODE	VOLUME [bcm x1000]	DENSITY [tn/bcm]	TONNAGE [ TONS x1000]	A V E R A G E G R A D E S				
FROM [ EGF ]	TO [ EGF ]					[ EGF ]	[ %Pb ]	[ %Zn ]	[Ag g/t]	[Au g/t]
10.000	12.000	7	4.32	3.329	14.38	11.044	4.741	6.304	79.000	.921
8.000	10.000	2	1.62	3.017	4.89	8.760	3.204	5.557	46.347	.431
.000	9999.000	10	1807.34	2.700	4879.83	.000	.000	.000	.000	.000
TOTAL			1813.28	2.702	4899.10	.041	.017	.024	.278	.003

IN-SITU ORE RESERVE EVALUATION

DESCRIPTION : GRUM RESERVES BENEATH PIT FOR SECT 74W

TOTAL FOR ALL BENCHES

TOP ELEVATION : 1336.00 [m ]  
 BOTTON ELEVATION : 1088.50 [m ]

SURFACE GRID RECORD : 21 BP86, includes Stage 3  
 RESERVE INSIDE POLYGON RECORD : 8 SECTION 74 W VOLUME LIMITS

CUMULATIVE RESULTS

CUT-OFF GRADES		ROCK-TYPE CODE	VOLUME [bcm x1000]	DENSITY [tn/bcm]	TONNAGE		AVERAGE GRADES				
FROM [ EGF ]	TO [ EGF ]				[ EGF ]	[ TONS x1000]	[ %Pb ]	[ %Zn ]	[Ag g/t]	[Au g/t]	
10.000	12.000	7	4.32	3.329	14.38	11.044	4.741	6.304	79.000	.921	
10.000	12.000	8	4.32	3.329	14.38	11.044	4.741	6.304	79.000	.921	
10.000	12.000	9	4.32	3.329	14.38	11.044	4.741	6.304	79.000	.921	
8.000	10.000	1	4.32	3.329	14.38	11.044	4.741	6.304	79.000	.921	
8.000	10.000	2	5.94	3.244	19.27	10.465	4.351	6.114	70.717	.797	
8.000	10.000	3	5.94	3.244	19.27	10.465	4.351	6.114	70.717	.797	
8.000	10.000	4	5.94	3.244	19.27	10.465	4.351	6.114	70.717	.797	
8.000	10.000	5	5.94	3.244	19.27	10.465	4.351	6.114	70.717	.797	
8.000	10.000	6	5.94	3.244	19.27	10.465	4.351	6.114	70.717	.797	
8.000	10.000	7	5.94	3.244	19.27	10.465	4.351	6.114	70.717	.797	
8.000	10.000	8	5.94	3.244	19.27	10.465	4.351	6.114	70.717	.797	
8.000	10.000	9	5.94	3.244	19.27	10.465	4.351	6.114	70.717	.797	
6.000	8.000	1	5.94	3.244	19.27	10.465	4.351	6.114	70.717	.797	
6.000	8.000	2	5.94	3.244	19.27	10.465	4.351	6.114	70.717	.797	
6.000	8.000	3	5.94	3.244	19.27	10.465	4.351	6.114	70.717	.797	
6.000	8.000	4	5.94	3.244	19.27	10.465	4.351	6.114	70.717	.797	
6.000	8.000	5	5.94	3.244	19.27	10.465	4.351	6.114	70.717	.797	
6.000	8.000	6	5.94	3.244	19.27	10.465	4.351	6.114	70.717	.797	
6.000	8.000	7	5.94	3.244	19.27	10.465	4.351	6.114	70.717	.797	
6.000	8.000	8	5.94	3.244	19.27	10.465	4.351	6.114	70.717	.797	
6.000	8.000	9	5.94	3.244	19.27	10.465	4.351	6.114	70.717	.797	
4.000	6.000	1	5.94	3.244	19.27	10.465	4.351	6.114	70.717	.797	
4.000	6.000	2	5.94	3.244	19.27	10.465	4.351	6.114	70.717	.797	
4.000	6.000	3	5.94	3.244	19.27	10.465	4.351	6.114	70.717	.797	
4.000	6.000	4	5.94	3.244	19.27	10.465	4.351	6.114	70.717	.797	
4.000	6.000	5	5.94	3.244	19.27	10.465	4.351	6.114	70.717	.797	
4.000	6.000	6	5.94	3.244	19.27	10.465	4.351	6.114	70.717	.797	
4.000	6.000	7	5.94	3.244	19.27	10.465	4.351	6.114	70.717	.797	
4.000	6.000	8	5.94	3.244	19.27	10.465	4.351	6.114	70.717	.797	

.000	6.000	7	5.94	3.244	19.27	10.465	4.351	6.114	70.717	.797
.010	4.000	1	5.94	3.244	19.27	10.465	4.351	6.114	70.717	.797
.010	4.000	2	5.94	3.244	19.27	10.465	4.351	6.114	70.717	.797
.010	4.000	3	5.94	3.244	19.27	10.465	4.351	6.114	70.717	.797
.010	4.000	4	5.94	3.244	19.27	10.465	4.351	6.114	70.717	.797
.010	4.000	5	5.94	3.244	19.27	10.465	4.351	6.114	70.717	.797
.010	4.000	6	5.94	3.244	19.27	10.465	4.351	6.114	70.717	.797
.010	4.000	7	5.94	3.244	19.27	10.465	4.351	6.114	70.717	.797
.010	4.000	8	5.94	3.244	19.27	10.465	4.351	6.114	70.717	.797
.010	4.000	9	5.94	3.244	19.27	10.465	4.351	6.114	70.717	.797
.000	.010	1	5.94	3.244	19.27	10.465	4.351	6.114	70.717	.797
.000	.010	2	5.94	3.244	19.27	10.465	4.351	6.114	70.717	.797
.000	.010	3	5.94	3.244	19.27	10.465	4.351	6.114	70.717	.797
.000	.010	4	5.94	3.244	19.27	10.465	4.351	6.114	70.717	.797
.000	.010	5	5.94	3.244	19.27	10.465	4.351	6.114	70.717	.797
.000	.010	6	5.94	3.244	19.27	10.465	4.351	6.114	70.717	.797
.000	.010	7	5.94	3.244	19.27	10.465	4.351	6.114	70.717	.797
.000	.010	8	5.94	3.244	19.27	10.465	4.351	6.114	70.717	.797
.000	.010	9	5.94	3.244	19.27	10.465	4.351	6.114	70.717	.797
.000	9999.000	10	1813.28	2.702	4899.10	.041	.017	.024	.278	.003
.000	9999.000	****	1813.28	2.702	4899.10	.041	.017	.024	.278	.003

---

TOTAL			1813.28	2.702	4899.10	.041	.017	.024	.278	.003
-------	--	--	---------	-------	---------	------	------	------	------	------

---

PC-MINE VERSION 1.10  
 SERIAL NO : 20320  
 19/ 2/1987

Curragh Resources  
 Grun 8606 Geological Model

SOFTWARE BY GENCOM SERVICES INC  
 MODULE 3.11  
 PAGE 1

IN-SITU ORE RESERVE EVALUATION

DESCRIPTION : GRUN RESERVES BENEATH PIT FOR SECT 72W

TOTAL FOR ALL BENCHES

TOP ELEVATION : 1336.00 [m ]  
 BOTTOM ELEVATION : 1088.50 [m ]

SURFACE GRID RECORD : 21 BP86, includes Stage 3  
 RESERVE INSIDE POLYGON RECORD : 9 SECTION 72 W VOLUME LIMITS

INCREMENTAL RESULTS

CUT-OFF GRADES		ROCK-TYPE TO CODE	VOLUME [bcm x1000]	DENSITY [tn/bcm]	TONNAGE		AVERAGE GRADES				
FROM [ EGF ]	TO [ EGF ]				[ TONS x1000]	[ EGF ]	[ %Pb ]	[ %Zn ]	[Ag g/t]	[Au g/t]	
8.000	10.000	2	2.54	3.035	7.72	8.925	3.461	5.463	53.275	.614	
6.000	8.000	2	1.08	3.034	3.28	7.949	3.240	4.709	49.010	.712	
.000	9999.000	10	2028.60	2.700	5477.22	.000	.000	.000	.000	.000	
.000	9999.000	****	.84	2.100	1.76	.000	.000	.000	.000	.000	
TOTAL			2033.06	2.700	5489.98	.017	.007	.010	.104	.001	

IN-SITU ORE RESERVE EVALUATION

DESCRIPTION : GRUM RESERVES BENEATH PIT FOR SECT 72W

TOTAL FOR ALL BENCHES

TOP ELEVATION : 1336.00 [m ]  
 BOTTOM ELEVATION : 1088.50 [m ]

SURFACE GRID RECORD : 21 BP86, includes Stage 3  
 RESERVE INSIDE POLYGON RECORD : 9 SECTION 72 W VOLUME LIMITS

CUMULATIVE RESULTS

CUT-OFF GRADES		ROCK-TYPE CODE	VOLUME [bcm x1000]	DENSITY [tn/bcm]	TONNAGE [ TONS x1000]	AVERAGE GRADES				
FROM [ EGF ]	TO [ EGF ]					[ EGF ]	[ %Pb ]	[ %Zn ]	[Ag g/t]	[Au g/t]
8.000	10.000	2	2.54	3.035	7.72	8.925	3.461	5.463	53.275	.614
8.000	10.000	3	2.54	3.035	7.72	8.925	3.461	5.463	53.275	.614
8.000	10.000	4	2.54	3.035	7.72	8.925	3.461	5.463	53.275	.614
8.000	10.000	5	2.54	3.035	7.72	8.925	3.461	5.463	53.275	.614
8.000	10.000	6	2.54	3.035	7.72	8.925	3.461	5.463	53.275	.614
8.000	10.000	7	2.54	3.035	7.72	8.925	3.461	5.463	53.275	.614
8.000	10.000	8	2.54	3.035	7.72	8.925	3.461	5.463	53.275	.614
8.000	10.000	9	2.54	3.035	7.72	8.925	3.461	5.463	53.275	.614
6.000	8.000	1	2.54	3.035	7.72	8.925	3.461	5.463	53.275	.614
6.000	8.000	2	3.62	3.035	11.00	8.634	3.395	5.239	52.004	.643
6.000	8.000	3	3.62	3.035	11.00	8.634	3.395	5.239	52.004	.643
6.000	8.000	4	3.62	3.035	11.00	8.634	3.395	5.239	52.004	.643
6.000	8.000	5	3.62	3.035	11.00	8.634	3.395	5.239	52.004	.643
6.000	8.000	6	3.62	3.035	11.00	8.634	3.395	5.239	52.004	.643
6.000	8.000	7	3.62	3.035	11.00	8.634	3.395	5.239	52.004	.643
6.000	8.000	8	3.62	3.035	11.00	8.634	3.395	5.239	52.004	.643
6.000	8.000	9	3.62	3.035	11.00	8.634	3.395	5.239	52.004	.643
4.000	6.000	1	3.62	3.035	11.00	8.634	3.395	5.239	52.004	.643
4.000	6.000	2	3.62	3.035	11.00	8.634	3.395	5.239	52.004	.643
4.000	6.000	3	3.62	3.035	11.00	8.634	3.395	5.239	52.004	.643
4.000	6.000	4	3.62	3.035	11.00	8.634	3.395	5.239	52.004	.643
4.000	6.000	5	3.62	3.035	11.00	8.634	3.395	5.239	52.004	.643
4.000	6.000	6	3.62	3.035	11.00	8.634	3.395	5.239	52.004	.643
4.000	6.000	7	3.62	3.035	11.00	8.634	3.395	5.239	52.004	.643
4.000	6.000	8	3.62	3.035	11.00	8.634	3.395	5.239	52.004	.643
4.000	6.000	9	3.62	3.035	11.00	8.634	3.395	5.239	52.004	.643
.010	4.000	1	3.6	3.035	11.00	8.634	3.395	5.239	52.004	.643
.010	4.000	2	3.62	3.035	11.00	8.634	3.395	5.239	52.004	.643
.010	4.000	3	3.62	3.035	11.00	8.634	3.395	5.239	52.004	.643

.010	4.000	4	3.62	3.035	11.00	8.634	3.395	5.239	52.004	.643
.010	4.000	5	3.62	3.035	11.00	8.634	3.395	5.239	52.004	.643
.010	4.000	6	3.6	3.035	11.00	8.634	3.395	5.239	52.004	.643
.010	4.000	7	3.62	3.035	11.00	8.634	3.395	5.239	52.004	.643
.010	4.000	8	3.62	3.035	11.00	8.634	3.395	5.239	52.004	.643
.010	4.000	9	3.62	3.035	11.00	8.634	3.395	5.239	52.004	.643
.000	.010	1	3.62	3.035	11.00	8.634	3.395	5.239	52.004	.643
.000	.010	2	3.62	3.035	11.00	8.634	3.395	5.239	52.004	.643
.000	.010	3	3.62	3.035	11.00	8.634	3.395	5.239	52.004	.643
.000	.010	4	3.62	3.035	11.00	8.634	3.395	5.239	52.004	.643
.000	.010	5	3.62	3.035	11.00	8.634	3.395	5.239	52.004	.643
.000	.010	6	3.62	3.035	11.00	8.634	3.395	5.239	52.004	.643
.000	.010	7	3.62	3.035	11.00	8.634	3.395	5.239	52.004	.643
.000	.010	8	3.62	3.035	11.00	8.634	3.395	5.239	52.004	.643
.000	.010	9	3.62	3.035	11.00	8.634	3.395	5.239	52.004	.643
.000	9999.000	10	2032.22	2.701	5488.22	.017	.007	.010	.104	.001
.000	9999.000	****	2033.06	2.700	5489.98	.017	.007	.010	.104	.001

---

TOTAL			2033.06	2.700	5489.98	.017	.007	.010	.104	.001
-------	--	--	---------	-------	---------	------	------	------	------	------

---