

CYPRUS ANVIL MINING CORPORATION

020793

DIAMOND DRILL CORE LOG

Hole Number: 74-01

Fabric Orientation Diagram:

Project: _____

Location: ZONE 3

Claim: _____

Terr. Plane Co-ords.: _____ N

_____ E

Grid Co-ords.: 9701.5 N

14,908.2 E

All symmetrical determinations looking

_____ with _____ dipping

_____ with dip azimuth _____.

Elevation: 4112.8

Total Depth: 523'

Purpose: _____

Logged by: _____ Date(s) Logged: _____

Drilling Contractor:	Core:	Size	From	To	Collar Cased and Capped:
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

Started: _____ Completed: _____

merged with R742.FD
~~to~~ 7401.01C

KP

GEOCHEMICAL LOG

FROM	TO	UNIT	Pb %	Zn %	Ag G/MT	Cu %	BaO %	S.G.	Py %	Po %	Mn %	
						0.00					0.00	
						0.00					0.00	
A 00	3140	1	0.00	0.00	0.00	0.00	0.00	2.75	0.00	0.00	0.00	
A 3140	3190	2	2.97	8.85	53.8	0.10	0.21	3.00	1.10	5.2	0.13	
A 3190	3240	3	0.66	0.68	16.5	0.03	0.09	3.17	1.10	5.2	0.13	
A 3240	3290	4	6.51	3.18	73.0	0.07	0.11	3.07	8.7	4.3	0.17	
						0.00					0.00	
A 3290	3580	5	0.00	0.00	0.00	0.00	0.00	2.75	0.9	0.9	0.00	
A 3580	3630	6	1.92	0.70	23.5	0.37	0.10	3.32	16.2	6.4	0.07	
A 3630	3680	7	1.78	3.00	23.1	0.17	0.15	3.38	16.2	6.4	0.07	
A 3680	3730	8	1.78	2.37	17.2	0.11	0.08	3.82	16.2	6.4	0.07	
A 3730	3780	9	1.12	1.76	18.5	0.18	0.16	3.02	16.2	6.4	0.07	
A 3780	3910	10	0.00	0.00	0.00	0.00	0.00	2.75	0.00	0.00	0.00	
						0.00					0.00	
A 3910	3960	11	2.94	6.32	27.0	0.10	0.11	3.21	15.0	3.0	0.07	
A 3960	4010	12	4.08	10.00	32.2	0.05	0.22	3.40	15.0	3.0	0.07	
A 4010	4060	13	2.00	4.93	29.7	0.10	0.13	3.30	15.0	3.0	0.07	
A 4060	4110	14	2.73	7.23	22.4	0.03	0.17	3.25	15.0	1.6	0.02	
A 4110	4160	15	4.70	7.61	50.1	0.95	0.16	3.18	15.0	1.6	0.02	
A 4160	4210	16	1.94	7.40	19.5	0.02	0.19	3.36	15.0	1.6	0.02	
A 4210	4260	17	2.42	5.70	20.5	0.02	0.15	3.35	15.0	1.6	0.02	
A 4260	4310	18	1.78	5.22	23.3	0.03	0.14	3.45	17.9	1.2	0.02	
A 4310	4360	19	0.94	3.26	16.1	0.02	0.17	3.29	17.9	1.2	0.02	
A 4360	4410	20	0.58	1.94	13.7	0.03	0.16	3.23	17.9	1.2	0.02	
A 4410	4460	21	1.56	4.36	23.1	0.02	0.13	3.34	17.9	1.2	0.02	
A 4460	4510	22	0.52	0.72	24.8	0.03	0.22	3.08	18.1	1.6	0.02	

THIS LOG SHOULD BE 74-01

CYPRUS ANVIL MINING CORPORATION
DIAMOND DRILL CORE LOG




Hole Number: 74-2-X

Fabric Orientation Diagram:

Project: ZONE 3 RE-LOG

Location: ZONE 3



Claim: _____

Terr. Plane Co-ords.: _____ N

_____ E

Grid Co-ords.: 7375.80 N

MINE 16792.05 E

All symmetry determinations looking

NW with S2 dipping

SW with dip azimuth 210

Elevation: 4021.5

Total Depth: 1004.0

Purpose: ZONE 3 DEFIN.

Logged by: _____ Date(s) Logged: _____

Drilling Contractor: _____ Core: Size From To Collar Cased and Capped: _____

THE ATTACHED LITHOLOGY LOG IS ACTUALLY 74-01

THE TITLE IS WRONG HERE SHOULD BE 74-01.

IT ALSO WRONG ARE _____ Started: _____ Completed: _____

THE CO-ORDS AND ELEVATION (+DEPTH) OF THE DDH

SEE ATTACHED PAPERS FOR CORRECTIONS. Converted from RL742.P3

DDH 74-2
2 8

Lithologic Log

Logged By: DSJ/JJE

Code	From		To		Unit		Code		Description
	10	14	16	20	22	23	25	27	
L	100		110		01		11		O.B. or rubble in pit
L	110		175		02	1CD			to 1CD6 musc > biot.
L	175		227		03	0E8			to OE89 upper contact & indeterminate apparent lower contact Se 50/210 suggests OE8 → sill
L	227		231		04	1D4			to 1CD4
L	231		298		05	0E8			to OE89 upper contact appears Se 60/210 lower contact grossly Se 50/210, suggests OE8 sill
L	298		313		06	1D4			to 1CD4
L	313		314		07	0E6			contact ^{was 315.5} & is indeterminate
L	314	5	317	8	08	2C0			brecciated
L	317	8	322	0	09	1D4			to 1CD4
L	322	0	323	5	10	2C0			brecciated
L	323	5	325	0	11	2D0			py ≈ 5% Pb+Zn < 5%
L	325	0	328	0	12	2C0			
L	328	0	357	0	13	1D4			to 1CD4
L	357	0	366	5	14	2C7			
L	366	5	369	0	15	2A0			Pb+Zn < 5%
L	369	0	377	0	16	2E0			
L	377	0	391	0	17	1D4			to 1CD4
L	391	0	392	8	18	2CE			
L	392	8	401	5	19	2A0			Pb+Zn ≈ 5%
L	401	5	404	5	20	2D5			not carbonaceous enough for ribbon banded
L	404	5	475	0	21	2A0			30-40% py over interval Pb+Zn < 5%
L	475	0	483	0	22	2FE			interbanded ZF and ZE 6"-12" scale probably Pb+Zn < 5% over interval
L	483	0	491	0	23	2D0			Pb+Zn > 5% py ≈ 20%
L	491	0	523	0	24	1D4			to 1CD4 - hole too fucking short
									THIS LOG ACTUALLY 74-01.
									THIS PAGE CORRECT.

CYPRUS ANVIL MINING CORPORATION

DIAMOND DRILL CORE LOG

Hole Number: 74-02

Fabric Orientation Diagram:

Project: _____

Location: ZONE 1

Claim: _____

Terr. Plane Co-ords.: _____ N

_____ E

Grid Co-ords.: 9032.6 N

13,965.5 E

Elevation: 3965.5

All symmetrical terminations looking
_____ with _____ dipping
_____ with dip azimuth _____

Total Depth: 474'

Purpose: _____

Logged by: _____ Date(s) Logged: _____

Drilling Contractor:	Core:	Size	From	To	Collar Cased and Capped:
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

Started: _____ Completed: _____

merged with RC7402 OK

CYPRUS ANVIL MINING CORPORATION

DIAMOND DRILL CORE LOG

Hole Number: 74-05

Fabric Orientation Diagram:

Project: _____

Location: ZONE 1

Claim: _____

Terr. Plane Co-ords.: _____ N

E

Grid Co-ords.: 9,606.3 ✓ N

14193.33 ✓ E

All sampling determinations looking

with _____ dipping

with dip azimuth _____

Elevation: 3902.6 ✓

Total Depth: 348' ✓

Purpose: _____

Logged by: _____ Date(s) Logged: _____

Drilling Contractor:	Core:	Size	From	To	Collar Cased and Capped:
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

merged with RL745.FD

RL745.FD + 7405.KP

Started: _____ Completed: _____

→ 7405.01K

74-05

GEOCHEMICAL LOG

	FROM	TO	UNIT	Pb %	Zn %	Ag G/MT	Cu %	BaO %	S.G.	Py %	Po %	Mn %
							0.					0.
							0.					0.
							0.					0.
A	100	350	1	10.00	10.00	10.00	0.00	10.00	2.75	10.0	10.0	0.00
A	350	400	2	1.86	3.23	41.10	0.05	10.22	3.30	7.6	5.9	0.08
A	400	450	3	0.24	0.28	10.30	0.09	4.17	2.96	7.6	5.9	0.08
A	450	500	4	3.69	3.53	69.4	0.16	1.74	4.32	25.5	10.0	0.31
A	500	550	5	4.47	4.48	54.3	0.13	7.12	4.67	25.5	10.0	0.31
A	550	600	6	3.60	4.24	37.7	0.08	9.55	4.76	33.3	5.8	0.25
A	600	650	7	4.75	4.06	85.8	0.22	2.58	4.51	33.3	5.8	0.25
A	650	700	8	3.69	4.94	50.5	0.19	11.34	4.42	33.3	5.8	0.25
A	700	750	9	2.79	2.51	35.6	0.26	0.40	4.74	33.3	5.8	0.25
A	750	800	10	2.22	2.30	29.3	0.24	0.28	4.41	22.4	9.0	0.27
A	800	850	11	7.45	5.88	102.4	0.32	12.40	4.29	22.4	9.0	0.27
A	850	900	12	5.12	5.21	71.6	0.23	9.39	4.44	22.4	9.0	0.27
A	900	950	13	5.38	5.30	76.9	0.19	8.10	4.35	22.4	9.0	0.27
A	950	1000	14	3.75	3.53	47.2	0.17	0.13	4.54	27.9	5.9	0.14
A	1000	1050	15	0.40	0.36	8.0	0.05	0.04	3.47	27.9	5.9	0.14
A	1050	1100	16	6.31	4.15	61.7	0.16	0.02	4.82	27.9	5.9	0.14
A	1100	1150	17	5.92	5.73	59.1	0.20	0.04	4.87	27.9	5.9	0.14
A	1150	1200	18	2.36	1.68	26.7	0.19	0.02	4.71	37.1	3.9	0.08
A	1200	1250	19	1.40	2.67	17.5	0.21	0.03	4.77	37.1	3.9	0.08
A	1250	1300	20	1.18	1.60	10.2	0.16	0.04	4.39	37.1	3.9	0.08
A	1300	1350	21	1.96	1.28	23.0	0.54	0.12	4.10	24.1	4.3	0.14
A	1350	1400	22	0.84	0.96	13.4	0.41	0.17	4.11	36.5	2.8	0.09
A	1400	1450	23	0.50	0.46	6.0	0.06	0.10	4.58	36.5	2.8	0.09

GEOCHEMICAL LOG

	FROM	TO	UNIT	Pb %	Zn %	Ag G/MT	Cu %	BaO %	S.G.	Py %	Po %	Mn %	
A	1450	1500	24	1.14	0.16	18.16	0.06	0.02	4.60	36.5	2.8	0.09	
A	1500	1550	25	1.44	3.28	10.50	0.30	0.02	5.04	36.5	2.8	0.09	
A	1550	1600	26	2.16	3.70	18.10	0.34	0.03	4.61	32.8	6.3	0.20	
A	1600	1650	27	1.16	3.49	9.00	0.34	0.02	4.37	32.8	6.3	0.20	
A	1650	1700	28	0.48	2.53	6.90	0.44	0.02	4.46	32.8	6.3	0.20	
A	1700	1750	29	1.46	3.65	7.00	0.17	0.03	4.38	32.8	6.3	0.20	
A	1750	1800	30	2.52	4.03	10.30	0.23	0.17	3.79	33.5	3.2	0.05	
A	1800	1850	31	3.84	6.14	15.80	0.20	0.01	4.87	33.5	3.2	0.05	
A	1850	1900	32	2.52	4.58	9.70	0.07	0.01	4.89	33.5	3.2	0.05	
A	1900	1950	33	2.88	8.04	10.30	0.05	0.01	4.88	33.5	3.2	0.05	
A	1950	2000	34	2.94	5.64	9.00	0.21	0.01	4.69	35.9	5.1	0.13	
A	2000	2050	35	0.40	1.86	4.30	0.13	0.01	4.62	35.9	5.1	0.13	
A	2050	2100	36	0.36	1.18	3.70	0.16	0.01	4.53	35.9	5.1	0.13	
A	2100	2150	37	0.82	2.03	6.10	0.24	0.01	4.82	35.9	5.1	0.13	
A	2150	2200	38	0.74	2.07	11.90	0.29	0.01	4.38	33.1	7.9	0.20	
A	2200	2250	39	0.96	1.60	13.20	0.33	0.02	4.79	33.1	7.9	0.20	
A	2250	2300	40	0.42	1.34	7.80	0.23	0.02	4.46	33.1	7.9	0.20	
A	2300	2350	41	1.64	3.44	13.20	0.46	0.02	4.73	33.1	7.9	0.20	
A	2350	2400	42	1.34	3.21	9.60	0.38	0.01	4.47	36.7	2.5	0.05	
A	2400	2450	43	3.93	5.27	19.80	0.10	0.01	4.93	36.7	2.5	0.05	
A	2450	2500	44	4.00	6.14	15.20	0.07	0.01	4.93	36.7	2.5	0.05	
A	2500	2550	45	4.47	7.21	20.40	0.18	0.02	4.86	36.7	2.5	0.05	
A	2550	2600	46	3.39	7.41	23.90	0.08	0.13	3.23	18.5	3.0	0.03	
A	2600	2650	47	2.79	4.79	22.70	0.04	0.11	3.46	18.5	3.0	0.03	
A	2650	2700	48	4.99	10.81	32.90	0.08	0.07	3.58	18.5	3.0	0.03	
A	2700	2750	49	3.33	8.09	22.00	0.04	0.02	4.40	18.5	3.0	0.03	

CYPRUS ANVIL MINING CORPORATION

DIAMOND DRILL CORE LOG

Hole Number: 74-06

Fabric Orientation Diagram:

Project: _____

Location: ZONE 1

Claim: _____

Terr. Plane Co-ords.: _____ N

E

Grid Co-ords.: 9,815.2 √N

14,343.8 √E

All symmetrical terminations looking

with _____ dipping

with dip azimuth _____

Elevation: 3979.8 √

Total Depth: 42 √

Purpose: _____

Logged by: _____ Date(s) Logged: _____

Drilling Contractor:	Core:	Size	From	To	Collar Cased and Capped:
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

merged with RL746.FD

RL746.FD + 7406.KP

⇒ 7406.OK

Started: _____ Completed: _____

CYPRUS ANVIL MINING CORP.
GEOCHEMICAL LOG

FROM	TO	UNIT	Pb %	Zn %	Ag G/MT	Cu %	BaO %	S.G.	Py %	Po %	Mn %	
						0.00					0.00	
						0.00					0.00	
A	00	270	1	0.00	0.00	0.00	0.00	2.75	0.0	0.0	0.00	
A	270	320	2	3.56	7.09	159.00	0.06	3.168	25.7	5.3	0.27	
A	320	370	3	4.14	7.74	152.10	0.02	4.43	25.7	5.3	0.27	
A	370	420	4	6.98	5.73	95.50	0.09	4.58	25.7	5.3	0.27	
A	420	470	5	5.56	4.83	86.80	0.13	4.48	25.7	5.3	0.27	
A	470	520	6	2.55	2.89	146.40	0.03	4.70	25.7	5.3	0.27	
A	520	570	7	5.83	5.60	88.90	0.10	4.68	9.5	4.7	0.17	
A	570	620	8	7.81	7.17	103.30	0.08	4.64	9.5	4.7	0.17	
A	620	670	9	3.20	3.10	54.00	0.09	3.45	9.5	4.7	0.17	
A	670	720	10	0.00	0.22	3.50	0.02	2.76	9.5	4.7	0.17	
A	720	770	11	0.00	0.00	3.90	0.03	2.72	9.7	3.1	0.05	
A	770	820	12	0.27	0.27	119.40	0.11	2.86	9.7	3.1	0.05	
A	820	870	13	2.27	5.33	59.00	0.06	3.55	9.7	3.1	0.05	
A	870	920	14	0.90	4.59	30.20	0.07	3.14	9.7	3.1	0.05	
A	920	970	15	0.53	0.61	22.20	0.05	2.80	13.1	8.9	0.05	
A	970	1020	16	1.80	1.26	46.40	0.49	3.75	13.1	8.9	0.05	
A	1020	1070	17	3.37	8.78	35.20	0.10	4.20	13.1	8.9	0.05	
A	1070	1120	18	3.44	4.20	50.20	0.07	3.32	13.1	8.9	0.05	
A	1120	1170	19	2.71	5.79	37.40	0.14	4.06	32.4	2.2	0.04	
A	1170	1220	20	3.04	4.13	31.00	0.15	4.64	32.4	2.2	0.04	
A	1220	1270	21	3.67	4.41	41.80	0.36	4.66	32.4	2.2	0.04	
A	1270	1320	22	2.91	3.71	23.80	0.16	4.13	32.4	2.2	0.04	
A	1320	1370	23	0.62	0.72	11.90	0.31	4.67	31.5	6.5	0.20	
A	1370	1420	24	1.74	1.79	23.50	0.50	4.60	31.5	6.5	0.20	

GEOCHEMICAL LOG

	FROM	TO	UNIT	Pb %	Zn %	Ag G/MT	Cu %	BaO %	S.G.	P _r %	Po %	Mn %	
A	1420	1470	25	5.31	6.86	26.4	0.14	0.02	4.76	31.5	6.5	0.20	
A	1470	1520	26	1.88	3.87	20.8	0.14	0.03	4.36	31.5	6.5	0.20	
A	1520	1570	27	1.30	3.03	9.1	0.11	0.02	4.15	29.4	5.8	0.11	
A	1570	1620	28	0.00	1.47	7.8	0.33	0.03	3.95	29.4	5.8	0.11	
A	1620	1670	29	0.00	1.22	7.5	0.32	0.02	4.25	29.4	5.8	0.11	
A	1670	1720	30	0.00	0.98	4.7	0.21	0.02	4.19	29.4	5.8	0.11	
A	1720	1770	31	0.26	1.11	6.4	0.47	0.04	4.51	32.0	6.3	0.12	
A	1770	1820	32	0.17	0.50	12.4	0.58	0.04	4.34	32.0	6.3	0.12	
A	1820	1870	33	0.22	1.40	2.8	0.16	0.02	4.60	32.0	6.3	0.12	
A	1870	1920	34	3.15	6.41	7.8	0.07	0.02	4.27	32.0	6.3	0.12	
A	1920	1970	35	5.38	13.38	15.6	0.05	0.05	4.09	20.0	3.2	0.04	
A	1970	2020	36	7.53	15.00	23.9	0.06	0.08	4.07	20.0	3.2	0.04	
A	2020	2070	37	3.89	9.17	15.0	0.04	0.04	4.02	20.0	3.2	0.04	
A	2070	2120	38	3.70	10.71	13.7	0.04	0.07	3.83	20.0	3.2	0.04	
A	2120	2170	39	5.76	12.69	21.7	0.04	0.03	4.34	26.5	2.4	0.04	
A	2170	2220	40	4.92	9.88	22.9	0.03	0.03	4.47	26.5	2.4	0.04	
A	2220	2270	41	2.49	7.07	19.0	0.04	0.11	4.07	26.5	2.4	0.04	
A	2270	2320	42	1.66	6.88	12.1	0.02	0.07	4.11	26.5	2.4	0.04	
A	2320	2370	43	2.93	7.69	18.3	0.04	0.12	3.71	12.8	3.4	0.04	
A	2370	2420	44	1.50	7.66	9.2	0.05	0.13	3.27	12.8	3.4	0.04	
A	2420	2470	45	1.37	4.71	14.8	0.07	0.18	3.03	12.8	3.4	0.04	
A	2470	2520	46	1.34	3.84	12.6	0.05	0.12	3.19	12.8	3.4	0.04	
A	2520	2570	47	0.95	5.01	10.3	0.04	0.18	3.18	24.7	2.3	0.04	
A	2570	2620	48	0.23	1.05	6.6	0.04	0.24	3.12	24.7	2.3	0.04	
A	2620	2670	49	0.21	4.96	11.2	0.06	0.04	4.00	24.7	2.3	0.04	
A	2670	2720	50	1.01	2.99	8.3	0.01	0.01	4.91	24.7	2.3	0.04	

GEOCHEMICAL LOG

	FROM	TO	UNIT	Pb %	Zn %	Ag G/MT	Cu %	BaO %	S.G.	Py %	Po %	Mn %	
A	27.20	27.70	51	4.40	10.92	26.70	0.07	0.01	4.18	19.7	4.2	0.03	
A	27.70	28.20	52	8.13	15.00	34.50	0.04	0.02	4.18	26.4	2.1	0.02	
A	28.20	28.70	53	7.73	15.00	33.70	0.03	0.02	4.66	26.4	2.1	0.02	
A	28.70	29.20	54	8.08	12.83	36.10	0.02	0.02	4.83	26.4	2.1	0.02	
A	29.20	29.70	55	8.96	15.00	38.30	0.03	0.06	4.50	20.6	2.2	0.02	
A	29.70	30.20	56	7.47	15.00	35.00	0.07	0.07	3.65	20.6	2.2	0.02	
A	30.20	30.70	57	5.06	8.55	26.40	0.05	0.02	4.42	25.2	3.7	0.02	
A	30.70	31.20	58	7.17	15.00	31.90	0.07	0.03	3.95	12.6	4.4	0.02	
A	31.20	31.70	59	6.33	15.00	28.80	0.11	0.02	4.07	16.0	4.2	0.03	
A	31.70	32.20	60	5.36	7.45	24.30	0.03	0.01	4.88	35.4	1.8	0.01	
A	32.20	32.70	61	3.03	5.66	15.10	0.07	0.01	4.76	35.4	1.8	0.01	
A	32.70	33.20	62	2.52	7.00	17.30	0.06	0.04	4.13	35.4	1.8	0.01	
A	33.20	33.70	63	0.82	1.88	9.70	0.06	0.17	3.21	26.0	3.9	0.04	
A	33.70	34.20	64	2.28	4.78	18.10	0.06	0.04	3.54	26.0	3.9	0.04	
A	34.20	34.70	65	0.95	2.71	12.80	0.07	0.03	3.95	26.0	3.9	0.04	
A	34.70	35.20	66	2.40	3.95	19.60	0.03	0.01	4.73	26.0	3.9	0.04	
A	35.20	35.70	67	1.72	4.78	16.30	0.03	0.02	4.51	30.2	4.7	0.06	
A	35.70	36.20	68	1.15	3.72	19.20	0.08	0.06	4.34	30.2	4.7	0.06	
A	36.20	36.70	69	0.65	3.02	9.40	0.07	0.05	3.86	30.2	4.7	0.06	
A	36.70	37.20	70	2.35	4.38	21.60	0.06	0.05	3.83	30.2	4.7	0.06	
A	37.20	37.70	71	1.73	4.22	16.70	0.10	0.19	3.33	18.0	4.0	0.02	
A	37.70	38.20	72	4.53	11.75	29.00	0.05	0.08	4.03	20.0	4.1	0.02	
A	38.20	38.70	73	3.90	10.00	25.40	0.03	0.03	4.20	22.0	4.1	0.02	
A	38.70	39.20	74	2.31	9.82	19.00	0.05	0.06	3.53	18.0	4.0	0.02	
A	39.20	39.70	75	1.20	3.98	14.00	0.05	0.13	3.09	12.3	6.0	0.07	
A	39.70	40.20	76	3.33	8.79	25.30	0.09	0.13	3.52	12.3	6.0	0.07	

CYPRUS ANVIL MINING CORPORATION

DIAMOND DRILL CORE LOG

Hole Number: 74-07

Fabric Orientation Diagram:

Project: _____

Location: ZONE 3

Claim: _____

Terr. Plane
Co-ords.: _____ N

_____ E

Grid
Co-ords.: 9398.7 ✓

15,001.9 ✓

All symmetrical laminations looking

_____ with _____ dipping

_____ with dip azimuth _____

Elevation: 4139.0 ✓

Total Depth: 777' ✓

Purpose: _____

Logged by: _____ Date(s) Logged: _____

Drilling Contractor:	Core:	Size	From	To	Collar Cased and Capped:
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

Started: _____ Completed: _____

*merged with
RL 747.FD
= 7407.OK*

KP

74-0.7

	FROM	TO	UNIT	Pb %	Zn %	Ag G/MT	Cu %	BaO %	S.G.	Py %	Po %	Mn %	
							0.1					0.1	
							0.1					0.1	
A	1400	14040	1	0.00	0.00	0.0	0.00	0.00	2.75	0.0	0.0	0.00	
A	14040	14090	2	16.99	3.73	126.5	0.10	0.18	3.36	9.4	5.0	0.10	
A	14090	14140	3	3.29	3.25	35.3	0.06	0.09	3.06	9.4	5.0	0.10	
A	14140	14190	4	1.46	0.64	36.3	0.08	0.12	2.87	9.4	5.0	0.10	
A	14190	14240	5	4.28	1.72	113.8	0.13	0.13	3.09	9.4	5.0	0.10	
A	14240	14290	6	4.10	4.40	49.4	0.21	0.11	3.43	9.4	5.0	0.10	
A	14290	14340	7	1.76	2.48	16.5	0.09	0.10	3.53	21.5	3.0	0.05	
A	14340	14390	8	1.06	1.00	20.4	0.27	0.07	3.35	21.5	3.0	0.05	
A	14390	14440	9	3.35	3.98	32.3	0.11	0.10	3.65	21.5	3.0	0.05	
A	14440	14490	10	0.73	1.84	7.2	0.11	0.03	3.62	21.5	3.0	0.05	
A	14490	14540	11	1.54	2.22	12.6	0.12	0.07	3.71	24.8	3.9	0.06	
A	14540	14590	12	0.37	0.96	16.0	0.21	0.02	4.03	24.8	3.9	0.06	
A	14590	14640	13	1.02	1.86	10.3	0.07	0.06	3.77	24.8	3.9	0.06	
A	14640	14690	14	1.58	2.01	23.9	0.26	0.09	3.05	24.8	3.9	0.06	
A	14690	14740	15	1.23	3.53	14.9	0.14	0.15	3.20	18.2	3.2	0.03	
A	14740	14790	16	1.46	3.39	14.4	0.10	0.16	3.26	18.2	3.2	0.03	
A	14790	14840	17	0.60	1.55	9.8	0.07	0.12	3.40	18.2	3.2	0.03	
A	14840	14890	18	1.10	3.52	9.0	0.08	0.13	3.05	18.2	3.2	0.03	
A	14890	14940	19	0.09	1.27	3.6	0.09	0.09	3.50	21.4	2.0	0.01	
A	14940	14990	20	0.20	1.22	6.2	0.07	0.10	3.37	21.4	2.0	0.01	
A	14990	15040	21	1.56	4.31	14.1	0.08	0.14	3.19	21.4	2.0	0.01	
A	15040	15090	22	1.39	2.97	13.6	0.09	0.10	3.43	21.4	2.0	0.01	
A	15090	15140	23	0.12	1.24	6.8	0.21	0.09	3.45	24.1	2.0	0.02	
A	15140	15190	24	0.78	1.77	9.4	0.09	0.11	3.45	24.1	2.0	0.02	

74-07

	FROM	TO	UNIT	Pb %	Zn %	Ag G/MT	Cu %	BaO %	S.G.	Py %	Po %	Mn %	
A	51190	51240	25	10.26	11.24	18.50	0.09	10.07	3.73	24.1	2.0	0.02	
A	51240	51290	26	12.14	31.63	12.60	0.08	10.07	3.58	24.1	2.0	0.02	
A	51290	51340	27	11.11	21.32	8.10	0.14	10.03	3.97	27.4	2.1	0.02	
A	51340	51390	28	10.63	21.35	7.90	0.31	10.04	3.76	27.4	2.1	0.02	
A	51390	51440	29	10.16	10.75	5.10	0.21	10.06	3.65	27.4	2.1	0.02	
A	51440	51490	30	10.10	10.95	6.10	0.12	10.05	3.45	27.4	2.1	0.02	
A	51490	51540	31	10.19	21.34	4.90	0.14	10.03	3.91	31.3	1.8	0.01	
A	51540	51590	32	10.97	11.85	4.40	0.17	10.03	4.00	31.3	1.8	0.01	
A	51590	51640	33	10.10	11.20	4.30	0.07	10.06	3.90	31.3	1.8	0.01	
A	51640	51690	34	10.37	21.17	7.00	0.05	10.03	4.02	31.3	1.8	0.01	
A	51690	51740	35	11.34	21.18	18.60	0.10	10.12	3.33	19.5	2.6	0.02	
A	51740	51790	36	3.23	3.20	22.20	0.10	10.10	3.61	19.5	2.6	0.02	
A	51790	51840	37	10.82	21.52	8.50	0.07	10.17	3.38	19.5	2.6	0.02	
A	51840	51890	38	10.44	11.69	9.90	0.08	10.17	3.21	19.5	2.6	0.02	
A	51890	51940	39	10.37	11.95	8.10	0.08	10.15	3.50	19.3	3.3	0.02	
A	51940	51990	40	3.46	7.43	17.20	0.03	10.10	3.45	19.3	3.3	0.02	
A	51990	61040	41	2.40	6.57	18.60	0.07	10.13	3.56	19.3	3.3	0.02	
A	61040	61090	42	31.78	9.47	28.70	0.05	10.08	3.84	19.3	3.3	0.02	
A	61090	61140	43	4.09	9.94	31.60	0.05	10.10	3.86	16.2	2.7	0.03	
A	61140	61190	44	6.21	14.70	43.70	0.03	10.08	4.09	16.2	2.7	0.03	
A	61190	61240	45	4.41	8.85	32.70	0.04	10.13	3.86	16.2	2.7	0.03	
A	61240	61290	46	10.55	10.12	22.10	0.03	10.15	2.78	16.2	2.7	0.03	
A	61290	61340	47	10.38	11.24	17.16	0.09	10.17	2.73	5.7	4.3	0.04	
A	61340	61390	48	1.75	10.08	61.30	0.14	10.11	2.66	5.7	4.3	0.04	
A	61390	61440	49	10.67	31.50	15.90	0.21	10.21	2.76	5.7	4.3	0.04	
A	61440	61490	50	10.51	21.11	7.16	0.13	10.15	2.84	5.7	4.3	0.04	

CYPRUS ANVIL MINING CORPORATION

DIAMOND DRILL CORE LOG

Hole Number: 74-08

Fabric Orientation Diagram:

Project: _____

Location: ZONE 3

Claim: _____

Terr. Plane
Co-ords.: _____ N

_____ E

Grid
Co-ords.: 8002.8' ✓

All symmetry determinations looking

_____ with _____ dipping

Elevation: 14,796.3 ✓
4017.8 ✓

_____ with dip azimuth _____

Total Depth: 575' ✓

Purpose: _____

Logged by: _____ Date(s) Logged: _____

Drilling Contractor:	Core:	Size	From	To	Collar Cased and Capped:

converted silver

7408-KP → 7408-A6

RL798-FD → 7408-A6

→ 7408-OK

Started: _____ Completed: _____

GEOCHEMICAL LOG

FROM	TO	UNIT	Pb %	Zn %	Ag G/MT	Cu %	BaO %	S.G.	Py %	Po %	Mn %
						0.00					0.00
A 100	3950	1	10.00	01.00	10.10	0.00	0.00	2.75	10.0	10.0	0.00
A 3950	4000	2	4.12	14.60	19.8	0.17	10.14	3.59	20.7	5.3	0.07
A 4000	4050	3	5.69	12.94	70.2	0.14	10.08	4.12	20.7	5.3	0.07
A 4050	4100	4	5.23	18.03	77.2	0.33	10.30	4.20	20.7	5.3	0.07
A 4100	4150	5	1.28	3.13	28.4	0.14	10.08	3.77	22.1	2.0	0.02
A 4150	4200	6	0.15	0.14	11.2	0.22	10.07	3.81	22.1	2.0	0.02
A 4200	4250	7	1.01	0.14	31.0	0.29	10.13	3.45	22.1	2.0	0.02
A 4250	4300	8	0.51	0.18	21.4	0.39	10.10	3.01	21.1	2.0	0.02
A 4300	4350	9	3.31	3.36	43.5	0.20	10.14	3.84	22.2	4.1	0.28
A 4350	4400	10	5.44	4.39	65.4	0.17	10.42	3.86	22.2	4.1	0.28
A 4400	4450	11	5.93	4.29	67.5	0.20	10.71	3.68	22.2	4.1	0.28
A 4450	4500	12	6.05	5.76	84.3	0.13	12.11	4.31	22.2	4.1	0.28
A 4500	4550	13	0.99	1.64	14.3	0.04	14.41	2.81	10.0	4.1	0.17
A 4550	4600	14	0.59	0.72	10.4	0.04	3.97	2.69	10.0	4.1	0.17
A 4600	4650	15	0.40	0.48	7.2	0.04	2.18	2.77	10.0	4.1	0.17
A 4650	4700	16	5.26	4.97	78.6	0.31	10.09	4.67	10.0	4.1	0.17
A 4700	4750	17	0.28	0.39	15.7	0.03	2.26	2.69	4.4	4.6	0.22
						0.00					0.00
A 4750	4820	18	0.00	0.00	0.0	0.00	0.00	2.75	10.0	0.0	0.00
A 4820	4870	19	4.64	4.21	72.3	0.08	8.21	3.12	4.4	4.6	0.22
A 4870	4920	20	3.38	3.37	54.9	0.12	4.47	3.01	16.2	21.1	0.16
A 4920	4970	21	4.74	7.81	71.5	0.29	1.37	4.25	16.2	21.1	0.16
A 4970	5020	22	2.99	3.53	41.6	0.35	10.05	4.33	16.2	21.1	0.16
A 5020	5070	23	2.40	3.22	35.6	0.21	1.27	4.63	16.2	21.1	0.16
A 5070	5120	24	1.23	0.85	16.9	0.10	0.04	4.80	3.5	12.0	0.10

CYPRUS ANVIL MINING CORPORATION

DIAMOND DRILL CORE LOG

Hole Number: 74-09

Fabric Orientation Diagram:

Project: _____

Location: ZONE 1

Claim: _____

Terr. Plane Co-ords.: _____ N

_____ E

Grid Co-ords.: 9,404.4 ✓ N

13,993.3 ✓ E

Elevation: 3923.4 ✓

All symmetrical terminations looking
_____ with _____ dipping
_____ with dip azimuth _____.

Total Depth: 384' ✓

Purpose: _____

Logged by: _____ Date(s) Logged: _____

Drilling Contractor:	Core:	Size	From	To	Collar Cased and Capped:
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

merged with RL749.FD

RL749.FD + 7409.KP

→ 7409.OK

Started: _____ Completed: _____

CYPRUS ANVIL MINING CORP.
GEOCHEMICAL LOG

FROM	TO	UNIT	Pb %	Zn %	Ag G/MT	Cu %	BaO %	S.G.	Py %	Po %	Mn %	
						0.					0.	
						0.					0.	
						0.					0.	
A	1.00	1.710	1	10.00	0.00	0.00	0.00	2.75	9.0	9.0	0.00	
A	1.710	1.760	2	1.55	5.01	23.70	0.10	0.17	3.30	21.7	7.8	0.21
A	1.760	1.810	3	2.06	4.83	29.10	0.21	0.09	3.91	21.7	7.8	0.21
A	1.810	1.860	4	5.99	8.01	74.60	0.22	0.11	4.40	21.7	7.8	0.21
A	1.860	1.910	5	6.37	7.04	83.60	0.22	0.60	4.63	21.7	7.8	0.21
A	1.910	1.960	6	2.98	3.92	43.00	0.13	0.38	4.36	21.7	7.8	0.21
A	1.960	2.010	7	5.60	6.78	74.50	0.26	0.22	4.25	35.5	6.6	0.26
A	2.010	2.060	8	4.19	4.99	57.70	0.13	0.25	4.59	35.5	6.6	0.26
A	2.060	2.110	9	5.98	5.83	82.30	0.18	4.51	4.54	35.5	6.6	0.26 ✓
A	2.110	2.160	10	4.79	4.59	75.60	0.32	0.30	4.41	35.5	6.6	0.26
A	2.160	2.210	11	7.75	8.10	93.90	0.24	0.10	4.61	23.1	7.4	0.50
A	2.210	2.260	12	7.42	7.36	102.50	0.18	10.21	5.02	18.9	2.5	0.09
A	2.260	2.310	13	7.64	9.46	89.00	0.11	26.78	4.75	18.9	2.5	0.09
A	2.310	2.360	14	6.97	8.46	72.40	0.07	29.28	4.68	18.9	2.5	0.09
A	2.360	2.410	15	3.56	4.65	37.90	0.13	11.23	4.65	20.3	3.4	0.16
A	2.410	2.460	16	8.43	8.13	100.70	0.24	11.30	4.75	20.3	3.4	0.16
A	2.460	2.510	17	10.10	8.67	120.20	0.18	14.82	4.55	20.3	3.4	0.16
A	2.510	2.560	18	7.14	8.17	73.50	0.11	32.13	4.76	20.3	3.4	0.16
A	2.560	2.610	19	2.20	1.82	26.10	0.37	0.76	4.86	34.3	4.3	0.03
A	2.610	2.650	20	3.25	4.34	22.20	0.19	0.05	5.35	34.3	4.3	0.03
A	2.650	2.710	21	5.59	7.59	41.60	0.13	0.06	4.70	34.3	4.3	0.03
A	2.710	2.760	22	3.42	6.81	40.60	0.51	0.09	4.68	34.3	4.3	0.03
A	2.760	2.810	23	3.00	5.58	34.80	0.68	0.07	4.45	3.6	11.6	0.04

CYPRUS ANVIL MINING CORPORATION

DIAMOND DRILL CORE LOG

Hole Number: 74-10

Fabric Orientation Diagram:

Project: _____

Location: ZONE 3

Claim: _____

Terr. Plane Co-ords.: _____ N

_____ E

Grid Co-ords.: 7890.6 ✓ N

15,456.5 ✓ E

All symmetry determinations looking

_____ with _____ dipping

Elevation: 4017.3 ✓

_____ with dip azimuth _____

Total Depth: 508' ✓

Purpose: _____

Logged by: _____ Date(s) Logged: _____

Drilling Contractor:	Core:	Size	From	To	Collar Cased and Capped:
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

converted silver
7410.KP → 7410.AG

(RL7410.FD + 7410.AG
↓
7410.OK)

Started: _____ Completed: _____

CONTINUED FROM PREVIOUS PAGE

GEOCHEMICAL LOG

	FROM	TO	UNIT	Pb %	Zn %	Ag G/MT	Cu %	BaO %	S.G.	Py %	Po %	Mn %	
							0.00					0.00	
							0.00					0.00	
A	2760	2810	15	10.66	10.48	201.0	0.39	0.37	3.99	18.4	6.8	0.18	
A	2810	2860	16	5.14	9.33	64.4	0.06	3.59	4.78	18.4	6.8	0.18	
A	2860	2960	17	3.20	6.23	46.0	0.26	1.38	4.52	19.7	12.5	0.10	
A	2960	3010	18	4.89	5.51	87.1	0.48	0.26	4.41	19.7	12.5	0.10	
A	3010	3060	19	4.20	3.73	58.5	0.51	1.05	4.16	19.7	12.5	0.10	
A	3060	3110	10	2.20	1.71	41.2	0.47	0.18	3.90	29.5	8.0	0.20	
A	3110	3160	11	1.14	2.29	20.5	0.14	0.10	4.72	29.5	8.0	0.20	
A	3160	3210	12	0.47	0.83	6.7	0.27	0.11	3.87	29.5	8.0	0.20	
A	3210	3260	13	1.02	0.62	21.1	0.34	0.02	4.52	29.5	8.0	0.20	
A	3260	3310	14	1.53	0.48	20.4	0.30	0.08	4.27	27.2	7.8	0.14	
A	3310	3360	15	1.93	2.70	26.3	0.26	0.04	3.91	27.2	7.8	0.14	
A	3360	3410	16	3.28	4.98	47.2	0.21	0.02	4.12	27.2	7.8	0.14	
A	3410	3460	17	1.31	4.76	17.0	0.24	0.04	4.18	27.2	7.8	0.14	
A	3460	3510	18	3.83	6.20	32.6	0.19	0.02	4.11	30.1	5.5	0.21	
A	3510	3560	19	1.83	1.19	25.1	0.37	0.03	4.57	30.1	5.5	0.21	
A	3560	3610	20	1.83	3.19	18.5	0.25	0.03	3.99	30.1	5.5	0.21	
A	3610	3660	21	3.18	5.54	22.0	0.32	0.02	4.16	30.1	5.5	0.21	
A	3660	3710	22	3.04	2.75	16.5	0.27	0.03	4.39	30.1	4.5	0.16	
A	3710	3760	23	4.34	4.55	31.2	0.15	0.02	4.62	30.1	4.5	0.16	
A	3760	3810	24	1.10	1.50	11.8	0.31	0.02	3.78	30.1	4.5	0.16	
A	3810	3860	25	1.10	2.17	12.7	0.23	0.02	3.86	30.1	4.5	0.16	
A	3860	3910	26	3.87	12.75	14.6	0.06	0.04	4.06	22.5	3.2	0.04	
A	3910	3960	27	4.99	10.43	15.0	0.06	0.11	3.81	22.5	3.2	0.04	
A	3960	4010	28	2.61	7.54	17.1	0.04	0.13	3.47	22.5	3.2	0.04	
							0.00					0.00	

CYPRUS ANVIL MINING CORPORATION

DIAMOND DRILL CORE LOG

Hole Number: 74-11

Fabric Orientation Diagram: _____

Project: _____

Location: ZONE 3

Claim: _____

Terr. Plane Co-ords.: _____ N

_____ E

Grid Co-ords.: 7682.8 J N

15,538.8 J E

Elevation: 4017.9 J

Total Depth: 300' J

Purpose: _____

Logged by: _____ Date(s) Logged: _____

Drilling Contractor:	Core:	Size	From	To	Collar Cased and Capped:
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

*Converted silver
 7411.KP → 7411.AC
 merged with RL7411.FD
 (RL7411.FD + 7411.AC
 → 7411.AC*

All symmetry determinations looking
 _____ with _____ dipping
 _____ with dip azimuth _____.

Started: _____ Completed: _____

CYPRUS ANVIL MINING CORP.
GEOCHEMICAL LOG

	FROM	TO	UNIT	Pb %	Zn %	Ag G/MT	Cu %	BaO %	S.G.	Py %	Po %	Mn %	
							0					0	
	100	1595	1	10.100	10.100	10.10	0.100	0.00	2.75	0.0	0.0	0.00	
CE	A 1595	1647	2	10.114	10.115	16.9	0.27	0.32	3.28	11.5	10.1	0.12	
DL	A 1647	1671	3	2.33	11.44	58.4	0.09	1.30	2.96	11.5	10.1	0.12	
SL	A 1671	1705	4	2.52	4.50	50.6	0.06	1.05	3.45	6.9	6.9	0.12	
2L	A 1705	1755	5	0.06	0.08	1.0	0.02	2.47	2.81	6.9	6.9	0.12	
CE	A 1755	1776	6	2.97	11.59	51.4	0.07	14.02	3.62	6.9	6.9	0.12	
1L	A 1776	1828	7	0.29	0.18	4.3	0.03	1.82	2.81	6.9	6.9	0.12	
SL	A 1828	1850	8	4.40	4.70	72.8	0.05	11.75	3.52	6.9	6.9	0.12	
2L	A 1850	1881	9	0.62	0.55	11.0	0.04	6.12	2.99	6.9	6.9	0.12	
09	A 1881	1930	10	0.33	0.10	1.8	0.03	3.90	2.97	4.5	5.1	0.07	
09	A 1930	1962	11	0.18	0.08	0.1	0.01	7.44	2.88	4.5	5.1	0.07	
D	A 1962	2010	12	0.10	0.13	0.1	0.01	4.03	2.73	4.5	5.1	0.07	
	A 2010	2060	13	3.78	7.73	54.8	0.12	11.69	3.32	4.5	5.1	0.07	
	A 2060	2110	14	7.14	11.90	51.5	0.11	0.18	4.67	3.98	3.0	0.05	
	A 2110	2116	15	3.28	8.71	22.4	0.02	0.02	4.73	3.08	3.0	0.05	
	A 2116	2210	16	3.45	9.17	25.7	0.08	0.02	4.80	3.08	3.0	0.05	
	A 2210	2260	17	6.47	10.90	49.4	0.09	0.05	4.75	3.08	3.0	0.05	
	A 2260	2310	18	5.10	12.06	37.7	0.05	0.02	4.86	3.08	3.0	0.05	
	A 2310	2360	19	3.44	6.68	25.2	0.07	0.02	4.81	3.07	2.6	0.05	
	A 2360	2410	20	3.56	6.65	32.8	0.06	0.03	4.84	3.07	2.6	0.05	
	A 2410	2460	21	1.90	6.50	37.2	0.40	0.29	4.20	3.07	2.6	0.05	
	A 2460	2510	22	4.49	8.61	42.8	0.29	2.00	4.37	3.07	2.6	0.05	
	A 2510	2560	23	2.34	5.31	17.9	0.20	0.18	4.00	1.02	1.6	0.08	
	A 2560	2610	24	1.81	6.43	17.6	0.13	0.37	1.09	1.02	1.6	0.08	
	A 2610	2660	25	4.08	3.76	58.2	0.10	0.46	3.16	1.02	1.6	0.08	
							0					0	

CYPRUS ANVIL MINING CORPORATION

DIAMOND DRILL CORE LOG

Hole Number: 74-15

Fabric Orientation Diagram: _____

Project: _____

Location: ZONE 3

Claim: _____

Terr. Plane Co-ords.: _____ N

_____ E

Grid Co-ords.: 9004.0 N

14,601.9 E

Elevation: 4056.9

All symmetrical terminations looking
_____ with _____ dipping
_____ with dip azimuth _____.

Total Depth: 754'

Purpose: _____

Logged by: _____ Date(s) Logged: _____

Drilling Contractor: _____ Core: Size From To Collar Cased and Capped: _____

_____	_____	_____
_____	_____	_____
_____	_____	_____

Started: _____ Completed: _____

merged with
DH7915.FD
→ 7915.FD

KP

74-15

GEOCHEMICAL LOG

FROM	TO	UNIT	Pb %	Zn %	Ag G/MT	Cu %	BaO %	S.G.	Py %	Po %	Mn %	
						0.00					0.00	
A	100	5010	1	0.00	9.00	10.0	0.00	10.00	2.75	10.0	10.0	0.00
A	5010	5060	2	10.12	10.18	110.10	0.54	10.11	3.08	20.11	8.5	0.23
A	5060	5110	3	10.14	10.22	16.6	0.21	10.07	3.42	20.11	8.5	0.23
A	5110	5160	4	3.20	4.43	40.7	0.13	10.15	3.60	20.11	8.5	0.23
A	5160	5210	5	7.00	8.46	95.9	0.19	10.92	4.34	20.11	8.5	0.23
A	5210	5260	6	16.81	10.81	102.4	0.24	3.18	3.98	20.11	8.5	0.23
A	5260	5310	7	2.51	1.60	39.9	0.19	3.28	3.27	14.7	13.3	0.31
A	5310	5360	8	5.46	7.61	86.7	0.22	1.93	3.97	14.7	13.3	0.31
A	5360	5410	9	5.38	6.50	82.4	0.21	3.02	3.91	14.7	13.3	0.31
A	5410	5460	10	7.56	4.30	120.0	0.16	4.46	3.90	14.7	13.3	0.31
A	5460	5510	11	5.28	5.94	91.6	0.17	1.39	3.99	19.4	11.0	0.36
A	5510	5560	12	3.36	2.67	77.2	0.26	1.39	3.36	19.4	11.0	0.36
A	5560	5610	13	3.45	1.70	77.3	0.27	10.54	3.80	19.4	11.0	0.36
A	5610	5660	14	2.00	1.10	70.6	0.17	10.63	3.81	19.4	11.0	0.36
A	5660	5710	15	2.16	1.60	47.7	0.20	10.31	4.46	14.8	4.9	0.18
A	5710	5760	16	3.59	2.80	68.3	0.22	3.55	3.95	14.8	4.9	0.18
A	5760	5810	17	1.29	1.07	43.3	0.22	7.48	3.07	14.8	4.9	0.18
A	5810	5860	18	2.52	1.24	59.6	0.09	6.91	2.89	14.8	4.9	0.18
A	5860	5910	19	4.53	3.75	64.0	0.20	1.27	4.27	31.6	5.5	0.20
A	5910	5960	20	3.00	4.70	49.6	0.32	7.37	4.34	31.6	5.5	0.20
A	5960	6010	21	1.02	2.48	12.6	0.55	10.05	4.67	31.6	5.5	0.20
A	6010	6060	22	1.78	4.17	12.0	0.25	10.02	4.70	31.6	5.5	0.20
A	6060	6110	23	3.11	6.26	21.1	0.10	10.04	4.81	35.5	3.7	0.15
A	6110	6160	24	4.95	8.33	32.9	0.19	10.03	4.74	35.5	3.7	0.15

74-1.5

GEOCHEMICAL LOG

	FROM	TO	UNIT	Pb %	Zn %	Ag G/MT	Cu %	BaO %	S.G.	Py %	Po %	Mn %	
A	161160	16210	25	12.73	31.95	20.9	0.36	0.02	4.86	35.5	3.7	0.15	
A	16210	16260	26	5.35	7.21	32.3	0.07	0.02	4.86	35.5	3.7	0.15	
A	16260	16310	27	2.45	3.82	23.8	0.23	0.03	4.78	34.3	6.3	0.34	
A	16310	16360	28	1.18	2.74	18.8	0.34	0.03	4.71	34.3	6.3	0.34	
A	16360	16410	29	1.92	4.29	19.1	0.32	0.07	4.73	34.3	6.3	0.34	
A	16410	16460	30	1.72	1.66	18.3	0.22	0.08	4.51	34.3	6.3	0.34	
A	16460	16510	31	1.64	2.46	16.0	0.37	0.03	4.59	35.4	3.8	0.16	
A	16510	16560	32	4.63	6.36	28.0	0.18	0.03	4.78	35.4	3.8	0.16	
A	16560	16610	33	5.43	5.13	38.8	0.19	0.03	4.69	35.4	3.8	0.16	
A	16610	16660	34	2.89	3.91	29.1	0.15	0.04	4.57	35.4	3.8	0.16	
A	16660	16710	35	2.16	5.30	16.0	0.12	0.05	4.43	32.4	6.0	0.19	
A	16710	16760	36	2.66	3.93	24.6	0.39	0.09	4.25	32.4	6.0	0.19	
A	16760	16810	37	0.72	2.46	19.2	0.46	0.03	4.44	32.4	6.0	0.19	
A	16810	16860	38	1.20	2.23	16.8	0.39	0.11	4.31	32.4	6.0	0.19	
A	16860	16910	39	1.74	2.60	7.8	0.31	0.20	4.28	34.9	3.0	0.08	
A	16910	16960	40	3.02	5.25	14.8	0.04	0.04	4.94	34.9	3.0	0.08	
A	16960	17010	41	3.14	5.83	16.3	0.04	0.04	4.78	34.9	3.0	0.08	
A	17010	17060	42	3.93	7.64	17.0	0.09	0.02	4.90	34.9	3.0	0.08	
A	17060	17110	43	3.52	7.77	16.8	0.09	0.01	5.03	25.7	6.5	0.03	
A	17110	17160	44	3.09	5.22	17.1	0.07	0.02	4.81	25.7	6.5	0.03	
A	17160	17210	45	1.74	3.33	14.6	0.32	0.06	4.25	25.7	6.5	0.03	
A	17210	17260	46	1.40	2.76	24.1	0.13	0.29	3.04	25.7	6.5	0.03	
A	17260	17310	47	0.08	0.22	5.0	0.21	0.21	3.03	8.3	7.8	0.03	
A	17310	17360	48	0.38	0.58	7.3	0.19	0.14	3.07	8.3	7.8	0.03	
A	17360	17410	49	3.44	7.15	33.7	0.10	0.08	3.15	8.3	7.8	0.03	
A	17410	17430	50	0.65	1.06	8.2	0.10	0.13	3.33	8.3	7.8	0.03	

CYPRUS ANVIL MINING CORPORATION

DIAMOND DRILL CORE LOG

Hole Number: 74-16

Fabric Orientation Diagram:

Project: _____

Location: ZONE 3

Claim: _____

Terr. Plane Co-ords.: _____ N

_____ E

Grid Co-ords.: 9515.6 ✓ N

14,677.1 ✓ E

Elevation: 4060.7 ✓

All symmetrical terminations looking _____ with _____ dipping _____ with dip azimuth _____.

Total Depth: 641' ✓

Purpose: INCLINED HOLE

Logged by: _____ Date(s) Logged: _____

Drilling Contractor:	Core:	Size	From	To	Collar Cased and Capped:
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

Started: _____ Completed: _____

replaced by 7416.FD
= 7416.DIC

KP

CYPRUS ANVIL MINING CORPORATION

DIAMOND DRILL CORE LOG

Hole Number: 74-16

Fabric Orientation Diagram: _____

Project: _____

Location: ZONE 3

Claim: _____

Terr. Plane Co-ords.: _____ N

_____ E

Grid Co-ords.: 9515.6 N

14,677.1 E

All symmetrical terminations looking

_____ with _____ dipping

_____ with dip azimuth _____

Elevation: 4060.7

Total Depth: 641'

Purpose: _____

Logged by: _____ Date(s) Logged: _____

Drilling Contractor:	Core:	Size	From	To	Collar Cased and Capped:
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

Started: _____ Completed: _____

*Changed to 7416.0K
replaced D17416.FD*

KP

CYPRUS ANVIL MINING CORPORATION

DIAMOND DRILL CORE LOG

Hole Number: 74-17

Fabric Orientation Diagram:

Project: _____

Location: ZONE 3

Claim: _____

Terr. Plane
Co-ords.: _____ N

_____ E

Grid
Co-ords.: 8,431.2 ✓

14,404.4 ✓ E

Elevation: 4031.0 ✓

Total Depth: 585' ✓

Purpose: _____

Logged by: _____ Date(s) Logged: _____

Drilling Contractor:	Core:	Size	From	To	Collar Cased and Capped:
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

Started: _____ Completed: _____

merged with R7417.Fn
= 7417.02

\$1

74-17

	FROM	TO	UNIT	Pb %	Zn %	Ag G/MT	Cu %	BaO %	S.G.	Py %	Po %	Mn %	
A	100	4840	1	10.00	10.00	10.00	0.00	10.00	2.75	10.00	10.00	0.00	
A	4840	4890	2	5.49	15.00	32.90	0.08	10.81	3.43	12.60	6.90	0.20	
A	4890	4940	3	6.48	7.90	72.50	0.20	5.00	4.55	12.60	6.90	0.20	
A	4940	4990	4	3.63	4.52	51.40	0.17	11.75	3.54	12.60	6.90	0.20	
A	4990	5040	5	1.68	0.94	10.00	0.04	10.06	2.98	12.60	6.90	0.20	
A	5040	5090	6	3.91	6.13	55.50	0.27	6.12	3.51	20.00	8.20	0.32	
A	5090	5140	7	5.15	6.52	78.80	0.16	17.34	4.56	20.00	8.20	0.32	
A	5140	5190	8	5.76	6.43	89.00	0.33	9.84	4.58	20.00	8.20	0.32	
A	5190	5240	9	6.17	7.05	105.80	0.17	11.47	4.71	20.00	8.20	0.32	
A	5240	5290	10	5.02	6.26	80.30	0.08	10.13	4.30	13.30	5.60	0.18	
A	5290	5340	11	2.54	4.87	35.10	0.10	0.19	2.89	13.30	5.60	0.18	
A	5340	5390	12	3.33	4.70	57.60	0.18	0.28	3.47	13.30	5.60	0.18	
A	5390	5440	13	2.85	4.26	79.70	0.06	10.31	2.96	13.30	5.60	0.18	
A	5440	5490	14	3.26	3.70	66.80	0.15	10.54	3.00	5.20	5.50	0.12	
A	5490	5540	15	4.27	3.77	106.00	0.09	10.34	3.12	5.20	5.50	0.12	
A	5540	5590	16	2.00	4.75	53.60	0.06	10.26	3.06	5.20	5.50	0.12	
A	5590	5640	17	7.01	4.32	210.00	0.06	10.33	3.10	5.20	5.50	0.12	high Ag
A	5640	5690	18	2.91	2.16	62.50	0.04	10.37	2.91	5.50	4.30	0.05	
A	5690	5740	19	2.33	3.31	53.40	0.15	10.36	3.00	5.50	4.30	0.05	
A	5740	5790	20	1.14	2.10	45.90	0.11	10.33	2.84	5.50	4.20	0.05	
A	5790	5850	21	1.89	0.28	27.40	0.04	0.29	2.84	2.20	3.30	0.03	
							0.00					0.00	
							0.00					0.00	
							0.00					0.00	
							0.00					0.00	

CYPRUS ANVIL MINING CORPORATION

DIAMOND DRILL CORE LOG

Hole Number: 74-18

Fabric Orientation Diagram:

Project: _____

Location: ZONE 3

Claim: _____

Terr. Plane
Co-ords.: _____ N

_____ E

Grid
Co-ords.: 7445.1 ✓ N

15,512.9 ✓ E

Elevation: 4015.5 ✓

All symmetry determinations looking

_____ with _____ dipping

_____ with dip azimuth _____.

Total Depth: 250' ✓

Purpose: _____

Logged by: _____ Date(s) Logged: _____

Drilling Contractor:	Core:	Size	From	To	Collar Cased and Capped:
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

converted silver
 7418.KP → 7418.AG
 merged with RL7418.FD
 (RL7418.FD + 7418.AG

Started: _____ Completed: _____

→ 7418.OK

CYPRUS ANVIL MINING CORPORATION

DIAMOND DRILL CORE LOG

Hole Number: 74-19

Fabric Orientation Diagram: _____

Project: _____

Location: ZONE 3

Claim: _____

Terr. Plane
Co-ords.: _____ N

_____ E

Grid
Co-ords.: 7431.3

15,336.4

Elevation: 4016.4

Total Depth: 373

Purpose: _____

Logged by: _____ Date(s) Logged: _____

Drilling Contractor:	Core:	Size	From	To	Collar Cased and Capped:
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

All symmetry Determinations looking
_____ with _____ dipping
_____ with dip azimuth _____.

*Converted silver
7419.KP → 7419.A6*

*RL7419.FD + 7419.A6
→ 7419.OK*

Started: _____ Completed: _____

CYPRUS ANVIL MINING CORPORATION

DIAMOND DRILL CORE LOG

Hole Number: 74-20

Fabric Orientation Diagram:

Project:

Location: ZONE 3

Claim:

Terr. Plane Co-ords.: N

E

Grid Co-ords.: 7690.8 N

15,281.2 E

Elevation: 4004.4

All symmetry Determinations looking

with dipping

with dip azimuth

Total Depth: 427'

Purpose:

Logged by: Date(s) Logged:

Drilling Contractor:	Core:	Size	From	To	Collar Cased and Capped:

Started: Completed:

AG # 0.973 (7420.AC) merged with R07420.FD = 7420.OK

KP

CYPRUS ANVIL MINING CORPORATION

DIAMOND DRILL CORE LOG

Hole Number: 74-21

Fabric Orientation Diagram: _____

Project: _____

Location: ZONE 3

Claim: _____

Terr. Plane Co-ords.: _____ N

_____ E

Grid Co-ords.: 7191.9 N

15,402.4 E

Elevation: 4014.0

All symmetry determinations looking _____ with _____ dipping _____ with dip azimuth _____.

Total Depth: 250'

Purpose: _____

Logged by: _____ Date(s) Logged: _____

Drilling Contractor:	Core:	Size	From	To	Collar Cased and Capped:
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

SILVER + 0.973 (7421.AG) Started: _____ Completed: _____
merged with RL7421.F3

= 7421OK

KP

74-2.1

GEOCHEMICAL LOG

	FROM	TO	UNIT	Pb %	Zn %	Ag G/MT	Cu %	BaO %	S.G.	Py %	Po %	Mn %	
A	1,990	1,1040	2	31.70	31.41	41.16	0.18	11.52	4.37	1.1	1.1	0.1	
A	1,1040	1,1090	3	16.20	16.14	78.16	0.22	11.17	3.10	14.3	17.10	0.22	
A	1,1090	1,1140	4	14.08	14.87	56.5	0.15	10.76	3.52	14.3	17.0	0.22	
A	1,1140	1,1190	5	14.10	15.92	61.12	0.11	10.89	3.43	14.3	17.0	0.22	
A	1,1190	1,1240	6	10.42	11.08	7.0	0.10	3.28	3.02	14.3	17.0	0.22	
A	1,1240	1,1270	7	1.56	2.63	25.3	0.32	0.46	4.38	22.8	17.8	0.12	
A	1,1270	1,1315	8	0.00	0.00	0.0	0.00	0.00	2.75	0.0	0.9	0.00	
A	1,1315	1,1357	9	11.17	11.16	26.0	0.08	14.85	2.79	4.3	5.3	0.03	
A	1,1357	1,1363	10	5.46	7.25	85.8	0.42	0.14	4.03	22.8	17.8	0.12	
A	1,1363	1,1390	11	0.00	0.00	0.0	0.00	0.00	2.75	0.0	0.0	0.00	
A	1,1390	1,1440	12	5.46	7.25	85.8	0.42	0.14	4.03	22.8	17.8	0.12	
A	1,1440	1,1490	13	3.70	5.06	60.0	0.25	0.33	3.23	4.0	4.5	0.06	
A	1,1490	1,1540	14	0.51	0.89	15.0	0.09	0.74	2.71	4.0	4.5	0.06	
A	1,1540	1,1590	15	0.26	0.34	10.6	0.06	0.49	2.56	4.0	4.5	0.06	
A	1,1590	1,1640	16	2.96	0.97	61.6	0.05	1.31	2.69	4.0	4.5	0.06	
A	1,1640	1,1690	17	0.30	0.23	14.3	0.03	1.38	2.57	1.9	2.2	0.01	
A	1,1690	1,1740	18	0.34	0.75	10.3	0.06	0.76	2.66	1.9	2.2	0.01	
A	1,1740	1,1790	19	0.94	1.21	14.6	0.04	0.74	2.65	1.9	2.2	0.01	
A	1,1790	1,1840	20	1.13	1.51	12.9	0.03	0.68	2.57	1.9	2.2	0.01	
A	1,1840	1,1890	21	1.29	2.55	18.8	0.09	0.24	2.65	3.5	3.5	0.05	
A	1,1890	1,1945	22	0.92	1.33	16.2	0.15	0.22	2.78	3.5	3.5	0.05	
A	1,1945	2,500	23	0.00	0.00	0.0	0.00	0.00	2.75	0.0	0.0	0.00	
							0.1	1.1	1.1	1.1	1.1	0.1	
							0.1	1.1	1.1	1.1	1.1	0.1	
							0.1	1.1	1.1	1.1	1.1	0.1	
							0.1	1.1	1.1	1.1	1.1	0.1	