

CYPRUS ANVIL MINING CORPORATION

020794

DIAMOND DRILL CORE LOG

Hole Number: 75-01

Fabric Orientation Diagram:

Project: _____

Location: ZONE 1

Claim: _____

Terr. Plane Co-ords.: _____ N

E

Grid Co-ords.: 9431.1 J N

14,149.0 J E

All symmetry determinations looking

with _____ dipping

Elevation: 3,832.3 J

with dip azimuth _____

Total Depth: 299' J

Purpose: _____

Logged by: _____ Date(s) Logged: _____

Drilling Contractor:	Core:	Size	From	To	Collar Cased and Capped:
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

merged with DH751.Fn

DH751.Fn + 7501.KP

→ 7501.OK

Started: _____ Completed: _____

GEOCHEMICAL LOG

FROM	TO	UNIT	Pb %	Zn %	Ag G/MT	Cu %	BaO %	S.G.	Py %	Po %	Mn %	
						0.00					0.00	
						0.00					0.00	
						0.00					0.00	
A	00	390	1	0.00	0.00	0.00	0.00	2.75	10.0	10.0	0.00	
A	390	420	2	5.93	6.61	118.6	0.28	0.02	3.00	12.5	8.5	0.07
A	420	470	3	1.60	2.87	19.2	0.38	0.02	2.96	12.5	8.5	0.07
A	470	520	4	1.27	1.52	13.7	0.22	0.03	2.96	12.5	8.5	0.07
A	520	570	5	0.08	0.12	0.0	0.45	0.02	3.26	12.5	8.5	0.07
A	570	620	6	0.37	0.38	1.7	0.41	0.03	3.23	12.5	8.5	0.07
A	620	670	7	0.31	0.56	1.4	0.29	0.02	3.51	13.8	10.0	0.11
A	670	720	8	0.02	0.16	0.0	0.27	0.02	3.17	13.8	10.0	0.11
A	720	770	9	0.10	0.13	0.0	0.24	0.16	3.05	13.8	10.0	0.11
A	770	820	10	2.48	2.60	21.2	0.28	3.79	3.67	13.8	10.0	0.11
A	820	870	11	5.91	7.00	92.6	0.40	0.18	4.15	21.3	10.6	0.32
A	870	920	12	4.93	6.30	113.8	0.18	3.43	4.59	21.3	10.6	0.32
A	920	970	13	7.39	6.40	87.8	0.15	16.17	4.60	21.3	10.6	0.32
A	970	1020	14	5.71	6.00	87.1	0.23	8.67	4.46	21.3	10.6	0.32
A	1020	11070	15	5.24	5.25	53.5	0.13	20.49	4.62	33.7	1.8	0.06
A	11070	1120	16	3.30	5.48	43.9	0.16	0.20	4.71	33.7	1.8	0.06
A	1120	1170	17	1.77	2.00	32.2	0.14	0.04	4.14	33.7	1.8	0.06
A	1170	1220	18	2.23	1.70	24.7	0.30	0.02	4.63	33.7	1.8	0.06
A	1220	1270	19	2.54	2.89	17.1	0.33	0.01	4.71	33.6	4.9	0.17
A	1270	1320	20	1.86	2.94	28.1	0.49	0.02	4.51	33.6	4.9	0.17
A	1320	1370	21	3.98	3.78	43.9	0.26	1.78	4.78	33.6	4.9	0.17
A	1370	1420	22	2.63	2.73	34.3	0.20	4.13	4.45	33.6	4.9	0.17
A	1420	1470	23	1.31	1.30	10.3	0.17	0.03	4.02	31.3	3.2	0.10

RL752.FD

OOD 75-02

new log record 9/30/78

7502.PL

DDH: 752

-- DRILL LOG CORRECTED RELATIVE TO TRUE NORTH

~~DEPT~~

----- STRUCTURAL LOG -----

DDH-FT =====	CODE =====	LITH =====	GEOCHM LOG		FEAT =====	SYM =====	S1		S2 CA
			NO	INT			CA	DIPD	
0.	R								
107.0	L	0							
112.0	L	CP820							
132.3	L	HRD							
147.0	S								60.
148.0	L	CP181							
185.0	L	CP910							
190.0	L	CP181							
200.0	S								65.
200.5	L	CP730							
203.0	L	CP370							
206.0	L	BAP							
214.5	L	QLP							
222.0	L	CP820							
243.0	L	BLAS1							
250.0	S								55.
284.0	L	KBMAS1							
302.0	S								40.
327.0	L	BMAS1							
331.0	L	BLBS1							
400.0	S								60.
409.0	S								
409.0	S								62.
414.8	L	BMAS1							
427.5	L	KBMAS1							
451.0	S								70.
460.0	L	BMAS1							
468.0	L	MRAS1							
513.5	L	HRD							
514.5	L	Y							
528.0	L	Y							
530.3	L	Y							
532.0	L	Y							
534.5	L	Y							
542.0	L	Y							
548.0	L	Y							
549.0	S								40.
552.0	L	Y							
560.0	L	Y							
568.0	L	Y							
569.5	L	Y							
571.0	L	Y							
574.7	L	Y							
575.8	S								40.
576.0	L	Y							
576.5	L	Y							

replaced by new data (7502.ok)

DDH: 752

-- DRILL LOG CORRECTED RELATIVE TO TRUE NORTH

----- STRUCTURAL LOG -----
S1

DDH-FT	CODE	LITH	GEOCHM LOG		FEAT	SYM	CA	DIPD	C/
=====	=====	=====	NO	INT	=====	=====	=====	=====	=====
578.8	L	Y							
580.0	L	Y							
583.0	S								40
585.5	L	Y							
590.0	L	Y							
602.0	L	Y							
602.0	S								35
608.0	L	Y							
610.5	L	Y							
612.0	L	Y							
617.0	L	Y							
622.0	L	Y							
633.0	L	Y							
638.5	S								47
639.5	L	Y							
641.0	L	Y							
650.0	S								65
650.8	L	Y							
652.5	S					S			
653.8	L	Y							
654.7	L	Y							
669.0	L	QMNSW1							
686.0	S								50
687.0	L	KQMNST							
689.0	R								

FINISHED -- LENGTH = 689.00 ENTRIES = 78

CYPRUS ANVIL MINING CORPORATION

DIAMOND DRILL CORE LOG

Hole Number: 75-03

Fabric Orientation Diagram:

Project: _____

Location: ZONE 3

Claim: _____

Terr. Plane Co-ords.: _____ N

_____ E

Grid Co-ords.: 9,214.5 ✓ N

14,972.6 ✓ E

All symmetrical terminations looking

_____ with _____ dipping

_____ with dip azimuth _____.

Elevation: 4,139.6 ✓

Total Depth: 688' ✓

Purpose: _____

Logged by: _____ Date(s) Logged: _____

Drilling Contractor:	Core:	Size	From	To	Collar Cased and Capped:
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

Started: _____ Completed: _____

RL753.FD + 7503.KP

→ 7503.OK 10/13

FL

GEOCHEMICAL LOG

FROM	TO	UNIT	Pb %	Zn %	Ag G/MT	Cu %	BaO %	S.G.	Py %	Po %	Mn %	
						0.					0.	
						0.					0.	
A	15290	15290	1	0.00	0.00	0.0	0.00	2.75	10.0	0.0	0.00	
A	15290	15350	2	3.01	5.26	35.7	0.39	4.00	18.14	3.0	0.07	
A	15350	15400	3	3.30	7.80	3.4	0.10	3.42	18.4	3.0	0.07	
A	15400	15450	4	1.91	4.41	18.5	0.07	3.76	18.4	3.0	0.07	
A	15450	15500	5	1.83	3.90	18.5	0.17	3.48	18.4	3.0	0.07	
A	15500	15550	6	10.21	10.77	10.3	0.24	3.94	24.2	3.2	0.13	
A	15550	15600	7	10.22	1.08	3.4	0.20	3.51	24.2	3.2	0.13	
A	15600	15650	8	10.09	1.06	2.7	0.39	4.07	24.2	3.2	0.13	
A	15650	15700	9	10.16	2.22	8.2	0.24	3.60	24.2	3.2	0.13	
A	15700	15750	10	0.20	0.40	10.3	0.11	3.58	21.8	1.2	0.02	
A	15750	15800	11	0.06	0.14	1.4	0.19	3.51	21.8	1.2	0.02	
A	15800	15850	12	10.29	10.90	10.0	0.18	3.58	21.8	1.2	0.02	
A	15850	15900	13	0.48	0.70	4.5	0.21	3.91	21.8	1.2	0.02	
A	15900	15950	14	10.35	10.86	3.4	0.42	3.89	16.2	3.9	0.04	
A	15950	16000	15	2.30	6.36	7.5	0.06	3.64	16.2	3.9	0.04	
A	16000	16050	16	3.20	7.58	32.2	0.13	3.42	16.2	3.9	0.04	
A	16050	16100	17	1.40	1.90	17.8	0.14	3.1	16.2	3.9	0.04	
A	16100	16150	18	10.55	1.31	6.9	0.15	3.20	4.1	3.0	0.04	
A	16150	16200	19	10.27	10.95	8.9	0.09	3.12	4.1	3.0	0.04	
A	16200	16250	20	10.03	10.17	6.2	0.02	3.15	4.1	3.0	0.04	
A	16250	16300	21	10.86	1.15	15.8	0.04	3.16	4.1	3.0	0.04	
A	16300	16350	22	1.65	3.90	32.9	0.09	3.32	4.6	3.1	0.03	
A	16350	16400	23	1.84	3.60	19.5	0.12	3.41	4.6	3.1	0.03	
A	16400	16450	24	1.10	3.60	22.3	0.06	3.32	4.6	3.1	0.03	

CYPRUS ANVIL MINING CORPORATION

DIAMOND DRILL CORE LOG

Hole Number: 75-04

Fabric Orientation Diagram:

Project: _____

Location: ZONE 3

Claim: _____

Terr. Plane
Co-ords.: _____ N

_____ E

Grid
Co-ords.: 78 02.5 ✓ N

15,601.2 ✓ E

All symmetry Determinations looking
_____ with _____ dipping

Elevation: 4018.4 ✓

_____ with dip azimuth _____

Total Depth: 482' ✓

Purpose: _____

Logged by: _____ Date(s) Logged: _____

Drilling Contractor: _____ Core: _____ Size _____ From _____ To _____ Collar Cased and Capped: _____

_____	_____	_____
_____	_____	_____
_____	_____	_____

(RL759.FD + 7509.KP
→ 7509.OK / 10/13

Started: _____ Completed: _____

KH

GEOCHEMICAL LOG

FROM	TO	UNIT	Pb %	Zn %	Ag G/MT	Cu %	BaO %	S.G.	Py %	Po %	Mn %
						0.00					0.00
A 100	2105	1	0.00	0.00	0.00	0.00	0.00	2.75	0.0	0.0	0.00
A 2105	2180	2	0.30	0.53	16.8	0.07	0.110	3.17	14.4	9.3	0.12
A 2180	2230	3	3.85	5.72	74.7	0.26	0.11	4.25	14.4	9.3	0.12
A 2230	2280	4	5.78	9.95	85.7	0.21	0.16	4.06	14.4	9.3	0.12
A 2280	2330	5	4.55	7.30	58.3	0.28	0.17	4.21	22.1	14.9	0.09
A 2330	2375	6	3.40	4.95	56.0	0.31	0.15	4.32	22.1	14.9	0.09
						0.00					0.00
A 2375	2830	7	0.00	0.00	0.0	0.00	0.00	2.75	0.0	0.0	0.00
A 2830	2880	8	8.82	0.52	148.1	0.19	0.20	3.60	16.9	16.2	0.26
A 2880	2930	9	2.70	3.71	26.1	0.22	0.11	4.16	31.8	5.8	0.39
A 2930	2980	10	3.60	4.02	38.4	0.34	0.16	3.85	31.8	5.8	0.39
A 2980	3030	11	2.55	1.68	28.0	0.36	0.13	4.34	31.8	5.8	0.39
A 3030	3080	12	0.70	0.56	10.0	0.39	0.15	4.67	31.8	5.8	0.39
A 3080	3130	13	2.18	2.14	17.8	0.33	0.14	4.46	34.8	4.7	0.24
A 3130	3118	14	2.40	2.70	26.1	0.16	0.13	4.67	34.8	4.7	0.24
A 3118	3230	15	3.30	2.76	40.5	0.41	0.14	4.52	34.8	4.7	0.24
A 3230	3280	16	2.23	2.73	21.9	0.33	0.13	4.63	34.8	4.7	0.24
A 3280	3330	17	2.96	5.70	33.6	0.13	0.14	3.97	28.6	11.7	0.05
A 3330	3380	18	1.07	1.98	22.6	0.24	0.14	3.76	28.6	11.7	0.05
A 3380	3430	19	1.41	1.62	19.9	0.27	0.21	4.06	28.6	11.7	0.05
A 3430	3480	20	1.30	2.10	16.2	0.30	0.15	4.04	28.6	11.7	0.05
A 3480	3530	21	1.00	1.16	12.1	0.30	0.14	3.82	28.7	11.5	0.02
A 3530	3580	22	1.53	2.66	15.1	0.34	0.14	3.59	28.7	11.5	0.02
A 3580	3630	23	1.13	2.07	5.4	0.24	0.15	3.96	28.7	11.5	0.02
A 3630	3680	24	3.47	5.63	20.6	0.13	0.15	4.10	28.7	11.5	0.02
						0.00					0.00

CYPRUS ANVIL MINING CORPORATION

DIAMOND DRILL CORE LOG

Hole Number: 75-05

Fabric Orientation Diagram:

Project: _____

Location: ZONE 3

Claim: _____

Terr. Plane Co-ords.: _____ N

_____ E

Grid Co-ords.: 9,495.1 N

14,907.1 E

Elevation: 4,109.7

All symmetrical laminations looking
_____ with _____ dipping
_____ with dip azimuth _____.

Total Depth: 651'

Purpose: _____

Logged by: _____ Date(s) Logged: _____

Drilling Contractor:	Core:	Size	From	To	Collar Cased and Capped:
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

Started: _____ Completed: _____

RL755.FD + 7505.K

→ 7505.01C 10/13

EP

GEOCHEMICAL LOG

	FROM	TO	UNIT	Pb %	Zn %	Ag G/MT	Cu %	BaO %	S.G.	Py %	Po %	Mn %
							0.					0.
							0.					0.
A	00	2945	1	9.90	9.010	9.0	0.1010	9.1010	2.75	10.10	9.9	0.100
A	2945	3083	2	3.910	8.43	54.2	0.20	10.87	3.51	11.9	7.9	0.12
A	3083	3270	3	10.100	9.90	9.0	0.90	0.00	2.75	9.9	9.9	0.00
							0.					0.
A	3270	3335	4	2.44	5.51	41.8	0.23	10.13	3.39	10.7	7.2	0.05
A	3335	3800	5	9.010	9.100	10.10	0.90	10.10	2.75	10.10	9.9	0.100
							0.					0.
A	3800	3850	6	15.00	0.32	120.0	0.97	9.32	3.11	9.7	4.4	0.04
A	3850	3900	7	11.100	1.84	120.0	0.16	10.28	3.34	9.7	4.4	0.04
A	3900	3950	8	1.62	3.83	28.8	0.20	10.21	3.26	9.7	4.4	0.04
A	3950	4000	9	1.60	2.45	32.2	0.23	10.18	3.50	9.7	4.4	0.04
A	4000	4050	10	2.20	4.48	12.3	0.35	10.17	3.48	20.2	2.6	0.03
A	4050	4100	11	1.58	1.92	24.7	0.38	10.19	3.55	20.2	2.6	0.03
A	4100	4150	12	2.37	1.35	40.4	0.11	10.19	3.31	20.2	2.6	0.03
A	4150	4200	13	0.38	1.16	12.3	0.20	10.15	3.95	20.2	2.6	0.03
A	4200	4250	14	0.50	1.32	10.3	0.34	10.16	4.13	29.0	1.9	0.03
A	4250	4300	15	0.34	0.83	10.3	0.31	10.15	4.02	29.0	1.9	0.03
A	4300	4350	16	0.06	0.34	11.6	0.43	10.16	3.88	29.0	1.9	0.03
A	4350	4400	17	1.58	2.60	16.4	0.22	10.18	4.05	29.0	1.9	0.03
A	4400	4450	18	1.10	1.17	27.4	0.48	10.14	3.45	10.3	5.1	0.06
A	4450	4500	19	1.57	0.15	59.7	0.34	10.20	3.07	10.3	5.1	0.06
A	4500	4550	20	1.05	2.35	16.4	0.07	10.21	3.19	10.3	5.1	0.06
A	4550	4600	21	2.28	1.41	19.9	0.11	10.20	3.33	10.3	5.1	0.06
A	4600	4650	22	2.10	4.64	12.3	0.05	10.20	3.52	20.1	1.3	0.01

GEOCHEMICAL LOG

	FROM	TO	UNIT	Pb %	Zn %	Ag G/MT	Cu %	BaO %	S.G.	Py %	Po %	Mn %	
A	14650	14700	23	2.20	2.93	23.3	0.07	0.19	4.05	20.1	1.3	0.01	
A	14700	14750	24	2.85	4.11	10.3	0.07	0.18	3.62	20.1	1.3	0.01	
A	14750	14800	25	1.07	3.80	14.8	0.06	0.20	3.61	20.1	1.3	0.01	
A	14800	14850	26	2.88	6.52	18.5	0.06	0.20	3.50	18.2	1.2	0.00	
A	14850	14900	27	2.14	7.25	6.9	0.06	0.20	3.15	18.2	1.2	0.00	
A	14900	14950	28	0.97	4.95	8.9	0.09	0.19	3.28	18.2	1.2	0.00	
A	14950	15000	29	1.10	2.81	10.0	0.07	0.20	3.45	18.2	1.2	0.00	
A	15000	15050	30	2.28	5.22	11.6	0.08	0.20	3.25	16.2	1.0	0.00	
A	15050	15100	31	2.12	5.90	11.0	0.04	0.23	3.12	16.2	1.0	0.00	
A	15100	15150	32	3.00	6.88	16.4	0.11	0.22	3.21	16.2	1.0	0.00	
A	15150	15200	33	1.50	5.60	10.0	0.06	0.21	3.22	16.2	1.0	0.00	
A	15200	15250	34	1.65	4.20	9.0	0.05	0.10	1.56	16.0	1.6	0.02	
A	15250	15300	35	1.76	6.32	11.0	0.10	0.19	4.27	16.0	1.6	0.02	
A	15300	15350	36	3.62	4.82	8.2	0.05	0.11	3.76	16.0	1.6	0.02	
A	15350	15400	37	0.64	1.92	8.2	0.05	0.13	3.36	16.0	1.6	0.02	
A	15400	15450	38	0.81	1.61	14.4	0.07	0.13	3.82	16.5	1.1	0.02	
A	15450	15500	39	0.75	1.69	9.6	0.05	0.17	3.72	16.5	1.1	0.02	
A	15500	15550	40	1.35	3.71	11.0	0.04	0.12	3.65	16.5	1.1	0.02	
A	15550	15600	41	0.65	1.47	10.0	0.05	0.13	3.64	16.5	1.1	0.02	
A	15600	15650	42	0.75	1.26	13.0	0.03	0.16	3.17	16.4	1.5	0.02	
A	15650	15700	43	0.45	1.66	10.0	0.05	0.13	3.70	16.4	1.5	0.02	
A	15700	15750	44	2.82	11.40	19.2	0.08	0.19	3.97	16.4	1.5	0.02	
A	15750	15800	45	0.29	0.99	10.0	0.15	0.13	3.34	16.4	1.5	0.02	
A	15800	15850	46	0.50	1.10	19.3	0.03	0.18	3.26	15.5	1.9	0.02	
A	15850	15900	47	1.72	4.98	20.6	0.03	0.19	3.66	15.5	1.9	0.02	
A	15900	15950	48	6.24	15.00	30.9	0.04	0.17	3.80	15.5	1.9	0.02	

CYPRUS ANVIL MINING CORPORATION

DIAMOND DRILL CORE LOG

Hole Number: 75-06

Fabric Orientation Diagram:

Project: _____

INCLINED HOLE

Location: ZONE 3

Claim: _____

Terr. Plane Co-ords.: _____ N

_____ E

Grid Co-ords.: 9,285.3 J N

14,516.6 J E

Elevation: 4,042.6 J

Total Depth: 709' J

All symmetrical terminations looking
_____ with _____ dipping
_____ with dip azimuth _____.

Purpose: _____

Logged by: _____ Date(s) Logged: _____

Drilling Contractor:	Core:	Size	From	To	Collar Cased and Capped:
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

Started: _____ Completed: _____

RL7506.FD + 7506.K
→ 7506.OK 10/13

KL

DDH: 756

-- DRILL LOG CORRECTED RELATIVE TO TRUE NORTH

DDH-FT =====	CODE =====	LITH =====	GEOCHM LOG		FEAT =====	----- STRUCTURAL LOG -----			
			NO =====	INT =====		S1	CA	DIPD	CA
709.0	R								

FINISHED -- LENGTH = 709.00 ENTRIES = 49

CYPRUS ANVIL MINING CORPORATION

DIAMOND DRILL CORE LOG

Hole Number: 75-07

Fabric Orientation Diagram:

Project:

Location: ZONE 1

Claim:

Terr. Plane Co-ords.: _____ N

_____ E

Grid Co-ords.: 9,856.4 ✓ N

14,432.6 ✓ E

Elevation: 3906.0 ✓

Total Depth: 392' ✓

Purpose:

Logged by: _____ Date(s) Logged: _____

Drilling Contractor:	Core:	Size	From	To	Collar Cased and Capped:
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

All symmetrical terminations looking _____ with _____ dipping _____ with dip azimuth _____.

merged with MS7507.FD

MS7507.FD + 7507.KP

Started: _____ Completed: _____

⇒ 7507.OK

GEOCHEMICAL LOG

FROM	TO	UNIT	Pb %	Zn %	Ag G/MT	Cu %	BaO %	S.G.	Py %	Po %	Mn %	
						0.					0.	
						0.					0.	
						0.					0.	
A	00	490	1	0.00	0.00	0.00	0.00	2.75	0.0	0.0	0.00	
A	490	500	2	0.20	0.05	11.00	0.24	0.03	3.56	22.7	2.2	0.02
A	500	550	3	0.18	0.96	2.00	0.12	0.04	3.36	22.7	2.2	0.02
A	550	600	4	0.76	2.20	2.00	0.17	0.02	3.58	26.9	1.4	0.02
A	600	650	5	4.55	3.71	87.8	0.06	0.03	3.66	26.9	1.4	0.02
A	650	700	6	2.23	4.62	8.9	0.04	0.03	4.03	26.9	1.4	0.02
A	700	750	7	1.94	4.00	8.9	0.04	0.05	3.64	26.9	1.4	0.02
A	750	800	8	1.12	3.00	8.9	0.04	0.04	3.73	22.2	1.8	0.01
A	800	850	9	1.76	4.14	11.00	0.05	0.08	3.49	22.2	1.8	0.01
A	850	900	10	1.78	4.38	17.1	0.06	0.04	3.51	22.2	1.8	0.01
A	900	950	11	1.50	4.85	13.7	0.04	0.06	3.50	22.2	1.8	0.01
A	950	1000	12	0.25	1.49	4.8	0.03	0.06	3.41	17.1	2.0	0.02
A	1000	1050	13	3.76	4.20	30.9	0.05	0.06	3.46	17.1	2.0	0.02
A	1050	1100	14	1.12	4.73	17.1	0.03	0.07	3.22	17.1	2.0	0.02
A	1100	1150	15	1.50	4.53	17.1	0.03	0.06	3.27	17.1	2.0	0.02
A	1150	1200	16	0.23	1.48	6.8	0.04	0.08	3.44	19.8	1.2	0.01
A	1200	1250	17	1.30	5.16	17.1	0.07	0.05	3.43	19.8	1.2	0.01
A	1250	1300	18	1.88	6.58	11.00	0.05	0.08	3.36	19.8	1.2	0.01
A	1300	1350	19	0.26	0.53	8.9	0.02	0.07	3.44	19.8	1.2	0.01
A	1350	1400	20	1.88	4.05	21.2	0.04	0.11	3.37	18.1	1.8	0.01
A	1400	1450	21	1.01	1.16	13.7	0.03	0.08	3.44	18.1	1.8	0.01
A	1450	1500	22	0.72	0.91	8.2	0.05	0.06	3.53	18.1	1.8	0.01
A	1500	1550	23	3.09	3.22	37.7	0.04	0.08	3.27	18.1	1.8	0.01

GEOCHEMICAL LOG

	FROM	TO	UNIT	Pb %	Zn %	Ag G/MT	Cu %	BaO %	S.G.	Py %	Po %	Mn %	
A	1550	1600	24	10.33	11.18	110.3	0.03	0.08	3.39	15.6	1.9	0.01	
A	1600	1650	25	11.50	2.78	3.4	0.04	0.06	3.25	15.6		0.01	
A	1650	1700	26	0.67	4.50	15.4	0.06	0.08	3.22	15.6		0.01	
A	1700	1750	27	0.42	1.93	8.9	0.04	0.03	3.31	15.6	1.9	0.01	
A	1750	1800	28	1.74	3.21	12.3	0.07	0.07	3.29	17.8	2.1	0.01	
A	1800	1850	29	1.87	4.48	21.9	0.06	0.09	3.12	17.8	2.1	0.01	
A	1850	1900	30	1.35	2.10	22.6	0.04	0.06	2.87	17.8	2.1	0.01	
A	1900	1950	31	6.02	12.60	47.3	0.02	0.02	4.02	17.8	2.1	0.01	
A	1950	2000	32	6.05	12.20	51.4	0.02	0.01	4.72	36.9	1.2	0.01	
A	2000	2050	33	1.91	6.38	28.8	0.01	0.00	4.76	36.9	1.2	0.01	
A	2050	2100	34	1.20	6.25	15.1	0.02	0.02	4.79	36.9	1.2	0.01	
A	2100	2150	35	3.53	7.31	32.9	0.02	0.01	4.85	36.9	1.2	0.01	
A	2150	2200	36	7.45	15.00	63.8	0.03	0.00	4.67	14.8	3.0	0.04	
A	2200	2250	37	0.67	5.27	10.3	0.24	0.05	3.22	14.8	3.0	0.04	
A	2250	2300	38	0.50	2.00	14.4	0.10	0.04	3.14	14.8	3.0	0.04	
A	2300	2350	39	0.35	0.44	8.6	0.15	0.09	2.89	14.8	3.0	0.04	
A	2350	2400	40	0.76	0.82	16.1	0.09	0.12	2.84	4.4	3.9	0.05	
A	2400	2450	41	0.35	0.07	3.4	0.07	0.08	2.79	4.4	3.9	0.05	
A	2450	2500	42	0.45	2.27	5.1	0.18	0.06	2.99	4.4	3.9	0.05	
A	2500	2550	43	1.12	3.70	19.5	0.19	0.07	3.05	4.4	3.9	0.05	
A	2550	2610	44	2.52	5.18	39.1	0.15	0.04	3.18	4.4	3.9	0.05	
A	2610	3920	45	0.00	0.00	0.0	0.00	0.00	2.75	0.0	0.0	0.00	
							0.					0.	
							0.					0.	
							0.					0.	
							0.					0.	

CYPRUS ANVIL MINING CORPORATION

DIAMOND DRILL CORE LOG

Hole Number: 75-09

Fabric Orientation Diagram:

Project: _____

Location: ZONE 3

Claim: _____

Terr. Plane Co-ords.: _____ N

_____ E

Grid Co-ords.: 9,365.1 N

14,773.74 E

All symmetry determinations looking

with _____ dipping

Elevation: 4063.7

with dip azimuth _____

Total Depth: 723'

Purpose: _____

Logged by: _____ Date(s) Logged: _____

Drilling Contractor:	Core:	Size	From	To	Collar Cased and Capped:
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

RL759.FD + 7509.1CP
→ 7509.0K 10/13

Started: _____ Completed: _____

GEOCHEMICAL LOG

FROM	TO	UNIT	Pb %	Zn %	Ag G/MT	Cu %	BaO %	S.G.	Py %	Po %	Mn %	
						0.1					0.1	
						0.1					0.1	
A	3270	3270	1	10.00	10.00	10.10	0.100	10.100	2.75	10.0	10.0	0.10
A	3270	3290	2	14.110	14.93	149.4	0.12	17.74	4.50	19.6	3.1	0.31
A	3290	3340	3	8.25	16.86	108.4	0.19	31.50	4.67	19.6	3.1	0.31
A	3340	3390	4	4.73	4.48	71.3	0.11	13.83	4.63	27.9	1.9	0.07
A	3390	3440	5	3.32	5.87	46.6	0.05	7.21	4.78	27.9	1.9	0.07
A	3440	3490	6	3.98	8.47	48.7	0.03	24.25	4.81	27.9	1.9	0.07
A	3490	3540	7	2.92	16.10	47.3	0.12	8.15	4.85	27.9	1.9	0.07
A	3540	3590	8	4.49	8.42	69.9	0.24	1.85	3.65	16.8	16.9	0.06
A	3590	3640	9	2.50	5.92	50.1	0.09	10.18	3.06	16.8	16.9	0.06
A	3640	3690	10	0.10	0.30	10.0	0.07	0.19	1.86	6.8	6.9	0.06
A	3690	3740	11	1.63	5.83	14.4	0.06	10.09	3.29	6.8	6.9	0.06
A	3740	3790	12	2.04	16.05	29.5	0.07	10.08	3.66	30.6	10.7	0.02
A	3790	3840	13	2.02	3.52	21.2	0.28	10.08	4.15	30.6	10.7	0.02
A	3840	3890	14	0.27	10.73	18.2	0.25	10.06	4.07	30.6	10.7	0.02
A	3890	3940	15	0.28	0.39	18.5	0.41	10.06	4.03	30.6	10.7	0.02
A	3940	3990	16	0.70	1.55	20.6	0.18	10.07	3.61	27.7	3.5	0.17
A	3990	4040	17	0.46	0.63	1.4	0.11	10.04	4.13	27.7	3.5	0.17
A	4040	4090	18	0.19	0.97	1.4	0.31	10.04	3.98	27.7	3.5	0.17
A	4090	4140	19	2.15	3.76	6.2	0.28	10.04	4.46	27.7	3.5	0.17
A	4140	4190	20	1.62	2.79	6.2	0.22	10.03	4.42	32.1	16.3	0.29
A	4190	4240	21	0.91	1.06	5.5	0.36	10.06	4.15	32.1	16.3	0.29
A	4240	4290	22	1.31	2.07	6.2	0.26	10.03	4.69	32.1	16.3	0.29
A	4290	4340	23	1.03	1.52	7.5	0.24	10.03	4.35	32.1	16.3	0.29
A	4340	4390	24	1.30	1.10	5.5	0.16	10.04	3.82	22.7	1.9	0.05

GEOCHEMICAL LOG

	FROM	TO	UNIT	Pb %	Zn %	Ag G/MT	Cu %	BaO %	S.G.	Py %	Po %	Mn %	
A	4390	4440	2,5	2.72	5.20	10.10	0.09	10.07	3.88	22.7	1.9	0.05	
A	4440	4490	2,6	1.28	2.78	36.3	0.17	10.05	3.97	22.7	1.9	0.05	
A	4490	4540	2,7	1.73	8.56	24.6	0.14	10.07	3.44	22.7	1.9	0.05	
A	4540	4590	2,8	3.72	16.95	41.1	0.12	10.07	3.70	22.8	3.6	0.13	
A	4590	4640	2,9	0.23	0.96	3.4	0.30	10.03	3.88	22.8	3.6	0.13	
A	4640	4690	3,0	1.40	6.94	0.0	0.16	10.04	3.98	22.8	3.6	0.13	
A	4690	4740	3,1	0.16	1.13	6.8	0.14	10.05	3.58	22.8	3.6	0.13	
A	4740	4790	3,2	0.24	1.06	10.0	0.21	10.06	3.50	26.3	3.6	0.17	
A	4790	4840	3,3	0.110	1.65	2.7	0.30	10.04	4.29	26.3	3.6	0.17	
A	4840	4890	3,4	0.11	0.72	10.0	0.35	10.03	4.03	26.3	3.6	0.17	
A	4890	4940	3,5	0.109	1.30	2.7	0.29	10.03	4.37	26.3	3.6	0.17	
A	4940	4990	3,6	0.05	1.18	6.2	0.35	10.04	4.15	30.3	4.3	0.17	
A	4990	5040	3,7	0.42	0.52	8.9	0.48	10.04	4.08	30.3	4.3	0.17	
A	5040	5090	3,8	0.51	1.33	4.1	0.66	10.03	3.91	30.3	4.3	0.17	
A	5090	5140	3,9	0.49	1.35	0.0	0.62	10.03	4.37	30.3	4.3	0.17	
A	5140	5190	4,0	0.58	2.68	13.7	0.56	10.03	4.98	31.6	2.6	0.09	
A	5190	5240	4,1	0.91	2.40	8.2	0.15	10.12	4.31	31.6	2.6	0.09	
A	5240	5290	4,2	0.30	1.56	7.5	0.10	10.14	4.29	32.9	2.0	0.01	
A	5290	5340	4,2	0.74	1.80	14.4	0.10	10.14	4.15	32.9	2.0	0.01	
A	5340	5390	4,4	3.60	7.80	13.7	0.04	10.15	4.22	30.6	9.9	0.02	
A	5390	5440	4,5	3.09	16.43	21.9	0.06	10.13	5.05	30.6	9.9	0.02	
A	5440	5490	4,6	3.03	7.49	20.6	0.03	10.14	3.38	30.6	9.9	0.02	
A	5490	5540	4,7	0.91	3.58	9.6	0.02	10.14	4.61	30.6	9.9	0.02	
A	5540	5590	4,8	0.83	3.41	8.2	0.13	10.24	3.91	11.2	3.2	0.01	
A	5590	5640	4,9	0.90	2.38	6.2	0.04	10.19	3.06	11.2	3.2	0.01	
A	5640	5690	4,0	0.65	2.12	8.2	0.04	10.17	3.11	11.2	3.2	0.01	

GEOCHEMICAL LOG

	FROM	TO	UNIT	Pb %	Zn %	Ag G/MT	Cu %	BaO %	S.G.	Py %	Po %	Mn %	
A	15690	15740	41	101.90	31.58	151.80	0.12	101.15	3.23	11.2	3.2	0.01	
A	15740	15790	42	11.90	4.44	29.40	0.05	101.18	2.89	7.5	1.7	0.03	
A	15790	15840	43	11.97	31.58	241.00	0.04	101.18	3.29	7.5	1.7	0.03	
A	15840	15890	44	101.87	21.65	151.10	0.07	101.23	2.94	7.5	1.7	0.03	
A	15890	15940	45	101.80	21.64	111.00	0.05	101.23	2.81	7.5	1.7	0.03	
A	15940	15990	46	101.41	11.70	111.00	0.05	101.21	2.94	6.0	1.2	0.02	
A	15990	16090	47	101.72	11.75	181.50	0.06	101.21	2.92	6.0	1.2	0.02	
A	16090	16140	48	101.60	21.02	131.70	0.05	101.21	2.87	6.0	1.2	0.02	
A	16140	16190	49	101.50	21.02	151.80	0.05	101.22	2.96	7.8	2.5	0.03	
A	16190	16240	50	11.40	21.87	281.10	0.15	101.20	3.00	7.8	2.5	0.03	
A	16240	16290	51	101.28	11.06	111.60	0.18	101.18	3.00	7.8	2.5	0.03	
A	16290	16340	52	101.35	9.35	181.50	0.05	101.20	2.86	7.8	2.5	0.03	
A	16340	16390	53	11.65	11.28	201.60	0.08	101.16	3.07	2.4	12.2	0.04	
A	16390	16440	54	101.28	101.62	121.30	0.21	101.14	3.04	2.4	12.2	0.04	
A	16440	16490	55	11.70	21.27	21.90	0.16	101.14	3.02	2.4	12.2	0.04	
A	16490	16540	56	11.52	31.00	151.10	0.13	101.12	3.00	2.4	12.2	0.04	
A	16540	16590	57	101.26	101.07	101.00	0.18	101.15	3.01	1.8	10.7	0.03	
A	16590	16640	58	31.10	61.25	341.30	0.18	101.19	3.26	1.8	10.7	0.03	
A	16640	16690	59	11.04	01.67	281.80	0.10	101.24	2.79	1.8	10.7	0.03	
A	16690	16740	60	101.25	01.80	91.60	0.10	101.24	2.89	1.8	10.7	0.03	
A	16740	16790	61	11.01	11.82	171.80	0.09	101.21	2.92	3.4	4.3	0.01	
A	16790	16840	62	11.35	11.38	171.10	0.09	101.14	2.92	3.4	4.3	0.01	
A	16840	16890	63	101.62	11.78	101.30	0.11	101.14	2.86	3.4	4.3	0.01	
A	16890	16940	64	31.02	41.20	671.50	0.08	101.11	2.93	3.4	4.3	0.01	
A	16940	16990	65	21.47	31.17	381.40	0.13	101.08	3.01	3.1	3.3	0.00	
A	16990	17040	66	31.38	51.96	401.50	0.05	101.13	2.92	3.1	3.3	0.00	

4499 200
4500 1100 SG

CYPRUS ANVIL MINING CORPORATION

DIAMOND DRILL CORE LOG

Hole Number: 75-10

Fabric Orientation Diagram:

Project: _____

Location: ZONE 3

Claim: _____

Terr. Plane
Co-ords.: _____ N

_____ E

Grid
Co-ords.: 9,302.4 ✓

15,100.8 ✓

All summations looking
_____ with _____ dipping
_____ with dip azimuth _____

Elevation: 4141.0 ✓

Total Depth: 957' ✓

Purpose: _____

Logged by: _____ Date(s) Logged: _____

Drilling Contractor:	Core:	Size	From	To	Collar Cased and Capped:
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

RL7S10.FD + 7S10.KP
→ 7S10.OK 10/13

Started: _____ Completed: _____

CYPRUS ANVIL MINING CORP.
GEOCHEMICAL LOG

	FROM	TO	UNIT	Pb %	Zn %	Ag G/MT	Cu %	BaO %	S.G.	Py %	Po %	Mn %	
A	1.00	4850	1	0.00	0.00	0.00	0.00	0.00	2.75	0.0	0.0	0.0	
A	4850	4900	2	1.74	4.62	13.00	0.05	0.12	3.32	15.0	2.5	0.01	
A	4900	4950	3	1.40	3.72	8.20	0.06	0.12	3.35	22.7	1.6	0.01	
A	4950	5000	4	1.44	3.72	26.70	0.04	0.12	3.38	16.9	1.6	0.02	
A	5000	5050	5	1.05	4.21	15.10	0.07	0.12	3.36	16.9	1.6	0.02	
A	5050	5100	6	1.70	5.20	7.50	0.04	0.10	2.91	16.9	1.6	0.02	
A	5100	5150	7	1.87	3.30	21.03	0.02	0.12	4.10	16.6	0.9	0.01	
A	5150	5200	8	1.85	5.19	10.30	0.06	0.11	1.47	16.6	0.9	0.01	
A	5200	5250	9	0.36	1.10	8.90	0.15	0.11	3.13	16.6	0.9	0.01	
A	5250	5300	10	0.84	2.84	3.40	0.09	0.08	3.10	16.6	0.9	0.01	
A	5300	5350	11	2.70	4.54	49.40	0.10	0.06	3.42	19.7	1.0	0.02	
A	5350	5400	12	1.36	0.75	21.90	0.16	0.04	4.07	19.7	1.0	0.02	
A	5400	5450	13	0.62	1.79	14.10	0.25	0.04	3.57	19.7	1.0	0.02	
A	5450	5500	14	0.31	0.92	4.10	0.12	0.08	3.66	19.7	1.0	0.02	
A	5500	5550	15	0.55	1.72	9.60	0.06	0.09	3.62	17.6	1.1	0.02	
A	5550	5600	16	0.61	1.47	15.10	0.05	0.13	3.30	17.6	1.1	0.02	
A	5600	5650	17	1.72	1.97	20.16	0.06	0.15	3.25	17.6	1.1	0.02	
A	5650	5700	18	1.59	2.24	5.50	0.04	0.16	3.26	17.6	1.1	0.02	
A	5700	5750	19	1.11	2.10	5.50	0.06	0.17	3.41	14.6	1.9	0.02	
A	5750	5800	20	1.65	1.53	5.50	0.06	0.14	3.36	14.6	1.9	0.02	
A	5800	5850	21	1.77	7.93	10.30	0.08	0.18	3.34	14.6	1.9	0.02	
A	5850	5900	22	0.65	2.14	9.60	0.06	0.06	3.28	14.6	1.9	0.02	
A	5900	5950	23	1.04	2.38	13.70	0.09	0.09	3.68	29.1	1.2	0.02	
A	5950	6000	24	3.61	7.20	20.16	0.05	0.15	3.56	20.1	1.2	0.02	
A	6000	6050	25	0.75	2.32	25.70	0.04	0.12	3.50	20.1	1.2	0.02	

CYPRUS ANVIL MINING CORPORATION

DIAMOND DRILL CORE LOG

Hole Number: 75-11

Fabric Orientation Diagram: _____

Project: ZONE 3 Re-log

Location: Sections 19/118

Claim: _____

Terr. Plane
Co-ords.: _____ N

37.00

_____ E

Grid
Co-ords.: 8,878.3 N ✓

14,097.0 E ✓

All symmetry determinations looking

NW with S, dipping

Elevation: 4,000.1 ✓

SW with dip azimuth 210°.

Total Depth: 2155 ✓

Purpose: ZONE 3 Dofn

Logged by: _____ Date(s) Logged: _____

Drilling Contractor: _____ Core: Size From To Collar Cased and Capped: _____

39 0 EOH

Started: July 19/75 Completed: Aug 17/75

replaces DH7511.FD

entered 9/20/75

→ 7511-OK

check 7511.FD / PHSANI-01

OLD' 75-11 only one sheet supplied of this log.

DDH: 7511 -- DRILL LOG CORRECTED RELATIVE TO TRUE NORTH

DUH-FT	CODE	LITH	GEOCHM LOG		----- STRUCTURAL LOG -----					
			NO	INT	FEAT	SYM	SI	CA	DIPD	CA
0.	R									
12.0	L	U								
42.5	S									75.
44.0	L	CP820								
48.0	L	CP280								
100.0	S									70.
104.5	L	CP910								
109.0	L	CPX910								
114.0	S						Z			
125.0	R									
143.5	S						S			
147.0	L	CP730								
147.0	S									80.
151.3	L	CP901								
156.0	S						S			
174.0	S						S			
180.0	S									70.
191.0	L	EP550								
191.5	S						Z			
201.2	P		19704	21.						
205.5	S									
206.0	S						Z			
211.5	L	GS1								
212.0	P		19705	1.						
212.5	L	MS1								
214.2	P		19706	4.						
216.0	L	GS1								
224.5	P		19707	17.						
233.0	L	GSX1								
234.0	S									50.
236.7	P		19708	8.						
240.5	L	GS1								
243.0	S						S			
250.2	P		19709	20.						
254.0	S									70.
258.5	S						S			
272.0	P		19710	24.						
284.0	L	MBAS1								
285.0	S						Z			
293.5	P		19711	19.						
300.0	S									70.
303.0	L	BLMS1								
313.0	P		19712	20.						
327.0	S						S			

replaced by new data
7511.KC → 7511.OK

CYPRUS ANVIL MINING CORPORATION

DIAMOND DRILL CORE LOG

Hole Number: 75-11

Fabric Orientation Diagram:

Project: _____

Location: ZONE 3

Claim: _____

Terr. Plane
Co-ords.: _____ N

_____ E

Grid
Co-ords.: 8,878.3 N

14,097.0 E

All symmetrical determinations looking

_____ with _____ dipping

_____ with dip azimuth _____

Elevation: 4000.1

Total Depth: 2,155'

Purpose: _____

Logged by: _____ Date(s) Logged: _____

Drilling Contractor:	Core:	Size	From	To	Collar Cased and Capped:
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

Started: _____ Completed: _____

*added assays to
7511-01K*

7511-01K + 7511-01K → 7511-01K 10/13

KP

CYPRUS ANVIL MINING CORP.
GEOCHEMICAL LOG

75-111

FROM	TO	UNIT	Pb %	Zn %	Ag G/MT	Cu %	BaO %	S.G.	Py %	Po %	Mn %	
						0.					0.	
						0.					0.	
A	100	147.70	1	0.00	0.00	0.00	0.00	2.75	0.0	0.0	0.00	
A	147.70	148.00	2	0.40	0.75	0.00	0.16	2.96	7.3	3.3	0.03	
A	148.00	148.50	3	1.49	2.61	8.2	0.09	3.05	7.3	3.3	0.03	
A	148.50	149.00	4	2.50	5.33	24.0	0.05	3.14	7.3	3.3	0.03	
A	149.00	149.50	5	1.60	2.94	6.2	0.05	3.26	11.8	11.6	0.03	
A	149.50	150.00	6	3.60	6.30	33.6	0.17	3.18	11.8	11.6	0.03	
A	150.00	150.50	7	5.50	7.09	41.8	0.31	4.31	11.8	11.6	0.03	
A	150.50	151.00	8	4.03	5.78	35.0	0.36	3.51	11.8	11.6	0.03	
A	151.00	151.50	9	0.10	0.09	4.8	0.01	3.86	2.73	5.8	22.4	0.10
A	151.50	152.00	10	5.19	7.85	55.5	0.32	3.24	3.81	5.8	22.4	0.10
A	152.00	152.50	11	6.85	9.60	41.8	0.44	3.40	5.22	5.8	22.4	0.10
A	152.50	153.00	12	6.61	9.70	68.6	0.35	3.46	1.92	5.8	22.4	0.10
A	153.00	153.50	13	5.51	7.59	68.6	0.44	3.41	3.80	21.9	12.5	0.10
A	153.50	154.00	14	5.58	8.98	61.7	0.32	3.17	4.25	21.9	12.5	0.10
A	154.00	154.50	15	4.90	8.10	54.9	0.09	3.12	4.62	21.9	12.5	0.10
A	154.50	155.00	16	4.97	7.79	60.4	0.12	3.09	4.01	21.9	12.5	0.10
A	155.00	155.50	17	4.98	7.18	58.3	0.64	3.42	4.18	7.4	21.0	0.09
A	155.50	156.00	18	2.03	5.23	35.0	0.23	3.14	3.32	7.4	21.0	0.09
A	156.00	156.50	19	4.09	7.10	76.1	0.61	3.10	3.60	7.4	21.0	0.09
A	156.50	157.00	20	3.90	4.59	96.7	0.50	3.75	3.80	7.4	21.0	0.09
A	157.00	215.50	21	0.00	0.00	0.00	0.00	2.75	0.0	0.0	0.00	
						0.					0.	
						0.					0.	
						0.					0.	