

CYPRUS ANVIL MINING CORPORATION

020796

DIAMOND DRILL CORE LOG

Hole Number: 76X09

Fabric Orientation Diagram:

Project: \_\_\_\_\_

Location: ZONE 3

Claim: \_\_\_\_\_

Terr. Plane Co-ords.: \_\_\_\_\_ N

\_\_\_\_\_ E

Grid Co-ords.: 10,152.7 N

15,300.6 E

Elevation: 4173.2

All symmetrical laminations looking

\_\_\_\_\_ with \_\_\_\_\_ dipping

\_\_\_\_\_ with dip azimuth \_\_\_\_\_

Total Depth: 1237'

Purpose: \_\_\_\_\_

Logged by: \_\_\_\_\_ Date(s) Logged: \_\_\_\_\_

Drilling Contractor:	Core:	Size	From	To	Collar Cased and Capped:
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

Started: \_\_\_\_\_ Completed: \_\_\_\_\_

76X09.FD + 76X09.KP  
→ 76X09.OK 10/17

KP



CYPRUS ANVIL MINING CORPORATION

DIAMOND DRILL CORE LOG

Hole Number: 76X10

Fabric Orientation Diagram:

Project: \_\_\_\_\_

Location: ZONE 3

Claim: \_\_\_\_\_

Terr. Plane  
Co-ords.: \_\_\_\_\_ N

\_\_\_\_\_ E

Grid  
Co-ords.: 9,795.0 ✓ N

14,990.0 ✓ E

Elevation: 4041.2 ✓

Total Depth: 637' ✓

All symmetrical terminations looking  
\_\_\_\_\_ with \_\_\_\_\_ dipping  
\_\_\_\_\_ with dip azimuth \_\_\_\_\_.

Purpose: \_\_\_\_\_

Logged by: \_\_\_\_\_ Date(s) Logged: \_\_\_\_\_

Drilling Contractor: \_\_\_\_\_ Core: \_\_\_\_\_ Size \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_ Collar Cased and Capped: \_\_\_\_\_

Started: \_\_\_\_\_ Completed: \_\_\_\_\_

76X10-FD + 76X10-KP  
= 76X10-01C 10/17

KP



CYPRUS ANVIL MINING CORPORATION

DIAMOND DRILL CORE LOG

Hole Number: 76X14

Fabric Orientation Diagram:

Project: \_\_\_\_\_

Location: ZONE 3

Claim: \_\_\_\_\_

Terr. Plane Co-ords.: \_\_\_\_\_ N

\_\_\_\_\_ E

Grid Co-ords.: 9,870.3 ✓ N

15107.5 ✓ E

Elevation: 4076.2 ✓

All symmetrical determinations looking

\_\_\_\_\_ with \_\_\_\_\_ dipping

\_\_\_\_\_ with dip azimuth \_\_\_\_\_.

Total Depth: 829' ✓

Purpose: \_\_\_\_\_

Logged by: \_\_\_\_\_ Date(s) Logged: \_\_\_\_\_

Drilling Contractor:	Core:	Size	From	To	Collar Cased and Capped:
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

Started: \_\_\_\_\_ Completed: \_\_\_\_\_

76X19.FD + 76X14.KP  
= 76X19.OK (10/13)

KP



CYPRUS ANVIL MINING CORPORATION

DIAMOND DRILL CORE LOG

Hole Number: 76X16

Fabric Orientation Diagram:

Project: \_\_\_\_\_

Location: ZONE 3

Claim: \_\_\_\_\_

Terr. Plane Co-ords.: \_\_\_\_\_ N

\_\_\_\_\_ E

Grid Co-ords.: 9,168.9 ✓ N

14,246.5 ✓ E

Elevation: 3926.1 ✓

All symmetrical terminations looking  
\_\_\_\_\_ with \_\_\_\_\_ dipping  
\_\_\_\_\_ with dip azimuth \_\_\_\_\_.

Total Depth: 793 ✓

Purpose: \_\_\_\_\_

Logged by: \_\_\_\_\_ Date(s) Logged: \_\_\_\_\_

Drilling Contractor: \_\_\_\_\_ Core: \_\_\_\_\_ Size \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_ Collar Cased and Capped: \_\_\_\_\_


ASSETS  
76X16-FD + 76X16-KP

⇒ 76X16-OK

Started: \_\_\_\_\_ Completed: \_\_\_\_\_

## GEOCHEMICAL LOG

	FROM	TO	UNIT	Pb %	Zn %	Ag G/MT	Cu %	BaO %	S.G.	Py %	Po %	Mn %	
							0.					0.	
							0.					0.	
A	00	3585	1	0.00	0.00	0.0	0.90	0.00	2.75	0.0	0.0	0.00	
A	3585	3633	2	5.02	5.96	162.1	0.33	0.30	3.39	23.6	7.4	0.17	
A	3633	3650	3	0.00	0.00	0.0	0.00	0.00	2.75	0.0	0.0	0.00	
A	3650	3672	4	2.82	1.36	16.4	0.110	0.09	2.94	23.6	7.4	0.17	
A	3672	3710	5	8.00	8.25	106.6	0.110	0.10	5.13	23.6	7.4	0.17	
A	3710	3719	6	5.58	6.44	77.5	0.110	7.59	5.46	23.6	7.4	0.17	
A	3719	3765	7	6.118	7.31	69.3	0.05	0.06	5.75	23.6	7.4	0.17	
A	3765	3787	8	4.77	5.48	59.0	0.32	0.15	3.89	29.7	6.1	0.21	
A	3787	3804	9	4.42	5.30	48.7	0.12	0.04	6.17	29.7	6.1	0.21	
A	3804	3814	10	7.38	9.30	87.1	0.25	0.04	4.69	29.7	6.1	0.21	
A	3814	3895	11	2.98	3.78	49.1	0.09	0.02	4.31	29.7	6.1	0.21	
A	3895	3926	12	4.66	5.40	51.4	0.08	1.34	4.81	29.7	6.1	0.21	
A	3926	3960	13	3.16	4.66	34.3	0.07	0.14	4.49	29.7	6.1	0.21	
A	3960	4003	14	6.75	8.98	72.7	0.48	0.20	4.17	20.0	17.4	0.42	
A	4003	4016	15	4.68	5.78	51.8	0.36	0.10	3.86	20.0	17.4	0.42	
A	4016	4030	16	5.70	6.53	70.3	0.29	0.04	5.92	20.0	17.4	0.42	
A	4030	4080	17	5.00	5.32	62.4	0.34	0.06	3.94	20.0	17.4	0.42	
A	4080	4130	18	4.20	3.60	56.6	0.19	0.20	5.99	20.0	17.4	0.42	
A	4130	4180	19	2.58	2.20	41.1	0.20	0.04	4.52	20.0	17.4	0.42	
A	4180	4220	20	3.95	3.65	59.0	0.18	0.20	4.65	20.5	3.3	0.14	
A	4220	4239	21	1.08	0.98	25.7	0.24	1.17	3.02	20.5	3.3	0.14	
A	4239	4252	22	5.14	5.12	88.8	0.22	1.96	4.27	20.5	3.3	0.14	
A	4252	4283	23	5.85	5.70	76.8	0.09	0.10	5.00	20.5	3.3	0.14	
A	4283	4333	24	6.35	7.75	66.5	0.09	3.17	4.69	20.5	3.3	0.14	

## GEOCHEMICAL LOG

	FROM	TO	UNIT	Pb %	Zn %	Ag G/MT	Cu %	BaO %	S.G.	Py %	Po %	Mn %	
A	4333	4350	25	16.77	8.40	64.1	0.10	32.05	4.61	20.5	3.3	0.14	
A	4350	4366	26	3.60	3.12	38.4	0.25	0.98	4.07	20.5	3.3	0.14	
A	4366	4376	27	3.09	3.92	30.2	0.09	9.51	5.26	35.2	5.8	0.12	
A	4376	4430	28	1.32	1.32	16.4	0.22	0.02	4.57	35.2	5.8	0.12	
A	4443	4476	29	1.39	2.21	20.9	0.30	0.04	4.55	35.2	5.8	0.12	
A	4476	4490	30	2.11	2.35	39.1	0.75	0.04	4.15	35.2	5.8	0.12	
A	4490	4506	31	1.06	1.26	21.6	0.75	0.03	4.48	35.2	5.8	0.12	
A	4506	4510	32	8.28	9.40	89.8	0.12	0.14	4.55	35.2	5.8	0.12	
A	4510	4560	33	1.98	2.44	26.4	0.39	0.03	4.59	35.2	5.8	0.12	
A	4560	4600	34	1.10	3.80	15.8	0.09	0.11	2.93	4.8	12.8	0.03	
A	4600	4630	35	1.02	2.40	20.9	0.05	0.11	2.63	4.8	12.8	0.03	
A	4630	4663	36	0.77	3.71	27.8	0.04	0.13	3.46	4.8	12.8	0.03	
A	4663	4680	37	4.00	6.65	38.4	0.03	0.04	4.41	4.8	12.8	0.03	
A	4680	4710	38	1.21	3.94	58.3	0.15	0.30	2.87	4.8	12.8	0.03	
A	4710	4760	39	4.21	6.45	42.9	0.44	0.02	4.24	4.8	12.8	0.03	
A	4760	4790	40	4.02	5.20	41.1	0.41	0.07	4.27	3.7	7.8	0.02	
A	4790	4930	41	0.72	2.63	10.6	0.19	0.13	3.01	3.7	7.8	0.02	
A	4930	4980	42	0.82	3.20	13.7	0.06	0.10	2.89	3.7	7.8	0.02	
A	4980	5030	43	1.35	3.15	31.2	0.03	0.08	2.92	1.9	2.4	0.03	
A	5030	5080	44	1.88	3.15	31.5	0.06	0.08	2.91	1.9	2.4	0.03	
A	5080	5130	45	1.20	3.35	43.5	0.08	0.07	2.97	1.9	2.4	0.03	
A	5130	5169	46	1.17	1.85	47.3	0.07	0.12	2.92	1.9	2.4	0.03	
A	5169	7930	47	0.00	0.00	0.00	0.00	0.00	2.75	0.0	0.0	0.00	
							0.					0.	
							0.					0.	
							0.					0.	

CYPRUS ANVIL MINING CORPORATION

DIAMOND DRILL CORE LOG

Hole Number: 76X17

Fabric Orientation Diagram: \_\_\_\_\_

Project: \_\_\_\_\_

Location: ZONE 3

Claim: \_\_\_\_\_

Terr. Plane Co-ords.: \_\_\_\_\_ N

\_\_\_\_\_ E

Grid Co-ords.: 9,293.0 ✓ N

15,529.2 ✓ E

Elevation: 4223.2 ✓

Total Depth: 464.5' ✓

Purpose: \_\_\_\_\_

Logged by: \_\_\_\_\_ Date(s) Logged: \_\_\_\_\_

Drilling Contractor: \_\_\_\_\_ Core: \_\_\_\_\_ Size \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_ Collar Cased and Capped: \_\_\_\_\_

Started: \_\_\_\_\_ Completed: \_\_\_\_\_

76X17.FD + 76X17.KD  
= 76X17.OK (10/12)

*Handwritten initials*



CYPRUS ANVIL MINING CORPORATION

DIAMOND DRILL CORE LOG

Hole Number: 76X20

Fabric Orientation Diagram:

Project:

Location: ZONE 3

Claim:

Terr. Plane Co-ords.: N

E

Grid Co-ords.: 9,053.8 'J N

15,310.5 'J E

All symmetrical terminations looking

with dipping

with dip azimuth

Elevation: 4202.3

Total Depth: 847'

Purpose:

Logged by: Date(s) Logged:

Drilling Contractor: Core: Size From To Collar Cased and Capped:

Started: Completed:

76X20.FD + 76X20.~~UK~~  
= 76X20.UK (10/13)

FL

