

PETER E. WALCOTT & ASSOC. LTD.
ELEVATION DATA

PAGE No. 1

JOB No. DATE July 12 SURVEY A.C. RODMAN P.C. INSTRUMENT TM 206

Remarks	Station	T.P.	1/2 Stad	Stad	HA IR	Rod		Angle	AZ-MU-TH	Distance	R.F.	Product	Elev. Diff.	H.I.	Elevation	Notes
						B.S.	F.S.									
RCM	GRID	to	HIW												4173.79	← LINE 36+00 W 40+00 S
210' to CUT TRAIL			6.68	4.58		5.63		90°-					+5.63			
			5.45	3.12		4.29		83°30'		233	.1125	-26.21	-30.50			
			2.74	0.74		1.74		94°10'		200	.0725	-14.50	-12.76			
			6.345	3.32		4.84		84°40'		302.5	.0925	-27.98	-32.82			
			5.85	4.28		5.06		96°50'		157	.1181	-18.54	-13.48			
			5.46	3.50		4.48		82°-		196	.1378	-27.01	-31.49			
			4.88	3.00		3.93		90°-					+3.94			
Centre				5.96				90°-					-6.82			
						7.03		90°-					+7.03			
			5.97	4.64		5.30		89°-		133	.0174	-2.31	-7.61			
			2.245	1.60		1.93		90°30'		64.5	.0087	-0.56	+1.37			
			6.135	4.18		5.17		80°20'		195.5	.1655	-32.36	-37.52			
			3.595	1.62		2.61		99°-		197.5	.1545	-30.51	-27.90			
						0.35		90°-					+0.35			
			6.11	4.44		5.28		84°40'		167	.0925	+15.45	+20.73			
			3.765	1.68		2.71		92°30'		208.5	.0436	+9.09	+6.38			
			3.93	1.42		2.62		86°30'		241	.0609	+14.68	+17.30			
HIW 3			6.70	4.40		5.55		87°30'		230	.0436	+10.03	+4.48		4039.4	-134.39
			6.76	4.40		5.55		87°30'		230	.0436	-10.03	-4.48			
			3.83	1.42		2.62		86°30'		241	.0609	-14.68	-17.30			
			3.36	1.28		2.31		92°30'		208	.0436	-9.07	-6.76			
			6.28	4.62		5.46		84°50'		166	.0897	-14.89	-20.35			
			4.345	1.96		3.155		90°40'		240.5	.0116	+2.79	+0.36			

Rich-1975

F-6

PAGE No. 2

PETER E. WALCOTT & ASSOC. LTD.
ELEVATION DATA

JOB No. DATE July 12 SURVEY A.C. RODMAN P.C. INSTRUMENT TM 200

Remarks	Station	T.P.	1/2 Stad	Stad	HA IR	Rod		Angle	AZI- MU- TH	Distance	R.F.	Product	Elev. Diff.	H.I.	Elevation	Notes
						B.S.	F.S.									
FLY	H/W 3	-	RICH	GRIB		(36W/40S)										
	-		3.85 ¹⁴³	1.86			2.84 ⁶	99°-		199	.1545	+30.75	+27.90			
			4.85	2.90			3.87 ⁹	80°-	"	195	.1710	+33.35	+37.23			
	-		2.205	1.55			1.88 ⁷⁵	90°40'		65.5	.0116	+0.76	-1.12			
							8.30 [✓]	90°-			-	+8.30		4063.18		23.78
TIE	B.S.		6.37	5.08			5.72	88°40'		129	.0233	-3.01	-8.73		4054.45	
	-						-	7.70 [✓]			-		-7.70			
							6.62 ³	90°-			-		+6.65			
	-						3.73 [✓]	90°-			-		-3.73			
			6.17	3.80			4.98 [✓]	61°30'		237	.1462	+34.65	+39.63			
³ / ₂₆ ³ / ₆	-		2.90	1.74			2.325 [✓]	93°50'		116	.0667	+7.74	+5.41			
			5.64	2.60			4.13 [✓]	87°30'		304	.0954	+29.00	+33.13			
	-		4.11	2.12			3.11 [✓]	77°30'		199	.0782	+15.56	+12.45			
+ .22			5.225 ⁽³⁾	2.90			4.06 [✓]	83°30'		233	.1125	+26.21	+30.27			
							5.39 [✓]	90°-			-		-5.39		4173.88	+134.48 TIE 0.09

PETER E. WALCOTT & ASSOC. LTD.

ELEVATION DATA

JOB No.

DATE

July 9

SURVEY

A.C. U

RODMAN

P.C.

INSTRUMENT

TM 20C

Remarks	Station	T.P.	1/2 Stad	Stad	HA IR	Rod		Angle	AZ- MU- TH	Distance	R.F.	Product	Elev. Diff.	H.I.	Elevation	Notes
						B.S.	F.S.									
								91.30							4420.27	
LINE 36+00 W																
			2.54	1.55			2.045 ⁵	90° 91.30		99	-		+2.05	4422.32		
	215		3.56	3.52				270°-			-		-3.54		4418.78	
	22		7.315	6.30				73°-		101.5	.2796	-28.38	-35.18		4387.14	
	23		5.97	4.76				73°30'		121	.2723	-32.95	-38.32		4384.00	
			3.77	2.80			3.285 ^v	96°50'		97	.1181	-11.46	-8.17	4375.83		
	235		2.37	2.18				270°-			-		-2.27		4373.56	
	245		6.30	5.49				86°-		81	.0696	-5.64	-11.54		4364.29	
	-		6.61 ⁰⁵	5.20				85°30'		140.5	.0782	-10.99	-16.90		4358.93	
			4.26	2.92			3.60 ^v	95°50'		134	.1011	-13.55	-9.95	4348.98		
25450	255		3.975	3.07				264°16'		90.5	.1011	+9.15	+5.63		4354.61	
	265		4.80	4.76				90°-			-		-4.78		4344.20	
	275		4.33	3.30				85°-		103	.0868	-8.94	-12.76		4336.22	
	285		6.445	4.36				86°10'		208.5	.0667	-13.91	-19.30		4329.68	
			6.305	4.20			5.275 ⁷	95°10'		206.5	.0897	-18.52	-13.25	4316.43		
	295		6.13	5.66				268°-		107	.0349	+3.73	-1.87		4314.56	
	305		3.95	3.91				270°-			-		-3.93		4312.50	
	315		6.21 ⁰⁵	5.20				79°-		101	.1873	-18.92	-24.62		4291.81	
	-		6.475 ⁷	4.76				81°10'		191.5	.1517	-29.05	-34.78		4281.65	
			5.07 ⁸	2.98			4.02 ³	98°-		209	.1378	-28.80	-24.78	4256.87		
	325		7.19	5.23				262°-		196	.1378	+27.01	+20.80		4277.67	
	335		5.445	4.49				262°-		95.5	.1378	+13.16	+8.20		4265.07	
	345		6.05	5.95				90°-			-		-6.00		4250.87	
	355		5.685	4.60				82°-		108.5	.1378	-14.95	-20.10		4236.77	

PAGE No. 2

PETER E. WALCOTT & ASSOC. LTD.
ELEVATION DATA

JOB No. DATE JULY 9 SURVEY AC RODMAN P.C. INSTRUMENT TM20C

Remarks	Station	T.P.	1/2 Stad	Stad	HA IR	Rod		Angle	AZ- MU- TH	Distance	R. F.	Product	Elev. Diff.	H.I.	Elevation	Notes
						B.S.	F.S.									
LINE 36	WOOD															
			3.305	1.62		2.455		96°30'		169	.1125	-19.01	-16.56	4220.21		
	365		5.45	4.78			5.115	263°30'		67	.1125	+7.54	+2.42		4222.63	
	375		6.72	6.44			6.58	85°50'		28	.0725	-2.03	-8.61		4211.60	
	385		6.295	4.98			5.635	83°20'		131.5	.1153	-15.16	-20.79		4199.42	
			3.405	2.34		2.865		96°-		106.5	.1040	-11.08	-8.21	4191.21		
	395		4.25	4.20			4.22	270°-					-4.22		4186.99	
	405		5.265	4.33			4.80	82°10'		93.5	.1350	-12.62	-17.42		4173.79	-246.48
	FLY															
			5.265	4.33		4.80		82°10'		93.5	.1350	+12.62	+17.42			
	385		3.405	2.34			2.87 ⁶⁵	96°-		106.5	.1040	+11.08	+8.21			
			4.495	4.02		4.77 ⁷⁵		83°-		147.5	.1210	+17.85	+22.63			
	355		3.25	1.72			2.485 ⁴⁰	96°36'		153	.1125	+17.21	+14.73			
			6.76	5.18		5.98		82°30'		158	.1294	+20.45	+26.43			
	-		4.270	2.68			3.475 ⁸	78°-		159	.1378	+21.91	+18.43			
			6.31(5)	4.44		5.38 ⁹		81°-		187	.1545	+28.89	+34.28			
	285		4.405	2.30			3.36	94°40'		210.5	.0811	+17.07	+13.71			
			6.275	4.20		5.235 ⁴		86°10'		207.5	.0667	+13.84	+19.08			
	-		4.555	3.20			3.875 ⁸	96°-		185.5	.1040	+14.09	+10.21			
			6.475	4.98		5.72 ³		85°30'		149.5	.0782	+11.69	+17.42			
	-		4.96	4.08			4.52 ³	98°-		88	.1378	+12.13	+7.60			
			6.095	4.88		5.48 ⁴		73°30'		121.5	.2723	+33.08	+38.58			-246.58 TIE 0.10
	205		2.645	1.65			2.145 ⁵⁵	90°-					-2.15			

PETER E. WALCOTT & ASSOC. LTD.
ELEVATION DATA

PAGE No. 3

JOB No. DATE July 9 SURVEY ΔC RODMAN P.C. INSTRUMENT TM20C

Remarks	Station	T.P.	1/2 Stad	Stad	HA IR	Rod		Angle	AZI- MU- TH	Distance	R.F.	Product	Elev. Diff.	H.I.	Elevation	Notes
						B.S.	F.S.									
TIE LINE 20S															4420.27	
			4.33	2.49		3.41 ^v		90°-		184	-		+3.41			658.5 (44/36W)
	-		6.01	3.26			4.625 ³	88°30'		275	.0204	-5.61	-10.24			
			8.99	2.84		3.385 ^v		90°-		110			+3.39			
	44W		5.215	4.32			4.765 ⁷	90°-		89.5			-4.77		4412.06	-8.21
LINE 44 +00W																
	144		6.005	4.58		5.30 ^v		98°-		142.5	.1378	-19.64	-14.34	4397.72		
131 21+10	215		2.61	2.52			2.56	270°-				-2.	-2.56		4395.16	
	225		6.78	6.24			6.505	83°-		54	.1210	+6.53	-13.04		4384.68	
	235		6.67 ⁶⁵	5.00			5.84 ³	82°40'		167	.1266	-21.14	-26.98		4370.74	
			4.16	2.68		3.415 ²		91°-		148	.0174	-2.58	+0.84	4371.58		
	245		6.00	5.46			5.73	273°36'		54	.0609	-3.29	-9.02		4362.56	
	255		5.17	4.56			4.865	85°36'		61	.0782	-4.77	-9.64		4361.94	
	265		6.705	5.24			5.965 ⁷	84°-		146.5	.1040	-15.24	-21.20		4350.38	
			3.825	1.84		2.82 ^v		98°-		198.5	.1378	-27.35	-24.53	4325.85		
27+58	275		4.565	3.56			4.065	262°-		100.5	.1378	+13.85	+9.78		4335.63	
	285		5.29	5.25			5.27	90°-					-5.27		4320.58	
	290		7.11	6.08			6.60	82°40'		103	.1266	-13.04	-19.64		4306.21	
	305		5.95	3.92			4.94 ³	82°20'		203	.1322	-26.84	-31.77		4294.08	
			5.67 ⁶¹⁵	3.88 ⁹⁸		4.78 ⁸¹⁰		98°40'		178.5	.1490	-26.60	-21.79	4272.29		
	315		6.13	5.34			5.735	260°40'		79	.1600	+12.64	+6.905		4279.20	
	325		6.93	6.67			6.80	86°30'		26	.0609	-1.58	-8.38		4269.91	4263.91
	335		6.05	4.78			5.415 ²	82°30'		127	.1294	-16.43	-21.85		4250.44	
			4.01	3.36		3.69 ⁹⁵		93°-		65	.0523	-3.40	+0.29	4250.73		

PAGE No. 4

PETER E. WALCOTT & ASSOC. LTD.
ELEVATION DATA

JOB No. DATE JULY 9 SURVEY A.C. RODMAN P.C. INSTRUMENT TM 20C

Remarks	Station	T.P.	1/2 Stad	Stad	HA IR	Rod		Angle	AZ- MU- TH	Distance	R.F.	Product	Elev. Diff.	H.I.	Elevation	Notes
						B.S.	F.S.									
LINE 44+00 W														4250.73		
	345		5.67	5.32			5.50	74°-		35	.2650	-9.28	-14.78		4235.95	
	355		5.48	4.10			4.78	81°20'		135	.1490	-20.12	-24.90		4225.83	
	365		5.05	2.68			3.86 ⁵	81°10'		237	.1517	-35.95	-39.82		4210.91	
			6.755	4.74 ^v			5.76 ⁸	99°50'		201.5	.1683	-33.91	-28.14	4182.77		
	375		3.49	2.50			3.00	260°10'		99	.1683	+16.66	+13.66		4196.43	
	385		5.30	5.26			5.28	90°-					-5.28		4177.49	
	395		6.46	5.43			5.94	82°30'		103	.1294	-13.33	-19.27		4163.50	
	405		6.44	4.42			5.43 ⁵	81°20'		202	.1490	-30.10	-35.54		4147.23	-264.83
FLY																
			6.44	4.42			5.43 ⁵	81°20'		202	.1490	+30.10	+35.54			
	365		6.755	4.74			5.76 ⁸	99°50' 81°40'		201.5	.1683	+33.91	+28.14			
			5.705 ¹	3.39			4.515 ²	81°20'		236.5	.1490	+35.24	+39.76			
	335		3.99	3.34			3.67	93°-		65	.0523	+3.40	-0.27			
			5.90	4.63			5.26 ⁷	82°30'		127	.1294	+16.43	+21.70			
	305		5.55	3.76			4.65 ⁴	78°40'		179	.1490	+26.67	+22.03			
			5.955 ¹⁵	3.92			4.945 ⁶	82°20'		203	.1322	+26.84	+31.79			
	265		3.815	1.83			2.92 ^v	78°-		198.5	.1378	+27.35	+24.53			
			6.61	5.16			5.88 ⁹	83°50'		145	.1068	+15.49	+21.38			
	235		4.34	2.84			3.59 ⁶⁰	91°-		150	.0174	+2.61	-0.99			
			6.635	4.96			5.79 ⁹⁰	82°40'		167.5	.1266	+21.21	+27.00			
	205		5.115	3.70			4.415 ²	97°40'		191.5	.1322	+18.71	+14.29			+264.90 TIE 0.07

PETER E. WALCOTT & ASSOC. LTD.
ELEVATION DATA

JOB No. DATE July 9/10 SURVEY A.C. RODMAN P.C. INSTRUMENT TM 20C

Remarks	Station	T.P.	1/2 Stad	Stad	HA IR	Rod		Angle	AZ-MU-TH	Distance	R.F.	Product	Elev. Diff.	H.I.	Elevation	Notes
						B.S.	F.S.									
TIE LINE	205															
			5.97	4.48		5.22 ³		92°30'		149	.0436	-6.50	-1.27			806.0 ft (52/44)
	-		4.815	2.84		3.84 ⁵⁵		87°-		197.5	.0523	-10.33	-14.18			
			3.765	2.39		3.05 ⁵⁵		91°-		131.5	.0174	-2.29	+0.76			
			5.23	2.83		4.03 ⁵		88°-		240	.0349	-8.38	-12.42			
			4.78	4.08		4.43 ³⁵		90°-		70	-		+4.43			
INTER	17+655/52W		6.21	6.03			6.12	90°-		18	-		-6.12		4383.26	-28.80
LINE	52+00W							9:20								
			2.345	1.45		1.875 ^v		90°-		89.5	-		+1.90	4385.16		
	205		3.77	3.22			3.49 ⁸	270°-		55	-		-3.49		4381.67	
			3.77	3.22		3.49 ⁸		90°-		55	-		+3.49	4385.16		
	215		6.47	5.98			6.22	281°-		49	.1873	-9.18	-15.40		4369.76	
	225		6.445	5.06			5.725	275°20'		144.5	.0925	-13.37	-19.09		4366.07	
	235		6.48	3.94			5.22	275°20'		254	.0925	-23.50	-28.72		4356.44	
			5.22	3.70		4.47 ^v		94°30'		152	.0782	-11.89	-7.42	4349.02		
	245		4.67	4.12			4.39	265°30'		55	.0782	+4.30	-0.09		4348.93	
	255		6.76	6.30			6.53	86°30'		46	.0609	-2.80	-9.33		4339.69	
	265		6.865	5.43			6.15 ^v	85°-		143.5	.0868	-12.46	-18.61		4330.41	
			5.67	3.46		4.555 ⁶		95°30'		221	.0954	-21.08	-16.53	4313.88		
	275		2.545	1.91			1.98	265°40'		113.5	.0753	+8.55	+6.57		4320.45	
	285		5.34	5.17			5.26	270°-			-		-5.26		4308.62	
	295		6.13	5.28			5.71	72°10'		85'	.2915	-24.78	-30.49		4283.39	
	305		6.185	4.34			5.26 ⁷⁸	77°-		184.5	.2192	-40.44	-45.71		4268.17	
			4.825	2.76		3.795 ⁸¹		99°-		206.5	.1545	-31.90	-28.10	4240.07		

PAGE No. 6

PETER E. WALCOTT & ASSOC. LTD.
ELEVATION DATA

JOB No. DATE July 10 SURVEY A.C. RODMAN P.C. INSTRUMENT TM20C

Remarks	Station	T.P.	1/2 Stad	Stad	HA IR	Rod		Angle	AZ-MU-TH	Distance	R.F.	Product	Elev. Diff.	H.I.	Elevation	Notes
						B.S.	F.S.									
LINE S2400W														4240.07		
WELL	315		4.285	3.26			3.77	263°-		102.5	.1210	+12.40	+8.63		4248.70	
	325		3.68	3.63			3.65	270°-			-		-3.65		4236.42	
	335		6.265	5.35			5.80	80°30'		91.5	.1628	-14.90	-20.70		4219.37	
	345		6.225 ³	4.28			5.255 ⁷	81°50'		194.5	.1406	-27.35	-32.61		4207.46	
189			4.65	2.76			3.71 ²	108°-		189	.2939	-55.55	-51.83	4155.63		
WELL in Ground	355		2.11	1.37			1.735	255°20'		74	.2456	+18.13	+16.40		4172.03	
	365		4.485	4.17			4.33	77°-		31.5	.2192	-6.90	-11.23		4144.40	
135	375		6.31	4.96			5.63 ³⁵	77°10'		135	.2166	-29.24	-34.87		4120.76	
			4.075	3.00			3.53 ^v	101°30'		107.5	.1954	-21.01	-17.48	4103.28		
	385		3.52	3.46			3.49	270°-			-		-3.49		4099.79	
Dep. for CREEK	38+55		6.495	6.01			6.25	88°20'		48.5	.0638	-3.09	-9.34		4093.94	
38+30/39	395		5.98	5.14			5.56	86°30'		84	.0609	-5.12	-10.67		4092.61	
fly to	405		5.995	4.16			5.08 ⁹	86°30'		183.5	.0609	-11.18	-16.26		4087.62	-296.24
Line 42 hand not read	FLY															
			5.995	4.16			5.09 ⁸	273°30'		183.5	.0609	+11.18	+16.26			
	375		4.075 6.31	3.00 4.96			3.53	161°30'		107.5	.1954	+21.01	+17.48			
136			6.55	5.19			5.87 ^v	77°20'		136	.2139	+29.09	+34.96			
	345		4.46 ⁰⁵	2.52			3.46 ⁶⁵	108°-		188	.2939	+55.25	+51.79			
			6.52 ⁶⁵	4.58			5.56 ⁵	81°50'		194	.1406	+27.28	+32.83			
	305		5.13	3.06			4.09 ¹⁰	99°-		207	.1545	+31.98	+27.89			
35			6.555	4.72			5.64 ⁶	77°-		183.5	.2192	+40.22	+45.87			
22	265		5.315	3.10			4.845 ^{1.195}	95°20'		221.5	.0925	+20.49	+16.29			
			6.598	5.16			5.875 ⁸	89°50'		143.5	.0897	+12.87	+18.74			

PAGE No. 7

PETER E. WALCOTT & ASSOC. LTD.
ELEVATION DATA

JOB No. DATE July 10 SURVEY A.C. RODMAN P.C. INSTRUMENT TM20C

Remarks	Station	T.P.	1/2 Stad	Stad	HA IR	Rod		Angle	AZI- MU- TH	Distance	R.F.	Product	Elev. Diff.	H.I.	Elevation	Notes
						B.S.	F.S.									
LINE 52+00W			(K.L.Y)													
	235		5.37	3.85			4.61 ⁸	97°36'		152	.0782	+11.89	+7.28			
			5.855	3.28			4.57 ⁸	87°20'		257.5	.0983	+25.31	+29.89			
INTER.	205		4.83	4.31			4.57 ⁸	90°-			-		-4.57			
			4.83	4.31			4.57 ⁸	27°-			-		+4.57			
INTER.	19+655		3.415	2.55			2.98 ⁸	90°-			-		-2.98			-296.30. TIE 0.06
TIE LINE	205														4381.67	
			6.85	5.06			5.96 ⁷	90°-					+5.97			
			6.99	5.74			6.36 ⁷	90°-					-6.37			
			4.19	1.30			2.75 ⁶	90°40'		289	.0116	-3.35	-0.60			
			6.83	5.68			6.25 ⁶	90°-					-6.26			
			3.83	2.31			3.07 ⁸	97°		152	.1210	-18.39	-15.32			
INTER 21+20 -			4.37	2.92			3.645 ³	27°-					-3.64		4355.45	-26.22
	59+60															
LINE 60+00W																
			4.37	2.92			3.645 ³	90°-			-		+3.64	4359.09		
	205		5.775	3.15			4.46	91°-		262.5	.0174	+4.57	+0.11		4359.20	
	215		5.14	3.52			4.33	90°-			-		-4.33		4359.76	
22+60	225		6.83	6.20			6.52	88°30'		63	.0262	-1.65	-8.17		4350.92	
	235		5.785	5.42			5.61	83°36'		36.5	.1125	-4.11	-9.72		4349.37	
	245		6.365	4.99			5.675 ⁸	83°20'		137.5	.1153	-15.85	-21.53		4337.56	
			4.14	1.95			3.05 ⁶⁵	103°-		219	.2192	-48.00	-44.95	4292.61		
	255		5.67	4.48			5.08	259°30'		119	.1792	+21.32	+16.24		4308.85	
26+20	265		4.18	4.00			4.075	27°-			-		-4.08		4288.53	

PETER E. WALCOTT & ASSOC. LTD.
ELEVATION DATA

PAGE No. 8

JOB No. DATE July 10 SURVEY AC RODMAN P.C INSTRUMENT TM 20C

Remarks	Station	T.P.	1/2 Stad	Stad	HA IR	Rod		Angle	AZI-MU-TH	Distance	R.F.	Product	Elev. Diff.	H.I.	Elevation	Notes
						B.S.	F.S.									
LINE GO 100 W																
			6.62	6.09			6.36	86°50'		53	.0552	-2.93	-9.29		4283.32	
26+50			3.875	2.57		3.225		110°20'		130.5	.3258	-42.52	-39.29	4244.03		
	275		4.26	3.34			3.795	253°-		92	.2796	+25.72	+21.93		4265.96	
	285		5.41	5.33			5.37	90°-					-5.37		4238.66	
	295		6.055	5.02			5.535	87°-		103.5	.0523	-5.41	-10.95		4233.08	
	-		6.90	5.02			5.95	88°30'		188	.0262	-4.93	-10.89		4233.14	
			4.755	3.82		4.28 ⁹		98°30'		93.5	.1462	-13.67	-9.38	4223.76		
30+70	305		5.765	5.02			5.40	261°30'		74.5	.1462	+10.89	+5.49		4229.25	
	315		5.12	4.87			5.00	70°-		25	.3214	-8.04	-13.04		4210.72	
	325		5.69	4.52			5.10	72°20'		117	.2892	-33.84	-38.94		4184.82	
CREEK			5.29	3.28		4.30 ²		90°-					+4.31	4189.13		
33+ ⁹⁰ ₂₀₁ 132	32+25		6.56	4.79			5.68	271°20'		177	.0233	-4.12	-9.80		4179.33	
	335		6.85	5.925			6.39	272°-		925	.0349	-3.23	-9.62		4179.51	
	345		4.68	4.62			4.65	90°-					-4.65		4184.48	
	355		3.265	2.22			2.74	96°-		104.5	.1040	+10.87	+8.13		4197.26	
	365		5.31(8)	3.24		4.28 ⁷⁰		97°50'		207.5	.1350	+28.01	+23.72		4212.85	
			1.76	4.24		3.00 ²		89°30'		248	.0954	+23.66	+26.67	4239.52		
	375		6.665	5.18			5.93	276°16'		148.5	.1068	-15.86	-21.79		4217.73	
46	385		6.87	6.41			6.64	273°-		46	.0523	-2.41	-9.05		4230.47	
54	395		4.00	3.46			3.73	90°-					-3.73		4235.79	
154	405		6.80	5.26			6.05	90°-					-6.03		4233.49	-121.96

PAGE No. 9

PETER E. WALCOTT & ASSOC. LTD.
ELEVATION DATA

JOB No. DATE July 10 SURVEY A.C. RODMAN P.C. INSTRUMENT TM 20C

Remarks	Station	T.P.	1/2 Stad	Stad	HA IR	Rod		Angle	AZI- MU- TH	Distance	R.F.	Product	Elev Diff.	H.I.	Elevation	Notes
						B.S.	F.S.									
	FLY	LINE	60	+00W												
			6.80	5.26		6.03		270°					+6.03			
	365		4.24	1.76			3.00 ²	89°30'		248	.0954	-23.66	-26.67			
	12		5.10	3.02		4.06 ³		97°50'		208	.1350	-28.08	-24.01			
	-404	325	5.02	3.00			4.02 ⁴	90°					-4.03			
	+1		6.38	5.20		5.785 ⁵		72°20'		118	.2892	+34.13	+37.91			
	-		5.565	4.64			5.10 ⁶	98°30'		92.5	.1462	+13.52	+8.42			
			6.27	4.38		5.32 ²⁵		89°10'		189	.0320	+6.05	+11.37			
	-		3.29	2.00			2.63 ⁷	110°		129	.3214	+41.46	+38.83			
			6.45	5.94		6.195 ⁸		86°30'		51	.0609	+3.11	+7.30			
	245		4.63	2.42			3.52 ³	103°		221	.2192	+48.44	+44.92			
			6.485	5.10		5.79 ⁸⁰		83°50'		138.5	.1068	+14.79	+20.59			
INTER.	21+205		3.38				2.66 ⁷	90°					-2.67			-121.99 TIE 0.03
	FLY	(TIC	LINE	60W	-52W											
			3.38				2.66 ⁷	90°					+2.67			
	-		5.44	3.92			4.65 ⁵	98°		152	.1378	+20.95	+16.27			
			6.97	5.85		6.41 ⁵		90°					+6.41			
	-		4.38	1.46			2.93 ⁵	90°40'		292	.0116	+3.39	+0.46			
			6.72	5.48		6.095 ¹⁰		90°					+6.10			
INTER	205/52W		6.58	4.78			5.69 ⁷⁰	90°					-5.70			+26.21 TIE 0.01

