

JOB .....

DATE ..... PAGE .....

020755

ELEVATIONS Book II

SEA MOR AREA

MARCH + APRIL 1973

GRAVITY

H-6 G-6



PARTY CHIEF .....

WEATHER .....

T.P.	Rod B.S. +	rdg. F.S. -	Elev. A	H.I.	Elev. B.L. ✓
					2876.08
π	+8.64		+8.64	2884.72	
		3.67	-3.67		2881.05
		8.44	-8.44		2876.28
		4.45	-19.59		2865.13
		2.84	-36.79		2853.93
○		6.53	-44.65		2840.07
π	+5.39		-42.47	2797.60	
		1.63	+28.93		2826.53
		0.66	+7.71		2805.31
		2.76	-2.76		2794.84
		3.12	-25.18		2772.42
		1.60	-41.06		2756.64
○		2.98	-50.35		2747.25
π	+3.03		-48.04	2699.21	
		3.52	+29.45		2728.66
		2.57	+8.17		2707.38
		6.09	-6.09		2693.12
		9.31	-9.31		2689.90
		9.41	-9.41		2689.80
		7.16	-7.16		2692.05

PARTY CHIEF .....

WEATHER .....



T.P.	Rad	Rdg.	Elev. d.	H.I.	Elev.
	B.S. <sup>+</sup>	F.S. <sup>-</sup>		2679.21	
⊙		3.34	-3.34		2675.87
π	6.57		+46.47	2736.34	
		4.45	-32.17		2704.17
		4.63	-14.19		2722.15
		5.36	-5.36		2730.98
⊙		5.49	-16.14		2720.20
π	6.47		-34.74	2685.46	
		2.34	+16.29		2701.75
		6.15	-9.20		2676.26
		4.44	-33.94		2651.52
		3.63	-62.46		2623.00
⊙		2.61	-77.95		2607.51
π	2.37		-47.64	2559.87	
		1.99	+28.73		2588.60
		2.40	+8.37		2568.24
		6.93	-6.93		2552.94
		6.65	-11.40		2548.47
					2548.64
			Tie	0.17	TL.

T.P.	Rad B.S. <sup>+</sup>	Rdg. F.S. <sup>-</sup>	Ekud	H.I.	Elev. T.L.
					2538.46
⌈	+2.74		+16.80	2555.26	
		6.27			
		5.20			
		1.81			
		1.04			
		1.90			
⊙		5.40	+119.21		2674.47
⌈	+4.86		+46.80	2721.27	
		1.42			
		5.20			
		2.29			
		6.84			
⊙		5.41	+16.09		2737.36
⌈	+6.10		-2.97	2734.37	
		3.42			
		4.63			
		3.57			
		5.78			
⊙		4.13	-29.56		2704.83
⌈	+2.43		-0.38	2704.45	



T.P.	Rod B.S. +	Rdg F.S.	Elev. D	H.I. 2704.45	Elev.
		2.02	-2.02		2702.43
		5.04	-5.04		2699.41
		5.61	-5.61		2698.84
		5.62	-5.62		2698.83
		4.14	-4.14		2700.31
⊙		2.38	-2.38		2702.07
⌒	+2.05		+80.59	2782.66	
		3.06	-61.89		2720.77
		2.96	-33.96		2748.70
		5.72	-7.77		2777.89
		4.05	+14.46		2797.12
⊙		4.57	+31.58		2814.24
⌒	2.53		+15.81	2830.05	
		6.60	-6.60		2823.45
		6.84	-8.09		2821.96
		5.30	-22.30		2807.75
		5.20	-23.34		2806.71
					2808.40 B.L.
			- Bust -	1.69	

PARTY CHIEF .....

WEATHER .....



T.P.	Rod	R.d.B.	Elev. d.	H.I.	Elev.
	B.S. <sup>+</sup>	F.S. <sup>-</sup>		B.L.	2764.03
π	+2.05		-26.57	2737.46	
		3.65	+17.62		2755.08
		3.46	+1.42		2738.88
		2.57	-2.57		2734.89
		5.76	-11.69		2725.77
		2.96	-15.81		2721.65
		0.95	-0.95		2736.51
○		3.70	+8.94		2746.40
π				T.L. →	2544.94
				Tie 0.02	2544.92
π	+6.36		+6.36	2551.28	
		6.79	-6.79		2544.49
		4.47	-4.47		2546.81
		1.77	+6.72		2558.00
		0.80	+57.14		2608.42
○		0.83	+73.45		2624.73
π	+3.23		+51.62	2676.35	
		3.27	-53.73		2622.62
		4.68	-38.18		2638.17
		6.12	-6.12		2670.23

T.P.	Rod	Rdg.	Elev.d.	H.I.	Elev.
	B.S. <sup>+</sup>	F.S. <sup>-</sup>			
		4.87	+6.63		2682.98
		6.41	+14.19		2690.53
		5.08	+44.09		2720.44
⊙		1.54	+54.95		2731.30
⌞	2.20		-168.34	2799.64	
		4.08	-65.92		2733.72
		5.82	-58.40		2741.24
		3.94	-51.48		2748.16
		4.33	-35.75		2763.89
		7.27	-8.31		2791.33
		1.43	+5.95		2805.59
⊙		7.34	+10.40		2810.04
⌞	4.80		-29.51	2780.53	
		4.90	+18.05		2798.58
		6.42	+5.17		2785.70
		5.25	-5.25		2775.28
		5.53	-14.12		2766.41
		2.59	-19.86		2760.67
		7.30	-28.18		2752.35
		4.66	-35.94		2744.59
⊙		6.48	-34.13		2746.40



T.P.	Rod	Rdg.	Elev. d.	H.I.	Elev.
	B.S. +	F.S. -			2808.40
π	5.01		+23.15	2831.55	
		5.14	-22.29		2809.26
		5.07	-7.85		2823.70
		6.37	-6.37		2825.18
⊙		4.93	-15.58		2815.97
π	+4.52		-31.63	2784.34	
		2.43	+14.43		2798.77
		5.97	-7.72		2776.62
		4.96	-33.65		2750.69
		6.86	-61.86		2722.48
⊙		4.79	-80.36		2703.98
π	+4.87		+4.87	2708.85	
		6.64	-6.64		2702.21
		8.09	-8.09		2700.76
		8.08	-8.08		2700.77
		7.50	-7.50		2701.355
		4.48	-4.48		2704.37
		2.11	-2.11		2706.74
		3.60	+8.44		
⊙		3.82	+14.22		2723.07
π	9.34		+21.50	2744.57	



T.P.	Rod B.S. <sup>+</sup>	Rdg F.S.	Elev. d.	H.I.	Elev.
		5.11	-12.91		
		7.01	-7.01		
		5.35	-5.35		
		5.53	-12.90		
		10.54	-23.88		
		7.16	-26.89		
0		4.69	-28.68		2715.89
π	+2.30		-8.25	2757.64	
		1.83	+7.37		
		4.35	+0.40		
		4.62	-4.62		
		4.73	-42.59		
		1.66	-78.07		
0		2.56	-99.45		2608.19
π	+2.78		-1.25	2606.94	
		5.56	-4.36		
0		3.79	+2.75		2609.99

Bust



T.P.	Rod	rdg.	Elev. of	H.I.	Elev.
	B.S.	F.S.			
					2701.42
π	+1.42		-7.20	2694.22	
		5.90	-5.90		2688.32
		2.32	+5.61		2699.83
○		1.25	+38.17		2732.39
π	+3.85		+50.84	2783.23	
		3.84	-31.93		2751.30
		3.90	-3.90		2779.32
○		3.80	-57.37		2725.86
π	+1.08		-26.69	2699.17	
		1.72	+14.60		2713.77
		0.50	-39.57		2659.60
		2.11	-40.04		2659.13
		5.84	-19.04		2680.13
		1.43	+18.56		2717.73
○		4.00	+49.87		2749.04
π	+3.56		+61.44	2810.48	
		4.38	-32.90		2777.58
		4.20	-4.20		2806.28
		1.75	-1.75		2808.73
		3.03	+0.47		2810.95



T.P.	Rod	R.R.	Elev. d	H.I.	Elev.
	B.S.	F.S.		2810.48	
⊙		2.71	+2.60		2813.08
⌒	+5.14		-8.00	2805.08	
		1.59	+3.65		2808.73
		5.76	-12.68		2792.40
⊙		3.98	-39.52		2765.56
⌒	+1.66		-73.40	2672.16	
		2.69	+58.79		2730.95
		4.88	+25.16		2697.32
		0.40	+3.31		2675.47
		5.28	-45.90		2626.26
		4.28	-84.78		2587.38
⊙		2.37	-102.31		2568.85
⌒	1.25		+1.25	2570.10	
		2.73	-2.73		2567.37
		3.53	-3.53		2566.57
		2.98	-2.98		2567.12
		5.20	-5.20		2564.90
		6.93	-6.93		2563.17
⊙		3.82	-7.30		2562.80
⌒	4.53		+12.43	2575.23	
		4.48	-6.52		2568.71
		6.01	-6.01		2569.22
					2569.27

PARTY CHIEF .....

WEATHER .....

Tie 0.05



JOB .....

DATE ..... PAGE .....

T.P.	Rod	Rd0	Elev. d.	H.I.	Elev.
	B.S. <sup>+</sup>	F.S.			T.L. 2630.92
⌈	+2.91		+9.65	2640.57	
		3.38	-6.03		2634.54
		5.03	-5.03		2635.54
○		4.89	-4.89		2635.68
⌈	+4.02		-45.52	2590.16	
		1.11	+35.79		2625.95
		2.59	+13.44		2603.64
		6.90	-6.90		2583.26
		3.30	-13.16		2577.00
○		4.57	-14.14		2576.05

PARTY CHIEF .....

WEATHER .....


 NW  
wade

T.P.	Rod	Rdg.	Elev. d.	H.I.	Elev.
	B.S. <sup>+</sup>	F.S. <sup>-</sup>		B.L.	2717.35
					2717.62
π	+2.44		+40.56	2758.19	
		3.39	-47.65		2710.54
		5.02	-35.92		2722.27
		5.55	-8.06		2750.13
		3.29	+5.44		2763.63
		2.15	+24.03		2782.22
○		5.15	+37.54		2795.73
π	+3.89		+27.49	2823.22	
		7.07	-7.87		2815.35
○		3.63	-50.88		2722.34
π	+4.24		-33.79	2738.55	
		2.97	-12.74		2725.81
		3.17	+0.93		2739.48
		5.86	-16.65		2721.90
○		5.96	-36.60		2701.95
π	+1.71		-29.27	2672.68	
		4.28	-4.28		2668.40
○		4.95	-34.67		2638.01
π	+4.96		+4.96	2642.97	
		1.85	-18.12		2624.85
		6.56	-16.96		2626.01



T.P.	Rod	Rdg.	Elev. d	H.I.	Elev
	B.S. +	F.S.		2642.97	
		4.84	-8.36		2634.61
0		3.46	-6.94		2636.03
π	+2.91		-25.75	2610.28	2615.00
		2.54	+5.02 +20.96		2631.24
		5.14	-5.14		2605.14
		6.81	-6.81		2603.47
0		4.53	-11.68		2598.60
π	+5.58		-7.55	2591.05	
		4.13	+3.77		2594.82
		0.15	-0.15		2590.90
		6.60	-6.60		2584.45
		6.00	-11.17		2579.88
		3.50	-12.09		2578.96
0		3.36	-12.64		2578.41
π	+2.95		+2.95	2581.36	
		4.77	-4.77		2576.59
		5.36	-5.36		2576.00
		4.36	-4.36		2577.00



JOB .....

DATE .....

PAGE .....

Tie 0.06

T.P.	Red B.S.	rdg. F.S.	Elev. d.		
π	+11.85		+133.25	2690.05	2656.80
		2.79	-2.79		2687.26
		1.66	-1.66		2688.39
		3.17	-3.17		2686.88
⊙		3.97	-3.97		2686.08
π	+2.52		+130.30	2716.38	
		6.51	-25.43		2690.95
		4.59	-18.87		2697.51
		7.18	-7.18		2709.20
		2.95	-2.95		2713.43
		3.87	-0.69		2715.69
⊙		1.60	+3.36		2719.74
π	+3.77		+14.48	2734.22	
		3.88	-11.14		2723.08
		5.36	-9.02		2725.20
		5.13	-5.13		2729.09
		6.20	-11.22		2723.00
		5.98	+0.83		2735.05
⊙		4.20	+11.23		2745.45
π	+2.42		+69.32	2814.77	
		5.33	-91.33		2723.44

ARTY CHIEF .....

VEATHER .....



T.P.	Rod B.L. +	Rdgy. FS.	Elev. of	H.I.	Elev.
		0.95	-97.49	2814.77	2717.28
		1.45	-71.74		2743.03
		6.25	-25.97		2788.80
○		3.81	+17.12		2831.89
π	+5.61		+33.65	2865.54	
		5.08	-13.62		2851.92
		3.00	-3.00		2862.54
○		6.27	-6.27		2859.27
π	+3.12		-30.09	2829.18	
		1.20	+12.72		2841.90
		5.07	-5.07		2824.11
		6.03	-32.53		2796.65
○		3.90	-53.19		2775.99
π	+4.78		-30.00	2745.99	
		3.21	+10.82		2756.81
		6.31	-13.43		2732.56
		2.78	-21.26		2714.73
○		3.82	-32.38		2713.61
π	+6.25		+6.25	2719.86	
○		3.12	-3.12		2716.74
			B.L.	112 E	27 12.67
				110 E	27 16.74

PARTY CHIEF .....

WEATHER .....



T.P.	Rad B.S. <sup>+</sup>	RdP. I.S. <sup>-</sup>	Elev. d.	H.I.	Elev.
					2714.71
π	+5.74		+54.22	2768.93	
		4.70	-33.80		2735.13
		3.62	-3.62		2765.31
		4.10	+23.65		2792.58
○		3.05	+50.45		2819.38
π	+5.84		+55.60	2874.98	
		4.97	-30.81		2844.17
		6.56	-8.62		2866.36
		2.67	+7.37		2882.35
		4.55	+18.31		2893.29
○		6.68	+25.72		2900.70
π	+5.72		-6.73	2893.97	
		1.54	+5.68		2899.65
		1.71	-1.71		2892.26
		5.61	-15.50		2878.47
○		4.93	-39.70		2854.87
π	+5.44		-38.55	2816.32	
		5.71	-5.71		2810.61
○		2.74	-28.24		2788.08
π	+0.07		-37.58	2750.50	



R.F.	Rod B.S. <sup>+</sup>	Rdg. F.S.	Elev. d	H.I.	Elev.
				2750.50	
		5.32	+5.36		2755.86
		6.46	-10.04		2740.46
		6.00	-9.66		2740.84
		5.69	-5.69		2744.81
○		2.44	+2.48		2752.98
π	+4.17		-23.09	2729.87	
		2.67	+10.85		2740.74
		6.35	-6.35		2723.54
		5.42	-5.42		2724.47
		3.62	-3.62		2726.27
○		2.62	+0.67		2730.56
π	7.02		+23.65	2754.21	
		3.35	-13.82		2740.39
		5.93	-8.37		2745.84
		5.98	-5.98		2748.23
○		4.38	-20.11		2734.19
π	+5.42		-46.45	2687.65	
		2.92	+23.74		2711.39
		3.39	-3.39		2684.26
		4.72	-31.22		2656.43
		4.49	-35.58		2652.07
					2652.23

PARTY CHIEF .....

WEATHER .....

Tie. 0.16

23  
62  
111



T.P.	Rod	RdA.	Elev. d	H.I.	Elev.
	B.S. <sup>+</sup>	F.S. <sup>-</sup>			2742.33
π	+8.08		+35.78	2778.11	
		4.11	-23.26		2754.88
		6.14	-6.14		2771.97
o		4.24	-0.10		2778.01
π	+2.80		-26.63	2751.38	
		3.72	+12.84		2764.22
		5.40	+0.62		2752.00
		4.78	-4.78		2746.60
		5.39	-5.39		2745.99
		4.48	-4.48		2746.90
		3.62	+12.34		2763.72
o		3.60	+28.08		2779.46
π	+4.57		+4.57	2784.03	
		2.39	-2.39		2781.64
		7.20	-7.20		2776.83
		5.20	-17.99		2766.04
		5.78	-25.05		2758.98
		6.22	-23.06		2760.97
o		0.76	-0.76		2783.27
π	+4.29		+59.29	2842.56	
		4.94	-49.00		2793.56

T.P.	Rod	Rdy		
	B.S.†	I.S.		2842.56
○		2.00	+4.89	2847.45
π	+6.21		+31.64	2879.09
		7.27	-7.27	2871.82
		2.50	+9.15	2888.24
○		4.98	+18.13	2897.22
π	+5.18		+18.26	2915.48
		5.10	-13.82	2901.66
		6.73	-6.73	2908.75
		5.38	-5.38	2910.10
		6.70	-6.70	2908.78
		7.34	-10.82	2904.66
○		4.09	-14.59	2900.89
π	+7.52		-35.89	2865.00
		2.81	+26.40	2891.40
		3.40	+11.76	2876.76
		4.34	-4.34	2860.66
		5.81	-25.88	2839.12
		4.09	-52.81	2812.19
○		4.03	-62.65	2802.35
			Tie	0.10
			B.L.	2802.45

T.P.	Rod B.S. <sup>+</sup>	Rd0. F.S. <sup>-</sup>	Elev. ch.	H.I.	Elev.
					2783.15
π	+3.86		+40.65	2823.80	
		5.13	-34.89		2788.91
		6.37	-21.74		2802.06
		4.87	-8.26		2815.54
		6.47	-6.47		2817.33
		2.15	+9.75		2833.55
		0.93	+30.12		2853.92
○		3.18	+45.09		2868.89
π	+5.00		+11.42	2880.31	
		6.77	-6.77		2873.54
		3.95	-3.95		2876.36
		16.50	-10.50		2869.81
		11.28	-13.96		2866.35
○		3.03	-11.89		2868.42
π	+4.88		-16.39	2852.03	
		3.65	+9.11		2861.14
		1.79	+2.29		2854.32
○		4.49	-17.20		2834.83
π	+1.49		-15.18	2819.65	
○		11.37	-34.98		2784.67



T.P.	Rod B.S.	Rdls F.S.	Elev. d	H.I.	Elev.
⌈	+1.91		+20.85	2805.52	
		4.91	-25.33		2780.19
		4.62	-23.02		2782.50
		6.15	-6.15		2799.37
		4.80	+7.88		2813.40
		1.25	+21.74		2827.26
○		6.06	+31.85		2837.37
⌈	+6.76		-20.75	2816.62	
		2.23	+6.59		2823.21
		4.27	-14.02		2802.60
		5.90	-43.26		2773.36
		5.13	-61.46		2755.16
○		1.52	-59.66		2756.96
⌈	+2.30		+30.80	2787.76	
		7.33	-25.11		2762.65
		5.13	-12.31		2775.45
		3.63	-3.63		2784.13
		3.03	-3.03		2784.73
○		2.66	-2.66		2785.10
					2785.14

Tie 0.04



T.P.	Rod B.S. <sup>+</sup>	Rdy. F.S. <sup>-</sup>	Elev. d.	HI	Elev.
					2776.48
π	+6.13		+6.13	2782.61	
		6.00	-7.86		2774.75
○		2.03	-2.03		2780.58
π	+6.45		+6.45	2787.03	
		7.20	-8.25		2778.78
○		4.15	-11.50		2775.53
π	+2.50		+25.37	2800.90	
		6.14	-19.56		2781.34
○		0.93	+30.19		2831.09
π	9.22		+36.31	2861.40	
		5.66	-5.66		2855.74
		1.12	+7.04		2868.44
○		7.97	+10.63		2872.03
π	+5.73		-19.68	2852.35	
		3.68	+9.51		2861.86
		4.09	-4.09		2848.26
		5.59	-21.15		2831.20
		4.95	-38.47		2813.88
○		3.09	-49.13		2803.22
π	+5.30		+41.30	2844.52	
		2.03	-43.80		2800.72



P.	Rod B.S. <sup>+</sup>	RdA. F.S. <sup>-</sup>	Elev.d.	H.I. 2844. <sup>52</sup>	Elev.
		9.77	-40.27		2804.25
		6.93	-7.92		2836.60
		1.69	+2.49		2847.01
		1.59	+7.93		2852.45
○		5.89	+8.91		2853.43
∩	+4.71		-22.12	2831. <sup>31</sup>	
		1.85	+14.58		2845.89
		3.65	+0.96		2832.27
		5.72	-12.36		2818.95
		3.12	-25.68		2805.63
		1.34	-31.11		2800.20
○		4.36	-34.31		2797.00
∩	+0.80		-0.88	2796. <sup>12</sup>	
		2.77	-2.77		2793.35
		5.61	-5.61		2790.51
		6.89	-7.83		2788.29
		3.11	-3.11		2793.01
		2.85	+13.26		2809.38
		5.86	+15.69		2811.81
		Tide	0.12		2811.93



T.P.	Rod. B.S.	RdD F.S.	Elev. D	HI	Elev.
					2716.74
⌈	+3.34		+23.19	2739.92	
		4.33	-26.27		2713.65
		3.70	-25.24		2714.68
		6.90	-7.21		2732.71
		3.78	+16.82		2756.74
○		5.43	+36.41		2776.33
⌈	+3.12		+55.22	2831.50	
		5.04	-34.79		2796.76
		5.54	-7.19		2824.36
		4.02	+10.63		2842.48
○		1.66	+28.00		2859.55
⌈	+6.42		+6.42	2865.97	
		3.16	-3.16		2862.81
		5.30	-13.71		2852.26
○		4.38	-33.77		2832.20
⌈	+7.52		-35.88	2796.32	
		7.25	-7.25		2789.07
		3.09	-52.70		2743.62
		6.55	-78.82		2717.50
		3.63	-72.41		2723.91
○		2.80	-50.35		2745.97

PARTY CHIEF .....

WEATHER .....



T.P.	Rad B.S. <sup>+</sup>	Rdg. F.S. <sup>-</sup>	Elev. d.	H.I.	Elev.
π	+2.07		-11.36	2734.61	
		2.70	+0.94		2735.55
		6.33	-11.08		2723.53
		5.01	-5.01		2729.60
		5.74	-8.95		2725.66
		4.27	-11.08		2723.53
0		4.17	-14.47		2720.14
π	+5.10		-5.44	2714.70	
		5.56	+1.42		2716.12
		4.36	-0.87		2713.83
		5.12	-5.12		2709.58
		6.40	-16.90		2697.80
		5.97	-23.42		2691.28
0		1.92	-28.05		2686.65
π	+3.46		+3.46	26.90.11	
		2.66	-2.66		2687.45
		1.18	-1.18		2688.93
		2.27	-2.27		2687.84
		5.93	-32.73		2657.38
			Tie. 0.58		2656.80



T.P.	Rod - B.S.†	RdG - F.S. New	Elev. d. T.L.	H.I. Ele →	Elev. (April 13 -88 E.T.L.) 2544.94
π	7 1.12		+ 1.12	2546.06	2544.94
○		7.60	- 7.60	:	2538.46
π	+ 4.49		+16.73	2555.19	
		7.14	-13.23		2541.96
		5.20	-5.20		2549.99
		4.47	+15.85		2571.04
		1.05	+51.45		2606.64
		4.72	+89.33		2644.52
○	<del>+5.42</del>	-5.42	+120.37		2675.56
π	+5.87		+46.44	2722.00	
		4.05	-15.17		2706.83
		4.82	-4.82		2717.18
		1.90	-1.90		2720.10
		2.05	+8.98		2730.98
○		4.94	+16.62		2738.62
π	+6.16		-2.91	2735.71	
		3.47	+1.24		2736.95
		4.65	-4.65		2731.06
		3.59	-13.29		2722.42
		2.38	-22.45		2713.26
		4.07	-29.59		2706.12
		4.57	-31.92		2703.79

PARTY CHIEF .....

WEATHER .....

Tie 0.20 PROFILE # 2



T.P.	Red B.S. <sup>+</sup>	RelP. F.S. <sup>-</sup>	Elev. d	H.I.	Elev.
					2630.92
π	+5.17		+41.83	2672.75	
0		4.17	-4.17		2668.58
π	+0.69		+0.69	2669.27	
		10.37	-10.37		2658.90
		12.47	-12.47		2656.80
		11.34	-11.34		2657.93
		4.60	-4.60		2664.67
		8.65	-8.65		2660.62
0		8.23	-8.23		2661.04
π	+0.40		+0.40	2661.44	
		9.23	-9.23		2652.21



T.P.	Rod	RdG.	Elev. d.	H.I.	Elev.
	BS. +	F.S.			3,200.00
π	+5.12		+15.89	3215.89	
		6.36	-8.22		3207.67
		5.48	-5.48		3210.41
		0.69	-0.69		3215.20
⊙		3.92	+2.82		3218.17
π	+5.12		-8.44	3210.27	
		3.90	+5.26		3215.53
		4.34	+0.46		3210.73
		4.78	-4.78		3205.49
		4.93	-11.40		3198.87
		6.80	-20.16		3190.11
⊙		3.10	-28.45		3181.82
π	+10.91		-33.89	3147.93	
		2.02	+9.80		3168.73
		5.68	-5.64		3142.25
		8.48	-8.44		3139.45
		8.45	-8.45		3139.48
⊙		8.42	-8.42		3139.51
π	+5.60		+5.60	3145.11	



T.P.	Red. B.S. <sup>+</sup>	Rdy F.S.	Elev.d.	H.I.	ELEV.
				3145.11	
○		2.55	-2.55		3142.56
π	+4.24		+23.12	3165.68	
		6.94	-19.61		3146.07
		6.42	-13.01		3152.67
		6.56	-6.56		3159.12
		1.83	+1.45		3167.13
		3.52	+9.91		3175.59
○		3.68	+16.78		3182.46
π	+3.04		+16.06	3198.52	
		2.31	-6.65		3191.87
		5.65	-17.85		3180.67
		4.79	-12.64		3185.88
		1.80	+4.72		3203.24
○		2.02	+28.36		3226.88
π	+7.10		+19.71	3246.59	
		5.78	-7.64		3238.95
		5.40	-5.40		3241.19
		5.48	-5.48		3241.11
○		7.90	-7.90		3238.69
π	+4.35		-8.32	3230.37	





T.P.	Rad	RdG	Elev. d.	HI.	Elev.
	BS <sup>+</sup>	FS <sup>-</sup>		2971.66	
○		9.73	-9.73		2961.93
⌞	+2.82		+2.82	2964.75	
		4.97	+29.58		2994.33
		5.65	+4.72		2969.47
		3.08	-3.08		2961.67
		6.04	-6.04		2958.71
		5.15	-5.15		2959.60
		1.52	+2.21		2966.96
○		1.46	+14.25		2979.00
⌞	+5.75		+30.16	3009.15	
		5.30	-21.87		2987.29
		2.25	-2.25		3006.91
		3.28	+16.96		3026.12
○			+39.02	3065.14	
⌞	+0.71				
		3.70	-12.65		3052.49
		1.38	+14.84 <sup>22.71</sup>		3087.85
		4.15	+57.75		3122.89
○			+53.09	3175.98	
⌞	+6.38				
		1.83	-23.89		3152.09
		3.60	-3.60		3172.88



JOB .....

DATE ..... PAGE .....

T.P.	Rod Bs. +	Rdg. FS.	Dev. d	H.I.	Elev.
				3175.98	
		2.03	+13.13		3189.11
①		3.97	+24.06		3200.04
	Tie		0.04		

PARTY CHIEF .....

WEATHER .....

