

020776

GRID - FARO/B/L/C

L-12E

GRAVITY DATA

PAGE-

ORIGINAL FIELD WORK			DENSITY -			DENSITY -			DENSITY -			DENSITY -			DENSITY -			
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
14-5	103.88	3864	.74	227.98		32.6	225.24	-.80	28.32									
15	104.34	3861	.76	227.80		32.9	225.06	-.78	28.62									
16	104.48	3860	.78	227.74		33.0	225.0	-.76	28.72									
17	104.38	3863	.80	227.92		33.1	225.18	-.74	28.82									
18	105.11	3864	.81	227.98		33.3	225.24	-.72	29.63									
19	104.52	3867	.83	228.15		33.5	225.42	-.70	29.24									
20-S	104.46	3871	.85	228.39		33.7	225.66	-.68	29.44									
21	104.31	3875	.87	228.63		33.8	225.90	-.66	29.55									
22	104.31	3878	.89	228.80		34.0	226.08	-.64	29.75									
23	104.37	3880	.91	228.92		34.2	226.2	-.63	29.94									
24	104.34	3889	.93	229.33		34.6	226.62	-.61	30.35									
25	104.31	3882	.95	229.04		34.3	226.32	-.59	30.04									
26	104.22	3885	.97	229.22		34.4	226.50	-.57	30.15									
27	104.30	3885	.99	229.22		34.5	226.50	-.55	30.25									
28	104.33	3886	1.00	229.27		34.6	226.56	-.53	30.36									
29	104.51	3886	1.02	229.27		34.8	226.56	-.51	30.56									
30-S	104.55	3885	1.04	229.22		34.8	226.50	-.49	30.56									

*16.00 - 110'

GRID - FARO / B / L / C L-12E GRAVITY DATA

ORIGINAL FIELD WORK			DENSITY - 0.059			DENSITY - 0.06			DENSITY -			DENSITY -			DENSITY -			
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
0400	103.20	3848	.47	227.03		30.7	224.28	-1.06	26.42									
1-N	103.34	3846	.45	227.36		30.7	224.16	-1.08	26.42									
2	103.26	3844	.44	226.80		30.5	224.04	-1.10	26.20									
3	103.30	3842	.42	226.68		30.4	223.92	-1.12	26.10									
4	103.56	3838	.40	226.44		30.4	223.68	-1.14	26.10									
5	103.66	3835	.38	226.27		30.3	223.50	-1.15	26.01									
6	103.77	3830	.36	225.97		30.1	223.20	-1.17	25.80									
7	105.05	3807	.34	224.61		30.0	221.82	-1.19	25.68									
8	106.17	3785	.32	223.32		29.8	220.5	-1.21	25.46									
9	107.03	3769	.30	222.37		29.7	219.54	-1.23	25.34									
10 N	107.19	3765	.28	222.14		29.6	219.3	-1.25	25.24									
11	106.94	3766	.27	222.19		29.4	219.36	-1.27	25.03									
12	106.90	3767	.25	222.25		29.4	219.42	-1.29	25.03									
13	106.52	3772	.23	222.55		29.3	219.72	-1.31	24.93									
14	105.93	3779	.21	222.96		29.1	220.14	-1.32	24.75									
15	105.55	3784	.19	223.26		29.0	220.44	-1.34	24.65									
16	105.22	3790	.17	223.61		29.0	220.8	-1.36	24.66									
17	104.39	3801	.15	224.26		28.8	221.46	-1.38	24.47									
18	103.51	3818	.13	225.26		28.9	222.48	-1.40	24.59									
19	102.51	3837	.11	226.38		29.0	223.62	-1.42	24.71									
20	101.62	3854	.09	227.39		29.1	224.64	-1.44	24.82									
21-N	100.97	3867	.08	228.15		29.2	225.42	-1.46	24.93									
1-5	103.44	3847	.49	226.97		30.9	224.22	-1.04	26.62									
2	103.56	3848	.51	227.03		31.1	224.28	-1.02	26.82									
3	103.64	3845	.53	227.03		31.2	224.1	-1.0	26.92									
4	103.84	3846	.55	226.91		31.3	224.16	-.98	27.02									
5	103.92	3846	.57	226.91		31.4	224.16	-.97	27.11									
6	103.78	3848	.59	227.03		31.5	224.28	-.95	27.11									
7	102.93	3862	.61	227.86		31.4	225.12	-.93	27.12									
8	—	3868	.63	228.21		NR	—	-.91	—									
9	—	3880	.64	—		NR	—	-.89	—									
10-S	—	3904	.66	—		NR	—	-.87	—									
11	100.55	3908	.68	230.57		31.8	227.88	-.85	27.58									
12	100.27	3914	.70	230.93		31.9	228.24	-.83	27.68									
13	—	—	.72	—		NR	—	-.81	—									

GRID - FARO 1B/1/C

L-8E

GRAVITY DATA

PAGE -

ORIGINAL FIELD WORK			DENSITY -			DENSITY -			DENSITY -			DENSITY -			
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
14-S	105.55	3826	.72	225.73		32.0	222.96	-.83	27.68						
15	105.43	3831	.74	226.03		32.2	223.26	-.81	27.88						
16	104.96	3842	.76	226.68		32.4	223.92	-.79	28.09						
17	104.75	3847	.78	226.97		32.5	224.22	-.77	28.20						
18	104.91	3849	.80	227.09		32.8	224.34	-.75	28.50						
19	104.98	3851	.81	227.21		33.0	224.46	-.73	28.71						
20-S	105.16	3851	.83	227.21		33.2	224.46	-.71	28.91						
21	104.67	3859	.85	227.68		33.2	224.94	-.69	28.92						
22	105.11	3858	.87	227.62		33.6	224.88	-.67	29.32						
23	105.11	3861	.89	227.80		33.8	225.06	-.66	29.51						
24	105.06	3865	.91	228.04		34.0	225.30	-.64	29.72						
25	105.06	3868	.93	228.21		34.2	225.48	-.62	29.92						
26	104.94	3873	.95	228.51		34.4	225.78	-.60	30.12						
27	104.91	3875	.97	228.63		34.5	225.90	-.58	30.23						
28	104.87	3877	.99	228.74		34.6	226.02	-.56	30.33						
29	105.02	3876	1.00	228.68		34.7	225.96	-.54	30.44						
30	105.31	3874	1.02	228.57		34.9	225.84	-.52	30.63						
31-S	105.53	3870	1.04	228.33		34.9	225.60	-.50	30.63						

GRID - FARO 18/L/C		L - 8 E GRAVITY DATA																		PAGE -
ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -			DENSITY -				
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY		
0+0	105.71	3804	.45	224.44		30.6	221.64	-1.09	26.26											
1-N	105.19	3813	.44	224.97		30.6	222.18	-1.11	26.26											
2	104.76	3819	.42	225.32		30.5	222.54	-1.13	26.17											
3	105.02	3815	.40	225.09		30.5	222.30	-1.15	26.17											
4	105.11	3812	.38	224.91		30.4	222.12	-1.17	26.06											
5	105.60	3804	.36	224.44		30.4	221.64	-1.18	26.06											
6	106.01	3794	.34	223.85		30.2	221.04	-1.20	25.85											
7	106.52	3784	.32	223.26		30.1	220.44	-1.22	25.74											
8	107.41	3766	.30	222.19		29.9	219.36	-1.24	25.53											
9	107.52	3761	.28	221.90		29.7	219.06	-1.26	25.32											
10-N	107.0	3770	.27	222.43		29.7	219.60	-1.28	25.32											
11	106.39	3784	.25	223.26		29.9	220.44	-1.20	25.53											
12	105.59	3798	.23	224.08		29.9	221.28	-1.32	25.55											
13	104.80	3810	.21	224.79		29.8	222.0	-1.34	25.46											
14	103.95	3822	.19	225.56		29.7	222.78	-1.35	25.38											
15	103.03	3839	.17	226.50		29.7	223.74	-1.27	25.40											
16	102.42	3848	.15	227.03		29.6	224.28	-1.29	25.31											
17	101.57	3861	.13	227.80		29.5	225.06	-1.41	25.22											
18	101.10	3871	.11	228.39		29.6	225.66	-1.43	25.33											
19	100.14	3886	.09	229.27		29.5	226.56	-1.45	25.25											
20	99.73	3893	.08	229.69		29.5	226.98	-1.47	25.24											
21-N	99.18	3901	.06	230.16		29.4	227.46	-1.49	25.15											
1-S	105.58	3806	.47	224.55		30.6	221.76	-1.07	26.27											
2	104.79	3819	.49	225.32		30.6	222.54	-1.05	26.28											
3	105.05	3816	.51	225.14		30.7	222.36	-1.03	26.38											
4	104.93	3821	.53	225.44		30.7	222.66	-1.01	26.38											
5	105.85	3805	.55	224.50		30.9	221.70	-1.0	26.58											
6	105.88	3806	.57	224.55		31.0	221.76	-.98	26.66											
7	106.02	3805	.59	224.50		31.1	221.70	-.96	26.76											
8	106.04	3806	.61	224.55		31.2	221.76	-.94	26.86											
9	106.28	3805	.63	224.50		31.4	221.70	-.92	27.06											
10-S	106.25	3807	.64	224.61		31.5	221.82	-.90	27.17											
11	106.45	3805	.66	224.50		31.7	221.70	-.88	27.37											
12	106.39	3809	.68	224.73		31.8	221.94	-.86	27.47											
13	106.13	3813	.70	224.97		31.8	222.18	-.84	27.47											

GRID - FARO 18/L/C

L-4E

GRAVITY DATA

PAGE -

ORIGINAL FIELD WORK			DENSITY -			DENSITY -			DENSITY -			DENSITY -			
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
14-S	109.28	3755	-68	221.55		31.5	218.70	-.86	27.12						
15	109.04	3762	-70	221.96		31.7	219.12	-.84	27.32						
16	108.28	3778	-72	222.90		31.9	220.08	-.82	27.54						
17	106.94	3802	-74	224.32		32.0	221.52	-.80	27.66						
18	106.24	3817	-76	225.20		32.2	222.42	-.78	27.88						
19	105.75	3830	-78	225.97		32.5	223.20	-.76	28.19						
20-S	105.52	3837	-80	226.38		32.7	223.62	-.74	28.40						
21	105.53	3840	-81	226.56		32.9	223.80	-.72	28.61						
22	105.42	3845	-83	226.86		33.1	224.1	-.70	28.82						
23	105.32	3848	-85	227.03		33.2	224.28	-.69	28.91						
24	105.48	3850	-87	227.15		33.5	224.40	-.67	29.21						
25	105.54	3852	-89	227.27		33.7	224.52	-.65	29.41						
26	105.66	3853	-91	227.33		33.9	224.58	-.63	29.61						
27	105.84	3853	-93	227.33		34.1	224.58	-.61	29.81						
28	106.02	3853	-95	227.33		34.3	224.58	-.59	30.01						
29	106.26	3852	-97	227.27		34.5	224.52	-.57	30.21						
30-S	106.66	3850	-99	227.15		34.8	224.40	-.55	30.51						

GRID - FARO 1B/1/C

L - 4E

GRAVITY DATA

PAGE -

ORIGINAL FIELD WORK			DENSITY -				DENSITY -				DENSITY -				DENSITY -			
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
0+00	108.52	3757	.42	221.66		30.6	218.82	-1.12	26.22									
1-N	108.36	3760	.40	221.84		30.6	219.0	-1.14	26.22									
2	107.99	3765	.38	222.14		30.5	219.3	-1.16	26.13									
3	107.59	3772	.36	222.55		30.5	219.72	-1.18	26.13									
4	107.18	3781	.34	223.08		30.6	220.26	-1.20	26.24									
5	106.69	3788	.32	223.49		30.5	220.68	-1.21	26.16									
6	106.37	3792	.30	223.73		30.4	220.92	-1.23	26.06									
7	105.82	3800	.28	224.20		30.3	221.4	-1.25	25.97									
8	105.36	3808	.27	224.67		30.3	221.88	-1.27	25.97									
9	104.73	3819	.25	225.32		30.3	222.54	-1.29	25.98									
10-N	103.59	3837	.23	226.38		30.2	223.62	-1.31	25.90									
11	103.02	3847	.21	226.97		30.3	224.22	-1.33	25.91									
12	102.21	3861	.19	227.80		30.2	225.06	-1.35	25.92									
13	101.68	3872	.17	228.45		30.3	225.72	-1.37	26.03									
14	101.23	3880	.15	228.92		30.3	226.2	-1.38	26.05									
15	100.44	3892	.13	229.63		30.2	226.92	-1.40	25.96									
16	99.71	3903	.11	230.28		30.1	227.88	-1.42	25.87									
17	98.81	3917	.09	231.10		30.0	228.42	-1.44	25.79									
18	98.01	3929	.08	231.81		29.9	229.14	-1.46	25.69									
19	97.40	3938	.06	232.34		29.8	229.68	-1.48	25.60									
20	96.55	3951	.04	233.11		29.7	230.46	-1.50	25.51									
21-N	95.76	3963	.02	233.82		29.6	231.18	-1.52	25.42									
1-S	108.66	3756	.44	221.60		30.7	218.76	-1.10	26.33									
2	108.47	3759	.45	221.78		30.7	218.94	-1.08	26.31									
3	108.59	3755	.47	221.55		30.6	218.70	-1.06	26.23									
4	108.81	3756	.49	221.60		30.9	218.76	-1.04	26.53									
5	108.83	3757	.51	221.66		31.0	218.82	-1.03	26.62									
6	108.93	3755	.53	221.55		31.0	218.70	-1.01	26.62									
7	109.14	3751	.55	221.31		31.0	218.46	-.99	26.61									
8	109.34	3749	.57	221.19		31.1	218.24	-.97	26.71									
9	109.38	3748	.59	221.13		31.1	218.28	-.95	26.71									
10-S	109.40	3749	.61	221.19		31.2	218.34	-.93	26.81									
11	109.38	3749	.63	221.19		31.2	218.34	-.91	26.81									
12	109.38	3749	.64	221.19		31.3	218.24	-.89	26.83									
13	109.39	3750	.66	221.25		31.3	218.40	-.87	26.92									

GRID - FARO 1B/K/C			L-1W			GRAVITY DATA												PAGE-
ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
0+0	105.16	3823	.38	225.56		31.1	222.78	-1.15	26.79									
1-N	104.73	3829	.36	225.91		31.0	223.14	-1.17	26.70									
2	104.34	3836	.34	226.32		31.0	223.56	-1.19	26.80									
3	103.65	3848	.32	227.03		31.0	224.28	-1.21	26.72									
4	103.14	3857	.30	227.56		31.0	224.82	-1.23	26.73									
5	102.76	3862	.28	227.86		31.0	225.12	-1.24	26.64									
6	102.36	3869	.27	228.27		30.9	225.54	-1.26	26.64									
7	101.76	3878	.25	228.80		30.9	226.08	-1.28	26.56									
8	101.36	3885	.23	229.22		30.8	226.50	-1.30	26.56									
9	100.96	3892	.21	229.63		30.8	226.92	-1.32	26.56									
10-N	100.43	3898	.19	229.98		30.6	227.28	-1.34	26.37									
11	100.05	3903	.17	230.28		30.5	227.58	-1.36	26.27									
12	99.74	3907	.15	230.51		30.4	227.82	-1.38	26.18									
13	99.03	3916	.13	231.04		30.2	228.36	-1.4	25.99									
14	98.47	3924	.11	231.52		30.1	228.84	-1.41	25.90									
15	98.55	3923	.09	231.46		30.1	228.78	-1.43	25.90									
16	97.24	3942	.08	232.58		29.9	229.92	-1.45	25.71									
17	96.63	3957	.06	233.11		29.8	230.46	-1.47	25.62									
18	95.78	3964	.04	233.88		29.7	231.24	-1.49	25.53									
19	94.66	3982	.02	234.94		29.6	232.32	-1.51	25.47									
20-N	93.74	3996	.00	235.76		29.5	233.16	-1.53	25.37									
1-S	105.16	3821	.40	225.44		31.0	222.66	-1.13	26.69									
2	105.04	3821	.42	225.44		30.9	222.66	-1.11	26.59									
3	105.30	3818	.44	225.28		31.0	222.48	-1.09	26.69									
4	105.31	3816	.45	225.14		30.9	222.36	-1.07	26.60									
5	105.33	3817	.47	225.20		31.0	222.42	-1.06	26.69									
6	105.34	3813	.49	224.97		30.8	222.18	-1.04	26.48									
7	106.60	3793	.51	223.79		30.9	220.98	-1.02	26.56									
8	107.49	3776	.53	222.78		30.8	219.96	-1.0	26.45									
9	108.35	3761	.55	221.90		30.8	219.06	-0.98	26.43									
10-S	109.08	3750	.57	221.25		30.9	218.40	-0.96	26.52									
11	109.65	3740	.59	220.66		30.9	217.80	-0.94	26.51									
12	110.14	3733	.61	220.25		31.0	217.38	-0.92	26.60									
13	/	3726	.63	219.83		NR	/	-0.90	/									
14	110.69	3725	.64	219.78		31.1	216.90	-0.89	26.70									

GRID - FARO/R/L/C		L-3W GRAVITY DATA																		PAGE -
ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -			DENSITY -				
STATION	OBSERVED GRAVITY	ELEV.	LATI-CORR.	ELEV. CORR.	TERRA-CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY		
0+0	103.75	3849	.36	227.09		31.2	224.34	-1.17	26.92											
1-S	104.32	3839	.38	226.50		31.2	223.74	-1.15	26.91											
2	104.77	3831	.40	226.03		31.2	223.26	-1.13	26.90											
3	105.05	3826	.42	225.73		31.1	222.96	-1.11	26.90											
4	105.09	3825	.44	225.68		31.2	222.90	-1.09	26.90											
5	105.15	3822	.45	225.50		31.1	222.72	-1.08	26.79											
6	105.49	3816	.47	225.14		31.1	222.36	-1.06	26.79											
7	105.92	3808	.51	224.67		31.1	221.88	-1.04	26.76											
8	106.51	3796	.53	223.96		31.0	221.16	-1.02	26.65											
9	107.33	3780	.55	223.02		30.9	220.2	-1.0	26.53											
10-S	108.21	3763	.57	222.02		30.8	219.18	-.98	26.41											
11	109.14	3747	.59	221.07		30.8	218.22	-.96	26.40											
12	109.93	3735	.61	220.37		30.9	217.50	-.94	26.49											
13	110.36	3729	.63	220.01		31.0	217.14	-.92	26.58											
14	110.83	3726	.64	219.83		31.3	216.96	-.91	26.88											
15	110.88	3723	.66	219.66		31.2	216.78	-.89	26.77											
16	110.93	3727	.68	219.89		31.5	217.02	-.87	27.08											
17	—	3749	.70	221.19		N.R.	218.34	-.85	—											
18	108.41	3774	.72	222.67		31.8	219.84	-.83	27.40											
19	107.73	3792	.74	223.73		32.2	220.92	-.81	27.84											
20-S	106.63	3812	.76	224.91		32.3	222.12	-.79	27.96											
21	106.57	3811	.78	224.85		32.3	222.06	-.77	27.86											
22	106.73	3813	.80	224.97		32.5	222.18	-.75	28.16											
23	106.75	3816	.81	225.14		32.7	222.36	-.74	28.37											
24	106.47	3822	.83	225.50		32.8	222.72	-.72	28.47											
25	106.14	3829	.85	225.91		32.9	223.14	-.70	28.58											
26	106.42	3827	.87	225.91		33.2	223.02	-.68	28.76											
27	106.54	3830	.89	225.97		33.4	223.20	-.66	29.06											
28	106.76	3831	.91	226.03		33.7	223.26	-.64	29.38											
29	106.94	3831	.93	226.03		33.9	223.26	-.62	29.58											
30-S	107.06	3832	.95	226.09		34.1	223.32	-.60	29.78											
31	107.30	3831	.97	226.03		34.3	223.26	-.58	29.98											

GRID - FARO/B/L/C

L-4W

GRAVITY DATA

PAGE -

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
0+0	103.01	3865	-36	228.04		31.4	225.3	-1.18	27.13						
1-N	102.69	3874	-34	228.57		31.4	225.84	-1.20	27.13						
2	101.98	3883	-32	229.10		31.4	226.38	-1.22	27.14						
3	101.43	3891	-30	229.57		31.3	226.86	-1.24	27.05						
4	100.88	3899	-28	230.04		31.3	227.34	-1.26	26.96						
5	100.48	3906	-27	230.45		31.2	227.76	-1.27	26.97						
6	99.96	3915	-25	230.99		31.2	228.20	-1.29	26.97						
7	99.35	3924	-23	231.52		31.1	228.84	-1.31	26.88						
8	99.04	3928	-21	231.75		31.0	229.08	-1.33	26.79						
9	98.84	3930	-19	231.87		30.9	229.20	-1.35	26.69						
10-N	98.52	3924	-17	232.11		30.8	229.44	-1.37	26.59						
11	97.97	3942	-15	232.58		30.7	229.92	-1.39	26.50						
12	97.42	3950	-13	233.05		30.6	230.4	-1.41	26.41						
13	96.81	3959	-11	233.58		30.5	230.94	-1.43	26.32						
14	96.28	3965	-09	233.94		30.3	231.30	-1.44	26.14						
15	95.66	3979	-08	234.76		30.3	232.14	-1.46	26.14						
16	94.87	3986	-06	235.17		30.1	232.56	-1.48	25.95						
17	94.43	3992	-04	235.53		30.0	232.92	-1.50	25.85						
18	93.78	4000	-02	236.0		29.8	233.40	-1.52	25.66						
19	92.83	4013	0	236.77		29.6	234.18	-1.54	25.47						
20-N	91.93	4027	-02	237.59		29.5	235.02	-1.56	25.39						
21-N	91.43	4034	-04	238.01		29.4	235.44	-1.58	25.29						

GRID - FARD/B/L/C			L-8W			GRAVITY DATA												PAGE -
ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
0+00	99.80	3923	.34	231.46		31.6	228.78	-1.21	27.39									
1-N	99.31	3930	.32	231.87		31.5	229.20	-1.23	27.28									
2	98.96	3938	.30	232.34		31.6	229.68	-1.25	27.39									
3	98.58	3943	.29	232.64		31.5	229.98	-1.27	27.29									
4			.27			NR -		-1.29	/									
5	97.86	3954	.25	233.29		31.4	230.64	-1.30	27.20									
6	97.67	3961	.23	233.70		31.4	231.06	-1.32	27.21									
7	97.10	3966	.21	233.99		31.3	231.36	-1.34	27.12									
8	96.66	3972	.19	234.25		31.2	231.72	-1.36	27.02									
9	96.41	3975	.17	234.53		31.1	231.90	-1.38	26.93									
10-N	95.91	3983	.15	234.94		31.0	232.28	-1.40	26.79									
11	95.24	3992	.13	235.53		30.9	232.92	-1.42	26.74									
12	94.75	3999	.11	235.94		30.8	233.34	-1.44	26.65									
13	94.20	4007	.09	236.41		30.7	233.82	-1.46	26.54									
14	93.58	4016	.08	236.94		30.6	234.36	-1.47	26.47									
15	93.14	4022	.06	237.30		30.5	234.72	-1.49	26.37									
16	92.55	4029	.04	237.71		30.3	235.14	-1.51	26.18									
17-N	91.74	4038	.02	238.24		30.0	235.68	-1.53	25.89									
1-S	100.34	3917	.36	231.10		31.8	228.42	-1.19	27.57									
2	100.51	3912	.38	230.81		31.7	228.12	-1.17	27.46									
3	100.91	3905	.40	230.40		31.7	227.70	-1.15	27.46									
4	101.24	3899	.42	230.04		31.7	227.34	-1.13	27.45									
5	101.75	3890	.44	229.51		31.7	226.80	-1.12	27.43									
6	102.05	3883	.45	229.10		31.6	226.38	-1.10	27.33									
7	102.29	3877	.47	228.74		31.5	226.02	-1.08	27.23									
8	102.82	3866	.49	228.09		31.4	225.36	-1.06	27.12									
9	103.27	3858	.51	227.62		31.4	224.88	-1.04	27.11									
10-S	103.80	3847	.53	226.97		31.3	224.22	-1.02	27.0									
11	104.50	3833	.55	226.15		31.2	223.38	-1.0	26.88									
12	105.60	3814	.57	225.03		31.2	222.24	-.98	26.86									
13	106.49	3797	.59	224.02		31.1	221.32	-.96	26.75									
14	107.65	3777	.61	222.84		31.1	220.02	-.95	26.72									
15	109.26	3751	.63	221.31		31.2	218.46	-.93	26.79									
16	110.67	3727	.64	219.99		31.2	217.02	-.91	26.78									
17	111.20	3721	.66	219.54		31.4	216.66	-.89	26.97									

GRID - FARD 1/2/1/c			L-12 W			GRAVITY DATA						PAGE -			
ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATI-CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
0+0	97.17	3970	.30	234.23		31.7	231.6	-1.24	27.53						
1-N	96.66	3979	.28	234.76		31.7	232.14	-1.26	27.54						
2	95.98	3989	.27	235.35		31.6	232.74	-1.28	27.44						
3	95.35	4000	.25	236.80		31.6	233.4	-1.30	27.45						
4	94.96	4007	.23	236.41		31.6	233.82	-1.32	27.46						
5	94.70	4010	.22	236.59		31.5	234.0	-1.33	27.37						
6	94.80	4007	.19	236.59		31.4	233.82	-1.35	27.27						
7	94.62	4007	.17	236.41		31.2	233.82	-1.37	27.07						
8	94.01	4016	.15	236.94		31.1	234.26	-1.39	26.98						
9	93.79	4020	.13	237.18		31.1	234.60	-1.41	26.98						
10-N	93.67	4024	.11	237.42		31.0	234.84	-1.43	26.88						
11	93.28	4026	.09	237.53		30.9	234.96	-1.45	26.79						
12	92.76	4035	.08	238.07		30.9	235.50	-1.47	26.79						
13	92.22	4041	.06	238.42		30.7	235.86	-1.49	26.59						
14-N	91.59	4047	.04	238.77		30.4	236.22	-1.50	26.31						
1-S	97.56	3963	.32	233.82		31.7	231.18	-1.22	27.52						
2	97.82	3960	.34	233.64		31.8	231.0	-1.20	27.62						
3	97.98	3957	.36	233.46		31.8	230.82	-1.18	27.62						
4	98.08	3955	.38	233.35		31.8	230.70	-1.16	27.62						
5	98.25	3950	.40	233.05		31.7	230.4	-1.15	27.50						
6	98.58	3944	.42	232.70		31.7	230.04	-1.13	27.49						
7	98.70	3940	.44	232.46		31.6	229.8	-1.11	27.39						
8	98.87	3937	.45	232.28		31.6	229.62	-1.09	27.40						
9	99.04	3932	.47	231.99		31.5	229.32	-1.07	27.29						
10	99.38	3926	.49	231.63		31.5	228.96	-1.05	27.29						
11	99.87	3919	.51	231.22		31.6	228.54	-1.03	27.38						
12	100.56	3907	.53	230.51		31.6	227.82	-1.01	27.37						
13	101.52	3892	.55	229.63		31.7	226.92	-.99	27.45						
14	102.19	3882	.57	229.04		31.8	226.32	-.98	27.53						
15	103.04	3869	.59	228.27		31.9	225.54	-.96	27.62						
16	104.30	3849	.61	227.09		32.0	224.34	-.94	27.70						
17	105.28	3832	.63	226.09		32.0	223.32	-.92	27.68						
18	106.79	3808	.64	224.67		32.1	221.88	-.90	27.77						
19	/	3761	.66	221.90		NR	/	-.88	/						
20-S	111.31	3729	.68	220.01		32.0	217.14	-.86	27.59						

ORIGINAL FIELD WORK			DENSITY -			DENSITY -			DENSITY -			DENSITY -			
STATION	OBSERVED GRAVITY	ELEV.	LATI-CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
0+0	95.48	4004	.28	236.24		32.0	233.64	-1.27	27.85						
1-N	95.16	4008	.27	236.67		31.9	233.88	-1.29	27.75						
2	94.72	4014	.25	236.83		31.8	234.24	-1.31	27.65						
3	94.35	4019	.23	237.12		31.7	234.54	-1.33	27.56						
4	93.84	4028	.21	237.65		31.7	235.08	-1.35	27.57						
5	93.39	4036	.19	238.17		31.7	235.56	-1.36	27.59						
6	93.37	4035	.17	238.07		31.6	235.50	-1.38	27.69						
7	93.66	4027	.15	237.59		31.4	235.02	-1.40	27.28						
8	93.42	4028	.13	237.65		31.2	235.08	-1.42	27.08						
9	92.73	4040	.11	238.36		31.2	235.80	-1.44	27.09						
10-N	92.06	4050	.09	238.95		31.1	236.4	-1.46	27.0						
11	90.67	6072	.08	240.25		31.0	237.72	-1.48	26.91						
12	89.02	4097	.06	241.72		30.8	239.22	-1.50	26.74						
1-S	95.72	3998	.30	235.88		31.9	233.28	-1.25	27.75						
2	95.82	3996	.32	235.76		31.9	233.16	-1.23	27.75						
3	95.86	3995	.34	235.71		31.9	233.1	-1.21	27.75						
4	95.95	3993	.36	235.59		31.9	232.98	-1.19	27.74						
5	96.17	3989	.38	235.35		31.9	232.74	-1.18	27.73						
6	96.23	3986	.40	235.17		31.8	232.56	-1.16	27.63						
7	96.32	3984	.42	235.06		31.8	232.44	-1.14	27.62						
8	96.48	3981	.44	234.88		31.8	232.26	-1.12	27.62						
9	96.77	3976	.45	234.58		31.8	231.96	-1.10	27.63						
10-S	96.98	3972	.47	234.35		31.8	231.72	-1.08	27.62						
11	97.59	3963	.49	233.82		31.9	231.18	-1.06	27.71						
12	98.46	3948	.51	232.93		31.9	230.28	-1.04	27.70						
13	99.48	3932	.53	231.99		32.0	229.32	-1.02	27.78						
14	100.52	3914	.55	230.93		32.0	228.24	-1.01	27.75						
15	101.88	3894	.57	229.75		32.2	227.04	-.99	27.93						
16	102.85	3879	.59	228.86		32.3	226.14	-.97	28.02						
17	103.89	3861	.61	227.80		32.3	225.06	-.95	28.0						
18	105.15	3841	.63	226.62		32.4	223.86	-.93	28.08						
19	106.24	3819	.64	225.32		32.2	222.54	-.91	27.87						
20-S	108.23	3785	.66	223.32		32.2	220.5	-.89	27.84						
21	110.39	3748	.68	221.13		32.2	218.28	-.87	27.80						
22	111.88	3724	.70	219.72		32.3	216.84	-.85	27.87						

GRID - FORD/B/11C

L-20W GRAVITY DATA

PAGE -

ORIGINAL FIELD WORK			DENSITY -			DENSITY -			DENSITY -			DENSITY -			
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
21-S	106.56	3817	.64	225.20		32.4	222.42	-.90	28.08						
22	/	3795	.66	223.91		NR -	221.1	-.88	/						
23	109.14	3776	.68	222.78		32.6	219.96	-.87	28.23						
24	110.41	3754	.70	221.49		32.6	218.64	-.85	28.20						
25	111.56	3736	.72	220.42		32.7	217.56	-.83	28.29						
26	112.64	3719	.74	219.42		32.8	216.54	-.81	28.37						
27	113.53	3707	.76	218.71		33.0	215.92	-.79	28.56						
28	/	3708	.78	218.77		NR -	/	-.77	/						
29-S	/	3705	.80	218.60		NR -	/	-.75	/						

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
0+0	94.61	4016	.25	236.94		31.8	234.36	-1.30	27.67									
1-N	94.51	4018	.23	237.06		31.8	234.48	-1.32	27.67									
2	94.67	4019	-.21	237.12		31.8	234.54	-1.34	27.67									
3	94.41	4022	.19	237.30		31.9	234.72	-1.36	27.77									
4	94.14	4027	.17	237.59		31.9	235.02	-1.38	27.78									
5	94.08	4025	.15	237.48		31.7	234.90	-1.39	27.59									
6	93.98	4027	.13	237.59		31.7	235.02	-1.41	27.59									
7	92.13	4040	-.11	238.36		31.6	235.80	-1.43	27.50									
8	91.81	4061	-.09	239.60		31.5	237.06	-1.45	27.42									
9	90.66	4079	.08	240.66		31.4	238.14	-1.47	27.33									
10-N	89.28	4101	.06	241.96		31.3	239.46	-1.49	27.25									
11.	87.73	4126	.04	243.43		31.2	240.96	-1.51	27.18									
12	86.05	4153	.02	245.03		31.1	242.58	-1.53	27.10									
13	84.62	4176	.0	246.38		31.0	243.96	-1.55	27.03									
14	83.40	4197	-.02	247.62		31.0	245.22	-1.56	27.05									
1-S	94.70	4014	.27	236.83		31.8	234.24	-1.28	27.66									
2	95.01	4012	.28	236.71		32.0	234.12	-1.26	27.87									
3	95.05	4011	.30	236.65		32.0	234.06	-1.24	27.87									
4	95.25	4009	.32	236.53		32.1	233.94	-1.22	27.97									
5	95.33	4009	.34	236.53		32.2	233.94	-1.21	28.06									
6	95.09	4011	.36	236.65		32.1	234.06	-1.19	27.96									
7	95.07	4011	.38	236.65		32.1	234.06	-1.17	27.96									
8	94.97	4009	.40	236.53		31.9	233.94	-1.15	27.76									
9	95.11	4008	.42	236.47		32.0	233.88	-1.13	27.86									
10-S	95.38	4003	.44	236.18		32.0	233.58	-1.11	27.85									
11	95.85	3995	.45	235.71		32.0	233.1	-1.09	27.86									
12	96.47	3984	.47	235.06		32.0	232.44	-1.07	27.84									
13	97.20	3973	.49	234.41		32.1	231.78	-1.05	27.93									
14	97.99	3961	.51	233.70		32.2	231.06	-1.04	28.01									
15	99.07	3944	.53	232.70		32.3	230.04	-1.02	28.09									
16	100.12	3926	.55	231.63		32.3	228.96	-1.0	28.08									
17	101.26	3908	.57	230.57		32.4	227.88	-.98	28.16									
18	102.12	3893	.59	229.69		32.4	226.98	-.96	28.14									
19	103.05	3877	.61	228.74		32.4	226.02	-.94	28.13	119.40		3767.00			344.48			
20-S	104.50	3852	.63	227.27		32.4	224.52	-.92	28.10									

GRID - FARD/B/L/C

L-24W

GRAVITY DATA

PAGE-

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
0-0	94.63	4021	.23	237.24		32.1	234.66	-1.33	27.96						
1-N	94.47	4024	.21	237.42		32.1	234.84	-1.35	27.96						
2	94.26	4028	.19	237.65		32.1	235.08	-1.37	27.97						
3	94.24	4027	.17	237.59		32.0	235.02	-1.39	27.87						
4	94.02	4031	.15	237.83		32.0	235.26	-1.41	27.87						
5	93.80	4030	.13	237.77		31.7	235.2	-1.42	27.58						
6	92.82	4047	.11	238.77		31.7	236.22	-1.44	27.60						
7	91.19	4075	-.09	240.43		31.7	227.9	-1.46	27.63						
8	89.90	4097	-.08	241.72		31.7	229.22	-1.48	27.64						
9	88.34	4122	-.06	243.20		31.6	240.72	-1.50	27.56						
10-N	86.95	4146	-.04	244.61		31.6	242.16	-1.52	27.59						
11	85.53	4167	-.02	245.85		31.4	243.42	-1.54	27.41						
12	84.21	4188	0	247.09		31.3	244.68	-1.56	27.33						
1-S	94.73	4019	.25	237.12		32.1	234.54	-1.31	27.96						
2-	95.10	4014	.27	236.83		32.2	234.24	-1.29	28.05						
3-	95.49	4009	.28	236.53		32.3	233.94	-1.27	28.16						
4-	95.81	4005	.30	236.30		32.4	233.70	-1.25	28.26						
5-	96.18	4000	.32	236.0		32.5	233.40	-1.24	28.34						
6-	96.34	3997	.34	235.82		32.5	233.22	-1.22	28.34						
7-	96.34	3995	.36	235.71		32.4	233.10	-1.20	28.24						
8-	96.49	3992	.38	235.53		32.4	232.92	-1.18	28.23						
9-	96.67	3987	.40	235.23		32.3	232.62	-1.16	28.13						
10-S	96.80	3981	.42	234.88		32.1	232.26	-1.14	27.92						
11	97.31	3972	.44	234.35		32.1	231.72	-1.12	27.91						
12	98.03	3963	.45	233.82		32.3	231.18	-1.10	28.11						
13-	98.77	3954	.47	233.29		32.5	230.64	-1.08	28.33						
14	99.51	3944	.49	232.70		32.7	230.04	-1.07	28.48						
15	100.42	3920	.51	231.87		32.8	229.20	-1.05	28.57						
16	101.25	3919	.53	231.22		33.0	228.54	-1.03	28.76						
17	102.06	3905	.55	230.40		33.0	227.7	-1.01	28.75						
18	102.86	3891	.57	229.57		33.0	226.86	-.99	28.73						
19	103.67	3877	.59	228.74		33.0	226.02	-.97	28.72						
20-S	104.41	3864	.61	227.98		33.0	225.24	-.95	28.70						
21	105.04	3853	.63	227.33		33.0	224.58	-.93	28.69						

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
20-S	104.15	3884	.59	224.16		33.9	226.44	-.98	29.61						
21	104.82	3874	.61	228.57		34.0	225.84	-.96	29.70						
22	104.92	3872	.63	228.45		34.0	225.72	-.94	29.70						
23	105.17	3866	.64	228.09		33.9	225.76	-.93	29.60						
24	105.86	3859	.66	227.68		33.9	224.94	-.91	29.59						
25	106.01	3851	.68	227.24		33.9	224.46	-.89	29.58						
26	106.45	3845	.70	226.86		34.0	224.1	-.87	29.68	122.80		3735.06		346.03	
27	107.10	3837	.72	226.38		34.2	223.62	-.85	29.87						
28	107.47	3832	.74	226.09		34.3	223.32	-.83	29.96						
29	107.91	3826	.76	225.73		34.4	222.96	-.81	30.06						
30	108.34	3820	.78	225.38		34.5	222.60	-.79	30.15						
31-S	108.66	3816	.80	225.14		34.6	222.36	-.77	30.25						

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
0+0	95.72	4010	-19	236.59		32.5	234.0	-1.36	28.36						
1-N	95.07	4018	-17	237.06		32.3	234.48	-1.38	28.17						
2	94.87	4020	-15	237.18		32.2	234.60	-1.40	28.07						
3	94.87	4017	-13	237.00		32.0	234.42	-1.42	27.32						
4	94.32	4025	-11	237.48		31.9	234.90	-1.44	27.78						
5	92.52	4054	.09	239.19		31.8	236.64	-1.45	27.71						
6	90.82	4083	.08	240.90		31.8	238.38	-1.47	27.73						
7	89.21	4109	.06	242.43		31.8	239.94	-1.49	27.66						
8	87.81	4133	.04	243.85		31.7	241.38	-1.51	27.68						
9	86.48	4156	.02	245.20		31.7	242.76	-1.53	27.71						
10-N	84.98	4180	0	246.62		31.6	244.20	-1.55	27.63						
11	83.82	4200	-.02	247.78		31.6	245.40	-1.57	27.65						
12	82.66	4220	-.04	248.98		31.6	246.60	-1.59	27.67						
13	81.58	4237	-.06	249.98		31.5	247.62	-1.61	27.59						
14	80.20	4259	-.08	251.28		31.4	248.94	-1.62	27.52						
15	78.87	4280	-.09	252.52		31.3	250.2	-1.64	27.43						
1-S	95.8	4010	.21	236.59		32.6	234.0	-1.34	28.46						
2	96.06	4007	-.23	236.41		32.7	233.82	-1.32	28.56						
3	96.27	4003	-.25	236.18		32.7	233.58	-1.30	28.55						
4	96.39	3999	-.27	235.94		32.6	233.34	-1.28	28.45						
5	96.75	3991	-.28	235.47		32.5	232.86	-1.27	28.34						
6	96.81	3988	-.30	235.29		32.4	232.68	-1.25	28.24						
7	97.08	3983	-.32	235.0		32.4	232.38	-1.23	28.23						
8	97.24	3980	-.34	234.82		32.4	232.2	-1.21	28.23						
9	97.57	3974	-.36	234.47		32.4	231.84	-1.19	28.22						
10-S	98.03	3966	-.38	233.99		32.4	231.36	-1.17	28.22						
11	98.42	3959	-.40	233.58		32.4	230.94	-1.15	28.21						
12	99.17	3951	-.42	233.11		32.7	230.46	-1.13	28.50						
12	99.72	3943	-.44	232.64		32.8	229.98	-1.11	28.59						
14	100.63	3936	-.45	232.22		33.3	229.56	-1.10	29.09						
15	101.08	3928	-.47	231.75		33.3	229.08	-1.08	29.08						
16	101.73	3920	-.49	231.28		33.5	228.6	-1.06	29.27						
17	102.38	3912	-.51	230.81		33.7	228.12	-1.04	29.46						
18	102.83	3904	-.53	230.34		33.7	227.64	-1.02	29.45						
19-S	103.37	3896	-.57	229.86		33.8	227.16	-1.0	29.53						

GRID - FARO

L-32W

GRAVITY DATA

PAGE -

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
14-S	99.87	3954	.44	233.29		33.6	230.64	-1.13	29.38									
15-S	100.77	3962	.45	232.58		33.8	229.92	-1.11	29.58									
16	101.19	3938	.47	232.34		34.0	229.68	-1.09	29.78									
17	101.50	3934	.49	232.11		34.1	229.44	-1.07	29.87									
18	101.94	3928	.51	231.75		34.2	229.08	-1.05	29.97									
19	/	3917	.53	231.10		NR-	/	-1.03	/									
20-S	103.26	3910	.55	230.69		34.5	228.0	-1.01	30.25									
21	103.59	3904	.57	230.34		34.5	227.64	-.99	30.24									
22	104.16	3894	.59	229.75		34.5	227.04	-.97	30.23									
23	/	3886	.61	229.27		NR-	/	-.96	/									
24	105.26	3873	.63	228.51		34.4	225.78	-.94	30.10									
25	105.78	3864	.64	227.98		34.4	225.24	-.92	30.10									
26	106.22	3858	.66	227.62		34.5	224.88	-.90	30.20									
27	106.77	3850	.68	227.15		34.6	224.40	-.88	30.29									
28	107.32	3842	.70	226.68		34.7	223.92	-.86	30.38									
29	108.09	3832	.72	226.09		34.9	223.32	-.84	30.57									
30-S	108.59	3825	.74	225.68		35.0	222.90	-.82	30.67									
31	108.86	3820	.76	225.38		35.0	222.60	-.80	30.66	125.21		3710.00			347.01			

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
0+0	95.52	4012	-17	236.71		32.4	234.12	-1.39	28.75						
1-N	/	4012	15	236.71		NR -	234.12	-1.41	/						
2	/	4012	13	236.71		NR -	234.12	-1.43	/						
3	95.13	4018	-11	237.06		32.3	234.48	-1.45	28.16						
4	94.58	4026	-09	237.53		32.2	234.96	-1.47	28.07						
5	93.32	4044	-08	238.60		32.0	236.04	-1.48	27.88						
6	91.95	4066	-06	239.89		31.9	237.36	-1.50	27.81						
7	89.78	4103	-04	242.08		31.9	239.58	-1.52	27.84						
8	87.82	4135	-02	243.97		31.8	241.50	-1.54	27.78						
9	86.02	4164	0	245.68		31.7	243.24	-1.56	27.70						
10-N	84.73	4186	-02	246.97		31.7	244.56	-1.58	27.71						
11	83.35	4210	-04	248.39		31.7	246.0	-1.60	27.75						
12	82.35	4229	-06	249.51		31.8	247.14	-1.62	27.87						
13	81.44	4243	-08	250.34		31.8	247.98	-1.64	27.78						
14	80.75	4255	-09	251.05		31.7	248.70	-1.65	27.80						
15	79.94	4269	-11	251.87		31.7	249.54	-1.67	27.81						
16	78.64	4288	-13	252.99		31.5	250.68	-1.69	27.68						
17	77.66	4305	-15	254.0		31.5	251.70	-1.71	27.65						
18	76.30	4325	-17	255.18		31.3	252.90	-1.73	27.47						
19	75.15	4343	-19	256.24		31.2	253.98	-1.75	27.38						
20-N	72.35	4384	-21	258.66		30.8	256.44	-1.77	27.02						
21	70.29	4416	-23	260.54		30.6	258.36	-1.79	26.86						
1-S	95.41	6017	19	237.0		32.6	234.42	-1.37	28.46						
2	95.49	4017	21	237.0		32.7	234.42	-1.35	28.46						
3	95.58	4015	-23	236.89		32.7	234.30	-1.33	28.55						
4	96.02	4009	-25	236.53		32.8	233.94	-1.31	28.65						
5	96.49	3999	-27	235.94		32.7	233.34	-1.30	28.53						
6	96.95	3991	-28	235.47		32.7	232.86	-1.28	28.53						
7	97.46	3982	-30	234.94		32.7	232.32	-1.26	28.52						
8	97.94	3977	-32	234.64		32.9	232.02	-1.24	28.72						
9	98.37	3971	-34	234.29		33.0	231.66	-1.22	28.81						
10-S	98.80	3965	-36	233.94		33.1	231.3	-1.20	28.90						
11	99.34	3959	-38	233.58		33.3	230.94	-1.18	29.10						
12	100.61	3954	-40	232.29		33.3	230.64	-1.16	29.09						
13	99.93	3950	-42	233.05		33.4	230.4	-1.14	29.19						

GRID - FARO

L-36W

GRAVITY DATA

PAGE -

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATI-CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
1-S	96.0	4014	.17	236.83		33.0	234.24	-1.40	28.84						
2	96.14	4013	.19	236.77		33.1	234.18	-1.38	28.94						
3	96.28	4012	.21	236.71		33.2	234.12	-1.36	29.04						
4	96.42	4011	.23	236.65		33.2	234.06	-1.34	29.14						
5	96.70	4006	.25	236.35		33.3	233.76	-1.23	29.13						
6	96.97	4001	.27	236.06		33.3	233.46	-1.31	29.12						
7	97.36	3996	.28	235.76		33.4	233.16	-1.29	29.23						
8	97.67	3992	.30	235.53		33.5	232.96	-1.27	29.36						
9	97.81	3991	.32	235.47		33.6	232.86	-1.25	29.42						
10-S	98.13	3987	.24	235.23		33.7	232.62	-1.23	29.52						
11	98.52	3980	.26	234.82		33.7	232.22	-1.21	29.51						
12	98.85	3974	.28	234.47		33.7	231.84	-1.19	29.50						
13	/	3968	.40	234.11		NR-	/	-1.17	-						
14	99.59	3966	.42	233.99		34.0	231.26	-1.16	29.79						
15	99.83	3965	.44	233.94		34.2	231.3	-1.14	29.99						
16	100.09	3962	.45	233.76		34.3	231.12	-1.12	30.09						
17	100.35	3959	.47	233.88		34.4	230.94	-1.10	30.19						
18	-	3963	.49	233.82		NR-	231.18	-1.08	/						
19	100.90	3949	.51	232.99		34.5	230.34	-1.06	30.18						
20	101.35	3941	.53	232.52		34.4	229.86	-1.04	30.17						
21-S	101.83	3936	.55	232.22		34.6	229.56	-1.02	30.37						

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
0+0	95.87	4015	.15	236.89		32.9	234.3	-1.42	28.75						
1-N	95.64	4014	.13	236.83		32.6	234.24	-1.44	28.44						
2	95.45	4016	.11	236.94		32.5	234.36	-1.46	28.35						
3	95.19	4019	.09	237.12		32.4	234.54	-1.48	28.25						
4	94.21	4034	.08	238.01		32.3	235.44	-1.50	28.15						
5	93.03	4051	.06	239.01		32.1	236.46	-1.51	27.98						
6	91.49	4074	.04	240.37		31.9	237.84	-1.53	27.80						
7	89.70	4103	.02	242.08		31.8	239.38	-1.55	27.73						
8	88.19	4129	0	243.61		31.8	241.14	-1.57	27.76						
9	86.68	4155	-.02	245.15		31.8	242.70	-1.59	27.79						
10-N	84.93	4185	-.04	246.92		31.8	244.50	-1.61	27.82						
11	83.63	4209	-.06	248.33		31.9	245.94	-1.63	27.94						
12	82.59	4227	-.08	249.39		31.9	247.02	-1.65	27.96						
13	81.65	4243	-.09	250.34		31.9	247.98	-1.67	27.96						
14	80.90	4257	-.11	251.16		31.9	248.82	-1.68	28.04						
15	79.94	4271	-.13	251.99		31.8	249.66	-1.70	27.90						
16	79.08	4286	-.15	252.87		31.8	250.56	-1.72	27.92						
17	78.23	4299	-.17	253.64		31.7	251.34	-1.74	27.83						
18	77.31	4312	-.19	254.44		31.6	252.12	-1.76	27.67						
19	76.26	4328	-.21	255.35		31.4	253.08	-1.78	27.56						
20-N	74.43	4356	-.23	257.0		31.2	254.76	-1.80	27.39						
21	73.23	4375	-.25	258.13		31.1	255.90	-1.82	27.31						
22	71.28	4405	-.27	259.99		30.9	257.7	-1.84	27.14						
23	70.01	4425	-.28	261.08		30.8	258.9	-1.85	27.06						
24	68.95	4445	-.30	262.26		30.9	260.1	-1.87	27.18						
25	67.70	4463	-.32	263.32		30.7	261.18	-1.89	26.99						
26	66.28	4484	-.34	264.56		30.5	262.44	-1.91	26.81						
27	65.70	4496	-.36	265.26		30.6	263.16	-1.93	26.93						
28	64.67	4512	-.38	266.21		30.5	264.12	-1.95	26.94						
29	63.47	4531	-.40	267.33		30.4	265.26	-1.97	26.76						
30-N	62.52	4544	-.42	268.10		30.2	266.04	-1.99	26.57						
31	61.52	4558	-.44	268.92		30.0	266.88	-2.01	26.39						
32	60.64	4568	-.45	269.51		29.7	267.48	-2.02	26.10						
33	59.91	4579	-.47	270.16		29.6	268.14	-2.04	26.01						
34	59.18	4590	-.49	270.81		29.5	268.80	-2.06	25.92						
35	58.57	4594	-.51	271.34		29.4	269.34	-2.08	25.83						
36-N	58.47	4601	-.53	271.46		29.4									

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
21-N	76.95	4324	-57	255.12		31.5	252.84	-1.85	27.94						
22	76.11	4337	-59	255.88		21.4	253.62	-1.87	27.86						
23	75.10	4351	-61	256.71		21.2	254.46	-1.88	27.68						
24	73.74	4371	-63	257.89		31.0	255.66	-1.90	27.50						
25	72.34	4395	-64	259.31		31.0	257.1	-1.92	27.52						
26	71.19	4413	-66	260.37		30.9	258.18	-1.94	27.43						
27	69.82	4435	-68	261.67		30.8	259.5	-1.96	27.36						
28	68.99	4451	-70	262.61		30.9	260.46	-1.98	27.47						
29	68.34	4459	-72	263.08		30.7	260.94	-2.0	27.28						
30-N	67.65	4471	-74	263.79		30.7	261.66	-2.02	27.29						
31	66.88	4481	-76	264.38		30.5	262.26	-2.04	27.10						
32	65.89	4493	-78	265.09		30.2	262.98	-2.05	26.82						
33	64.55	4511	-80	266.15		29.9	264.06	-2.07	26.54						
34	63.69	4524	-81	266.92		29.8	264.84	-2.09	26.45						
35	63.12	4534	-83	267.51		29.8	265.44	-2.11	26.45						
36	62.41	4543	-85	268.04		29.6	265.98	-2.13	26.26						
040	96.66	4009	-11	236.53		33.3	233.94	-1.43	29.17						
1-S	96.84	4009	-13	236.53		33.5	233.94	-1.41	29.37						
2	96.90	4011	-15	236.65		33.7	234.06	-1.39	29.57						
3		4014	-17	236.83		NR-		-1.37							
4	96.73	4015	-19	236.89		33.8	234.3	-1.36	29.67						
5	96.82	4013	-21	236.77		33.8	234.18	-1.34	29.66						
6	97.04	4009	-23	236.53		33.8	233.94	-1.32	29.66						
7	97.04	4007	-25	236.41		33.7	233.82	-1.30	29.56						
8	97.29	4004	-27	236.24		33.8	233.64	-1.28	29.65						
9	97.44	4003	-28	236.18		33.9	233.58	-1.26	29.64						
10-S	97.44	4001	-30	236.06		33.8	233.46	-1.24	29.66						
11	97.62	4001	-32	236.06		34.0	233.46	-1.22	29.86						
12	97.96	4000	-34	236.0		34.3	233.40	-1.20	30.16						
13	98.08	3996	-36	235.76		34.2	233.16	-1.19	30.05						
14	98.29	3992	-38	235.53		34.2	232.92	-1.17	30.04						
15	98.31	3993	-40	235.59		34.3	232.98	-1.15	30.14						
16	98.41	3991	-42	235.47		34.3	232.86	-1.13	30.14						
17	98.67	3988	-44	235.29		34.4	232.68	-1.11	30.24						
18	98.96	3985	-45	235.12		34.5	232.50	-1.09	30.37						

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
19-S	99.25	3981	.47	234.88		34.6	232.26	-1.07	30.44						
20	99.47	3977	.49	234.64		34.6	232.02	-1.05	30.44						
21-S	100.02	3969	.51	234.17		34.7	231.54	-1.03	30.53						
<i>1-N</i>	96.46	4011	.09	236.65		33.2	234.06	-1.45	29.07						
2	95.98	4016	.08	236.94		33.0	234.36	-1.47	28.87						
3	94.75	4032	.06	237.89		32.7	235.32	-1.49	28.58						
4	92.73	4065	.04	239.84		32.6	237.3	-1.51	28.52						
5	90.46	4103	.02	242.08		32.5	239.58	-1.53	28.45						
6	88.73	4130	0	243.67		32.4	241.20	-1.54	28.39						
7	87.91	4146	.02	244.61		32.5	242.16	-1.56	28.51						
8	87.12	4158	.04	245.32		32.4	242.88	-1.58	28.42						
9	86.09	4174	.06	246.27		32.3	243.84	-1.60	28.33						
10-N	85.19	4188	.08	247.09		32.2	244.68	-1.62	28.25						
11	84.27	4202	.09	247.92		32.1	245.52	-1.64	28.15						
12	83.48	4214	.11	248.63		32.0	246.24	-1.66	28.06						
13	82.81	4224	.13	249.22		31.9	246.84	-1.68	27.97						
14	82.24	4234	.15	249.81		31.9	247.44	-1.70	27.98						
15	81.86	4246	.17	250.51		31.7	248.16	-1.71	27.81						
16	80.63	4257	.19	251.16		31.6	248.82	-1.73	27.72						
17	80.18	4265	.21	251.64		31.6	249.30	-1.75	27.73						
18	79.45	4276	.23	252.28		31.5	249.96	-1.77	27.64						
19	78.48	4291	.25	253.17		31.4	250.86	-1.79	27.55						
20-N	77.79	4303	.27	253.88		31.4	251.58	-1.81	27.56						
21	77.40	4308	.28	254.17		31.3	251.88	-1.83	27.45						
22	76.80	4318	.26	254.76		31.3	252.48	-1.85	27.43						
23	75.83	4333	.28	255.65		31.2	253.38	-1.87	27.34						
24	75.20	4344	.30	256.30		31.2	254.04	-1.89	27.35						
25	74.06	4362	.32	257.36		31.1	255.12	-1.91	27.27						
26	73.26	4376	.34	258.18		31.1	255.96	-1.93	27.29						
27	/	4390	.36	259.01		N.R.	/	-1.95	/						
28	71.44	4404	.38	259.84		30.9	257.64	-1.97	27.11						
29	70.66	4416	.40	260.54		30.8	258.36	-1.99	27.03						
30-N	70.05	4425	.42	261.08		30.7	258.9	-2.01	26.94						
31	69.16	4437	.44	261.78		30.5	259.62	-2.03	26.75						
32	68.39	4447	.46	262.37		30.3	260.22	-2.05	26.56						

GRID - FARO

L-40 W

GRAVITY DATA

PAGE -

ORIGINAL FIELD WORK			DENSITY -			DENSITY -			DENSITY -			DENSITY -			DENSITY -			
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
33-N	67.34	4460	-.48	263.14		26.0	261.0	-2.07	26.27									
34	66.49	4473	-.50	263.91		29.9	261.78	-2.09	26.18									
35	65.94	4481	-.52	264.38		29.8	262.26	-2.11	26.09									
36	65.51	4487	-.54	264.73		29.7	262.62	-2.13	26.0									
37-N	65.47	4488	-.56	264.77		29.7	262.68	-2.15	26.0									

GRID - FAR 0

L-44W

GRAVITY DATA

PAGE-

ORIGINAL FIELD WORK			DENSITY -			DENSITY -			DENSITY -			DENSITY -			
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
1-S	97.71	4000	.09	236.0		33.8	233.4	-1.46	29.65						
2	/	4002	-11	236.12		NR -	-	-1.04							
3	97.34	4009	.13	236.53		34.0	232.94	-1.42	29.86						
4	96.85	4017	.15	237.0		34.0	234.42	-1.40	29.87						
5	96.71	4019	.17	237.12		34.0	234.54	-1.38	29.87						
6	96.69	4019	.19	237.12		34.0	234.54	-1.36	29.87						
7	96.79	4017	.21	237.0		34.0	234.42	-1.34	29.87						
8	97.04	4014	.23	236.83		34.1	234.24	-1.32	29.96						
9	96.91	4016	.25	236.94		34.1	234.36	-1.30	29.97						
10-S	96.51	4024	.27	237.42		34.2	234.84	-1.29	30.06						
11	96.46	4023	.28	237.36		34.1	234.78	-1.27	29.97						
12	96.62	4020	.30	237.18		34.1	234.6	-1.25	29.97						
13	96.84	4016	.32	236.94		34.1	234.36	-1.23	29.97						
14	97.15	4012	.34	236.71		34.2	234.12	-1.21	30.06						
15	97.43	4007	.36	236.41		34.2	233.82	-1.19	30.06						
16	97.58	4004	.38	236.24		34.2	233.64	-1.17	30.05						
17	97.82	4003	.40	236.18		34.4	233.58	-1.15	30.25						
18	98.02	4001	.42	236.06		34.5	233.46	-1.13	30.35						
19	97.71	4006	.44	236.35		34.5	233.76	-1.11	30.36						
20-S	98.66	3993	.45	235.59		34.7	232.98	-1.09	30.55						
21	99.32	3985	.47	235.12		34.9	232.50	-1.07	30.75						

GRID - FARD			L-44W			GRAVITY DATA												PAGE-
ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
0+0	97.09	4009	.08	236.53		33.7	233.94	-1.08	29.25									
1-N	96.32	4019	.06	237.12		33.5	234.54	-1.50	29.36									
2	95.31	4033	.04	237.95		33.3	235.38	-1.52	29.17									
3	94.19	4054	.02	239.19		33.4	236.64	-1.54	29.29									
4	92.56	4077	0	240.54		33.1	238.02	-1.56	29.02									
5	91.00	4102	-.02	242.02		33.0	239.52	-1.58	28.94									
6	90.02	4119	-.04	243.02		33.0	240.54	-1.60	28.96									
7	88.09	4147	-.06	244.67		32.7	242.22	-1.62	28.69									
8	86.79	4171	-.08	246.09		32.8	243.66	-1.64	28.81									
9	85.80	4188	-.09	247.09		32.8	244.68	-1.66	28.82									
10-N	85.07	4199	-.11	247.74		32.7	245.24	-1.67	28.74									
11	84.50	4209	-.13	248.33		32.7	245.94	-1.69	28.75									
12	83.85	4217	-.15	248.80		32.5	246.42	-1.71	28.56									
13	83.89	4220	-.17	248.98		32.4	246.6	-1.73	28.76									
14	83.26	4226	-.19	249.33		32.4	246.96	-1.75	28.47									
15	83.0	4229	-.21	249.51		32.3	247.14	-1.77	28.37									
16	82.47	4235	-.23	249.87		32.1	247.5	-1.79	28.18									
17	81.91	4243	-.25	250.34		32.0	247.98	-1.81	28.08									
18	81.46	4251	-.27	250.81		32.0	248.46	-1.83	28.09									
19	80.58	4261	-.28	251.40		31.7	249.06	-1.85	27.79									
20-N	79.71	4271	-.30	251.99		31.4	249.66	-1.87	27.48									
21	79.06	4279	-.32	252.46		31.2	250.14	-1.89	27.31									
22	78.01	4292	-.34	253.23		30.9	250.92	-1.91	27.02									
23	77.11	4306	-.36	254.05		30.8	251.76	-1.93	26.94									
24	76.22	4318	-.38	254.76		30.6	252.48	-1.95	26.75									
25	75.49	4329	-.40	255.41		30.5	253.14	-1.97	26.66									
26	74.80	4341	-.42	256.12		30.5	253.86	-1.99	26.67									
27	74.13	4351	-.44	256.71		30.4	254.46	-2.01	26.58									
28	73.32	4365	-.45	257.54		30.4	255.3	-2.02	26.60									
29	72.59	4376	-.47	258.18		30.3	255.96	-2.04	26.51									
30-N	72.08	4385	-.49	258.72		30.3	256.5	-2.06	26.52									
31	70.96	4394	-.51	259.25		29.7	257.04	-2.08	25.92									
32	70.28	4411	-.53	260.25		30.0	258.06	-2.10	26.24									
33	69.45	4422	-.55	260.90		29.9	258.72	-2.12	26.15									
34-N	68.71	4435	-.57	261.67		29.8	259.50	-2.14	26.07									

GRID - FARO

L-48W

GRAVITY DATA

PAGE -

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
1-S	/	3989	-08			/		-1.49	/						
2	98.46	3989	-09	235.25		33.9	232.74	-1.47	29.73						
3	97.10	4015	-11	236.89		34.1	234.3	-1.45	29.95						
4	97.36	4012	-13	236.71		34.2	234.12	-1.43	30.05						
5	97.22	4014	-15	236.83		34.2	234.24	-1.42	30.04						
6	97.30	4014	-17	236.83		34.3	234.24	-1.40	30.14						
7	97.40	4012	-19	236.71		34.3	234.12	-1.38	30.14						
8	97.19	4017	-21	237.0		34.4	234.42	-1.36	30.25						
9	97.31	4018	-23	237.06		34.6	234.48	-1.34	30.45						
10-S	97.25	4017	-25	237.0		34.5	234.42	-1.32	30.35						
11	97.39	4016	-27	236.94		34.6	234.36	-1.30	30.45						
12	97.65	4013	-28	236.77		34.7	234.18	-1.28	30.55						
13	97.69	4012	-30	236.71		34.7	234.12	-1.26	30.55						
14	97.83	4011	-32	236.65		34.8	234.06	-1.25	30.64						
15	98.05	4007	-34	236.41		34.8	233.82	-1.23	30.64						
16	98.44	4000	-36	236.0		34.8	233.4	-1.21	30.63						
17	98.82	3995	-38	235.71		34.9	233.1	-1.19	30.73						
18	99.03	3991	-40	235.47		34.9	232.86	-1.17	30.72						
19	99.45	3987	-42	235.23		35.1	232.62	-1.15	30.92						
20	99.0	3996	-44	235.76		35.2	233.16	-1.13	31.03						
21-S	98.67	4003	-45	236.18		35.3	233.58	-1.11	31.14						

GRID - FARO		L-48W GRAVITY DATA															PAGE -	
ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
0+0	97.43	4007	-06	236.41		33.9	233.82	-1.51	29.74									
1-N	96.32	4021	-04	237.24		33.6	234.66	-1.53	29.45									
2	95.75	4031	-02	237.83		33.6	235.26	-1.55	29.46									
3	94.79	4046	0	238.71		33.5	236.16	-1.57	29.38									
4	93.55	4069	-02	240.07		33.6	237.54	-1.59	29.50									
5	91.76	4098	-04	241.78		33.5	239.28	-1.60	29.44									
6	90.09	4125	-06	243.38		33.4	240.90	-1.62	29.37									
7	88.83	4145	-08	244.56		33.3	242.1	-1.64	29.29									
8	87.67	4163	-09	245.62		33.2	243.18	-1.66	29.19									
9	86.52	4181	-11	246.68		33.2	244.26	-1.68	29.10									
10-N	85.78	4194	-13	247.45		33.1	245.04	-1.70	29.12									
11	85.31	4199	-15	247.74		32.9	245.34	-1.72	28.93									
12	85.05	4202	-17	247.92		32.8	245.52	-1.74	28.83									
13	84.62	4208	-19	248.27		32.7	245.88	-1.76	28.74									
14	84.30	4212	-21	248.51		32.6	246.12	-1.77	28.65									
15	84.15	4215	-23	248.69		32.6	246.30	-1.79	28.66									
16	83.51	4221	-25	249.04		32.3	246.66	-1.81	28.36									
17	82.80	4230	-27	249.57		32.1	247.2	-1.83	28.17									
18	82.06	4241	-28	250.22		32.0	247.86	-1.85	28.07									
19	81.27	4253	-30	250.93		31.9	248.58	-1.87	27.98									
20-N	79.63	4271	-32	251.99		31.3	249.66	-1.89	27.40									
21	78.77	4286	-34	252.87		31.3	250.56	-1.91	27.42									
22	77.84	4302	-36	253.82		31.0	251.52	-1.93	27.13									
23	76.65	4314	-38	254.53		30.8	252.24	-1.94	26.95									
24	75.65	4328	-40	255.35		30.6	253.08	-1.96	26.77									
25	74.76	4340	-42	256.06		30.4	253.8	-1.98	26.58									
26	73.85	4354	-44	256.89		30.3	254.64	-2.0	26.49									
27	73.16	4366	-45	257.59		30.3	255.36	-2.02	26.50									
28	72.39	4376	-47	258.18		30.1	255.96	-2.04	26.31									
29	71.48	4390	-49	259.01		30.0	256.80	-2.06	26.22									
30-N	70.57	4404	-51	259.84		29.9	257.64	-2.08	26.13									
31	69.67	4418	-53	260.66		29.8	258.48	-2.10	26.05									
32	69.06	4427	-55	261.19		29.7	259.02	-2.11	25.97									
33	68.55	4436	-57	261.72		29.7	259.56	-2.13	25.98									
34	68.11	4442	-59	262.08		29.6	259.92	-2.15	25.88									
35	67.86	4445	-61	262.26		29.5	260.1	-2.17	25.79									

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
1-5	98.06	3998	.06	235.88		34.0	232.28	-1.52	29.82						
2	99.34	3976	.01	234.88		34.0	231.96	-1.50	29.80						
3	99.39	3975	.09	234.53		34.0	231.90	-1.48	29.81						
4	99.45	3977	.11	234.64		34.2	232.02	-1.46	30.01						
5	99.27	3978	.13	234.70		34.1	232.08	-1.45	29.90						
6	98.52	3992	.15	235.53		34.2	232.92	-1.43	30.01						
7	98.64	3993	.17	235.59		34.4	232.98	-1.41	30.21						
8	98.62	3993	.19	235.59		34.4	232.98	-1.39	30.21						
9	98.72	3991	.21	235.47		34.4	232.86	-1.37	30.21						
10-8	99.0	3986	.23	235.17		34.4	232.86	-1.35	30.21						
11	99.08	3986	.25	235.17		34.5	232.86	-1.33	30.31						
12	99.04	3988	.27	235.29		34.6	232.68	-1.31	30.41						
13	98.91	3990	.28	235.41		34.6	232.8	-1.29	30.42						
14	98.93	3991	.30	235.47		34.7	232.86	-1.28	30.51						
15	98.85	3992	.32	235.53		34.7	232.92	-1.26	30.51						
16	98.93	3992	.34	235.53		34.8	232.92	-1.24	30.61						
17	99.37	3986	.36	235.17		34.9	232.56	-1.22	30.71						
18	/	/	.38			N.R.		-1.20	/						
19	99.96	3977	.40	234.64		35.0	232.02	-1.18	30.80						
20-5	100.33	3972	.42	234.35		35.1	231.72	-1.16	30.89						
21	100.51	3972	.44	234.35		35.3	231.72	-1.14	31.09						
22	100.64	3973	.45	234.41		35.3	231.78	-1.12	31.10						
23	100.05	3981	.47	234.88		35.4	232.26	-1.11	31.20						

GRID - FARO

L-52W GRAVITY DATA

PAGE-

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
0+0	97.27	4010	.04	236.89		33.9	234.0	-1.54	29.73						
1-N	96.89	4014	.02	236.83		33.7	234.24	-1.56	29.57						
2	96.62	4020	0	237.18		33.8	234.60	-1.58	29.64						
3	95.87	4033	-.02	237.95		33.8	235.38	-1.60	29.65						
4	94.71	4053	-.04	239.13		33.8	236.58	-1.62	29.67						
5	93.39	4074	-.06	240.37		33.7	237.84	-1.63	29.60						
6	92.55	4087	-.08	241.13		33.6	238.62	-1.65	29.52						
7	91.57	4102	-.09	242.02		33.5	239.52	-1.67	29.42						
8	90.53	4120	-.11	243.08		33.5	240.6	-1.69	29.44						
9	89.64	4132	-.13	243.79		33.3	241.32	-1.71	29.25						
10-N	89.13	4141	-.15	244.32		33.3	241.86	-1.73	29.26						
11	88.56	4151	-.17	244.91		33.3	242.46	-1.75	29.27						
12	87.85	4160	-.19	245.44		33.1	243.0	-1.77	29.08						
13	87.02	4171	-.21	246.09		32.9	243.66	-1.79	28.89						
14	86.29	4182	-.23	246.74		32.8	244.32	-1.80	28.81						
15	85.64	4190	-.25	247.21		32.6	244.8	-1.82	28.62						
16	84.97	4200	-.27	247.80		32.5	245.4	-1.84	28.53						
17	84.41	4208	-.28	248.27		32.4	245.88	-1.86	28.43						
18	83.64	4218	-.30	248.86		32.2	246.48	-1.88	28.24						
* 19	82.83	4227	-.32	249.39		32.0	247.02	-1.90	28.07						
20-N	82.10	4238	-.34	250.04		31.8	247.68	-1.92	27.86						
21	81.65	4246	-.36	250.51		31.8	248.16	-1.94	27.87						
22	80.82	4257	-.38	251.16		31.6	248.82	-1.96	27.68						
23	80.09	4268	-.40	251.81		31.5	249.48	-1.97	27.60						
24	79.08	4282	-.42	252.64		31.3	250.32	-1.99	27.41						
25	78.19	4294	-.44	253.35		31.1	251.04	-2.01	27.22						
26	77.31	4304	-.45	253.94		30.8	251.64	-2.03	26.92						
27	76.41	4318	-.47	254.76		30.7	252.48	-2.05	26.84						
28	75.60	4327	-.49	255.29		30.4	253.02	-2.07	26.55						
29	74.47	4340	-.51	256.24		30.2	253.98	-2.09	26.36						
30-N	73.76	4352	-.53	256.77		30.0	254.52	-2.11	26.17						
31	73.17	4359	-.55	257.18		29.8	254.94	-2.13	25.98						
32	72.74	4365	-.57	257.54		29.7	255.3	-2.14	25.90						
33	72.08	4373	-.59	258.01		29.5	255.78	-2.16	25.70						
34	71.67	4377	-.61	258.24		29.3	256.02	-2.18	25.51						
35-N	71.17	4384	-.63	258.66		29.2	256.44	-2.20	25.41						
36-N	71.24	4383	-.64	258.60		29.2									

ORIGINAL FIELD WORK			DENSITY -			DENSITY -			DENSITY -			DENSITY -			
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
1-S		3986	.02	235.17		NR-	-	-1.55	-						
2	99.39	3974	.04	234.47		33.9	221.84	-1.53	29.70						
3	100.24	3961	.06	233.70		34.0	221.06	-1.51	29.79						
4	100.56	3957	.08	233.46		34.1	220.82	-1.49	29.89						
5	100.65	3957	.09	233.46		34.2	220.82	-1.48	29.99						
6	99.55	3977	.11	234.64		34.3	222.02	-1.46	30.11						
7	99.51	3979	.13	234.76		34.4	222.14	-1.44	30.21						
8	99.87	3976	.15	234.58		34.6	221.96	-1.42	30.41						
9	100.50	3965	.17	233.94		34.6	221.3	-1.40	30.40						
10-S	100.89	3958	.19	233.52		34.6	220.88	-1.38	30.39						
11	100.81	3959	.21	233.58		34.6	220.94	-1.36	30.39						
12	100.95	3958	.23	233.52		34.7	220.88	-1.34	30.49						
13	101.01	3960	.25	233.64		34.9	221.0	-1.32	30.69						
14	100.99	3960	.27	233.64		34.9	221.0	-1.31	30.68						
15	101.24	3959	.28	233.58		35.1	220.94	-1.29	30.89						
16	101.50	3956	.30	233.40		35.2	220.76	-1.27	30.99						
17	101.93	3950	.32	233.05		35.3	220.4	-1.25	31.08						
18	102.26	3944	.34	232.70		35.3	220.04	-1.23	31.07						
19	101.95	3949	.36	232.99		35.3	220.34	-1.21	31.08						
20-S	101.50	3958	.38	233.52		35.4	220.88	-1.19	31.19						
21	101.22	3964	.40	233.88		35.5	221.24	-1.17	31.29						
22	101.25	3965	.42	233.94		35.6	221.3	-1.15	31.40						

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
0+0	98.04	3996	0	235.76		33.8	233.16	-1.57	29.63						
1-N	97.50	4002	-02	236.12		33.6	233.52	-1.59	29.43						
2	97.25	4005	-04	236.30		33.5	233.7	-1.61	29.34						
3	96.83	4014	-06	236.83		33.6	234.24	-1.63	29.44						
4	96.50	4020	-08	237.18		33.6	234.6	-1.65	29.45						
5	95.58	4034	-09	238.01		33.5	235.44	-1.66	29.36						
6	94.68	4048	-11	238.83		33.4	236.28	-1.68	29.28						
7	93.83	4061	-13	239.60		33.3	237.06	-1.70	29.19						
8	92.85	4078	-15	240.60		33.3	238.08	-1.72	29.24						
9	91.65	4097	-17	241.72		33.2	239.22	-1.74	29.13						
10-N	90.68	4112	-19	242.61		33.1	240.12	-1.76	29.04						
11	89.66	4128	-21	243.85		33.0	241.08	-1.78	28.96						
12	88.83	4144	-23	244.50		32.8	242.04	-1.80	28.77						
13	88.03	4163	-25	245.62		33.4	243.18	-1.82	29.39						
14	87.73	4185	-27	245.15		32.6	242.7	-1.83	28.60						
15	86.75	4170	-28	246.03		32.5	243.6	-1.85	28.50						
16	85.74	4184	-30	246.86		32.3	244.44	-1.87	28.31						
17	84.68	4201	-34	247.86		32.2	245.46	-1.89	28.25						
18	83.77	4215	-36	248.69		32.1	246.3	-1.91	28.16						
19	/	4221	-38	249.04		NR-	/	-1.93	/						
20-N	82.81	4227	-40	249.39		31.8	247.02	-1.95	27.88						
21	81.98	4238	-42	250.04		31.6	247.68	-1.97	27.69						
22	81.03	4257	-44	250.81		31.4	248.46	-1.99	27.50						
23	80.31	4260	-45	251.34		31.2	249.0	-2.0	27.31						
24	79.66	4268	-47	251.81		31.0	249.48	-2.02	27.12						
25	79.07	4275	-49	252.23		30.8	249.9	-2.04	26.93						
26-N	78.41	4283	-51	252.70		30.6	250.38	-2.06	26.73						
27	77.82	4290	-53	253.11		30.4	250.8	-2.08	26.54						
28	77.05	4300	-55	253.70		30.2	251.4	-2.10	26.35						
29	77.03	4299	-57	253.64		30.1	251.34	-2.12	26.25						
30-N	76.51	4303	-59	253.88		29.8	251.58	-2.14	25.95						
31	76.08	4309	-61	254.23		29.7	251.94	-2.16	25.86						
32	75.68	4311	-63	254.35		29.4	252.06	-2.17	25.57						
33	75.40	4316	-64	254.64		29.4	252.36	-2.19	25.57						
34	75.10	4318	-66	254.76		29.2	252.48	-2.21	25.37						
35	/	4320	-68	254.88		NR-	/	-2.23	/						
36-N	74.92	4320	-76	254.88		29.1									

GRID - FARO/

L-60W

GRAVITY DATA

PAGE -

ORIGINAL FIELD WORK			DENSITY -			DENSITY -			DENSITY -			DENSITY -			
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
0+0	99.43	3973	-04	234.01		33.8	231.78	-1.60	29.61						
1-S	99.71	3968	-02	234.11		33.8	231.48	-1.58	29.61						
2	99.63	3969	0	234.17		33.8	231.54	-1.56	29.61						
3	100.24	3960	+02	233.64		33.9	231.0	-1.54	29.70						
4	100.79	3952	+04	233.17		34.0	230.52	-1.52	29.79						
5	100.02	3963	-06	233.82		33.9	231.18	-1.51	29.69						
6	100.56	3957	-08	233.46		34.1	230.82	-1.49	29.89						
7	101.36	3945	-09	232.76		34.2	230.10	-1.47	29.99						
8	101.73	3940	-11	232.46		34.3	229.8	-1.45	30.08						
9	103.20	3913	-13	230.87		34.2	228.18	-1.43	29.95						
10	103.87	3903	-15	230.28		34.3	227.58	-1.41	30.04						
11	102.22	3934	-17	232.11		34.5	229.44	-1.39	30.27						
12	102.33	3937	-19	232.28		34.8	229.62	-1.37	30.58						
13	102.60	3932	-21	231.99		34.8	229.32	-1.35	30.57						
14	102.84	3931	-23	231.93		35.0	229.26	-1.34	30.76						
15	102.86	3932	-25	231.99		35.1	229.32	-1.32	30.86						
16	102.71	3936	-27	232.22		35.2	229.56	-1.30	30.97						
17	102.70	3936	-28	232.22		35.2	229.56	-1.28	30.98						
18	103.27	3926	-30	231.63		35.3	228.96	-1.26	31.07						
19	104.02	3918	-32	231.16		35.5	228.68	-1.24	31.26						
20-S	104.0	3918	-34	231.16		35.5	228.48	-1.22	31.28						
21	103.67	3925	-36	231.58		35.6	228.90	-1.20	31.37						
22	103.17	3933	-38	232.05		35.6	229.38	-1.18	31.37						
23-S	102.70	3939	-40	232.40		35.5	229.74	-1.17	31.27						

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
0+0	98.71	3987	-04	235.23		33.9	232.62	-1.60	29.73						
1-N	98.01	3994	-06	235.65		33.6	233.04	-1.62	29.43						
2	97.58	4000	-08	236.0		33.5	233.4	-1.64	29.34						
3	✓	4001	-09	236.06		NR-	✓	-1.66	✓						
4	96.57	4016	-11	236.94		33.4	234.36	-1.68	29.25						
5	95.90	4026	-13	237.53		33.3	234.96	-1.69	29.17						
6	95.44	4034	-15	238.01		33.3	235.44	-1.71	29.17						
7	94.70	4047	-17	238.77		33.3	236.22	-1.73	29.19						
8	94.23	4059	-19	239.36		33.4	236.94	-1.75	29.42						
9	93.46	4072	-21	240.25		33.5	237.72	-1.77	29.41						
10-N	92.56	4091	-23	241.37		33.7	238.86	-1.79	29.63						
11	91.78	4108	-25	242.37		33.9	239.88	-1.81	29.85						
12	91.47	4117	-27	242.90		34.1	240.42	-1.83	30.06						
13	91.74	4116	-28	242.84		34.3	240.36	-1.85	30.25						
14	91.36	4121	-30	243.14		34.2	240.66	-1.86	30.16						
15	90.91	4129	-32	243.61		34.2	241.14	-1.88	30.17						
16	89.98	4140	-34	244.26		33.9	241.8	-1.90	29.88						
17	89.35	4146	-36	244.61		33.6	242.16	-1.92	29.59						
18	88.28	4156	-38	245.20		33.1	242.76	-1.94	29.10						
19	87.38	4163	-40	245.62		32.6	243.18	-1.96	28.60						
20-N	87.14	4164	-42	245.68		32.4	243.24	-1.98	28.40						
21	86.63	4168	-44	245.91		32.1	243.68	-2.0	28.11						
22	✓	✓	-45			NR-		-2.02	✓						
23	✓	4176	-47	246.38		NR-	243.96	-2.03	✓						
24	84.98	4185	-49	246.92		31.4	244.5	-2.05	27.43						
25	84.38	4192	-51	247.33		31.2	244.92	-2.07	27.23						
26	83.65	4198	-53	247.68		30.8	245.28	-2.09	26.84						
27	83.39	4201	-55	247.86		30.7	245.46	-2.11	26.74						
28	83.25	4202	-57	247.92		30.6	245.52	-2.13	26.64						
29	82.75	4204	-59	248.04		30.2	245.64	-2.15	26.24						
30-N	82.46	4207	-61	248.21		30.0	245.82	-2.17	26.05						
31	81.55	4220	-63	248.98		29.9	246.6	-2.19	25.96						
32	80.71	4231	-64	249.63		29.7	247.26	-2.2	25.77						
33	79.82	4243	-66	250.34		29.5	247.98	-2.22	25.58						
34	79.31	4252	-68	250.87		29.5	248.52	-2.24	25.59						
35	78.44	4262	-70	251.46		29.2	249.12	-2.26	25.30						

ORIGINAL FIELD WORK			DENSITY -			DENSITY -			DENSITY -			DENSITY -			
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
1-S	99.02	3980	-04	234.82		33.8	232.2	-1.61	29.61						
2	98.69	3987	-02	235.23		33.9	232.62	-1.59	29.72						
3	98.67	3987	0	235.23		33.9	232.62	-1.57	29.72						
4	99.32	3978	.02	234.70		34.0	232.01	-1.55	29.85						
5	99.85	3968	.04	234.11		34.0	231.48	-1.54	29.79						
6	100.40	3960	.06	233.64		34.1	231.0	-1.52	29.88						
7	101.52	3944	.08	232.70		34.3	230.04	-1.50	30.06						
8	102.36	3933	.09	232.05		34.5	229.38	-1.48	30.26						
9	102.80	3927	.11	231.69		34.6	229.02	-1.46	30.36						
10-S	102.11	3923	.13	231.46		34.7	228.78	-1.44	30.45						
11	102.19	3925	.15	232.17		34.5	229.50	-1.42	30.27						
12	/	3918	.17	231.16		NR-	/	-1.40	-						
13	105.31	3883	.19	229.10		34.6	226.38	-1.38	30.31						
14	105.10	3888	.21	229.39		34.7	226.68	-1.27	30.41						
15	104.28	3904	.23	230.40		34.9	227.70	-1.25	30.63						
16	104.75	3900	.25	230.10		35.1	227.40	-1.33	30.82						
17	104.83	3900	.27	230.10		35.2	227.4	-1.31	30.92						
18	105.22	3895	.28	229.81		35.3	227.1	-1.29	31.03						
19	105.06	3899	.30	230.04		35.4	227.24	-1.27	31.13						
20-S	104.74	3904	.32	230.34		35.4	227.64	-1.25	31.13						
21	104.67	3910	.34	230.69		35.5	228.0	-1.23	31.24						
22	104.33	3912	.36	230.81		35.5	228.12	-1.21	31.24						
23	104.47	3911	.38	230.75		35.6	228.06	-1.20	31.33						

GRID - FARO/			L-64W			GRAVITY DATA												PAGE-
ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
0+0	98.39	3986	-06	235.17		33.5	232.56	-1.63	29.32									
1-N	96.89	4010	-08	236.59		33.4	234.0	-1.65	29.24									
2	95.58	4024	-09	238.01		33.4	235.44	-1.67	29.35									
3	94.84	4047	-11	238.77		33.5	236.22	-1.69	29.37									
4	94.09	4060	-13	239.54		33.5	237.0	-1.71	29.38									
5	93.87	4064	-15	239.77		33.5	237.24	-1.72	29.39									
6	93.23	4077	-17	240.54		33.6	238.02	-1.74	29.51									
7	92.42	4091	-19	241.37		33.6	238.86	-1.76	29.52									
8	91.48	4109	-21	242.43		33.7	239.94	-1.78	29.64									
9	90.89	4121	-23	243.14		33.8	240.66	-1.80	29.75									
10-N	90.07	4137	-25	244.08		33.9	241.62	-1.82	29.87									
11	89.68	4149	-27	244.79		34.2	242.34	-1.84	30.18									
12	89.12	4162	-28	245.56		34.4	243.12	-1.86	30.38									
13	88.65	4172	-30	246.15		34.5	243.72	-1.88	30.49									
14	87.93	4185	-34	246.92		34.5	244.5	-1.89	30.54									
15	87.12	4199	-36	247.74		34.5	245.34	-1.91	30.55									
16	86.29	4210	-38	248.39		34.4	246.0	-1.93	30.36									
17	86.25	4211	-40	248.65		34.3	246.06	-1.95	30.36									
18	85.85	4213	-42	248.57		34.0	246.18	-1.97	30.06									
19	84.62	4224	-44	249.22		33.4	246.84	-1.99	29.67									
20-N	84.12	4226	-45	249.33		33.0	246.96	-2.01	29.07									
21	83.46	4229	-47	249.51		32.5	247.14	-2.03	28.57									
22	82.78	4234	-49	249.81		32.1	247.44	-2.05	28.17									
23	81.71	4244	-51	250.40		31.6	248.04	-2.06	27.69									
24	80.90	4253	-53	250.93		31.3	248.58	-2.08	27.40									
25	80.21	4260	-55	251.34		31.1	249.0	-2.10	27.21									
26	79.56	4268	-57	251.81		30.8	249.48	-2.12	26.92									
27	79.07	4278	-59	252.23		30.7	249.90	-2.14	26.83									
28	78.24	4286	-61	252.87		30.5	250.56	-2.16	26.64									
29	77.63	4295	-63	253.41		30.4	251.1	-2.18	26.55									
30-N	76.67	4308	-64	254.17		30.2	251.88	-2.20	26.35									
31	75.82	4321	-66	254.94		30.1	252.66	-2.22	26.26									
32	75.09	4332	-68	255.59		30.0	253.32	-2.23	26.18									
33	74.30	4344	-70	256.30		29.9	254.04	-2.25	26.09									
34	73.63	4354	-72	256.89		29.8	254.64	-2.27	26.0									
35	72.95	4366	-74	257.59		29.8	255.36	-2.29	26.02									

GRID - FARD /

L-68W

GRAVITY DATA

PAGE-

ORIGINAL FIELD WORK			DENSITY -			DENSITY -			DENSITY -			DENSITY -			
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
0+0	95.27	4046	-08	238.71		33.9	236.16	-1.66	29.77						
1-N	94.39	4061	-09	239.60		33.9	237.06	-1.68	29.77						
2	93.43	4076	-11	240.48		33.8	237.96	-1.70	29.69						
3	92.23	4095	-13	241.61		33.7	239.10	-1.72	29.61						
4	91.26	4110	-15	242.49		33.6	240.0	-1.74	29.52						
5	90.57	4122	-17	243.20		33.6	240.72	-1.76	29.53						
6	90.16	4131	-19	243.73		33.7	241.26	-1.78	29.64						
7	89.53	4142	-21	244.38		33.7	241.92	-1.80	29.65						
8	88.77	4157	-23	245.26		33.8	242.82	-1.82	29.77						
9	88.10	4169	-27	245.97		33.8	243.54	-1.84	29.80						
10-N	87.86	4175	-28	246.33		33.9	243.90	-1.86	29.90						
11	87.68	4180	-30	246.62		34.0	244.2	-1.88	30.0						
12	87.05	4191	-32	247.27		34.0	244.86	-1.90	30.01						
13	86.33	4207	-34	248.21		34.2	245.82	-1.92	30.23						
14	85.80	4218	-36	248.86		34.3	246.48	-1.94	30.34						
15	85.37	4229	-38	249.51		34.5	247.14	-1.96	30.55						
16	84.25	4245	-40	250.46		34.4	248.10	-1.98	30.47						
17	83.56	4257	-42	251.16		34.3	248.82	-2.0	30.38						
18	82.77	4269	-44	251.87		34.2	249.54	-2.01	30.30						
19	82.11	4277	-45	252.34		34.0	250.02	-2.03	30.10						
20-N	81.20	4286	-47	252.87		33.6	250.56	-2.05	29.71						
21	80.84	4289	-49	253.05		33.4	250.74	-2.07	29.51						
22	-	4291	-51	253.17		NR -	-	-2.09	-						
23	79.75	4298	-53	253.58		32.8	251.28	-2.11	28.92						
24	78.90	4306	-55	254.05		32.4	251.76	-2.13	28.53						
25	77.99	4315	-57	254.59		32.0	252.3	-2.15	28.14						
26	76.90	4327	-59	255.29		31.6	253.02	-2.17	27.75						
27	76.01	4339	-61	256.0		31.4	253.74	-2.19	27.56						
28	74.98	4350	-63	256.65		31.0	254.4	-2.21	27.17						
29	74.24	4361	-64	257.30		31.0	255.06	-2.23	27.17						
30-N	73.28	4376	-66	258.18		30.8	255.96	-2.25	26.99						
31	72.49	4388	-68	258.89		30.7	256.68	-2.27	26.90						
32	71.60	4400	-70	259.60		30.5	257.4	-2.29	26.71						
33	70.99	4409	-72	260.13		30.4	257.94	-2.31	26.62						
34	69.92	4424	-74	261.02		30.2	258.84	-2.33	26.43						
35	69.47	4432	-76	261.49		30.2	259.32	-2.35	26.44						
36	68.68	4444	-78	262.20		30.1									

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
0+0	93.69	4075	-11	240.23		34.0	237.9	-1.68	29.91						
1-N	92.86	4086	-13	241.07		33.8	238.56	-1.70	29.72						
2	92.05	4100	-15	241.90		33.8	239.4	-1.72	29.73						
3	90.95	4119	-17	243.02		33.8	240.54	-1.74	29.75						
4	89.93	4138	-19	243.97		33.7	241.68	-1.76	29.85						
5	88.87	4155	-21	245.15		33.8	242.7	-1.78	29.79						
6	88.00	4170	-23	246.03		33.8	243.6	-1.80	29.90						
7	87.08	4186	-25	246.97		33.8	244.56	-1.82	29.82						
8	86.27	4200	-27	247.80		33.8	245.4	-1.84	29.83						
9	85.30	4215	-28	248.69		33.7	246.30	-1.86	29.74						
10-N	84.77	4226	-30	249.33		33.8	246.96	-1.88	29.85						
11	84.31	4234	-32	249.81		33.8	247.44	-1.90	29.85						
12	83.57	4247	-34	250.57		33.8	248.22	-1.92	29.87						
13	83.00	4257	-36	251.16		33.8	248.82	-1.94	29.88						
14	82.59	4266	-38	251.69		33.9	249.36	-1.96	29.99						
15	82.29	4273	-40	252.11		34.0	249.78	-1.98	30.09						
16	81.80	4280	-42	252.52		33.9	250.2	-2.0	30.0						
17	81.43	4285	-44	252.82		33.8	250.5	-2.02	29.91						
18	80.72	4292	-45	253.23		33.5	250.92	-2.05	29.59						
19	79.85	4302	-47	253.82		33.2	251.52	-2.07	29.30						
20-N	79.42	4308	-49	254.17		33.1	251.88	-2.09	29.21						
21	77.62	4332	-51	255.59		32.7	253.32	-2.11	28.83						
22	76.04	4349	-53	256.59		32.1	254.34	-2.13	28.34						
23	75.05	4361	-55	257.30		31.8	255.06	-2.15	27.96						
24	74.24	4370	-57	257.83		31.5	255.6	-2.17	27.67						
25	73.51	4381	-59	258.48		31.4	256.26	-2.19	27.58						
26	72.11	4400	-61	259.60		31.1	257.4	-2.21	27.30						
27	71.15	4415	-63	260.49		31.0	258.3	-2.23	27.22						
28	69.89	4433	-64	261.55		30.8	259.38	-2.25	27.02						
29	68.69	4452	-66	262.67		30.7	260.52	-2.27	26.94						
30-N	67.39	4471	-68	263.79		30.5	261.66	-2.29	26.76						
31	66.70	4483	-70	264.50		30.5	262.38	-2.31	26.77						
32	65.97	4498	-72	265.15		30.4	263.28	-2.33	26.92						
33	64.81	4514	-74	266.33		30.4	264.3	-2.35	26.76						
34	63.95	4529	-76	267.21		30.4	265.14	-2.37	26.72						
35	/	4543	-78	268.04		NR	/	-2.39	/						
36-N	63.30	4539	-80	267.80		30.4	PETER, E. WALCOTT & ASSOC. LTD.								

36

GRID - FARO

L-76W

GRAVITY DATA

PAGE -

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
0-0	91.45	4115	-13	242.79		34.1	240.3	-1.71	30.04						
1-N	90.95	4122	-15	243.20		34.0	240.72	-1.73	29.94						
2	90.16	4134	-17	243.90		33.9	241.44	-1.75	29.85						
3	89.62	4147	-19	244.67		33.9	242.22	-1.77	29.87						
4	88.45	4162	-21	245.56		33.8	243.12	-1.79	29.78						
5	87.78	4172	-23	246.15		33.7	243.72	-1.81	29.69						
6	87.47	4181	-25	246.68		33.9	244.26	-1.83	29.90						
7	86.41	4196	-27	247.56		33.7	245.16	-1.85	29.72						
8	85.41	4213	-28	248.57		33.7	246.18	-1.87	29.72						
9	84.37	4231	-30	249.63		33.7	247.26	-1.89	29.74						
10-N	83.74	4242	-32	250.28		33.7	247.92	-1.91	29.75						
11	83.11	4253	-34	250.93		33.7	248.58	-1.93	29.76						
12	82.21	4267	-36	251.75		33.6	249.42	-1.95	29.68						
13	81.58	4278	-38	252.40		33.6	250.08	-1.97	29.69						
14	81.03	4286	-40	252.87		33.5	250.56	-1.99	29.60						
15	80.75	4291	-42	253.17		33.5	250.86	-2.01	29.60						
16	80.32	4297	-44	253.52		33.4	251.22	-2.03	29.51						
17	79.66	4308	-45	254.0		33.2	251.70	-2.05	29.31						
18	79.04	4314	-47	254.53		33.1	252.24	-2.08	29.20						
19	78.76	4326	-49	255.23		33.0	252.96	-2.10	29.12						
20-N	76.81	4344	-51	256.30		32.6	254.04	-2.12	28.73						
21	76.22	4351	-53	256.71		32.4	254.46	-2.14	28.54						
22	75.41	4360	-55	257.24		32.1	255.0	-2.16	28.25						
23	74.54	4370	-57	257.83		31.8	255.6	-2.18	27.96						
24	73.42	4386	-59	258.77		31.6	256.56	-2.20	27.78						
25	72.35	4401	-61	259.66		31.4	257.46	-2.22	27.59						
26	71.27	4418	-63	260.66		31.3	258.48	-2.24	27.51						
27	70.43	4429	-64	261.31		31.1	259.14	-2.26	27.31						
28	69.46	4444	-66	262.20		31.0	260.04	-2.28	27.22						
29	68.62	4457	-68	262.96		30.9	260.82	-2.30	27.14						
30-N	67.53	4474	-70	263.97		30.8	261.84	-2.32	27.05						
31	66.57	4489	-72	264.85		30.7	262.74	-2.34	26.97						
32	65.82	4502	-74	265.62		30.7	263.52	-2.36	26.98						
33	64.56	4522	-76	266.80		30.6	264.72	-2.38	26.90						
34-N	63.40	4542	-78	267.98		30.6	265.92	-2.4	26.92						

GRID -		GRAVITY DATA																		PAGE -
ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -			DENSITY -				
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY		
0+0	90.82	4128	-17	243.85		34.2	241.08	-1.74	30.16											
1-N	90.07	4141	-19	244.32		34.2	241.86	-1.76	30.17											
2	89.38	4153	-21	245.03		34.2	242.58	-1.78	30.18											
3	88.32	4168	-23	245.91		24.0	243.48	-1.80	30.0											
4	87.28	4186	-25	246.97		34.0	244.56	-1.82	30.02											
5	86.41	4201	-27	247.86		34.0	245.46	-1.84	30.03											
6	85.20	4220	-28	248.98		33.9	246.6	-1.86	29.94											
7	84.06	4238	-30	250.04		33.8	247.68	-1.88	29.86											
8	82.92	4256	-32	251.10		33.7	248.76	-1.90	29.78											
9	81.72	4275	-34	252.23		33.6	249.9	-1.92	29.70											
10-N	81.20	4284	-36	252.76		33.6	250.44	-1.94	29.70											
11	80.71	4291	-38	253.17		33.5	250.86	-1.96	29.61											
12	80.50	4295	-40	253.41		33.5	251.1	-1.98	29.62											
13	79.86	4301	-42	253.76		33.2	251.46	-2.0	29.32											
14	79.59	4306	-44	254.05		33.2	251.76	-2.02	29.33											
15	78.85	4317	-45	254.70		33.1	252.42	-2.04	29.23											
16	77.29	4342	-47	256.18		33.0	253.92	-2.06	29.15											
17	76.66	4353	-49	256.83		33.0	254.58	-2.08	29.16											
18	75.66	4367	-51	257.65		32.8	255.42	-2.11	28.97											
19	74.91	4375	-53	258.13		32.5	255.90	-2.13	28.68											
20-N	74.25	4378	-55	258.30		32.0	256.08	-2.15	28.18											
21	72.97	4395	-57	259.31		31.7	257.1	-2.17	27.90											
22			-59			NR		-2.19												
23	70.88	4426	-61	261.13		31.4	258.96	-2.21	27.63											
24	69.73	4444	-63	262.20		31.3	260.04	-2.23	27.54											
25	68.58	4462	-64	263.26		31.2	261.12	-2.25	27.45											
26	67.80	4479	-66	264.26		31.1	262.14	-2.27	27.37											
27	66.59	4493	-68	265.09		31.0	262.98	-2.29	27.28											
28	65.75	4506	-70	265.85		20.9	263.76	-2.31	27.20											
29	65.02	4517	-72	266.50		30.8	264.42	-2.33	27.11											
30	64.67	4525	-74	266.98		30.9	264.9	-2.35	27.22											
31	63.64	4541	-76	267.92		30.8	265.86	-2.37	27.13											
32	62.85	4553	-78	268.63		30.7	266.58	-2.39	27.04											
33	61.89	4568	-80	269.51		30.6	267.48	-2.41	26.96											
34	60.74	4586	-81	270.57		30.5	268.56	-2.43	26.87											
35	59.92	4600	-83	271.40		30.5	269.4	-2.45	26.88											

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
0+0	89.95	4149	-19	244.79		34.5	242.34	-1.77	30.52						
1-N	89.03	4159	-21	245.38		34.2	242.94	-1.79	30.18						
2	88.36	4169	-23	246.97		34.1	243.54	-1.81	30.09						
3	87.28	4186	-25	246.97		34.0	244.56	-1.83	30.01						
4	86.31	4201	-27	247.86		33.9	245.46	-1.85	29.92						
5	85.04	4221	-28	249.04		33.8	246.66	-1.87	29.83						
6	83.66	4243	-30	250.34		33.7	247.98	-1.89	29.75						
7	81.64	4276	-32	252.28		33.6	249.96	-1.91	29.69						
8	80.02	4302	-34	253.82		33.5	251.52	-1.93	29.61						
9	79.06	4317	-36	254.70		33.4	252.42	-1.95	29.53						
10-N	78.19	4332	-38	255.59		33.4	253.32	-1.97	29.54						
11	77.92	4337	-40	255.88		33.4	253.62	-1.99	29.55						
12	78.19	4331	-42	255.53		33.3	253.26	-2.01	29.44						
13	78.11	4331	-44	255.53		33.2	253.26	-2.03	29.34						
14	77.69	4335	-45	255.77		33.0	253.5	-2.05	29.14						
15	77.09	4342	-47	256.18		32.8	253.92	-2.07	28.94						
16	76.58	4351	-49	256.71		32.8	254.46	-2.09	28.95						
17	75.85	4362	-51	257.36		32.7	255.12	-2.11	28.86						
18	74.82	4373	-53	258.07		32.3	255.78	-2.14	28.46						
19	73.68	4391	-55	259.07		32.2	256.86	-2.16	28.38						
20-N	72.46	4407	-57	260.01		31.9	257.82	-2.18	28.10						
21	71.51	4420	-59	260.78		31.7	258.60	-2.20	27.91						
22	-	-	-61			31.6		-2.22	-						
23	69.99	4443	-63	262.14		31.5	259.98	-2.24	27.73						
24	68.58	4457	-64	262.96		30.9	260.82	-2.26	27.14						
25	67.55	4473	-66	263.91		30.5	261.78	-2.28	27.05						
26	66.63	4489	-68	264.85		30.8	262.74	-2.30	27.07						
27	65.59	4507	-70	265.91		30.8	263.82	-2.32	27.09						
28	64.55	4525	-72	266.98		30.8	264.9	-2.34	27.11						
29	63.46	4542	-74	267.98		30.7	265.92	-2.36	27.02						
30-N	62.48	4559	-76	268.98		30.7	266.94	-2.38	27.04						
31	61.67	4573	-78	269.81		30.7	267.78	-2.40	27.05						
32	60.99	4585	-80	270.52		30.7	268.50	-2.42	27.07						
33	60.29	4597	-81	271.22		30.7	269.22	-2.44	27.07						
34	59.50	4609	-83	271.93		30.6	269.94	-2.46	26.98						
35-N	58.87	4620	-85	272.58		30.6	270.6	-2.48	26.94						

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATI CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
0+0	89.41	4158	-23	245.32		34.5	242.88	-1.80	30.49						
1-N	89.50	4155	-25	245.15		34.4	242.70	-1.82	30.38						
2	87.97	4178	-27	246.50		34.2	244.08	-1.84	30.21						
3	86.19	4205	-28	248.10		34.0	245.7	-1.86	20.03						
4	84.85	4228	-30	249.45		34.0	247.08	-1.88	20.05						
5	82.43	4266	-32	251.69		33.8	249.36	-1.90	29.89						
6	81.05	4288	-34	252.99		33.7	250.68	-1.92	29.81						
7	79.14	4319	-36	254.82		33.6	252.54	-1.94	29.74						
8	77.76	4341	-38	256.12		33.5	253.86	-1.96	29.66						
9	76.54	4362	-40	257.36		33.5	255.12	-1.98	29.68						
10-N	75.81	4373	-42	258.01		33.4	255.78	-2.0	29.59						
11	75.62	4375	-44	258.13		33.3	255.90	-2.02	29.50						
12	76.29	4382	-45	257.36		33.2	255.12	-2.04	29.37						
13	76.35	4358	-47	257.12		33.0	254.88	-2.06	29.17						
14	76.56	4353	-49	256.83		32.9	254.58	-2.08	29.06						
15	76.17	4360	-51	257.24		32.9	255.0	-2.10	29.07						
16	75.44	4371	-53	257.89		32.8	255.66	-2.12	28.98						
17	73.81	4391	-55	259.07		32.4	256.86	-2.14	28.60						
18	72.42	4411	-57	260.25		32.1	258.06	-2.17	28.31						
19	71.02	4430	-59	261.37		31.8	259.20	-2.19	28.03						
20-N	69.66	4450	-61	262.55		31.6	260.4	-2.21	27.85						
21	68.36	4469	-63	263.67		31.4	261.54	-2.23	27.67						
22	67.05	4488	-64	264.79		31.2	262.68	-2.25	27.48						
23	-	-	-66			NR -	/	-2.27							
24	-	-	-68			NR -	/	-2.29							
25	64.21	4532	-70	267.39		30.9	265.32	-2.31							
26	62.97	4550	-72	268.45		30.7	266.4	-2.33							
27	62.09	4567	-74	269.45		30.8	267.42	-2.35							
28	61.22	4582	-76	270.34		30.8	268.32	-2.37							
29	60.42	4596	-78	271.16		30.8	269.16	-2.39							
30-N	59.61	4610	-80	271.99		30.8	270.0	-2.41							
31	58.91	4622	-81	272.70		30.8	270.72	-2.43							
32	58.11	4636	-83	273.52		30.8	271.56	-2.45							
33	57.54	4646	-85	274.11		30.8	272.16	-2.47							
34	57.28	4654	-87	274.59		31.0	272.64	-2.49							
35	56.30	4666	-89	275.29		30.7	273.36	-2.51							
36	54.85	4677	-91	275.94		30.6									

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
0+0	90.0	4145	-25	244.56		34.3	242.1	-1.83	30.27						
1-N	89.01	4162	-27	245.56		34.3	243.12	-1.85	30.28						
2	87.90	4181	-28	246.68		34.3	244.26	-1.87	30.29						
3	86.29	4207	-30	248.21		34.2	245.82	-1.89	30.22						
4	84.32	4239	-32	250.10		34.1	247.74	-1.91	30.15						
5	83.30	4255	-34	251.05		34.0	248.70	-1.93	30.07						
6	82.41	4272	-36	252.05		34.1	249.72	-1.95	30.18						
7	81.21	4291	-38	253.17		34.0	250.86	-1.97	30.10						
8	80.25	4306	-40	254.05		33.9	251.76	-1.99	30.02						
9	79.16	4323	-42	255.06		33.8	252.78	-2.01	29.93						
10-N	78.43	4334	-44	255.71		33.7	253.44	-2.03	29.84						
11	77.25	4344	-45	256.30		33.6	254.04	-2.05	29.74						
12	77.36	4348	-47	256.53		33.4	254.28	-2.07	29.55						
13	77.45	4343	-49	256.24		33.2	253.98	-2.09	29.34						
14	77.51	4339	-51	256.00		33.0	253.74	-2.11	29.14						
15	76.94	4349	-53	256.59		33.0	254.34	-2.13	29.15						
16	76.21	4360	-55	257.24		32.9	255.0	-2.15	29.06						
17	74.67	4383	-57	258.60		32.7	256.38	-2.17	28.88						
18	72.86	4409	-59	260.13		32.4	257.94	-2.20	28.60						
19	71.52	4427	-61	261.19		32.1	259.02	-2.22	28.32						
20-N	70.29	4443	-63	262.14		31.8	259.98	-2.24	28.03						
21	68.81	4465	-64	263.44		31.6	261.30	-2.26	27.85						

ORIGINAL FIELD WORK			DENSITY -			DENSITY -			DENSITY -			DENSITY -			
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
0+0	90.83	4133	-28	243.85		34.4	241.38	-1.86	330.35						
1-N	89.56	4155	-30	245.15		34.4	242.70	-1.88	30.38						
2	89.34	4176	-32	246.38		34.4	243.96	-1.90	30.40						
3	86.55	4205	-34	248.10		34.3	245.70	-1.92	30.33						
4	85.86	4222	-36	249.10		34.3	246.72	-1.94	30.34						
5	86.30	4242	-38	250.28		34.2	247.92	-1.96	30.26						
6	83.86	4255	-40	251.05		34.2	248.7	-1.98	30.28						
7	82.65	4269	-42	251.87		34.1	249.54	-2.0	30.19						
8	82.14	4278	-44	252.40		34.1	250.08	-2.02	30.20						
9	81.16	4293	-45	253.29		34.0	250.98	-2.04	30.10						
10-N	80.36	4307	-47	254.11		34.0	251.82	-2.06	30.12						
11	80.01	4315	-49	254.59		34.1	252.3	-2.08	30.23						
12	79.28	4326	-51	255.23		34.0	252.96	-2.10	30.14						
13	-	-	-53	-		NR-	-	-2.12	-						
14	77.59	4340	-55	256.06		33.1	253.8	-2.14	29.25						
15	76.80	4352	-57	256.77		33.0	254.52	-2.16	29.16						
16	74.99	4378	-59	258.30		32.7	256.08	-2.18	28.95						
17	73.89	4397	-61	259.42		32.4	257.22	-2.20	28.61						
18	72.45	4415	-63	260.49		32.3	258.3	-2.23	28.52						
19	71.05	4432	-64	261.49		31.9	259.32	-2.25	28.12						
20	69.59	4452	-66	262.67		31.6	260.52	-2.27	27.84						

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
0+0	90.85	4133	-30	243.85		24.4	241.38	-1.89	30.34									
1-N	90.11	4146	-32	244.61		24.4	242.16	-1.91	30.36									
2	88.47	4174	-34	246.27		24.4	243.84	-1.93	30.38									
3	87.04	4197	-36	247.62		24.3	245.22	-1.95	30.31									
4	86.63	4206	-38	248.15		24.2	245.76	-1.97	30.22									
5	85.80	4217	-40	248.80		24.2	246.62	-1.99	30.23									
6	85.07	4228	-42	249.45		24.1	247.08	-2.01	30.14									
7	84.52	4236	-44	249.92		24.0	247.56	-2.03	30.05									
8	83.54	4251	-45	250.81		23.9	248.46	-2.05	29.95									
9	82.54	4265	-47	251.64		23.7	249.3	-2.07	29.77									
10-N	81.51	4281	-49	252.58		23.6	250.26	-2.09	29.68									
11	80.27	4299	-51	253.64		23.4	251.34	-2.11	29.50									
12	79.25	4315	-53	254.59		23.3	252.30	-2.13	29.42									
13	78.30	4328	-55	255.35		23.1	253.08	-2.15	29.23									
14	77.45	4341	-57	256.12		23.0	253.86	-2.17	29.14									
15	75.72	4369	-59	257.77		22.9	255.54	-2.19	29.07									
16	74.70	4385	-61	258.72		22.8	256.5	-2.21	28.99									
17	74.00	4392	-63	259.13		22.5	256.92	-2.23	28.69									
18	73.99	4389	-64	258.95		22.3	256.74	-2.26	28.47									
19	73.32	4399	-66	259.54		22.2	257.34	-2.28	28.38									
20-N	72.71	4408	-68	260.07		22.1	257.88	-2.30	28.29									
21-N	72.29	4412	-70	260.31		21.9	258.12	-2.32	28.09									

ORIGINAL FIELD WORK			DENSITY -			DENSITY -			DENSITY -			DENSITY -			
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
0+0	90.47	4145	-32	204.16		34.7	202.1	-1.92	30.63						
1-N	89.48	4162	-34	205.56		34.7	203.12	-1.94	30.66						
2	88.12	4182	-36	206.76		34.5	204.32	-1.96	30.48						
3	87.69	4188	-38	207.09		34.4	204.68	-1.98	30.39						
4	86.27	4209	-40	208.33		34.2	205.94	-2.0	30.21						
5	85.48	4221	-42	209.04		34.1	206.66	-2.02	30.12						
6	84.97	4230	-44	209.57		34.1	207.2	-2.04	30.13						
7	84.0	4245	-45	210.46		34.0	208.1	-2.06	30.04						
8	82.87	4261	-47	211.40		33.8	209.06	-2.08	29.85						
9	81.95	4277	-49	212.34		33.8	210.02	-2.10	29.87						
10-N	80.65	4296	-51	213.46		33.6	211.16	-2.12	29.69						
11		4320	-53	214.88		NK-		-2.14							
12	77.91	4338	-55	215.94		33.3	213.68	-2.16	29.43						
13	76.71	4357	-57	217.06		33.2	214.82	-2.18	29.35						
14	74.61	4376	-59	218.18		32.0	215.96	-2.20	28.17						
15	74.50	4390	-61	219.01		32.9	216.80	-2.22	29.08						
16	73.57	4401	-63	219.66		32.6	217.46	-2.24	28.79						
17	72.50	4416	-64	220.54		32.4	218.36	-2.26	28.60						
18	71.39	4430	-66	221.37		32.4	219.2	-2.29	28.30						
19-N	70.72	4440	-68	221.96		32.0	219.8	-2.31	28.21						

6:49.

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			649. DENSITY -			DENSITY -			DENSITY -		
GRID -	FARD /			L-108W			GRAVITY DATA						PAGE -					
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
0+0	90.64	4141	-36	244.32		34.6	242.82	-1.91	30.57	252.62		30.54	1.00					
1-N	89.72	4157	-38	245.26		34.6	243.84	-1.97	30.58	252.77		30.21						
* 2	88.73	4174	-40	246.27		34.6	244.62	-1.99	30.60	252.73		30.22						
3	87.89	4187	-42	247.03		34.5	245.58	-2.01	30.51	252.57		30.22						
4	86.96	4203	-44	247.98		34.5	246.48	-2.03	30.53	252.57		30.22						
5	85.89	4218	-45	248.86		34.3	247.68	-2.05	30.34	252.57		30.22						
6	84.53	4238	-47	250.04		34.1	248.82	-2.07	30.16	252.57		30.22						
7	83.33	4257	-49	251.16		34.0	250.14	-2.09	30.08	252.57		30.22						
8	81.85	4279	-51	252.46		33.8	251.34	-2.11	29.99	252.57		30.22						
9	80.49	4299	-53	253.64		33.6	252.60	-2.13	29.72	252.57		30.22						
10-N	79.17	4320	-55	254.88		33.5	253.98	-2.15	29.64	252.57		30.22						
11	77.73	4343	-57	256.24		33.4	254.70	-2.17	29.56	252.57		30.22						
12	77.04	4355	-59	256.95		33.4	255.72	-2.19	29.57	252.57		30.22						
13	76.06	4372	-61	257.95		33.4	257.04	-2.21	29.59	252.57		30.22						
14	74.68	4394	-63	259.25		33.3	258.18	-2.23	29.51	252.57		30.22						
15	73.37	4413	-64	260.37		33.1	259.14	-2.25	29.32	252.57		30.22						
16	72.45	4429	-66	261.31		33.1	259.86	-2.27	29.33	252.57		30.22						
17	71.56	4441	-68	262.02		32.9	260.88	-2.29	29.15	252.57		30.22						
18	70.48	4458	-70	263.02		32.8	261.84	-2.32	29.05	252.57		30.22						
19	69.5	4474	-72	263.97		32.5	262.86	-2.34	28.77	252.57		30.22						

119

GRID - PARO1

L-112W GRAVITY DATA

PAGE -

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
0+0	89.82	4157	-38	245.26		34.7	242.82	-1.98	30.66						
1-N	88.77	4170	-40	246.03		34.4	243.6	-2.0	30.37						
2	88.36	4179	-42	246.56		34.5	244.14	-2.02	30.48						
3	87.22	4197	-44	247.62		34.4	245.22	-2.04	30.40						
4	85.95	4217	-45	248.80		34.3	246.42	-2.06	30.31						
5	84.69	4237	-47	249.98		34.2	247.62	-2.08	30.23						
6	83.25	4260	-49	251.34		34.1	249.0	-2.10	30.15						
7	81.87	4282	-51	252.64		34.0	250.32	-2.12	30.07						
8	80.14	4310	-53	254.29		33.9	252.0	-2.14	30.0						
9	/	4323	-55	255.06		NR -	/	-2.16	/						
10-N	78.45	4336	-57	255.82		33.7	253.16	-2.18	29.83						
11	77.30	4354	-59	256.89		33.6	254.64	-2.20	29.74						
12	76.46	4367	-61	257.45		33.5	256.42	-2.22	29.66						
13	75.43	4383	-63	258.60		33.4	256.38	-2.24	29.57						
14	74.18	4401	-64	259.66		33.2	257.46	-2.26	29.38						
15	72.79	4425	-66	261.08		33.2	258.90	-2.28	29.41						
16	71.80	4442	-68	262.08		33.2	259.92	-2.30	29.42						
17	70.54	4462	-70	263.26		33.1	261.12	-2.32	29.34						
18	69.06	4484	-72	264.56		32.9	262.44	-2.35	29.15						
19	67.70	4504	-74	265.74		32.7	263.64	-2.37	28.97						

(0.059)

GRID - FARO

LK-216W

GRAVITY DATA

PAGE-

ORIGINAL FIELD WORK			DENSITY -			DENSITY -			DENSITY -			DENSITY -			
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
0+0	89.37	4167	-42	245.85		34.8	242.42	-2.01	30.78						
1-N	88.23	4185	-44	246.92		34.7	244.5	-2.03	30.70						
2	86.96	4205	-45	248.10		34.6	245.7	-2.05	30.61						
3	85.87	4222	-47	249.10		34.5	246.72	-2.07	30.52						
4	84.77	4241	-49	250.22		34.5	247.86	-2.09	30.54						
5	83.69	4258	-51	251.22		34.4	248.88	-2.11	30.46						
6	82.37	4279	-53	252.46		34.3	250.14	-2.13	30.38						
7	81.23	4297	-55	253.52		34.2	251.22	-2.15	30.30						
8	80.14	4314	-57	254.53		34.1	252.24	-2.17	30.21						
9	79.18	4329	-59	255.41		34.0	253.14	-2.19	30.13						
10-N	78.21	4344	-61	256.36		33.9	254.04	-2.21	30.04						
11	77.29	4360	-63	257.26		33.9	255.0	-2.23	30.06						
12	76.04	4378	-64	258.30		33.7	256.08	-2.25	29.87						
13	/	4397	-66	259.42		NR	/	-2.27	/						
14	73.42	4418	-68	260.66		33.4	258.48	-2.31	29.59						
15	71.82	4442	-70	262.08		33.2	259.92	-2.33	29.41						
16	70.74	4459	-72	263.08		33.1	260.94	-2.35	29.33						
17	69.66	4476	-74	264.08		33.0	261.96	-2.38	29.24						
18	68.40	4496	-76	265.76		32.9	263.16	-2.40	29.16						
19	67.20	4515	-78	266.39		32.8	264.3	-2.42	29.08						

GRID - FARO/

72-36N

GRAVITY DATA

PAGE-

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
L-89W	55.54	4677	-88	275.94		30.6	274.02	-2.54	27.02						
88	55.65	4675	-87	275.83		30.6	273.90	-2.53	27.02						
87	56.09	4669	-86	275.47		30.7	273.54	-2.52	27.11						
86	56.50	4662	-86	275.06		30.7	273.12	-2.52	27.10						
85	57.08	4652	-85	274.47		30.7	272.52	-2.51	27.09						
84W	57.56	4642	-84	273.88		30.6	271.92	-2.50	26.98						
83	58.56	4625	-83	272.88		30.6	270.9	-2.49	26.97						
82	59.38	4611	-83	272.05		30.6	270.06	-2.49	26.95						
81	60.08	4599	-82	271.34		30.6	269.34	-2.48	26.94						
80W	59.50	4607	-81	271.81		30.5	269.82	-2.47	26.85						
79	59.89	4602	-81	271.52		30.6	269.52	-2.46	26.95						
78	59.88	4602	-80	271.52		30.6	269.52	-2.46	26.94						
77	59.95	4599	-79	271.34		30.5	269.34	-2.45	26.84						
76W	60.42	4591	-79	270.87		30.5	268.86	-2.44	26.84						
75	61.04	4582	-78	270.34		30.6	268.32	-2.43	26.92						
74	61.64	4570	-77	269.63		30.5	267.6	-2.43	26.81						
73	62.28	4559	-76	268.98		30.5	266.94	-2.42	26.80						
72W	63.36	4539	-76	267.80		30.4	265.74	-2.41	26.69						
71	64.03	4524	-75	266.92		30.2	264.84	-2.40	26.47						
70	65.26	4503	-74	265.68		30.2	263.58	-2.40	26.45						
69	66.50	4482	-74	264.44		30.2	262.32	-2.39	26.43						
68W	67.71	4458	-73	263.02		30.0	260.88	-2.38	26.21						
67	68.74	4442	-72	262.08		30.1	259.92	-2.37	26.29						
66	69.88	4421	-72	260.84		30.0	258.66	-2.37	26.17						
65	70.99	4402	-71	259.72		30.0	257.52	-2.36	26.15						
64W	72.91	4366	-70	257.59		29.8	255.36	-2.35	25.92						
63	73.99	4246	-70	256.41		29.7	254.16	-2.34	25.81						
62	74.96	4226	-69	255.23		29.5	252.96	-2.34	25.58						
61	76.14	4304	-68	253.94		29.4	251.64	-2.33	25.45						
60W	77.7	4274	-67	252.17		29.2	249.84	-2.32	25.22						
59	78.84	4253	-67	250.92		29.1	248.58	-2.31	25.11						
58	79.54	4241	-66	250.22		29.1	247.86	-2.31	25.09						
57	79.37	4242	-65	250.28		29.0	247.92	-2.30	24.99						
56	77.96	4266	-65	251.69		29.0	249.36	-2.29	25.03						
56	76.37	4294	-64	253.35		29.1	251.04	-2.28	25.15						
56	75.62	4307	-63	254.11		29.1	251.82	-2.28	25.16						

ORIGINAL FIELD WORK			DENSITY -			DENSITY -			DENSITY -			DENSITY -			
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
<i>88W</i>	<i>69.67</i>	<i>4450</i>	<i>-.62</i>	<i>262.55</i>		<i>31.6</i>	<i>260.4</i>	<i>-2.21</i>	<i>27.86</i>						
<i>-89W</i>	<i>69.33</i>	<i>4456</i>	<i>-.63</i>	<i>262.90</i>		<i>31.6</i>	<i>260.76</i>	<i>-2.22</i>	<i>27.87</i>						
<i>90</i>	<i>68.85</i>	<i>4464</i>	<i>-.63</i>	<i>263.38</i>		<i>31.6</i>	<i>261.24</i>	<i>-2.23</i>	<i>27.86</i>						
<i>91</i>	<i>68.71</i>	<i>4465</i>	<i>-.64</i>	<i>263.44</i>		<i>31.5</i>	<i>261.3</i>	<i>-2.24</i>	<i>27.77</i>						
<i>92</i>	<i>68.87</i>	<i>4464</i>	<i>-.65</i>	<i>263.38</i>		<i>31.6</i>	<i>261.24</i>	<i>-2.25</i>	<i>27.86</i>						
<i>92W</i>	<i>68.82</i>	<i>4465</i>	<i>-.65</i>	<i>263.44</i>		<i>31.6</i>	<i>261.3</i>	<i>-2.25</i>	<i>27.87</i>						
<i>93</i>	<i>68.84</i>	<i>4463</i>	<i>-.66</i>	<i>263.32</i>		<i>31.5</i>	<i>261.18</i>	<i>-2.26</i>	<i>27.76</i>						
<i>94</i>	<i>69.31</i>	<i>4457</i>	<i>-.67</i>	<i>262.96</i>		<i>31.6</i>	<i>260.82</i>	<i>-2.27</i>	<i>27.86</i>						
<i>95</i>	<i>69.96</i>	<i>4446</i>	<i>-.67</i>	<i>262.31</i>		<i>31.6</i>	<i>260.16</i>	<i>-2.27</i>	<i>27.85</i>						
<i>96W</i>	<i>70.38</i>	<i>4429</i>	<i>-.68</i>	<i>261.90</i>		<i>31.6</i>	<i>259.74</i>	<i>-2.28</i>	<i>27.84</i>						
<i>97</i>	<i>70.90</i>	<i>4432</i>	<i>-.69</i>	<i>261.49</i>		<i>31.7</i>	<i>259.32</i>	<i>-2.29</i>	<i>27.93</i>						
<i>98</i>	<i>72.09</i>	<i>4412</i>	<i>-.70</i>	<i>260.31</i>		<i>31.7</i>	<i>258.12</i>	<i>-2.30</i>	<i>27.91</i>						
<i>99</i>	<i>71.13</i>	<i>4430</i>	<i>-.70</i>	<i>261.37</i>		<i>31.8</i>	<i>259.2</i>	<i>-2.30</i>	<i>28.03</i>						
<i>100W</i>	<i>70.59</i>	<i>4441</i>	<i>-.71</i>	<i>262.02</i>		<i>31.9</i>	<i>259.86</i>	<i>-2.31</i>	<i>28.14</i>						

GRID - FARO 1

TK-21N

GRAVITY DATA

PAGE -

ORIGINAL FIELD WORK			DENSITY -			DENSITY -			DENSITY -			DENSITY -			
STATION	OBSERVED GRAVITY	ELEV.	LATI CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
L-53W	82.21	4225	-37	249.87		31.7	247.5	-1.95	27.76						
54	82.43	4233	-38	249.75		31.8	247.38	-1.95	27.86						
56W	82.79	4227	-38	249.39		31.8	247.02	-1.96	27.85						
57	83.27	4219	-39	249.92		31.8	246.54	-1.97	27.84						
58	85.11	4188	-40	247.09		31.8	244.68	-1.98	27.81						
59	87.87	4153	-40	245.03		32.0	242.58	-1.98	27.97						
60	87.90	4146	-41	244.61		32.1	242.16	-1.99	28.07						
61	87.87	4150	-42	244.85		32.3	242.4	-2.0	28.27						
62W	87.14	4164	-42	245.68		32.4	243.24	-2.01	28.27						
63	85.97	4184	-43	246.86		32.4	244.44	-2.01	28.40						
64	85.05	4205	-44	248.10		32.7	245.7	-2.02	28.73						
64W	84.11	4226	-44	249.33		33.0	246.96	-2.03	29.04						
65	82.90	4250	-45	250.75		33.2	248.4	-2.04	29.26						
66	82.17	4266	-46	251.69		33.4	249.36	-2.04	29.49						
67	81.47	4278	-47	252.40		33.4	250.08	-2.05	29.50						
68W	80.82	4289	-47	253.05		33.4	250.74	-2.06	29.50						
69	80.53	4294	-48	253.35		33.4	251.04	-2.07	29.50						
70	80.13	4301	-49	253.76		33.4	251.46	-2.07	29.52						
71	79.64	4306	-49	254.05		33.2	251.76	-2.08	29.32						
72W	79.43	4308	-50	254.17		33.1	251.88	-2.09	29.22						
73	78.65	4318	-51	254.76		32.9	252.48	-2.09	29.04						
74	77.86	4328	-51	255.35		32.7	253.08	-2.10	28.84						
75	76.68	4343	-52	256.24		32.4	253.98	-2.11	28.85						
76W	76.22	4351	-53	256.71		32.4	254.46	-2.12	28.56						
77	75.38	4362	-54	257.36		32.2	255.12	-2.12	28.38						
78	75.23	4368	-54	257.71		32.4	255.48	-2.13	28.58						
79	74.60	4372	-55	257.95		32.0	255.72	-2.14	28.18						
80W	74.26	4378	-56	258.30		32.0	256.08	-2.15	28.19						
81	73.96	4383	-56	258.60		32.0	256.38	-2.15	28.19						
82	73.07	4395	-57	259.31		31.8	257.1	-2.16	28.01						
83	72.15	4409	-58	260.13		31.7	257.94	-2.17	27.92						
84	71.50	4420	-58	260.78		31.7	258.6	-2.18	27.92						
84W	71.22	4425	-59	261.08		31.7	258.90	-2.18	27.94						
85	70.77	4431	-60	261.43		31.6	259.26	-2.19	27.84						
86	70.42	4437	-60	261.78		31.6	259.62	-2.20	27.84						
87	70.01	4444	-61	262.2		31.6	260.04	-2.21	27.84						

GRID - FARD 1		TZ-21-N GRAVITY DATA															PAGE-	
ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
K-12E	100.45	3867	.10	228.15		29.2	225.42	-1.46	24.91									
11	100.59	3875	.09	228.63		29.3	225.90	-1.47	25.02									
10	100.34	3881	.08	228.98		29.4	226.26	-1.47	25.13									
9	99.85	3891	.08	229.57		29.5	226.86	-1.48	25.23									
8E	99.17	3901	.07	231.16		29.4	227.46	-1.49	25.14									
7	98.63	3912	.06	230.81		29.5	228.12	-1.50	25.25									
6	97.75	3927	.06	231.69		29.5	229.02	-1.50	25.27									
5	96.70	3945	.05	232.76		29.5	230.1	-1.51	25.29									
4E	95.74	3963	.04	233.82		29.6	231.18	-1.52	25.40									
3	95.44	3970	.03	234.23		29.7	231.6	-1.53	25.51									
2	95.09	3976	.03	234.58		29.7	231.96	-1.53	25.52									
1E	94.41	3986	.02	235.17		29.6	232.86	-1.54	25.43									
1W	93.73	3996	.01	235.76		29.5	233.16	-1.55	25.34									
K-32W	69.35	4430	-.22	261.37		30.5	269.2	-1.79	26.76									
33	71.01	4407	-.22	260.01		30.8	267.82	-1.80	27.03									
34	71.81	4397	-.23	259.42		31.0	267.22	-1.80	27.23									
35	72.74	4383	-.24	258.60		31.1	266.38	-1.81	27.31									
36W	73.22	4375	-.24	258.13		31.1	265.90	-1.82	27.30									
37	74.70	4350	-.25	256.65		31.1	264.40	-1.83	27.27									
38	75.74	4336	-.26	255.82		31.3	263.56	-1.83	27.47									
39	76.43	4326	-.26	255.23		31.4	262.96	-1.84	27.55									
40W	76.68	4324	-.27	255.12		31.5	262.84	-1.85	27.64									
41	76.86	4319	-.28	254.82		31.4	262.54	-1.86	27.54									
42W	77.42	4308	-.29	254.17		31.3	261.88	-1.86	27.44									
43	77.45	4304	-.29	253.94		31.1	261.64	-1.87	27.22									
44	77.80	4295	-.30	253.41		30.9	261.1	-1.88	27.02									
45	78.50	4285	-.31	252.82		31.0	260.5	-1.89	27.11									
46W	79.05	4279	-.31	252.46		31.2	260.14	-1.89	27.30									
47	79.45	4274	-.32	252.17		31.3	249.94	-1.90	27.39									
48W	79.64	4271	-.33	251.99		31.3	249.66	-1.91	27.39									
49	80.31	4263	-.33	251.52		31.5	249.18	-1.92	27.57									
50	80.72	4258	-.34	251.22		31.6	248.88	-1.92	27.68									
51	81.38	4252	-.35	250.87		31.9	248.52	-1.93	27.97									
52	81.62	4248	-.35	250.63		31.9	248.28	-1.94	27.96									
52W	81.65	4246	-.36	250.51		31.8	248.16	-1.94	27.87									

GRID -

81-0 GRAVITY DATA

PAGE -

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATI. CORR.	ELEV. CORR.	TERRA. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
L-97W	90.30	4142	-28	244.38		34.4	241.92	-1.87	30.35						
98	90.43	4140	-29	244.26		34.4	241.8	-1.88	30.35						
99	90.67	4136	-29	244.02		34.4	241.56	-1.89	30.34						
100W	90.85	4133	-30	243.85		34.4	241.38	-1.89	30.34						
101	90.63	4137	-31	244.08		34.4	241.62	-1.90	30.35						
102	90.35	4140	-31	244.26		34.3	241.80	-1.91	30.23						
103	90.01	4151	-32	244.91		34.6	242.46	-1.92	30.55						
104W	90.48	4145	-33	244.56		34.7	242.1	-1.92	30.66						
105	90.42	4146	-33	244.61		34.7	242.16	-1.93	30.65						
106	90.94	4139	-34	244.20		34.8	241.74	-1.94	30.74						
107	90.81	4138	-35	244.14		34.6	241.68	-1.95	30.54						
108W	90.82	4141	-35	244.32		34.8	241.86	-1.95	30.74						
109	90.05	4151	-36	244.91		34.6	242.46	-1.96	30.55						
110	89.90	4152	-37	244.97		34.5	242.52	-1.97	30.45						
111	90.05	4153	-38	245.03		34.7	242.58	-1.97	30.66						
112W	90.17	4151	-38	244.91		34.7	242.46	-1.98	30.65						
113	89.73	4157	-39	245.26		34.6	242.82	-1.99	30.56						
114	89.56	4160	-40	245.44		34.6	243.0	-2.0	30.56						
115	89.48	4163	-40	245.62		34.7	243.18	-2.0	30.66						
116W	89.36	4167	-41	245.85		34.8	243.42	-2.01	30.77						
117	89.11	4173	-42	246.21		34.9	243.78	-2.02	30.87						
118	88.88	4177	-42	246.44		34.9	244.02	-2.03	30.87						
119	88.59	4182	-43	246.74		34.9	244.32	-2.03	30.88						
120W	88.57	4186	-44	246.97		35.1	244.56	-2.04	31.09						

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
L-61W	98.70	3987	-.03	235.23		33.9	232.62	-1.60	29.72						
62	98.36	3991	-.03	235.47		33.8	232.86	-1.61	29.61						
63	98.68	3984	-.04	235.06		33.7	232.44	-1.62	29.50						
64W	98.38	3986	-.05	235.17		33.5	232.56	-1.63	29.31						
65	97.27	4005	-.06	236.30		33.5	233.7	-1.63	29.34						
66	96.01	4028	-.06	237.45		33.6	235.08	-1.64	29.45						
67	95.47	4039	-.07	238.30		33.7	235.74	-1.65	29.56						
68W	95.27	4046	-.08	238.71		33.9	236.16	-1.66	29.77						
69	95.01	4052	-.08	239.07		34.0	236.52	-1.66	29.87						
70	94.63	4057	-.09	239.36		33.9	236.82	-1.67	29.78						
71	94.05	4067	-.10	239.75		33.9	237.42	-1.68	29.79						
72W	93.68	4075	-.10	240.43		34.0	237.9	-1.68	29.90						
73	93.39	4080	-.11	240.72		34.0	238.20	-1.69	29.90						
74	93.03	4088	-.12	241.19		34.1	238.68	-1.70	30.01						
75	92.45	4098	-.13	241.78		34.1	239.28	-1.71	30.02						
76W	91.45	4115	-.13	242.79		34.1	240.30	-1.71	30.04						
77	91.66	4115	-.14	242.79		34.3	240.3	-1.72	30.24						
78	91.61	4116	-.15	242.84		34.3	240.36	-1.73	30.24						
79	91.55	4117	-.15	242.90		34.3	240.42	-1.74	30.23						
80W	90.81	4128	-.16	243.55		34.2	241.08	-1.74	30.15						
81	90.46	4134	-.17	243.91		34.2	241.44	-1.75	30.15						
82	90.09	4142	-.17	244.38		34.3	241.92	-1.76	30.25						
83	90.03	4145	-.18	244.56		34.4	242.1	-1.77	30.26						
84W	89.90	4149	-.19	244.79		34.5	242.34	-1.77	30.47						
85	89.72	4152	-.19	244.97		34.5	242.52	-1.78	30.46						
86	89.79	4151	-.20	244.91		34.5	242.46	-1.79	30.46						
87	89.51	4156	-.21	245.20		34.5	242.76	-1.80	30.47						
88W	89.40	4158	-.22	245.32		34.5	242.88	-1.80	30.48						
89	90.76	4135	-.22	243.97		34.5	241.5	-1.81	30.45						
90	90.45	4137	-.23	244.08		34.3	241.62	-1.82	30.25						
91	90.36	4142	-.24	244.38		34.5	241.92	-1.83	30.45						
92W	89.99	4145	-.24	244.56		34.3	242.1	-1.83	30.26						
93	90.21	4143	-.25	244.64		34.4	241.98	-1.84	30.35						
94	90.58	4137	-.26	244.08		34.4	241.62	-1.85	30.35						
95	90.71	4133	-.26	243.85		34.3	241.38	-1.86	30.23						
96W	90.82	4133	-.27	243.85		34.4	241.38	-1.86	30.34						

6.53

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
25 W	95.32	4017	-22	237.00		32.1	234.42	-1.34	28.40						
26	95.67	4016	-21	236.94		32.2	234.36	-1.34	28.49						
27	95.89	4012	-20	236.71		32.4	234.12	-1.35	28.66						
28 W	96.10	4010	-19	236.59		32.5	234.0	-1.36	28.74						
29	96.0	4010	-19	236.59		32.4	234.0	-1.36	28.64						
30	95.87	4012	-18	236.71		32.4	234.12	-1.37	28.62						
31	95.96	4012	-17	236.71		32.5	234.12	-1.38	28.70						
32 W	95.86	4012	-17	236.71		32.4	234.12	-1.39	28.59						
33	95.95	4012	-16	236.71		32.5	234.12	-1.39	28.68						
34	95.92	4014	-15	236.83		32.6	234.24	-1.40	28.76						
35	96.12	4014	-15	236.83		32.8	234.24	-1.41	28.95						
36 W	96.16	4015	-14	236.89		32.9	234.30	-1.42	29.04						
37	/	4012	-13	236.71		NR -	/	-1.42	/						
38	96.58	4011	-13	236.65		33.1	234.06	-1.43	29.21						
39	96.73	4010	-12	236.59		33.2	234.0	-1.44	29.29						
40 W	96.88	4009	-11	236.53		33.3	233.94	-1.45	29.27						
41	/	4006	-10	236.38		NR -	233.76	-1.45	/						
42	97.23	4008	-10	236.47		33.6	233.88	-1.46	29.65						
43	97.50	4005	-09	236.30		33.7	233.7	-1.47	29.73						
44 W	97.25	4009	-08	236.53		33.7	233.94	-1.48	29.71						
45	97.40	4008	-07	236.47		33.8	233.88	-1.48	29.80						
46	97.31	4011	-06	236.65		33.9	234.06	-1.49	29.88						
47	97.21	4011	-06	236.65		33.8	234.06	-1.50	29.77						
48 W	97.54	4007	-05	236.41		33.9	233.82	-1.51	29.85						
49	97.59	4006	-04	236.35		33.9	233.76	-1.51	29.84						
50	97.43	4009	-03	236.33		33.9	233.94	-1.52	29.85						
51	/	4015	-03	236.59		NR -	234.3	-1.53	/						
52 W	97.33	4010	-02	236.59		33.9	234.0	-1.54	29.79						
53	97.26	4011	-01	236.65		33.9	234.06	-1.54	29.78						
54	97.52	4005	-01	236.30		33.8	233.7	-1.55	29.67						
55	97.41	4005	0	236.30		33.7	233.7	-1.56	29.55						
56 W	98.04	3996	0	235.76		33.8	233.16	-1.57	29.63						
57	98.35	3989	0	235.35		33.7	232.74	-1.57	29.52						
58	98.77	3982	0.01	234.94		33.7	232.32	-1.58	29.51						
59	/	3979	-01	234.76		NR -	/	-1.59	/						
60 W	99.41	3973	-02	234.41		33.8	231.78	-1.60	29.59						

GRID - FARO /		BL-0 GRAVITY DATA																		PAGE -
ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -			DENSITY -				
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY		
L-12E	104.13	3848	-46	227.03		30.7	224.28	-1.06	27.35											
11	104.47	3842	-45	226.68		30.7	223.92	-1.07	27.32											
10	104.70	3838	-44	226.44		30.7	223.68	-1.07	27.31											
9	/	3827	-44	225.79		NR -	-	-1.08	-											
8E	106.59	3804	-43	224.04		30.6	221.64	-1.09	27.14											
7	107.53	3788	-42	223.49		30.6	220.68	-1.10	27.11											
6	108.83	3766	-42	222.19		30.6	219.36	-1.10	27.09											
5	109.47	3755	-41	221.55		30.6	218.70	-1.11	27.06											
4E	109.84	3757	-40	221.66		30.6	218.82	-1.12	27.04											
3	108.49	3773	-40	222.61		30.7	219.78	-1.13	27.14											
2	107.62	3791	-39	223.67		30.9	220.86	-1.13	27.35											
1E	106.65	3809	-38	224.73		31.0	221.94	-1.14	27.45											
1W	105.92	3823	-38	225.86		31.1	222.78	-1.15	27.55											
2	105.20	3835	-37	226.27		31.1	223.50	-1.16	27.55											
3	104.67	3849	-36	227.09		31.2	224.34	-1.17	27.64											
4W	103.72	3865	-35	228.04		31.4	225.30	-1.18	27.84											
5	102.89	3879	-35	228.86		31.4	226.14	-1.19	27.84											
6	101.88	3896	-34	229.86		31.4	227.16	-1.19	27.85											
7	100.79	3916	-33	231.04		31.5	228.36	-1.20	27.95											
8W	100.47	3923	-33	231.46		31.6	228.78	-1.21	28.04											
9	99.64	3937	-32	232.28		31.6	229.62	-1.22	28.04											
10	98.96	3950	-31	233.05		31.7	230.4	-1.22	28.14											
11	98.37	3960	-31	233.64		31.7	231.0	-1.23	28.14											
12W	97.78	3970	-31	234.23		31.7	231.6	-1.24	28.14											
12	97.46	3977	-30	234.64		31.8	232.02	-1.25	28.23											
14	96.80	3988	-29	235.29		31.8	232.68	-1.25	28.23											
15	96.11	3998	-29	235.88		31.7	233.28	-1.26	28.13											
16W	96.04	4004	-28	236.24		32.0	233.64	-1.27	28.14											
17	95.64	4009	-27	236.53		31.9	233.94	-1.27	28.31											
18	95.33	4014	-26	236.83		31.9	234.24	-1.28	28.29											
19	95.27	4015	-26	236.89		31.9	234.3	-1.29	28.28											
20W	95.11	4016	-25	236.94		31.8	234.36	-1.30	28.17											
21	95.04	4017	-24	237.00		31.8	234.42	-1.31	28.15											
22	94.80	4021	-24	237.24		31.8	234.66	-1.31	28.15											
23	94.71	4024	-23	237.42		31.9	234.84	-1.32	28.23											
24W	95.08	4021	-22	237.24		32.1	234.66	-1.33	28.41											

GRID -				TK-20-3 GRAVITY DATA															PAGE -
ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -			DENSITY -			
STATION	OBSERVED GRAVITY	ELEV.	LATI CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	
L-28W	104.85	3874	.58	228.57		34.0	225.84	-.98	29.71										
27	105.13	3864	.59	227.98		33.7	225.24	-.97	29.40										
26	105.28	3858	.60	227.62		33.5	224.88	-.97	29.19										
25	105.25	3855	.61	227.65		33.3	224.7	-.96	28.99										
24W	105.06	3853	.61	227.33		33.0	224.58	-.95	28.69										
23	105.21	3847	.62	226.97		32.8	224.22	-.95	28.48										
22	105.71	3835	.63	226.27		32.6	223.50	-.94	28.27										
21						NR-		-.93											
20W	106.57	3817	.63	225.20		32.4	222.42	-.92	28.07										
19	107.15	3807	.64	224.61		32.4	221.82	-.92	28.05										
18	107.11	3804	.65	224.64		32.2	221.64	-.91	27.84										
17	107.41	3799	.65	224.14		32.2	221.24	-.90	27.85										
16	108.05	3788	.66	223.49		32.2	220.68	-.89	27.84										
16W	108.22	3785	.67	223.32		32.2	220.5	-.89	27.83										
15	109.39	3782	.67	223.14		32.2	220.32	-.88	28.83										
14	109.07	3767	.68	222.25		32.0	219.42	-.87	27.62										
13	110.24	3747	.69	221.07		32.0	218.22	-.86	27.60										
12W	111.30	3729	.69	220.01		32.0	217.14	-.86	27.58										
11	111.76	3721	.70	219.54		32.0	216.66	-.85	27.57										
10	111.78	3719	.70	219.42		31.9	216.54	-.84	27.48										
9	111.67	3719	.71	219.42		31.8	216.54	-.83	27.38										
8W	110.64	3738	.72	220.54		31.9	217.68	-.83	27.49										
7	110.25	3748	.72	221.13		32.1	218.28	-.82	27.71										
6	109.75	3758	.73	221.72		32.2	218.88	-.81	27.82										
5	108.74	3775	.74	222.73		32.2	219.9	-.80	27.84										
4	108.19	3786	.74	223.37		32.3	220.56	-.80	27.95										
3	107.59	3796	.75	223.96		32.3	221.16	-.79	27.96										
2W	106.63	3812	.76	224.91		32.3	222.12	-.78	27.97										
1W	106.61	3814	.76	225.03		32.4	222.24	-.77	28.08										
2W	106.68	3811	.77	224.85		32.3	222.06	-.76	27.98										
1W	106.89	3814	.78	225.03		32.4	222.24	-.76	28.07										
1E	106.45	3818	.79	225.26		32.5	222.48	-.75	28.18										
2	106.49	3819	.79	225.32		32.6	222.54	-.74	28.29										
3	106.07	3826	.80	225.73		32.6	222.96	-.73	28.30										
4E	105.61	3837	.81	226.38		32.8	223.62	-.73	28.50										

GRID -		FARO /		TL - 20 S		GRAVITY DATA												PAGE -
ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
L64W	104.53	3911	.32	230.75		35.6	228.06	-1.25	31.34									
63W	103.87	3922	.33	231.40		35.6	228.72	-1.24	31.35									
62W	103.40	3930	.33	231.87		35.6	229.2	-1.24	31.36									
61W	102.76	3939	.34	232.40		35.5	229.74	-1.23	31.27									
60W	102.62	3943	.34	232.64		35.6	229.98	-1.22	31.28									
59W	102.26	3949	.35	232.99		35.6	230.34	-1.21	31.39									
58	101.84	3956	.36	233.40		35.6	230.76	-1.21	31.39									
57	/	3960	.37	233.64		NR	/	-1.20	/									
56W	101.28	3965	.38	233.94		35.6	231.3	-1.19	31.39									
55	100.98	3970	.39	234.23		35.6	231.6	-1.18	31.40									
54	100.79	3973	.40	234.41		35.6	231.78	-1.18	31.39									
53	100.47	3975	.40	234.53		35.4	231.9	-1.17	31.20									
52W	100.11	3981	.41	234.88		35.4	232.26	-1.16	31.21									
51	99.57	3990	.42	235.41		35.5	232.8	-1.15	31.22									
50	99.33	3994	.42	235.65		35.4	233.04	-1.15	31.22									
L49W	98.69	4003	.43	236.18		35.3	233.58	-1.14	31.13									
48	98.62	4004	.44	236.24		35.3	233.64	-1.13	31.13									
47	98.60	4001	.45	236.06		35.1	233.46	-1.12	30.94									
46	98.71	3999	.45	235.94		35.1	233.34	-1.12	30.93									
45	98.50	3999	.46	235.94		34.9	233.34	-1.11	30.73									
44	99.32	3990	.47	235.41		35.2	232.8	-1.10	31.02									
43	/	3987	.47	235.23		NR	/	-1.09	/									
42W	99.31	3985	.48	235.12		34.9	232.5	-1.09	30.72									
41	99.61	3978	.49	234.70		34.8	232.08	-1.08	30.61									
40W	100.03	3989	.50	234.17		34.9	231.54	-1.07	30.50									
39	101.02	3952	.51	233.17		34.7	230.52	-1.06	30.48									
38	101.26	3948	.51	232.93		34.7	230.38	-1.06	30.48									
37	101.50	3942	.52	232.58		34.6	229.92	-1.05	30.37									
36W	101.85	3936	.53	232.22		34.6	229.56	-1.04	30.37									
35	102.39	3925	.54	231.58		34.5	228.90	-1.03	30.26									
34	102.74	3919	.54	231.22		34.5	228.54	-1.03	30.25									
33	103.26	3910	.55	230.69		34.5	228.0	-1.02	30.24									
32W	103.60	3904	.56	230.34		34.5	227.64	-1.01	30.23									
31	103.99	3894	.56	229.75		34.3	227.04	-1.0	30.03									
30	104.34	3888	.57	229.39		34.3	226.68	-1.0	30.02									
29	104.42	3883	.58	229.10		34.1	226.38	-1.0	29.81									