

ORIGINAL FIELD WORK				DENSITY-			DENSITY-			DENSITY-			DENSITY-			DENSITY-			
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	
72	87.45	4439	-.55	261.90		48.8	259.57	-3.81	343.21										
73																			
74	86.93	4445	-.59	262.26		48.6	259.93	-3.84	343.02										
75																			
76	86.32	4451	-.63	262.61		48.3	260.29	-3.88	342.73										
77																			
78	85.87	4456	-.67	262.90		48.1	260.59	-3.92	342.54										
79																			
80-N	86.96	4428	-.71	261.25		47.5	258.91	-3.96	341.91										

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
36	100.19	4259	.13	251.28		51.6	248.77	-3.12	345.84						
37		/													
38	99.0	4278	.10	252.40		51.5	249.91	-3.16	345.75						
39		/													
40-N	97.98	4296	.06	253.46		51.5	250.99	-3.20	345.77						
41		/													
42	97.15	4309	.02	254.23		51.4	251.77	-3.24	345.68						
43		/	0												
44	96.3	4324	-.02	255.12		51.4	252.67	-3.27	345.70						
45		/													
46	95.77	4332	-.06	255.59		51.3	253.15	-3.31	345.61						
47		/													
48	95.14	4340	-.10	256.06		51.1	253.63	-3.35	345.42						
49		/													
50-N	94.3	4353	-.13	256.83		51.0	254.41	-3.39	345.32						
51		/													
52	93.48	4366	-.17	257.59		50.9	255.19	-3.43	345.24						
53		/													
54	92.43	4381	-.21	258.48		50.7	256.09	-3.46	345.06						
55		/													
56	91.15	4400	-.25	259.60		50.5	257.23	-3.50	344.88						
57		/													
58	90.68	4407	-.29	260.01		50.4	257.65	-3.54	344.79						
59		/													
60-N	90.4	4409	-.33	260.13		50.2	257.77	-3.58	344.59						
61		/													
62	89.46	4422	-.36	260.90		50.0	258.55	-3.62	344.39						
63		/													
64	88.85	4428	-.40	261.25		49.7	258.91	-3.65	344.11						
65		/													
66	88.26	4437	-.44	261.78		49.6	259.45	-3.69	344.02						
67		/													
68	87.72	4445	-.48	262.26		49.5	259.93	-3.73	343.92						
69		/													
70-N	87.86	4440	-.52	261.96		49.3	259.63	-3.77	343.72						
71		/													

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
0-N		/	.82												
1		/													
2		/													
3	112.08	4096	.76	241.66		54.5	238.99	-2.50	348.57						
4	112.2	4094	.75	241.55		54.5	238.87	-2.52	348.55						
5	113.48	4071	.73	240.19		54.4	237.49	-2.84	348.43						
6	114.38	4051	.71	239.01		54.1	236.29	-2.85	348.12						
7	113.75	4062	.69	239.66		54.1	236.95	-2.57	348.13						
8	112.37	4084	.67	240.96		54.0	238.27	-2.59	348.05						
9	111.75	4093	.65	241.49		53.9	238.81	-2.61	347.95						
10-N	111.15	4102	.63	242.02		53.8	239.35	-2.63	347.87						
11	110.5	4110	.61	242.49		53.6	239.83	-2.65	347.68						
12	110.93	4103	.59	242.08		53.6	239.41	-2.67	347.67						
13	111.05	4098	.57	241.78		53.4	239.11	-2.69	347.47						
14	109.85	4117	.55	242.90		53.3	240.25	-2.71	347.39						
15	109.86	4117	.54	242.90		53.3	240.25	-2.73	347.38						
16	109.89	4115	.52	242.79		53.2	240.13	-2.74	347.28						
17	109.97	4114	.50	242.73		53.2	240.07	-2.76	347.28						
18	109.72	4117	.48	242.90		53.1	240.25	-2.78	347.19						
19	109.34	4122	.46	243.20		53.0	240.55	-2.80	347.09						
20-N	108.91	4128	.44	243.55		52.9	240.91	-2.82	347.0						
21		/													
22	108.14	4160	.40	244.26		52.8	241.63	-2.86	346.91						
23		/													
24	107.31	4153	.36	245.03		52.7	242.41	-2.90	346.82						
25		/													
26	106.34	4170	.33	246.03		52.7	243.43	-2.93	346.84						
27		/													
28	105.45	4184	.29	246.86		52.6	244.27	-2.97	346.75						
29		/													
30-N	104.17	4203	.25	247.98		52.4	245.41	-3.01	346.57						
31		/													
32	103.40	4210	.21	248.39		52.0	245.83	-3.05	346.18						
33		/													
34	101.53	4239	.17	250.10		51.8	247.57	-3.09	346.01						
38		/													

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
0-N		/	.84												
1		/													
2		/													
3	111.53	4110	-78	242.49		54.8	239.83	-2.46	248.9						
4	110.74	4122	-76	243.20		54.7	240.55	-2.48	248.81						
5	109.84	4124	-75	243.91		54.5	241.27	-2.50	248.61						
6	109.29	4142	-73	244.38		54.4	241.75	-2.51	248.53						
7	108.56	4153	-71	245.03		54.3	242.41	-2.53	248.44						
8	108.66	4150	-69	244.85		54.2	242.23	-2.55	248.34						
9	108.97	4145	-67	244.56		54.2	241.93	-2.57	248.33						
10-N	108.89	4145	-65	244.56		54.1	241.93	-2.59	248.23						
11	108.54	4148	-63	244.73		53.9	242.11	-2.61	248.04						
12	107.93	4157	-61	245.26		53.8	242.65	-2.63	247.95						
13	107.43	4164	-59	245.68		53.7	243.07	-2.65	247.85						
14	107.47	4162	-57	245.56		53.6	242.95	-2.67	247.75						
15	107.11	4165	-55	245.74		53.4	243.13	-2.69	247.55						
16	106.14	4180	-54	246.62		53.3	244.03	-2.70	247.47						
17	105.41	4191	-52	247.27		53.2	244.69	-2.72	247.38						
18	104.8	4200	-50	247.80		53.1	245.23	-2.74	247.29						
19	104.6	4202	-48	247.92		53.0	245.35	-2.76	247.19						
20-N	104.64	4200	-46	247.80		52.9	245.23	-2.78	247.09						
21	104.42	4204	-44	248.04		52.9	245.47	-2.80	247.09						
22	104.23	4206	-42	248.15		52.8	245.59	-2.82	247.0						
23		/	.40			/									
24	104.38	4204	-38	248.04		52.8	245.47	-2.86	246.99						
25	102.98	4223	-36	249.16		52.5	246.61	-2.87	246.72						
26	103.28	4220	-34	248.98		52.6	246.43	-2.89	246.82						
27	103.41	4218	-33	248.86		52.6	246.31	-2.91	246.81						
28	102.8	4227	-31	249.39		52.5	246.85	-2.93	246.72						
29	102.29	4236	-29	249.92		52.5	247.39	-2.95	246.73						
30-N	102.01	4241	-27	250.22		52.5	247.69	-2.97	246.73						
31	101.16	4254	-25	250.99		52.4	248.47	-2.99	246.64						
32	100.36	4268	-23	251.81		52.4	249.31	-3.01	246.66						
33	99.23	4284	-21	252.76		52.2	250.27	-3.03	246.47						
34	98.39	4297	-19	253.52		52.1	251.05	-3.05	246.39						
35	97.56	4308	-17	254.17		51.9	251.71	-3.06	246.21						

GRAVITY DATA

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
72	73.46	4677	-50	275.94		48.9	273.85	-3.72	343.59						
73															
74	73.77	4669	-54	275.47		48.7	273.37	-3.76	343.38						
75															
76	73.91	4662	-57	275.06		48.4	272.95	-3.79	343.07						
77															
78	74.15	4657	-61	274.76		48.3	272.65	-3.83	342.97						
79															
80-N	74.52	4648	-65	274.23		48.1	272.11	-3.87	342.76						
81															
82	74.95	4638	-69	273.64		47.9	271.51	-3.91	342.55						
83															
84	76.2	4614	-73	272.23		47.7	270.07	-3.94	342.33						
85															
86	77.3	4596	-76	271.16		47.7	268.99	-3.98	342.31						
87															
88	78.02	4581	-80	270.28		47.5	268.09	-4.02	342.09						
89															
90-N	78.04	4578	-84	270.10		47.3	267.91	-4.06	341.89						
91															
92	78.27	4573	-88	269.81		47.2	267.61	-4.10	341.78						
93															
94	78.86	4562	-92	269.16		47.1	266.95	-4.13	341.68						
95															
96	79.43	4548	-96	268.33		46.8	266.11	-4.17	341.37						
97															
98	79.42	4547	-99	268.27		46.7	266.05	-4.21	341.26						

GRAVITY DATA

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
36	92.07	4404	.19	259.84		52.1	257.47	-3.04	346.50						
37															
38	90.48	4430	-.15	261.37		52.0	259.03	-3.07	346.44						
39															
40-N	88.38	4461	.12	263.20		51.7	260.89	-3.11	346.16						
41															
42	88.6	4458	.08	263.02		51.7	260.71	-3.15	346.16						
43															
44	87.91	4467	.04	263.85		51.5	261.25	-3.19	345.97						
45															
46	86.68	4485	0	264.62		51.3	262.33	-3.22	345.79						
47															
48	86.09	4494	-.04	265.15		51.2	262.87	-3.26	345.70						
49															
50-N	84.87	4512	-.08	266.21		51.0	263.95	-3.30	345.52						
51															
52	83.3	4536	-.12	267.62		50.8	265.39	-3.34	345.35						
53															
54	81.51	4565	-.15	269.34		50.7	267.13	-3.38	345.26						
55															
56	78.88	4607	-.19	271.81		50.5	269.65	-3.41	345.12						
57															
58	77.03	4639	-.23	273.70		50.5	271.57	-3.45	345.15						
59															
60-N	75.45	4663	-.27	275.12		50.3	273.01	-3.49	344.97						
61															
62	74.41	4678	-.31	276.0		50.1	273.91	-3.53	344.79						
63															
64	73.98	4684	-.34	276.36		50.0	274.27	-3.57	344.68						
65															
66	73.35	4687	-.38	276.53		49.5	274.45	-3.60	344.20						
67															
68	73.42	4683	-.42	276.30		49.3	274.21	-3.64	343.99						
69															
70-N	73.68	4676	-.46	275.88		49.1	273.79	-3.68	343.79						
71															

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
0-N		/	.88			/									
1		/				/									
2	107.5	4179	.84	246.56		54.9	243.97	-2.41	249.06						
3	107.24	4182	.82	246.74		54.8	244.15	-2.43	248.96						
4	106.98	4185	.80	246.92		54.7	244.33	-2.45	248.86						
5	106.63	4188	.78	247.09		54.5	244.51	-2.47	248.67						
6	106.23	4195	.76	247.51		54.5	244.93	-2.48	248.68						
7	105.79	4201	.75	247.16		54.4	245.29	-2.50	248.58						
8	105.57	4205	.73	248.10		54.6	245.53	-2.52	248.58						
9	105.34	4206	.71	248.15		54.2	245.59	-2.54	248.39						
10-N	105.16	4206	.69	248.15		54.0	245.59	-2.56	248.19						
11	104.78	4211	.67	248.45		53.9	245.89	-2.58	248.09						
12	104.44	4216	.65	248.74		53.8	246.19	-2.60	248.0						
13	103.97	4222	.63	249.10		53.7	246.55	-2.62	247.90						
14	103.6	4227	.61	249.39		53.6	246.85	-2.64	247.81						
15	103.44	4230	.59	249.57		53.6	247.03	-2.66	247.81						
16	102.61	4241	.57	250.22		53.4	247.69	-2.67	247.63						
17	102.55	4239	.55	250.10		53.4	247.57	-2.69	247.43						
18	101.73	4253	.54	250.93		53.2	248.41	-2.71	247.42						
19	101.53	4255	.52	251.05		53.1	248.53	-2.73	247.33						
20-N	101.1	4261	.50	251.40		53.0	248.89	-2.75	247.24						
21		/													
22	101.1	4260	.46	251.34		52.9	248.83	-2.77	247.16						
23		/													
24	102.16	4241	.42	250.22		52.8	247.69	-2.81	247.04						
25		/													
26	102.12	4239	.38	250.10		52.6	247.57	-2.85	246.84						
27		/													
28	100.45	4268	.34	251.81		52.6	249.31	-2.88	246.88						
29		/													
30-N	98.78	4295	.31	253.41		52.5	250.93	-2.92	246.79						
31		/													
32	96.72	4329	.27	255.41		52.4	252.97	-2.96	246.73						
33		/													
34	94.36	4368	.23	257.71		52.3	255.31	-3.00	246.67						
35		/													

GRAVITY DATA

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
50-N	79.99	4591	-06	270.87		50.8	268.69	-3.30	345.38						
51	78.59	4610	-08	271.99		50.8	269.83	-3.32	345.10						
52	77.49	4629	-10	273.11		50.5	270.97	-3.34	345.12						
53	76.51	4646	-12	274.11		50.5	271.99	-3.36	345.14						
54	75.12	4668	-13	275.41		50.4	273.31	-3.37	345.06						
55	73.86	4688	-15	276.59		50.3	274.51	-3.39	344.98						
56	73.01	4701	-17	277.36		50.3	275.29	-3.41	344.99						
57	72.26	4714	-19	278.13		50.2	276.07	-3.43	344.90						
58	71.69	4724	-21	278.72		50.2	276.67	-3.45	344.91						
59	71.2	4731	-23	279.13		50.1	277.09	-3.47	344.82						
60	70.51	4743	-25	279.84		50.1	277.81	-3.49	344.83						
61	69.55	4758	-27	280.72		50.0	278.71	-3.51	344.75						
62	69.01	4766	-29	281.19		49.9	279.19	-3.53	344.67						
63	68.52	4771	-31	281.49		49.7	279.49	-3.54	344.67						
64	67.81	4780	-33	282.02		49.5	280.03	-3.56	344.28						
65	67.54	4783	-34	282.26		49.4	280.21	-3.58	344.17						
66	67.39	4786	-36	282.37		49.4	280.39	-3.60	344.18						
67	67.38	4783	-38	282.20		49.2	280.21	-3.62	343.97						
68	67.22	4781	-40	282.08		48.9	280.09	-3.64	343.67						
69	66.79	4787	-42	282.43		48.8	280.45	-3.66	343.58						
70-N	67.04	4783	-44	282.20		48.8	280.21	-3.68	343.57						

GRAVITY DATA

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
0		-													
1		-													
2	104.37	4230	.86	249.57		54.8	247.03	-2.39	249.01						
3	103.4	4245	.84	250.46		54.7	247.93	-2.41	248.92						
4	102.73	4255	.82	251.05		54.6	248.53	-2.43	248.83						
5	102.75	4255	.80	251.05		54.6	248.53	-2.45	248.83						
6	102.44	4259	.78	251.29		54.5	248.77	-2.46	248.75						
7	102.65	4244	.76	250.99		54.4	248.47	-2.48	248.64						
8	102.27	4259	.75	251.28		54.3	248.77	-2.50	248.54						
9	101.6	4269	.73	251.87		54.2	249.37	-2.52	248.45						
10-N	101.34	4272	.71	252.05		54.1	249.55	-2.54	248.35						
11	101.38	4270	.69	251.93		54.0	249.43	-2.56	248.25						
12	101.22	4273	.67	252.11		54.0	249.61	-2.58	248.25						
13	101.02	4275	.65	252.23		53.9	249.73	-2.60	248.15						
14	100.77	4278	.63	252.40		53.8	249.91	-2.62	248.06						
15	100.45	4282	.61	252.64		53.7	250.15	-2.64	247.96						
16	100.04	4286	.59	252.87		53.6	250.39	-2.65	247.78						
17	100.17	4284	.57	252.76		53.5	250.27	-2.67	247.77						
18	99.74	4290	.55	253.11		53.4	250.63	-2.69	247.68						
19	99.59	4291	.54	253.17		53.3	250.69	-2.71	247.57						
20-N	99.16	4297	.52	253.52		53.2	251.05	-2.73	247.48						
21	98.96	4299	.50	253.64		53.1	251.17	-2.75	247.38						
22	98.96	4298	.48	253.58		53.0	251.11	-2.77	247.30						
23	99.39	4289	.46	253.05		52.9	250.57	-2.79	247.17						
24	99.84	4280	.44	252.52		52.8	250.03	-2.81	247.06						
25	99.23	4289	.42	253.05		52.7	250.57	-2.82	246.98						
26	98.81	4293	.40	253.29		52.5	250.81	-2.84	246.78						
27	98.97	4289	.38	253.05		52.4	250.57	-2.86	246.68						
28	99.3	4282	.36	252.64		52.3	250.15	-2.88	246.57						
29	98.61	4294	.34	253.35		52.3	250.87	-2.90	246.58						
30-N	97.72	4311	.33	254.35		52.4	251.89	-2.92	246.69						
31	96.12	4335	.31	255.77		52.2	253.33	-2.94	246.51						
32	94.84	4352	.29	256.77		51.9	254.35	-2.96	246.23						
33	93.8	4370	.27	257.83		51.9	255.43	-2.98	246.25						
34	92.88	4386	.25	258.77		51.9	256.39	-3.0	246.27						
35	91.6	4408	.23	260.07		51.9	257.71	-3.01	246.30						

GRAVITY DATA

ORIGINAL FIELD WORK			DENSITY -			DENSITY -			DENSITY -			DENSITY -			
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
72	60.96	4881	-.64	287.98		48.5	286.09	-3.69	343.36						
73															
74	61.49	4871	-.48	287.39		48.4	285.49	-3.72	343.26						
75															
76	60.8	4880	-.52	287.92		48.2	286.03	-3.76	343.07						
77															
78	60.41	4882	-.55	288.04		47.9	286.15	-3.80	342.76						
79															
80-N	59.96	4887	-.59	288.33		47.7	286.45	-3.84	342.57						
81															
82	60.35	4881	-.63	287.98		47.7	286.09	-3.87	342.57						
83															
84	61.02	4867	-.67	287.15		47.5	285.25	-3.91	342.36						
85															
86	62.75	4840	-.71	285.86		47.6	283.63	-3.95	342.43						
87															
88	64.4	4811	-.75	283.85		47.5	281.89	-3.99	342.30						
89						47.5									
90-N	65.02	4801	-.78	283.26		47.5	281.29	-4.03	342.28						
91															
92	66.91	4768	-.82	281.31		47.4	279.31	-4.06	342.16						
93															
94	68.25	4746	-.86	280.01		47.4	277.99	-4.10	342.14						
95															
96	69.8	4717	-.90	278.30		47.2	276.25	-4.14	341.91						
97															
98	71.62	4685	-.94	276.42		47.1	274.33	-4.18	341.77						
99															
100-N	72.97	4661	-.97	275.0		47.0	272.89	-4.22	341.64						
101															
102	73.5	4651	-1.01	274.41		46.9	272.29	-4.25	341.54						
103															
104	73.71	4643	-1.05	273.94		46.6	271.81	-4.29	341.29						

GRAVITY DATA

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
36	90.33	4426	.15	261.02		51.6	258.67	-3.00	246.0						
37		/													
38	87.72	4469	.21	263.67		51.6	261.37	-3.04	246.05						
39		/													
40-N	83.86	4535	.17	267.57		51.6	265.33	-3.08	246.11						
41		/													
42	82.74	4553	.13	268.63		51.5	266.41	-3.12	246.03						
43		/													
44	80.13	4591	.10	270.97		51.1	268.69	-3.15	245.67						
45		/													
46	74.07	4691	.06	276.77		50.9	274.69	-3.19	245.57						
47		/													
48	76.17	4651	.02	274.41		50.6	272.29	-3.23	245.23						
49		/	0												
50-N	74.58	4677	-.02	275.94		50.5	273.85	-3.27	245.16						
51		/													
52	72.69	4708	-.06	277.77		50.4	275.71	-3.31	245.09						
53		/													
54	70.88	4736	-.10	279.62		50.2	277.39	-3.34	244.93						
55		/													
56	68.82	4768	-.13	281.31		50.0	279.31	-3.38	244.75						
57		/													
58	67.24	4792	-.17	282.73		49.8	280.75	-3.42	244.57						
59		/													
60-N	65.51	4822	-.21	284.50		49.8	282.55	-3.46	244.60						
61		/													
62	64.41	4828	-.25	285.44		49.6	283.51	-3.50	244.42						
63		/													
64	63.21	4864	-.29	286.98		49.9	285.07	-3.53	244.75						
65		/													
66	62.34	4866	-.33	287.09		49.1	285.19	-3.57	243.96						
67		/													
68	61.61	4872	-.36	287.45		48.7	285.55	-3.61	243.55						
69		/													
70-N	61.2	4878	-.40	287.40		48.6	285.91	-3.65	243.46						
71		/													

GRAVITY DATA

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	102.89	4254	.91	250.99		54.8	248.47	-2.36	349.0						
2	102.62	4259	.90	251.28		54.8	248.77	-2.38	349.01						
3	102.07	4267	.88	251.71		54.7	249.25	-2.40	348.92						
4	101.79	4272	.86	252.05		54.6	249.55	-2.41	348.93						
5	101.24	4280	.84	252.52		54.5	250.03	-2.43	348.84						
6	101.12	4279	.82	252.46		54.4	249.97	-2.45	348.64						
7	100.67	4287	.80	252.93		54.4	250.45	-2.47	348.65						
8	100.23	4293	.78	253.29		54.3	250.81	-2.48	348.56						
9	99.92	4297	.76	253.52		54.2	251.05	-2.50	348.47						
10-N	99.77	4298	.75	253.58		54.1	251.11	-2.52	348.36						
11	99.67	4300	.73	253.70		54.1	251.23	-2.54	348.36						
12	99.59	4299	.71	253.64		54.0	251.17	-2.56	348.20						
13	99.16	4306	.69	254.05		53.9	251.59	-2.57	348.18						
14	98.72	4312	.67	254.44		53.8	251.95	-2.59	348.08						
15	97.7	4328	.65	255.35		53.7	252.91	-2.61	348.0						
16	97.48	4332	.63	255.59		53.7	253.15	-2.63	348.0						
17	97.17	4336	.61	255.82		53.6	253.39	-2.65	347.91						
18	96.91	4339	.59	256.0		53.5	253.57	-2.66	347.82						
19	96.83	4339	.57	256.0		53.4	253.57	-2.68	347.72						
20-N	96.93	4336	.55	255.82		53.3	253.39	-2.70	347.65						
21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	97.48	4322	.52	255.0		53.0	252.05	-2.74	347.29						
23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	97.38	4320	.48	254.94		52.8	252.43	-2.78	347.03						
25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
26	97.0	4323	.44	255.06		52.5	252.61	-2.81	346.80						
27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	97.27	4314	.40	254.53		52.2	252.07	-2.85	346.49						
29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-N	96.48	4323	.36	255.06		51.9	252.61	-2.89	346.20						
31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	94.47	4356	.33	257.00		51.8	254.59	-2.93	346.13						
33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	92.58	4387	.29	258.83		51.7	256.45	-2.97	346.06						
35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
50-2	71.09	4734	0	279.31		50.4	277.27	-3.25	345.11						
51	70.07	4750	-02	280.28		50.3	278.23	-3.27	345.03						
52	69.1	4765	-04	281.16		50.2	279.13	-3.29	344.94						
53	67.96	4783	-06	282.20		50.1	280.21	-3.31	344.86						
54	66.88	4800	-08	283.20		50.0	281.23	-3.33	344.78						
55	65.62	4820	-10	284.38		49.9	282.43	-3.34	344.71						
56	64.2	4841	-12	285.62		49.7	283.69	-3.36	344.53						
57	63.33	4856	-13	286.50		49.7	284.59	-3.38	344.54						
58	62.56	4866	-15	287.09		49.5	285.19	-3.40	344.35						
59	61.79	4876	-17	287.68		49.3	285.79	-3.42	344.16						
60	60.58	4895	-19	288.81		49.2	286.93	-3.44	344.07						
61	59.42	4915	-21	289.99		49.2	288.13	-3.46	344.09						
62	57.89	4939	-23	291.34		49.0	289.51	-3.48	343.92						
63	57.28	4947	-25	291.87		48.9	290.05	-3.50	343.83						
64	56.72	4955	-27	292.35		48.8	290.53	-3.52	343.73						
65	56.47	4958	-29	292.52		48.7	290.71	-3.53	343.65						
66	56.61	4956	-31	292.40		48.7	290.59	-3.55	343.65						
67	56.53	4956	-33	292.40		48.6	290.59	-3.57	343.58						
68	56.44	4956	-34	292.40		48.5	290.59	-3.59	343.44						
69	55.67	4966	-36	292.99		48.3	291.19	-3.61	343.25						
70	55.53	4967	-38	293.05		48.2	291.25	-3.63	343.15						

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATI-CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
0-N		-	.96			-									
1	100.53	4287	.94	252.93		54.4	250.45	-2.32	348.66						
2	100.89	4288	.92	252.99		54.5	250.51	-2.34	348.76						
3	100.02	4298	.90	253.58		54.5	251.11	-2.36	348.77						
4	99.45	4308	.88	254.17		54.5	251.71	-2.38	348.78						
5	98.84	4317	.86	254.70		54.4	252.25	-2.40	348.69						
6	98.5	4323	.84	255.06		54.3	252.61	-2.41	348.70						
7	97.79	4332	.82	255.59		54.2	253.15	-2.43	348.51						
8	97.42	4337	.80	255.88		54.1	253.45	-2.45	348.42						
9	96.92	4344	.78	256.30		54.0	253.87	-2.47	348.32						
10-N	96.71	4348	.76	256.53		54.0	254.11	-2.49	348.33						
11	95.97	4359	.75	257.18		53.9	254.77	-2.51	348.23						
12	95.18	4371	.73	257.89		53.8	255.49	-2.53	348.14						
13	94.32	4384	.71	258.66		53.7	256.27	-2.55	348.05						
14	93.66	4396	.69	259.25		53.6	256.87	-2.57	347.96						
15	93.09	4404	.67	259.84		53.6	257.47	-2.59	347.97						
16	92.36	4415	.65	260.49		53.5	258.13	-2.60	347.89						
17	91.99	4420	.63	260.78		53.4	258.43	-2.62	347.80						
18	92.09	4417	.61	260.60		53.3	258.25	-2.64	347.70						
19	92.46	4411	.59	260.25		53.3	257.89	-2.66	347.69						
20-N	92.91	4402	.57	259.72		53.2	257.35	-2.68	347.58						
21	93.54	4390	.55	259.01		53.1	256.63	-2.70	347.47						
22	92.92	4382	.54	258.54		53.0	256.15	-2.72	347.35						
23	94.24	4377	.52	258.24		53.0	255.85	-2.74	347.35						
24	94.17	4375	.50	258.13		52.8	255.73	-2.76	347.14						
25	94.37	4367	.48	257.65		52.5	255.25	-2.77	346.85						
26	94.19	4372	.46	257.95		52.6	255.55	-2.79	346.95						
27	94.05	4373	.44	258.01		52.5	255.61	-2.81	346.85						
28	94.17	4368	.42	257.71		52.3	255.31	-2.83	346.65						
29	94.06	4365	.40	257.54		52.0	255.13	-2.85	346.34						
30-N	95.05	4347	.38	256.47		51.9	254.05	-2.87	346.23						
31	95.2	4343	.36	256.24		51.8	253.81	-2.89	346.12						
32	94.65	4351	.34	256.71		51.7	254.29	-2.91	346.03						
33	93.73	4365	.33	257.54		51.6	255.13	-2.93	345.87						
34	92.75	4377	.31	258.24		51.3	255.85	-2.95	345.65						
35	92.04	4386	.29	258.77		51.1	256.39	-2.96	345.47						

GRAVITY DATA

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
72	51.71	5027	-.40	296.59		47.9	294.85	-3.64	342.92						
73															
74	51.57	5030	-.44	296.77		47.9	295.03	-3.67	342.93						
75															
76	51.35	5031	-.48	296.83		47.7	295.09	-3.71	342.73						
77															
78	51.27	5028	-.52	296.65		47.5	294.91	-3.75	342.51						
79															
80-N	51.26	5027	-.55	296.59		47.3	294.85	-3.79	342.32						
81															
82	51.36	5026	-.59	296.53		47.3	294.79	-3.83	342.32						
83															
84	51.99	5016	-.63	295.94		47.3	294.19	-3.86	342.32						
85															
86	52.67	5005	-.67	295.30		47.3	293.53	-3.90	342.30						
87															
88	53.2	4995	-.71	294.71		47.2	292.93	-3.94	342.19						
89															
90-N	54.42	4975	-.75	293.53		47.2	291.73	-3.98	342.17						
91															
92	55.81	4952	-.78	292.17		47.2	290.35	-4.01	342.15						
93															
94	57.92	4917	-.82	290.10		47.2	288.25	-4.05	342.12						
95															
96	59.96	4883	-.86	288.10		47.2	286.21	-4.09	342.08						
97															
98	62.83	4835	-.90	285.27		47.2	283.33	-4.13	342.03						
99															
100-N	64.5	4804	-.94	283.44		47.0	281.47	-4.17	341.86						
101															
102	65.83	4782	-.97	282.14		47.0	280.15	-4.20	341.78						
103															
104	66.6	4768	-1.01	281.31		46.9	279.31	-4.24	341.67						
105															
106	67.4	4755	-1.05	280.55		46.9	278.53	-4.28	341.65						
107															

GRID - W. FORD / L-152W

GRAVITY DATA

PAGE -

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
36	89.67	4421	.29	260.84		50.8	258.49	-2.95	245.21						
37															
38	88.09	4445	.25	262.26		50.6	259.93	-2.99	245.03						
39															
40-N	86.09	4478	.21	264.20		50.5	261.91	-3.03	244.97						
41															
42	83.74	4515	.17	266.39		50.3	264.13	-3.07	244.80						
43															
44	80.64	4570	.13	269.63		50.4	267.43	-3.10	244.97						
45															
46	76.87	4631	.10	273.23		50.2	271.09	-3.14	244.82						
47															
48	72.96	4698	.06	277.18		50.2	275.11	-3.18	244.89						
49															
50-N	69.67	4751	.02	280.31		50.0	278.29	-3.22	244.74						
51			0												
52	66.5	4802	-.02	283.32		49.8	281.35	-3.26	244.59						
53															
54	63.75	4846	-.06	285.91		49.6	283.99	-3.29	244.45						
55															
56	61.03	4891	-.10	288.57		49.5	286.69	-3.33	244.39						
57															
58	58.68	4928	-.13	290.75		49.3	288.91	-3.37	244.22						
59															
60-N	56.23	4965	-.17	292.94		49.0	291.13	-3.41	243.95						
61															
62	54.03	4998	-.21	294.88		48.7	293.11	-3.45	243.69						
63															
64	52.22	5026	-.25	296.53		48.5	294.79	-3.48	243.53						
65															
66	50.72	5047	-.29	297.77		48.2	296.05	-3.52	243.25						
67															
68	50.2	5053	-.33	298.13		48.0	296.41	-3.56	243.05						
69															
70-N	51.47	5032	-.36	296.89		48.0	295.15	-3.60	243.03						
71															

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
0-N		/	.97			/									
1	101.04	4278	.96	252.40		54.4	249.91	-2.29	348.66						
2	100.19	4291	.94	253.17		54.3	250.69	-2.31	348.57						
3	99.56	4302	.92	253.82		54.3	251.35	-2.33	348.58						
4	99.05	4311	.90	254.35		54.3	251.89	-2.35	348.59						
5	98.26	4323	.88	255.06		54.2	252.61	-2.37	348.50						
6	97.42	4336	.86	255.82		54.1	253.39	-2.38	348.43						
7	97.26	4339	.84	256.00		54.1	253.57	-2.40	348.43						
8	96.29	4354	.82	256.89		54.0	254.47	-2.42	348.34						
9	95.51	4366	.80	257.59		53.9	255.19	-2.44	348.26						
10-N	94.6	4380	.78	258.42		53.8	256.03	-2.46	348.17						
11	93.73	4395	.76	259.31		53.8	256.73	-2.48	348.18						
12	93.0	4409	.75	259.95		53.7	257.77	-2.50	348.27						
13	91.97	4422	.73	260.90		53.6	258.85	-2.52	348.0						
14	90.95	4438	.71	261.84		53.5	259.51	-2.54	347.92						
15	90.32	4449	.69	262.49		53.5	260.17	-2.56	347.93						
16	89.55	4459	.67	263.08		53.3	260.77	-2.57	347.75						
17	88.98	4469	.65	263.67		53.3	261.37	-2.59	347.76						
18	88.6	4474	.63	263.97		53.2	261.67	-2.61	347.66						
19	88.52	4474	.61	263.97		53.1	261.67	-2.63	347.56						
20-N	88.56	4472	.59	263.85		53.0	261.55	-2.65	347.46						
21		/													
22	88.05	4478	.55	264.20		52.8	261.91	-2.69	347.27						
23		/													
24	88.15	4475	.52	264.03		52.7	261.73	-2.73	347.15						
25		/													
26	89.0	4458	.48	263.02		52.5	260.71	-2.76	346.95						
27		/													
28	91.04	4419	.44	260.72		52.2	258.37	-2.80	346.61						
29		/													
30-N	92.78	4380	.40	258.42		51.6	256.03	-2.84	345.97						
31		/													
32	89.77	4430	.36	261.37		51.5	259.03	-2.88	345.92						
33		/													
34	90.09	4425	.33	261.08		51.5	258.73	-2.92	345.90						
35		/													

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
0-N	102.63	4245	1.01	250.46		54.1	247.93	2.24	338.32						
1	101.63	4264	.99	251.58		54.2	249.07	2.26	348.44						
2			.97												
3	99.52	4297	.96	253.52		54.0	251.05	2.30	348.27						
4	98.59	4313	.94	254.67		54.0	252.01	2.32	348.28						
5	97.75	4326	.92	255.23		53.9	252.79	2.34	348.20						
6	97.12	4337	.90	255.88		53.9	253.45	2.35	348.22						
7	96.43	4349	.88	256.59		53.9	254.17	2.37	348.23						
8	95.25	4366	.86	257.59		53.8	255.19	2.39	348.15						
9	94.14	4385	.84	258.72		53.7	256.33	2.41	348.06						
10-N	93.06	4402	.82	259.72		53.6	257.35	2.43	347.98						
11	92.02	4420	.80	260.78		53.6	258.43	2.45	348.0						
12	91.05	4435	.78	261.67		53.5	259.33	2.47	347.91						
13	90.03	4451	.76	262.61		53.4	260.29	2.49	347.83						
14	89.17	4464	.75	263.38		53.3	261.07	2.51	347.73						
15	88.21	4479	.73	264.26		53.2	261.97	2.53	347.65						
16	87.58	4490	.71	264.91		53.2	262.63	2.54	347.67						
17	87.03	4498	.69	265.38		53.1	263.11	2.56	347.58						
18	86.59	4504	.67	265.74		53.0	263.47	2.58	347.48						
19	85.69	4518	.65	266.56		52.9	264.31	2.60	347.30						
20-N	85.02	4528	.63	267.15		52.8	264.91	2.62	347.31						
21	84.58	4534	.61	267.51		52.7	265.27	2.64	347.21						
22	84.27	4538	.59	267.74		52.6	265.51	2.66	347.12						
23	84.31	4536	.57	267.62		52.5	265.39	2.68	347.02						
24	84.7	4528	.55	267.15		52.4	264.91	2.70	346.91						
25	85.59	4508	.54	265.97		52.1	263.71	2.71	346.59						
26	87.42	4479	.52	264.26		52.2	261.97	2.73	346.66						
27	86.61	4493	.50	265.09		52.2	262.81	2.75	346.67						
28	86.06	4501	.48	265.56		52.1	263.29	2.77	346.58						
29	85.84	4500	.46	265.50		51.8	263.23	2.79	346.28						
30-N	85.15	4512	.44	266.21		51.8	263.95	2.81	346.29						
31	84.78	4517	.42	266.50		51.7	264.25	2.83	346.20						
32	84.4	4522	.40	266.80		51.6	264.55	2.85	346.10						
33	84.69	4514	.38	266.33		51.4	264.07	2.87	345.89						
34	85.44	4500	.36	265.50		51.3	263.23	2.89	345.78						
35	86.14	4485	.34	264.62		51.1	262.33	2.90	345.57						

GRAVITY DATA

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -			DENSITY -			
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	
72	41.84	5178	-.34	305.50		47.0	303.91	-3.57	342.18										
73		-																	
74	41.78	5178	-.38	305.50		46.9	303.91	-3.60	342.09										
75		-																	
76	41.72	5178	-.42	305.50		46.8	303.91	-3.64	341.99										
77		-																	
78	42.03	5175	-.46	305.33		46.9	303.73	-3.68	342.08										
79		-																	
80-N	42.52	5164	-.50	304.68		46.7	303.07	-3.72	341.87										
81		-																	
82	43.6	5146	-.54	303.61		46.7	301.99	-3.75	341.84										
83		-																	
84	44.7	5130	-.57	302.67		46.8	301.03	-3.79	341.94										
85		-																	
86	45.21	5122	-.61	302.20		46.8	300.55	-3.83	341.93										
87		-																	
88	45.8	5111	-.65	301.58		46.7	299.89	-3.87	341.82										
89		-																	
90-N	46.38	5095	-.69	300.61		46.3	298.93	-3.91	341.40										
91		-																	
92	48.46	5069	-.73	299.07		46.8	297.37	-3.94	341.89										
93		-																	
94	50.38	5037	-.76	297.18		46.8	295.45	-3.98	341.87										
95		-																	
96	51.81	5015	-.80	295.89		46.9	294.13	-4.02	341.92										
97		-																	
98	52.68	5001	-.84	295.06		46.9	293.29	-4.06	341.91										
99		-																	
100-N	54.0	4981	-.88	293.88		47.0	292.09	-4.10	341.99										
101		-																	
102	55.14	4959	-.92	292.58		46.8	290.77	-4.13	341.78										
103		-																	
104	56.87	4932	-.96	290.99		46.9	289.15	-4.17	341.85										
105		-																	
106	58.97	4897	-.99	288.92		46.9	287.05	-4.21	341.81										
108	59.67	4884	-1.03	288.16		46.8	286.27	-4.25	341.69										
116-N	59.02	4894	-1.07	288.75		46.7													

GRAVITY DATA

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -			DENSITY -			
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	
36	82.22	4543	.24	268.04		50.6	265.81	-2.88	345.15										
37		-																	
38	80.42	4574	.21	269.87		50.6	267.67	-2.92	345.17										
39		-																	
40-N	78.18	4611	.27	272.05		50.5	269.89	-2.96	345.11										
41		-																	
42	75.78	4649	.23	274.29		50.3	272.17	-3.00	344.95										
43		-																	
44	73.26	4689	.19	276.65		50.1	274.57	-3.03	344.80										
45		-																	
46	71.88	4708	.15	277.77		49.8	275.71	-3.07	344.52										
47		-																	
48	70.76	4724	.12	278.72		49.6	276.67	-3.11	344.32										
49		-																	
50-N	68.73	4754	.08	280.49		49.3	278.47	-3.15	344.05										
51		-																	
52	65.46	4805	-.04	283.50		49.0	281.53	-3.19	343.80										
53		-																	
54	62.24	4857	0	286.56		48.8	284.65	-3.22	343.67										
55		-																	
56	58.06	4925	-.04	290.58		48.6	288.73	-3.26	343.53										
57		-																	
58	54.42	4984	-.08	294.06		48.4	292.27	-3.30	343.39										
59		-																	
60-N	51.0	5036	-.12	297.12		48.0	295.39	-3.34	343.05										
61		-																	
62	48.39	5079	-.15	299.66		47.9	297.97	-3.38	342.98										
63		-																	
64	45.36	5126	-.19	302.43		47.6	300.79	-3.41	342.74										
65		-																	
66	43.82	5151	-.23	303.91		47.5	302.29	-3.45	342.66										
67		-																	
68	43.41	5157	-.27	304.26		47.4	302.65	-3.49	342.57										
69		-																	
70-N	42.1	5168	-.31	304.91		46.7	303.31	-3.53	341.88										
71		-																	

GRAVITY DATA

ORIGINAL FIELD WORK			DENSITY -			DENSITY -			DENSITY -			DENSITY -			
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
0-N		/	1.03			/									
1	102.91	4237	1.01	249.98		53.9	267.45	-2.22	348.14						
2	101.41	4261	.99	251.40		53.8	248.89	-2.24	348.06						
3	100.25	4281	.97	252.58		53.8	250.09	-2.26	348.08						
4	99.14	4300	.96	253.70		53.8	251.23	-2.28	348.09						
5	98.06	4317	.94	254.78		53.7	252.25	-2.30	348.01						
6	97.19	4332	.92	255.59		53.7	253.15	-2.31	348.03						
7	96.23	4347	.90	256.07		53.6	254.05	-2.33	347.95						
8	94.97	4367	.88	257.65		53.5	255.25	-2.35	347.87						
9	93.22	4397	.86	259.42		53.5	257.05	-2.37	347.90						
10-N	92.55	4407	.84	260.01		53.4	257.65	-2.39	347.81						
11	91.35	4426	.82	261.13		53.3	258.79	-2.41	347.73						
12	90.42	4442	.80	262.08		53.3	259.75	-2.43	347.74						
13	89.22	4461	.78	263.26		53.2	260.89	-2.45	347.66						
14	88.02	4480	.76	264.32		53.1	262.03	-2.47	347.58						
15	87.04	4495	.75	265.21		53.0	262.93	-2.49	347.48						
16	86.24	4509	.73	266.03		53.0	263.77	-2.50	347.51						
17	85.73	4518	.71	266.56		53.0	264.31	-2.52	347.52						
18	84.88	4531	.69	267.33		52.9	265.09	-2.54	347.43						
19	84.03	4544	.67	268.10		52.9	265.87	-2.56	347.34						
20-N	83.26	4554	.65	268.69		52.7	266.47	-2.58	347.25						
21															
22	82.32	4569	.61	269.57		52.5	267.37	-2.62	347.07						
23															
24	82.88	4555	.57	268.75		52.2	266.53	-2.66	346.75						
25															
26	81.85	4573	.54	269.81		52.2	267.61	-2.69	346.77						
27															
28	80.35	4594	.50	271.05		51.9	268.87	-2.73	346.49						
29															
30-N	79.39	4606	.46	271.75		51.6	269.59	-2.77	346.21						
31															
32	79.58	4600	.42	271.40		51.4	269.23	-2.81	346.0						
33															
34	81.90	4558	.38	268.92		51.2	266.71	-2.85	345.76						
35															

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
0		-				-									
1-N	103.57	4223	1.07	249.16		53.8	246.61	-2.19	247.99						
2	102.14	4246	1.05	250.51		53.7	247.99	-2.21	247.92						
3	100.86	4268	1.03	251.81		53.7	249.31	-2.23	247.94						
4	99.54	4289	1.01	253.05		53.6	250.57	-2.25	247.86						
5	98.44	4308	.99	254.17		53.6	251.71	-2.27	247.88						
6	96.94	4352	.97	255.59		53.5	253.15	-2.28	247.31						
7	95.95	4349	.96	256.59		53.5	254.17	-2.30	247.82						
8		<	.94			-									
9	93.59	4388	.92	258.89		53.4	256.51	-2.34	247.76						
10-N	92.15	4411	.90	260.25		53.3	257.89	-2.36	247.68						
11	91.11	4429	.88	261.31		53.3	258.97	-2.38	247.70						
12	90.2	4443	.86	262.14		53.2	259.81	-2.40	247.61						
13	89.1	4462	.84	263.26		53.2	260.95	-2.42	247.63						
14	88.06	4480	.82	264.32		53.2	262.03	-2.44	247.65						
15	86.92	4498	.80	265.38		53.1	263.11	-2.46	247.57						
16	85.74	4514	.78	266.33		52.9	264.07	-2.47	247.34						
17	84.83	4529	.76	267.21		52.8	264.97	-2.49	247.31						
18	83.95	4544	.75	268.10		52.8	265.87	-2.51	247.31						
19	83.11	4557	.73	268.86		52.7	266.65	-2.53	247.23						
20-N	82.1	4571	.71	269.69		52.5	267.49	-2.55	247.04						
21	81.53	4581	.69	270.28		52.5	268.09	-2.57	247.05						
22	81.2	4587	.67	270.63		52.5	268.45	-2.59	247.06						
23	80.90	4589	.65	270.75		52.3	268.57	-2.61	246.86						
24	82.1	4569	.63	269.57		52.3	267.37	-2.63	246.84						
25	80.8	4588	.61	270.69		52.1	268.51	-2.64	246.67						
26	79.77	4604	.59	271.64		52.0	269.47	-2.66	246.58						
27	78.87	4618	.57	272.46		51.9	270.31	-2.68	246.50						
28	78.02	4631	.55	273.23		51.8	271.09	-2.70	246.41						
29	77.24	4641	.54	273.82		51.6	271.69	-2.72	246.21						
30-N	76.57	4651	.52	274.41		51.5	272.29	-2.74	246.12						
31	76.21	4654	.50	274.59		51.3	272.47	-2.76	245.92						
32	76.76	4645	.48	274.06		51.3	271.93	-2.78	245.91						
33	78.38	4618	.46	272.46		51.3	270.31	-2.80	245.89						

ORIGINAL FIELD WORK			DENSITY -			DENSITY -			DENSITY -			DENSITY -			
STATION	OBSERVED GRAVITY	ELEV.	LAT. CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
72	34.64	5289	-.29	312.05		46.2	310.57	-3.51	341.50						
73															
74	33.98	5294	-.33	312.35		46.0	310.87	-3.54	341.31						
75															
76	35.0	5279	-.36	311.46		46.1	309.97	-3.58	341.39						
77															
78	35.79	5268	-.40	310.81		46.2	309.31	-3.62	341.48						
79															
80-N	36.14	5261	-.44	310.60		46.1	308.89	-3.66	341.37						
81															
82	36.65	5253	-.48	309.93		46.1	308.41	-3.69	342.37						
83															
84	37.85	5235	-.52	308.87		46.2	307.33	-3.73	341.45						
85															
86	38.26	5227	-.55	308.39		46.2	306.85	-3.77	341.44						
87															
88	39.4	5210	-.59	307.39		46.2	305.83	-3.81	341.42						
89															
90-N	41.13	5183	-.63	305.80		46.3	304.21	-3.85	341.49						
91															
92	41.84	5170	-.67	305.03		46.2	303.43	-3.88	341.39						
93															
94	43.34	5147	-.71	303.67		46.3	302.05	-3.92	341.47						
95															
96	44.72	5126	-.75	302.43		46.4	300.79	-3.96	341.55						
97															
98	46.56	5097	-.78	300.72		46.5	299.05	-4.00	341.61						
99															
100-N	49.0	5058	-.82	298.42		46.6	296.71	-4.04	341.67						
101															
102	51.85	5012	-.86	295.71		46.7	293.95	-4.07	341.73						
103															
104	52.5	5000	-.90	295.0		46.6	293.23	-4.11	341.62						
105															
106	51.38	5018	-.94	296.06		46.5	294.31	-4.15	341.54						
108	50.66	5029	-.97	296.71		46.4	294.97	-4.17	341.46						
110-N	51.85	5023	-1.01	296.36		46.4	294.67	-4.19	341.17						

GRID - W. FARO / L-136W

GRAVITY DATA

PAGE -

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -			DENSITY -			
STATION	OBSERVED GRAVITY	ELEV.	LAT. CORR.	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	
36	71.4	4722	.40	278.60		50.4	276.85	-2.82	345.13										
37																			
38	68.78	4762	.36	280.96		50.1	278.95	-2.86	344.87										
39																			
40-N	66.9	4791	.33	282.67		49.9	280.69	-2.90	344.69										
41																			
42	65.15	4818	.29	284.26		49.7	282.31	-2.94	344.52										
43																			
44	63.25	4844	.25	285.80		49.3	283.87	-2.97	344.15										
45																			
46	60.81	4881	.21	287.98		49.0	286.09	-3.01	343.89										
47																			
48	58.66	4913	.17	289.87		48.7	288.01	-3.05	343.62										
49																			
50-N	57.03	4943	.13	291.64		48.8	289.81	-3.09	343.75										
51																			
52	54.66	4977	.10	293.64		48.4	291.85	-3.13	343.38										
53																			
54	52.21	5014	.06	295.83		48.1	294.07	-3.16	343.12										
55																			
56	50.17	5046	0.02	297.71		47.9	295.99	-3.20	342.96										
57			0																
58	48.16	5079	-.02	299.66		47.8	297.97	-3.24	342.89										
59																			
60-N	46.42	5104	-.06	301.14		47.5	299.27	-3.28	342.61										
61																			
62	44.49	5129	-.10	302.61		47.0	300.97	-3.32	342.14										
63																			
64	42.29	5166	-.13	304.79		46.8	303.19	-3.35	342.13										
65																			
66	39.95	5202	-.17	306.92		46.7	305.35	-3.39	341.91										
67																			
68	38.28	5231	-.21	308.63		46.7	307.09	-3.43	341.94										
69																			
70-N	36.27	5264	-.25	310.58		46.4	309.07	-3.47	341.87										
71																			

ORIGINAL FIELD WORK			DENSITY -			DENSITY -			DENSITY -			DENSITY -			DENSITY -				
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	
0-N	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	104.04	4215	1.07	248.69	-	53.8	246.13	-2.16	348.01										
2	102.09	4245	1.05	250.46	-	53.6	247.93	-2.18	347.84										
3	100.93	4265	1.03	251.64	-	53.6	249.13	-2.20	347.86										
4	99.95	4282	1.01	252.64	-	53.6	250.15	-2.22	347.88										
5	98.87	4299	.99	253.64	-	53.5	251.17	-2.24	347.80										
6	97.27	4323	.97	255.06	-	53.3	252.61	-2.25	347.63										
7	96.38	4340	.96	256.06	-	53.4	253.63	-2.27	347.74										
8	95.24	4358	.94	257.12	-	53.3	254.71	-2.29	347.66										
9	94.2	4376	.92	258.18	-	53.3	255.79	-2.31	347.68										
10-N	92.92	4398	.90	259.48	-	53.2	257.11	-2.33	347.60										
11	91.62	4417	.88	260.60	-	53.1	258.25	-2.35	347.52										
12	90.75	4432	.86	261.49	-	53.1	259.15	-2.37	347.53										
13	89.79	4447	.84	262.37	-	53.0	260.05	-2.39	347.45										
14	88.71	4464	.82	263.38	-	52.9	261.07	-2.41	347.37										
15	87.38	4486	.80	264.67	-	52.8	262.39	-2.43	347.29										
16	86.42	4500	.78	265.50	-	52.7	263.23	-2.44	347.21										
17	85.22	4519	.76	266.62	-	52.6	264.37	-2.46	347.13										
18	84.23	4536	.75	267.62	-	52.6	265.39	-2.48	347.14										
19	83.08	4554	.73	268.69	-	52.5	266.47	-2.50	347.05										
20-N	82.08	4570	.71	269.63	-	52.4	267.43	-2.52	346.99										
21	-	-	-	-	-	-	-	-	-										
22	80.47	4596	.67	271.16	-	52.3	268.99	-2.56	346.90										
23	-	-	-	-	-	-	-	-	-										
24	80.95	4585	.63	270.52	-	52.1	268.33	-2.60	346.68										
25	-	-	-	-	-	-	-	-	-										
26	77.7	4624	.59	273.41	-	51.7	271.27	-2.63	346.34										
27	-	-	-	-	-	-	-	-	-										
28	75.54	4668	.55	275.41	-	51.5	273.31	-2.67	346.18										
29	-	-	-	-	-	-	-	-	-										
30-N	74.78	4678	.52	276.00	-	51.3	273.91	-2.71	345.98										
31	-	-	-	-	-	-	-	-	-										
32	75.72	4656	.48	274.70	-	50.9	272.59	-2.75	345.56										
33	-	-	-	-	-	-	-	-	-										
34	73.67	4688	.44	276.59	-	50.7	274.51	-2.79	345.39										
35	-	-	-	-	-	-	-	-	-										

GRID - W. FDR0 / L-128W

GRAVITY DATA

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -			DENSITY -			
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	
92	36.29	5256	-59	310.10		45.8	308.59	-382	341.06										
93		-																	
94	37.39	5238	-63	309.04		45.8	307.57	-386	341.04										
95		-																	
96	38.67	5217	-67	307.80		45.8	306.25	-390	341.02										
97		-																	
98	39.53	5203	-71	306.98		45.8	305.41	-394	341.0										
99		-																	
100-N	40.46	5188	-75	306.09		45.8	304.51	-398	340.99										
101		-																	
102	40.92	5179	-78	305.56		45.7	303.97	-401	340.88										
103		-																	
104	41.20	5175	-82	305.32		45.7	303.73	-405	340.88										
105		-																	
106	41.41	5172	-86	305.15		45.7	303.55	-409	340.87										
107		-																	
108	41.81	5166	-90	304.79		45.7	303.19	-413	340.87										
109		-																	
110-N	42.24	5161	-94	304.50		45.8	302.89	-417	340.96										

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -			DENSITY -			
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	
56	41.39	5173	-10	305.21		46.7	303.61	-3.14	341.86										
57																			
58	38.69	5211	-06	307.45		46.2	305.89	-3.18	341.40										
59																			
60-N	32.9	5298	-02	312.58		45.5	311.11	-3.22	340.79										
61	30.1	5339	0	315.0		45.1	313.57	-3.24	340.63										
62																			
63																			
64	26.51	5394	-06	318.25		44.7	316.87	-3.29	340.09										
65																			
66	28.23	5374	-10	317.07		45.2	315.67	-3.33	340.57										
67																			
68	30.08	5350	-13	315.65		45.6	314.23	-3.37	340.94										
69																			
70-N	29.59	5359	-17	316.18		45.6	314.77	-3.41	340.95										
71																			
72	27.89	5385	-21	317.72		45.4	316.33	-3.45	340.77										
73																			
74	27.13	5402	-25	318.72		45.6	317.35	-3.48	341.0										
75																			
76	27.04	5394	-29	318.25		45.0	316.87	-3.52	340.39										
77																			
78	27.32	5390	-33	318.01		45.0	316.63	-3.56	340.39										
79																			
80-N	28.23	5375	-36	317.13		45.0	315.73	-3.60	340.36										
81																			
82	29.36	5360	-40	316.24		45.2	314.83	-3.63	340.56										
83																			
84	30.78	5340	-44	315.06		45.4	313.63	-3.67	340.74										
85																			
86	32.38	5317	-48	313.70		45.6	312.25	-3.71	340.92										
87																			
88	33.36	5301	-52	312.76		45.6	311.29	-3.75	340.90										
89																			
90-N	34.67	5281	-55	311.58		45.7	310.09	-3.79	340.97										
91																			

ORIGINAL FIELD WORK			DENSITY -			DENSITY -			DENSITY -			DENSITY -			DENSITY -				
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	
20-N	82.97	4545	.77	268.16		51.9	265.93	-2.46	346.64										
21		-																	
22	80.38	4586	.75	270.57		51.7	268.39	-2.50	346.27										
23		-																	
24	78.5	4615	.71	272.29		51.5	270.13	-2.54	346.09										
25		-																	
26	76.24	4649	.67	274.29		51.2	272.17	-2.57	345.84										
27	72.2	-																	
28	75.78	4706	.63	277.65		50.7	275.59	-2.61	348.76										
29		-																	
30-N	68.12	4771	.59	281.49		50.2	279.49	-2.65	344.96										
31		-																	
32	66.74	4795	.55	282.91		50.2	280.93	-2.69	344.98										
33		-																	
34	67.44	4782	.52	282.14		50.1	280.15	-2.73	344.86										
35		-																	
36	67.62	4778	.48	281.90		50.0	279.91	-2.76	344.76										
37		-																	
38	64.76	4822	.44	284.50		49.7	282.55	-2.80	344.51										
39	62.85	-																	
40-N	62.20	4850	.40	286.15		49.4	284.23	-2.84	343.59										
41		-																	
42	61.14	4878	.36	287.80		49.3	285.91	-2.88	344.17										
43		-																	
44	57.76	4929	.33	290.81		48.9	288.97	-2.91	343.82										
45		-																	
46	55.89	4958	.29	292.52		48.7	290.71	-2.95	343.65										
47		-																	
48	52.68	5008	.25	295.67		48.2	293.71	-2.99	343.20										
49		-																	
50-N	49.20	5054	.21	298.19		47.6	296.47	-3.03	342.64										
51		-																	
52	45.44	5110	.17	301.49		47.1	299.83	-3.07	342.20										
53		-																	
54	43.31	5145	.13	303.56		47.0	301.93	-3.10	342.14										
55		-																	

GRID - W. FARO / L-120W

GRAVITY DATA

PAGE -

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -			DENSITY -			
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	
92	31.16	5332	-.55	314.59		45.2	313.15	-3.76	340.55										
93																			
94	31.30	5332	-.59	314.59		45.3	313.15	-3.79	340.66										
95																			
96	31.81	5324	-.63	314.12		45.3	312.67	-3.83	340.65										
97																			
98	32.38	5315	-.67	313.59		45.3	312.13	-3.87	340.64										
99																			
100-N	32.86	5306	-.71	313.05		45.2	311.59	-3.91	340.54										
101																			
102	33.13	5302	-.75	312.82		45.2	311.35	-3.94	340.54										
103																			
104	33.52	5296	-.78	312.46		45.2	310.99	-3.98	340.53										
105																			
106	33.91	5290	-.82	312.11		45.2	310.63	-4.02	340.52										
107																			
108	34.89	5274	-.86	311.17		45.2	309.67	-4.06	340.50										
109																			
110-N	36.59	5246	-0.90	309.51		45.2	307.99	-4.10	340.48										

ORIGINAL FIELD WORK			DENSITY -			DENSITY -			DENSITY -			DENSITY -			DENSITY -			
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
56	39.86	5190	.13	306.21		46.2	304.63	-3.07	341.42									
57		-																
58	37.6	5222	-10	308.10		45.8	306.55	-3.11	341.04									
59		-																
60-N	35.04	5261	.06	310.40		45.5	308.89	-3.15	340.78									
61		-																
62	32.87	5295	.02	312.41		45.3	310.93	-3.19	340.61									
63		-	0															
64	30.61	5329	-.02	314.41		45.0	312.97	-3.22	340.36									
65		-																
66	28.37	5366	-.06	316.59		44.9	315.19	-3.26	340.30									
67		-																
68	25.92	5403	-.10	318.78		44.6	317.41	-3.30	340.03									
69		-																
70-N	23.86	5435	-.13	320.67		44.4	319.33	-3.34	339.85									
71		-																
72	21.68	5466	-.17	322.49		44.0	321.19	-3.38	339.49									
73		-																
74	18.58	5509	-.21	325.03		43.4	323.77	-3.41	338.94									
75		-																
76	18.05	5517	-.25	325.50		43.3	324.25	-3.45	338.85									
77		-																
78	18.72	5508	-.29	324.97		43.4	323.71	-3.49	338.94									
79		-																
80-N	20.14	5488	-.33	323.79		43.6	322.51	-3.53	339.12									
81		-																
82	21.61	5467	-.36	322.55		43.8	321.25	-3.57	339.29									
83		-																
84	24.57	5426	-.40	320.13		44.3	318.79	-3.60	339.76									
85		-																
86	27.47	5386	-.44	317.77		44.8	316.39	-3.64	340.22									
87		-																
88	28.77	5368	-.48	316.71		45.0	315.31	-3.68	340.40									
89		-																
90-N	29.85	5352	-.52	315.77		45.1	314.35	-3.72	340.48									
91		-																

GRAVITY DATA

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATI. CORR.	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
20-N	82.8	4542	.82	267.98		51.6	265.75	-2.41	346.14						
21		-													
22	80.59	4575	.78	269.93		51.3	267.73	-2.43	345.89						
23		-													
24	78.54	4607	.75	271.81		51.1	269.65	-2.47	345.72						
25		-													
26	76.96	4631	.71	273.23		50.9	271.09	-2.50	345.55						
27		-													
28	75.17	4657	.67	274.76		50.6	272.65	-2.54	345.28						
29		-													
30-N	71.9	4708	.63	277.77		50.3	275.71	-2.58	345.03						
31		-													
32	68.45	4762	.59	280.96		50.0	278.95	-2.62	344.78						
33		-													
34	65.7	4806	.55	283.55		49.8	281.59	-2.66	344.63						
35		-													
36	64.74	4821	.52	284.44		49.7	282.49	-2.69	344.54						
37		-													
38	64.62	4822	.48	284.50		49.6	282.55	-2.73	344.44						
39		-													
40-N	62.53	4853	.44	286.33		49.3	284.41	-2.77	344.17						
41		-													
42	60.92	4876	.40	287.68		49.0	285.79	-2.81	343.9						
43		-													
44	59.22	4902	.36	289.22		48.8	287.85	-2.85	343.72						
45		-													
46	56.57	4939	.33	291.40		48.3	289.57	-2.88	343.26						
47		-													
48	52.9	4995	.29	294.71		47.9	292.93	-2.92	342.91						
49		-													
50-N	48.81	5060	.25	298.54		47.6	296.83	-2.96	342.71						
51-N		-													
52	45.38	5107	.21	301.31		46.9	299.65	-3.00	342.03						
53		-													
54	42.34	5154	.17	304.09		46.6	302.47	-3.04	341.77						
55		-													

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATI. CORR.	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
92	25.75	5411	-80	319.25		44.5	317.89	-3.73	339.91						
93		-													
94	26.07	5408	-84	319.07		44.6	317.77	-3.77	340.01						
95		-													
96	26.30	5408	-87	319.07		44.8	317.71	-3.81	340.2						
97		-													
98	26.08	5409	-61	319.13		44.6	317.77	-3.85	340.0						
99		-													
100-N	26.27	5403	-65	318.78		44.4	317.41	-3.78	339.8						
101		-													
102	26.61	5398	-69	318.48		44.4	317.11	-3.92	339.8						
103		-													
104	26.57	5396	-73	318.36		44.2	316.99	-3.96	339.60						
105		-													
106	27.7	5379	-76	317.36		44.3	315.97	-4.00	339.67						
107		-													
108	28.8	5361	-80	316.30		44.3	314.89	-4.04	339.65						
109		-													
110	30.22	5336	-84	314.82		44.2	313.39	-4.07	339.54						

GRAVITY DATA

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -			DENSITY -			
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	
56	49.48	5031	.19	296.83		46.5	295.09	-3.05	341.52										
57		-																	
58	47.08	5069	.15	299.07		46.3	297.37	-3.09	341.36										
59		-																	
60-N	44.51	5108	.12	301.37		46.0	299.71	-3.13	341.09										
61		-																	
62	41.79	5153	.08	304.03		45.9	302.41	-3.16	341.04										
63		-																	
64	39.21	5194	.04	306.45		45.7	304.87	-3.20	340.88										
65		-																	
66	36.22	5237	0	308.98		45.2	307.45	-3.24	340.43										
67		-																	
68	33.56	5281	-.04	311.58		45.1	310.09	-3.28	340.37										
69		-																	
70-N	30.88	5322	-.08	314.00		44.8	312.55	-3.32	340.11										
71		-																	
72	28.95	5352	-.12	315.77		44.6	314.35	-3.35	339.95										
73		-																	
74	26.68	5386	-.15	317.77		44.3	316.39	-3.39	339.68										
75		-																	
76	24.98	5412	-.19	319.31		44.1	317.95	-3.43	339.50										
77		-																	
78	21.87	5457	-.23	321.96		43.6	320.65	-3.47	339.05										
79		-																	
80-N	20.17	5483	-.27	323.50		43.4	322.21	-3.51	338.88										
81		-																	
82	19.68	5492	-.31	324.03		43.4	322.75	-3.54	338.89										
83		-																	
84	20.6	5482	-.34	323.44		43.7	322.15	-3.58	339.17										
85		-																	
86	21.92	5462	-.38	322.26		43.8	320.95	-3.62	339.25										
87		-																	
88	23.5	5441	-.42	321.02		44.1	319.69	-3.66	339.53										
89		-																	
90-N	25.02	5421	-.46	319.84		44.4	318.49	-3.70	339.81										
91		-																	

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -			DENSITY -			
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	
20-N	84.0	4519	.88	266.62		51.5	264.37	-2.35	346.02										
21		-																	
22	81.67	4554	.84	268.69		51.2	266.47	-2.41	345.73										
23		-																	
24	79.82	4581	.80	270.28		50.9	268.09	-2.44	345.47										
25		-																	
26	77.79	4611	.76	272.05		50.6	269.89	-2.48	345.20										
27		-																	
28	76.15	4636	.73	273.52		50.4	271.39	-2.52	345.02										
29		-																	
30-N	74.67	4660	.69	274.94		50.3	272.83	-2.56	344.94										
31		-																	
32	73.01	4682	.65	276.24		49.9	274.15	-2.60	344.56										
33		-																	
34	71.59	4705	.61	277.60		49.8	275.53	-2.63	344.49										
35		-																	
36	69.31	4741	.57	279.72		49.6	277.09	-2.67	344.33										
37		-																	
38	66.9	4779	.54	281.96		49.4	279.97	-2.71	344.16										
39		-																	
40-N	64.97	4809	.50	283.73		49.2	281.77	-2.75	343.99										
41		-																	
42	63.07	4835	.46	285.27		48.8	283.33	-2.79	343.61										
43		-																	
44	61.56	4858	.42	286.62		48.6	284.71	-2.82	343.45										
45		-																	
46	59.47	4889	.38	288.45		48.3	286.57	-2.86	343.18										
47		-																	
48	57.69	4913	.34	289.87		47.9	288.01	-2.90	342.80										
49		-																	
50-N	55.89	4939	.31	291.40		47.6	289.57	-2.94	342.52										
51		-																	
52	53.50	4975	.27	293.53		47.3	291.73	-2.98	342.25										
53		-																	
54	51.61	5001	.23	295.06		46.9	293.29	-3.01	341.89										
55		-																	

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -			DENSITY -			
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	
56	56.17	4975	.25	290.58		47.0	288.73	-2.97	341.93										
57		-																	
58	53.12	4969	.21	293.17		46.5	291.37	-3.01	341.48										
59		-																	
60-N	50.23	5017	.17	296.00		46.4	294.25	-3.05	341.43										
61		-																	
62	47.78	5054	.13	298.19		46.1	296.47	-3.09	341.16										
63		-																	
64	45.53	5091	-.10	300.37		46.0	298.69	-3.12	341.10										
65		-																	
66	43.66	5120	-.06	302.08		45.8	300.43	-3.16	340.93										
67		-																	
68	41.1	5159	.02	304.38		45.5	302.77	-3.20	340.67										
69		-	0																
70-N	38.58	5199	-.02	306.74		45.3	305.17	-3.24	340.51										
71		-																	
72	36.35	5232	-.06	308.69		45.1	307.15	-3.28	340.22										
73		-																	
74	34.54	5262	-.10	310.46		44.9	308.95	-3.31	340.18										
75		-																	
76	32.54	5293	-.13	312.29		44.7	310.81	-3.35	340.0										
77		-																	
78	30.75	5319	-.17	313.82		44.4	312.37	-3.39	339.73										
79		-																	
80-N	28.01	5361	-.21	316.30		44.1	314.89	-3.43	339.47										
81		-																	
82	25.9	5394	-.25	318.25		43.9	316.87	-3.46	339.31										
83		-																	
84	24.03	5423	-.29	319.96		43.7	318.61	-3.50	339.14										
85		-																	
86	23.48	5423	-.33	320.55		43.7	319.21	-3.54	339.15										
87		-																	
88	23.39	5435	-.36	320.67		43.7	319.33	-3.58	339.14										
89		-																	
90-N	23.95	5428	-.40	320.25		43.8	318.91	-3.62	339.24										
91		-																	

ORIGINAL FIELD WORK			DENSITY -			DENSITY -			DENSITY -			DENSITY -			DENSITY -			
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
20-N	87.43	4448	.94	262.43		350.8	260.11	-2.29	345.22									
21	-	-	-	-		-	-	-	-									
22	85.93	4469	-90	263.67		50.5	261.37	-2.33	344.97									
23	-	-	-	-		-	-	-	-									
24	84.65	4488	-86	264.79		50.3	262.51	-2.37	344.79									
25	-	-	-	-		-	-	-	-									
26	83.64	4504	-82	265.74		50.2	263.47	-2.40	344.71									
27	-	-	-	-		-	-	-	-									
28	82.78	4516	.78	266.44		50.0	264.19	-2.44	344.53									
29	-	-	-	-		-	-	-	-									
30-N	81.68	4538	-75	267.57		50.0	265.33	-2.48	344.53									
31	-	-	-	-		-	-	-	-									
32	80.39	4556	-71	268.80		49.9	266.59	-2.52	344.46									
33	-	-	-	-		-	-	-	-									
34	78.26	4591	-67	270.87		49.8	268.69	-2.56	344.39									
35	-	-	-	-		-	-	-	-									
36	76.73	4614	-63	272.34		49.7	270.19	-2.59	344.33									
37	-	-	-	-		-	-	-	-									
38	75.03	4642	.59	273.88		49.5	271.75	-2.63	344.15									
39	-	-	-	-		-	-	-	-									
40-N	72.88	4674	.55	275.77		49.2	273.67	-2.67	343.88									
41	-	-	-	-		-	-	-	-									
42	71.26	4697	.52	277.12		48.9	275.05	-2.71	343.60									
43	-	-	-	-		-	-	-	-									
44	69.74	4720	.48	278.48		48.7	276.43	-2.74	343.43									
45	-	-	-	-		-	-	-	-									
46	68.12	4743	.44	279.84		48.4	277.81	-2.78	343.15									
47	-	-	-	-		-	-	-	-									
48	66.51	4766	.40	281.19		48.1	279.19	-2.82	342.88									
49	-	-	-	-		-	-	-	-									
50-N	64.58	4796	.36	282.96		47.9	280.99	-2.86	342.71									
51	-	-	-	-		-	-	-	-									
52	61.29	4842	.33	285.68		47.3	283.75	-2.90	342.14									
53	-	-	-	-		-	-	-	-									
54	58.89	4880	.29	287.92		47.1	286.03	-2.93	341.99									
55	-	-	-	-		-	-	-	-									

GRID - W. FARO / L-96W

GRAVITY DATA

PAGE -

ORIGINAL FIELD WORK			DENSITY -			DENSITY -			DENSITY -			DENSITY -			DENSITY -			
STATION	OBSERVED GRAVITY	ELEV.	LATI-CORR.	ELEV. CORR.	TERRA-CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
92	29.08	5344	-.38	315.30		44.0	313.87	-3.59	339.36									
93																		
94	29.38	5338	-.42	314.94		43.9	313.51	-3.63	339.26									
95																		
96	30.05	5329	-.46	314.41		44.0	312.97	-3.67	339.35									
97																		
98	30.84	5318	-.50	313.76		44.1	312.31	-3.71	339.44									
99																		
100W	31.90	5304	-.54	312.94		44.3	311.47	-3.75	339.62									

ORIGINAL FIELD WORK			DENSITY -			DENSITY -			DENSITY -			DENSITY -			
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
56	47.44	4906	.31	289.45		47.2	287.59	-2.91	342.12						
57	-	-	-	-		-	-	-	-						
58	45.31	4936	.27	291.22		46.8	289.39	-2.95	341.75						
59	-	-	-	-		-	-	-	-						
60-N	53.02	4972	.23	293.35		46.6	291.55	-2.99	341.58						
61	-	-	-	-		-	-	-	-						
62	51.27	4999	.19	294.94		46.4	293.17	-3.03	341.41						
63	-	-	-	-		-	-	-	-						
64	48.81	5038	.15	297.24		46.2	295.51	-3.06	341.25						
65	-	-	-	-		-	-	-	-						
66	47.09	5066	.12	298.89		46.1	297.19	-3.10	341.18						
67	-	-	-	-		-	-	-	-						
68	45.27	5094	.08	300.55		45.9	298.87	-3.14	341.0						
69	-	-	-	-		-	-	-	-						
70-N	43.34	5124	.04	302.32		45.7	300.67	-3.18	340.83						
71	-	-	-	-		-	-	-	-						
72	41.53	5152	.0	303.97		45.5	302.35	-3.22	340.66						
73	-	-	-	-		-	-	-	-						
74	39.97	5184	-.04	305.27		45.2	303.67	-3.25	340.39						
75	-	-	-	-		-	-	-	-						
76	38.38	5200	-.08	306.80		45.1	305.23	-3.29	340.32						
77	-	-	-	-		-	-	-	-						
78	36.84	5225	-.12	308.28		45.0	306.73	-3.33	340.24						
79	-	-	-	-		-	-	-	-						
80-N	35.24	5251	-.15	309.81		44.9	308.29	-3.37	340.16						
81	-	-	-	-		-	-	-	-						
82	32.92	5286	-.19	311.87		44.6	310.39	-3.40	339.91						
83	-	-	-	-		-	-	-	-						
84	31.03	5317	-.23	313.70		44.5	312.25	-3.44	339.84						
85	-	-	-	-		-	-	-	-						
86	29.45	5341	-.27	315.12		44.3	313.69	-3.48	339.66						
87	-	-	-	-		-	-	-	-						
88	28.35	5357	-.31	316.06		44.1	314.65	-3.52	339.48						
89	-	-	-	-		-	-	-	-						
90-N	28.51	5353	-.24	315.83		44.0	314.41	-3.56	339.36						
91	-	-	-	-		-	-	-	-						

ORIGINAL FIELD WORK			DENSITY -			DENSITY -			DENSITY -			DENSITY -			DENSITY -				
STATION	OBSERVED GRAVITY	ELEV.	LATI. CORR.	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	
20-N	86.43	4459	.99	263.08		50.5	260.77	-2.23	344.97										
21		-																	
22	83.58	4501	.96	265.56		50.1	263.29	-2.27	344.60										
23		-																	
24	81.24	4538	.92	267.74		49.9	265.51	-2.31	344.44										
25		-																	
26	79.7	4563	.88	269.22		49.8	267.01	-2.34	344.37										
27		-																	
28	77.89	4591	.84	270.87		49.6	268.69	-2.38	344.20										
29		-																	
30-N	76.08	4624	.80	272.82		49.7	270.67	-2.42	344.33										
31		-																	
32	74.71	4648	.76	274.23		49.7	272.11	-2.46	344.36										
33		-																	
34	72.99	4676	.73	275.88		49.6	273.79	-2.50	344.28										
35		-																	
36	71.57	4699	.69	277.24		49.5	275.17	-2.53	344.21										
37		-																	
38	70.35	4717	.65	278.30		49.3	276.25	-2.57	344.03										
39		-																	
40-N	69.34	4733	.61	279.25		49.2	277.21	-2.61	343.94										
41		-																	
42	67.88	4755	.57	280.55		49.0	278.53	-2.65	343.76										
43		-																	
44	65.69	4791	.54	282.67		48.9	280.69	-2.68	343.70										
45		-																	
46	63.42	4825	.50	284.68		48.6	282.73	-2.72	343.43										
47		-																	
48	61.67	4852	.46	286.27		48.4	284.25	-2.76	343.26										
49		-																	
50-N	59.98	4878	.42	287.80		48.2	285.91	-2.80	343.09										
51		-																	
52	58.2	4897	.38	288.92		47.5	287.05	-2.84	342.41										
53		-																	
54	58.12	4899	.34	289.04		47.5	287.17	-2.87	342.42										
55		-																	

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
56	54.44	4958	.34	292.52		47.3	290.71	-2.82	342.33						
57	-	-	-	-		-	-	-	-						
58	53.84	4967	.31	293.05		47.2	291.25	-2.86	342.23						
59	-	-	-	-		-	-	-	-						
60-N	52.85	4981	.27	293.88		47.0	292.09	-2.90	342.04						
61	-	-	-	-		-	-	-	-						
62	51.63	4999	.23	294.94		46.8	293.17	-2.94	341.86						
63	-	-	-	-		-	-	-	-						
64	50.48	5014	.19	295.83		46.5	294.07	-2.97	341.58						
65	-	-	-	-		-	-	-	-						
66	50.33	5019	.15	296.12		46.6	294.37	-3.01	341.69						
67	-	-	-	-		-	-	-	-						
68	49.65	5031	-.12	296.83		46.6	295.09	-3.05	341.69						
69	-	-	-	-		-	-	-	-						
70-N	47.96	5057	+0.08	298.36		46.4	296.65	-3.09	341.52						
71	-	-	-	-		-	-	-	-						
72	46.62	5077	+.04	299.54		46.2	297.85	-3.13	341.34						
73	-	-	-	-		-	-	-	-						
74	45.22	5098	0	300.78		46.0	299.11	-3.16	341.17						
75	-	-	-	-		-	-	-	-						
76	43.64	5122	-.04	302.20		45.8	300.55	-3.20	340.99						
77	-	-	-	-		-	-	-	-						
78	41.95	5148	-.08	303.73		45.6	302.11	-3.24	340.82						
79	-	-	-	-		-	-	-	-						
80-N	40.08	5176	-.12	305.38		45.3	303.79	-3.28	340.59						
81	-	-	-	-		-	-	-	-						
82	38.98	5191	-.15	306.27		45.1	304.69	-3.32	340.35						
83	-	-	-	-		-	-	-	-						
84	39.14	5189	-.19	306.15		45.1	304.57	-3.35	340.36						
85	-	-	-	-		-	-	-	-						
86	39.83	5178	-.23	305.50		45.1	303.91	-3.39	340.35						
87	-	-	-	-		-	-	-	-						
88	39.71	5179	-.27	305.56		45.0	303.97	-3.43	340.25						
89	-	-	-	-		-	-	-	-						
90-N	39.83	5176	-.31	305.38		44.9	303.79	-3.47	340.15						
91	-	-	-	-		-	-	-	-						

GRID- *N. FARO/L88W*

GRAVITY DATA

PAGE-

ORIGINAL FIELD WORK			DENSITY-			DENSITY-			DENSITY-			DENSITY-			DENSITY-			
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
20-N	87.16	4446	1.03	262.31		350.5	259.99	-2.16	346.99									
21		-																
22	84.71	4483	.99	264.50		50.2	262.21	-2.18	344.74									
23		-																
24	82.3	4521	.96	266.74		50.0	264.49	-2.22	344.57									
25		-																
26	79.84	4560	.92	269.04		49.8	266.83	-2.25	344.42									
27		-																
28	78.13	4588	.88	270.69		49.7	268.51	-2.29	344.25									
29		-																
30-N	76.46	4617	.84	272.40		49.7	270.25	-2.33	344.38									
31		-																
32	74.84	4645	.80	274.06		49.7	271.93	-2.37	344.40									
33		-																
34	73.33	4668	.76	275.41		49.5	273.31	-2.41	344.23									
35		-																
36	71.78	4673	.73	276.89		49.4	274.81	-2.44	344.15									
37		-																
38	69.81	4722	.69	278.60		49.1	276.55	-2.48	343.88									
39		-																
40-N	68.34	4746	.65	280.01		49.0	277.99	-2.52	343.81									
41		-																
42	67.07	4763	.61	281.02		48.7	279.01	-2.56	343.52									
43		-																
44	66.03	4783	.57	282.20		48.8	280.21	-2.60	343.64									
45		-																
46	64.27	4810	.54	283.79		48.6	281.83	-2.63	343.47									
47		-																
48	62.14	4840	.50	285.56		48.2	283.63	-2.67	343.10									
49		-																
50-N	60.03	4873	.46	287.51		48.0	285.61	-2.71	342.93									
51		-																
52	58.62	4896	.42	288.86		47.9	286.99	-2.75	342.86									
53		-																
54	56.0	4936	.38	291.22		47.6	289.39	-2.79	342.60									
55		-																

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -			DENSITY -			
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	
56	59.2	4881	.42	287.98		47.6	286.09	-2.78	342.51										
57		-																	
58	58.69	4887	.38	288.33		47.4	286.45	-2.82	342.32										
59		-																	
60-N	57.68	4903	.24	289.28		47.3	287.41	-2.86	342.23										
61		-																	
62	56.86	4914	.21	289.93		47.1	288.07	-2.90	342.03										
63		-																	
64	56.59	4916	.27	290.04		46.9	288.19	-2.93	341.85										
65		-																	
66	56.61	4918	.23	290.16		47.0	288.31	-2.97	341.95										
67		-																	
68	56.55	4929	.19	290.81		46.9	288.97	-3.01	342.51										
69		-																	
70-N	54.95	4900	+1.15	291.70		46.8	289.87	-3.05	341.77										
71		-																	
72	54.06	4958	+1.2	292.52		46.7	290.71	-3.09	341.68										
73		-																	
74	53.23	4971	+0.8	293.29		46.6	291.49	-3.12	341.60										
75		-																	
76	52.40	4984	+0.4	294.06		46.5	292.27	-3.16	341.51										
77		-																	
78	51.58	4997	0	294.82		46.4	293.05	-3.20	341.43										
79		-																	
80-N	50.77	5008	-0.4	295.47		46.2	293.71	-3.24	341.24										
81		-																	
82	49.72	5023	-0.8	296.36		46.0	294.61	-3.27	341.06										
83		-																	
84	48.9	5036	-1.2	297.12		45.9	295.39	-3.31	340.98										
85		-																	
86	48.02	5048	-1.5	297.83		45.7	296.11	-3.35	340.78										
87		-																	
88	47.42	5055	-1.7	298.55		45.5	296.53	-3.39	340.56										
89		-																	
90-N	46.79	5063	-2.1	298.72		45.3	297.01	-3.43	340.37										
91		-																	

GRID - N. FARO / 80 W

GRAVITY DATA

PAGE -

ORIGINAL FIELD WORK			DENSITY -			DENSITY -			DENSITY -			DENSITY -			DENSITY -				
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	
20-N	91.19	4383	1.11	258.60		50.9	256.21	-2.10	345.3										
21		-																	
22	88.9	4414	1.07	260.43		50.4	258.07	-2.14	344.83										
23		-																	
24	86.91	4445	1.03	262.26		50.2	259.93	-2.18	344.66										
25		-																	
26	84.75	4479	.99	264.26		50.0	261.97	-2.21	344.51										
27		-																	
28	83.1	4504	.96	265.74		49.8	263.47	-2.25	344.32										
29		-																	
30-N	81.69	4527	.92	267.09		49.7	264.85	-2.29	344.25										
31		-																	
32	79.7	4558	.88	268.92		49.5	266.71	-2.33	344.08										
33		-																	
34	77.12	4599	.84	271.34		49.3	269.17	-2.37	343.92										
35		-																	
36	74.56	4643	.80	273.94		49.3	271.81	-2.40	343.97										
37		-																	
38	72.4	4677	.76	275.94		49.1	273.85	-2.44	343.81										
39		-																	
40-N	70.36	4712	.73	278.01		49.1	275.95	-2.48	343.83										
41		-																	
42	67.84	4752	.69	280.37		48.9	278.35	-2.52	343.67										
43		-																	
44	66.31	4777	.65	281.84		48.8	279.85	-2.55	343.61										
45		-																	
46	64.73	4801	.61	283.26		48.6	281.29	-2.59	343.43										
47		-																	
48	63.1	4826	.57	284.73		48.4	282.79	-2.63	343.26										
49		-																	
50-N	61.75	4846	.54	285.91		48.2	283.99	-2.67	343.07										
51		-																	
52	60.82	4859	.50	286.68		48.0	284.77	-2.71	342.88										
53		-																	
54	59.77	4874	.46	287.57		47.8	285.67	-2.74	342.70										
55		-																	

GRAVITY DATA

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
92	53.13	4962	-19	292.76		48.7	290.95	-3.41	340.67						
93															
94	52.8	4968	-21	293.11		45.7	291.31	-3.45	340.66						
95-N															

ORIGINAL FIELD WORK			DENSITY -			DENSITY -			DENSITY -			DENSITY -			DENSITY -			
STATION	OBSERVED GRAVITY	ELEV.	LATI-CORR.	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
56	66.93	4749	-48	280.19		47.6	278.17	-2.73	342.37									
57						-												
58	65.61	4772	-44	281.85		47.6	279.55	-2.77	342.39									
59																		
60N	64.35	4794	40	282.85		47.6	280.87	-2.81	342.41									
61																		
62	64.23	4790	36	282.61		47.2	280.63	-2.85	342.01									
63																		
64	63.94	4792	33	282.73		47.0	280.75	-2.88	341.81									
65																		
66	64.41	4783	-29	282.20		46.9	280.21	-2.92	341.70									
67																		
68	64.18	4786	-25	282.37		46.8	280.39	-2.96	341.61									
69																		
70N	63.54	4794	21	282.85		46.6	280.87	-3.00	341.41									
71																		
72	62.68	4806	-17	283.55		46.4	281.59	-3.04	341.23									
73																		
74	61.2	4830	-13	284.97		46.3	283.03	-3.07	341.16									
75																		
76	59.81	4854	-10	286.39		46.3	284.47	-3.11	341.17									
77																		
78	58.56	4876	06	287.68		46.3	285.79	-3.15	341.20									
79																		
80N	57.77	4890	02	289.51		46.3	286.63	-3.19	341.21									
81			0															
82	57.04	4899	-02	289.04		46.1	287.17	-3.22	340.99									
83																		
84	56.21	4911	-06	289.75		45.9	287.89	-3.26	340.84									
85																		
86	55.28	4924	-10	290.52		45.7	288.67	-3.30	340.65									
87	54.54	4937	-12	291.28		45.7	289.45	-3.32	340.67									
88																		
89																		
90N	53.74	4953	-17	292.23		45.8	290.41	-3.38	340.77									
91																		

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
20-N	96.62	4309	1.15	254.23		52.0	251.77	-2.05	345.94									
21	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
22	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
23	92.76	4355	1.09	256.95		50.8	254.53	-2.11	345.18									
24	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
25	91.07	4376	1.05	258.18		50.3	255.79	-2.14	344.72									
26	90.1	4391	1.03	259.07		50.2	256.69	-2.16	344.63									
27	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
28	87.73	4425	.99	261.08		49.8	258.73	-2.20	344.26									
29	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
30-N	85.4	4460	.96	263.14		49.5	260.83	-2.24	343.99									
31	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
32	83.17	4495	.92	265.21		49.3	262.93	-2.28	343.82									
33	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
34	80.99	4531	.88	267.33		49.2	265.09	-2.32	343.76									
35	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
36	79.14	4563	.84	269.22		49.2	267.01	-2.35	343.80									
37	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
38	77.47	4592	.80	270.93		49.2	268.75	-2.39	343.83									
39	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
40-N	75.88	4618	.76	272.46		49.1	270.31	-2.43	343.76									
41	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
42	74.29	4642	.73	273.88		48.9	271.75	-2.47	343.57									
43	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
44	72.66	4667	.69	275.35		48.7	273.25	-2.50	343.41									
45	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
46	71.36	4688	.65	276.59		48.6	274.51	-2.54	343.33									
47	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
48	69.98	4707	.61	277.71		48.3	275.65	-2.58	343.05									
49	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
50-N	68.99	4721	.57	278.54		48.1	276.49	-2.62	342.86									
51	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
52	68.28	4730	.55	279.07		47.9	277.03	-2.66	342.65									
53	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
54	67.89	4732	.52	279.19		47.6	277.15	-2.69	342.35									
55	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
56	75.28	4603	.54	271.58		47.4	269.41	-2.67	342.02						
57	74.61	4613	.52	272.17		47.3	270.01	-2.69	341.93						
58	74.16	4621	.50	272.64		47.3	270.49	-2.71	341.94						
59	73.84	4625	.48	272.88		47.2	270.73	-2.73	341.84						
60-N	73.73	4627	.46	272.99		47.2	270.85	-2.75	341.83						
61	73.85	4629	.44	273.11		47.1	270.97	-2.77	341.75						
62	73.53	4628	.42	273.05		47.0	270.91	-2.79	341.65						
63	73.15	4633	.40	273.35		46.9	271.21	-2.80	341.56						
64	72.76	4640	.38	273.76		46.9	271.63	-2.82	341.57						
65	72.85	4656	.36	273.99		46.9	271.87	-2.84	341.58						
66	72.21	4650	.34	274.35		46.9	272.23	-2.86	341.58						
67	72.22	4650	.33	274.35		46.9	272.23	-2.88	341.57						
68	71.68	4651	.31	274.41		46.4	272.29	-2.90	341.07						
69	71.84	4656	.29	274.57		46.7	272.47	-2.92	341.93						
70-N	71.39	4660	.27	274.94		46.6	272.83	-2.94	341.28						
71	71.01	4665	.25	275.24		46.5	273.13	-2.96	341.18						
72	70.78	4671	.23	275.59		46.6	273.49	-2.98	341.29						
73	69.93	4684	.21	276.26		46.5	274.27	-2.99	341.21						
74	69.3	4695	.19	277.01		46.5	274.93	-3.01	341.22						
75	68.75	4703	.17	277.48		46.4	275.41	-3.03	341.13						
76	68.2	4711	.15	277.95		46.3	275.89	-3.05	341.04						
77	68.1	4713	.13	278.07		46.3	276.01	-3.07	341.04						
78	67.89	4722	.12	278.60		46.3	276.55	-3.09	340.35						
79	66.79	4734	.10	279.31		46.2	277.27	-3.11	340.95						
80-N	65.87	4750	.08	280.25		46.2	278.23	-3.13	340.97						
81	-	-	-	-		-	-	-	-						
82	64.2	4779	.04	281.96		46.2	279.97	-3.16	341.01						
83	-	-	-	-		-	-	-	-						
84	62.37	4809	0	283.73		46.1	281.77	-3.20	340.94						
85	-	-	-	-		-	-	-	-						
86	61.78	4818	.04	284.26		46.0	282.31	-3.24	340.85						
87	-	-	-	-		-	-	-	-						
88	61.25	4826	.08	284.73		45.9	282.79	-3.28	340.76						
89	-	-	-	-		-	-	-	-						
90-N	60.58	4838	.02	285.44		45.9	283.57	-3.32	340.77						
91	-	-	-	-		-	-	-	-						

GRAVITY DATA

ORIGINAL FIELD WORK			DENSITY -			DENSITY -			DENSITY -			DENSITY -			
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
20-N	101.13	4228	1.22	249.45		51.8	246.91	-1.99	246.05						
21	100.53	4230	1.20	249.57		51.3	247.03	-2.01	245.55						
22	99.85	4235	1.18	249.87		50.9	247.33	-2.03	245.15						
23		NR	1.17	-		/									
24	97.98	4254	1.15	250.97		50.1	248.47	-2.07	244.39						
25	97.37	4261	1.13	251.40		49.9	248.89	-2.08	244.18						
26	96.68	4268	1.11	251.81		49.6	249.31	-2.10	243.89						
27	96.13	4276	1.09	252.28		49.5	249.79	-2.12	243.80						
28	95.3	4287	1.07	252.83		49.3	250.45	-2.14	243.61						
29	94.74	4295	1.05	253.41		49.2	250.93	-2.16	243.51						
30-N	93.74	4309	1.03	254.23		49.0	251.77	-2.18	243.33						
31	93.01	4320	1.01	254.88		48.9	252.43	-2.20	243.24						
32	92.17	4333	.99	255.64		48.8	253.21	-2.22	243.16						
33	91.37	4345	.97	256.36		48.7	253.93	-2.24	243.06						
34	90.52	4358	.96	257.12		48.6	254.71	-2.26	242.97						
35	89.67	4371	.94	257.89		48.5	255.49	-2.27	242.89						
36	88.81	4386	.92	258.77		48.5	256.39	-2.29	242.91						
37	87.31	4410	.90	260.19		48.4	257.83	-2.31	242.83						
38	86.15	4430	.88	261.37		48.4	259.03	-2.33	242.85						
39	84.95	4449	.86	262.49		48.3	260.17	-2.35	242.77						
40-N	84.08	4464	.84	263.38		48.3	261.07	-2.37	242.78						
41	83.18	4478	.82	264.20		48.2	261.91	-2.39	242.70						
42	82.49	4490	.80	264.91		48.2	262.63	-2.41	242.71						
43	82.04	4498	.78	265.38		48.2	263.11	-2.43	242.72						
44	81.41	4509	.76	266.03		48.2	263.77	-2.44	242.74						
45	80.55	4522	.75	266.80		48.1	264.55	-2.46	242.64						
46	80.28	4527	.73	267.09		48.1	264.85	-2.48	242.65						
47	79.8	4532	.71	267.39		47.9	265.15	-2.50	242.45						
48	79.76	4533	.69	267.45		47.9	265.21	-2.52	242.45						
49	79.64	4532	.67	267.39		47.7	265.15	-2.54	242.25						
50-N	79.21	4538	.65	267.74		47.6	265.51	-2.56	242.16						
51	79.17	4539	.63	267.80		47.6	265.57	-2.58	242.16						
52	78.38	4551	.61	268.51		47.5	266.29	-2.60	242.07						
53	77.79	4563	.59	269.22		47.6	267.01	-2.62	242.18						
54	76.83	4578	.57	270.10		47.5	267.91	-2.63	242.11						
55	76.08	4591	.55	270.87		47.5	268.69	-2.65	242.12						

ORIGINAL FIELD WORK			DENSITY -			DENSITY -			DENSITY -			DENSITY -			
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
46-N	85.65	4423	.59	260.96		47.2	258.61	-2.61	341.65						
57	85.06	4435	.57	261.67		47.3	259.33	-2.63	341.76						
58	84.51	4443	.55	262.14		47.2	259.81	-2.65	341.67						
59	83.83	4453	.54	262.73		47.1	260.41	-2.67	341.57						
60-N	83.32	4462	.52	263.26		47.1	260.95	-2.69	341.58						
61	83.05	4467	.50	263.55		47.1	261.25	-2.71	341.59						
62	82.6	4475	.48	264.02		47.1	261.73	-2.73	341.60						
63	81.85	4488	.46	264.79		47.1	262.51	-2.74	341.62						
64	81.28	4498	.44	265.38		47.1	263.11	-2.76	341.63						
65	80.30	4515	.42	266.39		47.1	264.13	-2.78	341.65						
66	79.68	4524	.40	266.92		47.0	264.67	-2.80	341.55						
67	79.29	4531	.38	267.33		47.0	265.09	-2.82	341.56						
68	78.97	4535	.36	267.57		46.9	265.33	-2.84	341.46						
69	78.66	4539	.34	267.80		46.8	265.57	-2.86	341.37						
70-N	78.26	4546	.33	268.21		46.8	265.99	-2.88	341.37						
71	77.84	4550	.31	268.45		46.6	266.23	-2.90	341.17						
72	77.46	4555	.29	268.75		46.5	266.53	-2.92	341.07						
73	77.31	4558	.27	268.92		46.5	266.71	-2.93	341.09						
74	77.15	4561	.25	269.10		46.5	266.89	-2.95	341.09						
75	77.11	4562	.23	269.16		46.5	266.95	-2.97	341.09						
76	77.07	4563	.21	269.22		46.5	267.01	-2.99	341.09						
77	76.68	4570	.19	269.63		46.5	267.43	-3.01	341.10						
78	76.36	4574	.17	269.87		46.4	267.67	-3.03	341.0						
79	76.15	4578	.15	270.10		46.4	267.91	-3.05	341.01						
80-N	75.77	4583	.13	270.40		46.3	268.21	-3.07	340.91						
81	75.31	4591	.12	270.87		46.3	268.69	-3.09	340.91						
82	74.8	4600	.10	271.40		46.3	269.23	-3.10	340.93						
83	74.29	4609	.08	271.93		46.3	269.77	-3.12	340.94						
84	73.8	4616	.06	272.34		46.2	270.19	-3.14	340.85						
85	73.3	4625	.04	272.86		46.2	270.73	-3.16	340.87						
86	72.83	4633	.02	273.35		46.2	271.21	-3.18	340.86						
87	72.22	4642	0	273.88		46.1	271.75	-3.20	340.77						
88	71.83	4649	-.02	274.29		46.1	272.17	-3.22	340.78						
89	71.44	4656	-.04	274.70		46.1	272.59	-3.24	340.79						
90-N	71.34	4658	-.06	274.82		46.1	272.71	-3.26	340.79						
91	70.84	4665	-.08	275.24		46.0	273.13	-3.27	340.70						

ORIGINAL FIELD WORK				DENSITY - 0.00			DENSITY - 0.06			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATI-CORR.	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
20N	100.08	4228	1.28	249.45		350.8	246.91	-1.93	345.06				4115		112.83
21	99.38 100.63	4235	1.26	249.87		350.5	247.33	-1.95	346.0						112.79
22	98.37	4240	1.24	250.69		350.3	248.17	-1.97	346.6						113.0
23	97.66	4258	1.22	251.22		350.1	248.71	-1.99	344.4						
24	96.92	4264	1.20	251.58		349.7	249.07	-2.01	344.0						
25	96.57	4272	1.18	252.05		349.8	249.55	-2.02	344.1						
26	95.81	4280	1.17	252.52		49.5	250.03	-2.04	343.8						
27	95.49	4284	1.15	252.76		49.4	250.27	-2.06	343.7						
28	94.78	4293	1.13	253.29		49.2	250.81	-2.08	343.51						
29	94.37	4297	1.11	253.52		49.0	251.05	-2.10	343.32						
30N	94.07	4299	1.09	253.14		48.8	251.17	-2.12	343.12						
31	93.54	4305	1.07	253.99		48.6	251.53	-2.14	342.93						
32	93.30	4306	1.05	254.05		48.4	251.59	-2.16	342.73						
33	92.80	4311	1.03	254.35		48.3	251.89	-2.18	342.51						
34	92.62	4313	1.01	254.47		48.1	252.01	-2.20	342.4						
35	92.66	4311	.99	254.35		48.0	251.89	-2.21	342.24						
36	92.78	4306	.97	254.05		47.8	251.59	-2.23	342.14						
37	93.32	4297	.96	253.52		47.8	251.05	-2.25	342.14						
38	93.87	4288	.94	252.99		47.8	250.51	-2.27	342.14						
39	94.40	4276	.92	252.28		47.6	249.79	-2.29	341.9						
40N	94.30	4278	.90	252.40		47.6	249.91	-2.31	341.9						
41	93.82	4283	.88	252.70		47.4	250.21	-2.33	341.70						
42	93.53	4290	.86	253.11		47.5	250.63	-2.35	341.81						
43	93.08	4298	.84	253.58		47.5	251.11	-2.37	341.82						
44	92.72	4305	.82	253.96		47.5	251.53	-2.38	341.87						
45	91.31	4327	.80	255.29		47.4	252.85	-2.40	341.76						
46	90.09	4348	.78	256.53		47.4	254.11	-2.42	341.78						
47	89.28	4362	.76	257.36		47.4	254.95	-2.44	341.79						
48	88.96	4366	.75	257.59		47.3	255.19	-2.46	341.69						
49	88.62	4372	.73	257.95		47.3	255.55	-2.48	341.69						
50N	88.8	4371	.71	257.89		47.4	255.49	-2.50	341.79						
51	88.47	4377	.69	258.24		47.4	255.85	-2.52	341.80						
52	87.92	4385	.67	258.71		47.3	256.33	-2.54	341.71						
53	87.23	4397	.65	259.42		47.3	257.05	-2.56	341.72						
54	86.83	4404	.63	259.84		47.3	257.47	-2.57	341.73						
55	86.38	4412	.61	260.31		47.3	257.95	-2.59	341.74						

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
104W	28.01	5361	-0.21	316.30		44.1	314.89	-3.43	339.47						
106	25.07	5406	-0.22	318.95		43.8	317.59	-3.45	339.21						
108	22.69	5443	-0.23	321.14		43.6	319.81	-3.46	339.04						
110	21.1	5467	-0.25	322.55		43.4	321.25	-3.48	338.87						
112W	20.17	5483	-0.27	323.50		43.4	322.21	-3.49	338.89						
114	19.36	5495	-0.27	324.21		43.3	322.93	-3.51	338.78						
116	18.97	5502	-0.29	324.62		43.3	323.35	-3.52	338.80						
118	19.04	5501	-0.30	324.56		43.3	323.29	-3.53	338.80						
120W	20.12	5488	-0.31	323.79		43.6	322.51	-3.53	339.10						
122	21.58	5467	-0.33	322.55		43.8	321.25	-3.55	339.28						
124	23.36	5442	-0.34	321.08		44.1	319.75	-3.56	339.55						
126	26.58	5398	-0.36	318.48		44.7	317.11	-3.58	340.11						
128W	28.23	5375	-0.36	317.13		45.0	315.73	-3.60	340.36						
130	29.63	5355	-0.38	315.95		45.2	314.53	-3.61	340.55						
132	31.43	5330	-0.40	314.47		45.5	313.03	-3.62	340.84						
134	33.92	5293	-0.41	312.29		45.8	310.81	-3.64	341.09						
136W	36.13	5261	-0.43	310.40		46.1	308.89	-3.66	341.36						
138	37.34	5244	-0.44	309.40		46.3	307.87	-3.67	341.54						
140	38.93	5219	-0.45	307.92		46.4	306.37	-3.68	341.62						
142	40.82	5189	-0.47	306.15		46.5	304.57	-3.70	341.69						
144W	42.5	5164	-0.48	304.68		46.7	303.07	-3.72	341.85						
146	44.98	5124	-0.50	302.32		46.8	300.67	-3.73	341.92						
148	47.24	5091	-0.51	300.37		47.1	298.69	-3.75	342.18						
150	49.06	5062	-0.52	298.66		47.2	296.95	-3.76	342.25						
152W	51.25	5027	-0.54	296.59		47.3	294.85	-3.78	342.32						
154	53.34	4995	-0.55	294.71		47.5	292.93	-3.79	342.48						
156	55.47	4961	-0.57	292.70		47.6	290.89	-3.80	342.56						
158	57.72	4923	-0.58	290.46		47.6	288.61	-3.82	342.51						
160W	59.96	4887	-0.59	288.33		47.7	286.45	-3.84	342.57						
162	62.65	4845	-0.61	285.86		47.9	283.93	-3.85	342.73						
164W	65.91	4790	-0.62	282.61		47.9	280.63	-3.86	342.68						
166	69.91	4724	-0.63	278.72		48.0	276.67	-3.87	342.71						
168W	74.52	4648	-0.65	274.23		48.1	272.11	-3.88	342.75						
170	78.07	4588	-0.66	270.69		48.1	268.51	-3.89	342.69						
172W	81.26	4536	-0.68	267.62		48.2	265.39	-3.91	342.74						
174	83.84	4489	-0.69	264.85		48.0	262.57	-3.92	342.49						
176W	86.96	4428	-0.71	261.25		47.5									

ORIGINAL FIELD WORK			DENSITY -			DENSITY -			DENSITY -			DENSITY -			DENSITY -			
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
56-W	75.87	4583	.13	270.40		46.4	268.21	-3.07	341.01									
57	73.99	4615	.12	272.29		46.4	270.13	-3.08	341.04									
58	72.52	4640	.12	273.76		46.4	271.63	-3.08	341.07									
59	70.44	4672	.11	275.65		46.2	273.55	-3.09	340.90									
60	69.12	4694	.10	276.95		46.2	274.87	-3.10	340.89									
61	68.28	4709	.09	277.83		46.2	275.77	-3.11	340.94									
62	67.44	4725	.09	278.76		46.3	276.73	-3.11	341.06									
63	66.8	4736	.08	279.42		46.3	277.39	-3.12	341.07									
64 W	65.88	4750	.07	280.25		46.2	278.23	-3.13	340.98									
65	64.95	4766	.06	281.19		46.2	279.19	-3.14	341.0									
66	63.94	4783	.06	282.20		46.2	280.21	-3.14	341.01									
67	63.01	4799	.05	283.14		46.2	281.17	-3.15	341.03									
68	62.12	4814	.05	284.03		46.2	282.07	-3.16	341.03									
69	61.01	4833	.04	285.15		46.2	283.21	-3.16	341.06									
70	60.3	4847	.03	285.97		46.3	284.05	-3.17	341.18									
71	59.12	4867	.03	287.15		46.3	285.25	-3.18	341.17									
72 W	57.77	4890	.02	288.51		46.3	286.63	-3.19	341.21									
73	56.89	4905	.01	289.40		46.3	287.53	-3.19	341.23									
74	55.61	4927	.0	290.69		46.3	288.85	-3.20	341.26									
75	54.32	4942	.0	291.58		45.9	289.75	-3.21	340.86									
76	53.95	4957	-.01	292.46		46.4	290.29	-3.22	341.02									
77	53.15	4969	-.02	293.17		46.3	291.37	-3.22	341.30									
78	52.38	4982	-.02	293.94		46.3	292.15	-3.23	341.30									
79	51.57	4996	-.03	294.76		46.3	292.99	-3.24	341.32									
80 W	50.77	5008	-.04	295.47		46.2	293.71	-3.24	341.24									
82	49.01	5038	-.05	297.24		46.2	295.51	-3.25	341.27									
84	46.76	5073	.07	299.31		46.0	297.61	-3.26	341.11									
86	43.29	5127	-.08	302.49		45.7	300.85	-3.27	340.87									
88 W	40.02	5176	-.10	305.38		45.3	303.79	-3.28	340.53									
90	37.82	5210	-.11	307.39		45.1	305.83	-3.28	340.37									
92	36.73	5227	-.12	308.39		45.0	306.85	-3.29	340.29									
94	35.97	5240	-.13	309.16		45.0	307.63	-3.30	340.30									
96 W	35.24	5251	-.15	309.81		44.9	308.29	-3.33	340.20									
98	33.93	5270	-.16	310.93		44.7	309.43	-3.35	340.01									
100	32.27	5295	-.18	312.41		44.5	310.93	-3.36	339.84									
102	29.76	5331	-.19	314.53		44.1	313.09	-3.38	339.47									

GRAVITY DATA

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
128	49.2	5054	-21	298.19		47.6	296.47	-3.03	342.64									
130	51.22	5025	.20	296.48		47.9	294.73	-3.04	342.91									
132	53.08	4999	.18	294.94		48.2	293.17	-3.05	343.20									
134	54.32	4973	.17	293.41		47.9	291.61	-3.07	342.86									
136W	57.01	4943	.15	291.64		48.8	289.81	-3.09	343.73									
138	58.97	4910	.14	289.69		48.8	287.83	-3.10	343.70									
140W	61.83	4867	.12	287.15		49.1	285.25	-3.11	343.97									
142	65.3	4810	.11	283.79		49.2	281.93	-3.13	344.0									
144W	68.72	4754	.09	280.49		49.3	278.47	-3.15	344.04									
146	69.48	4743	.08	279.84		49.4	277.81	-3.17	344.12									
148W	69.71	4741	.07	279.72		49.5	277.69	-3.18	344.22									
150	69.09	4757	.05	280.66		49.8	278.65	-3.20	344.54									
152W	69.66	4751	.03	280.31		50.0	278.29	-3.22	344.73									
154	70.76	4736	.02	279.42		50.2	277.39	-3.23	344.92									
156W	71.09	4724	0	279.30		50.4	277.27	-3.25	345.11									
158	72.11	4717	-.01	278.30		50.4	276.25	-3.26	345.10									
160W	74.58	4677	-.02	275.94		50.5	273.85	-3.27	345.16									
162	77.47	4630	-.04	273.17		50.6	271.03	-3.29	345.21									
164	79.99	4591	-.06	270.87		50.8	268.69	-3.30	345.38									
166	82.27	4556	-.07	268.80		51.0	266.59	-3.31	345.55									
168W	84.87	4512	-.08	266.21		51.0	263.95	-3.32	345.50									
170	86.96	4475	-.09	264.03		50.9	261.73	-3.34	345.35									
172N	89.29	4436	-.11	261.72		50.9	259.39	-3.36	345.32									
174	92.05	4391	-.12	259.07		51.0	256.69	-3.37	345.37									
176W	94.3	4353	-.13	256.83		51.0	254.41	-3.39	345.32									

GRAVITY DATA

ORIGINAL FIELD WORK			DENSITY -			DENSITY -			DENSITY -			DENSITY -			DENSITY -			
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
56-W	88.8	4371	.71	257.89		47.4	255.49	-2.50	341.79									
58	86.49	4412	.70	260.31		47.5	257.95	-2.51	341.93									
60	84.15	4452	.68	262.67		47.5	260.35	-2.53	341.97									
62	81.86	4491	.67	264.97		47.5	262.69	-2.54	342.01									
64W	79.21	4538	.65	267.74		47.6	265.51	-2.56	342.16									
66	76.35	4590	.64	270.81		47.8	268.63	-2.57	342.41									
68	73.9	4635	.63	273.47		48.0	271.33	-2.59	342.64									
70	71.27	4680	.61	276.12		48.0	274.03	-2.60	343.70									
72W	68.97	4721	.59	278.54		48.1	276.49	-2.62	342.84									
74	66.84	4759	.58	280.78		48.2	278.77	-2.63	342.98									
76	64.90	4792	.57	282.73		48.2	280.75	-2.65	343.0									
78	63.21	4821	.55	284.44		48.2	282.49	-2.66	343.04									
80W	61.75	4846	.54	285.91		48.2	283.99	-2.67	343.07									
82	60.75	4863	.53	286.92		48.2	285.01	-2.69	343.07									
84	60.31	4869	.52	287.27		48.1	285.37	-2.70	342.98									
86	60.13	4874	.50	287.57		48.2	285.67	-2.72	343.08									
88W	60.01	4873	.48	287.51		48.0	285.61	-2.73	342.89									
90	59.22	4890	.47	288.51		48.2	286.63	-2.75	343.10									
92	58.52	4902	.46	289.22		48.2	287.35	-2.76	343.11									
94	58.95	4895	.44	288.81		48.2	286.93	-2.78	343.10									
96W	59.97	4878	.43	287.80		48.2	285.91	-2.80	343.08									
98	61.45	4853	.42	286.33		48.2	284.41	-2.81	343.05									
100	63.44	4818	.40	284.26		48.1	282.31	-2.82	342.93									
102	65.55	4779	.39	281.96		47.9	279.97	-2.83	342.69									
104W	64.56	4796	.38	282.96		47.9	280.99	-2.85	342.70									
106	62.37	4820	.36	284.97		47.7	283.03	-2.86	342.54									
108	59.8	4872	.35	287.45		47.6	285.55	-2.88	342.47									
110	57.74	4909	.33	289.63		47.7	287.77	-2.89	342.62									
112W	55.89	4939	.31	291.40		47.6	289.57	-2.91	342.55									
114	52.79	4990	.30	294.41		47.5	292.63	-2.92	342.50									
116	51.97	5004	.29	295.24		47.5	293.47	-2.94	342.50									
118	50.86	5032	.28	296.36		47.5	294.61	-2.95	342.50									
120W	48.81	5060	.25	298.54		47.6	296.83	-2.96	342.68									
122	47.37	5081	.25	299.78		47.4	298.09	-2.98	342.48									
124	47.14	5087	.23	300.13		47.5	298.45	-2.99	342.60									
126	48.68	5061	.22	298.60		47.5	296.89	-3.01	342.57									

GRAVITY DATA

ORIGINAL FIELD WORK			DENSITY -			DENSITY -			DENSITY -			DENSITY -			DENSITY -			
STATION	OBSERVED GRAVITY	ELEV.	LATI-CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
102	88.14	4434	.95	261.61		50.7	259.27	-2.27	345.14									
104W	87.43	4448	.94	262.43		50.8	260.11	-2.29	345.25									
106	86.42	4467	.93	263.55		50.9	261.25	-2.30	345.37									
108	85.62	4484	.92	264.56		51.1	262.27	-2.32	345.57									
110	84.6	4505	.90	265.80		51.3	263.53	-2.33	345.80									
112W	84.0	4519	.88	266.62		51.5	264.37	-2.35	346.02									
114	82.93	4522	.87	266.80		51.6	264.55	-2.36	346.12									
116	82.55	4527	.86	267.09		51.5	264.85	-2.38	346.02									
118	82.15	4534	.84	267.51		51.5	265.27	-2.39	346.03									
120W	82.8	4542	.82	267.98		51.6	265.75	-2.41	346.14									
122	82.93	4540	.81	267.86		51.6	265.63	-2.42	346.14									
124	82.1	4529	.80	267.80		51.7	265.57	-2.43	346.24									
126	82.92	4544	.78	268.10		51.8	265.87	-2.45	346.34									
128W	82.97	4545	.77	268.16		51.9	265.93	-2.46	346.44									
130	82.07	4547	.76	268.27		52.1	266.05	-2.48	346.64									
132	82.77	4554	.74	268.69		52.2	266.47	-2.49	346.75									
134	82.37	4561	.73	269.10		52.2	266.89	-2.51	346.75									
136W	82.06	4570	.71	269.63		52.4	267.43	-2.52	346.97									
138	82.05	4572	.70	269.75		52.5	267.55	-2.54	347.06									
140W	82.13	4571	.68	269.69		52.5	267.49	-2.55	347.07									
142	82.54	4566	.67	269.39		52.6	267.19	-2.57	347.16									
144W	83.26	4554	.65	268.69		52.7	266.47	-2.58	347.25									
146	83.96	4544	.64	268.10		52.7	265.87	-2.60	347.23									
148W	85.02	4528	.63	267.15		52.8	264.91	-2.62	347.31									
150	86.6	4503	.62	265.68		52.9	263.41	-2.63	347.38									
152W	88.56	4472	.59	263.85		53.0	261.85	-2.65	347.46									
154	90.114	4442	.58	262.08		53.1	259.75	-2.66	347.53									
156W	92.91	4402	.57	259.72		53.2	257.35	-2.68	347.58									
158	95.26	4364	.56	257.48		53.3	255.07	-2.69	347.64									
160W	96.93	4336	.55	255.82		53.3	253.39	-2.70	347.62									
162	98.07	4317	.53	254.70		53.3	252.25	-2.71	347.61									
164W	99.16	4297	.52	253.52		53.2	251.05	-2.73	347.68									
166	100.01	4281	.51	252.58		53.1	250.09	-2.74	347.36									
168W	101.1	4261	.50	251.40		53.0	248.89	-2.75	347.24									
170	102.64	4235	.49	249.87		53.0	247.33	-2.77	347.20									
172W	104.63	4200	.47	247.80		52.9	245.23	-2.78	347.08									

LAT. CORR.

GRID - W. FARO / TK - 20 + 00

GRAVITY DATA

PAGE -

ORIGINAL FIELD WORK			DENSITY -			DENSITY - .0600			DENSITY -			DENSITY -			DENSITY -			
STATION	OBSERVED GRAVITY	ELEV.	LAT. CORR.	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
56-W	100.07	4228	1.28	249.45		50.8	246.91	-1.93	245.05									
57-	100.61	4219	1.27	248.92		50.8	246.37	-1.94	245.04									
58-	103.09	4177	1.27	246.44		50.8	243.85	-1.94	245.0									
59-	104.83	4151	1.26	244.91		51.0	242.29	-1.95	245.17									
60-	105.18	4147	1.25	244.67		51.1	242.05	-1.96	245.27									
61-	104.61	4160	1.25	245.44		51.3	242.83	-1.97	245.47									
62-	104.13	4170	1.24	246.03		51.4	243.43	-1.97	245.59									
63-	102.59	4198	1.23	247.68		51.5	245.11	-1.98	245.72									
64-W	101.13	4228	1.22	249.45		51.8	246.91	-1.99	246.05									
65	100.01	4252	1.22	250.87		52.1	248.35	-2.00	246.36									
66	99.28	4268	1.21	251.81		52.3	249.31	-2.00	246.59									
67	98.58	4280	1.20	252.52		52.3	250.03	-2.01	246.60									
68	98.15	4289	1.20	253.05		52.4	250.57	-2.01	246.70									
69	97.85	4296	1.19	253.46		52.5	250.99	-2.02	246.82									
70	97.24	4303	1.18	253.88		52.3	251.41	-2.03	246.62									
71	96.81	4307	1.18	254.11		52.1	251.65	-2.04	246.42									
72-W	96.6	4309	1.17	254.23		52.0	251.77	-2.05	246.32									
73	95.94	4317	1.16	254.70		51.8	252.25	-2.05	246.14									
74	95.26	4325	1.16	255.18		51.6	252.73	-2.06	245.93									
75	94.03	4344	1.15	256.12		51.3	253.69	-2.07	245.65									
76	93.29	4352	1.14	256.77		51.2	254.25	-2.08	245.56									
77	92.61	4362	1.13	257.36		51.1	254.95	-2.08	245.48									
78	92.1	4369	1.13	257.77		51.0	255.37	-2.09	245.38									
79	91.77	4373	1.12	258.01		50.9	255.61	-2.11	245.27									
80-W	91.19	4383	1.11	258.60		50.9	256.21	-2.10	245.30									
82-W	90.18	4397	1.10	259.42		50.7	257.05	-2.12	245.11									
84	88.64	4420	1.08	260.78		50.5	258.43	-2.13	244.94									
86	87.88	4433	1.07	261.55		50.5	259.21	-2.15	244.94									
88-W	87.14	4446	1.05	262.31		50.5	259.99	-2.16	244.97									
90	86.34	4458	1.04	263.02		50.4	260.71	-2.19	244.86									
92	85.88	4466	1.03	263.49		50.4	261.19	-2.20	244.87									
94	85.90	4466	1.01	263.49		50.4	261.19	-2.22	244.87									
96-W	86.43	4459	.99	263.08		50.5	260.77	-2.23	244.97									
98	87.48	4443	.98	262.14		50.6	259.81	-2.25	245.04									
100	88.55	4425	.97	261.08		50.6	258.73	-2.26	245.02									


GRAVITY DATA

ORIGINAL FIELD WORK				DENSITY -			DENSITY -			DENSITY -			DENSITY -		
STATION	OBSERVED GRAVITY	ELEV.	LAT. CORR.	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
172-W	111.5	4110	.81	242.69		54.8	239.93	-2.44	348.89						
173	111.63	4108	.80	242.37		54.8	239.71	-2.45	348.89						
174	111.57	4109	.80	242.43		54.8	239.77	-2.46	348.88						
175	111.83	4103	.79	242.08		54.7	239.41	-2.47	348.77						
(2-N) 176-N	112.06	4096	-78	241.66		54.5	238.99	-2.49	348.56						

ORIGINAL FIELD WORK			DENSITY -			DENSITY -			DENSITY -			DENSITY -			
STATION	OBSERVED GRAVITY	ELEV.	LATH CORR.	ELEV. CORR.	TERRA CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY	ELEV. CORR.	TERR. CORR.	BOUGUER GRAVITY
136W	104.04	4215	1.07	248.69		53.8	246.13	-2.16	348.01						
137	103.79	4219	1.06	248.92		53.8	246.37	-2.17	347.99						
138	103.54	4222	1.06	249.10		53.7	246.55	-2.17	347.92						
139	103.49	4223	1.05	249.16		53.7	246.61	-2.18	347.92						
140W	103.6	4223	1.04	249.16		53.8	246.61	-2.19	348.02						
141	103.31	4228	1.04	249.45		53.8	246.91	-2.20	348.02						
142	103.2	4230	1.03	249.57		53.8	247.03	-2.20	348.03						
143	103.37	4229	1.02	249.51		53.9	246.97	-2.21	348.13						
144W	102.91	4237	1.01	249.98		53.9	247.45	-2.22	348.14						
145	102.38	4246	1.01	250.51		53.9	247.99	-2.23	348.14						
146	101.97	4253	1.00	250.93		53.9	248.41	-2.23	348.15						
147	101.67	4260	0.99	251.34		54.0	248.83	-2.24	348.26						
148W	101.63	4264	.99	251.88		54.2	249.07	-2.26	348.45						
149	101.47	4268	.98	251.81		54.2	249.31	-2.26	348.46						
150	101.06	4274	.97	252.17		54.2	249.67	-2.27	348.46						
151	100.89	4277	.97	252.34		54.2	249.85	-2.28	348.46						
152W	101.04	4278	.96	252.40		54.4	249.91	-2.29	348.66						
153	100.99	4279	.95	252.46		54.4	249.97	-2.30	348.66						
154	100.87	4281	.95	252.58		54.4	250.09	-2.31	348.65						
155	100.69	4286	.94	252.87		54.5	250.39	-2.31	348.77						
156W	100.7	4286	.93	252.87		54.5	250.39	-2.32	348.77						
157	101.44	4277	.92	252.34		54.7	249.85	-2.32	348.97						
158	101.05	4282	.91	252.64		54.6	250.15	-2.33	348.87						
159	101.87	4270	.90	251.93		54.7	249.43	-2.34	348.96						
160W	102.26	4265	.90	251.64		54.8	249.13	-2.36	349.03						
161	102.92	4254	.89	250.99		54.8	248.47	-2.36	349.03						
162		/													
163		/													
164W		/	.87												
165		/													
166	105.47	4213	.86	248.57		54.9	246.01	-2.39	349.09						
167	106.62	4192	.85	247.33		54.8	244.75	-2.40	348.97						
168W	107.5	4179	.84	246.56		54.9	243.97	-2.41	349.06						
169	108.81	4157	.83	245.26		54.9	242.65	-2.41	349.05						
170	109.73	4138	.83	244.14		54.7	241.51	-2.42	348.82						
171	110.96	4119	.82	243.02		54.8	240.37	-2.43	348.97						

FARO
~~BL~~ LO.

.020294117 mgal / 100 ft.



$$BL \text{ corr} = .020294117 \times \sin 21^{\circ} 30' = \underline{\underline{.0074378187}}$$

$$90^{\circ} L. \text{ corr} = .020294117 \times \cos 21^{\circ} 30' = \underline{\underline{.018882003}}$$

DIGITRE
(100)

DIGITRE
(101)

DIGITRE
(102)

DIGITRE
(103)

T.L. 80°N

T.L. 50°N

T.L. 20°N

T.L. 0°00

T.L. 80°N

T.L. 50°N

T.L. 20°N

WEST FARO -1966

