
N
KULAN CREEK
OVERBURDEN
OVERBURDEN
A
B
C
D
B.
C.
D.
DDH XC-2
T.D. 151 m
- 60°
DDH XC-1
T.D. 153 m
- 60°
DDH XC-3
T.D. 92 m
- 60°
△ 1693
△ 1690
△ 1700
△ 2344
20 E
16 E
12 E
8 E
4 E
0
4 W
interbedded argill. lst. limy and non-limy phyllites, (wavy banded)
wavy banded lst.
4 m. dior. porph. dike appears to have been injected along and re-fractured by fault. 1-2% py in sheared dike rock ~ vertical fault with well developed drag folding
wavy banded
wavy banded
banded lst. with drk. gray phyllites
lst. with drk. gray phyllites
banded lst.
overturned F2 folds
lst. & drk. gray phyllites
interbedded drk. gray phyllites & limestone beds
limestone & drk gray black phyllites
drk gray phyllites
Hz ~ 2 m. wide
Hz ~ 4 m. wide
2 m. Mod.-str. sphal. banding individual bands average several cm.
drk. gray & black phyllites interbedded
a lot of qtz. veins
feldsp. porph. biot. dior.
gal. & py in qtz. vein
Hz ~ 15 m. wide
Sph ~ 2 cm. wide
Hz ~ 80 cm wide
drk. gray phyllites
- Hz found intermittently all down the slope
- Structure is very complex
interbedded drk. gray & limy phyllites
drk. gray phyllites with some limy phyllites
drk. gray & blk. limy phyllites with abundant limonite
interbedded argill. lst. & limy + non limy lt. gray phyllites
dior. porph. dike ~ 4 m. wide
diorite porph. dike 6 m. wide pinching out to SE
predominantly gray phyll. very minor limy bands
dior. porph. dike ~ 6 m. wide
lt. gray phyllitic shale, str. carb. coatings + f.f.
5-6 m. mod - str. Hz sphal banding in foliation, very minor gal.
drk. gray ~ black graphitic phyllites limonitic bands in foliation minor limy bands, widely spaced sphal. banding + Hz between 'B' + 'C' zones
steep cliffs access very difficult
6 m. zone of mod. to strong Hz. limonitic bands in the phyllite but no sphal. observed.
limy and non-calcareous phyllites interbedded
waterfall
Fault
Hz
galena band - 2 cm. with lm. Hz in foliation
limy phyllitic shale (phyllite?)
strong major qtz. vning mostly in foliation planes
limonitic limy phyllitic shales
highly contorted with F2 folding limy gray phyll.
a lot of qtz. veins that are disrupting the beds around them.
abundant qtz. veins that disrupt the beds
drk. gray phyllites with some limy beds
drk. gray phyllites with some limy phyllites
feldsp. porph. biot. dior.
largely drk. gray phyllites with minor limy beds
very large F2 & F3 warting causing complex structure
mostly limy phyllites some drk. gray phyllites
an overturned bed synform
interbedded limy & drk. gray phyllite
a lot of qtz.
feldsp. porph. biot. dior
Hz (3 m. wide)
amount of qtz. increases
shear zone
minor py, cpy & malachite
Hz in limy phyllites 2 m wide
layer of massive sphalerite up to 5 cm wide, some Hz 1 m.
massive galena & sphal. layers up to 5 cm. manganese, Hz rich rock ~ 1 m. wide
sphal. & gal. layer in a manganese, Hz, limonite rock Qtz. layer that is up to 2 m wide
limy phyllites dominate
drk. gray phyllites with some limy phyllites
very limy phyllites with some dark phyllites
interbedded dike gray & limy graphitic phyllites
interbedded dark gray & limy phyllites
gal. & sphal. layer, about 2 cm wide on the average but contains several large pockets
2½ m. Hz zone with manganese
Trace of Hz
small layers of sphalerite & galena are quite common, above 1 cm wide and assoc. with quartz
interbedded limy phyllites and light gray phyllites
Massive sphalerite & galena with minor cpy layer that is associated with manganese, Hz rich quartz lense, commonly about 5 cm wide but increases up to 80 cm.
diorite
drk. gray phyllites minor limy layers
rock is highly folded around mineral 28 Hz up to 30 cm
interbedded limy phyllites and light gray phyllites
gal. layer about 5 mm. wide thickens to 8.0 cm in fold hinge
light gray phyllites
interbedded gray phyllites and limy phyllites
feldsp. porph. biot. dior
trace of po. with quartz
interbedded drk. gray phyllites and limy
light gray limonitic phyllite
slightly limonitic gray phyllitic shale (greenish)
Trace of py, in foliation with quartz
gal. layer 3 mm. thick Hz up to 1 m. thick
drk. gray limy phyllites
slightly limonitic greenish gray phyllite
some graphitic horizons
graphitic shale with Hz

LEGEND

🟩	**CRETACEOUS** GRANODIORITES W/MINOR GRANITE, DIORITE AND QUARTZ-DIORITE AND PORPHYRITIC EQUIVALENTS
▨	**DEVONIAN – MISSISSIPIAN** BLACK SHALES CHERTS, SILTSTONES MINOR LIMESTONE + CONGLOMERATE
1 2 3	**SILURIAN – DEVONIAN** (1) GRAY SHALES + SILTSTONES, (2) LIMY SILTSTONES, SILTY LIMESTONES AND LIMESTONES, (3) CHERT PEBBLE CONGLOMERATE
▨	**SILURIAN** VARICOLOURED CHERTS AND SILICEOUS SHALES
1 2	**ORDOVICIAN – SILURIAN** (1) BLACK GRAPHITIC SHALES, (2) MINOR LIMESTONE
🟦	**CAMBRIAN – ORDOVICIAN** INTERBEDDED SILTY LIMESTONE AND LIMY PHYLLITES (WAVY BANDED MEMBER)
1 2	**PRECAMBRIAN** (1) SCHISTS, GNEISSES, QUARTZITES, SLATES (2) RECRYSTALLIZED LIMESTONES AND MARBLES

ALTERATION AND MINERALIZATION:

◩	**SILICA** PERVASIVE DISSEMINATED AND FRACTURE FILLING
◩	**CARBONATE** PERVASIVE DISSEMINATED AND FRACTURE
🟥	**MINERALIZATION** MASSIVE, FRACTURE FILLING DISSEMINATED HZ - HYDROZINCITE, SPH - SPHALERITE GAL - GALENA, PY - PYRITE, PO - PYRRHOTITE

SYMBOLS

- MAJOR CREEKS + RIVERS
- CREEKS
- SWAMPS
- GRAVEL BARS
- LAKES
- BASE CAMP
- HELIPORT
- CONTOUR INTERVAL 50 MTR.
- CLAIM BOUNDARY (Surveyed and Unsurveyed with post description
- DIAMOND DRILL HOLE with total depth azimuth and inclination
- TRANSIT LINES w/ HUBS
- COMPASS LINES
- SHEARS
- JOINTS
- CONTACTS (Defined, inferred, possible)
- OUTCROPS
- ANGULAR FLOAT
- F_1 BEDDING OR COMPOSITIONAL (Dip 30° and Vertical)
- F_2 FOLIATION (Dip 30° and Vertical) Penetrative axial plane cleavage
- F_3 FOLIATION (Dip 30° and Vertical)
- F_2, F_3 LINEATIONS SHOWING DIRECTION AND PLUNGES (10° and 15° respectively)
- F_2, F_3 FOLD AXES SHOWING FOLD GEOMETRY, DIRECTION AND PLUNGES (15°)
- SYNCLINE, ANTICLINE W/ FOLD AXIS DIRECTION AND PLUNGES (10° and 15° respectively)
- SYNFORM, ANTIFORM
- AXIAL PLANE WITH DIP (10°) FOLD AXIS DIRECTION AND PLUNGE (5°)
- FAULT W/ DIP 70° PLUNGE OF SLICKENSIDES 75°
- FAULT SHOWING RELATIVE STRIKE SLIP MOVEMENT
- LARGE INFERRED FAULTS
- A A' CROSS-SECTION LOCATION

PLATE 58

UTAH MINES LTD.
EXPLORATION DEPARTMENT
VANCOUVER BRITISH COLUMBIA

MAXI ZONE
Detailed Geology

Work by: G.A.C. + G.L.H.	Date: Oct. 1978	NTS Ref. 105-H-11
Drawn by: C.D.	Revised:	

SCALE: 1:1250



LEGEND

🟩 **CRETACEOUS** GRANODIORITES W/MINOR GRANITE, DIORITE AND QUARTZ-DIORITE AND PORPHYRITIC EQUIVALENTS

🟦 **DEVONIAN – MISSISSIPIAN** BLACK SHALES CHERTS, SILTSTONES MINOR LIMESTONE + CONGLOMERATE

🟪 **SILURIAN – DEVONIAN** (1) GRAY SHALES + SILTSTONES, (2) LIMY SILTSTONES, SILTY LIMESTONES AND LIMESTONES, (3) CHERT PEBBLE CONGLOMERATE

▨ **SILURIAN** VARICOLOURED CHERTS AND SILICEOUS SHALES

🟧 **ORDOVICIAN – SILURIAN** (1) BLACK GRAPHITIC SHALES, (2) MINOR LIMESTONE

🟩 **CAMBRIAN – ORDOVICIAN** INTERBEDDED SILTY LIMESTONE AND LIMY PHYLLITES (WAVY BANDED MEMBER)

🟨 **PRECAMBRIAN** (1) SCHISTS, GNEISSES, QUARTZITES, SLATES (2) RECRYSTALLIZED LIMESTONES AND MARBLES

ALTERATION AND MINERALIZATION:

▨ **SILICA** PERVASIVE DISSEMINATED AND FRACTURE FILLING

▨ **CARBONATE** PERVASIVE DISSEMINATED AND FRACTURE

🟥 **MINERALIZATION** MASSIVE, FRACTURE FILLING DISSEMINATED HZ-HYDROZINCITE, SPH-SPHALERITE GAL-GALENA, PY-PYRITE, PO-PYRRHOTITE

SYMBOLS

- MAJOR CREEKS + RIVERS
- CREEKS
- SWAMPS
- GRAVEL BARS
- LAKES
- BASE CAMP
- HELIPORT
- CONTOUR INTERVAL 50 MTR.
- CLAIM BOUNDARY (Surveyed and Unsurveyed with post description
- DIAMOND DRILL HOLE with total depth azimuth and inclination
- TRANSIT LINES w/ HUBS
- COMPASS LINES
- SHEARS
- JOINTS
- CONTACTS (Defined, inferred, possible)
- OUTCROPS
- ANGULAR FLOAT
- F_1 BEDDING OR COMPOSITIONAL (Dip 30° and Vertical)
- F_2 FOLIATION (Dip 30° and Vertical) Penetrative axial plane cleavage
- F_3 FOLIATION (Dip 30° and Vertical)
- F_2, F_3 LINEATIONS SHOWING DIRECTION AND PLUNGES (10° and 15° respectively)
- F_2, F_3 FOLD AXES SHOWING FOLD GEOMETRY, DIRECTION AND PLUNGES (15°)
- SYNCLINE, ANTICLINE W/ FOLD AXIS DIRECTION AND PLUNGES (10° and 15° respectively)
- SYNFORM, ANTIFORM (Overturned)
- AXIAL PLANE WITH DIP (10°) FOLD AXIS DIRECTION AND PLUNGE (5°)
- FAULT W/DIP 70° PLUNGE OF SLICKENSIDES 75°
- FAULT SHOWING RELATIVE STRIKE SLIP MOVEMENT
- LARGE INFERRED FAULTS

INDEX

▨ 4	5	6
1	2	3

N

UTAH MINES LTD.
EXPLORATION DEPARTMENT
VANCOUVER BRITISH COLUMBIA

MAXI Pb/Zn PROSPECT, Y.T.

GEOLOGY

Work by: G.A.C. & G.L.H	Date: Oct. '78	NTS Ref. 105-H-11
Drawn by: C.D.	Revised	

200 0 200 400 600
SCALE IN METRES



LEGEND

- ▭ **CRETACEOUS** GRANODIORITES W/MINOR GRANITE, DIORITE AND QUARTZ-DIORITE AND PORPHYRITIC EQUIVALENTS
- ▨ **DEVONIAN – MISSISSIPIAN** BLACK SHALES CHERTS, SILTSTONES MINOR LIMESTONE + CONGLOMERATE
- 1 2 3 **SILURIAN – DEVONIAN** (1) GRAY SHALES + SILTSTONES, (2) LIMY SILTSTONES, SILTY LIMESTONES AND LIMESTONES, (3) CHERT PEBBLE CONGLOMERATE
- ▭ **SILURIAN** VARICOLOURED CHERTS AND SILICEOUS SHALES
- 1/2 **ORDOVICIAN – SILURIAN** (1) BLACK GRAPHITIC SHALES, (2) MINOR LIMESTONE
- ▨ **CAMBRIAN – ORDOVICIAN** INTERBEDDED SILTY LIMESTONE AND LIMY PHYLLITES (WAVY BANDED MEMBER)
- 1/2 **PRECAMBRIAN** (1) SCHISTS, GNEISSES, QUARTZITES, SLATES (2) RECRYSTALLIZED LIMESTONES AND MARBLES

ALTERATION AND MINERALIZATION:

- ▨ **SILICA** PERVASIVE DISSEMINATED AND FRACTURE FILLING
- ▨ **CARBONATE** PERVASIVE DISSEMINATED AND FRACTURE
- ▨ **MINERALIZATION** MASSIVE, FRACTURE FILLING DISSEMINATED HZ-HYDROZINCITE, SPH-SPHALERITE GAL.-GALENA, PY-PYRITE, PO-PYRRHOTITE

SYMBOLS

- MAJOR CREEKS + RIVERS
- CREEKS
- SWAMPS
- GRAVEL BARS
- LAKES
- BASE CAMP
- HELIPORT
- CONTOUR INTERVAL 50 MTR.
- CLAIM BOUNDARY (Surveyed and Unsurveyed with post description
- DIAMOND DRILL HOLE with total depth azimuth and inclination
- TRANSIT LINES w/ HUBS
- COMPASS LINES
- SHEARS
- JOINTS
- CONTACTS (Defined, inferred, possible)
- OUTCROPS
- ANGULAR FLOAT
- F_1 BEDDING OR COMPOSITIONAL (Dip 30° and Vertical)
- F_2 FOLIATION (Dip 30° and Vertical) Penetrative axial plane cleavage
- F_3 FOLIATION (Dip 30° and Vertical)
- F_2, F_3 LINEATIONS SHOWING DIRECTION AND PLUNGES (10° and 15° respectively)
- F_2, F_3 FOLD AXES SHOWING FOLD GEOMETRY, DIRECTION AND PLUNGES (15°)
- SYNCLINE, ANTICLINE W/ FOLD AXIS DIRECTION AND PLUNGES (10° and 15° respectively)
- SYNFORM, ANTIFORM *(Overturned)*
- AXIAL PLANE WITH DIP (10°) FOLD AXIS DIRECTION AND PLUNGE (5°)
- FAULT W/DIP 70° PLUNGE OF SLICKENSIDES 75°
- FAULT SHOWING RELATIVE STRIKE SLIP MOVEMENT
- LARGE INFERRED FAULTS

INDEX

4	5	6
1	2	3

UTAH MINES LTD.
EXPLORATION DEPARTMENT
VANCOUVER BRITISH COLUMBIA

MAXI Pb/Zn PROSPECT, Y.T.

GEOLOGY

Work by: G.A.C. & G.L.H.	Date: Oct. '78	NTS Ref 105-H-11
Drawn by: C.D.	Revised	

200 0 200 400 600
SCALE IN METRES

SECTION A—A'


N
A
D.D.H. - XC-2
Westerly strike extension of "A" zone
KULAN CREEK
A'
S
€O
OS
B
C
OC
OC
4M 0.21 Zn
4.5M 0.12 Zn
150M

B Zone

Surface Assays ~ 50M east of section

		Zn	Pb
BW 2	1.5M	1.79	.11
2A	1.5M	.68	.16
3	1.5M	.24	.01
4 5	3.0M	.43	.30

C Zone

Surface Assays ~ 25M east of section

		Zn	Pb
C-1,2,4-8	15M	1.07	.07

Calculated average dip of f_2 from 10 surface measurements. - 30°

Dip of "wavy banded" contact from surface mapping and drill intercepts. -34°

SECTION B—B'


N
B
B'
S
€O
OC
OC
Aw
AE
OS

Surface Sampling

		Zn	Pb	
Aw1,2	3.0M	.45	.02	on section
AE3,4,5	3.4M	1.89	.03	15M east of section

SECTION C—C'


N
C
D.D.H. -XC-1
C'
S
€O
OS
4.0M .082 Zn .08 Pb
3.0M .64 Zn .44 Pb
4.2M .065 Zn .04 Pb
1M .52 Zn .08 Pb
1M 1.0 Zn
Possible extension of "D" zone
o/c 380M west of section
1.0M .07 Zn

SECTION D—D'


N
D
DDH. - XC-3
D'
S
OC
OC
OS
OS
1M
5M
"D" Zone
2M
"E" Zone
"EE" Zone
2.5M .34 Pb 1.15 Zn
1M .07 Zn .07 Pb

D.D.H.-XC-3 is located 62 meters east of section

Surface Sampling ~ 15 meters east of section

			Zn.	Pb
E.E	1,2,3,5,7,8	8M	.44	.37

PLATE 59

LEGEND

□	**CRETACEOUS** GRANODIORITES W/MINOR GRANITE, DIORITE AND QUARTZ-DIORITE AND PORPHYRITIC EQUIVALENTS
▨	**DEVONIAN–MISSISSIPIAN** BLACK SHALES CHERTS, SILTSTONES MINOR LIMESTONE + CONGLOMERATE
1 2 3	**SILURIAN–DEVONIAN** (1) GRAY SHALES + SILTSTONES, (2) LIMY SILTSTONES, SILTY LIMESTONES AND LIMESTONES, (3) CHERT PEBBLE CONGLOMERATE
□	**SILURIAN** VARICOLOURED CHERTS AND SILICEOUS SHALES
🟧 1/2	**ORDOVICIAN–SILURIAN** (1) BLACK GRAPHITIC SHALES, (2) MINOR LIMESTONE
🟦	**CAMBRIAN–ORDOVICIAN** INTERBEDDED SILTY LIMESTONE AND LIMY PHYLLITES (WAVY BANDED MEMBER)
▨ 1/2	**PRECAMBRIAN** (1) SCHISTS, GNEISSES, QUARTZITES, SLATES (2) RECRYSTALLIZED LIMESTONES AND MARBLES

ALTERATION AND MINERALIZATION:

⧄	**SILICA** PERVASIVE DISSEMINATED AND FRACTURE FILLING
⧄	**CARBONATE** PERVASIVE DISSEMINATED AND FRACTURE
🟥	**MINERALIZATION** MASSIVE, FRACTURE FILLING DISSEMINATED HZ-HYDROZINCITE, SPH-SPHALERITE GAL-GALENA, PY-PYRITE, PO-PYRRHOTITE
⁘	*OVERBURDEN*

UTAH MINES LTD.
EXPLORATION DEPARTMENT
VANCOUVER BRITISH COLUMBIA

MAXI Pb/Zn PROSPECT, Y.T.
MAXI ZONE
CROSS-SECTIONS

Work by: G.A.C. & G.L.H.	Date: JAN. 1979	NTS Ref. 105H-11
Drawn by: G.L.H.	Revised	

20 0 20 40 60

SCALE IN METERS

Line 2570E


S
N
1600N
1700N
1800N
1900N
2000N
2100N
2200N
2300N
2400N
2500N
ELEVATION (a.s.l.) - Feet
1800
1700
1600
1500
1400
1300
1200
1100
1000
900
800
Anderson Creek
Kulan Creek
SD
DM
DM
OS
OS
OS
OS
OS
€O
€O
€O
€O
€O
€O
€O
€O
P€
P€
P€
XC-10
XC-14
XC-6 155 metres west
XC-5 70 metres west
154.8m
158.0m
117.4m

Line 2975E


1800N
1900N
2000N
2100N
2200N
2300N
2400N
Mite showing
ELEVATION (a.s.l.) - Feet
1800
1700
1600
1500
1400
1300
1200
1100
1000
900
800
€O
€O
€O
OS
P€
P€
P€

LEGEND

☐ **CRETACEOUS** GRANODIORITES W/MINOR GRANITE, DIORITE AND QUARTZ-DIORITE AND PORPHYRITIC EQUIVALENTS

▨ **DEVONIAN – MISSISSIPIAN** BLACK SHALES CHERTS, SILTSTONES MINOR LIMESTONE + CONGLOMERATE

1 2 3 **SILURIAN - DEVONIAN** (1) GRAY SHALES + SILTSTONES, (2) LIMY SILTSTONES, SILTY LIMESTONES AND BIOCLASTIC LIMESTONES, (3) QUARTZITES

☐ **SILURIAN** VARICOLOURED CHERTS AND SILICEOUS SHALES

▨ **ORDOVICIAN – SILURIAN** (1) BLACK GRAPHITIC SHALES, (2) MINOR LIMESTONE

▨ **CAMBRIAN – ORDOVICIAN** INTERBEDDED SILTY LIMESTONE AND LIMY PHYLLITES (WAVY BANDED MEMBER)

▨ **PRECAMBRIAN** (1) SCHISTS, GNEISSES, QUARTZITES, SLATES (2) RECRYSTALLIZED LIMESTONES AND MARBLES

ALTERATION AND MINERALIZATION:

▨ **SILICA** PERVASIVE DISSEMINATED AND FRACTURE FILLING

▨ **CARBONATE** PERVASIVE DISSEMINATED AND FRACTURE

▨ **MINERALIZATION** MASSIVE, FRACTURE FILLING DISSEMINATED HZ-HYDROZINCITE, SPH-SPHALERITE GAL.-GALENA, PY-PYRITE, PO-PYRRHOTITE

▨ OVERBURDEN

SYMBOLS

MAJOR CREEKS + RIVERS
CREEKS
SWAMPS
GRAVEL BARS
LAKES
BASE CAMP
HELIPORT
CONTOUR INTERVAL 50 MTR.
CLAIM BOUNDARY (Surveyed and Unsurveyed with post description
DIAMOND DRILL HOLE with total depth azimuth and inclination
TRANSIT LINES w/ HUBS
COMPASS LINES
SHEARS
JOINTS
CONTACTS (Defined, inferred, possible)
OUTCROPS
ANGULAR FLOAT
F_1 BEDDING OR COMPOSITIONAL (Dip 30° and Vertical)
F_2 FOLIATION (Dip 30° and Vertical) Penetrative axial plane cleavage
F_3 FOLIATION (Dip 30° and Vertical)
F_2, F_3 LINEATIONS SHOWING DIRECTION AND PLUNGES (10° and 15° respectively)
F_2, F_3 FOLD AXES SHOWING FOLD GEOMETRY, DIRECTION AND PLUNGES (15°)
SYNCLINE, ANTICLINE W/ FOLD AXIS DIRECTION AND PLUNGES (10° and 15° respectively)
SYNFORM, ANTIFORM
AXIAL PLANE WITH DIP (10°) FOLD AXIS DIRECTION AND PLUNGE (5°)
FAULT W/ DIP 70° PLUNGE OF SLICKENSIDES 75°
FAULT SHOWING RELATIVE STRIKE SLIP MOVEMENT
LARGE INFERRED FAULTS

Plate 18

UTAH MINES LTD.
EXPLORATION DEPARTMENT
VANCOUVER BRITISH COLUMBIA

MAXI Pb/Zn PROSPECT, Y.T.

CROSS-SECTIONS

Work by: G. Holland	Date: July 1979	NTS Ref: 105-H-11
Drawn by: G. L. Holland	Revised:	

200 0 200 400 600
SCALE IN METRES

LINE 2570E
S
N
XC-10
XC-14
XC-6 - 150 metres W.
XC-5 - 29 metres E.
Overburden
OS - black graphitic limy shales
€O - 'wavy-banded' limestone
Feldspar Diorite Porphyry
OS
€O

LEGEND:

- OVERBURDEN
- 🟩 CRETACEOUS - feldspar diorite porphyry
- 🟥 ORDOVICIAN - SILURIAN - black graphitic shale
- 🟦 CAMBRO - ORDOVICIAN 'wavy-banded' limestone

SYMBOLS:

— — - - - -	CONTACT (INFERRED, POSSIBLE)
= =	SHEAR ZONE
⁄⁄⁄	MINERALIZATION
(Zn, Pb, Ag)	GEOCHEMICAL VALUES
10 ▱	DOWNHOLE DEPTH (METRES)

NOTE: SAMPLES ARE ALL 1 METRE WIDE

DRILLHOLES:

XC-5 : TD - 117.35 m ; Bearing - 180° ; Inclination - -60°; Size - NQ wireline

XC-6 : T.D - 152.4 m; Bearing - 180°; Inclination - -60°; Size - NQ wireline

XC-10 : TD - 154.8 m; Bearing - 180°; Inclination - -60°; Size - NQ wireline

XC-14 : TD - 158.5 m ; Bearing - 180°; Inclination - -60°; Size - NQ wireline

Plate 81

UTAH MINES LTD.
EXPLORATION DEPARTMENT
VANCOUVER BRITISH COLUMBIA

MAXI Pb/Zn PROSPECT, Y.T.

DRILLHOLE SECTIONS
XC-5, XC-6, XC-10, XC-14

Work by: G.A.C. & G.L.H.	Date: July 1979	NTS Ref: 105-H-11
Drawn by: G.L. Holland	Revised	

20 0 20 40 60
SCALE IN METRES

LINE 2100 N
MAXI CREEK
KULAN CREEK
ELEVATION (meters)
OS
€O
P€
W
E
Zn Pb
(PPM)(PPM)
MAG
(GAMMAS)

Plate 17

LEGEND

CRETACEOUS GRANODIORITES W/MINOR GRANITE, DIORITE AND QUARTZ-DIORITE AND PORPHYRITIC EQUIVALENTS

DEVONIAN - MISSISSIPIAN BLACK SHALES CHERTS, SILTSTONES MINOR LIMESTONE + CONGLOMERATE

SD 1 2 3 SILURIAN - DEVONIAN (1) GRAY SHALES + SILTSTONES, (2) LIMY SILTSTONES, SILTY LIMESTONES AND LIMESTONES, (3) CHERT PEBBLE CONGLOMERATE

SIL SILURIAN VARICOLOURED CHERTS AND SILICEOUS SHALES

OS 1 2 ORDOVICIAN - SILURIAN (1) BLACK GRAPHITIC SHALES, (2) MINOR LIMESTONE

€O CAMBRIAN - ORDOVICIAN INTERBEDDED SILTY LIMESTONE AND LIMY PHYLLITES (WAVY BANDED MEMBER)

1 2 PRECAMBRIAN (1) SCHISTS, GNEISSES, QUARTZITES, SLATES (2) RECRYSTALLIZED LIMESTONES AND MARBLES

ALTERATION AND MINERALIZATION:

SILICA PERVASIVE DISSEMINATED AND FRACTURE FILLING

CARBONATE PERVASIVE DISSEMINATED AND FRACTURE

MINERALIZATION MASSIVE, FRACTURE FILLING DISSEMINATED HZ-HYDROZINCITE, SPH-SPHALERITE GAL-GALENA, PY-PYRITE, PO-PYRRHOTITE

🟩 LEAD VALUE (PPM)

● ZINC VALUE (PPM)

▲ MAGNETIC READING (GAMMAS)

▨ EM CONDUCTORS (GOOD-EXCELLENT; FAIR-GOOD; POOR-FAIR)

UTAH MINES LTD.

EXPLORATION DEPARTMENT
VANCOUVER BRITISH COLUMBIA

MAXI Pb/Zn PROSPECT, Y.T.

CROSS-SECTIONS

Work by G.A.C. & G.L.H.	Date: JAN 1979	NTS Ref 105 H-11
Drawn by G.L.H.	Revised Oct 1979	

200 0 200 400 600
SCALE IN METRES