DATA PROBE LOGGING LTD.

3133 DOVERVILLE CRESCENT S.E., CALGARY, ALBERTA T2B 1V1

COMPANY: CYPRUS ANVIL MINING CORP.


HOLE NUMBER OR NAME: C - 77 - 26

LOCATION: Carmacks North

PROVINCE: Yukon ELEVATION:

LOG TYPE: Natural Gamma & Density

DATE	July 14, 1977	TOOL MFG. & S/N	Well Recon	SOURCE TYPE	Ra 226
LOGGING UNIT NO.	6	TOOL DIAMETER	1¼"	SOURCE STRENGTH	3 mci's
RUN NO.	1 & 2	DETECTOR TYPE	Scint	SOURCE SPACING	12"
DRILLED DEPTH	304'	DETECTOR SIZE	3/4" x 3"	RESISTIVITY TYPE	
LOGGED DEPTH	298'	TIME CONSTANT, SECONDS	3 & 1	SCALE, OHMS/IN.	
ZERO DATUM	G.L.	RECORDER SCALE, C.P.S./IN.	30 & 5000	S.P. SCALE, MV/IN.	
FLUID LEVEL	Nil	RECORDER ZERO	As Marked		
HOLE DIAMETER		LOGGING SPEED, FT/MIN.	20	RECORDED BY	R.A. Hodge
CASING LENGTH	Nil	RECORDER DEPTH SCALE, FT/IN.	10	WITNESSED BY	



WIDCO DIVISION OF GEARHART OWEN INDUSTRIES, FORT WORTH, TEXAS CHART NO. 102 MADE IN U.S.A.

DATA PROBE LOGGING LTD.

3133 DOVERVILLE CRESCENT S.E., CALGARY, ALBERTA T2B 1V1

COMPANY: CYPRUS ANVIL MINING CORP.


HOLE NUMBER OR NAME: G - 77 - 27

LOCATION: Carmacks North

PROVINCE: Yukon ELEVATION:

LOG TYPE: Natural Gamma & Density

DATE	July 13, 1977	TOOL MFG. & S/N	Well Recon	SOURCE TYPE	Ra 226
LOGGING UNIT NO.	6	TOOL DIAMETER	1¼"	SOURCE STRENGTH	3 mc.'s
RUN NO.	1 & 2	DETECTOR TYPE	Scint	SOURCE SPACING	12"
DRILLED DEPTH	3½½'	DETECTOR SIZE	3/4" x 3"	RESISTIVITY TYPE	
LOGGED DEPTH	335'	TIME CONSTANT, SECONDS	3 & 1	SCALE, OHMS/IN.	
ZERO DATUM	G.L.=	RECORDER SCALE, C.P.S./IN.	30 & 5000	S.P. SCALE, MV/IN.	
FLUID LEVEL	Nil	RECORDER ZERO	As Marked		
HOLE DIAMETER		LOGGING SPEED, FT/MIN.	20	RECORDED BY	R.A. Hodge
CASING LENGTH	Nil	RECORDER DEPTH SCALE, FT/IN.	10	WITNESSED BY	



DATA PROBE LOGGING LTD.

3133 DOVERVILLE CRESCENT S.E., CALGARY, ALBERTA T2B 1V1

COMPANY: CYPRUS ANVIL MINING CORP.


HOLE NUMBER OR NAME: C - 77 - 28

LOCATION: Carmacks North

PROVINCE: Yukon ELEVATION:

LOG TYPE: Natural Gamma & Density

DATE	July 14, 1977	TOOL MFG. & S/N	Well Recon	SOURCE TYPE	Ra 226
LOGGING UNIT NO.	6	TOOL DIAMETER	1⅝"	SOURCE STRENGTH	3 mc's'n
RUN NO.	1 & 2	DETECTOR TYPE	Scint	SOURCE SPACING	12"
DRILLED DEPTH		DETECTOR SIZE	3/4" x 3"	RESISTIVITY TYPE	
LOGGED DEPTH	369'	TIME CONSTANT, SECONDS	3 & 1	SCALE, OHMS/IN.	
ZERO DATUM	G.L.	RECORDER SCALE, C.P.S./IN.	30 & 5000	S.P. SCALE, MV/IN.	
FLUID LEVEL	Nil	RECORDER ZERO	As Marked		
HOLE DIAMETER		LOGGING SPEED, FT/MIN.	20	RECORDED BY	R.A. Hodge
CASING LENGTH	Nil	RECORDER DEPTH SCALE, FT/IN.	10	WITNESSED BY	



WIDCO DIVISION OF GEARHART OWEN INDUSTRIES, FORT WORTH, TEXAS CHART NO. 102 MADE IN U.S.A.

DATA PROBE LOGGING LTD.

3133 DOVERVILLE CRESCENT S.E., CALGARY, ALBERTA T2B 1V1

COMPANY: CYPRUS ANVIL MINING CORP.

HOLE NUMBER OR NAME: C - 77 - 29

LOCATION: Carmacks North

PROVINCE: Yukon ELEVATION:

LOG TYPE: Natural Gamma & Density

DATE	July 14, 1977	TOOL MFG. & S/N	Well Recon	SOURCE TYPE	Ra 226
LOGGING UNIT NO.	6	TOOL DIAMETER	1¼"	SOURCE STRENGTH	3 mci's
RUN NO.	1 & 2	DETECTOR TYPE	Scint	SOURCE SPACING	12"
DRILLED DEPTH	303'	DETECTOR SIZE	3/4" x 3"	RESISTIVITY TYPE	
LOGGED DEPTH	297'	TIME CONSTANT, SECONDS	3 & 1	SCALE, OHMS/IN.	
ZERO DATUM	G.L.	RECORDER SCALE, C.P.S./IN.	30 & 5000	S.P. SCALE, MV/IN.	
FLUID LEVEL	Nil	RECORDER ZERO	As Marked		
HOLE DIAMETER		LOGGING SPEED, FT/MIN.	20	RECORDED BY	R.A. Hodge
CASING LENGTH	Nil	RECORDER DEPTH SCALE, FT/IN.	10	WITNESSED BY	

NATURAL GAMMA

30 60 90 120

DENSITY

30K 35K 40K 45K 50K

0 ft.

50

90

100

150

160

170

200

250

260

270

297

Different mix, interbedded w/ mudstone & sandstone

Conglomerate w/ sandstone interbeds

Coal

Coal

Coal

DATA PROBE LOGGING LTD.

3133 DOVERVILLE CRESCENT S.E., CALGARY, ALBERTA T2B 1V1

COMPANY: CYPRUS ANVIL MINING CORP.


HOLE NUMBER OR NAME: G - 77 - 30

LOCATION: Carmacks North

PROVINCE: Yukon ELEVATION:

LOG TYPE: Natural Gamma & Density

DATE	July 14, 1977	TOOL MFG. & S/N	Well Recon	SOURCE TYPE	Ra 226
LOGGING UNIT NO.	6	TOOL DIAMETER	1¼"	SOURCE STRENGTH	3 mc's
RUN NO.	1 & 2	DETECTOR TYPE	Scint	SOURCE SPACING	12"
DRILLED DEPTH	303'	DETECTOR SIZE	3/4" x 3"	RESISTIVITY TYPE	
LOGGED DEPTH	289'	TIME CONSTANT, SECONDS	3 & 1	SCALE, OHMS/IN.	
ZERO DATUM	G.L.	RECORDER SCALE, C.P.S./IN.	30 & 5000	S.P. SCALE, MV/IN.	
FLUID LEVEL	Nil	RECORDER ZERO	As Marked		
HOLE DIAMETER		LOGGING SPEED, FT/MIN.	20	RECORDED BY	R.A. Hodge
CASING LENGTH	Nil	RECORDER DEPTH SCALE, FT/IN.	10	WITNESSED BY	



WIDCO DIVISION OF GEARHART OWEN INDUSTRIES, FORT WORTH, TEXAS CHART NO. 102 MADE IN U.S.A.

DATA PROBE LOGGING LTD.

3133 DOVERVILLE CRESCENT S.E., CALGARY, ALBERTA T2B 1V1

COMPANY: CYPRUS ANVIL MINING CORP.


HOLE NUMBER OR NAME: C - 77 - 31

LOCATION: Carmacks North

PROVINCE: Yukon ELEVATION:

LOG TYPE: Natural Gamma & Density

DATE	July 14, 1977	TOOL MFG. & S/N	Well Recon	SOURCE TYPE	Ra 226
LOGGING UNIT NO.	6	TOOL DIAMETER	1¼"	SOURCE STRENGTH	3 mci's
RUN NO.	1 & 2	DETECTOR TYPE	Scint	SOURCE SPACING	12"
DRILLED DEPTH	303'	DETECTOR SIZE	3/4" x 3"	RESISTIVITY TYPE	
LOGGED DEPTH	298'	TIME CONSTANT, SECONDS	3 & 1	SCALE, OHMS/IN.	
ZERO DATUM	G.L.	RECORDER SCALE, C.P.S./IN.	30 & 5000	S.P. SCALE, MV/IN.	
FLUID LEVEL	Nil	RECORDER ZERO	As Marked		
HOLE DIAMETER		LOGGING SPEED, FT/MIN.	20	RECORDED BY	R.A. Hodge
CASING LENGTH	Nil	RECORDER DEPTH SCALE, FT/IN.	10	WITNESSED BY	



WIDCO DIVISION OF GEARHART OWEN INDUSTRIES, FORT WORTH, TEXAS CHART NO. 102 MADE IN U.S.A.

DATA PROBE LOGGING LTD.

3133 DOVERVILLE CRESCENT S.E., CALGARY, ALBERTA T2B 1V1

COMPANY: CYPRUS ANVIL MINING CORP.


HOLE NUMBER OR NAME: C - 77 - 32

LOCATION: Carmacks North

PROVINCE: Yukon ELEVATION:

LOG TYPE: Natural Gamma & Density

DATE	July 14, 1977	TOOL MFG. & S/N	Well Recon	SOURCE TYPE	Ra 226
LOGGING UNIT NO.	6	TOOL DIAMETER	1¼"	SOURCE STRENGTH	3 mc's
RUN NO.	1 & 2	DETECTOR TYPE	Scint	SOURCE SPACING	12"
DRILLED DEPTH	303'	DETECTOR SIZE	3/4" x 3"	RESISTIVITY TYPE	
LOGGED DEPTH	301'	TIME CONSTANT, SECONDS	3 & 1	SCALE, OHMS/IN.	
ZERO DATUM	G.L.	RECORDER SCALE, C.P.S./IN.	30 & 5000	S.P. SCALE, MV/IN.	
FLUID LEVEL	298'	RECORDER ZERO	As Marked		
HOLE DIAMETER		LOGGING SPEED, FT/MIN.	20	RECORDED BY	R.A. Hodge
CASING LENGTH	N11	RECORDER DEPTH SCALE, FT/IN.	10	WITNESSED BY	



WIDCO DIVISION OF GEARHART OWEN INDUSTRIES, FORT WORTH, TEXAS CHART NO. 102 MADE IN U.S.A.

DATA PROBE LOGGING LTD.

3133 DOVERVILLE CRESCENT S.E., CALGARY, ALBERTA T2B 1V1

COMPANY: CYPRUS ANVIL MINING CORP.


HOLE NUMBER OR NAME: C - 77 - 33

LOCATION: Carmacks North

PROVINCE: Yukon ELEVATION:

LOG TYPE: Natural Gamma & Density

DATE	July 14, 1977	TOOL MFG. & S/N	Well Recon	SOURCE TYPE	Ra 226
LOGGING UNIT NO.	6	TOOL DIAMETER	1¼"	SOURCE STRENGTH	3 mci's
RUN NO.	1 & 2	DETECTOR TYPE	Scint	SOURCE SPACING	12"
DRILLED DEPTH	303'	DETECTOR SIZE	3/4" x 3"	RESISTIVITY TYPE	
LOGGED DEPTH	299'	TIME CONSTANT, SECONDS	3 & 1	SCALE, OHMS/IN.	
ZERO DATUM	G.L.	RECORDER SCALE, C.P.S./IN.	30 & 5000	S.P. SCALE, MV/IN.	
FLUID LEVEL	Nil	RECORDER ZERO	As Marked		
HOLE DIAMETER		LOGGING SPEED, FT./MIN.	20	RECORDED BY	R.A. Hodge
CASING LENGTH	Nil	RECORDER DEPTH SCALE, FT./IN.	10	WITNESSED BY	



WIDCO DIVISION OF GEARHART OWEN INDUSTRIES, FORT WORTH, TEXAS CHART NO. 102 MADE IN U.S.A.

DATA PROBE LOGGING LTD.

3133 DOVERVILLE CRESCENT S.E., CALGARY, ALBERTA T2B 1V1

COMPANY: CYPRUS ANVIL MINING CORP.


HOLE NUMBER OR NAME: C - 77 - 34

LOCATION: Carmacks North

PROVINCE: Yukon ELEVATION:

LOG TYPE: Natural Gamma & Density

DATE	July 14, 1977	TOOL MFG. & S/N	Well Recon	SOURCE TYPE	Ra 226
LOGGING UNIT NO.	6	TOOL DIAMETER	1¾"	SOURCE STRENGTH	3 mci's
RUN NO.	1 & 2	DETECTOR TYPE	Scint	SOURCE SPACING	12"
DRILLED DEPTH	303'	DETECTOR SIZE	3/4" x 3"	RESISTIVITY TYPE	
LOGGED DEPTH	299'	TIME CONSTANT, SECONDS	3 & 1	SCALE, OHMS/IN.	
ZERO DATUM	G.L.	RECORDER SCALE, C.P.S./IN.	30 & 5000	S.P. SCALE, MV/IN.	
FLUID LEVEL	N11	RECORDER ZERO	As Marked		
HOLE DIAMETER		LOGGING SPEED, FT/MIN.	20	RECORDED BY	R.A. Hodge
CASING LENGTH	N11	RECORDER DEPTH SCALE, FT/IN.	10	WITNESSED BY	



WIDCO DIVISION OF GEARHART OWEN INDUSTRIES, FORT WORTH, TEXAS CHART NO. 102 MADE IN U.S.A.

DATA PROBE LOGGING LTD.

3133 DOVERVILLE CRESCENT S.E., CALGARY, ALBERTA T2B 1V1

COMPANY: GYPRUS ANVIL MINING CORP.


HOLE NUMBER OR NAME: C - 77 - ~~80~~ 35

LOCATION: Carmacks North

PROVINCE: Yukon ELEVATION:

LOG TYPE: Natural Gamma & Density

DATE	July 22, 1977	TOOL MFG. & S/N	Well Recon	SOURCE TYPE	Ra 226
LOGGING UNIT NO.	6	TOOL DIAMETER	1¼"	SOURCE STRENGTH	3 mci's
RUN NO.	1 & 2	DETECTOR TYPE	Scint	SOURCE SPACING	12"
DRILLED DEPTH	303'	DETECTOR SIZE	3/4" x 3"	RESISTIVITY TYPE	
LOGGED DEPTH	260'	TIME CONSTANT, SECONDS	3 & 1	SCALE, OHMS/IN.	
ZERO DATUM	G.L.	RECORDER SCALE, C.P.S./IN.	30 & 5000	S.P. SCALE, MV/IN.	
FLUID LEVEL	Nil	RECORDER ZERO	As Marked		
HOLE DIAMETER		LOGGING SPEED, FT/MIN.	20	RECORDED BY	R.A. Hodge
CASING LENGTH	Nil	RECORDER DEPTH SCALE, FT/IN.	10	WITNESSED BY	



DATA PROBE LOGGING LTD.

3133 DOVERVILLE CRESCENT S.E., CALGARY, ALBERTA T2B 1V1

COMPANY: CYPRUS ANVIL MINING CORP.


HOLE NUMBER OR NAME: C - 77 - 36

LOCATION: Carmacks North

PROVINCE: Yukon ELEVATION:

LOG TYPE: Natural Gamma & Density

DATE	July 22, 1977	TOOL MFG. & S/N	Well Recon	SOURCE TYPE	Ra 226
LOGGING UNIT NO.	6	TOOL DIAMETER	1¼"	SOURCE STRENGTH	3 mci's
RUN NO.	1 & 2	DETECTOR TYPE	Scint	SOURCE SPACING	12"
DRILLED DEPTH	303'	DETECTOR SIZE	3/4" x 3"	RESISTIVITY TYPE	
LOGGED DEPTH	295'	TIME CONSTANT, SECONDS	3 & 1	SCALE, OHMS/IN.	
ZERO DATUM	G.L.	RECORDER SCALE, C.P.S./IN.	30 & 5000	S.P. SCALE, MV/IN.	
FLUID LEVEL	Nil	RECORDER ZERO	As Marked		
HOLE DIAMETER		LOGGING SPEED, FT/MIN.	20	RECORDED BY	R.A. Hodge
CASING LENGTH	Nil	RECORDER DEPTH SCALE, FT/IN.	10	WITNESSED BY	



WIDCO DIVISION OF GEARHART OWEN INDUSTRIES, FORT WORTH, TEXAS CHART NO. 102 MADE IN U.S.A.

DATA PROBE LOGGING LTD.

3133 DOVERVILLE CRESCENT S.E., CALGARY, ALBERTA T2B 1V1

COMPANY: CYPRUS ANVIL MINING CORP.


HOLE NUMBER OR NAME: C - 77 - 37

LOCATION: Carmacks North

PROVINCE: Yukon ELEVATION:

LOG TYPE: Natural Gamma & Density

DATE	July 22, 1977	TOOL MFG. & S/N	Well Recon	SOURCE TYPE	Ra 226
LOGGING UNIT NO.	6	TOOL DIAMETER	1¼"	SOURCE STRENGTH	3 mol's
RUN NO.	1 & 2	DETECTOR TYPE	Scint	SOURCE SPACING	12"
DRILLED DEPTH	303'	DETECTOR SIZE	3/4" x 3"	RESISTIVITY TYPE	
LOGGED DEPTH	298'	TIME CONSTANT, SECONDS	3 & 1	SCALE, OHMS/IN.	
ZERO DATUM	G.L.	RECORDER SCALE, C.P.S./IN.	30 & 5000	S.P. SCALE, MV/IN.	
FLUID LEVEL	Nil	RECORDER ZERO	As Marked		
HOLE DIAMETER		LOGGING SPEED, FT/MIN.	20	RECORDED BY	R.A. Hodge
CASING LENGTH	Nil	RECORDER DEPTH SCALE, FT/IN.	10	WITNESSED BY	



WIDCO DIVISION OF GEARHART OWEN INDUSTRIES, FORT WORTH, TEXAS CHART NO. 102 MADE IN U.S.A.

DATA PROBE LOGGING LTD.

3133 DOVERVILLE CRESCENT S.E., CALGARY, ALBERTA T2B 1V1

COMPANY: CYPRUS ANVIL MINING CORP.


HOLE NUMBER OR NAME: C - 77 - 38

LOCATION: Carmacks North

PROVINCE: Yukon ELEVATION:

LOG TYPE: Natural Gamma & Density

DATE	July 22, 1977	TOOL MFG. & S/N	Well Recon	SOURCE TYPE	Ra 226
LOGGING UNIT NO.	6	TOOL DIAMETER	1¾"	SOURCE STRENGTH	3 mci's
RUN NO.	1 & 2	DETECTOR TYPE	Scint	SOURCE SPACING	12"
DRILLED DEPTH	303'	DETECTOR SIZE	3/4" x 3"	RESISTIVITY TYPE	
LOGGED DEPTH	298'	TIME CONSTANT, SECONDS	3 & 1	SCALE, OHMS/IN.	
ZERO DATUM	G.L.	RECORDER SCALE, C.P.S./IN.	30 & 5000	S.P. SCALE, MV/IN.	
FLUID LEVEL	296'	RECORDER ZERO	As Marked		
HOLE DIAMETER		LOGGING SPEED, FT/MIN.	20	RECORDED BY	R.A. Hodge
CASING LENGTH	N11	RECORDER DEPTH SCALE, FT/IN.	10	WITNESSED BY	



WIDCO DIVISION OF GEARHART OWEN INDUSTRIES, FORT WORTH, TEXAS CHART NO. 102 MADE IN U.S.A.

DATA PROBE LOGGING LTD.

3133 DOVERVILLE CRESCENT S.E., CALGARY, ALBERTA T2B 1V1

COMPANY: CYPRUS ANVIL MINING CORP.


HOLE NUMBER OR NAME: G - 77 - 39

LOCATION: Carmacks North

PROVINCE: Yukon ELEVATION:

LOG TYPE: Natural Gamma & Density & Resistance

DATE	July 22, 1977	TOOL MFG. & S/N	Well Recon	SOURCE TYPE	Ra 226
LOGGING UNIT NO.	6	TOOL DIAMETER	1¼"	SOURCE STRENGTH	3 mc's
RUN NO.	1 & 2	DETECTOR TYPE	Scint	SOURCE SPACING	12"
DRILLED DEPTH	382'	DETECTOR SIZE	3/4" x 3"	RESISTIVITY TYPE	Single Point
LOGGED DEPTH	376'	TIME CONSTANT SECONDS	3 & 1	SCALE OHMS/IN.	50
ZERO DATUM	G.L.	RECORDER SCALE C.P.S./IN.	30 & 5000	S.P. SCALE MV/IN.	
FLUID LEVEL	324'	RECORDER ZERO	As Marked		
HOLE DIAMETER		LOGGING SPEED FT/MIN.	20	RECORDED BY	R.A. Hodge
CASING LENGTH	Nil	RECORDER DEPTH SCALE FT/IN	10	WITNESSED BY	



DATA PROBE LOGGING LTD.

3133 DOVERVILLE CRESCENT S.E., CALGARY, ALBERTA T2B 1V1

COMPANY: CYPRUS ANVIL MINING CORP.


HOLE NUMBER OR NAME: C - 77 - 40

LOCATION: Carmacks North

PROVINCE: Yukon ELEVATION:

LOG TYPE: Natural Gamma & Density

DATE	July 22, 1977	TOOL MFG. & S/N	Well Recon	SOURCE TYPE	Ra 226
LOGGING UNIT NO.	6	TOOL DIAMETER	1¾"	SOURCE STRENGTH	3 mil's
RUN NO.	1 & 2	DETECTOR TYPE	Scint	SOURCE SPACING	12"
DRILLED DEPTH	303'	DETECTOR SIZE	3/4" x 3"	RESISTIVITY TYPE	
LOGGED DEPTH	301'	TIME CONSTANT, SECONDS	3 & 1	SCALE, OHMS/IN.	
ZERO DATUM	G.L.	RECORDER SCALE, C.P.S./IN.	30 & 5000	S.P. SCALE, MV/IN.	
FLUID LEVEL	Nil	RECORDER ZERO	As Marked		
HOLE DIAMETER		LOGGING SPEED, FT/MIN.	20	RECORDED BY	R.A. Hodge
CASING LENGTH	Nil	RECORDER DEPTH SCALE, FT/IN.	10	WITNESSED BY	


NATURAL GAMMA
30
60
90
120
DENSITY
30K
35K
40K
45K
50K
Casing
Limestone
Sandstone & Siltstone Interbedded
Limestone
Sandstone & Siltstone Interbedded
Limestone
Sandstone & Siltstone Interbedded

DATA PROBE LOGGING LTD.

3133 DOVERVILLE CRESCENT S.E., CALGARY, ALBERTA T2B 1V1

COMPANY: CYPRUS ANVIL MINING CORP.


HOLE NUMBER OR NAME: C - 77 - 41

LOCATION: Carmacks North

PROVINCE: Yukon ELEVATION:

LOG TYPE: Natural Gamma & Density

DATE	July 22, 1977	TOOL MFG. & S/N	Well Recon	SOURCE TYPE	Ra 226
LOGGING UNIT NO.	6	TOOL DIAMETER	1¼"	SOURCE STRENGTH	3 mci's
RUN NO.	1 & 2	DETECTOR TYPE	Scint	SOURCE SPACING	12"
DRILLED DEPTH	303'	DETECTOR SIZE	3/4" x 3"	RESISTIVITY TYPE	
LOGGED DEPTH	300'	TIME CONSTANT, SECONDS	3 & 1	SCALE, OHMS/IN.	
ZERO DATUM	G.L.	RECORDER SCALE, C.P.S./IN.	30 & 5000	S.P. SCALE, MV/IN.	
FLUID LEVEL	Nil	RECORDER ZERO	As Marked		
HOLE DIAMETER		LOGGING SPEED, FT/MIN.	20	RECORDED BY	R.A. Hodge
CASING LENGTH	Nil	RECORDER DEPTH SCALE, FT/IN	10	WITNESSED BY	



DATA PROBE LOGGING LTD.

3133 DOVERVILLE CRESCENT S.E., CALGARY, ALBERTA T2B 1V1

COMPANY: CYPRUS ANVIL MINING CORP.


HOLE NUMBER OR NAME: C - 77 - 42

LOCATION: Carmacks North

PROVINCE: Yukon ELEVATION:

LOG TYPE: Natural Gamma & Density

DATE	July 22, 1977	TOOL MFG. & S/N	Well Recon	SOURCE TYPE	Ra 226
LOGGING UNIT NO.	6	TOOL DIAMETER	1¾"	SOURCE STRENGTH	3 mci's
RUN NO.	1 & 2	DETECTOR TYPE	Scint	SOURCE SPACING	12"
DRILLED DEPTH	303'	DETECTOR SIZE	3/4" x 3"	RESISTIVITY TYPE	
LOGGED DEPTH	301'	TIME CONSTANT, SECONDS	3 & 1	SCALE, OHMS/IN.	
ZERO DATUM	G.L.	RECORDER SCALE, C.P.S./IN.	30 & 5000	S.P. SCALE, MV/IN.	
FLUID LEVEL	Nil	RECORDER ZERO	As Marked		
HOLE DIAMETER		LOGGING SPEED, FT/MIN.	20	RECORDED BY	R.A. Hodge
CASING LENGTH	Nil	RECORDER DEPTH SCALE, FT/IN.	10	WITNESSED BY	



WIDCO DIVISION OF GEARHART OWEN INDUSTRIES, FORT WORTH, TEXAS CHART NO. 102 MADE IN U.S.A.